

ParellDesk_Vscodeアクティブ

```
{
  "description": "RightOption + S_ActiveParellDeskWindowsVscode(WindowControl)",
  "type": "basic",
  "from": <%= from("s", ["right_alt"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a '/Users/user/Applications
(Parallels)/{b9dc48ef-d509-4ca8-a69c-0e98f2ecf717} Applications.localized/Visual
Studio Code.app/Contents/MacOS/WinAppHelper'"]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %>]
},
```

G_VivaldiActiveWindow

```
{
  "description": "RightOption + G_VivaldiActiveWindow(WindowControl)",
  "type": "basic",
  "from": <%= from("g", ["right_alt"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a 'Vivaldi.app'"]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %>]
},
```

double_push_DoubleRightShiftで「/MacWindowShare」ディレクトリを開く

```
{
  "description": "Double RightShift_/MacWindowShare/(Double Push)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "right_shift",
        "modifiers": {
          "optional": [
            "any"
          ]
        }
      }
    }
  ],
}
```

```
"to": [
{
"shell_command": "open -a 'Path Finder.app' '/Users/user/MacWindowShare/'"
}
],
"conditions": [
{
"type": "variable_if",
"name": "right_shift pressed",
"value": 1
},
{
"type": "frontmost_application_unless",
"bundle_identifiers": [
"^com\\.vmware\\.fusion$",
"^com\\.vmware\\.horizon$",
"^com\\.vmware\\.view$",
"^com\\.parallels\\.desktop$",
"^com\\.parallels\\.vm$",
"^com\\.parallels\\.desktop\\.console$",
"^org\\.virtualbox\\.app\\.VirtualBoxVM$",
"^com\\.vmware\\.proxyApp\\.\"",
"^com\\.parallels\\.winapp\\.\"
]
}
]
},
{
"type": "basic",
"from": {
"key_code": "right_shift",
"modifiers": {
"optional": [
"any"
]
}
},
"to": [
{
"set_variable": {
"name": "right_shift pressed",
"value": 1
}
},
{
"key_code": "right_shift"
```

```

}
],
"to_delayed_action": {
"to_if_invoked": [
{
"set_variable": {
"name": "right_shift pressed",
"value": 0
}
}
],
"to_if_canceled": [
{
"set_variable": {
"name": "right_shift pressed",
"value": 0
}
}
]
}
],
},

```

Oracle_NumberLearnParts

```

{
"description": "RightAlt + 1_Oracle_NumberLearnParts",
"type": "basic",
"from": <%= from("1", ["right_alt", ["caps_lock"]]) %>,
"to": <%= to(["1", ["left_alt", "left_shift"]]) %>,
"conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},

```

vscode_Column2SplitEditorScreen

```

{
"description": "LeftCommand + 0(左⌘)_Column2SplitEditorScreen(vscode)",
"manipulators": [
{
"type": "basic",
"from": <%= from("0", ["left_control", ["caps_lock"]]) %>,
"to": <%= to(["o", ["left_control", "left_shift"], ["i", ["right_gui", "right_alt"]], ["n",

```

```
[ "right_gui" ] ] ] ) %>,
"conditions": [ <%= frontmost_application_if("vscode") %> ]
}
]
},
```

ActiveParellDeskSublime(WindowControl)

```
{
"description": "RightOption + W_ActiveParellDeskSublime(WindowControl)",
"type": "basic",
"from": <%= from("w", ["right_alt"], ["caps_lock"]) %>,
"to": <%= set_shell_command(["open -a '/Users/user/Applications (Parallels)/{b9dc48ef-d509-4ca8-a69c-0e98f2ecf717} Applications.localized/Sublime Text 3.app/Contents/MacOS/WinAppHelper'"]) %>,
"conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
}
```

"Double LeftShift_tilde(Vitualbox)"

```
{
"description": "Double LeftShift_tilde(Vitualbox)",
"manipulators": [
{
"type": "basic",
"from": {
"key_code": "left_shift",
"modifiers": {
"optional": [
"any"
]
}
},
"to": [
{
"key_code": "grave_accent_and_tilde",
"modifiers": [
"left_shift"
]
}
],
"conditions": [
{
```

```
"type": "variable_if",
"name": "left_shift pressed",
"value": 1
}
],
},
{
"type": "basic",
"from": {
"key_code": "left_shift",
"modifiers": {
"optional": [
"any"
]
}
},
"to": [
{
"set_variable": {
"name": "left_shift pressed",
"value": 1
}
},
{
"key_code": "left_shift"
}
],
"to_delayed_action": {
"to_if_invoked": [
{
"set_variable": {
"name": "left_shift pressed",
"value": 0
}
}
],
"to_if_canceled": [
{
"set_variable": {
"name": "left_shift pressed",
"value": 0
}
}
]
}
}
```

```
]
}
```

ConstScrollDown,ConstScrollUp(保留)

```
{
  "description": "RightAlt + J_ConstScrollDown",
  "type": "basic",
  "from": <%= from("j", ["right_alt"], ["caps_lock"]) %>,
  "to": <%= to(["e", ["left_control"]]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
{
  "description": "RightAlt + K_ConstScrollUp",
  "type": "basic",
  "from": <%= from("k", ["right_alt"], ["caps_lock"]) %>,
  "to": <%= to(["y", ["left_control"]]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
```

replacekey.json.erb

```
{
  "description": "LeftCommand + H/J/K/L_Arrows(Replacekey)",
  "manipulators":
  <%= each_key(
    source_keys_list: ["h", "j", "k", "l"],
    from_mandatory_modifiers: ["left_control"],
    from_optional_modifiers: ["any"],
    dest_keys_list: ["left_arrow", "down_arrow", "up_arrow", "right_arrow"],
    as_json: true,
  ) %>
},
```

replacekey.json.erb

```
{
  "description": "RightCommand + Z,X,C,V,S,D,F,W,E,R_Number0~9_簡易版(Replacekey)",
  "manipulators":
  <%= each_key(
```

```

        source_keys_list: ["z", "x", "c", "v", "s", "d", "f", "w", "e", "r"],
        from_mandatory_modifiers: ["right_gui"],
        from_optional_modifiers: ["caps_lock"],
        dest_keys_list: ["japanese_eisuu", "0"], ["japanese_eisuu", "1"],
        ["japanese_eisuu", "2"], ["japanese_eisuu", "3"], ["japanese_eisuu", "4"],
        ["japanese_eisuu", "5"], ["japanese_eisuu", "6"], ["japanese_eisuu", "7"],
        ["japanese_eisuu", "8"], ["japanese_eisuu", "9"]],
        as_json: true,
    ) %>
},
{
    "description": "RightCommand + Z,X,C,V,S,D,F,W,E,R_Number0~9_詳細版(Replacekey)",
    "manipulators": [
        {
            "type": "basic",
            "from": {
                "key_code": "z",
                "modifiers": {
                    "mandatory": [
                        "right_gui"
                    ],
                    "optional": [
                        "caps_lock"
                    ]
                }
            },
            "to": [
                {
                    "key_code": "japanese_eisuu"
                },
                {
                    "key_code": "0"
                }
            ],
            "conditions": [
                {
                    "type": "frontmost_application_unless",
                    "bundle_identifiers": [
                        "^com.parallels.desktop.console$",
                        "^com.parallels.winapp.b06b57f82d7f519cdfa3013b29968f3d.b9dc48efd5094ca8a69c0e98f2ecf717",
                        "^com.parallels.winapp.7d56d4002964a683f165ae699d4ad1ba.b9dc48efd5094ca8a69c0e98f2ecf717",
                        "^com.parallels.winapp.d51a768a01445deddc409dc4b3c07517.b9dc48efd5094ca8a69c0e98f2ecf717",
                        "^com.parallels.winapp.c1d81af5835844b4e9d936910ded8fdc.b9dc48efd5094ca8a69c0e98f2ecf717",
                        "^com.parallels.winapp.2d457b859f61df5cdc0ae605436482d3.b9dc48efd5094ca8a69c0e98f2ecf717"
                    ]
                }
            ]
        }
    ]
}

```

```
"^com.parallels.winapp.bf733d8a933c1601697f364223fc7ecb.b9dc48efd5094ca8a69c0e98f2ecf717
"^com.parallels.winapp.f900d466e8ca2c668fa8844e6e5205f3.b9dc48efd5094ca8a69c0e98f2ecf717
"^com.parallels.winapp.ee162c85923f5664be0dcc14062cc904.b9dc48efd5094ca8a69c0e98f2ecf717
"^com.parallels.winapp.5f30debe0c2949158e0cff8dc0684bbb.b9dc48efd5094ca8a69c0e98f2ecf717

    ]
  }
]
},
{
  "type": "basic",
  "from": {
    "key_code": "x",
    "modifiers": {
      "mandatory": [
        "right_gui"
      ],
      "optional": [
        "caps_lock"
      ]
    }
  },
  "to": [
    {
      "key_code": "japanese_eisuu"
    },
    {
      "key_code": "1"
    }
  ]
},
{
  "type": "basic",
  "from": {
    "key_code": "c",
    "modifiers": {
      "mandatory": [
        "right_gui"
      ],
      "optional": [
        "caps_lock"
      ]
    }
  },
  "to": [
    {
      "key_code": "japanese_eisuu"
```



```
    },
    {
      "key_code": "2"
    }
  ]
},
{
  "type": "basic",
  "from": {
    "key_code": "v",
    "modifiers": {
      "mandatory": [
        "right_gui"
      ],
      "optional": [
        "caps_lock"
      ]
    }
  },
  "to": [
    {
      "key_code": "japanese_eisu"
    },
    {
      "key_code": "3"
    }
  ]
},
{
  "type": "basic",
  "from": {
    "key_code": "s",
    "modifiers": {
      "mandatory": [
        "right_gui"
      ],
      "optional": [
        "caps_lock"
      ]
    }
  },
  "to": [
    {
      "key_code": "japanese_eisu"
    },
    {
      "key_code": "4"
    }
  ]
},
{
  "type": "basic",
  "from": {
    "key_code": "d",
```

```
      "modifiers": {
        "mandatory": [
          "right_gui"
        ],
        "optional": [
          "caps_lock"
        ]
      },
    },
    "to": [
      {
        "key_code": "japanese_eisu"
      },
      {
        "key_code": "5"
      }
    ]
  },
  {
    "type": "basic",
    "from": {
      "key_code": "f",
      "modifiers": {
        "mandatory": [
          "right_gui"
        ],
        "optional": [
          "caps_lock"
        ]
      }
    },
    "to": [
      {
        "key_code": "japanese_eisu"
      },
      {
        "key_code": "6"
      }
    ]
  },
  {
    "type": "basic",
    "from": {
      "key_code": "w",
      "modifiers": {
        "mandatory": [
          "right_gui"
        ],
        "optional": [
          "caps_lock"
        ]
      }
    },
    "to": [
```

```
    {
      "key_code": "japanese_eisuu"
    },
    {
      "key_code": "7"
    }
  ]
},
{
  "type": "basic",
  "from": {
    "key_code": "e",
    "modifiers": {
      "mandatory": [
        "right_gui"
      ],
      "optional": [
        "caps_lock"
      ]
    }
  },
  "to": [
    {
      "key_code": "japanese_eisuu"
    },
    {
      "key_code": "8"
    }
  ]
},
{
  "type": "basic",
  "from": {
    "key_code": "r",
    "modifiers": {
      "mandatory": [
        "right_gui"
      ],
      "optional": [
        "caps_lock"
      ]
    }
  },
  "to": [
    {
      "key_code": "japanese_eisuu"
    },
    {
      "key_code": "9"
    }
  ]
}
},
]
```

CapsLocker、起動時にChrome上でCapsLockオン時に「j」キーを押すごとに、CapsLockerのアイコンが表示されることの対策検討

結果:うまくいかなかった。

Capslockオン時に、「j」キーで、CapsLockerのアイコンが表示されてしまう。

```
{
  "description": "J_DownArrow_改良1_1(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "j"
      },
      "to": [
        {
          "key_code": "down_arrow"
        }
      ],
      "conditions": [
        {
          "type": "frontmost_application_if",
          "bundle_identifiers": [
            "^com\\.google\\.Chrome$"
          ]
        }
      ]
    }
  ]
},
{
  "description": "J_DownArrow改良1_2(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "j",
        "modifiers": {
          "mandatory": [
            "caps_lock"
          ]
        }
      },
      "to": [
        {
          "key_code": "j"
        }
      ]
    }
  ]
}
```

```

    ],
    "conditions": [
      {
        "type": "frontmost_application_if",
        "bundle_identifiers": [
          "^com\\.google\\.\\.Chrome$"
        ]
      }
    ]
  }
}
],
},

```

「frontmost_chrome.json.erb_L」 キー、RightArrow設定、

```

{
  "description": "L_RightArrow(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": <%= from("l", ["caps_lock"]) %>,
      "to": <%= to(["right_arrow"]) %>,
      "conditions": [ <%= frontmost_application_if("chrome") %> ]
    }
  ]
},

```

使用しない

```

{
  "description": "適用しない_Delete_NoteDelete(Evernote)",
  "manipulators": [
    {
      "type": "basic",
      "from": <%= from("delete_or_backspace") %>,
      "to": <%= to(["delete_or_backspace", ["right_gui"]]) %>,
      "conditions": [ <%= frontmost_application_if("evernote") %> ]
    }
  ]
}

```

使用しない

```
{
  "description": "使用しない_LeftAlt + F11_VBAeditor(Excel)",
  "manipulators": [
    {
      "type": "basic",
      "from": <%= from("f11", ["left_alt"]) %>,
      "to": <%= to(["f11", ["left_alt"]]) %>,
      "conditions": [ <%= frontmost_application_if("excel") %> ]
    }
  ],
  {
    "description": "使用しない
_Marukako_OpenCloseInput(Excel)",
    "manipulators": [
      {
        "type": "basic",
        "from": <%= from("9", ["left_shift"]) %>,
        "to": <%= to(["9", ["left_shift"]], ["0", ["left_shift"]]) %>,
        "conditions": [ <%= frontmost_application_if("excel") %> ]
      }
    ],
    {
      "description": "使用しない
_Namikako_OpenCloseInput(Excel)",
      "manipulators": [
        {
          "type": "basic",
          "from": <%= from("open_bracket", ["left_shift"]) %>,
          "to": <%= to(["open_bracket", ["left_shift"]],
```

```
[ "close_bracket", ["left_shift"]]) %>,
"conditions": [ <%= frontmost_application_if("excel") %> ]
}
]
},
{
"description": "使用しない
_Kakukako_OpenCloseInput(Excel)",
"manipulators": [
{
"type": "basic",
"from": <%= from("open_bracket") %>,
"to": <%= to(["open_bracket"], ["close_bracket"]) %>,
"conditions": [ <%= frontmost_application_if("excel") %> ]
}
]
},
{
"description": "使用しない
_Dainari_OpenCloseInput(Excel)",
"manipulators": [
{
"type": "basic",
"from": <%= from("comma", ["left_shift"]) %>,
"to": <%= to(["comma", ["left_shift"]], ["period",
["left_shift"]]) %>,
"conditions": [ <%= frontmost_application_if("excel") %> ]
}
]
},
{
"description": "使用しない
_DoubleQuote_OpenCloseInput(Excel)",
```

```
"manipulators": [  
  {  
    "type": "basic",  
    "from": <%= from("quote", ["left_shift"]) %>,  
    "to": <%= to(["quote", ["left_shift"]], ["quote",  
    ["left_shift"]]) %>,  
    "conditions": [ <%= frontmost_application_if("excel") %> ]  
  }  
]  
,  
{  
  "description": "使用しない  
_SingleQuote_OpenCloseInput(Excel)",  
  "manipulators": [  
    {  
      "type": "basic",  
      "from": <%= from("quote") %>,  
      "to": <%= to(["quote"], ["quote"]) %>,  
      "conditions": [ <%= frontmost_application_if("excel") %> ]  
    }  
  ]  
},  
{  
  "description": "使用しないLeftAlt_Copy(Excel)",  
  "manipulators": [  
    {  
      "type": "basic",  
      "from": {  
        "key_code": "left_alt",  
        "modifiers": {  
          "optional": [  
            "caps_lock"  
          ]  
        }  
      }  
    }  
  ]  
}
```



```
}  
},  
"to": [  
  {  
    "key_code": "left_alt"  
  }  
],  
"to_if_alone": [  
  {  
    "key_code": "left_alt",  
    "modifiers": "left_gui"  
  }  
],  
"conditions": [  
  {  
    "type": "frontmost_application_if",  
    "bundle_identifiers": [  
      "^com\\.microsoft\\.Excel$"  
    ]  
  }  
]  
}  
]  
}  
]  
},  
{  
  "description": "使用しない_RightCommand +  
J_Select1Row(Excel)VBEでのみ使用可能",  
  "manipulators": [  
    {  
      "type": "basic",  
      "from": <%= from("j", ["right_gui"]) %>,  
      "to": <%= to(["left_arrow", ["fn"]], ["down_arrow",  
"left_shift"]) %>,  
    }  
  ]  
}
```

```
"conditions": [ <%= frontmost_application_if("excel") %> ]
}
]
}
```

使用しない

```
{
"description": "使用しないEnter_OpenFile(pathfinder)",
"_comment": "ファイル名変更でエンターで確定できない為",
"manipulators": [
{
"type": "basic",
"from": <%= from("return_or_enter") %>,
"to": <%= to(["o", ["right_gui"]]) %>,
"conditions": [ <%= frontmost_application_if("pathfinder") %> ]
}
],
},
{
"description": "使用しない_delete_FileDelete(pathfinder)",
"manipulators": [
{
"type": "basic",
"from": <%= from("delete_or_backspace") %>,
"to": <%= to(["delete_or_backspace", ["right_gui"]]) %>,
"conditions": [ <%= frontmost_application_if("pathfinder") %> ]
}
]
}
```

今は使わない

```
{
"description": "F3_KeyManageList.xlsxOpen(FunctionKey)",
"manipulators": [
{
"type": "basic",
"from": <%= from("f3") %>,
"to": <%= set_shell_command(["open
'/Users/user/Dropbox/KeyCustomization/KeyManageList.xlsm']) %>
}
]
```

```
]
},
```

今は使わない

```
{
  "description": "今は使わない_Double F1_tmp.py(Single)_tmp.md[Double]
(FunctionKey)",
  "_comment": "ダブル押しコードでの、「frontmost_application_unless(pararell)」の書き方
が分からないので、Single押しでの処理を使うことにする。",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "f1",
        "modifiers": {
          "optional": [
            "any"
          ]
        }
      },
      "to": [
        {
          "shell_command": "open
'/Users/user/Desktop/iCollections/Folder2/Verification/tmp.md'"
        }
      ],
      "conditions": [
        {
          "type": "variable_if",
          "name": "f1 pressed",
          "value": 1
        }
      ]
    },
    {
      "type": "basic",
      "from": {
        "key_code": "f1",
        "modifiers": {
          "optional": [
            "any"
          ]
        }
      },
      "to": [
        {
          "set_variable": {
            "name": "f1 pressed",
```

```
        "value": 1
    },
    {
        "shell_command": "open
'/Users/user/Desktop/iCollections/Folder2/Verification/tmp.py'
    }
],
"to_delayed_action": {
    "to_if_invoked": [
        {
            "set_variable": {
                "name": "f1 pressed",
                "value": 0
            }
        }
    ],
    "to_if_canceled": [
        {
            "set_variable": {
                "name": "f1 pressed",
                "value": 0
            }
        }
    ]
}
},
]
```

```
{
  "description": "使用しない(予測変換で2度押しが必要になるため)_Spacebar(mi)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "spacebar",
        "modifiers": {
          "optional": [
            "caps_lock"
          ]
        }
      },
      "to": [
        {

```

```
"key_code": "japanese_eisuu"
},
{
  "key_code": "spacebar"
}
],
"conditions": [
{
  "type": "frontmost_application_if",
  "bundle_identifiers": [
    "^net.mimikaki.mi$"
  ]
}
]
},
{
  "description": "使用しない_Dainari_OpenCloseInput(mi)",
  "manipulators": [
    {
      "type": "basic",
      "from": <%= from("comma", ["left_shift"], ["caps_lock"]) %>,
      "to": <%= to(["japanese_eisuu"], ["comma", ["left_shift"]], ["period", ["left_shift"]], ["left_arrow"]) %>,
      "conditions": [ <%= frontmost_application_if("mi") %> ]
    }
  ]
},
{
  "description": "RightCommand + J_1RowSelection_LeftArrow(mi)",
  "manipulators": [
    {
      "type": "basic",
      "from": <%= from("j", ["right_gui"]) %>,
      "to": <%= to(["a", ["left_control"]], ["down_arrow", "left_shift"], ["left_arrow", "left_shift"]) %>,
      "conditions": [ <%= frontmost_application_if("mi") %> ]
    }
  ]
}
}
```

使用しない

```
{
  "description": "使用しない_LeftCommand + J_DownArrow-X3(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "j",
        "modifiers": {
          "mandatory": [
            "left_control"
          ],
          "optional": [
            "caps_lock"
          ]
        }
      },
      "to": [
        {
          "key_code": "down_arrow"
        },
        {
          "key_code": "down_arrow"
        },
        {
          "key_code": "down_arrow"
        }
      ],
      "conditions": [
        {
          "type": "frontmost_application_if",
          "bundle_identifiers": [
            "^com\\.google\\.Chrome$"
          ]
        }
      ]
    }
  ],
},
{
  "description": "使用しない_LeftCommand + k_UpArrow-X3(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "k",
        "modifiers": {
          "mandatory": [
            "left_control"
          ],
          "optional": [
            "any"
          ]
        }
      },
      "to": [
        {
          "key_code": "up_arrow"
        },
        {
          "key_code": "up_arrow"
        },
        {
          "key_code": "up_arrow"
        }
      ],
      "conditions": [
        {
          "type": "frontmost_application_if",
          "bundle_identifiers": [
            "^com\\.google\\.Chrome$"
          ]
        }
      ]
    }
  ],
}
```

```
    }
  },
  "to": [
    {
      "key_code": "up_arrow"
    },
    {
      "key_code": "up_arrow"
    },
    {
      "key_code": "up_arrow"
    }
  ],
  "conditions": [
    {
      "type": "frontmost_application_if",
      "bundle_identifiers": [
        "^com\\.google\\.Chrome$"
      ]
    }
  ]
}
]
},
{
  "description": "使用しない_LeftCommand + h_LeftArrow-X3(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "h",
        "modifiers": {
          "mandatory": [
            "left_control"
          ],
          "optional": [
            "any"
          ]
        }
      },
      "to": [
        {
          "key_code": "left_arrow"
        },
        {
          "key_code": "left_arrow"
        },
        {
          "key_code": "left_arrow"
        }
      ],
      "conditions": [
        {
          "type": "frontmost_application_if",
```

```

        "bundle_identifiers": [
            "^com\\.google\\.Chrome$"
        ]
    }
}
],
},

```

```

{
  "description": "使用しない_LeftCommand + L_RigthArrow-X3(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "l",
        "modifiers": {
          "mandatory": [
            "left_control"
          ],
          "optional": [
            "any"
          ]
        }
      },
      "to": [
        {
          "key_code": "right_arrow"
        },
        {
          "key_code": "right_arrow"
        },
        {
          "key_code": "right_arrow"
        }
      ],
      "conditions": [
        {
          "type": "frontmost_application_if",
          "bundle_identifiers": [
            "^com\\.google\\.Chrome$"
          ]
        }
      ]
    },
  ]
}

```



```
{
  "description": "使用しない_英語モード:j_DownArrow(Chrome)",
  "_comment": "Chrome上で、検索窓に日本語入力ができなくなる欠点有り",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "j",
        "modifiers": {
          "optional": [
            "caps_lock"
          ]
        }
      },
      "to": [
        {
          "key_code": "down_arrow"
        }
      ],
      "conditions": [
        {
          "type": "input_source_if",
          "input_sources": [
            { "language": "en" }
          ]
        },
        {
          "type": "frontmost_application_if",
          "bundle_identifiers": [
            "^com\\.google\\.Chrome$"
          ]
        }
      ]
    },
    {
      "description": "使用しない_英語モード:k_UpArrow(Chrome)",
      "_comment": "Chrome上で、検索窓に日本語入力ができなくなる欠点有り",
      "manipulators": [
        {
          "type": "basic",
          "from": {
            "key_code": "k",
            "modifiers": {
              "optional": [
```

```
"caps_lock"
]
}
},
"to": [
{
"key_code": "up_arrow"
}
],
"conditions": [
{
"type": "input_source_if",
"input_sources": [
{ "language": "en" }
]
},
{
"type": "frontmost_application_if",
"bundle_identifiers": [
"^com\\.google\\.Chrome$"
]
}
]
},
{
"description": "使用しない_英語モード:h_LeftArrow(Chrome)",
"_comment": "Chrome上で、検索窓に日本語入力ができなくなる欠点有り",
"manipulators": [
{
"type": "basic",
"from": {
"key_code": "h",
"modifiers": {
"optional": [
"caps_lock"
]
}
},
"to": [
{
"key_code": "left_arrow"
}
],
"conditions": [
```

```
{
  "type": "input_source_if",
  "input_sources": [
    { "language": "en" }
  ]
},
{
  "type": "frontmost_application_if",
  "bundle_identifiers": [
    "^com\\.google\\.Chrome$"
  ]
}
]
}
]
},
{
  "description": "使用しない_英語モード:L_LeftArrow(Chrome)",
  "_comment": "Chrome上で、検索窓に日本語入力ができなくなる欠点有り",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "l",
        "modifiers": {
          "optional": [
            "caps_lock"
          ]
        }
      },
      "to": [
        {
          "key_code": "right_arrow"
        }
      ],
      "conditions": [
        {
          "type": "input_source_if",
          "input_sources": [
            { "language": "en" }
          ]
        },
        {
          "type": "frontmost_application_if",
          "bundle_identifiers": [
            "^com\\.google\\.Chrome$"
          ]
        }
      ]
    }
  ]
}
```

```
]
}
]
}
]
}
```

使用しない_LeftCommand + K_UpArrow_X3(Chrome)

```
{
  "description": "使用しない_LeftCommand + K_UpArrow_X3(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": <%= from("k",["left_control"],["caps_lock"]) %>,
      "to": <%= to(["up_arrow"],["up_arrow"],["up_arrow"]) %>,
      "conditions": [ <%= frontmost_application_if("chrome") %> ]
    }
  ]
},
```

使用しない_LeftCommand + h_LeftArrow-X3(kindle)

```
{
  "description": "LeftCommand + h_LeftArrow-X3(kindle)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "h",
        "modifiers": {
          "mandatory": [
            "left_control"
          ],
          "optional": [
            "any"
          ]
        }
      },
      "to": [
        {
          "key_code": "left_arrow"
        },
        {
```

```
        "key_code": "left_arrow"
      },
      {
        "key_code": "left_arrow"
      }
    ],
    "conditions": [
      {
        "type": "frontmost_application_if",
        "bundle_identifiers": [
          "^com.amazon.Kindle$"
        ]
      }
    ]
  }
}
},
{
  "description": "LeftCommand + L_RigthArrow-X3(kindle)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "l",
        "modifiers": {
          "mandatory": [
            "left_control"
          ],
          "optional": [
            "any"
          ]
        }
      },
      "to": [
        {
          "key_code": "right_arrow"
        },
        {
          "key_code": "right_arrow"
        },
        {
          "key_code": "right_arrow"
        }
      ],
      "conditions": [
        {
          "type": "frontmost_application_if",
          "bundle_identifiers": [
            "^com.amazon.Kindle$"
          ]
        }
      ]
    }
  ]
}
```

```
]
}
```

spacebar + j でDownArrow3回

```
{
  "description": "使用できない-LeftCommand + J_DownArrow_X3(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": <%= from("j", ["spacebar"], ["caps_lock"]) %>,
      "to": <%= to(["down_arrow"], ["down_arrow"], ["down_arrow"]) %>,
      "conditions": [ <%= frontmost_application_if("chrome") %> ]
    }
  ]
},
```

vscode ワークスペースを閉じる

```
{
  "description": "RightOption + G_ワークスペースを閉じる(vscode)",
  "manipulators": [
    {
      "type": "basic",
      "from": <%= from("g", ["right_option"], ["caps_lock"]) %>,
      "to": <%= to(["8", ["left_option", "right_gui"]]) %>,
      "conditions": [ <%= frontmost_application_if("vscode") %> ]
    }
  ]
},
```

browser_LeftControl_Rename

```
{
  "description": "検証要-LeftControl_Rename(browser)",
  "type": "basic",
  "from": <%= from("keyboard_fn", ["caps_lock"]) %>,
  "to": <%= to(["return_or_enter"]) %>,
```

```
"conditions": [<%= frontmost_application_if("browser") %>]
},
```

Rename(Chrome)

```
{
  "description": "LeftControl_Rename(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "apple_vendor_top_case_key_code": "keyboard_fn",
        "modifiers": {
          "optional": [
            "caps_lock"
          ]
        }
      },
      "to": [
        {
          "key_code": "return_or_enter"
        }
      ],
      "conditions": [
        {
          "type": "frontmost_application_if",
          "bundle_identifiers": [
            "^com\\.google\\.Chrome$"
          ]
        }
      ]
    }
  ],
}
```

単語の複数選択(Chrome)

```
{
  "description": "RightCommand + オウ_単語の複数選択(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": <%= from("o", ["right_gui"], ["caps_lock"]) %>,

```

```
"to": <%= to(["d", ["right_gui"]]) %>,
"conditions": [ <%= frontmost_application_if("chrome") %> ]
}
]
},
```

「RightShift + F1」 で MokuziKugiriCreate.exe 起動

```
{
"description": "RightShift + F1_MokuziKugiriCreate.exe",
"type": "basic",
"from": <%= from("f1", ["right_shift"], ["caps_lock"]) %>,
"to": <%= set_shell_command(["open
'/Users/user/MacWindowShare/MokuziKugiriCreate.exe']) %>,
"conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
```

mi-LeftOption + E_クリップボード内容evernote新規ノート貼付

```
{
"description": "LeftOption + E_クリップボード内容evernote新規ノート貼付",
"type": "basic",
"from": <%= from("e", ["left_option"], ["caps_lock"]) %>,
"to": <%= to(["v", ["left_control", "right_gui"]]) %>,
"conditions": [ <%= frontmost_application_if("mi") %> ]
},
```

window_control.json_RightOption + Q_ActiveParellDeskWindowsExploerDesktop

```
{
  "description": "RightOption + Q_ActiveParellDeskWindowsExploerDesktop",
  "type": "basic",
  "from": {
    "key_code": "q",
    "modifiers": {
      "mandatory": [
        "right_alt"
      ],

```



```

        "optional": [
            "caps_lock"
        ]
    },
    "to": [
        {
            "shell_command": "open -a '/Users/user/Applications
(Parallels)/{b9dc48ef-d509-4ca8-a69c-0e98f2ecf717} Applications.localized/エクスプロー
ラー.app/Contents/MacOS/WinAppHelper'"
        },
        {
            "key_code": "c",
            "modifiers": "left_control"
        }
    ],
    "conditions": [
        {
            "type": "frontmost_application_unless",
            "bundle_identifiers": [
                "^com\\.vmware\\.fusion$",
                "^com\\.vmware\\.horizon$",
                "^com\\.vmware\\.view$",
                "^com\\.parallels\\.desktop$",
                "^com\\.parallels\\.vm$",
                "^com\\.parallels\\.desktop\\.console$",
                "^org\\.virtualbox\\.app\\.VirtualBoxVM$",
                "^com\\.vmware\\.proxyApp\\.\"",
                "^com\\.parallels\\.winapp\\.\""
            ]
        }
    ]
}

```

window_control.json_RightOption + E_ActiveParellDeskWindowsExploer

```

{
    "description": "RightOption + E_ActiveParellDeskWindowsExploer",
    "type": "basic",
    "from": <%= from("e", ["right_alt"], ["caps_lock"]) %>,
    "to": <%= set_shell_command(["open -a '/Users/user/Applications
(Parallels)/{b9dc48ef-d509-4ca8-a69c-0e98f2ecf717} Applications.localized/エクスプロー
ラー.app/Contents/MacOS/WinAppHelper'"]) %>,
    "conditions": [ <%= frontmost_application_unless("virtual_machine") %>]
},

```

shotcutkey_summary.json_RightCommand + Q_AlfredSQLPLUSCOMMAND_List

```
{
  "description": "RightCommand + Q_AlfredSQLPLUSCOMMAND_List",
  "type": "basic",
  "from": <%= from("q", ["right_gui"], ["caps_lock"]) %>,
  "to": <%= to(["0", ["left_control", "right_alt"]]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
```

shotcutkey_summary.json_RightOption + W_コレクションを前面/背面に移動

```
{
  "description": "RightOption + W_コレクションを前面/背面に移動",
  "type": "basic",
  "from": {
    "key_code": "w",
    "modifiers": {
      "mandatory": [
        "right_option"
      ],
      "optional": [
        "caps_lock"
      ]
    }
  },
  "to": [
    {
      "key_code": "6",
      "modifiers": [
        "right_gui",
        "right_option"
      ]
    }
  ],
  "conditions": [
    {
      "type": "frontmost_application_unless",
      "bundle_identifiers": [
        "^com.vmware.fusion$",
        "^com.vmware.horizon$",
        "^com.vmware.view$"
      ]
    }
  ]
}
```

```

        "^com.parallels.desktop$",
        "^com.parallels.vm$",
        "^com.parallels.desktop.console$",
        "^org.virtualbox.app.VirtualBoxVM$",
        "^com.vmware.proxyApp.",
        "^com.parallels.winapp."
    ]
}
],
},

```

shotcutkey_summary.json_LeftOption + Q_Paste Stackを有効にする

```

{
  "description": "LeftOption + Q_Paste Stackを有効にする",
  "type": "basic",
  "from": <%= from("q", ["left_option"], ["caps_lock"]) %>,
  "to": <%= to(["f1", ["left_gui", "right_option"]]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %>]
},

```

window_control.json.erb:miActiveWindow

```

{
  "description": "Leftcommand + R_miActiveWindow",
  "type": "basic",
  "from": <%= from("r", ["left_control"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a 'mi'"]) %>
},

```

window_control.json.erb:K_VscodeActiveWindow

```

{
  "description": "LeftOption + K_VscodeActiveWindow",
  "type": "basic",
  "from": <%= from("k", ["left_alt"], ["caps_lock"]) %>,

```

```
"to": <%= set_shell_command(["open -a 'Visual Studio Code.app'"]) %>,
"conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
```

window_control.json.erb:ChromeActiveWindow

```
{
  "description": "LeftOption + J_ChromeActiveWindow",
  "type": "basic",
  "from": <%= from("j", ["left_alt"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a 'Google Chrome.app'"]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
```

window_control.json.erb:ExcelActiveWindow

```
{
  "description": "LeftOption + H_ExcelActiveWindow",
  "type": "basic",
  "from": <%= from("h", ["left_alt"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a 'Microsoft Excel.app'"]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
```

window_control.json.erb:PathfinderActiveWindow

```
{
  "description": "LeftOption + Semicolon_PathfinderActiveWindow",
  "type": "basic",
  "from": <%= from("semicolon", ["left_alt"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a 'Path Finder.app'"]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
```

window_control.json.erb:item2ActiveWindow

```
{
  "description": "LeftCommand + X_iterm2ActiveWindow",
  "type": "basic",
  "from": <%= from("x", ["left_control"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a 'iTerm.app'"]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
```

window_control.json.erb:AppleMusicActiveWindow

```
{
  "description": "RightOption + L_AppleMusicActiveWindow",
  "type": "basic",
  "from": <%= from("l", ["right_alt"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a 'Music.app'"]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
```

window_control.json.erb:SafariActiveWindow

```
{
  "description": "RightOption + G_SafariActiveWindow",
  "type": "basic",
  "from": <%= from("g", ["right_alt"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a 'Safari.app'"]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
```

window_control.json.erb:FinderActiveWindow

```
{
  "description": "LeftOption + slash_FinderActiveWindow",
  "type": "basic",
  "from": <%= from("slash", ["left_alt"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a 'finder.app'"]) %>,

```

```
"conditions": [ <%= frontmost_application_unless("virtual_machine") %>]
},
```

window_control.json.erb:KindleActiveWindow

```
{
  "description": "LeftOption + L_KindleActiveWindow",
  "type": "basic",
  "from": <%= from("l", ["left_alt"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a 'Kindle.app'"]) %>
},
```

functionkey_summary.json.erb:F1_よく使う-md,F2_Rename

```
{
  "description": "F1_よく使う-md",
  "type": "basic",
  "from": <%= from("f1") %>,
  "to": <%= set_shell_command(["open '/Users/user/Desktop/test.md'"]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %>]
},
{
  "description": "F2_Rename",
  "type": "basic",
  "from": <%= from("f2") %>,
  "to": <%= to(["return_or_enter"]) %>,
  "conditions": [ <%= frontmost_application_unless("virtual_machine") %> ]
},
```

double_push_key.json.erb Double LeftShift_Ctrl + C(Vscode-iterm2:Double Push)

```
{
  "description": "Double LeftShift_Ctrl + C(Vscode-iterm2:Double Push)",
  "manipulators": [
    {
```

```
    "type": "basic",
    "from": {
      "key_code": "left_shift",
      "modifiers": {
        "optional": [
          "any"
        ]
      }
    },
    "to": [
      {
        "key_code": "c",
        "modifiers": [
          "left_control"
        ]
      }
    ],
    "conditions": [
      {
        "type": "frontmost_application_if",
        "bundle_identifiers": [
          "^com.microsoft.VSCode$",
          "^com\\.googlecode\\.iterm2$",
          "^com.todesktop.230313mz14w4u92$"
        ]
      },
      {
        "type": "variable_if",
        "name": "left_shift pressed",
        "value": 1
      }
    ]
  },
  {
    "type": "basic",
    "from": {
      "key_code": "left_shift",
      "modifiers": {
        "optional": [
          "any"
        ]
      }
    },
    "to": [
      {
        "set_variable": {
          "name": "left_shift pressed",
          "value": 1
        }
      },
      {
        "key_code": "left_shift"
      }
    ],
  },
```

```
    "to_delayed_action": {
      "to_if_invoked": [
        {
          "set_variable": {
            "name": "left_shift pressed",
            "value": 0
          }
        }
      ],
      "to_if_canceled": [
        {
          "set_variable": {
            "name": "left_shift pressed",
            "value": 0
          }
        }
      ]
    }
  ]
}
```