一括設定

```
replacekeysummary.json
shotcutkeysummary.json
window_control.json

(注)
"_comment": "",を入れていると、うまく設定が反映されない。
```

個別設定

```
frontmost_~.json
replacekey.json
shotcutkey.json
double_push_key.json
```

1つ説明で複数の設定を入力するパターン

```
{
"title": "WindowControl123",
"rules": [
"description": "Fn + ~_WindowsControl(WindowControl)",
"manipulators": [
"description": "Fn + U_WindowLeftUp",
"type": "basic",
"from": <%= from("u", ["fn"], ["caps_lock"]) %>,
"to": <%= to([["6", "right_alt"]]) %>
},
{
"description": "Fn + H_LeftWindowMove",
"type": "basic",
"from": <%= from("h", ["fn"], ["caps_lock"]) %>,
"to": <%= to([["2", ["right_alt"]]]) %>
}
1
```

```
]
```

1つ説明で1つの設定を入力するパターン

```
"title": "FrontmostIfPararel",
"rules": [
{
"description": "LeftCommand + W_CurrentCursol-EndRowSelect(Pararell)",
"manipulators": [
"type": "basic",
"from": <%= from("w", ["left_control"], ["caps_lock"]) %>,
"to": <%= to([["equal_sign", "left_option"]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %>]
}
1
},
{
"description": "RightCommand + ._MaxWindows(Pararell)",
"manipulators": [
"type": "basic",
"from": <%= from("period", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["1", "left_option"]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %>]
}
1
1
}
```

[Exploer]

com.parallels.winapp.b06b57f82d7f519cdfa3013b29968f3d.b9dc48efd5094ca8a69c0e98f2ecf7

[Sublime]

com.parallels.winapp.7d56d4002964a683f165ae699d4ad1ba.b9dc48efd5094ca8a69c0e98f2ec f717

[Vscode]

com.parallels.winapp.d51a768a01445deddc409dc4b3c07517.b9dc48efd5094ca8a69c0e98f2ecf

[Excel]

com.parallels.winapp.c1d81af5835844b4e9d936910ded8fdc.b9dc48efd5094ca8a69c0e98f2ecf

[Access]

com.parallels.winapp.bf733d8a933c1601697f364223fc7ecb.b9dc48efd5094ca8a69c0e98f2ecf7

[ファイル名を指定して実行]

com.parallels.winapp.2d457b859f61df5cdc0ae605436482d3.b9dc48efd5094ca8a69c0e98f2ecf

[Uws2Exe_uwscのExe化をするツール]

com.parallels.winapp.f900d466e8ca2c668fa8844e6e5205f3.b9dc48efd5094ca8a69c0e98f2ecf

[メモ帳]

com.parallels.winapp.ee162c85923f5664be0dcc14062cc904.b9dc48efd5094ca8a69c0e98f2ecf

[SSMS]

com.parallels.winapp.5f30debe0c2949158e0cff8dc0684bbb.b9dc48efd5094ca8a69c0e98f2ecf

[Chrome_Windows]

com.parallels.winapp.76868ae832f6c6bd26cadc7d7c269986.b9dc48efd5094ca8a69c0e98f2ecf

[PowerShell]

com.parallels.winapp.bf448b76d11422f4a518bec20eb47937.b9dc48efd5094ca8a69c0e98f2ecf7

[qdir]

com.parallels.winapp.cc097fe29f445d49eb74bd5993a02853.b9dc48efd5094ca8a69c0e98f2ecf

固定アプリとパブリックの キーバインド設定の適用順 位について

(上に、パブリックキーバインド設定があるため、固定アプリキーバインド設定は適用できない)

- 1. パブリックキーバインド設定
- 2. 固定アプリキーバインド設定

(上に、固定アプリキーバインド設定があるため、固定アプリキーバインド設定も適用できるし、パブリックキーバインド設定も適用される)

- 1. 固定アプリキーバインド設定
- 2. パブリックキーバインド設定
- パブリックキーバインド設定を一番下に配置するようにした方が良い。

Profilesについて

JupyterLabを使用する。

tesutoは、テスト用のプロファイルとして使用する。理由は、Complex modificationsのEnable rulesで新規のルールを追加して、追加したルールが適用できているかを検証する場合にUpで一番上にのっていかないと適用できないケースがあるため。

[replace_vim.json.erb]

ハイフンは、["japanese_eisuu"]を使用しない理由: 日本語での文章入力では、-ではなく、一を使うため。

```
{
  "description": "Leftoption + Rightcommand_hypen(Replacekey)",
  "manipulators": [
     {
        "type": "basic",
        "from": <%= from("right_gui", ["left_alt"], ["caps_lock"]) %>,
        "to": <%= to([["hyphen"]]) %>
     }
   }
}
```

frontmost_application_if("excel")とmiをまとめたい

```
toで指定するキーが違うため、できない

{
  "description": "RightCommand + semicolon_NextTab(Excel)",
  "manipulators": [
  {
  "type": "basic",
  "from": <%= from("semicolon", ["right_gui"]) %>,
  "to": <%= to([["right_arrow", ["left_alt"]]]) %>,
  "conditions": [ <%= frontmost_application_if("excel") %> ]
  }
  ]
},
```

```
{
  "description": "RightCommand + Semicolon_LatestTabToggle(mi)",
  "manipulators": [
      {
         "type": "basic",
         "from": <%= from("semicolon", ["right_gui"], ["caps_lock"]) %>,
         "to": <%= to([["close_bracket", ["left_shift", "right_gui"]]]) %>,
         "conditions": [ <%= frontmost_application_if("mi") %> ]
     }
}
```

backup FrontmostlfPararel

```
{
"title": "FrontmostIfPararel",
"rules": [
{
"description": "LeftCommand + W_CurrentCursol-EndRowSelect(Pararell)",
"manipulators": [
{
```

```
"type": "basic",
"from": <%= from("w", ["left_control"], ["caps_lock"]) %>,
"to": <%= to([["equal_sign", "left_option"]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %>]
}
П
},
"description": "RightCommand + ._MaxWindows(Pararell)",
"manipulators": [
"type": "basic",
"from": <%= from("period", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["1", "left_option"]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %>]
}
1
},
{
"description": "RightCommand + A_NewFileCreate(Pararell)",
"_comment": "Windowsのvscodeで新規ファイルを作成するショットカットキーの為にこの設定が必要",
"manipulators": [
"type": "basic",
"from": <%= from("a", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["n", ["right_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %>]
}
1
},
{
"description": "LeftCommand + Quote_Single Column Editor Layout(Pararell)",
"manipulators": [
{
"type": "basic",
"from": <%= from("quote", ["left_control"], ["caps_lock"]) %>,
"to": <%= to([["h", ["right_control"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
"description": "RightCommand + i_Neight bour(Pararell)",
"_comment": "WindowsSublimeの右のエディターにカーソル移動",
"manipulators": [
{
```

```
"type": "basic",
"from": <%= from("i", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["i", ["right_control"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
П
},
"description": "コマンドキーを単体で押したときに、英数・かなキーを送信する。(左コマンドキーは英数、
右コマンドキーはかな)(Pararell)",
"_comment": "下記にKaravinerツール「frontmostApplicationで日本語_英語キー切り替えを
LeftCommandとRightCommandでしたい場合、ウィンドウコード確認し、下記に入力、
Vscode_d51,Sublime_7d5,Excel通常画面_VBE_c1d",
"manipulators": [
{
"from": {
"key_code": "left_control",
"modifiers": {
"optional": [
"caps_lock"
1
}
},
"to": [
"key_code": "left_control",
"lazy": true
}
1,
"to_if_alone": [
{
"key_code": "f12",
"modifiers": [
"left_control"
1
}
1,
"conditions": [
"type": "frontmost_application_if",
"bundle_identifiers": [
"^com.parallels.desktop.console$",
"^com.parallels.winapp.b06b57f82d7f519cdfa3013b29968f3d.b9dc48efd5094ca8a69c0e98f2ec
f717$",
"^com.parallels.winapp.7d56d4002964a683f165ae699d4ad1ba.b9dc48efd5094ca8a69c0e98f2
ecf717$",
```

```
"^com.parallels.winapp.d51a768a01445deddc409dc4b3c07517.b9dc48efd5094ca8a69c0e98f2e
"^com.parallels.winapp.c1d81af5835844b4e9d936910ded8fdc.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.2d457b859f61df5cdc0ae605436482d3.b9dc48efd5094ca8a69c0e98f2e
cf717.fs$",
"^com.parallels.winapp.f900d466e8ca2c668fa8844e6e5205f3.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.ee162c85923f5664be0dcc14062cc904.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.bf733d8a933c1601697f364223fc7ecb.b9dc48efd5094ca8a69c0e98f2ec
f717$",
"^com.parallels.winapp.5f30debe0c2949158e0cff8dc0684bbb.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.76868ae832f6c6bd26cadc7d7c269986.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.bf448b76d11422f4a518bec20eb47937.b9dc48efd5094ca8a69c0e98f2ec
"^com.parallels.winapp.cc097fe29f445d49eb74bd5993a02853.b9dc48efd5094ca8a69c0e98f2e
cf717$"
1
}
],
"type": "basic"
},
"from": {
"key_code": "right_command",
"modifiers": {
"optional": [
"caps lock"
1
}
},
"to": [
"key_code": "right_command",
"lazy": true
}
"to_if_alone": [
"key_code": "f9",
"modifiers": [
"left_control"
1
```

```
],
"conditions": [
"type": "frontmost_application_if",
"bundle_identifiers": [
"^com.parallels.desktop.console$",
"^com.parallels.winapp.b06b57f82d7f519cdfa3013b29968f3d.b9dc48efd5094ca8a69c0e98f2ec
f717$".
"^com.parallels.winapp.7d56d4002964a683f165ae699d4ad1ba.b9dc48efd5094ca8a69c0e98f2
"^com.parallels.winapp.d51a768a01445deddc409dc4b3c07517.b9dc48efd5094ca8a69c0e98f2e
cf717$".
"^com.parallels.winapp.c1d81af5835844b4e9d936910ded8fdc.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.2d457b859f61df5cdc0ae605436482d3.b9dc48efd5094ca8a69c0e98f2e
cf717.fs$",
"^com.parallels.winapp.f900d466e8ca2c668fa8844e6e5205f3.b9dc48efd5094ca8a69c0e98f2e
"^com.parallels.winapp.ee162c85923f5664be0dcc14062cc904.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.bf733d8a933c1601697f364223fc7ecb.b9dc48efd5094ca8a69c0e98f2ec
f717$".
"^com.parallels.winapp.5f30debe0c2949158e0cff8dc0684bbb.b9dc48efd5094ca8a69c0e98f2e
cf717$".
"^com.parallels.winapp.76868ae832f6c6bd26cadc7d7c269986.b9dc48efd5094ca8a69c0e98f2e
cf717$".
"^com.parallels.winapp.bf448b76d11422f4a518bec20eb47937.b9dc48efd5094ca8a69c0e98f2ec
f717$",
"^com.parallels.winapp.cc097fe29f445d49eb74bd5993a02853.b9dc48efd5094ca8a69c0e98f2e
cf717$"
1
}
1,
"type": "basic"
}
1
},
"description": "LeftCommand + Comma_AppsSelect-previous(Pararell)",
"manipulators": [
{
"type": "basic",
"from": {
"modifiers": {
"mandatory": [
```

```
"left control"
1
},
"key_code": "comma"
},
"to": [
"repeat": true,
"key_code": "tab",
"modifiers": [
"left_alt",
"right_shift"
1.
"halt": true
}
],
"conditions": [
"type": "frontmost application if",
"bundle identifiers": [
"^com.parallels.desktop.console$",
"^com.parallels.winapp.2d457b859f61df5cdc0ae605436482d3.b9dc48efd5094ca8a69c0e98f2e
cf717.fs$",
"^com.parallels.winapp.b06b57f82d7f519cdfa3013b29968f3d.b9dc48efd5094ca8a69c0e98f2ec
f717$".
"^com.parallels.winapp.7d56d4002964a683f165ae699d4ad1ba.b9dc48efd5094ca8a69c0e98f2
ecf717$".
```

"^com.parallels.winapp.d51a768a01445deddc409dc4b3c07517.b9dc48efd5094ca8a69c0e98f2e cf717\$",

"^com.parallels.winapp.c1d81af5835844b4e9d936910ded8fdc.b9dc48efd5094ca8a69c0e98f2e cf717\$",

"^com.parallels.winapp.5f30debe0c2949158e0cff8dc0684bbb.b9dc48efd5094ca8a69c0e98f2e cf717\$",

"^com.parallels.winapp.bf733d8a933c1601697f364223fc7ecb.b9dc48efd5094ca8a69c0e98f2ec f717\$",

"^com.parallels.winapp.2d457b859f61df5cdc0ae605436482d3.b9dc48efd5094ca8a69c0e98f2e cf717.fs\$",

"^com.parallels.winapp.f900d466e8ca2c668fa8844e6e5205f3.b9dc48efd5094ca8a69c0e98f2e cf717\$".

"^com.parallels.winapp.ee162c85923f5664be0dcc14062cc904.b9dc48efd5094ca8a69c0e98f2e cf717\$".

"^com.parallels.winapp.5f30debe0c2949158e0cff8dc0684bbb.b9dc48efd5094ca8a69c0e98f2e cf717\$",

"^com.parallels.winapp.76868ae832f6c6bd26cadc7d7c269986.b9dc48efd5094ca8a69c0e98f2e cf717\$".

"^com.parallels.winapp.bf448b76d11422f4a518bec20eb47937.b9dc48efd5094ca8a69c0e98f2ec

```
f717$",
"^com.parallels.winapp.cc097fe29f445d49eb74bd5993a02853.b9dc48efd5094ca8a69c0e98f2e
cf717$"
1
}
1
}
1
},
"description": "LeftCommand + Period_AppsSelect-next(Pararell)",
"manipulators": [
"type": "basic",
"from": {
"modifiers": {
"mandatory": [
"left_control"
1
},
"key_code": "period"
},
"to": [
"repeat": true,
"key_code": "tab",
"modifiers": [
"right_alt"
1.
"halt": true
}
],
"conditions": [
"type": "frontmost_application_if",
"bundle_identifiers": [
"^com.parallels.desktop.console$",
"^com.parallels.winapp.2d457b859f61df5cdc0ae605436482d3.b9dc48efd5094ca8a69c0e98f2e
cf717.fs$",
"^com.parallels.winapp.b06b57f82d7f519cdfa3013b29968f3d.b9dc48efd5094ca8a69c0e98f2ec
f717$",
"^com.parallels.winapp.7d56d4002964a683f165ae699d4ad1ba.b9dc48efd5094ca8a69c0e98f2
ecf717$",
"^com.parallels.winapp.d51a768a01445deddc409dc4b3c07517.b9dc48efd5094ca8a69c0e98f2e
"^com.parallels.winapp.c1d81af5835844b4e9d936910ded8fdc.b9dc48efd5094ca8a69c0e98f2e
```

```
cf717$",
"^com.parallels.winapp.5f30debe0c2949158e0cff8dc0684bbb.b9dc48efd5094ca8a69c0e98f2e
"^com.parallels.winapp.bf733d8a933c1601697f364223fc7ecb.b9dc48efd5094ca8a69c0e98f2ec
f717$".
"^com.parallels.winapp.2d457b859f61df5cdc0ae605436482d3.b9dc48efd5094ca8a69c0e98f2e
cf717.fs$".
"^com.parallels.winapp.f900d466e8ca2c668fa8844e6e5205f3.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.ee162c85923f5664be0dcc14062cc904.b9dc48efd5094ca8a69c0e98f2e
"^com.parallels.winapp.5f30debe0c2949158e0cff8dc0684bbb.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.76868ae832f6c6bd26cadc7d7c269986.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.bf448b76d11422f4a518bec20eb47937.b9dc48efd5094ca8a69c0e98f2ec
f717$",
"^com.parallels.winapp.cc097fe29f445d49eb74bd5993a02853.b9dc48efd5094ca8a69c0e98f2e
1
}
1
}
1
},
"description": "rightcommand + K_CopyCurrentRowCut(pararell)",
"manipulators": [
"type": "basic",
"from": <%= from("k", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["5", ["right_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
"description": "RightCommand + O(オー)_SameWordExpandSelection(pararell)",
"manipulators": [
"type": "basic",
"from": <%= from("o", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["4", ["right_option"]]]) %>,
"conditions": [ <%= frontmost application if("pararell") %> ]
}
1
```

```
},
{
"description": "LeftCommand + O(オー)_Column2SplitEditerScreen(pararell)",
"manipulators": [
"type": "basic",
"from": <%= from("o", ["left_control"], ["caps_lock"]) %>,
"to": <%= to([["1", ["right_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
"description": "RightCommand + Semicolon_LatestTabToggle(pararell)",
"manipulators": [
{
"type": "basic",
"from": <%= from("semicolon", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["6", ["right_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
"description": "RightCommand + L_NextTab(pararell)",
"manipulators": [
{
"type": "basic",
"from": <%= from("l", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["7", ["right_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
{
"description": "RightCommand + U_ColumnSelection(pararell)",
"manipulators": [
"type": "basic",
"from": <%= from("u", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["8", ["right_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
{
```

```
"description": "LeftCommand + D_AllSelect(pararell)",
"manipulators": [
"type": "basic",
"from": <%= from("d", ["left_control"], ["caps_lock"]) %>,
"to": <%= to([["9", ["right_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
{
"description": "RightCommand + J_1RowSelect(pararell)",
"manipulators": [
{
"type": "basic",
"from": <%= from("j", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["1", ["left_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
"description": "RightCommand + Z_0ゼロ",
"manipulators": [
"type": "basic",
"from": <%= from("z", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["2", ["left_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
"description": "Rightoption + Leftoption_anbasado(pararell)",
"manipulators": [
{
"type": "basic",
"from": <%= from("left_alt", ["right_alt"], ["caps_lock"]) %>,
"to": <%= to([["3", ["left_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
"description": "LeftCommand + X_iterm2ActiveWindow(pararell)",
"manipulators": [
```

```
"type": "basic",
"from": <%= from("x", ["left_control"], ["caps_lock"]) %>,
"to": <%= to([["5", ["left_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
"description": "LeftContorl_CellEdit(pararell)",
"manipulators": [
{
"type": "basic",
"from": <%= from("fn") %>,
"to": <%= to([["f2"]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
]
},
"description": "アクセスキーできない_fn_alt(pararell)",
"manipulators": [
{
"type": "basic",
"from": <%= from("right_control") %>,
"to": <%= to([["left_option"]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
{
"description": "検討中_LeftAlt_Copy(Pararell)",
"_comment": "エクスプローラー_bf73",
"manipulators": [
{
"type": "basic",
"from": {
"key_code": "left_alt"
},
"to": [
"key_code": "left_alt"
}
1.
"to_if_alone": [
```

```
"key_code": "japanese_eisuu"
},
{
"key_code": "c",
"modifiers": "right_qui"
}
],
"conditions": [
"type": "frontmost_application_if",
"bundle_identifiers": [
"^org.virtualbox.app.VirtualBoxVM$",
"^com.parallels.winapp.b06b57f82d7f519cdfa3013b29968f3d.b9dc48efd5094ca8a69c0e98f2ec
f717$",
"^com.parallels.winapp.7d56d4002964a683f165ae699d4ad1ba.b9dc48efd5094ca8a69c0e98f2
ecf717$",
"^com.parallels.winapp.d51a768a01445deddc409dc4b3c07517.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.c1d81af5835844b4e9d936910ded8fdc.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.2d457b859f61df5cdc0ae605436482d3.b9dc48efd5094ca8a69c0e98f2e
cf717.fs$",
"^com.parallels.winapp.f900d466e8ca2c668fa8844e6e5205f3.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.ee162c85923f5664be0dcc14062cc904.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.bf733d8a933c1601697f364223fc7ecb.b9dc48efd5094ca8a69c0e98f2ec
f717$",
"^com.parallels.winapp.5f30debe0c2949158e0cff8dc0684bbb.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.76868ae832f6c6bd26cadc7d7c269986.b9dc48efd5094ca8a69c0e98f2e
cf717$",
"^com.parallels.winapp.bf448b76d11422f4a518bec20eb47937.b9dc48efd5094ca8a69c0e98f2ec
f717$"
1
}
1
}
1
},
"description": "使用していない_LeftOption + J_ChromeActiveWindow(pararell)",
"manipulators": [
"type": "basic",
"from": <%= from("j", ["left_alt"], ["caps_lock"]) %>,
```

```
"to": <%= to([["4", ["left_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
"description": "LeftCommand + U_Undo(pararell)",
"manipulators": [
"type": "basic",
"from": <%= from("u", ["left_gui"], ["caps_lock"]) %>,
"to": <%= to([["6", ["left_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
П
},
"description": "うまくいかないF8_StepIn(pararell)",
"manipulators": [
{
"type": "basic",
"from": <%= from("f8", ["caps_lock"]) %>,
"to": <%= to([["9", ["right_option"]]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
}
1
},
"description": "うまくいかないfn_Rename(Pararell)",
"manipulators": [
{
"type": "basic",
"from": <%= from("fn", ["caps_lock"]) %>,
"to": <%= to([["f2"]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %>]
}
1
},
"description": "AccessのVBEで反応しない_RightAlt + V_Paste(Access)VBE",
"manipulators": [
{
"type": "basic",
"from": <%= from("v", ["right_alt"], ["caps_lock"]) %>,
"to": <%= to([["v", "right_control"]]) %>,
"conditions": [ <%= frontmost_application_if("pararell") %> ]
```

WindowsのChromeでインストールする必要があるのにMacのChromeでインストールしてしまうのを防ぐ為に下記の2を使用していたが、インストールする頻度が少ない為、MacChromeで統一させる

```
{
  "description": "LeftOption + J_ChromeActiveWindow1(WindowControl)",
  "_comment": "WindowsのChromeでインストールする必要があるのにMacのChromeでインストールしてしまうのを防ぐ為に下記の2を使用していたが、インストールする頻度が少ない為、MacChromeで統一させる",
  "type": "basic",
  "from": <%= from("j", ["left_alt"], ["caps_lock"]) %>,
  "to": <%= set_shell_command(["open -a 'Google Chrome.app'"]) %>
},
```

コメント入力だと反応しない為、ここにメモ

```
{
  "description": "RightCommand + A_NewFileCreate(VirtualMachine)",
  "_comment": "Windowsのvscodeで新規ファイルを作成するショットカットキーの為にこの設定が必要",
  "type": "basic",
  "from": <%= from("a", ["right_gui"], ["caps_lock"]) %>,
  "to": <%= to([["n", ["right_option"]]]) %>,
  "conditions": [ <%= frontmost_application_if("virtual_machine") %>]
  },
```

コメント入力だと反応しない為、ここにメモ

```
{
"description": "RightCommand + i_Neight bour(VirtualMachine)",
"_comment": "WindowsSublimeの右のエディターにカーソル移動",
"type": "basic",
"from": <%= from("i", ["right_gui"], ["caps_lock"]) %>,
"to": <%= to([["i", ["right_control"]]]) %>,
```

```
"conditions": [ <%= frontmost_application_if("virtual_machine") %> ]
},
```

"LeftCommand + J_DownArrow_X1(Chrome)"が"LeftCommand + J_DownArrow_X3(Chrome)"に上書きされる仕様

```
{
  "description": "LeftCommand + J DownArrow X1(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": <%= from("j",["left_control"]) %>,
      "to": <%= to([["down_arrow"]]) %>,
      "conditions": [ <%= frontmost_application_if("chrome") %> ]
    }
},
  "description": "LeftCommand + J_DownArrow_X3(Chrome)",
  "manipulators": [
      "type": "basic",
      "from": <%= from("j",["left control"],["caps lock"]) %>,
      "to": <%= to([["down_arrow"],["down_arrow"],["down_arrow"]]) %>,
      "conditions": [ <%= frontmost_application_if("chrome") %> ]
  1
},
```

CapsLockがオンになってしまう

```
{
    "description": "S_検索(Chrome)",
    "manipulators": [
    {
        "type": "basic",
        "from": <%= from("s", ["caps_lock"]) %>,
        "to": <%= to([["l", ["right_gui"]],["caps_lock"]]) %>,
        "conditions": [ <%= frontmost_application_if("chrome") %> ]
    }
```

```
]
},
```

Pararell Rename一旦保留

```
{
"description": "LeftControl_Rename(VirtualMachine)",
"type": "basic",
"from": {
"apple_vendor_top_case_key_code":"keyboard_fn"
},
"to": [
{
"key_code": "return_or_enter"
}
1,
"conditions": [
"type": "frontmost_application_if",
"bundle identifiers": [
"^com.vmware.fusion$",
"^com.vmware.horizon$",
"^com.vmware.view$",
"^com.parallels.desktop$",
"^com.parallels.vm$",
"^com.parallels.desktop.console$",
"^org.virtualbox.app.VirtualBoxVM$",
"^com.vmware.proxyApp.",
"^com.parallels.winapp."
]
}
]
```

使用しない_LeftCommand + K_UpArrow_X3(Chrome)

使用しない-LeftCommand + h_LeftArrow-X3(kindle)

```
},
      "to": [
        {
          "key_code": "left_arrow"
        },
        {
          "key_code": "left_arrow"
        },
        {
          "key_code": "left_arrow"
      ],
      "conditions": [
          "type": "frontmost_application_if",
          "bundle_identifiers": [
            "^com.amazon.Kindle$"
      1
},
  "description": "LeftCommand + L_RigthArrow-X3(kindle)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "l",
        "modifiers": {
          "mandatory": [
            "left_control"
          ],
          "optional": [
            "any"
        }
      },
      "to": [
        {
          "key_code": "right_arrow"
        },
        {
          "key_code": "right_arrow"
        },
          "key_code": "right_arrow"
      1,
      "conditions": [
        {
          "type": "frontmost_application_if",
```

Kindleアクティブキー、Macで設定しWindowsからよびだせるようにする。

使用しない

```
{
"description": "使用しない(予測変換で2度押しが必要になるため)_Spacebar(mi)",
"manipulators": [
"type": "basic",
"from": {
"key_code": "spacebar",
"modifiers": {
"optional": [
"caps_lock"
1
}
},
"to": [
"key_code": "japanese_eisuu"
},
"key_code": "spacebar"
}
],
"conditions": [
"type": "frontmost_application_if",
"bundle_identifiers": [
"net.mimikaki.mi$"
1
}
```

```
}
1
},
"description": "使用しない_Dainari_OpenCloseInput(mi)",
"manipulators": [
{
"type": "basic",
"from": <%= from("comma", ["left_shift"], ["caps_lock"]) %>,
"to": <%= to([["japanese_eisuu"], ["comma", ["left_shift"]], ["period", ["left_shift"]], ["left_arrow"]])
%>,
"conditions": [ <%= frontmost_application_if("mi") %> ]
}
1
},
{
"description": "RightCommand + J_1RowSelection_LeftArrow(mi)",
"manipulators": [
{
"type": "basic",
"from": <%= from("j", ["right_gui"]) %>,
"to": <%= to([["a", ["left_control"]], ["down_arrow", "left_shift"], ["left_arrow", "left_shift"]]) %>,
"conditions": [ <%= frontmost_application_if("mi") %> ]
}
1
}
```

使用しない

```
"to": [
        {
          "key_code": "down_arrow"
        },
        {
          "key_code": "down_arrow"
        },
        {
          "key_code": "down_arrow"
      1,
      "conditions": [
        {
          "type": "frontmost_application_if",
          "bundle_identifiers": [
            "^com\\.google\\.Chrome$"
      1
    }
  1
},
  <u>"description": "使用しない_</u>LeftCommand + k_UpArrow-X3(Chrome)",
  "manipulators": [
    {
      "type": "basic",
      "from": {
        "key_code": "k",
        "modifiers": {
          "mandatory": [
            "left_control"
          "optional": [
            "any"
        }
      "to": [
        {
          "key_code": "up_arrow"
        },
        {
          "key_code": "up_arrow"
        },
          "key_code": "up_arrow"
        }
      1,
      "conditions": [
        {
          "type": "frontmost_application_if",
          "bundle_identifiers": [
            "^com\\.google\\.Chrome$"
```

```
1
      }
  },
     "description": "使用しない_LeftCommand + h_LeftArrow-X3(Chrome)",
     "manipulators": [
       {
         "type": "basic",
         "from": {
           "key_code": "h",
           "modifiers": {
             "mandatory": [
               "left_control"
             "optional": [
               "any"
           }
         },
         "to": [
           {
             "key_code": "left_arrow"
           },
             "key_code": "left_arrow"
           },
           {
             "key_code": "left_arrow"
         ],
         "conditions": [
           {
             "type": "frontmost_application_if",
             "bundle_identifiers": [
             "^com\\.google\\.Chrome$"
         1
      }
     1
  },
"description": "使用しない_LeftCommand + L_RigthArrow-X3(Chrome)",
"manipulators": [
"type": "basic",
"from": {
```

```
"key_code": "I",
"modifiers": {
"mandatory": [
"left_control"
],
"optional": [
"any"
1
}
},
"to": [
{
"key_code": "right_arrow"
},
{
"key_code": "right_arrow"
},
{
"key_code": "right_arrow"
}
],
"conditions": [
"type": "frontmost_application_if",
"bundle_identifiers": [
"^com\.google\.Chrome$"
1
}
1
}
1
},
{
"description": "使用しない_英語モード:j_DownArrow(Chrome)",
"_comment": "Chrome上で、検索窓に日本語入力ができなくなる欠点有り",
"manipulators": [
"type": "basic",
"from": {
"key_code": "j",
"modifiers": {
"optional": [
"caps_lock"
1
}
},
```

```
"to": [
"key_code": "down_arrow"
],
"conditions": [
"type": "input_source_if",
"input_sources": [
{ "language": "en" }
П
},
"type": "frontmost_application_if",
"bundle_identifiers": [
"^com\.google\.Chrome$"
]
}
1
}
1
},
{
"description": "使用しない_英語モード:k_UpArrow(Chrome)",
"_comment": "Chrome上で、検索窓に日本語入力ができなくなる欠点有り",
"manipulators": [
{
"type": "basic",
"from": {
"key_code": "k",
"modifiers": {
"optional": [
"caps_lock"
1
}
},
"to": [
"key_code": "up_arrow"
}
1,
"conditions": [
"type": "input_source_if",
"input_sources": [
{ "language": "en" }
```

```
},
{
"type": "frontmost_application_if",
"bundle_identifiers": [
"^com\.google\.Chrome$"
П
}
1
}
1
},
"description": "使用しない_英語モード:h_LeftArrow(Chrome)",
"_comment": "Chrome上で、検索窓に日本語入力ができなくなる欠点有り",
"manipulators": [
{
"type": "basic",
"from": {
"key_code": "h",
"modifiers": {
"optional": [
"caps_lock"
1
}
},
"to": [
"key_code": "left_arrow"
}
1,
"conditions": [
"type": "input_source_if",
"input_sources": [
{ "language": "en" }
1
},
"type": "frontmost_application_if",
"bundle_identifiers": [
"^com\.google\.Chrome$"
1
}
1
}
```

```
},
{
"description": "使用しない_英語モード:L_LeftArrow(Chrome)",
"_comment": "Chrome上で、検索窓に日本語入力ができなくなる欠点有り",
"manipulators": [
"type": "basic",
"from": {
"key_code": "I",
"modifiers": {
"optional": [
"caps_lock"
1
}
},
"to": [
{
"key_code": "right_arrow"
}
],
"conditions": [
"type": "input_source_if",
"input_sources": [
{ "language": "en" }
1
},
"type": "frontmost_application_if",
"bundle_identifiers": [
"^com\.google\.Chrome$"
1
}
1
}
1
}
```

今は使わない

```
{
"description": "今は使わない_Double F1_tmp.py(Single)_tmp.md[Double]
(FunctionKey)",
```

```
"_comment": "ダブル押しコードでの、「frontmost_application_unless(pararell)」の書き方
が分からないので、Single押しでの処理を使うことにする。",
    "manipulators": [
       {
           "type": "basic",
           "from": {
                "key_code": "f1",
                "modifiers": {
                    "optional": [
                       "any"
           "to": [
                    "shell_command": "open
'/Users/user/Desktop/iCollections/Folder2/Verification/tmp.md'"
           ],
           "conditions": [
               {
                    "type": "variable_if",
                    "name": "f1 pressed",
                    "value": 1
           1
       },
           "type": "basic",
           "from": {
                "key_code": "f1",
                "modifiers": {
                    "optional": [
                       "any"
               }
           },
           "to": [
                    "set_variable": {
                       "name": "f1 pressed",
                       "value": 1
                   }
               },
                    "shell_command": "open
'/Users/user/Desktop/iCollections/Folder2/Verification/tmp.py'"
           "to_delayed_action": {
                "to_if_invoked": [
                       "set_variable": {
                           "name": "f1 pressed",
```

今は使わない

```
{
"description": "F3_KeyManageList.xlsxOpen(FunctionKey)",
"manipulators": [
{
"type": "basic",
"from": <%= from("f3") %>,
"to": <%= set_shell_command(["open
'/Users/user/Dropbox/KeyCustomization/KeyManageList.xlsm"]) %>
}
]
},
```

うまくいかない

```
{
    "description": "うまくいかない、Double F1_tmp.py(Single)_tmp.md[Double]
(FunctionKey)",
    "manipulators": [
    {
        "type": "basic",
        "from": {
              "key_code": "f1",
              "modifiers": {
                    "optional": [
                    "any"
                    ]
```

```
},
            "to": [
                    "shell command": "open
'/Users/user/Desktop/iCollections/Folder2/Verification/tmp.md'"
            1,
            "conditions": [
                {
                    "type": "variable_if",
                    "name": "f1 pressed",
                    "value": 1
                },
          "type": "frontmost_application_unless",
          "bundle_identifiers": [
            "^com.vmware.fusion$",
            "^com.vmware.horizon$",
            "^com.vmware.view$",
            "^com.parallels.desktop$",
            "^com.parallels.vm$",
            "^com.parallels.desktop.console$",
            "^org.virtualbox.app.VirtualBoxVM$",
            "^com.vmware.proxyApp.",
            "^com.parallels.winapp."
          1
        }
            1
       },
            "type": "basic",
            "from": {
                "key_code": "f1",
                "modifiers": {
                    "optional": [
                        "any"
                }
            },
            "to": [
                    "set_variable": {
                        "name": "f1 pressed",
                        "value": 1
                    }
                },
                    "shell_command": "open
'/Users/user/Desktop/iCollections/Folder2/Verification/tmp.py'"
            "to_delayed_action": {
                "to_if_invoked": [
```