

12. Ticketing

Installing peppermint:

install docker.

install peppermint:

mkdir peppermint

cd peppermint/

vi docker-compose.yml

paste the code from peppermint.sh/docker to there.

//

version: "3.1"

services:

peppermint_postgres:

container_name: peppermint_postgres

image: postgres:latest

restart: always

ports:

- 5432:5432

volumes:

- pgdata:/var/lib/postgresql/data

environment:

POSTGRES_USER: peppermint

POSTGRES_PASSWORD: 1234

POSTGRES_DB: peppermint

peppermint:

container_name: peppermint

image: pepperlabs/peppermint:latest

ports:

- 3000:3000

- 5003:5003

restart: always

depends_on:

- peppermint_postgres

healthcheck:

test: ["CMD", "sh", "-c", "wget --spider \$\$BASE_URL"]


interval: 30s
timeout: 10s
retries: 3
environment:
DB_USERNAME: "peppermint"
DB_PASSWORD: "1234"
DB_HOST: "peppermint_postgres"
SECRET: 'peppermint4life'
API_URL: "<http://localhost:5003>"

volumes:
pgdata:

//
type :wq to save and quit.

cat docker-compose.yml to check the contents

sudo docker compose up



```
Jan 29 09:19
birat@birat-ubuntu-phd: ~/peppermint
birat@birat-ubuntu-phd: ~/peppermint$ sudo docker pull pepperlabs/peppermint:latest
latest: Pulling from pepperlabs/peppermint
8b7ed91b2bff: Download complete
8b7ed91b2bff: Pull complete
c9394759207d: Pull complete
3922fe3bd51e: Download complete
3922fe3bd51e: Pull complete
52c4629a4952: Pull complete
1c57f28866dc: Pull complete
25a06b535780: Pull complete
a8909cfef52f: Download complete
a8909cfef52f: Pull complete
613080a901bd: Download complete
613080a901bd: Pull complete
4b9a7226ebd1: Pull complete
22496bd6ed1b: Pull complete
af247aac0764: Pull complete

Digest: sha256:d13932713561c8d69baea49820ba2d42aa145b28193b6a7e33950a05812406fd
Status: Downloaded newer image for pepperlabs/peppermint:latest
birat@birat-ubuntu-phd: ~/peppermint$
```

go to url and type <http://localhost:3000>

and login with default credentials:

admin@admin.com

1234

sudo docker compose down = close on another terminal.

setup few users in peppermint.

looked up few features of peppermint.

create few tickets and assign to different people, close tickets, comment on tickets (internal vs external), set the priority of the ticket, set the progress of the tickets, escalate the ticket.

Ticket Interrupt:

Made a ticket and walked the person over few troubleshooting steps from layer 1 to layer 3 over the phone, none of them worked so escalated to the next level.