

EDIT DISTANCE

Edit Distance

Edit Distance

- Edit distance is used to calculate the distance between two points where the points are represented as strings

Edit Distance

- Calculate the Edit Distance Between
- $X=ABCDE$ and $Y=ACFDEG$ using LCS Method

Edit Distance

- Calculate the Edit Distance Between
- $X=ABCDE$ and $Y=ACFDEG$ using LCS Method
- $d(x,y) = \text{Length of } X + \text{Length of } Y - 2 \text{ (LCS)}$

Edit Distance

- Calculate the Edit Distance Between
- $X=ABCDE$ and $Y=ACFDEG$ using LCS Method
- $d(x,y) = \text{Length of } X + \text{Length of } Y - 2 \text{ (LCS)}$

HAMMING DISTANCE

HAMMING DISTANCE

- Hamming distance is used for the Boolean vectors.

HAMMING DISTANCE

- Hamming distance is used for the Boolean vectors.
- E.G:
- $V1 = 1\ 0\ 1\ 0\ 1$
- $V2 = 1\ 1\ 1\ 1\ 0$

RECOMMENDATION SYSTEM

Collaborative Filtering

- Collaborative Filtering is a technique used in recommendation systems to suggest items to users based on the preferences and behaviour of other similar users.

Collaborative Filtering

- Collaborative Filtering is a technique used in recommendation systems to suggest items to users based on the preferences and behaviour of other similar users.
- **User A** likes: Movies 1, 2, and 3
- **User B** likes: Movies 1, 2, 3, and 4

Content-Based Filtering

Content-Based Filtering

- Content-Based Filtering is a recommendation technique that suggests items to a user based on the features or characteristics of items they liked in the past.

Content-Based Filtering

- Content-Based Filtering is a recommendation technique that suggests items to a user based on the features or characteristics of items they liked in the past.
- Suppose a user likes movies with:
- Action ,Science Fiction , Superheroes
- The system will recommend other movies with similar features, such as other Action or Science Fiction movies.