Cucumber Report

| Start : May 21, 4:17:25.322 PM	End : May 21, 4:18:24.004 PM	Duration : 58.682 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 2

Features: 1

Scenarios: 1

Steps: 10

Pass % : 0 %

Pass % : 0 %

Pass % : 70 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
To verify cucumber functionalities	58.682 s	1	0	1	0	10	7	1	2

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Examples	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	To verify cucumber functionalities	1	0	1	0	58.682 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify cucumber functionalities	To add a new Contact	10	7	1	2	58.543 s

To verify cucumber functionalities

FAILED	DURATION - 58.682 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 7 Fail - 1 Skip - 2	
/ 4:17:25.322 PM // 4:18:24.004 PM /					

To add a new Contact

| FAILED	DURATION - 58.543 s		Steps Total - 10 Pass - 7 Fail - 1 Skip - 2	
/ 4:17:25.461 PM // 4:18:24.004 PM /				
To verify cucumber functionalities				
@Examples				

#	Step / Hook Details	Status	Duration
1	Given User is on Landing Page	PASSED	0.279 s
	AFTER_STEP - stepDefinitions.Hooks.stepTearDown(io.cucumber.java.Scenario)	PASSED	0.639 s
	image		
2	When User clicks on the Login link	PASSED	1.315 s
	AFTER_STEP - stepDefinitions.Hooks.stepTearDown(io.cucumber.java.Scenario)	PASSED	0.340 s
	image		

#	Step / Hook Details	Status	Duration
3	Then User should be navigated to Login Page	PASSED	3.193 s
	AFTER_STEP - stepDefinitions.Hooks.stepTearDown(io.cucumber.java.Scenario)	PASSED	0.336 s
	image		
4	When User logs in with username "sitanshupt5.sp@gmail.com" and password "Bapuna10@"	PASSED	0.309 s
	AFTER_STEP - stepDefinitions.Hooks.stepTearDown(io.cucumber.java.Scenario)	PASSED	0.169 s
	image		
5	Then User should be logged in successfully	PASSED	0.006 s
	AFTER_STEP - stepDefinitions.Hooks.stepTearDown(io.cucumber.java.Scenario)	PASSED	0.236 s
	image		
6	When User opens the contacts page	PASSED	3.939 s
	AFTER_STEP - stepDefinitions.Hooks.stepTearDown(io.cucumber.java.Scenario)	PASSED	0.292 s
	image		
7	When User clicks on the create button on contacts page	PASSED	0.494 s
	AFTER_STEP - stepDefinitions.Hooks.stepTearDown(io.cucumber.java.Scenario)	PASSED	0.513 s
	image		

#	Step / Hook Details	Status	Duration
8	Then User is navigated to the create contact page	FAILED	32.416 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('Create New Contact') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[text()= 'ui header item mb5 light-black']' (tried for 30 second(s) with 500 milliseconds interval)		

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('Create New Contact') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[text()= 'ui header item mb5 light-black']' (tried for 30 second(s) with 500 milliseconds interval)
   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)
   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
   at pages.CreateContactsPage.verifyCreateContactPageLoaded(CreateContactsPage.java:171)
   at stepDefinitions.Steps.user_is_navigated_to_the_create_contact_page(Steps.java:73)
   at ?.User is navigated to the create contact page(file:///D:/New%20Workspace/Crow/src/main/java/features/Module1.feature:26)
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()= 'ui header item mb5 light-black']"}   (Session info: chrome=101.0.4951.67) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.4', revision: '535d840ee2' System info: host: 'LAPTOP-DTT1M6R1', ip: '192.168.29.82', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_271' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b4b71dff9d2d01b007a9bfbfdbda805b, findElement {using=xpath, value=//div[text()= 'ui header item mb5 light-black']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.67, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\Sitanshu\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55937}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55937/devtoo..., se:cdpVersion: 101.0.4951.67, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b4b71dff9d2d01b007a9bfbfdbda805b
   at sun.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)
   at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at com.sun.proxy.$Proxy40.getText(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions$12.apply(ExpectedConditions.java:346)		
	at org.openqa.selenium.support.ui.ExpectedConditions$12.apply(ExpectedConditions.java:342)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at pages.CreateContactsPage.verifyCreateContactPageLoaded(CreateContactsPage.java:171)		
	at stepDefinitions.Steps.user_is_navigated_to_the_create_contact_page(Steps.java:73)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:363)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:234)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:363)		

#	Step / Hook Details	Status	Duration
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:68) at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:33) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:230) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:58) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.Hooks.stepTearDown(io.cucumber.java.Scenario) image 	PASSED	0.241 s
9	When User adds firstName "subhransu", middleName "sekhar", lastName "nayak", emailType "<emailType>", emailId "<emailId>", category "contact", status "Active", social_handle_type "facebook", social_handle_id "subhransu13@gmail.com", timezone "Asia/Kolkata", street "RBI Colony, Nayapalli", city "Bhubaneswar", province "Odisha", postal_code "751007", address_country "India", phone_type "Mobile", number "7978052018", phone_country "India", birth_day "17", birth_month "February", birth_year "1991", callblock "true", textblock "false", emailblock "false", company "Larsen & Toubro", tagName "friend", supervisor "Snigdha", assistant "", referrer ""	SKIPPED	0.003 s
10	And User click on save button	SKIPPED	0.001 s