

C# Kodu:

Default.Master.cs

```
using System;
using System.Collections.Generic;
using System.Data.OleDb;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace Shoping_Cart_Project
{
    public partial class Default : System.Web.UI.MasterPage
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Timer2_Tick(object sender, EventArgs e)
        {
            Random rnd = new Random();
            int i = rnd.Next(1, 5);
            Image2.ImageUrl = "~/resim/" + i.ToString() + ".jpg";
        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            Session.Abandon();
            Response.Redirect("mainPage.aspx");
        }

        protected void ImageButton4_Click(object sender, ImageClickEventArgs e)
        {
            Response.Redirect("AddToCart.aspx");
        }

    }
}
```

mainPage.aspx.cs

```
using System;
using System.Collections.Generic;
using System.Data.OleDb;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace Shoping_Cart_Project
{
    public partial class Default : System.Web.UI.MasterPage
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Timer2_Tick(object sender, EventArgs e)
        {
            Random rnd = new Random();
            int i = rnd.Next(1, 5);
            Image2.ImageUrl = "~/resim/" + i.ToString() + ".jpg";
        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            Session.Abandon();
            Response.Redirect("mainPage.aspx");
        }

        protected void ImageButton4_Click(object sender, ImageClickEventArgs e)
        {

        }
    }
}
```

```

        Response.Redirect("AddToCart.aspx");
    }
}

```

iletisim.aspx.cs

```

using System;
using System.Collections.Generic;
using System.Data.OleDb;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace Shoping_Cart_Project
{
    public partial class iletisim : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            String BaglantiYolu = "Provider=Microsoft.ACE.OLEDB.12.0; data source=|DataDirectory|ContactUs.accdb";
            OleDbConnection Baglanti = new OleDbConnection(BaglantiYolu);
            Baglanti.Open();
            string fname = TextBox1.Text;
            string lname = TextBox2.Text;
            string country = DropDownList1.Text;
            string subject = TextBox3.Text;

            string Sorgu = "INSERT INTO ContactUs(Fname, Lname, Country, Subject) VALUES (@fname, @lname, @country, @subject)";
            OleDbCommand Komut = new OleDbCommand(Sorgu, Baglanti);
            Komut.Parameters.AddWithValue("@Fname", fname);
            Komut.Parameters.AddWithValue("@Lname", lname);
            Komut.Parameters.AddWithValue("@Country", country);
            Komut.Parameters.AddWithValue("@Subject", subject);

            Komut.ExecuteNonQuery();
            Baglanti.Close();
            Label1.Text = "Your message has been sent successfully";
        }
    }
}

```

uyeOl.aspx.cs

```

using System;
using System.Collections.Generic;
using System.Data.OleDb;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;

namespace Shoping_Cart_Project
{
    public partial class AnaSayfa : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            String BaglantiYolu = "Provider=Microsoft.ACE.OLEDB.12.0; data source=|DataDirectory|uyeler.accdb";
            OleDbConnection Baglanti = new OleDbConnection(BaglantiYolu);
            Baglanti.Open();
            string Ad = TextBox1.Text;
            string Soyad = TextBox6.Text;
            string Mail = TextBox7.Text;
            string Cinsiyet = DropDownList1.Text;
            string Sifre = TextBox8.Text;

            string Sorgu = "INSERT INTO uyeler(Ad, Soyad, Mail, Cinsiyet, Sifre) VALUES (@Ad, @Soyad, @Mail, @Cinsiyet, @Sifre)";
            OleDbCommand Komut = new OleDbCommand(Sorgu, Baglanti);

```

```

        Komut.Parameters.AddWithValue("@Ad", Ad);
        Komut.Parameters.AddWithValue("@Soyad", Soyad);
        Komut.Parameters.AddWithValue("@Mail", Mail);
        Komut.Parameters.AddWithValue("@Cinsiyet", Cinsiyet);
        Komut.Parameters.AddWithValue("@Sifre", Sifre);

        Komut.ExecuteNonQuery();
        Baglanti.Close();
        Label1.Text = "Register successfully";
    }
}

```

Login.aspx.cs

```

using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.OleDb;

namespace Shoping_Cart_Project
{
    public partial class Login : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button1_Click1(object sender, EventArgs e)
        {
            OleDbConnection Baglanti = new OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0; data source=" +
Server.MapPath("App_Data\\uyeler.accdb"));
            Baglanti.Open();
            String Mail = loginUser.Text;
            String Sifre = loginPassword.Text;
            OleDbCommand Komut = new OleDbCommand("SELECT * from uyeler WHERE Mail='" + Mail + "' and Sifre='" + Sifre + "'",
Baglanti);
            OleDbDataReader Okuyucu = Komut.ExecuteReader();

            if (Okuyucu.Read())
            {
                Session.Add("Kullanici", Mail);
                Response.Redirect("mainPage.aspx");
            }
            else
            {
                Label1.Text = "login unsuccessful";
            }
            Baglanti.Close();
            Baglanti.Dispose();
        }
    }
}

```

AddToCart.aspx.cs

```

using System;
using System.Collections.Generic;
using System.Data;
using System.Data.OleDb;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace Shoping_Cart_Project
{
    public partial class AddToCart : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            if(!IsPostBack)
            {
                if(Session["buyitems"] == null)
                {
                    Button1.Enabled = false;
                }
                else
                {
                    Button1.Enabled = true;
                }
            }
        }
    }
}

```

```

//Adding producc to Gridviiew
Session["addproduct"] = "false";
DataTable dt = new DataTable();
DataRow dr;
dt.Columns.Add("sno");
dt.Columns.Add("pid");
dt.Columns.Add("pname");
dt.Columns.Add("pimage");
dt.Columns.Add("pprice");
dt.Columns.Add("pquantity");
dt.Columns.Add("ptotalprice");

if(Request.QueryString["id"] != null)
{
    if(Session["Buyitems"] == null)
    {
        dr = dt.NewRow();
        OleDbConnection conn = new OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0; data
source=|DataDirectory|Product.accdb");

        OleDbDataAdapter da = new OleDbDataAdapter("SELECT*FROM Product WHERE ID=" + Request.QueryString["id"],
conn);

        DataSet ds = new DataSet();
        da.Fill(ds);

        dr["sno"] = 1;
        dr["pid"] = ds.Tables[0].Rows[0]["ID"].ToString();
        dr["pname"] = ds.Tables[0].Rows[0]["Pname"].ToString();
        dr["pimage"] = ds.Tables[0].Rows[0]["Pimage"].ToString();
        dr["pprice"] = ds.Tables[0].Rows[0]["Pprice"].ToString();
        dr["pquantity"] = Request.QueryString["quantity"];

        int price = Convert.ToInt32(ds.Tables[0].Rows[0]["pprice"].ToString());
        int Quantity = Convert.ToInt32(Request.QueryString["quantity"].ToString());
        int TotalPrice = price * Quantity;
        dr["ptotalprice"] = TotalPrice;

        dt.Rows.Add(dr);
        GridView1.DataSource = dt;
        GridView1.DataBind();
        Session["buyitems"] = dt;
        Button1.Enabled = true;

        GridView1.FooterRow.Cells[5].Text = "Total Amount";
        GridView1.FooterRow.Cells[6].Text = grandtotal().ToString();
        Response.Redirect("AddToCart.aspx");
    }
    else
    {
        dt = (DataTable)Session["buyitems"];
        int sr;
        sr = dt.Rows.Count;

        dr = dt.NewRow();
        OleDbConnection conn = new OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0; data
source=|DataDirectory|Product.accdb");

        OleDbDataAdapter da = new OleDbDataAdapter("SELECT*FROM Product WHERE ID=" + Request.QueryString["id"],
conn);

        DataSet ds = new DataSet();
        da.Fill(ds);

        dr["sno"] = sr + 1;
        dr["pid"] = ds.Tables[0].Rows[0]["ID"].ToString();
        dr["pname"] = ds.Tables[0].Rows[0]["Pname"].ToString();
        dr["pimage"] = ds.Tables[0].Rows[0]["Pimage"].ToString();
        dr["pprice"] = ds.Tables[0].Rows[0]["Pprice"].ToString();
        dr["pquantity"] = Request.QueryString["quantity"];

        int price = Convert.ToInt32(ds.Tables[0].Rows[0]["pprice"].ToString());
        int Quantity = Convert.ToInt32(Request.QueryString["quantity"].ToString());
        int TotalPrice = price * Quantity;
        dr["ptotalprice"] = TotalPrice;

        dt.Rows.Add(dr);
        GridView1.DataSource = dt;
        GridView1.DataBind();
        Session["buyitems"] = dt;
        Button1.Enabled = true;

        GridView1.FooterRow.Cells[5].Text = "Total Amount";
        GridView1.FooterRow.Cells[6].Text = grandtotal().ToString();
        Response.Redirect("AddToCart.aspx");
    }
}
else
{
    dt = (DataTable)Session["buyitems"];
    GridView1.DataSource = dt;
    GridView1.DataBind();
    if(GridView1.Rows.Count > 0)

```

```

        {
            GridView1.FooterRow.Cells[5].Text = "Total Amount";
            GridView1.FooterRow.Cells[6].Text = grandtotal().ToString();
        }
    }
}
string OrderDate = DateTime.Now.ToShortDateString();
Session["Orderdate"] = OrderDate;
orderid();
}

// 2.Calculating Final Price

public int grandtotal()
{
    DataTable dt = new DataTable();
    dt = (DataTable)Session["buyitems"];
    int nrow = dt.Rows.Count;
    int i = 0;
    int totalprice = 0;
    while (i < nrow)
    {
        totalprice = totalprice + Convert.ToInt32(dt.Rows[i]["pprice"].ToString());

        i = i + 1;
    }
    return totalprice;
}

public void orderid()
{
    string alpha = "abCdefghIjklmNopqrStuvwXyz123456789";
    Random r = new Random();
    char[] myArray = new char[5];
    for(int i = 0; i < 5; i++)
    {
        myArray[i] = alpha[(int)(35 * r.NextDouble())];
    }
    string orderid;
    orderid = "Order Id: " + DateTime.Now.Hour.ToString() + DateTime.Now.Second.ToString() + DateTime.Now.Day.ToString()
        + DateTime.Now.Month.ToString() + DateTime.Now.Year.ToString() + new string(myArray) + DateTime.Now.Minute.ToString()
        + DateTime.Now.Second.ToString();
    Session["orderid"] = orderid;
}

protected void GridView1_RowDeleting(object sender, GridViewDeleteEventArgs e)
{
    DataTable dt = new DataTable();
    dt = (DataTable)Session["buyitems"];

    for(int i = 0; i <= dt.Rows.Count - 1; i++)
    {
        int sr;
        int sr1;
        string qdata;
        string dtdata;
        sr = Convert.ToInt32(dt.Rows[i]["sno"].ToString());
        TableCell cell = GridView1.Rows[e.RowIndex].Cells[0];
        qdata = cell.Text;
        dtdata = sr.ToString();
        sr1 = Convert.ToInt32(qdata);

        if(sr == sr1)
        {
            dt.Rows[i].Delete();
            dt.AcceptChanges();

            break;
        }
    }

    // setting sNo. after deleting Row item from cart
    for(int i = 1; i <= dt.Rows.Count; i++)
    {
        dt.Rows[i - 1]["sno"] = i;
        dt.AcceptChanges();
    }
    Session["buyitems"] = dt;
    Response.Redirect("AddToCart.aspx");
}

protected void Button1_Click(object sender, EventArgs e)
{
    DataTable dt;
    dt = (DataTable)Session["buyitems"];
    for (int i = 0; i <= dt.Rows.Count - 1; i++)
    {
        OleDbConnection scon = new OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0; data
source=|DataDirectory|OrderDetails.accdb");
        scon.Open();
        OleDbCommand cmd = new OleDbCommand("INSERT INTO
OrderDetails(orderid,sno,productid,productname,price,quantity,orderdate) VALUES('" + Session["orderid"] + dt.Rows[i]["sno"] + "," +

```


ID	Ad	Soyad	Mail	Cinsiyet	Sifre
1	Abdalla	Tolba	atolba@gmail.	Erkek	1234
2	Adnan	Ibrahim	aib@gmail.con	Erkek	1236
3	Ahmat	Hissen	aha@gmail.cor	Cinsiyeti Secin	1478
4	Maryam	Masud	mmm@gmail.c	Kadin	789456
5	Oya	Su	oysu@gmail.cc	Kadin	25874
6	aha@gmail.cor	SDD	SSS@GMAIL.CC	Erkek	12345
7	Can	Su	can111@gmail.	Erkek	12345
8	hssn	slm	aha@gmail.cor	Erkek	2583
9	hssn	slm	aha@gmail.cor	Erkek	89898
10	Ali	slm	aha@gmail.cor	Erkek	125
11	KHALIL	ADAM	hmj@gmail.coi	Erkek	12345
12	osman	isa	osmanisa@gm	Erkek	hello123
13	osman	isa	osmanisa@gm	Erkek	12345
14	Test	Test	test@test.com	Diğer	1234
15	Harun	Yakub	hyakub@test.c	Male	1212
16	AHmat	hissen	ahisseng@mai	Male	1243
17	Waasiq	Evliya	wevliya@gmai	Male	12345678
*(New)					

orderid	sno	productid	productnam	price	quantity	orderdate	Click to Add
1	1	1	Lamborghini	2000000	6	1/24/2022	
2	2	7	Araba	1000000	500	1/24/2022	
*(New)	0	0		0	0		

HTML/CSS KODU:

Default.Master

```
<%@ Master Language="C#" AutoEventWireup="true" CodeBehind="Default.master.cs" Inherits="Shoping_Cart_Project.Default" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>
    <asp:ContentPlaceHolder ID="head" runat="server">
    </asp:ContentPlaceHolder>
    <style type="text/css">
        .auto-style1 {
            width: 220px;
        }
        .auto-style2 {
            height: 25px;
        }
    </style>
</head>
<body style="color: #CCCCCC; background-color: white">
    <form id="form1" runat="server">
    <div>
        <table style="width:850px; margin:0 auto;">
            <tr style="width:850px; height:50px; border-color:#00ff90; background-color:white">
                <td style="width:100px">
                    <asp:Image ID="Image1" runat="server" Height="100px" ImageUrl="~/resim/4609795.png" style="margin-top: 0px"
Width="100px" />
                </td>
                <td style="width:780px" align="center">
                    <asp:Label ID="Label1" runat="server" Text="Dream Cars Sales and Leasing" Font-Bold="True" Font-
Names="Copperplate Gothic Bold" ForeColor="Aqua" Font-Size="35px" BackColor="#9900FF"></asp:Label>
                </td>
                <td style="text-align:right" class="auto-style1">
                    <asp:ImageButton ID="ImageButton1" runat="server" Height="50px" style="text-align:left" postbackurl="1"
ImageUrl="~/resim/229098.png" Width="50px" />
                    <asp:ImageButton ID="ImageButton2" runat="server" Height="47px" style="text-align:left" postbackurl="1"
                    </td>
            </tr>
        </table>
    </div>
    </form>
</body>
</html>
```

```

                ImageUrl="~/resim/5771782.png" Width="54px" />
                <asp:ImageButton ID="ImageButton3" runat="server" CausesValidation="False" Height="50px" style="text-align:left"
                ImageUrl="~/resim/3689123.png" Width="50px" />
                <asp:ImageButton ID="ImageButton4" runat="server" CausesValidation="False" Height="50px" style="text-align:left"
                ImageUrl="~/resim/950812.png" Width="50px" OnClick="ImageButton4_Click" />
                <asp:Label ID="Label2" runat="server" Font-Bold="True" Font-Size="X-Large" ForeColor="#009999"></asp:Label>
            </td>
        </tr>
        <tr style="width:100px; height:40px; background-color:#5f9bf3">
            <td colspan="3">
                <asp:Menu ID="Menu1" runat="server" Orientation="Horizontal" StaticSubMenuIndent="19px">
                    <Items>
                        <asp:MenuItem Text="Home page" Value="Home page" NavigateUrl="mainPage.aspx"></asp:MenuItem>
                        <!--<asp:MenuItem Text="Tüm Ürünler" Value="Tüm Ürünler"></asp:MenuItem-->
                        <asp:MenuItem Text="About us" Value="About us" NavigateUrl="AboutUs.aspx"></asp:MenuItem>
                        <asp:MenuItem Text="Contact us" Value="Contact us" NavigateUrl="iletisim.aspx"></asp:MenuItem>
                        <asp:MenuItem Text="Login" Value="Login" NavigateUrl="Login.aspx"></asp:MenuItem>
                        <asp:MenuItem Text="Sign up" Value="Sign up" NavigateUrl="uyeOl.aspx"></asp:MenuItem>
                    </Items>
                    <StaticHoverStyle BackColor="#00f39b" BorderColor="#f2f2f2" BorderStyle="Outset" ForeColor="White"
Height="40px" />
                    <StaticMenuItemStyle Font-Bold="True" Font-Size="Large" ForeColor="#993300" HorizontalPadding="54px" />
                    <StaticSelectedStyle BackColor="green" BorderColor="#FF6060" BorderStyle="Inset" ForeColor="#666666"
Height="40px" />
                </asp:Menu>
            </td>
        </tr>
        <tr style="width:850px; height:310px;">
            <td colspan="3">
                <asp:ScriptManager ID="ScriptManager1" runat="server"></asp:ScriptManager>
                <asp:UpdatePanel ID="UpdatePanel1" runat="server">
                    <contenttemplate>

                        <asp:Timer ID="Timer2" runat="server" Interval="2000" OnTick="Timer2_Tick"></asp:Timer>
                        <asp:Image ID="Image2" runat="server" BackColor="White" BorderColor="Gray" BorderStyle="Double"
Height="230px" Width="1150px" />

                    </contenttemplate>
                </asp:UpdatePanel>
            </td>
        </tr>
        <tr>
            <td colspan="3">
                <asp:Button ID="Button1" runat="server" BackColor="Red" Font-Bold="True" Font-Size="Large" ForeColor="Black"
OnClick="Button1_Click" Text="Log up" />

            </asp:ContentPlaceHolder>
        </td>
        </tr>
        <tr style="width:850px; background-color:black; text-align:center; color:white">
            <td colspan="3" class="auto-style2">
                &copy; Dream Cars Sales and Leasing
            </td>
        </tr>
    </table>
</div>
</form>
</body>
</html>

```

mainPage.aspx

```

<%@ Page Title="" Language="C#" MasterPageFile="~/Default.Master" AutoEventWireup="true" CodeBehind="mainPage.aspx.cs"
Inherits="Shoping_Cart_Project.Default1" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" runat="server">
    <table style="width:1150px; height:30px">
        <tr style="background-color:#5f9bf3">
            <td colspan="2" style="text-align:right">
                <asp:Label ID="Label4" runat="server" style="text-align:left" Font-Bold="True" Font-Italic="True" Font-Names="Berlin
Sans FB Demi" ForeColor="Black"></asp:Label>
                <asp:HyperLink ID="HyperLink1" runat="server" Font-Bold="True" Font-Names="Adobe Garamond Pro Bold"
NavigateUrl="~/Login.aspx">Login</asp:HyperLink>
                <asp:Button ID="Button1" runat="server" Text="Log Out" BackColor="#990033" BorderColor="White" Font-Bold="True" Font-
Names="Comic Sans MS" ForeColor="Aqua" Height="27px" Width="105px" OnClick="Button1_Click" />
            </td>
            <td style="text-align:right">
                <asp:TextBox ID="TextBox1" runat="server" Height="21px" Width="174px"></asp:TextBox>
                <asp:ImageButton ID="ImageButton2" runat="server" Height="23px" ImageUrl="~/resim/search.jpg" Width="25px"
OnClick="ImageButton2_Click" />
            </td>
        </tr>
    </table>
    <asp:DataList ID="DataList1" runat="server" DataSourceID="AccessDataSource1" Height="293px" Width="310px" RepeatColumns="4"
RepeatDirection="Horizontal" OnItemCommand="DataList1_ItemCommand">

```



```

<ItemTemplate>
<table>
<tr>
<td style="text-align:center; background-color:#5F9BF3">
<asp:Label ID="Label1" runat="server" Text='<%# Eval("Pname") %>' Font-Bold="True" Font-Names="Open Sans
Extrabold" ForeColor="White"></asp:Label>
</td>
</tr>
<tr>
<td style="text-align:center">
<asp:Image ID="Image1" runat="server" BorderColor="#5F9BF3" BorderWidth="1px" Height="250px" Width="278px"
ImageUrl='<%# Eval("Pimage") %>' />
</td>
</tr>
<tr>
<td style="text-align:center; background-color:#5f9bf3">
<asp:Label ID="Label2" runat="server" Text="Price" Font-Bold="True" Font-Names="Arial" ForeColor="White"
Style="text-align:center"></asp:Label>
<asp:Label ID="Label3" runat="server" Text='<%# Eval("Pprice") %>' Font-Bold="True" Font-Names="Arial"
ForeColor="White" Style="text-align:center"></asp:Label>
</td>
</tr>
<tr>
<td align="center">Quantity
<asp:DropDownList ID="DropDownList1" runat="server">
<asp:ListItem>1</asp:ListItem>
<asp:ListItem>6</asp:ListItem>
<asp:ListItem>12</asp:ListItem>
<asp:ListItem>50</asp:ListItem>
<asp:ListItem>100</asp:ListItem>
</asp:DropDownList>
</td>
</tr>
<tr>
<td style="text-align:center">
<asp:ImageButton ID="ImageButton1" runat="server" Height="40px"
ImageUrl="~/img/addcart.jpg" Width="160px" CommandArgument='<%# Eval("ID") %>' CommandName="AddToCart" />
</td>
</tr>
</table>
<br />
<br />
</ItemTemplate>
</asp:DataList>

<asp:AccessDataSource ID="AccessDataSource1" runat="server" DataFile="App_Data\Product.accdb" SelectCommand="SELECT * FROM
[Product]"></asp:AccessDataSource>
</asp:Content>

```

iletisim.aspx

```

<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="iletisim.aspx.cs" Inherits="Shoping_Cart_Project.iletisim" %>

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
body {
background: url('img/bg.jpg') no-repeat center;
font-family: Arial, Helvetica, sans-serif;
}

* {
box-sizing: border-box;
}

/* Style inputs */
input[type=text], select, textarea {
width: 100%;
padding: 12px;
border: 1px solid #ccc;
margin-top: 6px;
margin-bottom: 16px;
resize: vertical;
}

input[type=submit] {
background-color: #04AA6D;
color: white;
padding: 12px 20px;
border: none;
cursor: pointer;
}

input[type=submit]:hover {
background-color: #45a049;
}

```

```

/* Style the container/contact section */
.container {
    border-radius: 5px;
    background-color: #f2f2f2;
    padding: 10px;
}

/* Create two columns that float next to eachother */
.column {
    float: left;
    width: 50%;
    margin-top: 6px;
    padding: 20px;
}

/* Clear floats after the columns */
.row:after {
    content: "";
    display: table;
    clear: both;
}

/* Responsive layout - when the screen is less than 600px wide, make the two columns stack on top of each other instead of
next to each other */
@media screen and (max-width: 600px) {
    .column, input[type=submit] {
        width: 100%;
        margin-top: 0;
    }
}

.auto-style1 {
    border-radius: 5px;
    /*background: url('resim/pexels-photo-586744.jpeg') no-repeat center;*/
    padding: 10px;
}

.auto-style2 {
    font-size: large;
    color: #FF0066;
}
</style>
</head>
<body>

<div class="auto-style1">
<div style="text-align: center">
<h2>Contact Us</h2>
<p>Swing by for a cup of coffee, or leave us a message:</p>
</div>
<div class="row">
<div class="column">

</div>
<div class="column">
<form id="form1" runat="server">
<label for="fname">First Name</label>
<asp:TextBox ID="TextBox1" runat="server"></asp:TextBox>
<br><label for="lname">Last Name</label>
<asp:TextBox ID="TextBox2" runat="server"></asp:TextBox>
<br><label for="country">Country</label>
<asp:DropDownList ID="DropDownList1" runat="server">
<asp:ListItem>Poland</asp:ListItem>
<asp:ListItem>Germany</asp:ListItem>
<asp:ListItem>Turkey</asp:ListItem>
<asp:ListItem>Chad</asp:ListItem>
</asp:DropDownList>
<br><label for="subject">Subject</label>
<asp:TextBox ID="TextBox3" runat="server" Height="267px" TextMode="MultiLine"></asp:TextBox>
<br>
<asp:Button ID="Button1" runat="server" OnClick="Button1_Click" Text="Submit" />
<br />
<br />
<asp:Label ID="Label1" runat="server" CssClass="auto-style2"></asp:Label>
</form>
</div>
</div>
</div>

</body>
</html>

```

Login.aspx

```

<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="Login.aspx.cs" Inherits="Shoping_Cart_Project.Login" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
<meta charset="UTF-8">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="ie=edge">
<link rel="stylesheet" href="style.css">
<title>Login Form</title>
<style type="text/css">
    .auto-style1 {
        color: #FF3300;
    }
</style>
</head>
<body>
    <div class="login-wrapper">
        <form id="form1" runat="server" class="form">
            
            <h2>Login</h2>
            <div class="input-group">
                <asp:TextBox ID="loginUser" runat="server"></asp:TextBox>
                <asp:Label ID="Label2" for="loginUser" runat="server" Text="User Name"></asp:Label>
            </div>
            <div class="input-group">
                <asp:TextBox type="password" ID="loginPassword" name="loginPassword" runat="server"></asp:TextBox>
                <asp:Label ID="Label3" for="loginPassword" runat="server" Text="Password"></asp:Label>
            </div>
            <asp:Button class="submit-btn" ID="Button1" runat="server" OnClick="Button1_Click1" Text="Submit" />
            <a href="#forgot-pw" class="forgot-pw">Forgot Password?</a>
            <asp:Label ID="Label1" runat="server" CssClass="auto-style1"></asp:Label>
        </form>
        <div id="forgot-pw">
            <form action="" class="form">
                <a href="#" class="close">&times;</a>
                <h2>Reset Password</h2>
                <div class="input-group">
                    <%--<asp:TextBox type="email" name="email" id="email" runat="server"></asp:TextBox>--%>
                    <asp:Label for="email" ID="Label4" runat="server" Text="Email"></asp:Label>
                </div>
                <%--<asp:TextBox class="submit-btn" ID="TextBox1" runat="server"></asp:TextBox>--%>
            </form>
        </div>
    </div>
</body>
</html>

```

uyeOl.aspx

```

<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="uyeOl.aspx.cs" Inherits="Shoping_Cart_Project.AnaSayfa" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>

    <style type="text/css">
        body {
            background: url('img/bg.jpg') no-repeat center;

        }

        .auto-style1 {
            font-size: large;
        }
        .auto-style2 {
            font-size: large;
            font-weight: bold;
        }
        .auto-style3 {
            margin-bottom: 8px;
        }
        .auto-style4 {
            color: #FF0066;
        }
    </style>

</head>
<body>
    <form id="form1" runat="server">
        <div>

            <table align="center" style="width: 750px; height: 600px">
                <tr>
                    <td colspan="2" align="center">
                        <h2>Sign Up</h2>
                    </td>
                </tr>
                <tr >
                    <td style="width:50%; text-align: center;" class="auto-style1" ><strong>First Name:</strong></td>
                    <td>
                        <asp:TextBox ID="TextBox1" runat="server" Width="228px" Height="33px"></asp:TextBox>

```

```

        <asp:RequiredFieldValidator ID="RequiredFieldValidator1" runat="server" ControlToValidate="TextBox1"
ErrorMessage="First Nmae is empty" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
    </td>
</tr>
<tr>
    <td style="width:50%; text-align: center;" class="auto-style2">Last Name</td>
    <td>
        <asp:TextBox ID="TextBox6" runat="server" Width="228px" Height="33px"></asp:TextBox>
        <asp:RequiredFieldValidator ID="RequiredFieldValidator2" runat="server" ControlToValidate="TextBox6"
ErrorMessage="Last Nane is empty" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
    </td>
</tr>
<tr>
    <td style="width:50%; text-align: center;" class="auto-style2">Email_ID:</td>
    <td>
        <asp:TextBox ID="TextBox7" runat="server" Width="228px" Height="33px" TextMode="Email"></asp:TextBox>
        <asp:RequiredFieldValidator ID="RequiredFieldValidator3" runat="server" ControlToValidate="TextBox7"
ErrorMessage="Email_ID is empty" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
    </td>
</tr>
<tr>
    <td style="width:50%; text-align: center;" class="auto-style2">Gender:</td>
    <td>
        <asp:DropDownList ID="DropDownList1" runat="server" Height="18px" Width="234px" CssClass="auto-style3">
            <asp:ListItem>Select Gender</asp:ListItem>
            <asp:ListItem>Male</asp:ListItem>
            <asp:ListItem>Female</asp:ListItem>
            <asp:ListItem>Other</asp:ListItem>
        </asp:DropDownList>
        <asp:RequiredFieldValidator ID="RequiredFieldValidator4" runat="server" ControlToValidate="DropDownList1"
ErrorMessage="Gender is empty" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
    </td>
</tr>
<tr>
    <td style="width:50%; text-align: center;" class="auto-style2">Password:</td>
    <td>
        <asp:TextBox ID="TextBox8" runat="server" Width="228px" Height="33px" TextMode="Password"></asp:TextBox>
        <asp:RequiredFieldValidator ID="RequiredFieldValidator5" runat="server" ControlToValidate="TextBox8"
ErrorMessage="Password field is empty" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
    </td>
</tr>
<tr>
    <td style="width:50%; text-align: center;" class="auto-style2">Confirm Pass:</td>
    <td>
        <asp:TextBox ID="TextBox9" runat="server" Width="228px" Height="33px" TextMode="Password"></asp:TextBox>
        <asp:RequiredFieldValidator ID="RequiredFieldValidator6" runat="server" ControlToValidate="TextBox9"
ErrorMessage="Confirm Password field is empty" ForeColor="#FF6666" Font-Size="X-Large">*</asp:RequiredFieldValidator>
    </td>
</tr>
<tr>
    <td align="center" colspan="2">
        <asp:Button ID="Button1" runat="server" Text="Sign Up" Width="173px" Font-Bold="True" Font-Size="Large"
OnClick="Button1_Click" />
        &nbsp;
        <asp:HyperLink ID="HyperLink1" runat="server" Font-Bold="True" Font-Names="Comic Sans MS" BackColor="Silver"
NavigateUrl="~/Login.aspx" Width="173px">Login</asp:HyperLink>
    </td>
</tr>
<tr>
    <td colspan="2">
        <asp:ValidationSummary ID="ValidationSummary1" runat="server" CssClass="auto-style4" />
    </td>
</tr>
<tr>
    <td colspan="2">
        <asp:Label ID="Label1" runat="server" Text="" style="color: #FF3399"></asp:Label>
    </td>
</tr>
</table>

</div>
</form>
</body>
</html>

```

AddToCart.aspx

```

<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="AddToCart.aspx.cs" Inherits="Shoping_Cart_Project.AddToCart" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>
    <style type="text/css">
        .auto-style1 {
            color: #66CCFF;
            text-align: center;
        }
    </style>


```

```

        .auto-style2 {
            font-size: x-large;
        }
        .auto-style3 {
            font-size: x-large;
            font-weight: bold;
            background-color: #FF9999;
        }
    </style>
</head>
<body>
    <h1 class="auto-style1">You Have Following Product in Your Cart</h1>
    <form id="form1" runat="server">
        <div align="center">
            <asp:HyperLink ID="HyperLink1" runat="server" BorderWidth="0px" CssClass="auto-style2" Font-Bold="True" Font-Names="Colonna MT" Font-Overline="False" NavigateUrl="~/mainPage.aspx">Continue Shopping</asp:HyperLink>
            <br />
            <br />
            <asp:GridView ID="GridView1" runat="server" AutoGenerateColumns="False" BackColor="#FF9999" BackImageUrl="~/resim/p1.jpg" BorderColor="Black" BorderStyle="Solid" BorderWidth="5px" EmptyDataText="No Product Available In Shopping Cart" Font-Bold="True" Height="270px" ShowFooter="True" Width="1100px" OnRowDeleting="GridView1_RowDeleting">
                <Columns>
                    <asp:BoundField DataField="sno" HeaderText="Sr No">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:BoundField DataField="pid" HeaderText="Product ID">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:ImageField HeaderText="Product Image" DataImageUrlField="pimage">
                        <ControlStyle Height="300px" Width="340px" />
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:ImageField>
                    <asp:BoundField DataField="pname" HeaderText="Product Name">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:BoundField DataField="pprice" HeaderText="Price">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:BoundField DataField="pquantity" HeaderText="Quantity">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:BoundField DataField="ptotalprice" HeaderText="Total Price">
                        <ItemStyle HorizontalAlign="Center" />
                    </asp:BoundField>
                    <asp:CommandField DeleteText="Remove" ShowDeleteButton="True" />
                </Columns>
                <FooterStyle BackColor="#CCFFFF" />
                <HeaderStyle BackColor="#3399FF" ForeColor="White" />
            </asp:GridView>
            <br />
            <strong><em>
                <asp:Button ID="Button1" runat="server" BorderStyle="Solid" CssClass="auto-style3" Text="Place Order"
                OnClick="Button1_Click" />
            </em></strong>
        </div>
    </form>
    <p>
        &nbsp;   </p>
</body>
</html>

```


Ekran Görüntü:



%25



Ford Mustang

**Araba Alisveris
Merkezi
10000000 TL**

You can login here...> [Login](#)

Ara

Araba



Price 15000050

Quantity

[Add to cart](#)

Araba



Price 100000

Quantity

[Add to cart](#)

Araba



Price 1000000

Quantity

[Add to cart](#)

Araba



Price 2250000

Quantity

[Add to cart](#)

Araba



Dream Cars Sales and Leasing



[Home page](#)

[About us](#)

[Contact us](#)

[Login](#)

[Sign up](#)

%25



Lamborghini

**Araba Alisveris
Merkezi
20000000 TL**

You can login here...> [Login](#)

About Us Page

İnternet Programcılığı Project
Mektronik Mühendisliği.

Our Team



Abdalla Tolba

CEO & Founder
Full stack programmer
ahissein@example.com

Contact



Antonio Balde

Art Director
Some text that describes me lorem ipsum
ipsum lorem.
tbalde@example.com

Contact



Muhammed ÇELEPKOLU

Designer
Some text that describes me lorem ipsum
ipsum lorem.
bamel@example.com

Contact

© Dream Cars Sales and Leasing

→

localhost:65188/iletisim.aspx

🏠 ⚙️ 🌐 👤

📍

Map data ©2015 Google

Jednaczewo

Rządkowo

Czarnocin

Marianowo

Piatnica

Elzbiecin

Zabawki

Nowe Kupiski

Stare Kupiski

Stare Sierpudy

Grzymaly epankowskie

Jarnuty

Dluzniewo

Konarzyce

Zawady

Stara Lomza nad Rzeką

Stara Lomza przy Szosie

Kalinowo

Piatnica Wlosciańska

Zakojowa

Lipecka Struga

Warczew

Główna

Lomza

First Name

Abdalla

Last Name

Tolba

Country

Turkey

Subject

Test mesajı


Submit

Your message has been sent successfully

localhost:65188/iletisim.aspx

Contact Us

Swing by for a cup of coffee, or leave us a message:



First Name

Abdalla

Last Name

Tolba

Country

Turkey

Subject

Test mesajı

Submit

Your message has been sent successfully

localhost:65188/uyeOl.aspx

Sign Up

First Name:

*

Last Name

*

Email_ID:

mevliya@gmail.com

Gender:

Select Gender

Password:

.....

Confirm Pass:

*

Sign Up

Login

• First Nmae is empty

• Last Nane is empty

• Confirm Password field is empty

Sign Up

First Name:

Last Name


Email_ID:

Gender:

Password:

Confirm Pass:

Register successfully



Login

User Name
.....

Password

[Forgot Password?](#) login unsuccessful



Dream Cars Sales and Leasing

[Home page](#)[About us](#)[Contact us](#)[Login](#)[Sign up](#)

%25



Ford Mustang

**Araba Alisveris
Merkezi
10000000 TL**



Welcome: wevliya@gmail.com

[Log Out](#)

Welcome: wevliya@gmail.com

[Log Out](#)

Lamborghini



Price 2000000

Quantity

Lamborghini



Price 1500000

Quantity

Lamborghini



Price 1000000

Quantity

Lamborghini



Price 410000




Quantity

You Have Following Product in Your Cart

[Continue Shopping](#)

Sr No	Product ID	Product Image	Product Name	Price	Quantity	Total Price	
1	1		Lamborghini	2000000	6	12000000	Remove
						Total Amount	2000000

[Place Order](#)

1	1		Lamborghini	2000000	6	12000000	Remove
2	7		Araba	1000000	50	50000000	Remove
3	3		Lamborghini	1000000	1	1000000	Remove
Total Amount						4000000	

Place Order