

Area Wise Plugin — Changelog

Product: Sukoon Homes — Area Listing (Area Wise)

Version: 2.0.0

Release date: 21 May 2026

Environments: admin-homes.sukoon.group · homes.sukoon.group

Summary

Version 2.0.0 completes the Area Wise location system for property and project listings: admin map/GPS workflows, agent permissions, customer admin controls, and frontend area filters. This release fixes map pin behaviour, prevents random area assignment on GPS, and adds server-side name matching when the map pin moves.

1. Admin Property & Project — Area Wise Location

1.1 Location fields

- Area Wise Location block on property and project create/edit pages.
- Fields: State, City (synced from main form), Area, Sub Area, manual customer address.
- Hidden internal state_id / city_id selects (no Select2 on hidden fields).
- Detected area/sub-area hidden fields for save when no DB match exists.
- area_listing_admin_save=1 on admin forms for auto-create rules.
- Get Current Location: browser GPS + Google reverse geocode (not raw coordinates for city/address).

1.2 Map integration (maps-helper.js)

- Single backend map instance (initBackendPlacesMap).
- Draggable marker; drag end calls server geocode API with Google client fallback.
- City search via backend places list — not legacy Autocomplete on property pages.

- Pin move updates address, city, state, country, latitude, longitude.
- Pin move does not keep city suggestion dropdown open.
- Advanced Marker: dragend and gmp-dragend supported.

1.3 Legacy map fix (custom.js)

- initMap() defers to initBackendPlacesMap when backendPlacesMapOptions is set.
- Fixes duplicate map, stuck city dropdown, and lat/lng-only updates on pin drag.

1.4 Script load order

- initMap and backendPlacesMapOptions defined before Google Maps API script.
- Cache-bust maps-helper.js after updates.

2. GPS & Area Matching

Behaviour	GPS / Get Current Location	Map pin / place search
City & address	Google reverse geocode	Google reverse geocode
Area auto-select	Exact name in dropdown	POST resolve-coordinates + dropdown
Random nearest by GPS coords	Removed	Removed
Select2 during apply	Blocked (GPS lock)	Blocked (map fill silent)
Old area on move	Cleared, re-matched	Cleared, re-matched

2.1 resolve-coordinates

- Route: POST /area-listing/resolve-coordinates
- Name-only match from Google location_components (no distance-based nearest area).
- Returns area_id, sub_area_id, and detected names when matched in DB for city.

2.2 Pin move apply flow

- Clears Select2 area/sub-area display when location changes.
- Parses area name from formatted address when Google components omit sublocality.
- Falls back to client dropdown name match if server returns no match.

3. Area Creation Rules

User	Auto-create on save
Admin	Yes
Agent with can_manage_area_listing = 1	Yes
Other agents	No — admin approval via suggestions

- GET /api/area-listing/permissions
- POST areas/sub-areas — 403 for non-privileged; suggest-area / suggest-sub-area for others

4. Per-Agent Area Wise Permission

- Database: customers.can_manage_area_listing (boolean)
- Customer list: Area Wise column (Allowed / Not Allowed for agents)
- Customer edit: Agent Profile toggle + Save Area Wise Setting (separate from main save)
- PUT customer/{id}/area-listing-permission
- Fix: Edit button for all customers with permission; fix false “User already exists” on permission-only save
- Profile API and AreaSubAreaSelector: Add vs Suggest UI by permission

5. Area Listing Admin Plugin (Core)

- States, cities, areas, sub-areas CRUD
- Merge with audit log; pending suggestions approval
- CSV import with dry-run; archived areas; usage counts on properties/projects
- AreaListingService, AdminController, ApiController fixes in 2.0.0

6. Frontend — Personalized Feeds

- AreaListingFilter on home/search
- Public: Sub-area, Area, City, State — full address/map private

7. Key Files (Deploy Reference)

Path (admin-homes)	Purpose
app/Plugins/AreaListing/views/admin/partials/listing-location-fields.blade.php	Map, GPS, area sync
public/assets/js/maps-helper.js	Backend map & geocode
public/assets/js/custom/custom.js	initMap guard

resources/views/property/*.blade.php	Map init order
app/Plugins/AreaListing/Services/AreaListingService.php	Rules & resolve
app/Http/Controllers/CustomersController.php	Agent permission UI
homes: src/plugins/area-listing/*	Agent & filter UI

8. Deployment

- php artisan migrate (can_manage_area_listing if needed)
- php artisan optimize:clear && php artisan view:clear
- homes: npm run build && pm2 restart
- Hard refresh admin property edit after deploy

9. Known Limitations

- Area auto-select needs matching name in DB for that city, or staff pick/add once.
- Separate “Client Address” field may not update from map pin.
- Low GPS accuracy: warning shown; drag pin if city wrong.

10. Version History

Version	Date	Notes
1.0.0	Earlier	Initial plugin, CRUD, location tables
1.5.0	May 2026	Personalized feeds, basic map fields
2.0.0	21 May 2026	GPS/map fixes, permissions, resolve-coordinates, legacy map guard