

```
-- SQL statements for displaying example data into the CAP2 database
-- Connect to your Postgres server and set the active database to CAP2.  Then . . .
```

```
select *
from customers;
```

```
select *
from agents;
```

```
select *
from products;
```

```
select *
from orders;
```

Output pane

Data Output

Explain

Messages

History

	cid character(4)	name text	city text	discount numeric(5,2)
1	c001	Tiptop	Duluth	10.00
2	c002	Basics	Dallas	12.00
3	c003	Allied	Dallas	8.00
4	c004	ACME	Duluth	8.00
5	c005	Weyland-Yutani	Acheron	0.00
6	c006	ACME	Kyoto	0.00

```
-- SQL statements for displaying example data into the CAP2 database
-- Connect to your Postgres server and set the active database to CAP2. Then . . .
```

```
select *
from customers;
```

```
select *
from agents;
```

```
select *
from products;
```

```
select *
from orders;
```

Output pane

Data Output Explain Messages History

	aid character(3)	name text	city text	percent real
1	a01	Smith	New York	6
2	a02	Jones	Newark	6
3	a03	Brown	Tokyo	7
4	a04	Gray	New York	6
5	a05	Otasi	Duluth	5
6	a06	Smith	Dallas	5
7	a08	Bond	London	7

```
-- SQL statements for displaying example data into the CAP2 database
-- Connect to your Postgres server and set the active database to CAP2. Then . . .
```

```
select *
from customers;
```

```
select *
from agents;
```

```
select *
from products;
```

```
select *
from orders;
```

Output pane

Data Output Explain Messages History

	pid character(3)	name text	city text	quantity integer	priceusd numeric(10,2)
1	p01	comb	Dallas	111400	0.50
2	p02	brush	Newark	203000	0.50
3	p03	razor	Duluth	150600	1.00
4	p04	pen	Duluth	125300	1.00
5	p05	pencil	Dallas	221400	1.00
6	p06	folder	Dallas	123100	2.00
7	p07	case	Newark	100500	1.00
8	p08	clip	Newark	200600	1.25

```
-- SQL statements for displaying example data into the CAP2 database
-- Connect to your Postgres server and set the active database to CAP2. Then . . .
```

```
select *
from customers;
```

```
select *
from agents;
```

```
select *
from products;
```

```
select *
from orders;
```

Output pane

Data Output Explain Messages History

	ordno integer	mon character(3)	cid character(4)	aid character(3)	pid character(3)	qty integer	dollars numeric(12,2)	
1	1011	jan	c001	a01	p01	1000	450.00	
2	1013	jan	c002	a03	p03	1000	880.00	
3	1015	jan	c003	a03	p05	1200	1104.00	
4	1016	jan	c006	a01	p01	1000	500.00	
5	1017	feb	c001	a06	p03	600	540.00	
6	1018	feb	c001	a03	p04	600	540.00	
7	1019	feb	c001	a02	p02	400	180.00	
8	1020	feb	c006	a03	p07	600	600.00	