

World of Warcraft Search

The World of Warcraft game data APIs now support search functionality. Using a search endpoint returns a paginated subset of data that match your query criteria. This subset can contain a maximum of 1000 entries.

Querying Data

To perform a search operation on a set of data, use the following base URL pattern:

```
/data/wow/search/{documentType}?namespace={namespace}
```

This URL has no fields specified, and therefore will return a paginated result of all data at the specified document type, limited to 1000 entries. To query on specific fields, add query parameters with the corresponding field names.

```
/data/wow/search/{documentType}?namespace={namespace}&{field}={value}
```

This search will return only those entries that have a matching value in the specified field. For example, to query all connected realms that have a login queue, use the following:

```
/data/wow/search/connected-realm?namespace=dynamic-us&has_queue=true
```

Additionally, you can use nested field names to query complex data structures. For example, to query all connected realms in the US Eastern timezone:

```
/data/wow/search/connected-realm?namespace=dynamic-us&realms.timezone=America/New_York
```

You may also add multiple fields as separate query string parameters. For example, to limit results to the intersection of the two result sets above, add both fields to the query string:

```
/data/wow/search/connected-realm?namespace=dynamic-us&has_queue=true&realms.timezone=America/New_York
```

Special Parameters

Some query string parameters are reserved for special operations, such as:

parameter	example	description
tag	_tag=item	Used only for media documents.
tags		Specifies the type of media document (item, spell, creature-display, etc) to query.
_tag		
_tags		
_page	_page=2	Specifies which page of search results to return. The default page is 1.
_pageSize	_pageSize=500	Specifies the size of each page in the result. The default value is 100 and can support a minimum of 1 or a maximum of 1000.

Documentation

orderby	orderby=field1 orderby=field1:asc orderby=field1:desc orderby=field1,field2 orderby=field1:desc,field2:asc	Accepts a comma-separated list of fields and sorts the result in order of those fields. <code>:asc</code> and <code>:desc</code> can be appended to each field to instruct the search endpoint to sort in ascending or descending order.
namespace	namespace=dynamic-us	The namespace of the document. For more information on namespaces see World of Warcraft Namespaces and World of Warcraft Classic Namespaces .

Operations

Additional search operations can be performed as follows:

operation	example	description
AND	str=5&dex=10	An implicit AND operation is performed by multiple query parameters.
OR	str=5 10 type=man bear pig	An OR operation is performed by placing a pair of bars between two values.
NOT	race!=orc	A NOT operation is performed by using a combination of an exclamation mark and equal sign between two values. You can combine the NOT and OR operations in a single statement (for example, race!=orc human).
RANGE	str=[2,99] str=(2,99)	A RANGE operation is performed only on numeric field values by using either brackets (inclusive) or parentheses (exclusive) around comma-separated minimum and maximum values.
MIN	str=[41,] str=(41,)	A MIN operation performs a minimum value check using the Range syntax.
MAX	str=[,77] str=(,77)	A MAX operation performs a maximum value check using the Range syntax.

 English (US)

CareersAboutSupportContact UsPressAPI



©2026 Blizzard Entertainment, Inc.
All trademarks referenced herein are the properties of their respective owners.
Do not sell or share my personal information

PrivacyLegalTermsCookie PolicyCookie Settings

Documentation

