

PalletizeTM

Where Quality meets Sustainability

- 100 % Biodegradable
- Saves 70 % space
- 4 way entry
- ISPM-15 Compliant
- Impact & Moisture Resistant


Palletize Bio-Pallet



Top View



Side View



Bottom View

Technical Specifications

Specification	18-20 Kg	15-17 Kg
Size	1100X1165X145 mm (+/- 0.5 mm)	1100X965X145 mm (+/- 0.5 mm)
Material	Coconut Waste+ Waste Wood	Coconut Waste+Waste Wood
Static Load	2.5 tons	2 tons
Dynamic Load	2 tons	1.5 tons
Entry	4 way	4 way

For each Pallet




Permanent CO₂ captured = **25.5 kg**

CO₂ emissions prevented = **2.278 kg**

Stubble burning prevented = **20 kg**

Supporting:





Comparison Chart

Specification	Palletize Bio-Pallet	Wooden Pallets
Static strength	2 tons -2.5 tons	2 tons – 3 tons
Dynamic Strength	1.5 tons -2 tons	1 ton – 2 tons
Space Saving	Saves 70 % Space	No
Material	Coconut Husk/Waste Wood	Imported Pine
Nails-Free	Yes	No
Export Ready	Yes	No
Recyclable	Yes	No
Fumigation Required	No	Yes
Cost –Effective	Yes	No

Contact us at : info@palletize.in