

# Cucumber Report

24-Sep-2024, 4:13:23 pm

Start : Sep 24, 4:12:47.218 pm

End : Sep 24, 4:13:22.750 pm

Duration : 35.532 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 2  
SKIPPED - 0

PASSED - 2  
FAILED - 2  
SKIPPED - 0


PASSED - 10  
FAILED - 2  
SKIPPED - 4




| Feature                              |          | Scenario |   |   |   | Step |   |   |   |
|--------------------------------------|----------|----------|---|---|---|------|---|---|---|
| Name                                 | Duration | T        | P | F | S | T    | P | F | S |
| <u>Client Login Functionality</u>    | 10.132 s | 1        | 0 | 1 | 0 | 3    | 1 | 1 | 1 |
| <u>Validate Dashboard Components</u> | 17.856 s | 2        | 2 | 0 | 0 | 8    | 8 | 0 | 0 |
| <u>Raise Prefund Request</u>         | 7.499 s  | 1        | 0 | 1 | 0 | 5    | 1 | 1 | 3 |

| # | Feature Name                      | Scenario Name   |
|---|-----------------------------------|---|
| 1 | <u>Client Login Functionality</u> | <u>User successfully logs in with valid credentials, receives OTP toast, and accesses the dashboard</u> |
| 2 | <u>Raise Prefund Request</u>      | <u>To check whether client able to raise a prefund request</u>  |

| TAG    | Scenario |   |   |   | Feature |   |   |   |
|--------|----------|---|---|---|---------|---|---|---|
| Name   | T        | P | F | S | T       | P | F | S |
| @Smoke | 2        | 1 | 1 | 0 | 2       | 1 | 1 | 0 |





| # | Feature Name                         | T | P | F | S | Duration |
|---|--------------------------------------|---|---|---|---|----------|
| 1 | <u>Client Login Functionality</u>    | 1 | 0 | 1 | 0 | 10.132 s |
| 2 | <u>Validate Dashboard Components</u> | 2 | 2 | 0 | 0 | 17.856 s |
| 3 | <u>Raise Prefund Request</u>         | 1 | 0 | 1 | 0 | 7.499 s  |





| # | Feature Name                         | Scenario Name   | T | P | F | S | Duration |
|---|--------------------------------------|---|---|---|---|---|----------|
| 1 | <u>Client Login Functionality</u>    | <u>User successfully logs in with valid credentials, receives OTP toast, and accesses the dashboard</u> | 3 | 1 | 1 | 1 | 10.127 s |
| 2 | <u>Validate Dashboard Components</u> | <u>Get the available prefund amount</u>   | 4 | 4 | 0 | 0 | 10.226 s |
| 3 |                                      | <u>Get the dashboard title</u>  | 4 | 4 | 0 | 0 | 7.611 s  |
| 4 | <u>Raise Prefund Request</u>         | <u>To check whether client able to raise a prefund request</u>  | 5 | 1 | 1 | 3 | 7.498 s  |


## Client Login Functionality

|                                      |                     |  |   |  |   |
|--------------------------------------|---------------------|--|---|--|---|
| <b>FAILED</b>                        | DURATION - 10.132 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 3<br>Pass - 1<br>Fail - 1<br>Skip - 1 |  |
| / 4:12:47.218 pm // 4:12:57.350 pm / |                     |  |   |  |   |
|                                      |                     |  |   |  |   |



## User successfully logs in with valid credentials, receives OTP toast, and accesses the dashboard

|   |                                |   |   |  |
|---|--------------------------------|---|---|--|
| <div>FAILED</div>                               | <div>DURATION - 10.127 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| <div>/ 4:12:47.223 pm // 4:12:57.350 pm /</div> |                                |   |   |  |
| <div>Client Login Functionality</div>           |                                |   |   |  |
| <div>@Smoke</div>                               |                                |   |   |  |



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 1 | Given User is able to launch the browser and navigate to Client Portal<br>Navigate to URL:<br>Username :gbtransporter@moxey.ai<br>Password :Moxey@123   | PASSED  | 3.430 s  |
| 2 | When the client admin enter the credentials and verify the OTP<br>org.junit.ComparisonFailure: expected:<[OTP Sent Successfully!]> but was:<[Invalid credentials]><br>at org.junit.Assert.assertEquals(Assert.java:117)<br>at org.junit.Assert.assertEquals(Assert.java:146)<br>at StepDefinition.LoginClientTest.theClientAdminEnterTheCredentialsAndVerifyTheOTP(LoginClientTest.java:46)<br>at ?.the client admin enter the credentials and verify the OTP(file:///C:/Users/Sivaraman%20M/AquaProjects/KSA-moxey-automation/src/test/resources/FeatureFiles/ClientLoginTest.feature:9)<br>* Not displayable characters are replaced by '?'.<br>* Not displayable characters are replaced by '?'. | FAILED  | 4.934 s  |
| 3 | Then User is on the dashboard Page  | SKIPPED | 0.001 s  |
|   | AFTER - Hooks.ApplicationHooks.screenShotForFailedScenarios(io.cucumber.java.Scenario)  | PASSED  | 0.366 s  |
|   | User_successfully_logs_in_with_valid_credentials_receives_OTP_toast_and_accesses_the_dashboard  |         |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   |  |        |          |

## Validate Dashboard Components

|                                      |                     |  |   |  |   |
|--------------------------------------|---------------------|--|---|--|---|
| <b>PASSED</b>                        | DURATION - 17.856 s | Scenarios<br>Total - 2<br>Pass - 2<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 8<br>Pass - 8<br>Fail - 0<br>Skip - 0 |  |
| / 4:12:57.383 pm // 4:13:15.239 pm / |                     |  |   |  |   |
|                                      |                     |  |   |  |   |


## Get the available prefund amount

|                                      |                     |   |  |   |
|--------------------------------------|---------------------|---|--|---|
| <b>PASSED</b>                        | DURATION - 10.226 s |  | Steps<br>Total - 4<br>Pass - 4<br>Fail - 0<br>Skip - 0 |  |
| / 4:12:57.384 pm // 4:13:07.610 pm / |                     |   |  |   |
| Validate Dashboard Components        |                     |   |  |   |
| @Smoke                               |                     |   |  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is able to launch the browser and navigate to Client Portal | PASSED | 3.652 s  |
|   | Navigate to URL:   |        |          |
| 2 | When User enters the Username and Password and OTP                     | PASSED | 2.302 s  |
| 3 | Then User is on the dashboard Page                                     | PASSED | 0.002 s  |
| 4 | Then get the current available prefund balance                         | PASSED | 2.984 s  |


## Get the dashboard title







| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is able to launch the browser and navigate to Client Portal | PASSED | 1.438 s  |
|   | Navigate to URL:   |        |          |
| 2 | When User enters the Username and Password and OTP                     | PASSED | 2.826 s  |
| 3 | Then User is on the dashboard Page                                     | PASSED | 0.001 s  |
| 4 | Then Page title should be "Dashboard"                                  | PASSED | 2.109 s  |

## Raise Prefund Request



## To check whether client able to raise a prefund request



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
| 1 | Given User is able to launch the browser and navigate to Client Portal<br>Navigate to URL:<br>Username :gbtransporter@moxey.ai<br>Password :Moxey@123  | PASSED  | 2.093 s  |
| 2 | When the client admin enter the credentials and verify the OTP<br>org.junit.ComparisonFailure: expected:<[OTP Sent Successfully!]> but was:<[Invalid credentials]><br>at org.junit.Assert.assertEquals(Assert.java:117)<br>at org.junit.Assert.assertEquals(Assert.java:146)<br>at StepDefinition.LoginClientTest.theClientAdminEnterTheCredentialsAndVerifyTheOTP(LoginClientTest.java:46)<br>at ?.the client admin enter the credentials and verify the OTP(file:///C:/Users/Sivaraman%20M/AquaProjects/KSA-moxey-automation/src/test/resources/FeatureFiles/RaisePrefundRequestTest.feature:4)<br>* Not displayable characters are replaced by '?'.<br> | FAILED  | 4.513 s  |
| 3 | Then Click on Accounts option  | SKIPPED | 0.000 s  |
| 4 | And Click on Request Prefund button  | SKIPPED | 0.000 s  |
| 5 | Then enter amount, bank reference number,internal reference no,add note, upload document and click on submit   | SKIPPED | 0.000 s  |
|   | AFTER - Hooks.ApplicationHooks.screenShotForFailedScenarios(io.cucumber.java.Scenario)<br>To_check_whether_client_able_to_raise_a_prefund_request  | PASSED  | 0.269 s  |
|   |   |         |          |