

Rebase contribution:

```
MINGW64:/c/Users/hp/mythirdrepo

hp@Dharanidhar MINGW64 ~
$ git clone https://github.com/machhapavithra-2105/mythirdrepo.git
Cloning into 'mythirdrepo'...
warning: You appear to have cloned an empty repository.

hp@Dharanidhar MINGW64 ~
$ cd mythirdrepo

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ echo "print('this is node a')" > a.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ ls
a.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git add .
warning: in the working copy of 'a.py', LF will be replaced by CRLF the next time Git touches it

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git commit -m"commit a | created by a.py file"
[main (root-commit) 6abb6b8] commit a | created by a.py file
1 file changed, 1 insertion(+)
create mode 100644 a.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 237 bytes | 237.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/machhapavithra-2105/mythirdrepo.git
 * [new branch]      main -> main

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git log --oneline
6abb6b8 (HEAD -> main, origin/main) commit a | created by a.py file

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ echo "print('this is node b')" > b.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git add .
warning: in the working copy of 'b.py', LF will be replaced by CRLF the next time Git touches it

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git commit -m"commit b | created by b.py file"
[main 16c4e21] commit b | created by b.py file

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git log --oneline
16c4e21 (HEAD -> main) commit b | created by b.py file
6abb6b8 (origin/main) commit a | created by a.py file

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 293 bytes | 293.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/machhapavithra-2105/mythirdrepo.git
 6abb6b8..16c4e21  main -> main

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ ls
a.py  b.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git branch feature-rebase

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git switch feature-rebase
Switched to branch 'feature-rebase'

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ echo "print('this is node c')" > c.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git add c.py
warning: in the working copy of 'c.py', LF will be replaced by CRLF the next time Git touches it

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git commit -m"commit c| created by c.py file"
[feature-rebase 38f293a] commit c| created by c.py file
1 file changed, 1 insertion(+)
create mode 100644 c.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git push origin feature-rebase
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 319 bytes | 319.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
```

```

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git log --oneline
38f293a (HEAD -> feature-rebase, origin/feature-rebase) commit c | created by c.py file
16c4e21 (origin/main, main) commit b | created by b.py file
6abb6b8 commit a | created by a.py file

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ echo "print('this is node d')" > d.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git add .
warning: in the working copy of 'd.py', LF will be replaced by CRLF the next time Git touches it

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git commit -m"commit d | created by d.py file"
[feature-rebase 3bb4a37] commit d | created by d.py file
1 file changed, 1 insertion(+)
 create mode 100644 d.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git push origin feature-rebase
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 292 bytes | 292.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/machhapavithra-2105/mythirdrepo.git
   38f293a..3bb4a37  feature-rebase -> feature-rebase

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git log --oneline
3bb4a37 (HEAD -> feature-rebase, origin/feature-rebase) commit d | created by d.py file
38f293a commit c | created by c.py file
16c4e21 (origin/main, main) commit b | created by b.py file
6abb6b8 commit a | created by a.py file

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git log --oneline
16c4e21 (HEAD -> main, origin/main) commit b | created by b.py file
6abb6b8 commit a | created by a.py file

```

```

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git log --oneline
16c4e21 (HEAD -> main, origin/main) commit b | created by b.py file
6abb6b8 commit a | created by a.py file

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ echo "print('this is node e')" > e.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git add .
warning: in the working copy of 'e.py', LF will be replaced by CRLF the next time Git touches it

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git commit -m"commit e | created by e.py file"
[main f1b56c8] commit e | created by e.py file
1 file changed, 1 insertion(+)
 create mode 100644 e.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 320 bytes | 320.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/machhapavithra-2105/mythirdrepo.git
   16c4e21..f1b56c8  main -> main

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git log --oneline
f1b56c8 (HEAD -> main, origin/main) commit e | created by e.py file
16c4e21 commit b | created by b.py file
6abb6b8 commit a | created by a.py file

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ echo "print('this is node f')" > f.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git add f.py
warning: in the working copy of 'f.py', LF will be replaced by CRLF the next time Git touches it

hp@Dharanidhar MINGW64 ~/mythirdrepo (main)
$ git commit -m"commit F | created by f.py file"
[main 31aabda] commit F | created by f.py file
1 file changed, 1 insertion(+)
 create mode 100644 f.py

```

 machhapavithra-2105 commit d created by d.py file		3bb4a37 · 25 minutes ago	 4 Commits
 a.py	commit a created by a.py file	31 minutes ago	
 b.py	commit b created by b.py file	29 minutes ago	
 c.py	commit c created by c.py file	27 minutes ago	
 d.py	commit d created by d.py file	25 minutes ago	

```

MINGW64:/c/Users/hp/mythirdrepo
$ git switch feature-rebase
Switched to branch 'feature-rebase'

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git rebase main
Successfully rebased and updated refs/heads/feature-rebase.

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git log --oneline
e92150e (HEAD -> feature-rebase) commit d| created by d.py file
8398763 commit c| created by c.py file
31aabda (origin/main, main) commit f| created by f.py file
f1b56c8 commit e | created by e.py file
16c4e21 commit b | created by b.py file
6abb6b8 commit a | created by a.py file

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git push origin feature-rebase
To https://github.com/machhapavithra-2105/mythirdrepo.git
 ! [rejected]        feature-rebase -> feature-rebase (non-fast-forward)
error: failed to push some refs to 'https://github.com/machhapavithra-2105/mythirdrepo.git'
hint: Updates were rejected because the tip of your current branch is behind
hint: its remote counterpart. If you want to integrate the remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git push origin feature-rebase --force
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (6/6), 618 bytes | 309.00 KiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/machhapavithra-2105/mythirdrepo.git
 + 3bb4a37...e92150e feature-rebase -> feature-rebase (forced update)

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ git log --oneline
e92150e (HEAD -> feature-rebase, origin/feature-rebase) commit d| created by d.py file
8398763 commit c| created by c.py file
31aabda (origin/main, main) commit f| created by f.py file
f1b56c8 commit e | created by e.py file
16c4e21 commit b | created by b.py file
6abb6b8 commit a | created by a.py file

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ |

```

```

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ ls
a.py b.py c.py d.py e.py f.py

hp@Dharanidhar MINGW64 ~/mythirdrepo (feature-rebase)
$ |

```

Commits

feature-rebase	All users	All time
Commits on Jun 22, 2026		
commit d created by d.py file machhapavithra-2105 committed 6 minutes ago	e92150e	 
commit c created by c.py file machhapavithra-2105 committed 6 minutes ago	8398763	 
commit F created by f.py file machhapavithra-2105 committed 28 minutes ago	31aabda	 
commit e created by e.py file machhapavithra-2105 committed 33 minutes ago	f1b56c8	 
commit b created by b.py file machhapavithra-2105 committed 41 minutes ago	16c4e21	 
commit a created by a.py file machhapavithra-2105 committed 43 minutes ago	6abb6b8	 

Commands :below are the used commands

```
355 git clone https://github.com/machhapavithra-2105/mythirdrepo.git
356 cd mythirdrepo
357 echo "print("this is node a")" > a.py
358 ls
359 git add .
360 git commit -m"commit a | created by a.py file"
361 git push origin main
362 git log --oneline
363 echo "print("this is node b")" > b.py
364 git add .
365 git commit -m"commit b | created by b.py file"
366 git log --oneline
367 git push origin main
368 ls
369 git branch feature-rebase
370 git switch feature-rebase
371 echo "print("this is node c")" > c.py
372 git add c.py
373 git commit -m"commit c| created by c.py file"
374 git push origin feature-rebase
375 git log --oneline
376 echo "print("this is node d")" > d.py
377 git add .
378 git commit -m"commit d| created by d.py file"
379 git push origin feature-rebase
380 git log --oneline
381 git switch main
382 git log --oneline
383 echo "print("this is node e")" > e.py
384 git add .
385 git commit -m"commit e | created by e.py file"
386 git push origin main
387 git log --oneline
388 echo "print("this is node f")" > f.py
389 git add f.py
390 git commit -m"commit F| created by f.py file"
391 git push origin main
392 git log --oneline
393 git switch feature-rebase
394 git rebase main
395 git log --oneline
396 git push origin feature-rebase
397 git push origin feature-rebase --force
398 git log --oneline
399 ls
400 history
```

This branch is 2 commits ahead of `main`.

 **Contribute** ▾

 **machhapavithra-2105** commit d| created by d.py file e92150e · 1 minute ago  **6 Commits**

 a.py	commit a created by a.py file	39 minutes ago
 b.py	commit b created by b.py file	37 minutes ago
 c.py	commit c created by c.py file	1 minute ago
 d.py	commit d created by d.py file	1 minute ago
 e.py	commit e created by e.py file	29 minutes ago
 f.py	commit F created by f.py file	24 minutes ago

 **main**