




EXPLORER

...

backend.tf X

main.tf X

PROJECT-2

environments

dev

> .terraform

.terraform.lock.hcl

backend.tf

dev.tfvars

main.tf

outputs.tf

provider.tf

variables.tf

> prod

> modules

environments > dev > backend.tf

```
1 terraform {  
2  
3   backend "s3" {  
4  
5     bucket      = "jagadeesh-terraform-project-2" # S3 Bucket  
6     key         = "dev/terraform.tfstate"         # State File  
7     region      = "ap-south-1"                   # AWS Region  
8     dynamodb_table = "terraform-locks"           # Lock Table  
9     encrypt     = true                           # Encrypt  
10  
11   }  
12  
13 }
```

environments > dev > main.tf

```
1 # Create VPC  
2 module "vpc" {  
3   source = "../modules/vpc" # VPC Module Path  
4  
5   project_name = var.project_name # Project Name  
6   vpc_cidr     = var.vpc_cidr     # VPC CIDR Block  
7   environment  = var.environment  # Environment Name  
8   public_subnets = var.public_subnets # Public Subnets  
9   private_subnets = var.private_subnets # Private Subnets  
10 }  
11  
12 # Create EC2 Instances  
13 module "ec2" {  
14   source = "../modules/ec2" # EC2 Module Path  
15  
16   project_name = var.project_name # Project Name  
17   vpc_id       = module.vpc.vpc_id # VPC ID  
18   subnet_id    = module.vpc.public_subnet_ids[0] # First Public Subnet  
19   environment  = var.environment  # Environment Name  
20   instance_type = var.instance_type # EC2 Instance Type  
21   instance_count = var.instance_count # Number of Instances  
22   allowed_ssh_ip = var.allowed_ssh_ip # SSH Allowed IP  
23   key_name       = var.key_name     # EC2 Key Pair  
24 }
```

EXPLORER

PROJ...

environments

dev

prod

terraform

terraform.lock.hcl

backend.tf

main.tf

outputs.tf

prod.tfvars

provider.tf

variables.tf

modules

OUTLINE

TIMELINE

main.tf

environments > prod > main.tf

1

VPC Module

2

module "vpc" {

3

4

source = "../modules/vpc" # VPC Mod

5

6

project_name = var.project_name # Project

7

vpc_cidr = var.vpc_cidr # VPC CIDR

8

public_subnets = var.public_subnets # Public

9

private_subnets = var.private_subnets # Private

10

environment = var.environment # Environ

11

12

}

13

14

EC2 Module

15

module "ec2" {

16

17

source = "../modules/ec2" # EC2 Mod

18

19

project_name = var.project_name # Project

20

vpc_id = module.vpc.vpc_id # VPC ID

21

subnet_id = module.vpc.public_subnet_ids[0] # First P

22

environment = var.environment # Environ

23

instance_type = var.instance_type # EC2 Inst

24

instance_count = var.instance_count # Number

25

allowed_ssh_ip = var.allowed_ssh_ip # SSH All

26

key_name = var.key_name # EC2 Key

27

28

}

backend.tf

environments > prod > backend.tf

1

terraform {

2

3

backend "s3" {

4

5

bucket = "jagadeesh-terraform-project-2" # S3 Buck

6

key = "prod/terraform.tfstate" # Product

7

region = "ap-south-1" # AWS Reg

8

dynamodb_table = "terraform-locks" # Lock b

9

encrypt = true # Encryp

10

11

}

12

13

}

SESSI...

Locate provider.tf

3 wks ago

Tip: Use /create-agent to scaffold a custom agent for your workflow.

+ backend.tf

Describe what to build

+ 🔍 ⚙️ ↩️

L... Default A...

Ln 1, Col 1 Spaces: 2 UTF-8 CRLF {} Plain Text

Monitoring

AWS Feedback  Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Amazon S3

<

▼ Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

▼ Files

File systems

▼ Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

▼ Storage management and insights

Storage Lens

Batch Operations

Buckets

General purpose buckets

All AWS Regions

Directory buckets

General purpose buckets (1) Info

Copy ARN

Empty

Delete

Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

< 1 >

Name	AWS Region	Creation date
jagadeesh-terraform-project-2	Asia Pacific (Mumbai) ap-south-1	July 20, 2026, 09:43:28 (UTC+05:30)

► Account snapshot Info

Updated daily

View dashboard

Storage Lens provides visibility into storage usage and activity trends.

► External access summary Info

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

<

Vector buckets

File systems

IAM Access Analyzer

Batch Operations

Info

Access Points

 Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

🔍 Find objects by prefix

Show versions

< 1 > 

☐	Name	Type	Last modified	Size	Storage class
☐	 dev/	Folder	-	-	-
☐	 prod/	Folder	-	-	-

aws

Search

[Alt+S]

Asia Pacific (Mumbai)

surineni jagadeesh (258233813982)

surineni jagadeesh

IAM

EC2

S3

DynamoDB

VPC

DynamoDB

Tables

DynamoDB

Dashboard

Tables

Explore items

PartiQL editor

Backups

Exports to S3

Imports from S3

Integrations

Reserved capacity

Settings

DAX

Clusters

Subnet groups

Parameter groups

Events

Tables (1)

Info

Last updated
July 21, 2026, 07:14 (UTC+5:30)

Actions

Delete

Create table

Find tables

Filter by tag
Any tag key

Filter by tag value
Any tag value

< 1 >

	Name	Status	Partition key	Sort key	Indexes	Replication Regions	Deletion protection	Favorite	Read cap
☐	terraform-locks	Active	LockID (S)	-	0	0	Off	☆	On-dema

Tables (1)

Filter by tag

Any tag key

Filter by tag value

Any tag value

 Find tables

terraform-locks

terraform-locks

Last updated
July 21, 2026, 07:15 (UTC+5:30)

Actions ▼

Explore table items

Settings

Indexes

Monitor

Global tables

Backups

Exports and streams

Permissions

Protect your DynamoDB table from accidental writes and deletes

When you turn on point-in-time recovery (PITR), DynamoDB backs up your table data automatically so that you can restore to any given second in the preceding 1 to 35 days. Additional charges apply. [Learn more](#) 

Edit PITR

General information [Info](#)

Partition key
LockID (String)

Sort key

Capacity mode
On-demand

Table status
 Active

Alarms
 No active alarms

Point-in-time recovery (PITR) [Info](#)
☐ Off

Item count
2

Table size	199 bytes
------------	-----------

Average item size
99.5 bytes

Resource-based policy [Info](#)

[Get live item count](#)