

Created an EKS Cluster using aws console.

Clusters (1)

Info

Last updated
August 23, 2026, 20:20 (UTC+05:30)

Delete

Create cluster

Q

Filter clusters

Cluster name ▲

Status ▼

Kubernetes version ▼

Support period ▼

Upgrade policy ▼

Created

[COTY-AMS](#)

Active

1.36

[Standard support until August 2, 2027](#)

Standard support

an hour ago

Created an IAM User and attaching policy to it.

EKS-DEV Info Delete

Summary

ARN
arn:aws:iam::35408933775:user/EKS-DEV

Console access
Disabled

Access key 1
AKIAVE4K6QOL3VR26SEL - Active
Used today. Created today.

Created
August 23, 2026, 19:46 (UTC+05:30)

Last console sign-in
-

Access key 2
Create access key

Permissions Groups Tags Security credentials Last Accessed

Permissions policies (1) Simulate Remove Add permissions

Permissions are defined by policies attached to the user directly or through groups.

Filter by Type

Search

All types

Policy name Type Attached via

EKS-DESCRIBE-CLUSTER Customer managed Directly

EKS-DESCRIBE-CLUSTER Copy JSON Edit

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "EKSAccessEntryManagement",
6       "Effect": "Allow",
7       "Action": [
8         "eks:CreateAccessEntry",
9         "eks:AssociateAccessPolicy",
10        "eks:DescribeCluster",
11        "eks:ListAccessEntries",
12        "eks:DescribeAccessEntry"
13      ],
14      "Resource": "*"
15    }
16  ]
17 }
```

Connecting to AWS CLI and verifying:

```
hp@Dharanidhar MINGW64 ~
$ aws configure
AWS Access Key ID [*****7WZ4]: AKIAVE4K6QOL3VR26SEL
AWS Secret Access Key [*****0Uy2]: 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
Default region name [ap-south-2]:
Default output format [json]:

hp@Dharanidhar MINGW64 ~
$ ls -la
total 32913
drwxr-xr-x 1 hp 197121      0 Aug 22 23:02 ./
drwxr-xr-x 1 hp 197121      0 Oct 21  2025 ../
drwxr-xr-x 1 hp 197121      0 May 24 01:38 .aws/
-rw-r--r-- 1 hp 197121 11201 Aug 22 23:02 .bash_history
drwxr-xr-x 1 hp 197121      0 Jul 22 10:43 .config/
drwxr-xr-x 1 hp 197121      0 Jul 28 18:42 .copilot/
drwxr-xr-x 1 hp 197121      0 Aug 22 21:41 .docker/
-rw-r--r-- 1 hp 197121   146 Jul 24 11:39 .gitconfig
drwxr-xr-x 1 hp 197121      0 Apr 11 15:47 .idlerc/
drwxr-xr-x 1 hp 197121      0 Jul 31 21:30 .kube/
-rw-r--r-- 1 hp 197121    26 Jul 29 15:08 .lessht
drwxr-xr-x 1 hp 197121      0 Aug 22 21:42 .minikube/
-rw-r--r-- 1 hp 197121   168 Apr 11 15:34 .python_history
drwxr-xr-x 1 hp 197121      0 Jul 29 17:50 .ssh/
-rw-r--r-- 1 hp 197121 26982 Aug 22 22:20 .viminfo
-rw-r--r-- 1 hp 197121 11928 Jul  1 16:18 .viminfo.tmp
drwxr-xr-x 1 hp 197121      0 Jun 24 08:26 .vscode/
drwxr-xr-x 1 hp 197121      0 Jun 24 08:26 .vscode-shared/
drwxr-xr-x 1 hp 197121      0 Oct 21  2025 .vscode-test/
```

```

hp@Dharanidhar MINGW64 ~
$ ls .kube
cache/  config

hp@Dharanidhar MINGW64 ~
$ cat .kube/config
apiVersion: v1
clusters:
- cluster:
    certificate-authority: C:\Users\hp\.minikube\ca.crt
    extensions:
    - extension:
        last-update: Sat, 22 Aug 2026 21:43:06 IST
        provider: minikube.sigs.k8s.io
        version: v1.38.1
        name: cluster_info
        server: https://127.0.0.1:54165
    name: minikube
contexts:
- context:
    cluster: minikube
    extensions:
    - extension:
        last-update: Sat, 22 Aug 2026 21:43:06 IST
        provider: minikube.sigs.k8s.io
        version: v1.38.1
        name: context_info
        namespace: default
        user: minikube
    name: minikube
current-context: minikube
kind: Config
users:
- name: minikube
  user:
    client-certificate: C:\Users\hp\.minikube\profiles\minikube\client.crt
    client-key: C:\Users\hp\.minikube\profiles\minikube\client.key

```

```

hp@Dharanidhar MINGW64 ~
$ aws eks update-kubeconfig --name COTY-AMS --region us-east-1
Added new context arn:aws:eks:us-east-1:354089337751:cluster/COTY-AMS to C:\Users\hp\.kube\config

```

```

hp@Dharanidhar MINGW64 ~
$ cat .kube/config
apiVersion: v1
clusters:
- cluster:
    certificate-authority: C:\Users\hp\.minikube\ca.crt
    extensions:
    - extension:
        last-update: Sat, 22 Aug 2026 21:43:06 IST
        provider: minikube.sigs.k8s.io
        version: v1.38.1
        name: cluster_info
        server: https://127.0.0.1:54165
    name: minikube
- cluster:
    certificate-authority-data: LS0tLS1CRUdJTiBDRVJUSUJzQ0FURS0tLS0tck1JSUREVENDQWZYZOF3SUJ8Z01RS1VRL1BnLzdWnk1LUDZpL3JPaU5IREFOQmdrcmhraU4
UF4TUthM1ZpWlhtKdVpYUmxjekNDQVNjd0RRWUplb1pJaHZjTkFRRUJCUUFEcmNrbVBBRENDQVFvQ2dnRUJBTTE4MnFUND11L1grM25PeGZCOEt0RmVjR7BxM1tubWtSa2FVUE1nMDN
F0QmF3NkZrRlhtkwnSLzhTbEVMC29JkN1SG5CQV10CUNrYTRGcmEwJFANXR1OGVMZ1BkMmZVcm1oek9JZ1F0aGFhYk1JaRvhpceJpOE4VYURKeu5LRWVxwVpQQWltRzVzNHhuelgkQ
3ZVEYN1V0QXdQUFhTlPnRmN3Rgd2RFR25MF8BUUgVck1BUURBZ0trTUE4R0ExVWRF40VCL3dRRk1B1UJ8Zjh35FFZRFZSME9CQ11FRkFzekryeFF2VzY1VDVXTTZ26UECKQW95TGZWM
WUFA5H1aTdWl1hc0thTnZsc29ScUwWcmZ0U1VYTHV0bSt0dzV3T0J0M000ZNC5j1CWFtFRVNDUlp1bnRmSU3YzCHBMNHVSR3NvQU5xT1NTYnNTV3pYmMsKRmRtUTB8d21wNDRN3
jdUuzhoc3NkVp6TwdWkV3Clho3PESz1DSutrdG1a0FVovJFRtkTWTUxqVU00HE4d0d4V1RvZ31G5th2Nu4d1dN0U1LWn1pVDFrStBRrJgkdupW1U1VFQ2Z2ZfONGda1V1UD1h
server: https://68CAC26EBF81157A03980758CF868846.gr7.us-east-1.eks.amazonaws.com
    name: arn:aws:eks:us-east-1:354089337751:cluster/COTY-AMS
contexts:
- context:
    cluster: minikube
    extensions:
    - extension:
        last-update: Sat, 22 Aug 2026 21:43:06 IST
        provider: minikube.sigs.k8s.io
        version: v1.38.1
        name: context_info
        namespace: default
        user: minikube
    name: minikube
- context:
    cluster: arn:aws:eks:us-east-1:354089337751:cluster/COTY-AMS
    user: arn:aws:eks:us-east-1:354089337751:cluster/COTY-AMS
    name: arn:aws:eks:us-east-1:354089337751:cluster/COTY-AMS
current-context: arn:aws:eks:us-east-1:354089337751:cluster/COTY-AMS
kind: Config
users:
- name: minikube
  user:
    client-certificate: C:\Users\hp\.minikube\profiles\minikube\client.crt
    client-key: C:\Users\hp\.minikube\profiles\minikube\client.key
- name: arn:aws:eks:us-east-1:354089337751:cluster/COTY-AMS
  user:
    exec:
      apiVersion: client.authentication.k8s.io/v1beta1
      args:
        - --region
        - us-east-1
        - eks
        - get-token
        - --cluster-name
        - COTY-AMS
        - --output
        - json
      command: aws

```

```

hp@Dharanidhar MINGW64 ~
$ kubectl get pods
E0823 19:54:44.557319 6384 memcache.go:265] "Unhandled Error" err="couldn't get current server API group list: the server has asked for the client to provide credentials"
E0823 19:54:46.785603 6384 memcache.go:265] "Unhandled Error" err="couldn't get current server API group list: the server has asked for the client to provide credentials"
E0823 19:54:49.027214 6384 memcache.go:265] "Unhandled Error" err="couldn't get current server API group list: the server has asked for the client to provide credentials"
E0823 19:54:51.186041 6384 memcache.go:265] "Unhandled Error" err="couldn't get current server API group list: the server has asked for the client to provide credentials"
E0823 19:54:53.657628 6384 memcache.go:265] "Unhandled Error" err="couldn't get current server API group list: the server has asked for the client to provide credentials"
error: You must be logged in to the server (the server has asked for the client to provide credentials)

```

Creating EKS access entry and attaching the policy:

```

hp@Dharanidhar MINGW64 ~
$ aws eks create-access-entry --cluster-name COTY-AMS --principal-arn arn:aws:iam::354089337751:user/EKS-DEV --region us-east-1
{
  "accessEntry": {
    "clusterName": "COTY-AMS",
    "principalArn": "arn:aws:iam::354089337751:user/EKS-DEV",
    "kubernetesGroups": [],
    "accessEntryArn": "arn:aws:eks:us-east-1:354089337751:access-entry/COTY-AMS/user/354089337751/EKS-DEV/78d01784-8238-5030-bc07-30894df7be83",
    "createdAt": "2026-08-23T20:01:55.314000+05:30",
    "modifiedAt": "2026-08-23T20:01:55.314000+05:30",
    "tags": {},
    "userName": "arn:aws:iam::354089337751:user/EKS-DEV",
    "type": "STANDARD"
  }
}

hp@Dharanidhar MINGW64 ~
$ aws eks associate-access-policy --cluster-name COTY-AMS --principal-arn arn:aws:iam::354089337751:user/EKS-DEV --region us-east-1 --policy-arn arn:aws:eks::aws:cluster-access-policy/AmazonEKSVisionPolicy --access-scope type=cluster
{
  "clusterName": "COTY-AMS",
  "principalArn": "arn:aws:iam::354089337751:user/EKS-DEV",
  "associatedAccessPolicy": {
    "policyArn": "arn:aws:eks::aws:cluster-access-policy/AmazonEKSVisionPolicy",
    "accessScope": {
      "type": "cluster",
      "namespaces": []
    },
    "associatedAt": "2026-08-23T20:10:58.846000+05:30",
    "modifiedAt": "2026-08-23T20:10:58.846000+05:30"
  }
}

```

Verifying them using Kubectl commands:

```

hp@Dharanidhar MINGW64 ~
$ kubectl get pods -n kubesystem
No resources found in kubesystem namespace.

hp@Dharanidhar MINGW64 ~
$ kubectl get pods -n kube-system
NAME                                READY   STATUS    RESTARTS   AGE
coredns-b8b6dd877-154nb             0/1     Pending   0           25m
coredns-b8b6dd877-pq14z             0/1     Pending   0           25m
metrics-server-556867477-5vzcb      0/1     Pending   0           25m
metrics-server-556867477-7b8br      0/1     Pending   0           25m

```

```

hp@Dharanidhar MINGW64 ~
$ kubectl describe pod coredns-b8b6dd877-pq14z -n kube-system
Name: coredns-b8b6dd877-pq14z
Namespace: kube-system
Priority: 2000000000
Priority Class Name: system-cluster-critical
Service Account: coredns
Node: <none>
Labels: eks.amazonaws.com/component=coredns
        k8s-app=kube-dns
        pod-template-hash=b8b6dd877
Annotations: <none>
Status: Pending
IP: <none>
IPs: <none>
Controlled By: ReplicaSet/coredns-b8b6dd877
Containers:
  coredns:
    Image: 602401143452.dkr.ecr.us-east-1.amazonaws.com/eks/coredns:v1.14.3-eksbuild.3
    Ports: 53/UDP (dns), 53/TCP (dns-tcp), 9153/TCP (metrics)
    Host Ports: 0/UDP (dns), 0/TCP (dns-tcp), 0/TCP (metrics)
    Args:
      -conf
      /etc/coredns/Corefile
    Limits:
      memory: 170Mi
    Requests:
      cpu: 100m
      memory: 70Mi
    Liveness: http-get http://:8080/health delay=60s timeout=5s period=10s #success=1 #failure=5
    Readiness: http-get http://:8181/ready delay=0s timeout=1s period=10s #success=1 #failure=3
    Environment: <none>
    Mounts:
      /etc/coredns from config-volume (ro)
      /var/run/secrets/kubernetes.io/serviceaccount from kube-api-access-1stwf (ro)

```

```

podScheduled: false
Volumes:
  config-volume:
    Type: ConfigMap (a volume populated by a ConfigMap)
    Name: coredns
    Optional: false
  kube-api-access-lstwf:
    Type: Projected (a volume that contains injected data from multiple sources)
    TokenExpirationSeconds: 3607
    ConfigMapName: kube-root-ca.crt
    Optional: false
    DownwardAPI: true
QoS Class: Burstable
Node-Selectors: <none>
Tolerations: CriticalAddonsOnly op=Exists
              node-role.kubernetes.io/control-plane:NoSchedule
              node.kubernetes.io/not-ready:NoExecute op=Exists for 300s
              node.kubernetes.io/unreachable:NoExecute op=Exists for 300s
Topology Spread Constraints: topology.kubernetes.io/zone:ScheduleAnyway when max skew 1 is exceeded for selector k8s-app=kube-dns
Events:
  Type      Reason      Age      From      Message
  ----      -
Warning    FailedScheduling 4m55s (x140 over 29m)  default-scheduler  no nodes available to schedule pods

hp@Dharamidhar: MINGW64 ~
$ kubectl get nodes
Error from server (Forbidden): nodes is forbidden: User "arn:aws:iam::354089337751:user/EKS-DEV" cannot list resource "nodes" in API group "" at the cluster scope

```