


JS Cart.js U X

JS OnlineShopping.js U

JS App.js M



src > JS Cart.js > ...

```
1 import React, { Component } from "react";
2 class Cart extends Component {
3   render() {
4     return (
5       <tr>
6         <td>{this.props.ItemName}</td>
7         <td>₹ {this.props.Price}</td>
8       </tr>
9     );
10   }
11 }
12 export default Cart;
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

node + - 🗑️ ... | 🔍 ✕

PS C:\Users\Sivabalan\Desktop\react practice\shoppingapp> npm start

You can now view **shoppingapp** in the browser.

Local: http://localhost:3000

On Your Network: http://192.168.29.148:3000

Note that the development build is not optimized.
To create a production build, use `npm run build`.

webpack compiled **successfully**

█

JS Cart.js U

JS OnlineShopping.js U X

JS App.js M



src > JS OnlineShopping.js > OnlineShopping > render

```
1 import React, { Component } from "react";
2 import Cart from "../Cart";
3
4 class OnlineShopping extends Component {
5   constructor(props) {
6     super(props);
7     this.items = [
8       { ItemName: "Laptop", Price: 55000 },
9       { ItemName: "Mobile", Price: 25000 },
10      { ItemName: "Headphones", Price: 3000 },
11      { ItemName: "Keyboard", Price: 1500 },
12      { ItemName: "Mouse", Price: 800 }
13    ];
14  }
15  render() {
16    return (
17      <div>
18        <h1>Online Shopping Cart</h1>
19        <table border="1" cellPadding="10">
20          <thead>
21            <tr>
22              <th>Item Name</th>
23              <th>Price</th>
24            </tr>
25          </thead>
26          <tbody>
27            {
28              this.items.map(
29                (item, index) =>
30                  <Cart
31                    key={index}
32                    ItemName={item.ItemName}
33                    Price={item.Price}
34                  />
35              )
36            }
37          </tbody>

```

src > JS App.js > default

```
1 import './App.css';
2 import OnlineShopping from './OnlineShopping';
3 function App() {
4   return (
5     <div>
6       <OnlineShopping/>
7     </div>
8   );
9 }
10 export default App;
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

 node

PS C:\Users\Sivabalan\Desktop\react practice\shoppingapp> npm start

Compiled successfully!

You can now view **shoppingapp** in the browser.

Local: http://localhost:3000

On Your Network: http://192.168.29.148:3000

Note that the development build is not optimized.
To create a production build, use `npm run build`.

webpack compiled **successfully**

□

Online Shopping Cart

Item Name	Price
Laptop	₹ 55000
Mobile	₹ 25000
Headphones	₹ 3000
Keyboard	₹ 1500
Mouse	₹ 800