



react basics > studentapp > src > Components > JS Home.js > [🔍] default

```
1  import React, { Component } from "react";
2
3  class Home extends Component {
4    render() {
5      return (
6        <h2>Welcome to the Home page of Student Management Portal</h2>
7      );
8    }
9  }
10
11  export default Home;
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

 node - studentapp + -  

PS C:\Users\Sivabalan\Desktop\react practice\react basics\studentapp> npm start

You can now view **studentapp** in the browser.

**Local:** http://localhost:3000

**On Your Network:** http://192.168.29.148:3000

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled **successfully**

□

react basics > studentapp > src > Components > JS About.js > default

```
11 export default About;
```

 node - studentapp     ...

You can now view **studentapp** in the browser.

**On Your Network:** `http://192.168.29.148:3000`

```
webpack compiled successfully
```

1



react basics &gt; studentapp &gt; src &gt; Components &gt; JS Contact.js &gt; default

```
1 import React, { Component } from "react";
2
3 class Contact extends Component {
4   render() {
5     return (
6       <h2>Welcome to the Contact page of the Student Management Portal</h2>
7     );
8   }
9 }
10
11 export default Contact;
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

node - studentapp + - [ ] [ ] ... |

PS C:\Users\Sivabalan\Desktop\react practice\react basics\studentapp&gt; npm start

You can now view **studentapp** in the browser.**Local:** http://localhost:3000**On Your Network:** http://192.168.29.148:3000

Note that the development build is not optimized.  
To create a production build, use `npm run build`.

webpack compiled **successfully**

**Welcome to the Home page of Student Management Portal**

**Welcome to the About page of the Student Management Portal**

**Welcome to the Contact page of the Student Management Portal**