

Go Run Terminal Help

trainersapp

src > Components > JS Home.js > Home

```
1 function Home(){
2   return(
3     <div>
4       <h1>Welcome To Cognizant Academy</h1>
5       <h2>Trainer Management Portal</h2>
6     </div>
7   );
8 }
9 export default Home;
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\Sivabalan\Desktop\react practice\trainersapp> npm start
```

Note that the development build is not optimized.
To create a production build, use `npm run build`.

```
webpack compiled successfully
```

node + ... |

Tip: Try the [Plan agent](#) to research and plan before implementing changes.

+ JS Home.js

+ Agent Auto

Local Default Approvals

JS Home.js U

JS TrainerList.js U X

JS TrainerDetails.js U

JS App.js M

JS Trainer.js U

JS TrainersMock.js U

src > Components > JS TrainerList.js > TrainersList

```
1 import trainers from "../TrainersMock";
2 import { Link } from "react-router-dom";
3
4 function TrainersList(){
5   return(
6     <div>
7       <h1>Trainer List</h1>
8       <ul>
9         {
10           trainers.map(
11             trainer=>
12               <li key={trainer.id}>
13                 <Link to={`/trainer/${trainer.id}`}>
14                   {trainer.name}
15                 </Link>
16               </li>
17             )
18           }
19         </ul>
20       </div>
21   );
22 }
23
24
25 export default TrainersList;
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

node + - □ □ ...

PS C:\Users\Sivabalan\Desktop\react practice\trainersapp> npm start

Note that the development build is not optimized.

To create a production build, use `npm run build`.

webpack compiled successfully

src > Components > JS TrainerDetails.js > TrainerDetails

```
1  import { useParams } from "react-router-dom";
2
3  import trainers from "../TrainersMock";
4
5  function TrainerDetails(){
6      const {id}=useParams();
7      const trainer=
8      trainers.find(
9          t=>t.id===parseInt(id)
10     );
11     return(
12         <div>
13             <h1>Trainer Details</h1>
14             <p><b>ID :</b> {trainer.id}</p>
15             <p><b>Name :</b> {trainer.name}</p>
16             <p><b>Email :</b> {trainer.email}</p>
17             <p><b>Phone :</b> {trainer.phone}</p>
18             <p><b>Technology :</b> {trainer.technology}</p>
19             <p><b>Skills :</b> {trainer.skills}</p>
20         </div>
21     );
22 }
23
24 export default TrainerDetails;
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\Sivabalan\Desktop\react practice\trainersapp> npm start

Note that the development build is not optimized.

To create a production build, use `npm run build`.webpack compiled **successfully**

src > JS App.js > App

```
6  function App(){
13  </nav>
14  <hr/>
15  <Routes>
16  <Route path="/" element={<Home/>}/>
17  <Route path="/trainers" element={<TrainersList/>}/>
18  <Route path="/trainer/:id" element={<TrainerDetails/>}/>
19  </Routes>
20  </BrowserRouter>
21  );
22
23  }
24
25  export default App;
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\Sivabalan\Desktop\react practice\trainersapp> npm start

Note that the development build is not optimized.

To create a production build, use `npm run build`.webpack compiled **successfully**

src > JS Trainer.js > Trainer > constructor

```
1  class Trainer {  
2  
3      constructor(id,name,email,phone,technology,skills){  
4          this.id=id;  
5          this.name=name;  
6          this.email=email;  
7          this.phone=phone;  
8          this.technology=technology;  
9          this.skills=skills;  
10     }  
11  
12 }  
13  
14 export default Trainer;
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\Sivabalan\Desktop\react practice\trainersapp> npm start  
Note that the development build is not optimized.  
To create a production build, use npm run build.
```

webpack compiled **successfully**

JS Home.js U

JS TrainerList.js U

JS TrainerDetails.js U

JS App.js M

JS Trainer.js U

JS TrainersMock.js U X



src > JS TrainersMock.js > ...

```
3  const trainers=[  
26  "9876543212",  
27  "Python",  
28  "Django, Flask"  
29  ]  
30  
31  ];  
32  export default trainers;
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\Sivabalan\Desktop\react practice\trainersapp> npm start

Note that the development build is not optimized.

To create a production build, use `npm run build`.

webpack compiled **successfully**

█

Welcome To Cognizant Academy

Trainer Management Portal

Trainer List

- [John](#)
- [David](#)
- [Alex](#)

Trainer Details

ID : 1

Name : John

Email : john@gmail.com

Phone : 9876543210

Technology : React

Skills : React, JavaScript, HTML