FRONT-END DEVELOPMENT
HACKATHON – Level-2 Template (Interactivity Implementation)

STUDENT NAME : SIVABALAN K

YEAR : II^ND - YEAR

COLLEGE CODE : 312

COLLEGE NAME : GOVERNMENT ARTS AND SCIENCE COLLEGE - RISHIVANDHIYAM

DEPARTMENT : B.SC COMPUTER SCIENCE

SEMESTER : 4^TH SEMESTER

ROLL NO : 39

NMID : autanm31231224ucsc039

DATE : 12-04-2026

TITLE : TEXT TYPING EVENT

GITHUB LINK *https://github.com/sivabalan9789729230-wq/Siva-balan.git*

**text.**

## 1. Objective :

**The primary objective of a text typing event is to detect, monitor and respond to user input in real-time as they type, delete, or modify text within a form field or content editable.*

## 2. Problem Focus :

Explain the transition from Level-1 static UI to Level-2 interactive UI.

*Text typing event problems in UI design involve managing how users interact with text fields, transitioning from passive information viewing to active, responsive input. Level 1 interactivity focuses on static, passive input with basic navigation, while Level 2 introduces dynamic elements like feedback, character counting, or validation, increasing user engagement

## 3. Application Overview:

1

**Text Typing event focus on capturing, managing, and responding to user input within text fields or detecting typing activity in real time.*

Key Aspect of Text Typing Events:

* core Input Event Handling:

The input event is the standard mechanism in web applications for detecting changes in <input>, <text area> , or content editable elements.

ORACLE UNIVERSITY

AdroIT Technologies® Innovative Solutions Pvt LTD

## 4. Data Handling Approach:

- Fires immediately on every keystroke, deletion, or paste, providing the most up to date data
- Fires only when the element loses focus after the value has been altered.

## 5. UI Components Design:

Container:

The rectangular area that houses the input.

Label : A permanent title that describes what data is required.

## 6. Interactivity Implementation:

**Event listeners:**

- **The input event is preferred over key up for tracking content changes because it fires immediately upon deleting pasting dragging text, fires only on key release.**

## 7. Application Logic:

- **Capturing user input in real-time to trigger behaviors such as live previews, form validation, or" user is typing" notifications. The most robust approach for capturing Text areas is the changes oninput event.**

## 8. Technology Used:

*** Typically refers to the mechanisms used in software to detect, process, or simulate typing interactions Depending on the context, this can range from low-level keyboard events to high-level real-time indicators and visual effects.**

## 9. Best Practices Followed:

* **Enhancing user experience through immediate validation, proper input styling, and efficient event handling. ex, Real time Validation, Optimal Input Handling, Field Optimization, Accessibility.**

## 10. Key Features Implemented:

Key up:

* Fires when a key is released. Best for tracking the result of a key press.

## 11. Expected Output / Deliverables:

*The term typing event typically refers to the input event in web development, which triggers, every time value of a t changes. The expected output of this event depends on which properly you access from the event object.*

## 12. Learning Outcome:

**Core learning out comes:*

*Touch Typing Mastery:*

*Demonstrate the ability to type using all 10 fingers without looking at the keyboard.*

** Speed and Accuracy Targets: Achieve a specific Words per Minute (WPM) goal with a minimum accuracy percentage (e.g., 95% or higher).*

## 13. Conclusion:

- *Detecting when a user has finished typing, commited their input, or moved away from an input field.*
- *Best for: Validating a form field or saving data when the user input area.*