

Solution Requirements

Date	30 September 2026
Team ID	SWTID-2026-5283
Project Name	Implement Client Script & UI Policy (Incident)
Maximum Marks	4 Marks

Define Functional and Non-Functional Requirements:

Create a comprehensive list of requirements to define exactly what your solution will do and how well it will perform.

- **Functional Requirements (FR)** define specific behaviors, functions, or features of the system (What the system should *do*).
- **Non-Functional Requirements (NFR)** specify the criteria that judge the operation of a system, rather than specific behaviors (How the system should *be*).

Fill out the descriptions and necessary details for each category provided below.

Step 1: Functional Requirements (FR)

S.No	Requirement Category	Requirement Description	Priority (High /Medium/Low)
1	Authentication	Users log in to the ServiceNow instance through the standard login page (username/password) or corporate SSO (SAML/LDAP/MFA). Only authenticated users can open the Incident form, where the Client Script and UI Policy run. Sessions time out after inactivity.	High
2	Authorization levels	Roles: Caller/End User - creates and views own incidents; ITIL/Agent - creates, updates, resolves and assigns incidents; Admin - creates and maintains Client Scripts and UI Policies. Fields made read-only or mandatory by the UI Policy are also enforced by ACLs so they cannot be bypassed.	High

3	External interfaces	Runs entirely on the ServiceNow platform (Incident table, Client Script and UI Policy modules, GlideForm/g_form and GlideUser/g_user client APIs). Optional GlideAjax call to a Script Include for server-side look-ups. No third-party APIs are required; email notifications use the instance mail server.	Medium
S.No	Requirement Category	Requirement Description	Priority (High /Medium/Low)
4	Transactions processing	Client Script events (onLoad, onChange, onSubmit) validate and modify form values before the record is saved. Valid Incident records are saved via Submit/Update; invalid entries (e.g. missing Short description or Resolution notes) are blocked with an on-screen message and no record is written. Every save is logged in the Incident activity/audit history.	High
5	Reporting	Incident list views and reports for Incidents by priority, state and category, plus a Client Script / UI Policy inventory list (name, table, active flag, last updated) for admins. Reports can be exported as PDF, Excel or CSV.	Medium
6	Business rules, etc.	UI Policy: make Close notes and Close code mandatory and visible when State = Resolved/Closed; make Caller and Short description mandatory; hide or set read-only fields (e.g. Assignment group) based on State or Category. Client Script: onChange of Urgency/Impact shows Priority guidance; onChange of Category clears Subcategory; onSubmit warns when a P1 incident has no Assignment group; onLoad displays a banner for Priority 1 incidents.	High

7	Compliance to laws or regulations	Comply with the organisation's ITIL/ITSM incident-management policy and applicable data-privacy rules (GDPR / India DPDP Act 2023): personal data on the Incident form is visible only to authorised roles, and no sensitive data is exposed through client-side scripts or messages.	Medium
8	Other	Scripts and policies are built and tested in a Personal Developer Instance, kept active/inactive by toggle, captured in an Update Set for promotion to other instances, and documented with a name, description and test cases.	Low

Step 2: Non-Functional Requirements (NFR)

S.No	NFR Category	Requirement Description	Target Metric / Acceptance Criteria
1	Performance & Speed	Client Scripts and UI Policies must run without noticeable delay on the Incident form; avoid synchronous server calls (use asynchronous GlideAjax) and minimise DOM manipulation.	Incident form loads in < 3 seconds; onChange/onLoad script execution < 200 ms
2	Scalability	The solution must work as incident volume and the number of agents grow, with no per-user or per-record customisation.	Supports 1,000+ concurrent users and 100,000+ incident records on the standard instance
3	Security & Data Privacy	Access is role-based; client-side logic is backed by ACLs and server-side validation; no credentials or sensitive data are hard-coded; all traffic uses HTTPS.	TLS 1.2+ in transit, encryption at rest; 0 critical vulnerabilities; role checks verified for every role

4	Reliability & Availability	Scripts must handle null/empty values and errors gracefully so the form never breaks; a failing script must not block saving valid records.	99.5%+ instance uptime per month; 0 unhandled JavaScript errors in the browser console
5	Usability & Accessibility	Clear, plain-language error messages and field hints; mandatory fields marked consistently; usable with keyboard and screen readers; works on desktop and mobile/Service Portal views.	Complies with WCAG 2.1 AA; 100% of test users complete an incident without help
6	Other	Maintainability: well-commented, reusable scripts with clear naming. Portability/Compatibility: works in Chrome, Edge, Firefox and Safari and moves between instances by Update Set.	Code review passed; tested on the 4 latest browser versions; Update Set imports with 0 conflicts