
Documentation: Installing Docker and Setting Up Apache Airflow

Step 1: Install Docker


- Download Docker Desktop from the official [Docker website](https://www.docker.com/products/docker-desktop).
- Follow the installation instructions for your operating system (Windows, macOS, or Linux).
- After installation, ensure Docker is running properly.

Step 2: Log in with Google

- Once Docker Desktop is installed, open the application.
- Sign in using your Google account credentials to activate and use Docker Desktop.


Step 3: Docker is Initializing

- After login, Docker Desktop will start initializing.
- Wait until the Docker engine is fully running




Step 4: Docker Home Page

- Once Docker is initialized, you will see the Docker Desktop **Home Page**.



Step 5: Open docker-console File in VS Code and Configure .env File

- Open **Visual Studio Code (VS Code)**.
- Locate your **docker-console** project folder.
- Inside it, create or open the **.env** file and add the necessary environment variables required for Apache Airflow.



Step 6: Run Docker-Compose from Terminal in VS Code

- Open the **terminal** in VS Code.
- Navigate to your project directory where the docker-compose.yml file is located.
- Run the following command:

`docker-compose up -d`

- This will pull the necessary Airflow Docker images and start the services in detached mode.


```
PS C:\Users\isiva\Material> docker-compose up -d
envion is obsolete, it will be ignored, please remove it to avoid potential confusion"
time="2023-08-19T09:02:09+05:30" level=warning msg="Found orphan containers ([materials-airflow-worker-run-52085e30886a]) for this project. If you removed or renamed this service in your compose file, you can run this command with the --remove-orphans flag to clean up these containers."
[+] Running 7/7
 ✓ Container materials-radi-1      Healthy      1.6s
 ✓ Container materials-postgres-1  Healthy      1.6s
 ✓ Container materials-airflow-webserver-1  Running      0.8s
 ✓ Container materials-airflow-scheduler-1  Running      0.8s
 ✓ Container materials-airflow-worker-1     Running      0.8s
 ✓ Container materials-airflow-triggerer-1  Running      0.8s
 ✓ Container materials-airflow-init-1       Exited       29.5s
PS C:\Users\isiva\Material>
```

Step 7: Access Apache Airflow in Browser

- Once the containers are up and running, open your browser.
- Type the following in the address bar:

`http://localhost:8080`

- You will see the Apache Airflow login page with fields for **username** and **password**.



Step 8: Log in with Default Credentials

- Use the default login credentials:
 - **Username:** admin
 - **Password:** admin
- Click **Log In** to access the Airflow dashboard.

Sign In

Enter your login and password below:

Username:

admin

Password:

Sign In

Step 9: Home Page of Apache Airflow

- After login, you will reach the **Apache Airflow Home Page**.
- Here you can see available DAGs (Directed Acyclic Graphs).

 DAGs Datasets Security Browse Admin Docs

03:35 UTC 

DAGs

All 43 Active 1 Paused 42

Filter DAGs by tag

Search DAGs

Auto-refresh 

DAG	Owner	Runs	Schedule	Last Run	Next Run	Recent Tasks	Action
 dataset_consumes_1 consumes dataset-scheduled	airflow	 1	Dataset	2025-08-18, 11:32:08	0 of 1 datasets updated	 1	 
 dataset_consumes_1_and_2 consumes dataset-scheduled	airflow		Dataset		0 of 2 datasets updated		 
 dataset_consumes_1_never_scheduled consumes dataset-scheduled	airflow		Dataset		0 of 2 datasets updated		 
 dataset_consumes_unknown_never_scheduled dataset-scheduled	airflow		Dataset		0 of 2 datasets updated		 
 dataset_produces_1 dataset-scheduled produces	airflow		@daily		2025-08-18, 00:00:00		 
 dataset_produces_2 dataset-scheduled produces	airflow		None				 
 example_bash_operator example example2	airflow	 2	@0***	2025-08-18, 11:39:35	2025-08-18, 00:00:00	 5	 
 example_branch_datetime_operator example	airflow		@daily		2025-08-18, 00:00:00		 
 example_branch_datetime_operator_2 example	airflow		@daily		2025-08-18, 00:00:00		 

Step 10: Explore a DAG

- From the Home Page, select any one DAG to explore.
- You can view the tasks, execution flow, and logs of the DAG.

Triggered dataset_consumes_1, it should start any moment now.

DAG: dataset_consumes_1

Schedule: Dataset | Next Run: {ready}

Grid

Graph

Calendar

Task Duration

Task Tries

Landing Times

Gantt

Details

<> Code

Audit Log

DAG Details

success 2

None 1

Schedule Interval	Dataset
Catchup	False
Started	True
End Date	None
Max Active Runs	0 / 16
Concurrency	16
Default Args	{}
Tasks Count	1
Task IDs	['consuming_1']
Relative File Location	SampleData/healthcheck/Task_execution/DefaultSample_data/sample_dataset.py