

Documentation: Setting up Azure Databricks

Objective:

To set up Azure Databricks from the Azure Portal, create a Databricks workspace, and launch a compute cluster.

◇ Step 1: Create Azure Databricks Resource

Instruction:

1. Go to lab and click generate link,copy url and login with provided mail and temporary access password in that lab access.
2. In the search bar, type "Databricks" and select Azure Databricks from the results.
3. Click "Create".

Fill the required fields:

- Subscription – Select your active subscription.
- Resource Group – use existing.
- Workspace Name – Give a unique name (e.g.,hexawaredatabrickwp).
- Region – Choose nearest/appropriate region (e.g., East US).
- Pricing Tier – Choose Premium .

◇ Step 2: Click “Review + create”

Instruction:

Once all details are filled, click Review + create at the bottom of the page to continue.

Screenshot:

[All services](#) > [Azure Databricks](#) >

Create an Azure Databricks workspace ...

Project Details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *	MML Learners
Resource group *	rg-azuser4029_mml.local-2Vlxo Create new

Instance Details

Workspace name *	hexawaredatabrickwp
Region *	East US
Pricing Tier *	Premium (+ Role-based access controls)  We selected the recommended pricing tier for your workspace. You can change the tier based on your needs.
Managed Resource Group name	hexawarecluster

[Review + create](#)

[< Previous](#)

[Next : Networking >](#)

◇ Step 3: Validation Passed

Instruction:

Azure will validate the form details. Once done, you'll see a message "Validation passed".

Screenshot:

 Validation Succeeded

[Basics](#) [Networking](#) [Encryption](#) [Security & compliance](#) [Tags](#) [Review + create](#)

Summary

Basics

Workspace name	hexadatabrickwp
Subscription	MML Learners
Resource group	rg-azuser4023_mml.local-5C48L
Region	East US
Pricing Tier	premium
Managed Resource Group name	hexacluster

Networking

Deploy Azure Databricks workspace with Secure Cluster Connectivity (No Public IP)	Yes
Deploy Azure Databricks workspace in your own Virtual Network (VNet)	No

◇ Step 4: Click “Create”

Instruction:

After validation, click on the Create button to start deployment.

Screenshot:

Create an Azure Databricks workspace ...

✓ Validation Succeeded

Summary

Basics

Workspace name	hexawaredatabrickwp
Subscription	MML Learners
Resource group	rg-azuser4029_mml.local-2Vlxo
Region	East US
Pricing Tier	premium
Managed Resource Group name	hexawarecluster

Networking

Deploy Azure Databricks workspace with Secure Cluster Connectivity (No Public IP)	Yes
Deploy Azure Databricks workspace in your own Virtual Network (VNet)	No

Encryption

Enable Infrastructure Encryption	No
Enable CMK for Managed Disks	No

[Create](#) [< Previous](#) [Download a template for automation](#)

◇ Step 5: Deployment in Progress

Instruction:

Azure will now begin the deployment of the Databricks workspace. This takes 2–5 minutes.

Screenshot:

services >

rg-azuser4029_mml.local-2Vlxo_hexadatabrickwb | Overview ...

Deployment

Search x « [Delete](#) [Cancel](#) [Redeploy](#) [Download](#) [Refresh](#)

Overview

Inputs

Outputs

Template

Deployment is in progress

Deployment name : rg-azuser4029_mml.local-2Vlxo_hexadatabrickwb Start time : 06/08/2025, 10:09:44

Subscription : MML Learners Correlation ID : ba815b03-3be2-4313-87fe-7b9bea7c5f4a

Resource group : rg-azuser4029_mml.local-2Vlxo

Deployment details

Resource	Type	Status	Operation details
hexadatabrickwb	Azure Databricks Service	Created	Operation details

Give feedback

[Tell us about your experience with deployment](#)

Microsoft Defender for Cloud

Secure your apps and infrastructure

[Go to Microsoft Defender for Cloud >](#)

Free Microsoft tutorials

[Start learning today >](#)

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.


[Find an Azure expert >](#)

◇ Step 6: Deployment Successful – Launch Workspace

Instruction:

Once deployment is complete, you'll see "Your deployment is complete". Click "Go to resource" → Then click Launch Workspace.

Screenshot:




◇ Step 7: Create Compute (Cluster)

Instruction:

Inside the Databricks portal:

1. Click Compute on the left sidebar.
2. Click Create Compute (or Create Cluster).

Screenshot:




◇ Step 8: Fill Cluster Details & Create

Instruction:

Fill the following details to create your cluster:

- Cluster name – e.g., test-cluster
- Cluster mode – Select Single Node
- Databricks Runtime Version – Choose default or latest version
- Leave rest as default and click Create Cluster

Screenshot:



The screenshot displays the 'Create new compute' form in the Databricks interface. The form includes a search bar at the top, a breadcrumb trail 'Compute > New compute > Simple form: ON', and a 'UI' button. The main form area contains the following fields and options:

- Cluster name:** azuser4029_mml.local's Cluster 2025-08-06 10:44:20
- Policy:** Unrestricted
- Performance:**
 - ☐ Machine learning
 - Databricks runtime:** 16.4 LTS (Scala 2.12) | Scala 2.12, Spark 3.5.2
 - ☒ Photon acceleration
 - Node type:** Standard_D4ds_v5 | 16 GB Memory, 4 Cores
 - ☒ Single node
 - ☒ Terminate after 1000 minutes of inactivity
 - Advanced performance
- Tags:**
 - Key: hexa
 - Value: cluster

A summary sidebar on the right shows: Summary (16 GB Memory, 4 Cores), Data access (Unity Catalog), and Price (2 DBU/h).

Conclusion

I successfully:

- Created an Azure Databricks workspace.
- Launched it.
- Created a compute cluster to begin using Databricks for Spark or ML workloads.