Aim: To perform the Handling the Test Data and Executing It in Multiple Environments for User Module of an Application


CODE:

```
Feature: Implement The Lesson End Project
 Scenario: Rest API testing on regres.in
    Given User send a Post request to create a user and validates status
    Given User sends a Get request to get a user and validates status
    Given User sends a get request to get list of users and validates status
Steps
package steps;
import org.json.JSONObject;
import io.cucumber.java.en.Given;
import io.restassured.RestAssured;
import io.restassured.http.ContentType;
public class LessonEndProject {
      @Given("User send a Post request to create a user and validates status")
      public void
user_send_a_post_request_to_create_a_user_and_validates_status() {
             JSONObject body = new JSONObject();
             body.put("name", "Siva");
body.put("job", "Tester");
             RestAssured.given()
             .baseUri("https://regres.in")
             .basePath("/api/users")
             .contentType(ContentType.JSON)
             .body(body.toString())
             .when().post()
             .then().statusCode(201).log().ifError(); // log if there an error
      }
        @Given("User sends a Get request to get a user and validates status")
        public void user_sends_a_get_request_to_get_a_user_and_validates_status()
{
```

```
JSONObject body = new JSONObject();
                      body.put("email", "siva@gmail.com");
                      body.put("password", "pas123");
                      RestAssured.given() .baseUri("https://regres.in")
                      .contentType(ContentType.JSON) .body(body.toString())
                      .when().post("/api/register")
                      .then().statusCode(200)
                      // print the entire log of the request, but dont print the
sensitive information
        }
      @Given("User sends a get request to get list of users and validates
status")
      public void
user_sends_a_get_request_to_get_list_of_users_and_validates_status() {
             RestAssured.given()
             .baseUri("https://reqres.in")
             .basePath("/api/unknown")
             .when().get()
             .then().statusCode(200).log().all();
      }
}
```

**OUTPUT:** 

```
### Company of the Co
```



This is my GitHub Link to upload all documentation.

https://github.com/sivaji143843/Phase3---Assignment3