FAKE PROFILE PHP

ADMIN CODE:

```php
<?php session_start();

include("db.php");

$uname=$_POST["uname"];

$pass=$_POST["pass"];


if($uname=="admin" && $pass=="admin")

{

 header("location:Adminhome.php");

}

else

{

header("Location:index.php?a=Invalid user Try again");

}

?>
```

BLOCK USER:

```php
    <?php session_start();

?>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head runat="server">

<title>FAKE PROFILE IDENTIFICATION</title>

<meta name="description" content="website description" />

<meta name="keywords" content="website keywords, website keywords" />

<meta http-equiv="content-type" content="text/html; charset=UTF-8" />

<link rel="stylesheet" type="text/css" href="css/style.css" />

<!-- modernizr enables HTML5 elements and feature detects -->

<script type="text/javascript" src="js/modernizr-1.5.min.js"></script>

<link  href="css/styletable.css" type="text/css" rel="stylesheet" />

<script type='text/javascript' src='js/slimtable.min.js'></script>

</head>

<body>

<div id="main">

<header>

<div id="logo">

<div id="logo_text">

<!-- class="logo_six", allows you to change the colour of the text -->

<h1><a href="#">FAKE PROFILE IDENTIFICATION</a></h1>

</div>

</div>

<nav>
```

```html
<div id="menu_container">

<ul class="sf-menu" id="nav">

<li><a href="userembedding.php">User Embedding</a></li>

<li><a href="userdetails.php">User Details</a></li>

<li><a href="umessage.php">Message</a></li>

<li><a href="blockvideo.php">Block Video</a></li>

<li><a href="index.php">Sign Out</a></li>

</ul>

</div>

</nav>

</header>

<div id="site_content">

<div class="content" style="width:100%">

<br>

<center>

<div class="loginhead3" style="width:95%">

<h2 style="text-align:center; font-family:'Yanone Kaffeesatz', arial, sans-serif;
text-shadow: 1px 1px #7E4D0E;   text-decoration: none;   color: #FFF;  margin-right:
2px;">VIDEO PLAY</h2>

</div>

<div class="login3" style="width:95%">

<br>

<center>

<table width="100%" border="0" style="border-radius:4px;"  >
```

```html
<TR>

<td>

<center>

<br />

<form name="customer" action="studentdata.php" method="post" onsubmit="return validate()">

<table id='example1' class="bordered"  style="width:95%"  >

<thead>

<tr>

<th>DATE</th>

<th>FRIEND Name</th>

<th>VIDEO</th>

<th>STATUS</th>

<th></th>

</tr>

</thead>

<?php

include("db.php");

$result=mysql_query("Select * from tb_video  ");

while ($row = mysql_fetch_array($result))

{

$im=$row[img];

?>

<tbody>
```

```php
<tr>

<td ><?php echo $row['edate']; ?></td>

<td ><?php echo $row['uname']; ?></td>

<td >

<video width="400"   controls >

<source src="<?php $img;?>" type="video/ogg">

<source src="mov_bbb.ogg" type="video/ogg">

Your browser does not support HTML5 video.

</video>

</td>

<td ><?php echo $row['status']; ?></td>

<td><?php echo '<a href=bview.php?id='.$row['id'].' style="color:#0000FF;
font-weight:bold; text-decoration:none;">VIEW</a>'?> </div>

</tr>

</tbody>

<?php

}

?>

</tbody>

</table>

</table>

<br> <br>

</center>

</div>
```

```html
        </div>

        </div>

        <footer>

        <p> Copyright ©   <a href="#"> 2019 </a></p>

        </footer>

        </div>

        <p> </p>

        <!-- javascript at the bottom for fast page loading -->

        <script type="text/javascript" src="js/jquery.js"></script>

        <script type="text/javascript" src="js/jquery.easing-sooper.js"></script>

        <script type="text/javascript" src="js/jquery.sooperfish.js"></script>

        <script type="text/javascript">

        $(document).ready(function() {

        $('ul.sf-menu').sooperfish();

        });

        </script>

        </body>

        </html>
```

Request Data

```php
<?php session_start();

$uname= $_SESSION['uname'];

?>
```

```html
<html>

<head runat="server">
```

```html
<title>FAKE PROFILE IDENTIFICATION</title>

<meta name="description" content="website description" />

<meta name="keywords" content="website keywords, website keywords" />

<meta http-equiv="content-type" content="text/html; charset=UTF-8" />

<link rel="stylesheet" type="text/css" href="css/style.css" />

<!-- modernizr enables HTML5 elements and feature detects -->

<script type="text/javascript" src="js/modernizr-1.5.min.js"></script>

<style type="text/css">

.style1

{

width: 10%;

}

.style2

{

width: 15%;

color: #660066;

font-weight: bold;

}

.style3

{

color: #660066;

font-weight: bold;

}

.style4 {width: 10%; font-weight: bold; }
```

```
.style5 {width: 15%; color: #0033CC; font-weight: bold; }

.style6 {

color: #0033CC;

font-weight: bold;

}

.style7 {color: #0033CC}

</style>

</head>


<body>

<form  method="post" action="requestdata.php">

<div id="main">

<header>

<div id="logo">

<div id="logo_text">

<!-- class="logo_six", allows you to change the colour of the text -->

<h1><a href="#">FAKE PROFILE IDENTIFICATION</a></h1>


</div>

</div>

<nav>

<div id="menu_container">

<ul class="sf-menu" id="nav">

<li><a href="sprofile.php">Profile View</a>
```

```html
</li>

<li><a href="#">Contact</a>

<ul>

<li><a href="contact.php">Friend Request</a></li>

<li><a href="requestaccept.php">Friend Accept</a></li>

</ul>


</li>

<li><a href="search.php">Search Friends</a></li>

<li><a href="#">Message</a>

<ul>

<li><a href="sendmessage.php">Send Message</a></li>

<li><a href="receivedmessage.php">Received Message</a></li>

</ul></li>

<li><a href="videoupload.php">Video Upload</a>

<li><a href="videoview.php">Video View</a>

<li><a href="index.php">Sign Out</a></li>

</ul>

</div>

</nav>

</header>

<div id="site_content">

<div id="sidebar_container">

<!--    <img class="paperclip" src="images/paperclip.png" alt="paperclip" /> -->
```

```html
<br> <br>

<br />

<br />

<!--<div class="sidebar">

<br>

<img src="images/admin_login_icon.png" width="90%" style="margin-left:15px; ">

<br> <br>

</div> -->

<!--

<img class="paperclip" src="images/paperclip.png" alt="paperclip" />

<div class="sidebar">


<br>

<img src="images/images.jpeg" width="90%" style="margin-left:15px; border-radius:8px; border:3px solid #FF9933;">

<br> <br>

</div> -->

</div>

<div class="content3" style="width:100%">

<br>

<center>

<div class="loginhead3" style="width:85%">

<h2 style="padding:7px 20px 6px 20px; text-align:center; font-family:'Yanone Kaffeesatz', arial, sans-serif;   text-shadow: 1px 1px #7E4D0E;   text-decoration: none;   color: #FFF; margin-right: 2px;">CONTACT</h2>
```

```
</div>

<div class="login3" style="width:85%">

<br>

<center>

<table width="45%" border="0">

<tr>

<td>

<img src="images/REQ.png" height="250px" width="250px">

</td></tr>

<tr>

<td>

<?php

include("db.php");

$contact=$_POST["contact"];

$edate=date('d-m-Y');

$quy=mysql_query("insert into tb_request values('','$uname','$contact','$edate','Friend
Request')");

echo ' <h1 style="color:#009999; font-size:20px;"><b> SUCCESSFULLY FRIEND
REQUEST</h1>';

?>

</td>

</tr>

</table>

<br> <br>
```

```html
</center>

</div>

</div>

<br> <br> <br>

</div>

<br> <br> <br>

<footer>

<p> Copyright ©   <a href="#"> 2019 </a></p>

</footer>

</div>

<p> </p>

<!-- javascript at the bottom for fast page loading -->

<script type="text/javascript" src="js/jquery.js"></script>

<script type="text/javascript" src="js/jquery.easing-sooper.js"></script>

<script type="text/javascript" src="js/jquery.sooperfish.js"></script>

<script type="text/javascript">

$(document).ready(function() {

$('ul.sf-menu').sooperfish();

});

</script>

</form>

</body>

</html>
```

SEND MESSAGE:

```php
<?php session_start();

$uname= $_SESSION['uname'];

?>

<html>

<head runat="server">

<title>FAKE PROFILE IDENTIFICATION</title>

<meta name="description" content="website description" />

<meta name="keywords" content="website keywords, website keywords" />

<meta http-equiv="content-type" content="text/html; charset=UTF-8" />

<link rel="stylesheet" type="text/css" href="css/style.css" />

<!-- modernizr enables HTML5 elements and feature detects -->

<script type="text/javascript" src="js/modernizr-1.5.min.js"></script>

<style type="text/css">

.style1

{

width: 10%;

}

.style2

{

width: 15%;

color: #660066;

font-weight: bold;
```

```css
}
.style3
{
color: #660066;
font-weight: bold;
}
.style4 {width: 10%; font-weight: bold; }
.style5 {width: 15%; color: #0033CC; font-weight: bold; }
.style6 {
color: #0033CC;
font-weight: bold;
}
.style7 {color: #0033CC}
</style>

<style>
* {
box-sizing: border-box;
}

/* Create two equal columns that floats next to each other */
.column {
float: left;
width: 50%;
```

```
    padding: 20px;

    height: 300px; /* Should be removed. Only for demonstration */

}


/* Clear floats after the columns */

.row:after {

content: "";

display: table;

clear: both;

}

</style>

</head>


<body>


<div id="main">

<header>

<div id="logo">

<div id="logo_text">

<!-- class="logo_six", allows you to change the colour of the text -->

<h1><a href="#">FAKE PROFILE IDENTIFICATION</a></h1>

</div>

</div>

<nav>
```

```html
<div id="menu_container">

<ul class="sf-menu" id="nav">

<li><a href="sprofile.php">Profile View</a>

</li>

<li><a href="#">Contact</a>

<ul>

<li><a href="contact.php">Friend Request</a></li>

<li><a href="requestaccept.php">Friend Accept</a></li>

</ul>

</li>

<li><a href="search.php">Search Friends</a></li>

<li><a href="#">Message</a>

<ul>

<li><a href="sendmessage.php">Send Message</a></li>

<li><a href="receivedmessage.php">Received Message</a></li>

</ul></li>


<li><a href="videoupload.php">Video Upload</a>

<li><a href="videoview.php">Video View</a>

<li><a href="index.php">Sign Out</a></li>

</ul>

</div>

</nav>

</header>
```

```html
<div id="site_content">

<div id="sidebar_container">

<!--    <img class="paperclip" src="images/paperclip.png" alt="paperclip" /> -->

<br> <br>

<br />

<br />

<!--<div class="sidebar">

<br>

<img src="images/admin_login_icon.png" width="90%" style="margin-left:15px; ">

<br> <br>

</div> -->

<!--

<img class="paperclip" src="images/paperclip.png" alt="paperclip" />

<div class="sidebar">

<br>

<img src="images/images.jpeg" width="90%" style="margin-left:15px;
border-radius:8px; border:3px solid #FF9933;">

<br> <br>

</div> -->

</div>

<div class="content3" style="width:100%">

<br>

<center>

<div class="loginhead3" style="width:85%">
```

```html
<h2 style="padding:7px 20px 6px 20px; text-align:center; font-family:'Yanone
Kaffeesatz', arial, sans-serif;   text-shadow: 1px 1px #7E4D0E;   text-decoration:
none;   color: #FFF;  margin-right: 2px;">SEND MESSAGE</h2>

</div>

<div class="login3" style="width:85%">

<br>

<center>

<form name="f1" method="post" action="senddata.php">

<table width="80%" border="0">

<tr>

<td>

<img src="images/iMessage-Icon.jpg" height="150px">

</td>

<td>

<table width="100%" border="0" height="250px">

<tr>

<td>USER NAME </td>

<td>

<select  name="contact"   onchange="MM_jumpMenu('parent',this,0)" class="txt">

<option>Select Friend</option>

<?php

include("db.php");

$q5=mysql_query("select * from tb_request where uname='$uname' and
status='Accept'");

while($r=mysql_fetch_assoc($q5))
```

```
{

echo "<option>".$r['friend']."</option>";

}

?>

</select>

</td>

</tr>

<tr>

<td>MESSAGE</td>

<td>

<textarea name="message" class="txt1" style="height:150px;
width:300px"></textarea>

</td>

</tr>

<tr>

<td colspan="2" align="right"><input type="submit" name="submit" class="lgnbtn"
value="SEND"></td>

</tr>

</table>

</form>

</td>

</tr>

</table>

<br> <br>
```

```html
</center>

</div>

</div>

<br> <br> <br>

</div>

<br> <br> <br>

<footer>

<p> Copyright ©   <a href="#"> 2019 </a></p>

</footer>

</div>

<p> </p>

<!-- javascript at the bottom for fast page loading -->

<script type="text/javascript" src="js/jquery.js"></script>

<script type="text/javascript" src="js/jquery.easing-sooper.js"></script>

<script type="text/javascript" src="js/jquery.sooperfish.js"></script>

<script type="text/javascript">

$(document).ready(function() {

$('ul.sf-menu').sooperfish();

});

</script>

</form>

</body>

</html>
```

User details

```php
<?php session_start();

$uname= $_SESSION['uname'];

include("db.php");

?>
```

```html
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head runat="server">

<title>FAKE PROFILE IDENTIFICATION</title>

<meta name="description" content="website description" />

<meta name="keywords" content="website keywords, website keywords" />

<meta http-equiv="content-type" content="text/html; charset=UTF-8" />

<link rel="stylesheet" type="text/css" href="css/style.css" />

<!-- modernizr enables HTML5 elements and feature detects -->

<script type="text/javascript" src="js/modernizr-1.5.min.js"></script>

<link  href="css/styletable.css" type="text/css" rel="stylesheet" />

<script type='text/javascript' src='js/slimtable.min.js'></script>

</head>

<body>

<div id="main">

<header>

<div id="logo">

<div id="logo_text">

<!-- class="logo_six", allows you to change the colour of the text -->
```

```html
<h1><a href="#">FAKE PROFILE IDENTIFICATION</a></h1>

</div>

</div>

<nav>

<div id="menu_container">

<ul class="sf-menu" id="nav">

<li><a href="userembedding.php">User Embedding</a></li>

<li><a href="userdetails.php">User Details</a></li>

<li><a href="umessage.php">Message</a></li>

<li><a href="blockvideo.php">Block Video</a></li>

<li><a href="index.php">Sign Out</a></li>

</ul>

</div>

</nav>

</header>

<div id="site_content">

<div class="content" style="width:100%">

<br>

<center>

<div class="loginhead3" style="width:95%">

<h2 style="text-align:center; font-family:'Yanone Kaffeesatz', arial, sans-serif;
text-shadow: 1px 1px #7E4D0E;   text-decoration: none;   color: #FFF;
margin-right: 2px;">USER DETAILS</h2>

</div>
```

```html
<div class="login3" style="width:95%">

<br>

<center>

</center>

</td>

</tr>

<tr>

<td>

<center>

<br />

<table id='example1' class="bordered"  style="width:95%"  >

<thead>

<tr>

<th>USER ID</th>

<th>NAME</th>

<th>GENDER</th>

<th>PHONE</th>

<th>ADDRESS</th>

<th>CITY</th>

<th>EMAIL</th>

<th>IMG</th>

</tr>

</thead>

<?php
```

```php
$result=mysql_query("Select * from tb_reg ");

while ($row = mysql_fetch_array($result))

{

$im=$row[img1];

?>

<tbody>

<tr>

<td ><?php echo $row['id']; ?></td>

<td ><?php echo $row['ename']; ?></td>

<td ><?php echo $row['gender']; ?></td>

<td ><?php echo $row['phone']; ?></td>

<td ><?php echo $row['address']; ?></td>

<td ><?php echo $row['city']; ?></td>

<td ><?php echo $row['email']; ?></td>

<td ><?php echo "<a href=$im><img src=home/$im width=100 height=80></img></a>";?></td>

</tr>

</tbody>

<?php

}

?>

</tbody>

</table>

</table>
```

```html
<br> <br>

</center>

</div>

</div>

</div>

<footer>

<p> Copyright ©   <a href="#"> 2019 </a></p>

</footer>

</div>

<p> </p>

<!-- javascript at the bottom for fast page loading -->

<script type="text/javascript" src="js/jquery.js"></script>

<script type="text/javascript" src="js/jquery.easing-sooper.js"></script>

<script type="text/javascript" src="js/jquery.sooperfish.js"></script>

<script type="text/javascript">

$(document).ready(function() {

$('ul.sf-menu').sooperfish();

});

</script>

</body>

</html>
```

PROFILE:

```php
<?php session_start();

$uname= $_SESSION['uname'];

?>

<html>

<head runat="server">

<title>FAKE PROFILE IDENTIFICATION</title>

<meta name="description" content="website description" />

<meta name="keywords" content="website keywords, website keywords" />

<meta http-equiv="content-type" content="text/html; charset=UTF-8" />

<link rel="stylesheet" type="text/css" href="css/style.css" />

<!-- modernizr enables HTML5 elements and feature detects -->

<script type="text/javascript" src="js/modernizr-1.5.min.js"></script>

<style type="text/css">

.style1

{

width: 10%;

}

.style2

{

width: 15%;
```

```
color: #660066;

font-weight: bold;

}

.style3

{

color: #660066;

font-weight: bold;

}

.style4 {width: 10%; font-weight: bold; }

.style5 {width: 15%; color: #0033CC; font-weight: bold; }

.style6 {

color: #0033CC;

font-weight: bold;

}

.style7 {color: #0033CC}

</style>

</head>

<body>

<form id="form1" runat="server">

<div id="main">

<header>

<div id="logo">

<div id="logo_text">

<!-- class="logo_six", allows you to change the colour of the text -->
```

```html
<h1><a href="#">FAKE PROFILE IDENTIFICATION</a></h1>

</div>

</div>

<nav>

<div id="menu_container">

<ul class="sf-menu" id="nav">

<li><a href="profile.php">Profile View</a>

</li>

<li><a href="sponseradd.php">Sponsors Amount</a></li>

<li><a href="sponserview.php">Sponsors Details</a></li>

<li><a href="index.php">Sign Out</a></li>

</ul>

</div>

</nav>

</header>

<div id="site_content">

<div id="sidebar_container">

<!--    <img class="paperclip" src="images/paperclip.png" alt="paperclip" /> -->

<br> <br>

<br />

<br />

<!--<div class="sidebar">

<br>

<img src="images/admin_login_icon.png" width="90%" style="margin-left:15px; ">
```

```html
<br> <br>

</div> -->

<!--

<img class="paperclip" src="images/paperclip.png" alt="paperclip" />

<div class="sidebar">

<br>

<img src="images/images.jpeg" width="90%" style="margin-left:15px;
border-radius:8px; border:3px solid #FF9933;">

<br> <br>

</div> -->

</div>

<div class="content3" style="width:100%">

<br>

<center>

<div class="loginhead3" style="width:85%">

<h2 style="padding:7px 20px 6px 20px; text-align:center; font-family:'Yanone
Kaffeesatz', arial, sans-serif;   text-shadow: 1px 1px #7E4D0E;   text-decoration:
none;   color: #FFF;  margin-right: 2px;">Profile View</h2>

</div>

<div class="login3" style="width:85%">

<br>

<center>

<?php

include("db.php");

$rs=mysql_query("select * from tb_spons where uname='$uname' ");
```

```php
$r=mysql_fetch_array($rs);

$im=$r['img1'];

?>
```

```html
<table width="90%" border="0" bgcolor="#FFFFFF"  style="margin-left:20px;
height: 303px;">

<tr>

<td width="13%" class="style1"><strong> SPONSER ID </strong></td>

<td width="33%" height="55" class="style5"><?php echo $r['id'];?>    </td>

<td width="21%"><strong>Email ID </strong></td>

<td width="33%" height="55" class="style6"><?php echo $r['email'];?>    </td>

</tr>

<tr>

<td class="style4"> Name </td>

<td height="55" class="style2"><span class="style6"><?php echo $r['ename'];?>
</span></td>

<td><strong>User Name </strong></td>

<td class="style3"><span class="style7"><strong><?php echo $r['uname'];?>

</strong> </span></td>

</tr>

<tr>

<td class="style4"  >Gender </td>

<td class="style2">  <span class="style7"><?php echo $r['gender'];?></span> </td>

<td><strong>Password</strong></td>

<td class="style3"  ><span class="style7"><strong><?php echo $r['pass'];?>
```

```html
</strong> </span></td>

</tr>

<tr>

<td class="style4"  >Contact No</td>

<td class="style2"> <span class="style7"><strong><?php echo $r['phone'];?>

</strong></span></td>

<td colspan="2" rowspan="4"><strong>

</strong>

<?php echo "<a href=home/$im><img src=home/$im width=150
height=150></img></a>";?>  </td>

</tr>

<tr>

<td class="style4">Address</td>

<td class="style2"  ><span class="style7"><strong><?php echo $r['address'];?>

</strong> </span></td>

</tr>

<tr>

<td class="style4"  >City</td>

<td class="style2"><span class="style7"><strong>

<?php echo $r['city'];?>

</strong> </span></td>

</tr>

</table><br> <br>

</center></div>
```

```html
</div><br> <br> <br>

</div><br> <br> <br>

<footer>

<p> Copyright ©   <a href="#"> 2019 </a></p>

</footer>

</div>

<p> </p>

<!-- javascript at the bottom for fast page loading -->

<script type="text/javascript" src="js/jquery.js"></script>

<script type="text/javascript" src="js/jquery.easing-sooper.js"></script>

<script type="text/javascript" src="js/jquery.sooperfish.js"></script>

<script type="text/javascript">

$(document).ready(function() {

$('ul.sf-menu').sooperfish();

});

</script>

</form>

</body>

</html>
```