TABLES USED

Customers

customer_id	first_name	last_name	age	country
1	John	Doe	31	USA
2	Robert	Luna	22	USA
3	David	Robinson	22	UK
4	John	Reinhardt	25	UK
5	Betty	Doe	28	UAE

Orders

order_id	item	amount	customer_id
1	Keyboard	400	4
2	Mouse	300	4
3	Monitor	12000	3
4	Keyboard	400	1
5	Mousepad	250	2

Shippings

shipping_id	status	customer
1	Pending	2
2	Pending	4
3	Delivered	3
4	Pending	5
5	Delivered	1

1. Inner Join Output

Output | Available Tables

first_name	item	amount
John	Keyboard	400
John	Mouse	300
David	Monitor	12000
John	Keyboard	400
Robert	Mousepad	250

2. Subquery Output

Output | Available Tables

first_name	last_name	age
David	Robinson	22

3. Aggregate Functions Output

Output | Available Tables

total_orders	total_sales	average_order_amount	highest_order	lowest_order
5	13350	2670	12000	250

4. Group By Output

Output | Available Tables

item	number_of_orders	total_sales	average_sales
Monitor	1	12000	12000
Keyboard	2	800	400
Mouse	1	300	300
Mousepad	1	250	250

5. Join with Aggregate Functions Output

Output | Available Tables

first_name	total_orders	total_spent
David	1	12000
John	2	700
John	1	400
Robert	1	250