

```
#include <stdio.h>
#include <string.h>
#include <conio.h>
#include <stdlib.h>
#include <windows.h>
```

```
struct student{
    char ID[15];
    char name[20];
    char add[20];
    char parname[20];
    int Class;
    long unsigned int phone_no;
};
```

```
struct student stu;
```

```
///This will set the foreground color for printing in a console window.
```

```
void SetColor(int ForgC)
{
    WORD wColor;
    ///We will need this handle to get the current background attribute
    HANDLE hStdOut = GetStdHandle(STD_OUTPUT_HANDLE);
    CONSOLE_SCREEN_BUFFER_INFO csbi;

    ///We use csbi for the wAttributes word.
    if(GetConsoleScreenBufferInfo(hStdOut, &csbi))
    {
        ///Mask out all but the background attribute, and add in the foreground color
        wColor = (csbi.wAttributes & 0xF0) + (ForgC & 0x0F);
        SetConsoleTextAttribute(hStdOut, wColor);
    }
    return;
}
```

```
void ClearConsoleToColors(int ForgC, int BackC)
```

```
{
    WORD wColor = ((BackC & 0x0F) << 4) + (ForgC & 0x0F);
    ///Get the handle to the current output buffer...
    HANDLE hStdOut = GetStdHandle(STD_OUTPUT_HANDLE);
    ///This is used to reset the caret/cursor to the top left.
    COORD coord = {0, 0};
    ///A return value... indicating how many chars were written
    /// not used but we need to capture this since it will be
    /// written anyway (passing NULL causes an access violation).
    DWORD count;
    ///This is a structure containing all of the console info
    /// it is used here to find the size of the console.
    CONSOLE_SCREEN_BUFFER_INFO csbi;
    ///Here we will set the current color
    SetConsoleTextAttribute(hStdOut, wColor);
    if(GetConsoleScreenBufferInfo(hStdOut, &csbi))
    {
        ///This fills the buffer with a given character (in this case 32=space).
        FillConsoleOutputCharacter(hStdOut, (TCHAR) 32, csbi.dwSize.X * csbi.dwSize.Y,
        coord, &count);
    }
}
```

```

        FillConsoleOutputAttribute(hStdOut, csbi.wAttributes, csbi.dwSize.X * csbi.dwSize.Y,
coord, &count );
        ///This will set our cursor position for the next print statement.
        SetConsoleCursorPosition(hStdOut, coord);
    }
    return;
}

void SetColorAndBackground(int ForgC, int BackC)
{
    WORD wColor = ((BackC & 0x0F) << 4) + (ForgC & 0x0F);
    SetConsoleTextAttribute(GetStdHandle(STD_OUTPUT_HANDLE), wColor);
    return;
}

COORD coord = {0,0}; ///set the coordinate to 0, 0 (top-left corner of window);
void gotoxy(int x, int y){
    coord.X = x; coord.Y = y; /// X and Y coordinates
    SetConsoleCursorPosition(GetStdHandle(STD_OUTPUT_HANDLE), coord);
}

void drawRectangle(){
    int i, j;
    gotoxy(0,0);
    printf("%c",201);
    for(i = 1; i < 78; i++){
        gotoxy(i, 0);
        printf("%c",205);
    }
    gotoxy(78,0);
    printf("%c",187);
    for(i = 1; i < 25; i++){
        gotoxy(78, i);
        if(i == 6){
            printf("%c",185);
        }else{
            printf("%c",186);
        }
    }
    gotoxy(78, 25);
    printf("%c",188);
    for(i = 77; i > 0; i--){
        gotoxy(i,25);
        if(i == 35){
            printf("%c",202);
        }else{
            printf("%c",205);
        }
    }
    gotoxy(0,25);
    printf("%c",200);
    for(i = 24; i > 0; i--){
        gotoxy(0,i);
        if(i == 6){
            printf("%c",204);
        }else{

```

```

        printf("%c",186);
    }
}

for(i = 1; i < 78; i++){
    gotoxy(i,6);
    if(i == 35){
        printf("%c",203);
    }else{
        printf("%c",205);
    }
}

for(i = 7; i < 25; i++){
    gotoxy(35,i);
    printf("%c",186);
}

}

void clearWindow(){
    int i,j;
    for(i = 37; i < 78; i++){
        for(j = 7; j < 25; j++){
            gotoxy(i,j);printf(" ");
        }
    }
    return;
}

void window(){
    drawRectangle();
    gotoxy(28,2);
    SetColor(35);
    printf("STUDENT RECORD SYSTEM");
    gotoxy(20,3);
    printf("Tribhuvan University, Kathmandu, Nepal");
    gotoxy(31,4);
    printf("Estd.: 2016 B.S.");
    gotoxy(25,24);
    SetColor(17);
}

void get_password(char* pass)
{
    char temp_passP[25];
    int i=0;
    while(1)
    {
        temp_passP[i]=getch();
        if(temp_passP[i]==13){break;}
        else if(temp_passP[i]==8)
        {
            if(i!=0) {
                printf("\b \b");
            }
        }
    }
}

```

```

        i--;
    } else {printf("\a");}
}
else
{
    printf("*");
    *(pass+i) = temp_passP[i];
    i++;
}
*(pass+i)='\0';
}
}

```

```

void use_pass_field(){
    int x = 15, y = 16;
    int use;
    char pass[10];
    SetColor(10);
    gotoxy(15,12);printf("The database is password protected.");
    gotoxy(15,13);printf(" Enter Valid username and password");
    SetColor(17);
    gotoxy(20,x);printf("USERNAME:- ");
    gotoxy(20,y);printf("PASSWORD:- ");
    gotoxy(34,x);scanf("%d",use);
    gotoxy(34,y);get_password(pass);
}

```

```

void print_heading(const char st[]){
    SetColorAndBackground(31,28);
    gotoxy(45,8);printf("SRS : %s",st);
    SetColorAndBackground(17,15);
}

```

```

int conf_record(char id[]){
    // left for you
    //it checks whether the entered id for
    //new record is already in the database.
}

```

```

void add_student(){
    clearWindow();
    print_heading("Add Record");
    int print = 37;
    FILE *fp;
    fp = fopen("record.txt","ab+");
    SetColor(45);
    if(fp == NULL){
        MessageBox(0,"Error in Opening file\nMake sure your file is not write
protected","Warning",0);
    }else{
        fflush(stdin);
        gotoxy(print,10);printf("ID: ");gets(stu.ID);
        //here you can confirms the ID
        gotoxy(print,12);printf("Name: ");gets(stu.name);
        gotoxy(print,14);printf("Address: ");gets(stu.add);
    }
}

```

```

        gotoxy(print,16);printf("Parent's name: ");gets(stu.paname);
        gotoxy(print,18);printf("Class: ");scanf("%d",&stu.Class);
        gotoxy(print,20);printf("Phone Number: ");scanf("%ld",&stu.phone_no);
        fwrite(&stu, sizeof(stu), 1, fp);
        gotoxy(40,22); printf("The record is sucessfully added");
    }
    SetColor(28);
    fclose(fp);
    return;
}

```

```

void search_student(){
    clearWindow();
    print_heading("Search Record");
    SetColor(45);
    char s_id[15];
    int isFound = 0;
    gotoxy(37,10);printf("Enter ID to Search: ");fflush(stdin);
    gets(s_id);
    FILE *fp;
    fp = fopen("record.txt","rb");
    while(fread(&stu,sizeof(stu),1,fp) == 1){
        if(strcmp(s_id,stu.ID) == 0){
            isFound = 1;
            break;
        }
    }
    if(isFound == 1){
        gotoxy(37,12);printf("The record is Found");
        gotoxy(37,14);printf("ID: %s",stu.ID);
        gotoxy(37,15);printf("Name: %s",stu.name);
        gotoxy(37,16);printf("Address: %s",stu.add);
        gotoxy(37,17);printf("Parent's Name: %s",stu.paname);
        gotoxy(37,18);printf("Class: %d",stu.Class);
        gotoxy(37,19);printf("Phone No: %ld",stu.phone_no);
    }else{
        gotoxy(37,12);printf("Sory, No record found in the database");
    }
    SetColor(28);
    fclose(fp);
    return;
}

```

```

void mod_student(){
    clearWindow();
    print_heading("Modify Record");
    SetColor(45);
    char s_id[15];
    int isFound = 0, print = 37;
    gotoxy(37,10);printf("Enter ID to Modify: ");fflush(stdin);
    gets(s_id);
    FILE *fp;
    fp = fopen("record.txt","rb+");
    while(fread(&stu, sizeof(stu),1,fp) == 1){
        if(strcmp(s_id, stu.ID) == 0){
            fflush(stdin);

```

```

        gotoxy(print,12);printf("ID: ");gets(stu.ID);
        gotoxy(print,13);printf("Name: ");gets(stu.name);
        gotoxy(print,14);printf("Address: ");gets(stu.add);
        gotoxy(print,15);printf("Parent's name: ");gets(stu.paname);
        gotoxy(print,16);printf("Class: ");scanf("%d",&stu.Class);
        gotoxy(print,17);printf("Phone Number: ");scanf("%ld",&stu.phone_no);
        fseek(fp,-sizeof(stu), SEEK_CUR);
        fwrite(&stu,sizeof(stu), 1, fp);
        isFound = 1;
        break;
    }
}
if(!isFound){
    gotoxy(print, 12);printf("No Record Found");
}
fclose(fp);
SetColor(28);
return;
}

void gen_marksheet(){
    //left for further enhancement
}

void delete_student(){
    clearWindow();
    print_heading("Delete Record");
    SetColor(45);
    char s_id[15];
    int isFound = 0, print = 37;
    gotoxy(37,10);printf("Enter ID to Modify: ");fflush(stdin);
    gets(s_id);
    FILE *fp, *temp;
    fp = fopen("record.txt","rb");
    temp = fopen("temp.txt", "wb");
    while(fread(&stu, sizeof(stu),1,fp) == 1){
        if(strcmp(s_id, stu.ID) == 0){
            fwrite(&stu,sizeof(stu),1,temp);
        }
    }
    fclose(fp);
    fclose(temp);
    remove("record.txt");
    rename("temp.txt","record.txt");
    gotoxy(37,12);printf("The record is sucessfully deleted");
    SetColor(28);
    return;
}

void main_window(){
    int choice;
    SetColor(28);
    int x = 2;
    while(1){
        gotoxy(x,8);printf("1. Add Student");
        gotoxy(x,10);printf("2. Search Student");
    }
}

```

```

gotoxy(x,12);printf("3. Modify Student Record");
gotoxy(x,14);printf("4. Generate Marksheet");
gotoxy(x,16);printf("5. Delete Student Record");
gotoxy(x,18);printf("6. Change password");
gotoxy(x,20);printf("7. Exit");
gotoxy(x,22);printf("Enter your choice: ");
scanf("%d",&choice);
switch(choice){
    case 1:
        add_student();
        break;
    case 2:
        search_student();
        break;
    case 3:
        mod_student();
        break;
    case 4:
        break;
    case 5:
        delete_student();
        break;
    case 6:
        break;
    case 7:
        exit(0);
        break;
    default:
        break;
}

}

}

int main(){
    ClearConsoleToColors(17,15);
    SetConsoleTitle("Programming-technique.blogspot.com - Student Record System");
    window();
    //use_pass_field();
    main_window();
    return 0;
}

```