<u>שאילתות</u>

```
#1
SELECT DISTINCT supply location from book
inner join supply
on book.supply id = supply.supply id
and book title=?
where supply.supply location='store' or supply.supply location='storage';
#2
select person_first_name,person_last_name,min(customer_join_date) from customer
inner join person on person.person_id = customer.person_id;
#3
select book_title,book_author,min(supply_date) from supply
inner join book on supply.supply id = book.supply id
where supply location='store' or supply location='storage';
#4
select book.book_title,book.book_author,person_first_name,person_last_name,order_date
from _order
inner join book on _order.book_id = book.book_id
inner join customer on customer.customer_id = _order.customer_id
inner join person on person.person_id = customer.person_id
order by order_date;
#5
select book_title,book_author,count(book.book_title)
from book
inner join buy book store on book.book id = buy book store.book id
and book.book title=?;
#6
SELECT book.book_author,
max(supply.supply_sold)
FROM book
INNER JOIN _order
ON book.book_id = _order.order_id
INNER JOIN supply
ON book.supply id = supply.supply id
WHERE supply.supply_date BETWEEN? AND?;
#7
select
person.person_first_name,person.person_last_name,sum(transactions.transactions_book_sold)
from transactions
inner join customer on transactions.customer_id = customer.customer_id
inner join person on person.person_id = customer.person_id
group by transactions.customer id
order by sum(transactions.transactions_book_sold) desc
limit 3;
```

```
#8
SELECT book.book_title,publisher.publisher_translator_name,
count(publisher.publisher translator name)
FROM book
INNER JOIN supply
ON supply_supply_id = book.supply_id and
supply.supply location = 'store' or supply.supply location = 'storge'
INNER JOIN publisher
ON publisher.book_id = publisher.publisher_id
GROUP BY publisher_publisher_translator_name
ORDER BY count(publisher.publisher_translator_name) desc
limit 1;
#9
select book.book_title,date(transaction_date),store.store_book_price_sell
from transactions
inner join customer on customer.customer id = transactions.customer id
inner join person on person.person id = customer.person id
inner join delivery on delivery.transactions_id = transactions.transactions_id
inner join buy book store on buy book store.transactions id = transactions.transactions id
inner join book on book.book id = buy book store.book id or book.book id = delivery.book id
inner join store on store.buy_book_store_id = buy_book_store.buy_book_store_id
or store.delivery_id = delivery.delivery_id
where person_person_first_name = ? and person.person_last_name= ?
group by book title
order by transactions.transaction_date;
#10
select person.person first name, person.person last name, book.book title,
date(order date), supply. supply location,
transactions.transactions id
from order
INNER JOIN customer ON customer.customer_id = _order.customer_id
inner join person on person.person id = customer.person id
INNER JOIN book ON book.book_id = _order.book_id
INNER JOIN supply ON supply.supply_id = book.supply_id
INNER JOIN buy_book_store ON buy_book_store.book_id = book.book_id
INNER JOIN delivery ON delivery.book id = book.book id
INNER JOIN transactions on customer.customer id = transactions.customer id
where customer.customer id=? and supply.supply location='store' or
supply.supply location='storge'
group by order id
order by order date;
```

```
select distinct delivery tracking number, book book author,
book_details.book_details_book_weight from delivery
inner join book on book.book_id = delivery.book_id
inner join book details on book.book details id = book details.book details id
where book title =? or book title =? ....
group by delivery id;
#12
select person.person_first_name,person.person_last_name,date(transaction_date),
transactions_price,transactions_book_sold, delivery.delivery_id,
count(delivery.delivery_id)
from transactions
inner join customer on customer.customer_id = transactions.customer_id
inner join person on person.person_id = customer.person_id
inner join delivery on delivery.transactions id = transactions.transactions id
where customer.customer id=?
group by transactions.transactions_id
#group by delivery.delivery id
having count(delivery.delivery id) >1;
#13
select delivery_tracking_number,delivery_status
from delivery where delivery_tracking_number=?;
#14
select month(transaction_date),transactions_book_sold,sum(transactions_price) from transactions
inner join delivery on delivery.transactions id = transactions.transactions id
inner join post type on delivery.post type id = post type.post type id
where post_type_company = 'Xpress' and month(transaction_date) = ?;
#15
select month(transaction date), sum(transactions price) from transactions
WHERE transactions payment method = 'Bit'
and month(transaction_date) = ?;
#16
select
transactions.transactions id, transactions book sold, transactions.transaction date,
sum(store_book_price_sell-store_book_price_buy) as sum_transactions from store
INNER JOIN buy book store ON buy book store.buy book store id = store.buy book store id
INNER JOIN delivery ON delivery.delivery_id = store.delivery_id
INNER JOIN transactions ON delivery transactions id = transactions.transactions id
or buy_book_store.transactions_id = transactions.transactions_id
group by store_id
having transaction_date >= date_sub(now(), interval 12 month)
and sum transactions >
(select avg(store_book_price_sell-store_book_price_buy) as avg_store from store);
```

```
#17
select post_type_company,count(post_type_company)
FROM post type
INNER JOIN
               delivery
ON post_type.post_type_id = delivery.post_type_id
INNER JOIN transactions
ON transactions.transactions id= delivery.transactions id
where transaction date >= date sub(now(), interval 12 month)
group by post_type_company;
#18
select count(publisher name), delivery id, book title, publisher name from delivery
INNER JOIN book
ON delivery.book_id = book.book_id
INNER JOIN publisher
ON book.book id = publisher.book id
group by book title
having count(publisher_name) > 1;
select person first name, person last name
from transactions
inner join customer on transactions.customer_id = customer.customer_id
inner join person on customer.person_id = person.person_id
where transaction date < '2018-07-30'
group by person.person_id;
#20
select person.person first name, person.person last name,
DATEDIFF(order date arrive, transactions.transaction date)
from order
inner join customer on order.customer id = customer.customer id
inner join person on person.person_id = customer.person_id
inner join transactions on transactions.transactions id = order.transactions id
where DATEDIFF(order date arrive, transactions.transaction date) > 14;
#21
SELECT supply_location, YEAR(supply_date), MONTH(supply_date), sum(supply_quantity)
FROM supply
where supply location= 'storage'
GROUP BY YEAR(supply_date), MONTH(supply_date)
ORDER BY YEAR(supply date);
#22
select book_in_store_date between '2016-10-11 00:00:00' and '2019-02-11 00:00:00',
count(book.book_id ),sum(store.store_book_price_buy)
from book in store
inner join store on store.store_id = book_in_store.store_id
inner join book on book.book id = book in store.book id
where book_in_store_date between ? and ?;
```

```
#23
select sum pay month, sum sell month, sum sell month-sum pay month as profit from
(select sum(store_payment_electric_bill) + sum(store_payment_water_bill) +
sum(store_payment_rent)
+ sum(store_payment_tax)
+ sum(store payment other) + sum(store payment home number) +
sum(store payment phone number)
AS sum_pay_month,
sum(store_book_price_sell)-sum(store_book_price_buy) + sum(transactions_price) AS
sum_sell_month
from store payment
inner join store on store_payment.store_id = store.store_id
inner join buy book store on buy book store.buy book store id = store.buy book store id
inner join delivery on delivery.delivery_id = store.delivery_id
inner join transactions on transactions.transactions id = delivery.transactions id
or buy book store.transactions id = transactions.transactions id
where store_payment_month = ? and store_payment_year = ? ) as a;
#24
SELECT YEAR(transaction_date), MONTH(transaction_date), AVG(transactions_price)
FROM transactions
GROUP BY YEAR(transaction_date), MONTH(transaction_date)
ORDER BY YEAR(transaction date);
#25
select person_first_name, person_last_name, sum(employee_working_hours)*30 from person
INNER JOIN employee
ON person.person id = employee.person id
WHERE person.person first name=? and
person.person_last_name= ?;
#26
select person_first_name,person_last_name,count(transactions_id) from person
INNER JOIN employee
ON person_id = employee.person_id
INNER JOIN transactions
ON employee.employee id = transactions.employee id
where month(transaction date) = ?
having max(transactions_id);
```