```
daily_bookings = df.groupby('Date')['Total_Bookings'].sum()

plt.figure(figsize=(10,5))
plt.plot(daily_bookings)
plt.title("Daily Booking Trend")
plt.xlabel("Date")
plt.ylabel("Total Bookings")
plt.xticks(rotation=45)
plt.show()
```




```
df.groupby('Vehicle_Type')['Booking_Value'].mean().plot(kind='bar')
plt.title("Average Booking Value by Vehicle Type")
plt.ylabel("Average Booking Value")
plt.xticks(rotation=45)
plt.show()
```




rapidoipynb - Colab
(11) Kaleesha - Coolie OST
colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=JI9yHfry9Uwg
rapidoipynb
File Edit View Insert Runtime Tools Help
Commands + Code + Text Run all
Share
plt.scatter(df['Ride_Time(min)'], df['Booking_Value'])
plt.title("Ride Time vs Booking Value")
plt.xlabel("Ride Time (min)")
plt.ylabel("Booking Value")
plt.show()
Ride Time vs Booking Value
Booking Value
Ride Time (min)
plt.scatter(df['Customer_Rating'], df['Driver_Rating'])
plt.title("Customer Rating vs Driver Rating")
plt.xlabel("Customer Rating")
plt.ylabel("Driver Rating")
Variables
Terminal
3:29 PM
Python 3


rapidoipynb - Colab
(11) Kaleesha - Coolie OST
colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=JI9yHfry9Uwg
rapidoipynb
File Edit View Insert Runtime Tools Help
Commands + Code + Text Run all
Share
plt.hist(df['Ride_Distance(km)'], bins=10)
plt.title("Ride Distance Distribution")
plt.xlabel("Distance (km)")
plt.ylabel("Frequency")
plt.show()
Ride Distance Distribution
Frequency
Distance (km)
plt.scatter(df['Ride_Time(min)'], df['Booking_Value'])
plt.title("Ride Time vs Booking Value")
plt.xlabel("Ride Time (min)")
plt.ylabel("Booking Value")
Variables
Terminal
3:29 PM
Python 3


rapidoipynb - Colab
(11) Kaleesha - Coolie OST
colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=JI9yHfry9Uwg
rapidoipynb
File Edit View Insert Runtime Tools Help
Commands + Code + Text Run all
Share
Booking Status
df['Payment_Method'].value_counts().plot(kind='bar')
plt.title("Payment Method Usage")
plt.xlabel("Payment Method")
plt.ylabel("Count")
plt.xticks(rotation=45)
plt.show()
Payment Method Usage
Count
4.0
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
Cash
Wallet
UPI
Payment Method
Variables
Terminal
3:29 PM
Python 3


rapidoipynb - Colab
(11) Kaleesha - Coolie OST
colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=OuhvE1Mw8ueS
rapidoipynb
File Edit View Insert Runtime Tools Help
Commands + Code + Text Run all
Share
plt.title("Booking Status Distribution")
plt.xlabel("Booking Status")
plt.ylabel("Count")
plt.xticks(rotation=45)
plt.show()
Booking Status Distribution
Count
10
8
6
4
2
0
Incomplete
Booking Status
df['Payment_Method'].value_counts().plot(kind='bar')
plt.title("Payment Method Usage")
Variables
Terminal
3:29 PM
Python 3

rapidoipynb - Colab

colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=4NcJxiv_uV1S

rapidoipynb

File Edit View Insert Runtime Tools Help

```
booking_array = df['Booking_Value'].values
print("Mean:", np.mean(booking_array))
print("Median:", np.median(booking_array))
print("Standard Deviation:", np.std(booking_array))
print("Minimum:", np.min(booking_array))
print("Maximum:", np.max(booking_array))
```

```
Mean: 192.85699999999997
Median: 214.185
Standard Deviation: 48.364025690589486
Minimum: 110.26
Maximum: 246.9
```

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns

plt.style.use("seaborn-v0_8")
```

```
print("25th Percentile:", np.percentile(booking_array, 25))
print("50th Percentile:", np.percentile(booking_array, 50))
print("75th Percentile:", np.percentile(booking_array, 75))
```

```
25th Percentile: 146.645
50th Percentile: 214.185
75th Percentile: 230.67
```

```
from google.colab import files
uploaded = files.upload()
```

Choose files rapido 200.xlsx

rapido 200.xlsx(application/vnd.openxmlformats-officedocument.spreadsheetml.sheet) - 37046 bytes, last modified: 02/03/2026 - 100% done

Saving rapido 200.xlsx to rapido 200 (1).xlsx

Variables Terminal 3:29 PM Python 3

rapidoipynb - Colab

colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=4NcJxiv_uV1S

rapidoipynb

File Edit View Insert Runtime Tools Help

```
df['Booking_Status'].value_counts().plot(kind='bar')
plt.title("Booking Status Distribution")
plt.xlabel("Booking Status")
plt.ylabel("Count")
plt.xticks(rotation=45)
plt.show()
```

Variables Terminal 3:29 PM Python 3

rapidoipynb - Colab

colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=XUFeBu-OtyBq

rapidoipynb

File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

std	65.532347	6.893197	15.496243	NaN	0.617441	0.568692	0.229095	0.247725	0.219014	25.195183	8.214808

```
df.isnull().sum()
```

	0
Booking_ID	0
Booking_Status	0
Booking_Value	0
Customer_ID	0
Driver_ID	0
Pickup_Location	0
Drop_Location	0
Ride_Distance(km)	0
Ride_Time(min)	0
Date	0
Time	0
Vehicle_Type	0
Vehicle_Image	0
Payment_Method	0
Customer_Rating	0
Driver_Rating	0
Canceled_Rides_by_Customer	0
Canceled_Rides_by_Driver	0

Variables Terminal 3:29 PM Python 3

rapidoipynb - Colab

colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=uOc18CVQtoVZ

rapidoipynb

File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

```
'Canceled_Bookings', 'Canceled_Percentage', 'V_TAT', 'C_TAT'],
dtype='object')
```

```
df = pd.read_excel("rapido 200.xlsx")
df.head()
```

	Booking_ID	Booking_Status	Booking_Value	Customer_ID	Driver_ID	Pickup_Location	Drop_Location	Ride_Distance(km)	Ride_Time(min)	Date	...	Driver_Rating	Cancele
0	RAP20250700001	Completed	170.39	CUST_2824	DR_902	Pune	Delhi	2.74	42	2025-07-02	...	4.3	
1	RAP20250700002	Incomplete	131.04	CUST_1409	DR_915	Chennai	Hyderabad	22.15	20	2025-07-09	...	4.9	
2	RAP20250700003	Completed	242.19	CUST_5506	DR_938	Delhi	Bengaluru	11.95	46	2025-07-13	...	4.7	
3	RAP20250700004	Completed	78.18	CUST_5012	DR_213	Pune	Hyderabad	9.08	24	2025-07-27	...	4.0	
4	RAP20250700005	Completed	159.33	CUST_4657	DR_783	Chennai	Bengaluru	22.97	40	2025-07-22	...	3.0	

5 rows × 25 columns

```
df.shape
```

```
(199, 25)
```

Variables Terminal 3:29 PM Python 3

rapidoipynb - Colab

colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=U7mWY8fmu3GT

rapidoipynb

File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

[4]

```python
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

[16]

```python
print(df.columns)
```

```
Index(['Booking_ID', 'Booking_Status', 'Booking_Value', 'Customer_ID',
       'Driver_ID', 'Pickup_Location', 'Drop_Location', 'Ride_Distance(km)',
       'Ride_Time(min)', 'Date', 'Time', 'Vehicle_Type', 'Vehicle_Image',
       'Payment_Method', 'Customer_Rating', 'Driver_Rating',
       'Canceled_Rides_by_Customer', 'Canceled_Rides_by_Driver',
       'Incomplete_Rides', 'Incomplete_Rides_Reason', 'Total_Bookings',
       'Canceled_Bookings', 'Canceled_Percentage', 'V_TAT', 'C_TAT'],
      dtype='object')
```

[6]

```python
df = pd.read_excel("rapido 200.xlsx")
df.head()
```

	Booking_ID	Booking_Status	Booking_Value	Customer_ID	Driver_ID	Pickup_Location	Drop_Location	Ride_Distance(km)	Ride_Time(min)	Date	...	Driver_Rating	Cancele
0	RAP20250700001	Completed	170.39	CUST_2824	DR_902	Pune	Delhi	2.74	42	2025-07-02	...	4.3	
1	RAP20250700002	Incomplete	121.04	CUST_1400	DR_915	Chennai	Hyderabad	22.15	20	2025-		4.0	

Variables Terminal 3:29 PM Python 3

ChatGPT - rapido python | Untitled5.ipynb - Colab | (11) Oxygen - Video Song | Kav

colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=XUFeBu-OtyBq

Untitled5.ipynb

File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

```
(199, 25)
```

[8]

```python
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 199 entries, 0 to 198
Data columns (total 25 columns):
 #   Column                      Non-Null Count  Dtype
---  ------                      --------------  -----
 0   Booking_ID                  199 non-null    object
 1   Booking_Status              199 non-null    object
 2   Booking_Value               199 non-null    float64
 3   Customer_ID                 199 non-null    object
 4   Driver_ID                   199 non-null    object
 5   Pickup_Location             199 non-null    object
 6   Drop_Location               199 non-null    object
 7   Ride_Distance(km)           199 non-null    float64
 8   Ride_Time(min)              199 non-null    int64
 9   Date                        199 non-null    datetime64[ns]
 10  Time                        199 non-null    object
 11  Vehicle_Type                199 non-null    object
 12  Vehicle_Image               199 non-null    object
 13  Payment_Method              199 non-null    object
 14  Customer_Rating             199 non-null    float64
 15  Driver_Rating               199 non-null    float64
 16  Canceled_Rides_by_Customer  199 non-null    int64
 17  Canceled_Rides_by_Driver    199 non-null    int64
 18  Incomplete_Rides            199 non-null    int64
 19  Incomplete_Rides_Reason     10 non-null     object
 20  Total_Bookings              199 non-null    int64
 21  Canceled_Bookings           199 non-null    int64
```

Variables Terminal 2:13 PM Python 3

ChatGPT - rapido python | Untitled5.ipynb - Colab | (11) Oxygen - Video Song | Kav

colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=hy_LMpgPts5D

Untitled5.ipynb

File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

```
Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.12/dist-packages (from pandas>=1.2->seaborn) (2025.2)
Requirement already satisfied: tzdata>=2022.7 in /usr/local/lib/python3.12/dist-packages (from pandas>=1.2->seaborn) (2025.3)
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.12/dist-packages (from python-dateutil>=2.7->matplotlib!=3.6.1,>=3.4->seaborn) (1.17.0)
```

[6]

```
df = pd.read_excel("rapido 200.xlsx")
df.head()
```

	Booking_ID	Booking_Status	Booking_Value	Customer_ID	Driver_ID	Pickup_Location	Drop_Location	Ride_Distance(km)	Ride_Time(min)	Date	...	Driver_Rating	Cancele
0	RAP20250700001	Completed	170.39	CUST_2824	DR_902	Pune	Delhi	2.74	42	2025-07-02	...	4.3	
1	RAP20250700002	Incomplete	131.04	CUST_1409	DR_915	Chennai	Hyderabad	22.15	20	2025-07-09	...	4.9	
2	RAP20250700003	Completed	242.19	CUST_5506	DR_938	Delhi	Bengaluru	11.95	46	2025-07-13	...	4.7	
3	RAP20250700004	Completed	78.18	CUST_5012	DR_213	Pune	Hyderabad	9.08	24	2025-07-27	...	4.0	
4	RAP20250700005	Completed	159.33	CUST_4657	DR_783	Chennai	Bengaluru	22.97	40	2025-07-22	...	3.0	

5 rows × 25 columns

[7]

```
df.shape
```

```
(199, 25)
```

Variables Terminal 2:13 PM Python 3

rapidoipynb - Colab | (11) Kaleesha - Coolie OST

colab.research.google.com/drive/1PG1uiQ3U-4My-XuMFTbC5dozb0nm-T13#scrollTo=Jl9yHfry9Uwg

rapidoipynb

File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

[38]

```
df['Vehicle_Type'].value_counts().plot(kind='pie', autopct='%1.1f%%')
plt.title("Vehicle Type Distribution")
plt.ylabel("")
plt.show()
```



New Section

Variables Terminal 3:29 PM Python 3