CloudHRMS API
Postman Endpoint Catalog

927 endpoints across 57 controllers

GET 350 | **POST** 324 | **PUT** 123 | **PATCH** 5 | **DELETE** 125

Base URL	`{{baseUrl}}`
Authorization	`Bearer {{token}}`
Default content type	`application/json`

How to use

Create a Postman environment with **baseUrl** (for example, http://localhost:8080) and **token**. Replace each {pathVariable} and supply listed query parameters. Request body entries show the Java type expected by the controller; multipart endpoints list their form-data parts.

Controller index

Controller index 2
AccessibilityController (accessibility - 7 endpoints) 4
AssetController (asset - 37 endpoints) 4
AttendanceActivityController (attendance - 4 endpoints) 9
AttendanceController (attendance - 28 endpoints) 9
AttendanceRegularisationController (attendance - 9 endpoints) 12
AttendanceSettingsController (attendance - 29 endpoints) 13
RotatingScheduleController (attendance - 21 endpoints) 17
ShiftAllocationController (attendance - 9 endpoints) 19
ShiftRequestController (attendance - 10 endpoints) 20
WorkTypeRequestController (attendance - 8 endpoints) 21
AuthController (auth - 7 endpoints) 22
CrossBranchAccessController (auth - 3 endpoints) 23
TwoFactorAuthController (auth - 7 endpoints) 23
UserGroupController (auth - 10 endpoints) 24
UserPermissionController (auth - 4 endpoints) 25
UserRoleController (auth - 6 endpoints) 26
BackupController (backup - 4 endpoints) 26
AnnouncementController (base - 6 endpoints) 27
ApprovalConditionController (base - 6 endpoints) 28
BaseExtrasController (base - 60 endpoints) 28
CompanyController (base - 13 endpoints) 35
DepartmentController (base - 5 endpoints) 36
GeneralSettingsController (base - 20 endpoints) 37
MailAutomationController (base - 6 endpoints) 39
MultipleApprovalConditionController (base - 4 endpoints) 40
OrganizationController (base - 14 endpoints) 41
AdmsController (biometric - 4 endpoints) 42
BiometricController (biometric - 10 endpoints) 43
FileUploadController (common - 4 endpoints) 44
AuditController (demo - 3 endpoints) 44
DocumentController (documents - 11 endpoints) 45
DynamicFieldController (dynamicfields - 8 endpoints) 46
EmployeeController (employee - 19 endpoints) 47
EmployeeExtrasController (employee - 40 endpoints) 49
ESSController (ess - 21 endpoints) 54
FaceDetectionController (facedetection - 9 endpoints) 56
GeoFencingController (geofencing - 6 endpoints) 57
HelpdeskExtrasController (helpdesk - 15 endpoints) 57
TicketController (helpdesk - 20 endpoints) 59
HrPolicyController (hrpolicy - 12 endpoints) 61
LdapController (ldap - 3 endpoints) 63

LeaveController (leave - 72 endpoints) 63
NotificationController (notification - 6 endpoints) 71
OffboardingController (offboarding - 30 endpoints) 72
OnboardingController (onboarding - 27 endpoints) 75
OutlookAuthController (outlookauth - 6 endpoints) 78
GratuityController (payroll - 7 endpoints) 79
PayrollController (payroll - 78 endpoints) 80
PmsController (pms - 58 endpoints) 89
ProfileController (profile - 2 endpoints) 95
ProjectController (project - 17 endpoints) 95
LinkedInController (recruitment - 3 endpoints) 97
RecruitmentController (recruitment - 72 endpoints) 98
ConsolidatedReportController (report - 11 endpoints) 106
PlatformCompanyScopeController (report - 3 endpoints) 107
PlatformMonitorController (report - 1 endpoints) 107
ViewsController (views - 12 endpoints) 107

AccessibilityController (accessibility - 7 endpoints)

GET `{{baseUrl}}/api/accessibility`

Handler: listAll() **Returns:** ResponseEntity<List<DefaultAccessibility>>

src/main/java/com/example/demo/accessibility/controller/AccessibilityController.java:22

POST `{{baseUrl}}/api/accessibility`

Body: DefaultAccessibility (application/json)

Handler: create() **Returns:** ResponseEntity<DefaultAccessibility>

src/main/java/com/example/demo/accessibility/controller/AccessibilityController.java:34

DELETE `{{baseUrl}}/api/accessibility/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/accessibility/controller/AccessibilityController.java:47

GET `{{baseUrl}}/api/accessibility/{id}`

Path: id: Long

Handler: getById() **Returns:** ResponseEntity<DefaultAccessibility>

src/main/java/com/example/demo/accessibility/controller/AccessibilityController.java:28

PUT `{{baseUrl}}/api/accessibility/{id}`

Path: id: Long

Body: DefaultAccessibility (application/json)

Handler: update() **Returns:** ResponseEntity<DefaultAccessibility>

src/main/java/com/example/demo/accessibility/controller/AccessibilityController.java:40

POST `{{baseUrl}}/api/accessibility/{id}/employees`

Path: id: Long

Body: List<Long> (application/json)

Handler: addEmployees() **Returns:** ResponseEntity<DefaultAccessibility>

src/main/java/com/example/demo/accessibility/controller/AccessibilityController.java:54

DELETE `{{baseUrl}}/api/accessibility/{id}/employees/{employeeId}`

Path: id: Long, employeeId: Long

Handler: removeEmployee() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/accessibility/controller/AccessibilityController.java:61

AssetController (asset - 37 endpoints)

GET `{{baseUrl}}/api/assets`

Handler: list() **Returns:** ResponseEntity<List<Asset>>

src/main/java/com/example/demo/asset/controller/AssetController.java:41

POST `{{baseUrl}}/api/assets`

Body: Asset (application/json)

Handler: create() **Returns:** ResponseEntity<Asset>

src/main/java/com/example/demo/asset/controller/AssetController.java:53

PUT `{{baseUrl}}/api/assets/assignments/{id}/return`

Path: id: Long

Handler: markReturned() **Returns:** ResponseEntity<AssetAssignment>

src/main/java/com/example/demo/asset/controller/AssetController.java:138

GET `{{baseUrl}}/api/assets/categories`

Query: companyId: Long

Handler: listCategories() **Returns:** ResponseEntity<List<AssetCategory>>

src/main/java/com/example/demo/asset/controller/AssetController.java:211

POST `{{baseUrl}}/api/assets/categories`

Query: companyId: Long

Body: AssetCategory (application/json)

Handler: createCategory() **Returns:** ResponseEntity<AssetCategory>

src/main/java/com/example/demo/asset/controller/AssetController.java:218

DELETE `{{baseUrl}}/api/assets/categories/{id}`

Path: id: Long

Handler: deleteCategory() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/asset/controller/AssetController.java:232

PUT `{{baseUrl}}/api/assets/categories/{id}`

Path: id: Long

Body: AssetCategory (application/json)

Handler: updateCategory() **Returns:** ResponseEntity<AssetCategory>

src/main/java/com/example/demo/asset/controller/AssetController.java:225

POST `{{baseUrl}}/api/assets/categories/{id}/duplicate`

Path: id: Long

Query: companyId: Long

Handler: duplicateCategory() **Returns:** ResponseEntity<AssetCategory>

src/main/java/com/example/demo/asset/controller/AssetController.java:239

GET `{{baseUrl}}/api/assets/dashboard`

Query: companyId: Long

Handler: getDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/asset/controller/AssetController.java:340

DELETE `{{baseUrl}}/api/assets/documents/{id}`

Path: id: Long

Handler: deleteDocument() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/asset/controller/AssetController.java:177

GET `{{baseUrl}}/api/assets/export`

Query: companyId: Long

Handler: exportToExcel() **Returns:** void

src/main/java/com/example/demo/asset/controller/AssetController.java:285

POST `{{baseUrl}}/api/assets/import`

Query: file: MultipartFile, companyId: Long

Handler: importFromExcel() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/asset/controller/AssetController.java:315

GET `{{baseUrl}}/api/assets/lots`

Handler: listLots() **Returns:** ResponseEntity<List<AssetLot>>

src/main/java/com/example/demo/asset/controller/AssetController.java:92

POST `{{baseUrl}}/api/assets/lots`

Body: AssetLot (application/json)

Handler: createLot() **Returns:** ResponseEntity<AssetLot>

src/main/java/com/example/demo/asset/controller/AssetController.java:99

DELETE `{{baseUrl}}/api/assets/lots/{id}`

Path: id: Long

Handler: deleteLot() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/asset/controller/AssetController.java:113

PUT `{{baseUrl}}/api/assets/lots/{id}`

Path: id: Long

Body: AssetLot (application/json)

Handler: updateLot() **Returns:** ResponseEntity<AssetLot>

src/main/java/com/example/demo/asset/controller/AssetController.java:106

GET `{{baseUrl}}/api/assets/requests`

Query: companyId: Long

Handler: listRequests() **Returns:** ResponseEntity<Page<AssetRequest>>

src/main/java/com/example/demo/asset/controller/AssetController.java:248

POST `{{baseUrl}}/api/assets/requests`

Query: companyId: Long

Body: AssetRequest (application/json)

Handler: createRequest() **Returns:** ResponseEntity<AssetRequest>

src/main/java/com/example/demo/asset/controller/AssetController.java:255

PUT `{{baseUrl}}/api/assets/requests/{id}`

Path: id: Long

Body: AssetRequest (application/json)

Handler: updateRequest() **Returns:** ResponseEntity<AssetRequest>

src/main/java/com/example/demo/asset/controller/AssetController.java:262

POST `{{baseUrl}}/api/assets/requests/{id}/approve`

Path: id: Long

Handler: approveRequest() **Returns:** ResponseEntity<AssetRequest>

src/main/java/com/example/demo/asset/controller/AssetController.java:269

POST `{{baseUrl}}/api/assets/requests/{id}/reject`

Path: id: Long

Handler: rejectRequest() **Returns:** ResponseEntity<AssetRequest>

src/main/java/com/example/demo/asset/controller/AssetController.java:276

DELETE `{{baseUrl}}/api/assets/return-images/{id}`

Path: id: Long

Handler: deleteReturnImage() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/asset/controller/AssetController.java:201

GET `{{baseUrl}}/api/assets/statuses`

Handler: getStatuses() **Returns:** ResponseEntity<List<Map<String, String>>>

src/main/java/com/example/demo/asset/controller/AssetController.java:32

GET `{{baseUrl}}/api/assets/{assetId}/assignments`

Path: assetId: Long

Handler: listAssignments() **Returns:** ResponseEntity<List<AssetAssignment>>

src/main/java/com/example/demo/asset/controller/AssetController.java:123

POST `{{baseUrl}}/api/assets/{assetId}/assignments`

Path: assetId: Long

Body: AssetAssignment (application/json)

Handler: recordAssignment() **Returns:** ResponseEntity<AssetAssignment>

src/main/java/com/example/demo/asset/controller/AssetController.java:130

GET `{{baseUrl}}/api/assets/{assetId}/documents`

Path: assetId: Long

Handler: listDocuments() **Returns:** ResponseEntity<List<AssetDocument>>

src/main/java/com/example/demo/asset/controller/AssetController.java:163

POST `{{baseUrl}}/api/assets/{assetId}/documents`

Path: assetId: Long

Body: AssetDocument (application/json)

Handler: addDocument() **Returns:** ResponseEntity<AssetDocument>

src/main/java/com/example/demo/asset/controller/AssetController.java:170

GET `{{baseUrl}}/api/assets/{assetId}/reports`

Path: assetId: Long

Handler: listReports() **Returns:** ResponseEntity<List<AssetReport>>

src/main/java/com/example/demo/asset/controller/AssetController.java:147

POST `{{baseUrl}}/api/assets/{assetId}/reports`

Path: assetId: Long

Body: AssetReport (application/json)

Handler: submitReport() **Returns:** ResponseEntity<AssetReport>

src/main/java/com/example/demo/asset/controller/AssetController.java:154

GET `{{baseUrl}}/api/assets/{assetId}/return-images`

Path: assetId: Long

Handler: listReturnImages() **Returns:** ResponseEntity<List<ReturnImage>>

src/main/java/com/example/demo/asset/controller/AssetController.java:187

POST `{{baseUrl}}/api/assets/{assetId}/return-images`

Path: assetId: Long

Body: ReturnImage (application/json)

Handler: addReturnImage() **Returns:** ResponseEntity<ReturnImage>

src/main/java/com/example/demo/asset/controller/AssetController.java:194

DELETE `{{baseUrl}}/api/assets/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/asset/controller/AssetController.java:77

GET `{{baseUrl}}/api/assets/{id}`

Path: id: Long

Handler: get() **Returns:** ResponseEntity<Asset>

src/main/java/com/example/demo/asset/controller/AssetController.java:47

PUT `{{baseUrl}}/api/assets/{id}`

Path: id: Long

Body: Asset (application/json)

Handler: update() **Returns:** ResponseEntity<Asset>

src/main/java/com/example/demo/asset/controller/AssetController.java:59

POST `{{baseUrl}}/api/assets/{id}/assign/{employeeId}`

Path: id: Long, employeeId: Long

Handler: assign() **Returns:** ResponseEntity<Asset>

src/main/java/com/example/demo/asset/controller/AssetController.java:65

POST `{{baseUrl}}/api/assets/{id}/duplicate`

Path: id: Long

Query: companyId: Long

Handler: duplicateAsset() **Returns:** ResponseEntity<Asset>

src/main/java/com/example/demo/asset/controller/AssetController.java:83

POST `{{baseUrl}}/api/assets/{id}/return`

Path: id: Long

Handler: returnAsset() **Returns:** ResponseEntity<Asset>

src/main/java/com/example/demo/asset/controller/AssetController.java:71

AttendanceActivityController (attendance - 4 endpoints)

GET `{{baseUrl}}/api/attendance/activities`

Query: employeeId: Long (optional), from: .springframework.format.annotation.DateTimeFormat(iso = org.springframework.format.annotation.DateTimeFormat.ISO.DATE) java.time.LocalDate (optional), to: .springframework.format.annotation.DateTimeFormat(iso = org.springframework.format.annotation.DateTimeFormat.ISO.DATE) java.time.LocalDate (optional)

Handler: list() **Returns:** ResponseEntity<Page<AttendanceActivity>>

src/main/java/com/example/demo/attendance/controller/AttendanceActivityController.java:30

POST `{{baseUrl}}/api/attendance/activities`

Body: AttendanceActivity (application/json)

Handler: create() **Returns:** ResponseEntity<AttendanceActivity>

src/main/java/com/example/demo/attendance/controller/AttendanceActivityController.java:59

POST `{{baseUrl}}/api/attendance/activities/bulk-delete`

Body: List<Long> (application/json)

Handler: bulkDelete() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/attendance/controller/AttendanceActivityController.java:79

DELETE `{{baseUrl}}/api/attendance/activities/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/attendance/controller/AttendanceActivityController.java:67

AttendanceController (attendance - 28 endpoints)

GET `{{baseUrl}}/api/attendance`

Query: status: String (optional), from: LocalDate (optional), to: LocalDate (optional), departmentId: Long (optional)

Handler: list() **Returns:** ResponseEntity<Page<AttendanceResponse>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:54

POST `{{baseUrl}}/api/attendance`

Body: AttendanceRequest (application/json)

Handler: create() **Returns:** ResponseEntity<AttendanceResponse>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:101

GET `{{baseUrl}}/api/attendance/calendar`

Query: year: int, month: int, employeeId: Long (optional)

Handler: getCalendar() **Returns:** ResponseEntity<List<AttendanceCalendarDayDto>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:79

POST `{{baseUrl}}/api/attendance/clock-in`

Query: employeeId: Long, companyId: Long, latitude: Double (optional), longitude: Double (optional), accuracy: Double (optional)

Handler: clockIn() **Returns:** ResponseEntity<AttendanceResponse>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:219

POST `{{baseUrl}}/api/attendance/clock-out`

Query: attendanceId: Long, latitude: Double (optional), longitude: Double (optional), accuracy: Double (optional)

Handler: clockOut() **Returns:** ResponseEntity<AttendanceResponse>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:231

GET `{{baseUrl}}/api/attendance/dashboard`

Query: companyId: Long, date: LocalDate (optional), departmentId: Long (optional)

Handler: getDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:335

GET `{{baseUrl}}/api/attendance/employee/{employeeId}`

Path: employeeId: Long

Handler: getByEmployee() **Returns:** ResponseEntity<List<AttendanceResponse>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:95

GET `{{baseUrl}}/api/attendance/export`

Query: companyId: Long, employeeIds: List<Long> (optional), from: LocalDate (optional), to: LocalDate (optional)

Handler: exportToExcel() **Returns:** void

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:273

GET `{{baseUrl}}/api/attendance/full-view`

Query: companyId: Long, from: LocalDate (optional), to: LocalDate (optional), departmentId: Long (optional), status: String (optional)

Handler: fullView() **Returns:** ResponseEntity<Page<AttendanceResponse>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:66

POST `{{baseUrl}}/api/attendance/import`

Query: file: MultipartFile, companyId: Long

Handler: importFromExcel() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:285

GET `{{baseUrl}}/api/attendance/not-in`

Query: companyId: Long, date: LocalDate (optional)

Handler: getNotClockedIn() **Returns:** ResponseEntity<List<Map<String, Object>>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:244

GET `{{baseUrl}}/api/attendance/not-out`

Query: companyId: Long, date: LocalDate (optional)

Handler: getNotClockedOut() **Returns:** ResponseEntity<List<Map<String, Object>>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:253

GET `{{baseUrl}}/api/attendance/overtime`

Query: companyId: Long

Handler: listOvertime() **Returns:** ResponseEntity<List<AttendanceOverTime>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:144

POST `{{baseUrl}}/api/attendance/overtime/compute`

Query: employeeId: Long, companyId: Long, month: int, year: int

Handler: computeOvertime() **Returns:** ResponseEntity<AttendanceOverTime>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:151

GET `{{baseUrl}}/api/attendance/register`

Query: companyId: Long, departmentId: Long (optional), year: int, month: int

Handler: getRegister() **Returns:** ResponseEntity<AttendanceRegisterResponse>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:298

GET `{{baseUrl}}/api/attendance/register/export`

Query: companyId: Long, departmentId: Long (optional), year: int, month: int

Handler: exportRegister() **Returns:** void

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:321

PATCH `{{baseUrl}}/api/attendance/register/{employeeId}/{date}`

Path: employeeId: Long, date: LocalDate

Query: companyId: Long

Body: Map<String, String> (application/json)

Handler: updateRegisterCell() **Returns:** ResponseEntity<AttendanceRegisterDayDto>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:309

DELETE `{{baseUrl}}/api/attendance/request-comments/{id}`

Path: id: Long

Handler: deleteRequestComment() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:191

POST `{{baseUrl}}/api/attendance/request-files`

Body: AttendanceRequestFile (application/json)

Handler: createRequestFile() **Returns:** ResponseEntity<AttendanceRequestFile>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:201

DELETE `{{baseUrl}}/api/attendance/request-files/{id}`

Path: id: Long

Handler: deleteRequestFile() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:209

GET `{{baseUrl}}/api/attendance/today`

Query: companyId: Long

Handler: getTodayAttendance() **Returns:** ResponseEntity<List<AttendanceResponse>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:264

GET `{{baseUrl}}/api/attendance/{attendanceId}/request-comments`

Path: attendanceId: Long

Handler: listRequestComments() **Returns:** ResponseEntity<List<AttendanceRequestComment>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:167

POST `{{baseUrl}}/api/attendance/{attendanceId}/request-comments`

Path: attendanceId: Long

Body: AttendanceRequestComment (application/json)

Handler: addRequestComment() **Returns:** ResponseEntity<AttendanceRequestComment>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:175

DELETE `{{baseUrl}}/api/attendance/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:116

GET `{{baseUrl}}/api/attendance/{id}`

Path: id: Long

Handler: get() **Returns:** ResponseEntity<AttendanceResponse>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:89

PUT `{{baseUrl}}/api/attendance/{id}`

Path: id: Long

Body: AttendanceRequest (application/json)

Handler: update() **Returns:** ResponseEntity<AttendanceResponse>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:107

POST `{{baseUrl}}/api/attendance/{id}/compute-hours`

Path: id: Long

Handler: computeHours() **Returns:** ResponseEntity<AttendanceResponse>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:125

POST `{{baseUrl}}/api/attendance/{id}/detect-late-early`

Path: id: Long

Query: 0: int

Handler: detectLateEarly() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/attendance/controller/AttendanceController.java:132

AttendanceRegularisationController (attendance - 9 endpoints)

GET `{{baseUrl}}/api/attendance/regularisation`

Query: companyId: Long

Handler: listAll() **Returns:** ResponseEntity<List<RegularisationRequestDto>>

src/main/java/com/example/demo/attendance/controller/AttendanceRegularisationController.java:84

POST `{{baseUrl}}/api/attendance/regularisation`

Body: RegularisationSubmitRequest (application/json)

Handler: submit() **Returns:** ResponseEntity<RegularisationRequestDto>

src/main/java/com/example/demo/attendance/controller/AttendanceRegularisationController.java:31

GET `{{baseUrl}}/api/attendance/regularisation/my`

Handler: myRequests() **Returns:** ResponseEntity<List<RegularisationRequestDto>>

src/main/java/com/example/demo/attendance/controller/AttendanceRegularisationController.java:39

GET `{{baseUrl}}/api/attendance/regularisation/pending-approval`

Query: companyId: Long

Handler: pendingApproval() **Returns:** ResponseEntity<List<RegularisationRequestDto>>

src/main/java/com/example/demo/attendance/controller/AttendanceRegularisationController.java:55

GET `{{baseUrl}}/api/attendance/regularisation/pending-counts`

Query: companyId: Long (optional)

Handler: pendingCounts() **Returns:** ResponseEntity<Map<String, Long>>

src/main/java/com/example/demo/attendance/controller/AttendanceRegularisationController.java:100

GET `{{baseUrl}}/api/attendance/regularisation/unresolved`

Handler: unresolved() **Returns:** ResponseEntity<List<UnresolvedIrregularAttendanceDto>>

src/main/java/com/example/demo/attendance/controller/AttendanceRegularisationController.java:46

GET `{{baseUrl}}/api/attendance/regularisation/{id}`

Path: id: Long

Handler: getById() **Returns:** ResponseEntity<RegularisationRequestDto>

src/main/java/com/example/demo/attendance/controller/AttendanceRegularisationController.java:91

POST `{{baseUrl}}/api/attendance/regularisation/{id}/approve`

Path: id: Long

Body: RegularisationApprovalRequest (application/json)

Handler: approve() **Returns:** ResponseEntity<RegularisationRequestDto>

src/main/java/com/example/demo/attendance/controller/AttendanceRegularisationController.java:62

POST `{{baseUrl}}/api/attendance/regularisation/{id}/reject`

Path: id: Long

Body: RegularisationApprovalRequest (application/json)

Handler: reject() **Returns:** ResponseEntity<RegularisationRequestDto>

src/main/java/com/example/demo/attendance/controller/AttendanceRegularisationController.java:72

AttendanceSettingsController (attendance - 29 endpoints)

GET `{{baseUrl}}/api/attendance/allowed-ips`

Query: companyId: Long

Handler: listAllowedIPs() **Returns:** ResponseEntity<List<AttendanceAllowedIP>>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:182

POST `{{baseUrl}}/api/attendance/allowed-ips`

Body: AttendanceAllowedIP (application/json)

Handler: createAllowedIP() **Returns:** ResponseEntity<AttendanceAllowedIP>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:190

DELETE `{{baseUrl}}/api/attendance/allowed-ips/{id}`

Path: id: Long

Handler: deleteAllowedIP() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:214

PUT `{{baseUrl}}/api/attendance/allowed-ips/{id}`

Path: id: Long

Body: AttendanceAllowedIP (application/json)

Handler: updateAllowedIP() **Returns:** ResponseEntity<AttendanceAllowedIP>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:201

GET `{{baseUrl}}/api/attendance/batches`

Handler: listBatches() **Returns:** ResponseEntity<List<BatchAttendance>>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:275

POST `{{baseUrl}}/api/attendance/batches`

Body: BatchAttendance (application/json)

Handler: createBatch() **Returns:** ResponseEntity<BatchAttendance>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:286

DELETE `{{baseUrl}}/api/attendance/batches/{id}`

Path: id: Long

Handler: deleteBatch() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:308

PUT `{{baseUrl}}/api/attendance/batches/{id}`

Path: id: Long

Body: BatchAttendance (application/json)

Handler: updateBatch() **Returns:** ResponseEntity<BatchAttendance>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:297

GET `{{baseUrl}}/api/attendance/general-settings`

Query: companyId: Long

Handler: getGeneralSettings() **Returns:** ResponseEntity<AttendanceGeneralSetting>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:152

PUT `{{baseUrl}}/api/attendance/general-settings`

Query: companyId: Long

Body: AttendanceGeneralSetting (application/json)

Handler: upsertGeneralSettings() **Returns:** ResponseEntity<AttendanceGeneralSetting>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:162

GET `{{baseUrl}}/api/attendance/grace-times`

Handler: listGraceTimes() **Returns:** ResponseEntity<List<GraceTime>>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:48

POST `{{baseUrl}}/api/attendance/grace-times`

Body: GraceTime (application/json)

Handler: createGraceTime() **Returns:** ResponseEntity<GraceTime>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:57

DELETE `{{baseUrl}}/api/attendance/grace-times/{id}`

Path: id: Long

Handler: deleteGraceTime() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:86

PUT `{{baseUrl}}/api/attendance/grace-times/{id}`

Path: id: Long

Body: GraceTime (application/json)

Handler: updateGraceTime() **Returns:** ResponseEntity<GraceTime>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:71

GET `{{baseUrl}}/api/attendance/late-come-early-out`

Handler: listLateComeEarlyOut() **Returns:** ResponseEntity<List<AttendanceLateComeEarlyOut>>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:224

POST `{{baseUrl}}/api/attendance/late-come-early-out`

Body: AttendanceLateComeEarlyOut (application/json)

Handler: createLateComeEarlyOut() **Returns:** ResponseEntity<AttendanceLateComeEarlyOut>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:251

GET `{{baseUrl}}/api/attendance/late-come-early-out/employee/{employeeId}`

Path: employeeId: Long

Handler: getByEmployee() **Returns:** ResponseEntity<List<AttendanceLateComeEarlyOut>>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:235

DELETE `{{baseUrl}}/api/attendance/late-come-early-out/{id}`

Path: id: Long

Handler: deleteLateComeEarlyOut() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:265

GET `{{baseUrl}}/api/attendance/validation-conditions`

Query: companyId: Long

Handler: getValidationConditions() **Returns:** ResponseEntity<AttendanceValidationCondition>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:96

PUT `{{baseUrl}}/api/attendance/validation-conditions`

Query: companyId: Long

Body: AttendanceValidationCondition (application/json)

Handler: updateValidationConditions() **Returns:** ResponseEntity<AttendanceValidationCondition>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:106

GET `{{baseUrl}}/api/attendance/work-records`

Query: employeeId: Long (optional), calculated: Boolean (optional), from: .springframework.format.annotation.DateTimeFormat(iso = org.springframework.format.annotation.DateTimeFormat.ISO.DATE) java.time.LocalDate (optional), to: .springframework.format.annotation.DateTimeFormat(iso = org.springframework.format.annotation.DateTimeFormat.ISO.DATE) java.time.LocalDate (optional)

Handler: listWorkRecords() **Returns:** ResponseEntity<Page<WorkRecord>>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:318

POST `{{baseUrl}}/api/attendance/work-records`

Body: WorkRecord (application/json)

Handler: createWorkRecord() **Returns:** ResponseEntity<WorkRecord>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:379

GET `{{baseUrl}}/api/attendance/work-records/employee/{employeeId}`

Path: employeeId: Long

Handler: getWorkRecordsByEmployee() **Returns:** ResponseEntity<List<WorkRecord>>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:371

GET `{{baseUrl}}/api/attendance/work-records/export`

Query: companyId: Long, employeeId: Long (optional), calculated: Boolean (optional), from: .springframework.format.annotation.DateTimeFormat(iso = org.springframework.format.annotation.DateTimeFormat.ISO.DATE) java.time.LocalDate (optional), to: .springframework.format.annotation.DateTimeFormat(iso = org.springframework.format.annotation.DateTimeFormat.ISO.DATE) java.time.LocalDate (optional)

Handler: exportWorkRecords() **Returns:** void

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:358

DELETE `{{baseUrl}}/api/attendance/work-records/{id}`

Path: id: Long

Handler: deleteWorkRecord() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:415

PUT `{{baseUrl}}/api/attendance/work-records/{id}`

Path: id: Long

Body: WorkRecord (application/json)

Handler: updateWorkRecord() **Returns:** ResponseEntity<WorkRecord>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:393

GET `{{baseUrl}}/api/attendance/{attendanceId}/comments`

Path: attendanceId: Long

Handler: getComments() **Returns:** ResponseEntity<List<AttendanceComment>>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:128

POST `{{baseUrl}}/api/attendance/{attendanceId}/comments`

Path: attendanceId: Long

Body: AttendanceComment (application/json)

Handler: addComment() **Returns:** ResponseEntity<AttendanceComment>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:136

GET `{{baseUrl}}/api/attendance/{attendanceId}/late-come-early-out`

Path: attendanceId: Long

Handler: getByAttendance() **Returns:** ResponseEntity<List<AttendanceLateComeEarlyOut>>

src/main/java/com/example/demo/attendance/controller/AttendanceSettingsController.java:243

RotatingScheduleController (attendance - 21 endpoints)

GET `{{baseUrl}}/api/rotating-shift-assigns`

Query: companyId: Long

Handler: listRotatingShiftAssigns() **Returns:** ResponseEntity<List<RotatingShiftAssign>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:158

POST `{{baseUrl}}/api/rotating-shift-assigns`

Body: RotatingShiftAssign (application/json)

Handler: createRotatingShiftAssign() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:174

POST `{{baseUrl}}/api/rotating-shift-assigns/bulk-assign`

Body: BulkRotatingShiftAssignRequest (application/json)

Handler: bulkAssignRotatingShift() **Returns:** ResponseEntity<List<RotatingShiftAssign>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:245

GET `{{baseUrl}}/api/rotating-shift-assigns/employee/{empId}`

Path: empId: Long

Handler: listRotatingShiftAssignsByEmployee() **Returns:** ResponseEntity<List<RotatingShiftAssign>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:166

DELETE `{{baseUrl}}/api/rotating-shift-assigns/{id}`

Path: id: Long

Handler: deleteRotatingShiftAssign() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:233

PUT `{{baseUrl}}/api/rotating-shift-assigns/{id}`

Path: id: Long

Body: RotatingShiftAssign (application/json)

Handler: updateRotatingShiftAssign() **Returns:** ResponseEntity<RotatingShiftAssign>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:214

POST `{{baseUrl}}/api/rotating-shift-assigns/{id}/rotate`

Path: id: Long

Handler: rotateShiftAssign() **Returns:** ResponseEntity<RotatingShiftAssign>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:204

GET `{{baseUrl}}/api/rotating-shifts`

Handler: listRotatingShifts() **Returns:** ResponseEntity<List<RotatingShift>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:49

POST `{{baseUrl}}/api/rotating-shifts`

Body: RotatingShift (application/json)

Handler: createRotatingShift() **Returns:** ResponseEntity<RotatingShift>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:58

DELETE `{{baseUrl}}/api/rotating-shifts/{id}`

Path: id: Long

Handler: deleteRotatingShift() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:95

PUT `{{baseUrl}}/api/rotating-shifts/{id}`

Path: id: Long

Body: RotatingShift (application/json)

Handler: updateRotatingShift() **Returns:** ResponseEntity<RotatingShift>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:75

GET `{{baseUrl}}/api/rotating-work-type-assigns`

Query: companyId: Long

Handler: listRotatingWorkTypeAssigns() **Returns:** ResponseEntity<List<RotatingWorkTypeAssign>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:274

POST `{{baseUrl}}/api/rotating-work-type-assigns`

Body: RotatingWorkTypeAssign (application/json)

Handler: createRotatingWorkTypeAssign() **Returns:** ResponseEntity<RotatingWorkTypeAssign>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:290

POST `{{baseUrl}}/api/rotating-work-type-assigns/bulk-assign`

Body: BulkRotatingWorkTypeAssignRequest (application/json)

Handler: bulkAssignRotatingWorkType() **Returns:** ResponseEntity<List<RotatingWorkTypeAssign>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:338

GET `{{baseUrl}}/api/rotating-work-type-assigns/employee/{empId}`

Path: empId: Long

Handler: listRotatingWorkTypeAssignsByEmployee() **Returns:** ResponseEntity<List<RotatingWorkTypeAssign>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:282

DELETE `{{baseUrl}}/api/rotating-work-type-assigns/{id}`

Path: id: Long

Handler: deleteRotatingWorkTypeAssign() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:326

PUT `{{baseUrl}}/api/rotating-work-type-assigns/{id}`

Path: id: Long

Body: RotatingWorkTypeAssign (application/json)

Handler: updateRotatingWorkTypeAssign() **Returns:** ResponseEntity<RotatingWorkTypeAssign>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:307

GET `{{baseUrl}}/api/rotating-work-types`

Handler: listRotatingWorkTypes() **Returns:** ResponseEntity<List<RotatingWorkType>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:105

POST `{{baseUrl}}/api/rotating-work-types`

Body: RotatingWorkType (application/json)

Handler: createRotatingWorkType() **Returns:** ResponseEntity<RotatingWorkType>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:114

DELETE `{{baseUrl}}/api/rotating-work-types/{id}`

Path: id: Long

Handler: deleteRotatingWorkType() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:148

PUT `{{baseUrl}}/api/rotating-work-types/{id}`

Path: id: Long

Body: RotatingWorkType (application/json)

Handler: updateRotatingWorkType() **Returns:** ResponseEntity<RotatingWorkType>

src/main/java/com/example/demo/attendance/controller/RotatingScheduleController.java:131

ShiftAllocationController (attendance - 9 endpoints)

GET `{{baseUrl}}/api/shift-allocations`

Query: status: String (optional)

Handler: list() **Returns:** ResponseEntity<List<ShiftAllocationRequest>>

src/main/java/com/example/demo/attendance/controller/ShiftAllocationController.java:45

POST `{{baseUrl}}/api/shift-allocations`

Body: ShiftAllocationRequest (application/json)

Handler: create() **Returns:** ResponseEntity<ShiftAllocationRequest>

src/main/java/com/example/demo/attendance/controller/ShiftAllocationController.java:89

POST `{{baseUrl}}/api/shift-allocations/bulk-allocate`

Body: Map<String, Object> (application/json)

Handler: bulkAllocate() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/attendance/controller/ShiftAllocationController.java:118

GET `{{baseUrl}}/api/shift-allocations/employee/{employeeId}`

Path: employeeId: Long

Handler: listForEmployee() **Returns:** ResponseEntity<List<ShiftAllocationRequest>>

src/main/java/com/example/demo/attendance/controller/ShiftAllocationController.java:72

DELETE `{{baseUrl}}/api/shift-allocations/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/attendance/controller/ShiftAllocationController.java:210

GET `{{baseUrl}}/api/shift-allocations/{id}`

Path: id: Long

Handler: get() **Returns:** ResponseEntity<ShiftAllocationRequest>

src/main/java/com/example/demo/attendance/controller/ShiftAllocationController.java:80

PUT `{{baseUrl}}/api/shift-allocations/{id}`

Path: id: Long

Body: ShiftAllocationRequest (application/json)

Handler: update() **Returns:** ResponseEntity<ShiftAllocationRequest>

src/main/java/com/example/demo/attendance/controller/ShiftAllocationController.java:164

POST `{{baseUrl}}/api/shift-allocations/{id}/approve`

Path: id: Long

Handler: approve() **Returns:** ResponseEntity<ShiftAllocationRequest>

src/main/java/com/example/demo/attendance/controller/ShiftAllocationController.java:181

POST `{{baseUrl}}/api/shift-allocations/{id}/cancel`

Path: id: Long

Handler: cancel() **Returns:** ResponseEntity<ShiftAllocationRequest>

src/main/java/com/example/demo/attendance/controller/ShiftAllocationController.java:199

ShiftRequestController (attendance - 10 endpoints)

GET `{{baseUrl}}/api/shift-requests`

Handler: listRequests() **Returns:** ResponseEntity<List<ShiftRequest>>

src/main/java/com/example/demo/attendance/controller/ShiftRequestController.java:46

POST `{{baseUrl}}/api/shift-requests`

Body: ShiftRequest (application/json)

Handler: createRequest() **Returns:** ResponseEntity<ShiftRequest>

src/main/java/com/example/demo/attendance/controller/ShiftRequestController.java:55

POST `{{baseUrl}}/api/shift-requests/bulk-approve`

Body: Map<String, List<Long>> (application/json)

Handler: bulkApprove() **Returns:** ResponseEntity<Map<String, Integer>>

src/main/java/com/example/demo/attendance/controller/ShiftRequestController.java:191

POST `{{baseUrl}}/api/shift-requests/bulk-cancel`

Body: Map<String, List<Long>> (application/json)

Handler: bulkCancel() **Returns:** ResponseEntity<Map<String, Integer>>

src/main/java/com/example/demo/attendance/controller/ShiftRequestController.java:224

GET `{{baseUrl}}/api/shift-requests/export`

Query: companyId: Long

Handler: export() **Returns:** ResponseEntity<byte[]>

src/main/java/com/example/demo/attendance/controller/ShiftRequestController.java:261

DELETE `{{baseUrl}}/api/shift-requests/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/attendance/controller/ShiftRequestController.java:247

POST `{{baseUrl}}/api/shift-requests/{id}/approve`

Path: id: Long

Handler: approve() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/attendance/controller/ShiftRequestController.java:85

POST `{{baseUrl}}/api/shift-requests/{id}/cancel`

Path: id: Long

Handler: cancel() **Returns:** ResponseEntity<ShiftRequest>

src/main/java/com/example/demo/attendance/controller/ShiftRequestController.java:146

POST `{{baseUrl}}/api/shift-requests/{id}/reallocate-approve`

Path: id: Long

Handler: approveReallocation() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/attendance/controller/ShiftRequestController.java:167

POST `{{baseUrl}}/api/shift-requests/{id}/reject`

Path: id: Long

Handler: reject() **Returns:** ResponseEntity<ShiftRequest>

src/main/java/com/example/demo/attendance/controller/ShiftRequestController.java:134

WorkTypeRequestController (attendance - 8 endpoints)

GET `{{baseUrl}}/api/work-type-requests`

Handler: listRequests() **Returns:** ResponseEntity<List<WorkTypeRequest>>

src/main/java/com/example/demo/attendance/controller/WorkTypeRequestController.java:38

POST `{{baseUrl}}/api/work-type-requests`

Body: WorkTypeRequest (application/json)

Handler: createRequest() **Returns:** ResponseEntity<WorkTypeRequest>

src/main/java/com/example/demo/attendance/controller/WorkTypeRequestController.java:47

POST `{{baseUrl}}/api/work-type-requests/bulk-approve`

Body: List<Long> (application/json)

Handler: bulkApprove() **Returns:** ResponseEntity<List<WorkTypeRequest>>

src/main/java/com/example/demo/attendance/controller/WorkTypeRequestController.java:98

POST `{{baseUrl}}/api/work-type-requests/bulk-cancel`

Body: List<Long> (application/json)

Handler: bulkCancel() **Returns:** ResponseEntity<List<WorkTypeRequest>>

src/main/java/com/example/demo/attendance/controller/WorkTypeRequestController.java:108

GET `{{baseUrl}}/api/work-type-requests/export`

Query: companyId: Long

Handler: export() **Returns:** ResponseEntity<byte[]>

src/main/java/com/example/demo/attendance/controller/WorkTypeRequestController.java:118

POST `{{baseUrl}}/api/work-type-requests/{id}/approve`

Path: id: Long

Handler: approve() **Returns:** ResponseEntity<WorkTypeRequest>

src/main/java/com/example/demo/attendance/controller/WorkTypeRequestController.java:65

POST `{{baseUrl}}/api/work-type-requests/{id}/cancel`

Path: id: Long

Handler: cancel() **Returns:** ResponseEntity<WorkTypeRequest>

src/main/java/com/example/demo/attendance/controller/WorkTypeRequestController.java:87

POST `{{baseUrl}}/api/work-type-requests/{id}/reject`

Path: id: Long

Handler: reject() **Returns:** ResponseEntity<WorkTypeRequest>

src/main/java/com/example/demo/attendance/controller/WorkTypeRequestController.java:76

AuthController (auth - 7 endpoints)

POST `{{baseUrl}}/api/auth/admin/reset-password/{userId}`

Path: userId: Long

Body: Map<String, String> (application/json)

Handler: adminResetPassword() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/AuthController.java:170

POST `{{baseUrl}}/api/auth/change-password`

Body: Map<String, String> (application/json)

Handler: changePassword() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/AuthController.java:162

POST `{{baseUrl}}/api/auth/change-username`

Body: Map<String, String> (application/json)

Handler: changeUsername() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/AuthController.java:154

POST `{{baseUrl}}/api/auth/forgot-password`

Body: PasswordResetRequest (application/json)

Handler: forgotPassword() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/AuthController.java:138

POST `{{baseUrl}}/api/auth/login`

Body: LoginRequest (application/json)

Handler: login() **Returns:** ResponseEntity<LoginResponse>

src/main/java/com/example/demo/auth/controller/AuthController.java:132

GET `{{baseUrl}}/api/auth/me`

Handler: me() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/auth/controller/AuthController.java:41

POST `{{baseUrl}}/api/auth/reset-password`

Query: token: String, newPassword: String

Handler: resetPassword() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/AuthController.java:145

CrossBranchAccessController (auth - 3 endpoints)

POST `{{baseUrl}}/api/cross-branch-access/grant`

Query: userId: Long, targetCompanyId: Long, grantedByCompanyId: Long, reason: String (optional)

Handler: grant() **Returns:** ResponseEntity<CrossBranchAccessGrant>

src/main/java/com/example/demo/auth/controller/CrossBranchAccessController.java:29

DELETE `{{baseUrl}}/api/cross-branch-access/revoke`

Query: userId: Long, targetCompanyId: Long

Handler: revoke() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/CrossBranchAccessController.java:44

GET `{{baseUrl}}/api/cross-branch-access/user/{userId}`

Path: userId: Long

Handler: getUserGrants() **Returns:** ResponseEntity<List<CrossBranchAccessGrant>>

src/main/java/com/example/demo/auth/controller/CrossBranchAccessController.java:56

TwoFactorAuthController (auth - 7 endpoints)

GET `{{baseUrl}}/api/2fa/admin/user/{userId}`

Path: userId: Long

Handler: adminGetStatus() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/auth/controller/TwoFactorAuthController.java:171

POST `{{baseUrl}}/api/2fa/admin/user/{userId}/disable`

Path: userId: Long

Handler: adminDisable() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/TwoFactorAuthController.java:181

POST `{{baseUrl}}/api/2fa/disable`

Body: Map<String, String> (application/json)

Handler: disable() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/TwoFactorAuthController.java:137

POST `{{baseUrl}}/api/2fa/send-otp`

Handler: sendOtp() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/auth/controller/TwoFactorAuthController.java:84

POST `{{baseUrl}}/api/2fa/setup`

Handler: setup() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/auth/controller/TwoFactorAuthController.java:55

GET `{{baseUrl}}/api/2fa/status`

Handler: getStatus() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/auth/controller/TwoFactorAuthController.java:44

POST `{{baseUrl}}/api/2fa/verify`

Body: Map<String, String> (application/json)

Handler: verify() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/TwoFactorAuthController.java:111

UserGroupController (auth - 10 endpoints)

GET `{{baseUrl}}/api/user-groups`

Query: companyId: Long (optional)

Handler: list() **Returns:** ResponseEntity<List<UserGroup>>

src/main/java/com/example/demo/auth/controller/UserGroupController.java:37

POST `{{baseUrl}}/api/user-groups`

Body: UserGroup (application/json)

Handler: create() **Returns:** ResponseEntity<UserGroup>

src/main/java/com/example/demo/auth/controller/UserGroupController.java:57

GET `{{baseUrl}}/api/user-groups/user/{userId}`

Path: userId: Long

Handler: getUserGroups() **Returns:** ResponseEntity<List<UserGroup>>

src/main/java/com/example/demo/auth/controller/UserGroupController.java:146

DELETE `{{baseUrl}}/api/user-groups/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/UserGroupController.java:82

GET `{{baseUrl}}/api/user-groups/{id}`

Path: id: Long

Handler: get() **Returns:** ResponseEntity<UserGroup>

src/main/java/com/example/demo/auth/controller/UserGroupController.java:48

PUT `{{baseUrl}}/api/user-groups/{id}`

Path: id: Long

Body: UserGroup (application/json)

Handler: update() **Returns:** ResponseEntity<UserGroup>

src/main/java/com/example/demo/auth/controller/UserGroupController.java:69

GET `{{baseUrl}}/api/user-groups/{id}/members`

Path: id: Long

Handler: listMembers() **Returns:** ResponseEntity<List<User>>

src/main/java/com/example/demo/auth/controller/UserGroupController.java:96

POST `{{baseUrl}}/api/user-groups/{id}/members/bulk-assign`

Path: id: Long

Body: List<Long> (application/json)

Handler: bulkAssign() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/auth/controller/UserGroupController.java:132

DELETE `{{baseUrl}}/api/user-groups/{id}/members/{userId}`

Path: id: Long, userId: Long

Handler: removeMember() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/UserGroupController.java:120

POST `{{baseUrl}}/api/user-groups/{id}/members/{userId}`

Path: id: Long, userId: Long

Handler: addMember() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/UserGroupController.java:106

UserPermissionController (auth - 4 endpoints)

POST `{{baseUrl}}/api/user-permissions/grant`

Body: Map<String, Object> (application/json)

Handler: grantPermission() **Returns:** ResponseEntity<UserPermissionOverride>

src/main/java/com/example/demo/auth/controller/UserPermissionController.java:41

POST `{{baseUrl}}/api/user-permissions/revoke`

Body: Map<String, Object> (application/json)

Handler: revokePermission() **Returns:** ResponseEntity<UserPermissionOverride>

src/main/java/com/example/demo/auth/controller/UserPermissionController.java:66

GET `{{baseUrl}}/api/user-permissions/user/{userId}`

Path: userId: Long

Handler: getUserPermissions() **Returns:** ResponseEntity<List<UserPermissionOverride>>

src/main/java/com/example/demo/auth/controller/UserPermissionController.java:33

DELETE `{{baseUrl}}/api/user-permissions/user/{userId}/permission/{permissionCode}`

Path: userId: Long, permissionCode: String

Handler: removeOverride() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/UserPermissionController.java:91

UserRoleController (auth - 6 endpoints)

GET `{{baseUrl}}/api/user-roles`

Handler: getAll() **Returns:** ResponseEntity<List<UserRoleDto>>

src/main/java/com/example/demo/auth/controller/UserRoleController.java:25

POST `{{baseUrl}}/api/user-roles/assign`

Body: AssignRoleRequest (application/json)

Handler: assign() **Returns:** ResponseEntity<UserRoleDto>

src/main/java/com/example/demo/auth/controller/UserRoleController.java:39

GET `{{baseUrl}}/api/user-roles/company/{companyId}`

Path: companyId: Long

Handler: getCompanyUsers() **Returns:** ResponseEntity<List<UserRoleDto>>

src/main/java/com/example/demo/auth/controller/UserRoleController.java:63

DELETE `{{baseUrl}}/api/user-roles/revoke`

Query: userId: Long, roleId: Long, companyId: Long

Handler: revoke() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/auth/controller/UserRoleController.java:46

GET `{{baseUrl}}/api/user-roles/user/{userId}`

Path: userId: Long

Handler: getUserRoles() **Returns:** ResponseEntity<List<UserRoleDto>>

src/main/java/com/example/demo/auth/controller/UserRoleController.java:56

GET `{{baseUrl}}/api/user-roles/users`

Handler: getUsers() **Returns:** ResponseEntity<List<Map<String, Object>>>

src/main/java/com/example/demo/auth/controller/UserRoleController.java:32

BackupController (backup - 4 endpoints)

GET `{{baseUrl}}/api/backup/gdrive`

Handler: getGoogleDriveBackup() **Returns:** ResponseEntity<GoogleDriveBackup>

src/main/java/com/example/demo/backup/controller/BackupController.java:32

POST `{{baseUrl}}/api/backup/gdrive`

Body: GoogleDriveBackup (application/json)

Handler: saveGoogleDriveBackup() **Returns:** ResponseEntity<GoogleDriveBackup>

src/main/java/com/example/demo/backup/controller/BackupController.java:38

GET `{{baseUrl}}/api/backup/local`

Handler: getLocalBackup() **Returns:** ResponseEntity<LocalBackup>

src/main/java/com/example/demo/backup/controller/BackupController.java:20

POST `{{baseUrl}}/api/backup/local`

Body: LocalBackup (application/json)

Handler: saveLocalBackup() **Returns:** ResponseEntity<LocalBackup>

src/main/java/com/example/demo/backup/controller/BackupController.java:26

AnnouncementController (base - 6 endpoints)

GET `{{baseUrl}}/api/announcements`

Handler: list() **Returns:** ResponseEntity<List<Announcement>>

src/main/java/com/example/demo/base/controller/AnnouncementController.java:33

POST `{{baseUrl}}/api/announcements`

Body: Announcement (application/json)

Handler: create() **Returns:** ResponseEntity<Announcement>

src/main/java/com/example/demo/base/controller/AnnouncementController.java:42

DELETE `{{baseUrl}}/api/announcements/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/AnnouncementController.java:69

PUT `{{baseUrl}}/api/announcements/{id}`

Path: id: Long

Body: Announcement (application/json)

Handler: update() **Returns:** ResponseEntity<Announcement>

src/main/java/com/example/demo/base/controller/AnnouncementController.java:56

GET `{{baseUrl}}/api/announcements/{id}/comments`

Path: id: Long

Handler: listComments() **Returns:** ResponseEntity<List<AnnouncementComment>>

src/main/java/com/example/demo/base/controller/AnnouncementController.java:77

POST `{{baseUrl}}/api/announcements/{id}/comments`

Path: id: Long

Body: AnnouncementComment (application/json)

Handler: addComment() **Returns:** ResponseEntity<AnnouncementComment>

src/main/java/com/example/demo/base/controller/AnnouncementController.java:85

ApprovalConditionController (base - 6 endpoints)

GET `{{baseUrl}}/api/approval-conditions`

Handler: list() **Returns:** ResponseEntity<List<ApprovalCondition>>

src/main/java/com/example/demo/base/controller/ApprovalConditionController.java:33

POST `{{baseUrl}}/api/approval-conditions`

Body: ApprovalCondition (application/json)

Handler: create() **Returns:** ResponseEntity<ApprovalCondition>

src/main/java/com/example/demo/base/controller/ApprovalConditionController.java:42

DELETE `{{baseUrl}}/api/approval-conditions/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/ApprovalConditionController.java:68

PUT `{{baseUrl}}/api/approval-conditions/{id}`

Path: id: Long

Body: ApprovalCondition (application/json)

Handler: update() **Returns:** ResponseEntity<ApprovalCondition>

src/main/java/com/example/demo/base/controller/ApprovalConditionController.java:53

GET `{{baseUrl}}/api/approval-conditions/{id}/managers`

Path: id: Long

Handler: listManagers() **Returns:** ResponseEntity<List<ApprovalConditionManager>>

src/main/java/com/example/demo/base/controller/ApprovalConditionController.java:76

POST `{{baseUrl}}/api/approval-conditions/{id}/managers`

Path: id: Long

Body: ApprovalConditionManager (application/json)

Handler: addManager() **Returns:** ResponseEntity<ApprovalConditionManager>

src/main/java/com/example/demo/base/controller/ApprovalConditionController.java:84

BaseExtrasController (base - 60 endpoints)

POST `{{baseUrl}}/api/announcements/{id}/view`

Path: id: Long

Query: employeeId: Long

Handler: markAnnouncementViewed() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:272

GET `{{baseUrl}}/api/announcements/{id}/views`

Path: id: Long

Handler: getAnnouncementViews() **Returns:** ResponseEntity<List<AnnouncementView>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:289

GET `{{baseUrl}}/api/attendance/track-settings`

Query: companyId: Long

Handler: getTrackSettings() **Returns:** ResponseEntity<TrackLateComeEarlyOut>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:298

POST `{{baseUrl}}/api/attendance/track-settings`

Query: companyId: Long

Body: TrackLateComeEarlyOut (application/json)

Handler: saveTrackSettings() **Returns:** ResponseEntity<TrackLateComeEarlyOut>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:306

GET `{{baseUrl}}/api/biometric-attendance/company/{companyId}`

Path: companyId: Long

Handler: getBiometricAttendance() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:643

POST `{{baseUrl}}/api/biometric-attendance/company/{companyId}/toggle`

Path: companyId: Long

Handler: toggleBiometricAttendance() **Returns:** ResponseEntity<BiometricAttendance>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:650

POST `{{baseUrl}}/api/company-access-controls`

Body: CompanyAccessControl (application/json)

Handler: saveCompanyAccessControl() **Returns:** ResponseEntity<CompanyAccessControl>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:571

GET `{{baseUrl}}/api/company-access-controls/user/{userId}`

Path: userId: Long

Handler: getCompanyAccessControl() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:564

GET `{{baseUrl}}/api/email-config`

Query: companyId: Long

Handler: getEmailConfig() **Returns:** ResponseEntity<DynamicEmailConfig>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:234

POST `{{baseUrl}}/api/email-config`

Query: companyId: Long

Body: DynamicEmailConfig (application/json)

Handler: saveEmailConfig() **Returns:** ResponseEntity<DynamicEmailConfig>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:241

GET `{{baseUrl}}/api/email-logs`

Query: companyId: Long

Handler: listEmailLogs() **Returns:** ResponseEntity<List<EmailLog>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:263

GET `{{baseUrl}}/api/employee-shifts`

Handler: listEmployeeShifts() **Returns:** ResponseEntity<List<EmployeeShift>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:95

POST `{{baseUrl}}/api/employee-shifts`

Body: EmployeeShift (application/json)

Handler: createEmployeeShift() **Returns:** ResponseEntity<EmployeeShift>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:103

DELETE `{{baseUrl}}/api/employee-shifts/days/{dayId}`

Path: dayId: Long

Handler: deleteShiftDay() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:148

DELETE `{{baseUrl}}/api/employee-shifts/{id}`

Path: id: Long

Handler: deleteEmployeeShift() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:126

PUT `{{baseUrl}}/api/employee-shifts/{id}`

Path: id: Long

Body: EmployeeShift (application/json)

Handler: updateEmployeeShift() **Returns:** ResponseEntity<EmployeeShift>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:113

GET `{{baseUrl}}/api/employee-shifts/{id}/days`

Path: id: Long

Handler: listShiftDays() **Returns:** ResponseEntity<List<EmployeeShiftDay>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:133

POST `{{baseUrl}}/api/employee-shifts/{id}/days`

Path: id: Long

Body: EmployeeShiftDay (application/json)

Handler: addShiftDay() **Returns:** ResponseEntity<EmployeeShiftDay>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:140

GET `{{baseUrl}}/api/employee-types`

Handler: listEmployeeTypes() **Returns:** ResponseEntity<List<EmployeeType>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:57

POST `{{baseUrl}}/api/employee-types`

Body: EmployeeType (application/json)

Handler: createEmployeeType() **Returns:** ResponseEntity<EmployeeType>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:65

DELETE `{{baseUrl}}/api/employee-types/{id}`

Path: id: Long

Handler: deleteEmployeeType() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:86

PUT `{{baseUrl}}/api/employee-types/{id}`

Path: id: Long

Body: EmployeeType (application/json)

Handler: updateEmployeeType() **Returns:** ResponseEntity<EmployeeType>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:75

GET `{{baseUrl}}/api/job-positions`

Handler: listJobPositions() **Returns:** ResponseEntity<List<JobPosition>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:463

POST `{{baseUrl}}/api/job-positions`

Body: JobPosition (application/json)

Handler: createJobPosition() **Returns:** ResponseEntity<JobPosition>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:471

DELETE `{{baseUrl}}/api/job-positions/{id}`

Path: id: Long

Handler: deleteJobPosition() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:494

PUT `{{baseUrl}}/api/job-positions/{id}`

Path: id: Long

Body: JobPosition (application/json)

Handler: updateJobPosition() **Returns:** ResponseEntity<JobPosition>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:482

GET `{{baseUrl}}/api/job-roles`

Handler: listJobRoles() **Returns:** ResponseEntity<List<JobRole>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:503

POST `{{baseUrl}}/api/job-roles`

Body: JobRole (application/json)

Handler: createJobRole() **Returns:** ResponseEntity<JobRole>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:511

DELETE `{{baseUrl}}/api/job-roles/{id}`

Path: id: Long

Handler: deleteJobRole() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:534

PUT `{{baseUrl}}/api/job-roles/{id}`

Path: id: Long

Body: JobRole (application/json)

Handler: updateJobRole() **Returns:** ResponseEntity<JobRole>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:522

GET `{{baseUrl}}/api/mail-templates`

Handler: listMailTemplates() **Returns:** ResponseEntity<List<MailTemplate>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:194

POST `{{baseUrl}}/api/mail-templates`

Body: MailTemplate (application/json)

Handler: createMailTemplate() **Returns:** ResponseEntity<MailTemplate>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:202

DELETE `{{baseUrl}}/api/mail-templates/{id}`

Path: id: Long

Handler: deleteMailTemplate() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:225

PUT `{{baseUrl}}/api/mail-templates/{id}`

Path: id: Long

Body: MailTemplate (application/json)

Handler: updateMailTemplate() **Returns:** ResponseEntity<MailTemplate>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:212

GET `{{baseUrl}}/api/notification-sound/employee/{employeeId}`

Path: employeeId: Long

Handler: getNotificationSound() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:598

POST `{{baseUrl}}/api/notification-sound/employee/{employeeId}/toggle`

Path: employeeId: Long

Handler: toggleNotificationSound() **Returns:** ResponseEntity<NotificationSound>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:605

GET `{{baseUrl}}/api/pagination/user/{userId}`

Path: userId: Long

Handler: getDynamicPagination() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:620

POST `{{baseUrl}}/api/pagination/user/{userId}`

Path: userId: Long

Query: pageSize: Integer

Handler: saveDynamicPagination() **Returns:** ResponseEntity<DynamicPagination>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:627

GET `{{baseUrl}}/api/penalty-accounts`

Handler: listPenaltyAccounts() **Returns:** ResponseEntity<List<PenaltyAccount>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:324

POST `{{baseUrl}}/api/penalty-accounts`

Body: PenaltyAccount (application/json)

Handler: createPenaltyAccount() **Returns:** ResponseEntity<PenaltyAccount>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:332

DELETE `{{baseUrl}}/api/penalty-accounts/{id}`

Path: id: Long

Handler: deletePenaltyAccount() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:355

PUT `{{baseUrl}}/api/penalty-accounts/{id}`

Path: id: Long

Body: PenaltyAccount (application/json)

Handler: updatePenaltyAccount() **Returns:** ResponseEntity<PenaltyAccount>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:342

GET `{{baseUrl}}/api/shift-requests/{id}/comments`

Path: id: Long

Handler: listShiftRequestComments() **Returns:** ResponseEntity<List<ShiftRequestComment>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:364

POST `{{baseUrl}}/api/shift-requests/{id}/comments`

Path: id: Long

Body: ShiftRequestComment (application/json)

Handler: addShiftRequestComment() **Returns:** ResponseEntity<ShiftRequestComment>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:371

GET `{{baseUrl}}/api/shift-schedules`

Handler: listShiftSchedules() **Returns:** ResponseEntity<List<ShiftSchedule>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:385

POST `{{baseUrl}}/api/shift-schedules`

Body: ShiftSchedule (application/json)

Handler: createShiftSchedule() **Returns:** ResponseEntity<ShiftSchedule>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:393

DELETE `{{baseUrl}}/api/shift-schedules/{id}`

Path: id: Long

Handler: deleteShiftSchedule() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:418

PUT `{{baseUrl}}/api/shift-schedules/{id}`

Path: id: Long

Body: ShiftSchedule (application/json)

Handler: updateShiftSchedule() **Returns:** ResponseEntity<ShiftSchedule>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:402

GET `{{baseUrl}}/api/shift-schedules/{shiftId}/day-schedules`

Path: shiftId: Long

Handler: listShiftDaySchedules() **Returns:** ResponseEntity<List<EmployeeShiftSchedule>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:580

POST `{{baseUrl}}/api/shift-schedules/{shiftId}/day-schedules`

Path: shiftId: Long

Body: EmployeeShiftSchedule (application/json)

Handler: createShiftDaySchedule() **Returns:** ResponseEntity<EmployeeShiftSchedule>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:587

GET `{{baseUrl}}/api/tags`

Handler: listTags() **Returns:** ResponseEntity<List<com.example.demo.base.entity.Tag>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:157

POST `{{baseUrl}}/api/tags`

Body: com.example.demo.base.entity.Tag (application/json)

Handler: createTag() **Returns:** ResponseEntity<com.example.demo.base.entity.Tag>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:165

DELETE `{{baseUrl}}/api/tags/{id}`

Path: id: Long

Handler: deleteTag() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:185

PUT `{{baseUrl}}/api/tags/{id}`

Path: id: Long

Body: com.example.demo.base.entity.Tag (application/json)

Handler: updateTag() **Returns:** ResponseEntity<com.example.demo.base.entity.Tag>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:175

GET `{{baseUrl}}/api/work-type-requests/{id}/comments`

Path: id: Long

Handler: listWorkTypeRequestComments() **Returns:** ResponseEntity<List<WorkTypeRequestComment>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:543

POST `{{baseUrl}}/api/work-type-requests/{id}/comments`

Path: id: Long

Body: WorkTypeRequestComment (application/json)

Handler: addWorkTypeRequestComment() **Returns:** ResponseEntity<WorkTypeRequestComment>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:550

GET `{{baseUrl}}/api/work-types`

Handler: listWorkTypes() **Returns:** ResponseEntity<List<WorkType>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:427

POST `{{baseUrl}}/api/work-types`

Body: WorkType (application/json)

Handler: createWorkType() **Returns:** ResponseEntity<WorkType>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:435

DELETE `{{baseUrl}}/api/work-types/{id}`

Path: id: Long

Handler: deleteWorkType() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:454

PUT `{{baseUrl}}/api/work-types/{id}`

Path: id: Long

Body: WorkType (application/json)

Handler: updateWorkType() **Returns:** ResponseEntity<WorkType>

src/main/java/com/example/demo/base/controller/BaseExtrasController.java:444

CompanyController (base - 13 endpoints)

GET `{{baseUrl}}/api/companies`

Headers: X-Company-Id: Long

Handler: listAll() **Returns:** ResponseEntity<List<Company>>

src/main/java/com/example/demo/base/controller/CompanyController.java:35

GET `{{baseUrl}}/api/companies/branches/summary`

Query: companyId: Long

Handler: branchesSummaryByParam() **Returns:** ResponseEntity<List<Map<String, Object>>>

src/main/java/com/example/demo/base/controller/CompanyController.java:95

POST `{{baseUrl}}/api/companies/head-office`

Body: CompanyRequest (application/json)

Handler: createHeadOffice() **Returns:** ResponseEntity<Company>

src/main/java/com/example/demo/base/controller/CompanyController.java:57

GET `{{baseUrl}}/api/companies/head-offices`

Handler: listHeadOffices() **Returns:** ResponseEntity<List<Company>>

src/main/java/com/example/demo/base/controller/CompanyController.java:50

GET `{{baseUrl}}/api/companies/mine`

Handler: getMine() **Returns:** ResponseEntity<Company>

src/main/java/com/example/demo/base/controller/CompanyController.java:66

GET `{{baseUrl}}/api/companies/{headOfficeId}/branches`

Path: headOfficeId: Long

Handler: listBranches() **Returns:** ResponseEntity<List<Company>>

src/main/java/com/example/demo/base/controller/CompanyController.java:88

POST `{{baseUrl}}/api/companies/{headOfficeId}/branches`

Path: headOfficeId: Long

Body: CompanyRequest (application/json)

Handler: createBranch() **Returns:** ResponseEntity<Company>

src/main/java/com/example/demo/base/controller/CompanyController.java:120

GET `{{baseUrl}}/api/companies/{headOfficeId}/branches-summary`

Path: headOfficeId: Long

Handler: branchesSummary() **Returns:** ResponseEntity<List<Map<String, Object>>>

src/main/java/com/example/demo/base/controller/CompanyController.java:102

DELETE `{{baseUrl}}/api/companies/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/CompanyController.java:144

GET `{{baseUrl}}/api/companies/{id}`

Path: id: Long

Handler: get() **Returns:** ResponseEntity<Company>

src/main/java/com/example/demo/base/controller/CompanyController.java:80

PUT `{{baseUrl}}/api/companies/{id}`

Path: id: Long

Body: CompanyRequest (application/json)

Handler: update() **Returns:** ResponseEntity<Company>

src/main/java/com/example/demo/base/controller/CompanyController.java:128

PATCH `{{baseUrl}}/api/companies/{id}/currency`

Path: id: Long

Body: Map<String, String> (application/json)

Handler: updateCurrency() **Returns:** ResponseEntity<Company>

src/main/java/com/example/demo/base/controller/CompanyController.java:136

POST `{{baseUrl}}/api/companies/{id}/logo`

Path: id: Long

Query: file: MultipartFile

Handler: uploadLogo() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/CompanyController.java:152

DepartmentController (base - 5 endpoints)

GET `{{baseUrl}}/api/departments`

Handler: list() **Returns:** ResponseEntity<List<Department>>

src/main/java/com/example/demo/base/controller/DepartmentController.java:31

POST `{{baseUrl}}/api/departments`

Query: companyId: Long (optional), managerId: Long (optional)

Body: Department (application/json)

Handler: create() **Returns:** ResponseEntity<Department>

src/main/java/com/example/demo/base/controller/DepartmentController.java:48

DELETE `{{baseUrl}}/api/departments/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/DepartmentController.java:84

GET `{{baseUrl}}/api/departments/{id}`

Path: id: Long

Handler: get() **Returns:** ResponseEntity<Department>

src/main/java/com/example/demo/base/controller/DepartmentController.java:41

PUT `{{baseUrl}}/api/departments/{id}`

Path: id: Long

Query: managerId: Long (optional)

Body: Department (application/json)

Handler: update() **Returns:** ResponseEntity<Department>

src/main/java/com/example/demo/base/controller/DepartmentController.java:68

GeneralSettingsController (base - 20 endpoints)

GET `{{baseUrl}}/api/settings/audit-tags`

Query: companyId: Long

Handler: listAuditTags() **Returns:** ResponseEntity<List<AuditTag>>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:303

POST `{{baseUrl}}/api/settings/audit-tags`

Query: companyId: Long

Body: AuditTag (application/json)

Handler: createAuditTag() **Returns:** ResponseEntity<AuditTag>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:311

DELETE `{{baseUrl}}/api/settings/audit-tags/{id}`

Path: id: Long

Handler: deleteAuditTag() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:332

PUT `{{baseUrl}}/api/settings/audit-tags/{id}`

Path: id: Long

Body: AuditTag (application/json)

Handler: updateAuditTag() **Returns:** ResponseEntity<AuditTag>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:320

GET `{{baseUrl}}/api/settings/dashboard-components`

Query: companyId: Long

Handler: getDashboardComponents() **Returns:** ResponseEntity<List<DashboardComponentSetting>>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:85

POST `{{baseUrl}}/api/settings/dashboard-components/bulk-update`

Query: companyId: Long

Body: List<Map<String, Object>> (application/json)

Handler: bulkUpdateDashboardComponents() **Returns:** ResponseEntity<List<DashboardComponentSetting>>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:113

POST `{{baseUrl}}/api/settings/dashboard-components/toggle`

Query: companyId: Long, componentKey: String

Handler: toggleDashboardComponent() **Returns:** ResponseEntity<DashboardComponentSetting>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:93

GET `{{baseUrl}}/api/settings/date-time-format`

Query: companyId: Long

Handler: getDateTimeFormat() **Returns:** ResponseEntity<CompanyDateTimeFormat>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:52

POST `{{baseUrl}}/api/settings/date-time-format`

Query: companyId: Long

Body: CompanyDateTimeFormat (application/json)

Handler: saveDateTimeFormat() **Returns:** ResponseEntity<CompanyDateTimeFormat>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:66

POST `{{baseUrl}}/api/settings/email/set-primary`

Query: companyId: Long, configId: Long

Handler: setEmailPrimary() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:216

POST `{{baseUrl}}/api/settings/email/test`

Query: companyId: Long, testEmailTo: String

Handler: testEmailServer() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:180

GET `{{baseUrl}}/api/settings/helpdesk-tags`

Query: companyId: Long

Handler: listHelpdeskTags() **Returns:** ResponseEntity<List<HelpdeskTag>>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:262

POST `{{baseUrl}}/api/settings/helpdesk-tags`

Query: companyId: Long

Body: HelpdeskTag (application/json)

Handler: createHelpdeskTag() **Returns:** ResponseEntity<HelpdeskTag>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:270

DELETE `{{baseUrl}}/api/settings/helpdesk-tags/{id}`

Path: id: Long

Handler: deleteHelpdeskTag() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:292

PUT `{{baseUrl}}/api/settings/helpdesk-tags/{id}`

Path: id: Long

Body: HelpdeskTag (application/json)

Handler: updateHelpdeskTag() **Returns:** ResponseEntity<HelpdeskTag>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:280

GET `{{baseUrl}}/api/settings/history-tracking`

Handler: getHistoryTracking() **Returns:** ResponseEntity<HistoryTrackingFields>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:238

POST `{{baseUrl}}/api/settings/history-tracking`

Body: HistoryTrackingFields (application/json)

Handler: saveHistoryTracking() **Returns:** ResponseEntity<HistoryTrackingFields>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:247

GET `{{baseUrl}}/api/settings/white-label`

Query: companyId: Long

Handler: getWhiteLabel() **Returns:** ResponseEntity<WhiteLabelSetting>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:139

POST `{{baseUrl}}/api/settings/white-label`

Query: companyId: Long

Body: WhiteLabelSetting (application/json)

Handler: saveWhiteLabel() **Returns:** ResponseEntity<WhiteLabelSetting>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:147

POST `{{baseUrl}}/api/settings/white-label/toggle`

Query: companyId: Long

Handler: toggleWhiteLabel() **Returns:** ResponseEntity<WhiteLabelSetting>

src/main/java/com/example/demo/base/controller/GeneralSettingsController.java:167

MailAutomationController (base - 6 endpoints)

GET `{{baseUrl}}/api/mail-automations`

Handler: list() **Returns:** ResponseEntity<List<MailAutomation>>

src/main/java/com/example/demo/base/controller/MailAutomationController.java:27

POST `{{baseUrl}}/api/mail-automations`

Body: MailAutomation (application/json)

Handler: create() **Returns:** ResponseEntity<MailAutomation>

src/main/java/com/example/demo/base/controller/MailAutomationController.java:43

GET `{{baseUrl}}/api/mail-automations/active`

Handler: listActive() **Returns:** ResponseEntity<List<MailAutomation>>

src/main/java/com/example/demo/base/controller/MailAutomationController.java:35

DELETE `{{baseUrl}}/api/mail-automations/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/MailAutomationController.java:86

PUT `{{baseUrl}}/api/mail-automations/{id}`

Path: id: Long

Body: MailAutomation (application/json)

Handler: update() **Returns:** ResponseEntity<MailAutomation>

src/main/java/com/example/demo/base/controller/MailAutomationController.java:54

PATCH `{{baseUrl}}/api/mail-automations/{id}/toggle`

Path: id: Long

Handler: toggle() **Returns:** ResponseEntity<MailAutomation>

src/main/java/com/example/demo/base/controller/MailAutomationController.java:75

MultipleApprovalConditionController (base - 4 endpoints)

GET `{{baseUrl}}/api/multiple-approval-conditions`

Query: departmentId: Long (optional)

Handler: list() **Returns:** ResponseEntity<List<MultipleApprovalCondition>>

src/main/java/com/example/demo/base/controller/MultipleApprovalConditionController.java:27

POST `{{baseUrl}}/api/multiple-approval-conditions`

Body: MultipleApprovalCondition (application/json)

Handler: create() **Returns:** ResponseEntity<MultipleApprovalCondition>

src/main/java/com/example/demo/base/controller/MultipleApprovalConditionController.java:39

DELETE `{{baseUrl}}/api/multiple-approval-conditions/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/MultipleApprovalConditionController.java:69

PUT `{{baseUrl}}/api/multiple-approval-conditions/{id}`

Path: id: Long

Body: MultipleApprovalCondition (application/json)

Handler: update() **Returns:** ResponseEntity<MultipleApprovalCondition>

src/main/java/com/example/demo/base/controller/MultipleApprovalConditionController.java:50

OrganizationController (base - 14 endpoints)

GET `{{baseUrl}}/api/organizations`

Handler: list() **Returns:** ResponseEntity<List<Organization>>

src/main/java/com/example/demo/base/controller/OrganizationController.java:34

POST `{{baseUrl}}/api/organizations`

Body: CreateOrganizationRequest (application/json)

Handler: create() **Returns:** ResponseEntity<Organization>

src/main/java/com/example/demo/base/controller/OrganizationController.java:55

GET `{{baseUrl}}/api/organizations/orphan-companies`

Handler: listOrphanCompanies() **Returns:** ResponseEntity<List<com.example.demo.base.entity.Company>>

src/main/java/com/example/demo/base/controller/OrganizationController.java:125

POST `{{baseUrl}}/api/organizations/provision-for-company/{companyId}`

Path: companyId: Long

Handler: provisionForCompany() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/base/controller/OrganizationController.java:132

GET `{{baseUrl}}/api/organizations/without-head-office`

Handler: listWithoutHeadOffice() **Returns:** ResponseEntity<List<Organization>>

src/main/java/com/example/demo/base/controller/OrganizationController.java:41

DELETE `{{baseUrl}}/api/organizations/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/base/controller/OrganizationController.java:86

GET `{{baseUrl}}/api/organizations/{id}`

Path: id: Long

Handler: get() **Returns:** ResponseEntity<Organization>

src/main/java/com/example/demo/base/controller/OrganizationController.java:48

PUT `{{baseUrl}}/api/organizations/{id}`

Path: id: Long

Body: Organization (application/json)

Handler: update() **Returns:** ResponseEntity<Organization>

src/main/java/com/example/demo/base/controller/OrganizationController.java:62

POST `{{baseUrl}}/api/organizations/{id}/activate`

Path: id: Long

Handler: activate() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/OrganizationController.java:70

POST `{{baseUrl}}/api/organizations/{id}/logo`

Path: id: Long

Query: file: MultipartFile

Handler: uploadLogo() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/OrganizationController.java:116

GET `{{baseUrl}}/api/organizations/{id}/plan-limits`

Path: id: Long

Handler: planLimits() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/base/controller/OrganizationController.java:101

GET `{{baseUrl}}/api/organizations/{id}/stats`

Path: id: Long

Handler: stats() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/base/controller/OrganizationController.java:94

POST `{{baseUrl}}/api/organizations/{id}/subscription`

Path: id: Long

Query: plan: SubscriptionPlan

Handler: updateSubscription() **Returns:** ResponseEntity<Organization>

src/main/java/com/example/demo/base/controller/OrganizationController.java:108

POST `{{baseUrl}}/api/organizations/{id}/suspend`

Path: id: Long

Handler: suspend() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/base/controller/OrganizationController.java:78

AdmsController (biometric - 4 endpoints)

POST `{{baseUrl}}/iclock/cdata`

Query: SN: String, table: String, Stamp: String

Handler: pushAttendance() **Returns:** ResponseEntity<String>

src/main/java/com/example/demo/biometric/controller/AdmsController.java:98

GET `{{baseUrl}}/iclock/devicecmd`

Query: SN: String

Handler: deviceCmd() **Returns:** ResponseEntity<String>

src/main/java/com/example/demo/biometric/controller/AdmsController.java:144

GET `{{baseUrl}}/iclock/getrequest`

Query: SN: String, INFO: String (optional)

Handler: getRequest() **Returns:** ResponseEntity<String>

src/main/java/com/example/demo/biometric/controller/AdmsController.java:51

`GET` **`{{baseUrl}}/iclock/ping`**

Query: SN: String

Handler: ping() **Returns:** ResponseEntity<String>

src/main/java/com/example/demo/biometric/controller/AdmsController.java:83

BiometricController (biometric - 10 endpoints)

`GET` **`{{baseUrl}}/api/biometric/cosec-arguments`**

Query: deviceId: Long (optional)

Handler: listCosecArguments() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/biometric/controller/BiometricController.java:86

`POST` **`{{baseUrl}}/api/biometric/cosec-arguments`**

Query: deviceId: Long (optional)

Body: CosecAttendanceArguments (application/json)

Handler: createOrUpdateCosecArguments() **Returns:** ResponseEntity<CosecAttendanceArguments>

src/main/java/com/example/demo/biometric/controller/BiometricController.java:93

`GET` **`{{baseUrl}}/api/biometric/devices`**

Query: companyId: Long (optional)

Handler: listDevices() **Returns:** ResponseEntity<List<BiometricDevice>>

src/main/java/com/example/demo/biometric/controller/BiometricController.java:26

`POST` **`{{baseUrl}}/api/biometric/devices`**

Body: BiometricDevice (application/json)

Handler: createDevice() **Returns:** ResponseEntity<BiometricDevice>

src/main/java/com/example/demo/biometric/controller/BiometricController.java:33

`DELETE` **`{{baseUrl}}/api/biometric/devices/{id}`**

Path: id: Long

Handler: deleteDevice() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/biometric/controller/BiometricController.java:47

`PUT` **`{{baseUrl}}/api/biometric/devices/{id}`**

Path: id: Long

Body: BiometricDevice (application/json)

Handler: updateDevice() **Returns:** ResponseEntity<BiometricDevice>

src/main/java/com/example/demo/biometric/controller/BiometricController.java:40

`GET` **`{{baseUrl}}/api/biometric/employees`**

Query: deviceId: Long (optional), employeeId: Long (optional)

Handler: listBiometricEmployees() **Returns:** ResponseEntity<List<BiometricEmployee>>

src/main/java/com/example/demo/biometric/controller/BiometricController.java:56

POST `{{baseUrl}}/api/biometric/employees`

Body: BiometricEmployee (application/json)

Handler: createBiometricEmployee() **Returns:** ResponseEntity<BiometricEmployee>

src/main/java/com/example/demo/biometric/controller/BiometricController.java:64

DELETE `{{baseUrl}}/api/biometric/employees/{id}`

Path: id: Long

Handler: deleteBiometricEmployee() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/biometric/controller/BiometricController.java:77

PUT `{{baseUrl}}/api/biometric/employees/{id}`

Path: id: Long

Body: BiometricEmployee (application/json)

Handler: updateBiometricEmployee() **Returns:** ResponseEntity<BiometricEmployee>

src/main/java/com/example/demo/biometric/controller/BiometricController.java:70

FileUploadController (common - 4 endpoints)

POST `{{baseUrl}}/api/files/document`

Query: file: MultipartFile

Handler: uploadDocument() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/common/controller/FileUploadController.java:62

POST `{{baseUrl}}/api/files/profile-photo`

Query: file: MultipartFile

Handler: uploadProfilePhoto() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/common/controller/FileUploadController.java:50

POST `{{baseUrl}}/api/files/upload`

Query: file: MultipartFile, dir: String

Handler: upload() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/common/controller/FileUploadController.java:37

GET `{{baseUrl}}/api/files/{*filePath}`

Path: filePath: String

Handler: serveFile() **Returns:** ResponseEntity<Resource>

src/main/java/com/example/demo/common/controller/FileUploadController.java:84

AuditController (demo - 3 endpoints)

GET `{{baseUrl}}/api/audit/account-block-feature`

Handler: getAccountBlockFeature() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/audit/AuditController.java:43

POST `{{baseUrl}}/api/audit/account-block-feature/toggle`

Handler: toggleAccountBlockFeature() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/audit/AuditController.java:53

GET `{{baseUrl}}/api/audit/logs`

Query: entityType: String (optional), 0: int, 20: int

Handler: listLogs() **Returns:** ResponseEntity<Page<AuditLog>>

src/main/java/com/example/demo/audit/AuditController.java:27

DocumentController (documents - 11 endpoints)

GET `{{baseUrl}}/api/documents`

Handler: listDocuments() **Returns:** ResponseEntity<List<EmployeeDocument>>

src/main/java/com/example/demo/documents/controller/DocumentController.java:79

POST `{{baseUrl}}/api/documents`

Body: EmployeeDocument (application/json)

Handler: createDocument() **Returns:** ResponseEntity<EmployeeDocument>

src/main/java/com/example/demo/documents/controller/DocumentController.java:93

GET `{{baseUrl}}/api/documents/employee/{employeeId}`

Path: employeeId: Long

Handler: listByEmployee() **Returns:** ResponseEntity<List<EmployeeDocument>>

src/main/java/com/example/demo/documents/controller/DocumentController.java:86

GET `{{baseUrl}}/api/documents/requests`

Handler: listRequests() **Returns:** ResponseEntity<List<DocumentRequest>>

src/main/java/com/example/demo/documents/controller/DocumentController.java:41

POST `{{baseUrl}}/api/documents/requests`

Body: DocumentRequest (application/json)

Handler: createRequest() **Returns:** ResponseEntity<DocumentRequest>

src/main/java/com/example/demo/documents/controller/DocumentController.java:48

GET `{{baseUrl}}/api/documents/requests/my`

Handler: getMyRequests() **Returns:** ResponseEntity<List<DocumentRequest>>

src/main/java/com/example/demo/documents/controller/DocumentController.java:32

DELETE `{{baseUrl}}/api/documents/requests/{id}`

Path: id: Long

Handler: deleteRequest() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/documents/controller/DocumentController.java:69

PUT `{{baseUrl}}/api/documents/requests/{id}`

Path: id: Long

Body: DocumentRequest (application/json)

Handler: updateRequest() **Returns:** ResponseEntity<DocumentRequest>

src/main/java/com/example/demo/documents/controller/DocumentController.java:55

GET `{{baseUrl}}/api/documents/requests/{id}/submissions`

Path: id: Long

Handler: getSubmissionStatus() **Returns:** ResponseEntity<List<SubmissionStatusDTO>>

src/main/java/com/example/demo/documents/controller/DocumentController.java:62

POST `{{baseUrl}}/api/documents/{id}/approve`

Path: id: Long

Handler: approveDocument() **Returns:** ResponseEntity<EmployeeDocument>

src/main/java/com/example/demo/documents/controller/DocumentController.java:100

POST `{{baseUrl}}/api/documents/{id}/reject`

Path: id: Long

Body: Map<String, String> (application/json)

Handler: rejectDocument() **Returns:** ResponseEntity<EmployeeDocument>

src/main/java/com/example/demo/documents/controller/DocumentController.java:107

DynamicFieldController (dynamicfields - 8 endpoints)

GET `{{baseUrl}}/api/dynamic-fields`

Query: model: String (optional)

Handler: listDynamicFields() **Returns:** ResponseEntity<List<DynamicField>>

src/main/java/com/example/demo/dynamicfields/controller/DynamicFieldController.java:25

POST `{{baseUrl}}/api/dynamic-fields`

Body: Map<String, Object> (application/json)

Handler: createDynamicField() **Returns:** ResponseEntity<DynamicField>

src/main/java/com/example/demo/dynamicfields/controller/DynamicFieldController.java:38

GET `{{baseUrl}}/api/dynamic-fields/choices`

Handler: listChoices() **Returns:** ResponseEntity<List<Choice>>

src/main/java/com/example/demo/dynamicfields/controller/DynamicFieldController.java:60

POST `{{baseUrl}}/api/dynamic-fields/choices`

Body: Map<String, String> (application/json)

Handler: createChoice() **Returns:** ResponseEntity<Choice>

src/main/java/com/example/demo/dynamicfields/controller/DynamicFieldController.java:66

DELETE `{{baseUrl}}/api/dynamic-fields/choices/{id}`

Path: id: Long

Handler: deleteChoice() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/dynamicfields/controller/DynamicFieldController.java:72

DELETE `{{baseUrl}}/api/dynamic-fields/{id}`

Path: id: Long

Handler: deleteDynamicField() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/dynamicfields/controller/DynamicFieldController.java:51

GET `{{baseUrl}}/api/dynamic-fields/{id}`

Path: id: Long

Handler: getDynamicField() **Returns:** ResponseEntity<DynamicField>

src/main/java/com/example/demo/dynamicfields/controller/DynamicFieldController.java:32

PUT `{{baseUrl}}/api/dynamic-fields/{id}`

Path: id: Long

Body: Map<String, Object> (application/json)

Handler: updateDynamicField() **Returns:** ResponseEntity<DynamicField>

src/main/java/com/example/demo/dynamicfields/controller/DynamicFieldController.java:44

EmployeeController (employee - 19 endpoints)

GET `{{baseUrl}}/api/employees`

Query: filterByCompanyId: Long (optional)

Handler: list() **Returns:** ResponseEntity<Page<EmployeeResponse>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:73

POST `{{baseUrl}}/api/employees`

Body: EmployeeRequest (application/json)

Handler: create() **Returns:** ResponseEntity<EmployeeResponse>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:117

POST `{{baseUrl}}/api/employees/bulk-archive`

Body: List<Long> (application/json)

Handler: bulkArchive() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:224

POST `{{baseUrl}}/api/employees/bulk-toggle-active`

Body: Map<String, Object> (application/json)

Handler: bulkToggleActive() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:162

POST `{{baseUrl}}/api/employees/bulk-update`

Body: BulkUpdateRequest (application/json)

Handler: bulkUpdateWorkInfo() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:923

GET `{{baseUrl}}/api/employees/by-tag/{tagId}`

Path: tagId: Long

Handler: getByTag() **Returns:** ResponseEntity<List<EmployeeResponse>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:149

GET `{{baseUrl}}/api/employees/dashboard`

Query: companyId: Long

Handler: dashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:975

GET `{{baseUrl}}/api/employees/export`

Query: companyId: Long

Handler: exportEmployees() **Returns:** void

src/main/java/com/example/demo/employee/controller/EmployeeController.java:614

GET `{{baseUrl}}/api/employees/global`

Handler: listGlobal() **Returns:** ResponseEntity<Page<EmployeeResponse>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:103

POST `{{baseUrl}}/api/employees/import`

Query: file: MultipartFile, companyId: Long

Handler: importEmployees() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:244

GET `{{baseUrl}}/api/employees/import/template`

Query: companyId: Long (optional)

Handler: downloadImportTemplate() **Returns:** void

src/main/java/com/example/demo/employee/controller/EmployeeController.java:409

GET `{{baseUrl}}/api/employees/online-status`

Query: companyId: Long (optional)

Handler: getOnlineStatus() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:82

GET `{{baseUrl}}/api/employees/org-chart`

Query: companyId: Long

Handler: orgChart() **Returns:** ResponseEntity<List<Map<String, Object>>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:187

GET `{{baseUrl}}/api/employees/work-info/export`

Query: companyId: Long

Handler: exportWorkInfo() **Returns:** void

src/main/java/com/example/demo/employee/controller/EmployeeController.java:774

POST `{{baseUrl}}/api/employees/work-info/import`

Query: file: MultipartFile, companyId: Long

Handler: importWorkInfo() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:820

DELETE `{{baseUrl}}/api/employees/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:132

GET `{{baseUrl}}/api/employees/{id}`

Path: id: Long

Handler: get() **Returns:** ResponseEntity<EmployeeResponse>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:110

PUT `{{baseUrl}}/api/employees/{id}`

Path: id: Long

Body: EmployeeRequest (application/json)

Handler: update() **Returns:** ResponseEntity<EmployeeResponse>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:124

POST `{{baseUrl}}/api/employees/{id}/photo`

Path: id: Long

Query: file: MultipartFile

Handler: uploadPhoto() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/employee/controller/EmployeeController.java:140

EmployeeExtrasController (employee - 40 endpoints)

GET `{{baseUrl}}/api/action-types`

Query: companyId: Long (optional)

Handler: listActionTypes() **Returns:** ResponseEntity<List<ActionType>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:412

POST `{{baseUrl}}/api/action-types`

Body: ActionType (application/json)

Handler: createActionType() **Returns:** ResponseEntity<ActionType>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:422

DELETE `{{baseUrl}}/api/action-types/{id}`

Path: id: Long

Handler: deleteActionType() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:445

PUT `{{baseUrl}}/api/action-types/{id}`

Path: id: Long

Body: ActionType (application/json)

Handler: updateActionType() **Returns:** ResponseEntity<ActionType>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:433

GET `{{baseUrl}}/api/disciplinary-actions`

Handler: listDisciplinary() **Returns:** ResponseEntity<List<DisciplinaryAction>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:173

POST `{{baseUrl}}/api/disciplinary-actions`

Body: DisciplinaryAction (application/json)

Handler: createDisciplinary() **Returns:** ResponseEntity<DisciplinaryAction>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:182

DELETE `{{baseUrl}}/api/disciplinary-actions/{id}`

Path: id: Long

Handler: deleteDisciplinary() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:214

PUT `{{baseUrl}}/api/disciplinary-actions/{id}`

Path: id: Long

Body: DisciplinaryAction (application/json)

Handler: updateDisciplinary() **Returns:** ResponseEntity<DisciplinaryAction>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:196

GET `{{baseUrl}}/api/employee-profile-features`

Query: companyId: Long

Handler: listProfileFeatures() **Returns:** ResponseEntity<List<ProfileEditFeature>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:485

PUT `{{baseUrl}}/api/employee-profile-features`

Query: companyId: Long

Body: ProfileEditFeature (application/json)

Handler: upsertProfileFeature() **Returns:** ResponseEntity<ProfileEditFeature>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:493

GET `{{baseUrl}}/api/employee-settings`

Query: companyId: Long

Handler: getEmployeeSettings() **Returns:** ResponseEntity<EmployeeGeneralSetting>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:455

PUT `{{baseUrl}}/api/employee-settings`

Query: companyId: Long

Body: EmployeeGeneralSetting (application/json)

Handler: upsertEmployeeSettings() **Returns:** ResponseEntity<EmployeeGeneralSetting>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:465

GET `{{baseUrl}}/api/employee-tags`

Query: companyId: Long (optional)

Handler: listTags() **Returns:** ResponseEntity<List<EmployeeTag>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:303

POST `{{baseUrl}}/api/employee-tags`

Body: EmployeeTag (application/json)

Handler: createTag() **Returns:** ResponseEntity<EmployeeTag>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:313

DELETE `{{baseUrl}}/api/employee-tags/{id}`

Path: id: Long

Handler: deleteTag() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:336

PUT `{{baseUrl}}/api/employee-tags/{id}`

Path: id: Long

Body: EmployeeTag (application/json)

Handler: updateTag() **Returns:** ResponseEntity<EmployeeTag>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:324

DELETE `{{baseUrl}}/api/employees/notes/files/{fileId}`

Path: fileId: Long

Handler: deleteNoteFile() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:402

DELETE `{{baseUrl}}/api/employees/notes/{noteId}`

Path: noteId: Long

Handler: deleteNote() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:378

PUT `{{baseUrl}}/api/employees/notes/{noteId}`

Path: noteId: Long

Body: EmployeeNote (application/json)

Handler: updateNote() **Returns:** ResponseEntity<EmployeeNote>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:366

GET `{{baseUrl}}/api/employees/notes/{noteId}/files`

Path: noteId: Long

Handler: listNoteFiles() **Returns:** ResponseEntity<List<NoteFile>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:386

POST `{{baseUrl}}/api/employees/notes/{noteId}/files`

Path: noteId: Long

Body: NoteFile (application/json)

Handler: addNoteFile() **Returns:** ResponseEntity<NoteFile>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:393

GET `{{baseUrl}}/api/employees/{id}/bank-details`

Path: id: Long

Handler: getBankDetails() **Returns:** ResponseEntity<EmployeeBankDetails>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:127

POST `{{baseUrl}}/api/employees/{id}/bank-details`

Path: id: Long

Body: EmployeeBankDetails (application/json)

Handler: createBankDetails() **Returns:** ResponseEntity<EmployeeBankDetails>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:137

PUT `{{baseUrl}}/api/employees/{id}/bank-details`

Path: id: Long

Body: EmployeeBankDetails (application/json)

Handler: updateBankDetails() **Returns:** ResponseEntity<EmployeeBankDetails>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:147

GET `{{baseUrl}}/api/employees/{id}/bonus-points`

Path: id: Long

Handler: getBonusPoints() **Returns:** ResponseEntity<BonusPoint>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:271

PUT `{{baseUrl}}/api/employees/{id}/bonus-points`

Path: id: Long

Body: BonusPoint (application/json)

Handler: updateBonusPoints() **Returns:** ResponseEntity<BonusPoint>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:281

DELETE `{{baseUrl}}/api/employees/{id}/encashment-condition`

Path: id: Long

Handler: deleteEncashmentCondition() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:633

GET `{{baseUrl}}/api/employees/{id}/encashment-condition`

Path: id: Long

Handler: getEncashmentCondition() **Returns:** ResponseEntity<EncashmentCondition>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:604

POST `{{baseUrl}}/api/employees/{id}/encashment-condition`

Path: id: Long

Body: EncashmentCondition (application/json)

Handler: upsertEncashmentCondition() **Returns:** ResponseEntity<EncashmentCondition>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:614

GET `{{baseUrl}}/api/employees/{id}/notes`

Path: id: Long

Handler: listNotes() **Returns:** ResponseEntity<List<EmployeeNote>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:346

POST `{{baseUrl}}/api/employees/{id}/notes`

Path: id: Long

Body: EmployeeNote (application/json)

Handler: createNote() **Returns:** ResponseEntity<EmployeeNote>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:354

GET `{{baseUrl}}/api/employees/{id}/work-info`

Path: id: Long

Handler: getWorkInfo() **Returns:** ResponseEntity<WorkInfoResponse>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:56

POST `{{baseUrl}}/api/employees/{id}/work-info`

Path: id: Long

Body: EmployeeWorkInformation (application/json)

Handler: createWorkInfo() **Returns:** ResponseEntity<EmployeeWorkInformation>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:87

PUT `{{baseUrl}}/api/employees/{id}/work-info`

Path: id: Long

Body: EmployeeWorkInformation (application/json)

Handler: updateWorkInfo() **Returns:** ResponseEntity<EmployeeWorkInformation>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:97

GET `{{baseUrl}}/api/policies`

Handler: listPolicies() **Returns:** ResponseEntity<List<Policy>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:513

POST `{{baseUrl}}/api/policies`

Body: Policy (application/json)

Handler: createPolicy() **Returns:** ResponseEntity<Policy>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:545

DELETE `{{baseUrl}}/api/policies/{id}`

Path: id: Long

Handler: deletePolicy() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:578

GET `{{baseUrl}}/api/policies/{id}`

Path: id: Long

Handler: getPolicy() **Returns:** ResponseEntity<Policy>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:535

PUT `{{baseUrl}}/api/policies/{id}`

Path: id: Long

Body: Policy (application/json)

Handler: updatePolicy() **Returns:** ResponseEntity<Policy>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:559

POST `{{baseUrl}}/api/policies/{id}/employees`

Path: id: Long

Body: List<Long> (application/json)

Handler: assignPolicyEmployees() **Returns:** ResponseEntity<Policy>

src/main/java/com/example/demo/employee/controller/EmployeeExtrasController.java:587

ESSController (ess - 21 endpoints)

POST `{{baseUrl}}/api/ess/apply-leave`

Query: leaveTypeId: Long, startDate: LocalDate, endDate: LocalDate, description: String (optional)

Handler: applyLeave() **Returns:** ResponseEntity<LeaveRequest>

src/main/java/com/example/demo/ess/controller/ESSController.java:244

GET `{{baseUrl}}/api/ess/bank-details`

Handler: myBankDetails() **Returns:** ResponseEntity<EmployeeBankDetails>

src/main/java/com/example/demo/ess/controller/ESSController.java:478

POST `{{baseUrl}}/api/ess/bank-details`

Body: EmployeeBankDetails (application/json)

Handler: createMyBankDetails() **Returns:** ResponseEntity<EmployeeBankDetails>

src/main/java/com/example/demo/ess/controller/ESSController.java:489

PUT `{{baseUrl}}/api/ess/bank-details`

Body: EmployeeBankDetails (application/json)

Handler: updateMyBankDetails() **Returns:** ResponseEntity<EmployeeBankDetails>

src/main/java/com/example/demo/ess/controller/ESSController.java:500

POST `{{baseUrl}}/api/ess/check-in`

Body: Map<String, Object> (application/json)

Handler: checkIn() **Returns:** ResponseEntity<AttendanceResponse>

src/main/java/com/example/demo/ess/controller/ESSController.java:335

POST `{{baseUrl}}/api/ess/check-out`

Body: Map<String, Object> (application/json)

Handler: checkOut() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/ess/controller/ESSController.java:348

GET `{{baseUrl}}/api/ess/clock-status`

Handler: clockStatus() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/ess/controller/ESSController.java:261

GET `{{baseUrl}}/api/ess/leave-types`

Handler: leaveTypes() **Returns:** ResponseEntity<List<LeaveType>>

src/main/java/com/example/demo/ess/controller/ESSController.java:468

GET `{{baseUrl}}/api/ess/me`

Handler: me() **Returns:** ResponseEntity<EmployeeResponse>

src/main/java/com/example/demo/ess/controller/ESSController.java:87

PUT `{{baseUrl}}/api/ess/me`

Body: Map<String, Object> (application/json)

Handler: updateMe() **Returns:** ResponseEntity<EmployeeResponse>

src/main/java/com/example/demo/ess/controller/ESSController.java:96

POST `{{baseUrl}}/api/ess/me/photo`

Query: file: MultipartFile

Handler: uploadMyPhoto() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/ess/controller/ESSController.java:155

GET `{{baseUrl}}/api/ess/my-attendance`

Query: from: LocalDate (optional), to: LocalDate (optional)

Handler: myAttendance() **Returns:** ResponseEntity<List<AttendanceResponse>>

src/main/java/com/example/demo/ess/controller/ESSController.java:300

GET `{{baseUrl}}/api/ess/my-attendance/export`

Query: from: LocalDate (optional), to: LocalDate (optional)

Handler: exportMyAttendance() **Returns:** void

src/main/java/com/example/demo/ess/controller/ESSController.java:373

GET `{{baseUrl}}/api/ess/my-attendance/full-view`

Query: from: LocalDate (optional), to: LocalDate (optional), status: String (optional)

Handler: myAttendanceFullView() **Returns:** ResponseEntity<Page<AttendanceResponse>>

src/main/java/com/example/demo/ess/controller/ESSController.java:389

POST `{{baseUrl}}/api/ess/my-attendance/{id}/request-validation`

Path: id: Long

Handler: requestValidation() **Returns:** ResponseEntity<AttendanceResponse>

src/main/java/com/example/demo/ess/controller/ESSController.java:417

GET `{{baseUrl}}/api/ess/my-balance`

Handler: myBalance() **Returns:** ResponseEntity<List<AvailableLeaveDTO>>

src/main/java/com/example/demo/ess/controller/ESSController.java:447

GET `{{baseUrl}}/api/ess/my-leave`

Handler: myLeave() **Returns:** ResponseEntity<List<LeaveRequestDTO>>

src/main/java/com/example/demo/ess/controller/ESSController.java:234

GET `{{baseUrl}}/api/ess/my-payslips`

Handler: myPayslips() **Returns:** ResponseEntity<List<Payslip>>

src/main/java/com/example/demo/ess/controller/ESSController.java:437

GET `{{baseUrl}}/api/ess/my-validation-requests`

Handler: myValidationRequests() **Returns:** ResponseEntity<List<AttendanceResponse>>

src/main/java/com/example/demo/ess/controller/ESSController.java:404

GET `{{baseUrl}}/api/ess/my-work-info`

Handler: myWorkInfo() **Returns:** ResponseEntity<WorkInfoResponse>

src/main/java/com/example/demo/ess/controller/ESSController.java:178

GET `{{baseUrl}}/api/ess/profile-features`

Handler: myProfileFeatures() **Returns:** ResponseEntity<List<ProfileEditFeature>>

src/main/java/com/example/demo/ess/controller/ESSController.java:168

FaceDetectionController (facedetection - 9 endpoints)

GET `{{baseUrl}}/api/face-detection/employees`

Handler: listEmployeeFaceDetections() **Returns:** ResponseEntity<List<EmployeeFaceDetection>>

src/main/java/com/example/demo/facedetection/controller/FaceDetectionController.java:58

POST `{{baseUrl}}/api/face-detection/employees`

Body: EmployeeFaceDetectionRequest (application/json)

Handler: createEmployeeFaceDetection() **Returns:** ResponseEntity<EmployeeFaceDetection>

src/main/java/com/example/demo/facedetection/controller/FaceDetectionController.java:70

GET `{{baseUrl}}/api/face-detection/employees/{employeeId}`

Path: employeeId: Long

Handler: getEmployeeFaceDetection() **Returns:** ResponseEntity<EmployeeFaceDetection>

src/main/java/com/example/demo/facedetection/controller/FaceDetectionController.java:64

DELETE `{{baseUrl}}/api/face-detection/employees/{id}`

Path: id: Long

Handler: deleteEmployeeFaceDetection() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/facedetection/controller/FaceDetectionController.java:78

GET `{{baseUrl}}/api/face-detection/settings`

Handler: listSettings() **Returns:** ResponseEntity<List<FaceDetection>>

src/main/java/com/example/demo/facedetection/controller/FaceDetectionController.java:25

POST `{{baseUrl}}/api/face-detection/settings`

Body: FaceDetectionRequest (application/json)

Handler: createSetting() **Returns:** ResponseEntity<FaceDetection>

src/main/java/com/example/demo/facedetection/controller/FaceDetectionController.java:37

GET `{{baseUrl}}/api/face-detection/settings/company/{companyId}`

Path: companyId: Long

Handler: getSettingByCompany() **Returns:** ResponseEntity<FaceDetection>

src/main/java/com/example/demo/facedetection/controller/FaceDetectionController.java:31

`DELETE` `{{baseUrl}}/api/face-detection/settings/{id}`

Path: id: Long

Handler: deleteSetting() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/facedetection/controller/FaceDetectionController.java:49

`PUT` `{{baseUrl}}/api/face-detection/settings/{id}`

Path: id: Long

Body: FaceDetectionRequest (application/json)

Handler: updateSetting() **Returns:** ResponseEntity<FaceDetection>

src/main/java/com/example/demo/facedetection/controller/FaceDetectionController.java:43

GeoFencingController (geofencing - 6 endpoints)

`GET` `{{baseUrl}}/api/geofencing`

Handler: listAll() **Returns:** ResponseEntity<List<GeoFencing>>

src/main/java/com/example/demo/geofencing/controller/GeoFencingController.java:22

`POST` `{{baseUrl}}/api/geofencing`

Body: GeoFencingRequest (application/json)

Handler: create() **Returns:** ResponseEntity<GeoFencing>

src/main/java/com/example/demo/geofencing/controller/GeoFencingController.java:34

`POST` `{{baseUrl}}/api/geofencing/check-location`

Body: LocationCheckRequest (application/json)

Handler: checkLocation() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/geofencing/controller/GeoFencingController.java:57

`GET` `{{baseUrl}}/api/geofencing/company/{companyId}`

Path: companyId: Long

Handler: getByCompany() **Returns:** ResponseEntity<GeoFencing>

src/main/java/com/example/demo/geofencing/controller/GeoFencingController.java:28

`DELETE` `{{baseUrl}}/api/geofencing/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/geofencing/controller/GeoFencingController.java:50

`PUT` `{{baseUrl}}/api/geofencing/{id}`

Path: id: Long

Body: GeoFencingRequest (application/json)

Handler: update() **Returns:** ResponseEntity<GeoFencing>

src/main/java/com/example/demo/geofencing/controller/GeoFencingController.java:42

HelpdeskExtrasController (helpdesk - 15 endpoints)

GET `{{baseUrl}}/api/helpdesk/claims`

Handler: listClaims() **Returns:** ResponseEntity<List<ClaimRequest>>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:25

POST `{{baseUrl}}/api/helpdesk/claims`

Body: ClaimRequest (application/json)

Handler: createClaim() **Returns:** ResponseEntity<ClaimRequest>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:32

POST `{{baseUrl}}/api/helpdesk/claims/{id}/approve`

Path: id: Long

Handler: approveClaim() **Returns:** ResponseEntity<ClaimRequest>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:39

POST `{{baseUrl}}/api/helpdesk/claims/{id}/reject`

Path: id: Long

Handler: rejectClaim() **Returns:** ResponseEntity<ClaimRequest>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:46

GET `{{baseUrl}}/api/helpdesk/department-managers`

Query: departmentId: Long (optional)

Handler: listDepartmentManagers() **Returns:** ResponseEntity<List<DepartmentManager>>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:117

POST `{{baseUrl}}/api/helpdesk/department-managers`

Body: DepartmentManager (application/json)

Handler: assignDepartmentManager() **Returns:** ResponseEntity<DepartmentManager>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:125

DELETE `{{baseUrl}}/api/helpdesk/department-managers/{id}`

Path: id: Long

Handler: removeDepartmentManager() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:132

GET `{{baseUrl}}/api/helpdesk/faq-categories`

Handler: listFAQCategories() **Returns:** ResponseEntity<List<FAQCategory>>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:55

POST `{{baseUrl}}/api/helpdesk/faq-categories`

Body: FAQCategory (application/json)

Handler: createFAQCategory() **Returns:** ResponseEntity<FAQCategory>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:62

DELETE `{{baseUrl}}/api/helpdesk/faq-categories/{id}`

Path: id: Long

Handler: deleteFAQCategory() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:76

PUT `{{baseUrl}}/api/helpdesk/faq-categories/{id}`

Path: id: Long

Body: FAQCategory (application/json)

Handler: updateFAQCategory() **Returns:** ResponseEntity<FAQCategory>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:69

GET `{{baseUrl}}/api/helpdesk/faqs`

Query: categoryId: Long (optional)

Handler: listFAQs() **Returns:** ResponseEntity<List<FAQ>>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:86

POST `{{baseUrl}}/api/helpdesk/faqs`

Body: FAQ (application/json)

Handler: createFAQ() **Returns:** ResponseEntity<FAQ>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:93

DELETE `{{baseUrl}}/api/helpdesk/faqs/{id}`

Path: id: Long

Handler: deleteFAQ() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:107

PUT `{{baseUrl}}/api/helpdesk/faqs/{id}`

Path: id: Long

Body: FAQ (application/json)

Handler: updateFAQ() **Returns:** ResponseEntity<FAQ>

src/main/java/com/example/demo/helpdesk/controller/HelpdeskExtrasController.java:100

TicketController (helpdesk - 20 endpoints)

GET `{{baseUrl}}/api/helpdesk/tickets`

Handler: list() **Returns:** ResponseEntity<List<Ticket>>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:25

POST `{{baseUrl}}/api/helpdesk/tickets`

Body: Ticket (application/json)

Handler: create() **Returns:** ResponseEntity<Ticket>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:39

DELETE `{{baseUrl}}/api/helpdesk/tickets/attachments/{id}`

Path: id: Long

Handler: deleteAttachment() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:172

GET `{{baseUrl}}/api/helpdesk/tickets/by-assignee/{employeeId}`

Path: employeeId: Long

Handler: byAssignee() **Returns:** ResponseEntity<List<Ticket>>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:115

GET `{{baseUrl}}/api/helpdesk/tickets/by-department/{departmentId}`

Path: departmentId: Long

Handler: byDepartment() **Returns:** ResponseEntity<List<Ticket>>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:122

GET `{{baseUrl}}/api/helpdesk/tickets/by-employee/{employeeId}`

Path: employeeId: Long

Handler: byEmployee() **Returns:** ResponseEntity<List<Ticket>>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:108

GET `{{baseUrl}}/api/helpdesk/tickets/dashboard`

Handler: dashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:129

GET `{{baseUrl}}/api/helpdesk/tickets/search`

Query: keyword: String (optional), status: Ticket.TicketStatus (optional), typeId: Long (optional), priority: Ticket.Priority (optional)

Handler: search() **Returns:** ResponseEntity<List<Ticket>>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:97

DELETE `{{baseUrl}}/api/helpdesk/tickets/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:53

GET `{{baseUrl}}/api/helpdesk/tickets/{id}`

Path: id: Long

Handler: get() **Returns:** ResponseEntity<Ticket>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:32

PUT `{{baseUrl}}/api/helpdesk/tickets/{id}`

Path: id: Long

Body: Ticket (application/json)

Handler: update() **Returns:** ResponseEntity<Ticket>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:46

POST `{{baseUrl}}/api/helpdesk/tickets/{id}/assign/{assigneeId}`

Path: id: Long, assigneeId: Long

Handler: assign() **Returns:** ResponseEntity<Ticket>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:61

POST `{{baseUrl}}/api/helpdesk/tickets/{id}/close`

Path: id: Long

Handler: close() **Returns:** ResponseEntity<Ticket>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:75

GET `{{baseUrl}}/api/helpdesk/tickets/{id}/comments`

Path: id: Long

Handler: listComments() **Returns:** ResponseEntity<List<TicketComment>>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:138

POST `{{baseUrl}}/api/helpdesk/tickets/{id}/comments`

Path: id: Long

Body: Map<String, Object> (application/json)

Handler: addComment() **Returns:** ResponseEntity<TicketComment>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:145

POST `{{baseUrl}}/api/helpdesk/tickets/{id}/escalate`

Path: id: Long

Query: 48: int

Handler: escalate() **Returns:** ResponseEntity<Ticket>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:89

POST `{{baseUrl}}/api/helpdesk/tickets/{id}/reopen`

Path: id: Long

Handler: reopen() **Returns:** ResponseEntity<Ticket>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:82

POST `{{baseUrl}}/api/helpdesk/tickets/{id}/resolve`

Path: id: Long

Handler: resolve() **Returns:** ResponseEntity<Ticket>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:68

GET `{{baseUrl}}/api/helpdesk/tickets/{ticketId}/attachments`

Path: ticketId: Long

Handler: listAttachments() **Returns:** ResponseEntity<List<TicketAttachment>>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:157

POST `{{baseUrl}}/api/helpdesk/tickets/{ticketId}/attachments`

Path: ticketId: Long

Body: TicketAttachment (application/json)

Handler: addAttachment() **Returns:** ResponseEntity<TicketAttachment>

src/main/java/com/example/demo/helpdesk/controller/TicketController.java:164

HrPolicyController (hrpolicy - 12 endpoints)

GET `{{baseUrl}}/api/hr-policies`

Handler: list() **Returns:** ResponseEntity<List<HrPolicy>>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:27

POST `{{baseUrl}}/api/hr-policies`

Query: companyId: Long

Body: HrPolicy (application/json)

Handler: create() **Returns:** ResponseEntity<HrPolicy>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:33

DELETE `{{baseUrl}}/api/hr-policies/files/{fileId}`

Path: fileId: Long

Handler: deleteFile() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:109

GET `{{baseUrl}}/api/hr-policies/inherited`

Handler: inherited() **Returns:** ResponseEntity<List<HrPolicy>>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:82

DELETE `{{baseUrl}}/api/hr-policies/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:47

PUT `{{baseUrl}}/api/hr-policies/{id}`

Path: id: Long

Body: HrPolicy (application/json)

Handler: update() **Returns:** ResponseEntity<HrPolicy>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:41

PUT `{{baseUrl}}/api/hr-policies/{id}/make-branch-only`

Path: id: Long

Query: companyId: Long

Handler: makeBranchOnly() **Returns:** ResponseEntity<HrPolicy>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:74

PUT `{{baseUrl}}/api/hr-policies/{id}/make-organization-wide`

Path: id: Long

Query: companyId: Long

Handler: makeOrganizationWide() **Returns:** ResponseEntity<HrPolicy>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:66

PUT `{{baseUrl}}/api/hr-policies/{id}/publish`

Path: id: Long

Handler: publish() **Returns:** ResponseEntity<HrPolicy>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:54

PUT `{{baseUrl}}/api/hr-policies/{id}/unpublish`

Path: id: Long

Handler: unpublish() **Returns:** ResponseEntity<HrPolicy>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:60

GET `{{baseUrl}}/api/hr-policies/{policyId}/files`

Path: policyId: Long

Handler: listFiles() **Returns:** ResponseEntity<List<PolicyMultipleFile>>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:90

POST `{{baseUrl}}/api/hr-policies/{policyId}/files`

Path: policyId: Long

Body: PolicyMultipleFile (application/json)

Handler: addFile() **Returns:** ResponseEntity<PolicyMultipleFile>

src/main/java/com/example/demo/hrpolicy/controller/HrPolicyController.java:98

LdapController (ldap - 3 endpoints)

GET `{{baseUrl}}/api/ldap/settings`

Handler: getSettings() **Returns:** ResponseEntity<LdapSettings>

src/main/java/com/example/demo/ldap/controller/LdapController.java:22

POST `{{baseUrl}}/api/ldap/settings`

Body: LdapSettings (application/json)

Handler: createOrUpdateSettings() **Returns:** ResponseEntity<LdapSettings>

src/main/java/com/example/demo/ldap/controller/LdapController.java:27

DELETE `{{baseUrl}}/api/ldap/settings/{id}`

Path: id: Long

Handler: deleteSettings() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/ldap/controller/LdapController.java:32

LeaveController (leave - 72 endpoints)

GET `{{baseUrl}}/api/leave/accrual-log`

Query: employeeId: Long, leaveTypeId: Long (optional)

Handler: getAccrualLog() **Returns:** ResponseEntity<List<LeaveAccrualLog>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:1386

POST `{{baseUrl}}/api/leave/accrual/run`

Query: date: .springframework.format.annotation.DateTimeFormat(iso = org.springframework.format.annotation.DateTimeFormat.ISO.DATE) LocalDate (optional)

Handler: runAccrual() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:1398

POST `{{baseUrl}}/api/leave/allocate`

Body: AllocateLeaveRequest (application/json)

Handler: allocate() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:230

POST `{{baseUrl}}/api/leave/allocate/bulk`

Body: BulkAllocateRequest (application/json)

Handler: bulkAllocate() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:238

GET `{{baseUrl}}/api/leave/allocation-requests`

Handler: listAllocationRequests() **Returns:** ResponseEntity<List<LeaveAllocationRequestDTO>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:475

POST `{{baseUrl}}/api/leave/allocation-requests`

Body: LeaveAllocationRequest (application/json)

Handler: createAllocationRequest() **Returns:** ResponseEntity<LeaveAllocationRequestDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:490

POST `{{baseUrl}}/api/leave/allocation-requests/{id}/approve`

Path: id: Long

Handler: approveAllocationRequest() **Returns:** ResponseEntity<LeaveAllocationRequestDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:506

POST `{{baseUrl}}/api/leave/allocation-requests/{id}/reject`

Path: id: Long

Body: RejectLeaveRequest (application/json)

Handler: rejectAllocationRequest() **Returns:** ResponseEntity<LeaveAllocationRequestDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:529

GET `{{baseUrl}}/api/leave/allocation-requests/{requestId}/comments`

Path: requestId: Long

Handler: getAllocationRequestComments() **Returns:** ResponseEntity<List<LeaveAllocationRequestComment>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:672

POST `{{baseUrl}}/api/leave/allocation-requests/{requestId}/comments`

Path: requestId: Long

Body: LeaveAllocationRequestComment (application/json)

Handler: addAllocationRequestComment() **Returns:** ResponseEntity<LeaveAllocationRequestComment>

src/main/java/com/example/demo/leave/controller/LeaveController.java:680

GET `{{baseUrl}}/api/leave/allocations`

Query: employeeId: Long (optional), year: Integer (optional)

Handler: listAllocations() **Returns:** ResponseEntity<List<LeaveAllocationDTO>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:197

DELETE `{{baseUrl}}/api/leave/allocations/{id}`

Path: id: Long

Handler: deleteAllocation() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:219

PUT `{{baseUrl}}/api/leave/allocations/{id}`

Path: id: Long

Body: Map<String, Object> (application/json)

Handler: updateAllocation() **Returns:** ResponseEntity<LeaveAllocationDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:206

POST `{{baseUrl}}/api/leave/apply`

Body: ApplyLeaveRequest (application/json)

Handler: apply() **Returns:** ResponseEntity<LeaveRequestDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:127

GET `{{baseUrl}}/api/leave/balance`

Handler: listBalance() **Returns:** ResponseEntity<List<AvailableLeaveDTO>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:265

POST `{{baseUrl}}/api/leave/balance/credit`

Body: CreditBalanceRequest (application/json)

Handler: creditBalance() **Returns:** ResponseEntity<AvailableLeaveDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:455

GET `{{baseUrl}}/api/leave/balance/employee/{employeeId}`

Path: employeeId: Long

Handler: getEmployeeBalance() **Returns:** ResponseEntity<List<AvailableLeaveDTO>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:289

GET `{{baseUrl}}/api/leave/balance/export`

Query: companyId: Long, employeeIds: List<Long> (optional), leaveTypeIds: List<Long> (optional), fromDate: LocalDate (optional), toDate: LocalDate (optional), excludeZeroBalance: Boolean (optional)

Handler: exportBalance() **Returns:** void

src/main/java/com/example/demo/leave/controller/LeaveController.java:332

POST `{{baseUrl}}/api/leave/balance/reconcile`

Query: companyId: Long

Handler: reconcileBalance() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:254

DELETE `{{baseUrl}}/api/leave/balance/{id}`

Path: id: Long

Handler: deleteBalance() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:321

PUT `{{baseUrl}}/api/leave/balance/{id}`

Path: id: Long

Body: Map<String, Object> (application/json)

Handler: updateBalance() **Returns:** ResponseEntity<AvailableLeaveDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:304

GET `{{baseUrl}}/api/leave/clash-check`

Query: employeeId: Long, from: LocalDate, to: LocalDate

Handler: checkClash() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:1081

GET `{{baseUrl}}/api/leave/company-leaves`

Query: companyId: Long

Handler: listCompanyLeaves() **Returns:** ResponseEntity<List<CompanyLeave>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:1040

POST `{{baseUrl}}/api/leave/company-leaves`

Query: companyId: Long

Body: CompanyLeave (application/json)

Handler: createCompanyLeave() **Returns:** ResponseEntity<CompanyLeave>

src/main/java/com/example/demo/leave/controller/LeaveController.java:1047

DELETE `{{baseUrl}}/api/leave/company-leaves/{id}`

Path: id: Long

Handler: deleteCompanyLeave() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:1071

PUT `{{baseUrl}}/api/leave/company-leaves/{id}`

Path: id: Long

Body: CompanyLeave (application/json)

Handler: updateCompanyLeave() **Returns:** ResponseEntity<CompanyLeave>

src/main/java/com/example/demo/leave/controller/LeaveController.java:1056

GET `{{baseUrl}}/api/leave/compensatory-requests`

Query: employeeId: Long (optional), status: CompensatoryLeaveRequest.CompensatoryLeaveStatus (optional)

Handler: listCompensatoryRequests() **Returns:** ResponseEntity<List<CompensatoryLeaveRequestDTO>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:771

POST `{{baseUrl}}/api/leave/compensatory-requests`

Body: CompensatoryLeaveRequest (application/json)

Handler: createCompensatoryRequest() **Returns:** ResponseEntity<CompensatoryLeaveRequestDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:788

PUT `{{baseUrl}}/api/leave/compensatory-requests/{id}/approve`

Path: id: Long

Handler: approveCompensatoryRequest() **Returns:** ResponseEntity<CompensatoryLeaveRequestDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:797

GET `{{baseUrl}}/api/leave/compensatory-requests/{id}/comments`

Path: id: Long

Handler: listCompensatoryComments() **Returns:** ResponseEntity<List<com.example.demo.leave.entity.CompensatoryLeaveRequestComment>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:819

POST `{{baseUrl}}/api/leave/compensatory-requests/{id}/comments`

Path: id: Long

Body: com.example.demo.leave.entity.CompensatoryLeaveRequestComment (application/json)

Handler: addCompensatoryComment() **Returns:** ResponseEntity<com.example.demo.leave.entity.CompensatoryLeaveRequestComment>

src/main/java/com/example/demo/leave/controller/LeaveController.java:826

PUT `{{baseUrl}}/api/leave/compensatory-requests/{id}/reject`

Path: id: Long

Body: RejectLeaveRequest (application/json)

Handler: rejectCompensatoryRequest() **Returns:** ResponseEntity<CompensatoryLeaveRequestDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:807

GET `{{baseUrl}}/api/leave/dashboard`

Query: companyId: Long, month: String (optional)

Handler: getDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:1413

GET `{{baseUrl}}/api/leave/export`

Query: companyId: Long

Handler: exportAllocations() **Returns:** void

src/main/java/com/example/demo/leave/controller/LeaveController.java:1108

GET `{{baseUrl}}/api/leave/general-settings`

Query: companyId: Long

Handler: getGeneralSettings() **Returns:** ResponseEntity<LeaveGeneralSetting>

src/main/java/com/example/demo/leave/controller/LeaveController.java:837

PUT `{{baseUrl}}/api/leave/general-settings`

Query: companyId: Long

Body: LeaveGeneralSetting (application/json)

Handler: updateGeneralSettings() **Returns:** ResponseEntity<LeaveGeneralSetting>

src/main/java/com/example/demo/leave/controller/LeaveController.java:847

GET `{{baseUrl}}/api/leave/holiday-allocations`

Query: companyId: Long

Handler: listHolidayAllocations() **Returns:** ResponseEntity<List<Map<String, Object>>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:910

POST `{{baseUrl}}/api/leave/holiday-allocations`

Query: companyId: Long

Body: Map<String, Object> (application/json)

Handler: createHolidayAllocation() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:938

DELETE `{{baseUrl}}/api/leave/holiday-allocations/{id}`

Path: id: Long

Handler: deleteHolidayAllocation() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:1030

GET `{{baseUrl}}/api/leave/holidays`

Query: companyId: Long

Handler: listHolidays() **Returns:** ResponseEntity<List<Holiday>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:867

POST `{{baseUrl}}/api/leave/holidays`

Query: companyId: Long

Body: Holiday (application/json)

Handler: createHoliday() **Returns:** ResponseEntity<Holiday>

src/main/java/com/example/demo/leave/controller/LeaveController.java:874

GET `{{baseUrl}}/api/leave/holidays/export`

Query: companyId: Long

Handler: exportHolidays() **Returns:** void

src/main/java/com/example/demo/leave/controller/LeaveController.java:1291

POST `{{baseUrl}}/api/leave/holidays/import`

Query: file: MultipartFile, companyId: Long

Handler: importHolidays() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:1319

DELETE `{{baseUrl}}/api/leave/holidays/{id}`

Path: id: Long

Handler: deleteHoliday() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:900

PUT `{{baseUrl}}/api/leave/holidays/{id}`

Path: id: Long

Body: Holiday (application/json)

Handler: updateHoliday() **Returns:** ResponseEntity<Holiday>

src/main/java/com/example/demo/leave/controller/LeaveController.java:886

POST `{{baseUrl}}/api/leave/import`

Query: file: MultipartFile, companyId: Long

Handler: importAllocations() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:1141

GET `{{baseUrl}}/api/leave/past-leave-restrict`

Query: companyId: Long

Handler: getPastLeaveRestrict() **Returns:** ResponseEntity<EmployeePastLeaveRestrict>

src/main/java/com/example/demo/leave/controller/LeaveController.java:743

PUT `{{baseUrl}}/api/leave/past-leave-restrict`

Query: companyId: Long

Body: EmployeePastLeaveRestrict (application/json)

Handler: upsertPastLeaveRestrict() **Returns:** ResponseEntity<EmployeePastLeaveRestrict>

src/main/java/com/example/demo/leave/controller/LeaveController.java:753

GET `{{baseUrl}}/api/leave/requests`

Handler: listRequests() **Returns:** ResponseEntity<Page<LeaveRequestDTO>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:89

DELETE `{{baseUrl}}/api/leave/requests/comments/{id}`

Path: id: Long

Handler: deleteLeaveRequestComment() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/leave/controller/LeaveController.java:614

POST `{{baseUrl}}/api/leave/requests/condition-approvals/{id}/approve`

Path: id: Long

Handler: approveConditionStep() **Returns:** ResponseEntity<LeaveRequestConditionApproval>

src/main/java/com/example/demo/leave/controller/LeaveController.java:717

POST `{{baseUrl}}/api/leave/requests/condition-approvals/{id}/reject`

Path: id: Long

Handler: rejectConditionStep() **Returns:** ResponseEntity<LeaveRequestConditionApproval>

src/main/java/com/example/demo/leave/controller/LeaveController.java:729

DELETE `{{baseUrl}}/api/leave/requests/files/{id}`

Path: id: Long

Handler: deleteLeaveRequestFile() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/leave/controller/LeaveController.java:662

POST `{{baseUrl}}/api/leave/requests/{id}/approve`

Path: id: Long

Handler: approve() **Returns:** ResponseEntity<LeaveRequestDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:170

POST `{{baseUrl}}/api/leave/requests/{id}/cancel`

Path: id: Long

Handler: cancel() **Returns:** ResponseEntity<LeaveRequestDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:189

POST `{{baseUrl}}/api/leave/requests/{id}/reject`

Path: id: Long

Body: RejectLeaveRequest (application/json)

Handler: reject() **Returns:** ResponseEntity<LeaveRequestDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:179

GET `{{baseUrl}}/api/leave/requests/{requestId}/comments`

Path: requestId: Long

Handler: getLeaveRequestComments() **Returns:** ResponseEntity<List<LeaveRequestComment>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:593

POST `{{baseUrl}}/api/leave/requests/{requestId}/comments`

Path: requestId: Long

Body: LeaveRequestComment (application/json)

Handler: addLeaveRequestComment() **Returns:** ResponseEntity<LeaveRequestComment>

src/main/java/com/example/demo/leave/controller/LeaveController.java:601

GET `{{baseUrl}}/api/leave/requests/{requestId}/condition-approvals`

Path: requestId: Long

Handler: getConditionApprovals() **Returns:** ResponseEntity<List<LeaveRequestConditionApproval>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:696

POST `{{baseUrl}}/api/leave/requests/{requestId}/condition-approvals`

Path: requestId: Long

Body: LeaveRequestConditionApproval (application/json)

Handler: addConditionApproval() **Returns:** ResponseEntity<LeaveRequestConditionApproval>

src/main/java/com/example/demo/leave/controller/LeaveController.java:704

GET `{{baseUrl}}/api/leave/requests/{requestId}/files`

Path: requestId: Long

Handler: getLeaveRequestFiles() **Returns:** ResponseEntity<List<LeaveRequestFile>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:624

POST `{{baseUrl}}/api/leave/requests/{requestId}/files`

Path: requestId: Long

Body: LeaveRequestFile (application/json)

Handler: addLeaveRequestFile() **Returns:** ResponseEntity<LeaveRequestFile>

src/main/java/com/example/demo/leave/controller/LeaveController.java:632

POST `{{baseUrl}}/api/leave/requests/{requestId}/files/upload`

Path: requestId: Long

Query: file: MultipartFile

Handler: uploadLeaveRequestFile() **Returns:** ResponseEntity<LeaveRequestFile>

src/main/java/com/example/demo/leave/controller/LeaveController.java:642

POST `{{baseUrl}}/api/leave/reset/annual`

Body: AnnualResetRequest (application/json)

Handler: annualReset() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:246

GET `{{baseUrl}}/api/leave/restrictions`

Handler: listRestrictions() **Returns:** ResponseEntity<List<LeaveRestrictionDTO>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:545

POST `{{baseUrl}}/api/leave/restrictions`

Body: RestrictLeave (application/json)

Handler: createRestriction() **Returns:** ResponseEntity<RestrictLeave>

src/main/java/com/example/demo/leave/controller/LeaveController.java:557

DELETE `{{baseUrl}}/api/leave/restrictions/{id}`

Path: id: Long

Handler: deleteRestriction() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:583

PUT `{{baseUrl}}/api/leave/restrictions/{id}`

Path: id: Long

Body: RestrictLeave (application/json)

Handler: updateRestriction() **Returns:** ResponseEntity<RestrictLeave>

src/main/java/com/example/demo/leave/controller/LeaveController.java:568

GET `{{baseUrl}}/api/leave/types`

Handler: getTypes() **Returns:** ResponseEntity<List<LeaveTypeDTO>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:97

POST `{{baseUrl}}/api/leave/types`

Body: LeaveType (application/json)

Handler: createLeaveType() **Returns:** ResponseEntity<LeaveTypeDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:105

DELETE `{{baseUrl}}/api/leave/types/{id}`

Path: id: Long

Handler: deleteLeaveType() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/leave/controller/LeaveController.java:119

PUT `{{baseUrl}}/api/leave/types/{id}`

Path: id: Long

Body: LeaveType (application/json)

Handler: updateLeaveType() **Returns:** ResponseEntity<LeaveTypeDTO>

src/main/java/com/example/demo/leave/controller/LeaveController.java:112

NotificationController (notification - 6 endpoints)

DELETE `{{baseUrl}}/api/notifications`

Handler: deleteAll() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/notification/controller/NotificationController.java:58

GET `{{baseUrl}}/api/notifications`

Handler: list() **Returns:** ResponseEntity<Page<Notification>>

src/main/java/com/example/demo/notification/controller/NotificationController.java:26

POST `{{baseUrl}}/api/notifications/mark-all-read`

Handler: markAllRead() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/notification/controller/NotificationController.java:38

GET `{{baseUrl}}/api/notifications/unread-count`

Handler: unreadCount() **Returns:** ResponseEntity<Map<String, Long>>

src/main/java/com/example/demo/notification/controller/NotificationController.java:33

DELETE `{{baseUrl}}/api/notifications/{id}`

Path: id: Long

Handler: deleteOne() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/notification/controller/NotificationController.java:50

POST `{{baseUrl}}/api/notifications/{id}/read`

Path: id: Long

Handler: markRead() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/notification/controller/NotificationController.java:44

OffboardingController (offboarding - 30 endpoints)

POST `{{baseUrl}}/api/offboarding`

Body: EmployeeOffboarding (application/json)

Handler: create() **Returns:** ResponseEntity<EmployeeOffboarding>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:29

GET `{{baseUrl}}/api/offboarding/employee-offboarding/{offboardingId}/notes`

Path: offboardingId: Long

Handler: listNotes() **Returns:** ResponseEntity<List<OffboardingNote>>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:215

POST `{{baseUrl}}/api/offboarding/employee-offboarding/{offboardingId}/notes`

Path: offboardingId: Long

Body: OffboardingNote (application/json)

Handler: addNote() **Returns:** ResponseEntity<OffboardingNote>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:222

GET `{{baseUrl}}/api/offboarding/employee-offboarding/{offboardingId}/tasks`

Path: offboardingId: Long

Handler: listEmployeeTasks() **Returns:** ResponseEntity<List<OffboardingEmployeeTask>>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:191

POST `{{baseUrl}}/api/offboarding/employee-offboarding/{offboardingId}/tasks`

Path: offboardingId: Long

Body: OffboardingEmployeeTask (application/json)

Handler: assignEmployeeTask() **Returns:** ResponseEntity<OffboardingEmployeeTask>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:198

PUT `{{baseUrl}}/api/offboarding/employee-tasks/{id}/complete`

Path: id: Long

Handler: completeEmployeeTask() **Returns:** ResponseEntity<OffboardingEmployeeTask>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:206

GET `{{baseUrl}}/api/offboarding/employee/{employeeId}`

Path: employeeId: Long

Handler: getEmployeeOffboarding() **Returns:** ResponseEntity<List<EmployeeOffboarding>>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:23

GET `{{baseUrl}}/api/offboarding/exit-reasons`

Handler: listExitReasons() **Returns:** ResponseEntity<List<ExitReason>>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:80

POST `{{baseUrl}}/api/offboarding/exit-reasons`

Body: ExitReason (application/json)

Handler: createExitReason() **Returns:** ResponseEntity<ExitReason>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:87

DELETE `{{baseUrl}}/api/offboarding/exit-reasons/{id}`

Path: id: Long

Handler: deleteExitReason() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:94

DELETE `{{baseUrl}}/api/offboarding/notes/{id}`

Path: id: Long

Handler: deleteNote() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:230

GET `{{baseUrl}}/api/offboarding/plans`

Handler: listPlans() **Returns:** ResponseEntity<List<OffboardingPlan>>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:104

POST `{{baseUrl}}/api/offboarding/plans`

Body: OffboardingPlan (application/json)

Handler: createPlan() **Returns:** ResponseEntity<OffboardingPlan>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:111

DELETE `{{baseUrl}}/api/offboarding/plans/{id}`

Path: id: Long

Handler: deletePlan() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:125

PUT `{{baseUrl}}/api/offboarding/plans/{id}`

Path: id: Long

Body: OffboardingPlan (application/json)

Handler: updatePlan() **Returns:** ResponseEntity<OffboardingPlan>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:118

GET `{{baseUrl}}/api/offboarding/plans/{planId}/stages`

Path: planId: Long

Handler: listStages() **Returns:** ResponseEntity<List<OffboardingStage>>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:135

POST `{{baseUrl}}/api/offboarding/plans/{planId}/stages`

Path: planId: Long

Body: OffboardingStage (application/json)

Handler: createStage() **Returns:** ResponseEntity<OffboardingStage>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:142

GET `{{baseUrl}}/api/offboarding/resignations`

Handler: listResignations() **Returns:** ResponseEntity<List<ResignationLetter>>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:50

POST `{{baseUrl}}/api/offboarding/resignations`

Body: ResignationLetter (application/json)

Handler: createResignation() **Returns:** ResponseEntity<ResignationLetter>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:57

POST `{{baseUrl}}/api/offboarding/resignations/{id}/approve`

Path: id: Long

Handler: approveResignation() **Returns:** ResponseEntity<ResignationLetter>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:64

POST `{{baseUrl}}/api/offboarding/resignations/{id}/reject`

Path: id: Long

Handler: rejectResignation() **Returns:** ResponseEntity<ResignationLetter>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:71

GET `{{baseUrl}}/api/offboarding/settings`

Handler: getSettings() **Returns:** ResponseEntity<OffboardingGeneralSetting>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:240

PUT `{{baseUrl}}/api/offboarding/settings`

Body: OffboardingGeneralSetting (application/json)

Handler: upsertSettings() **Returns:** ResponseEntity<OffboardingGeneralSetting>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:247

DELETE `{{baseUrl}}/api/offboarding/stage-files/{id}`

Path: id: Long

Handler: deleteStageFile() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:181

DELETE `{{baseUrl}}/api/offboarding/stages/{id}`

Path: id: Long

Handler: deleteStage() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:156

PUT `{{baseUrl}}/api/offboarding/stages/{id}`

Path: id: Long

Body: OffboardingStage (application/json)

Handler: updateStage() **Returns:** ResponseEntity<OffboardingStage>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:149

GET `{{baseUrl}}/api/offboarding/stages/{stageId}/files`

Path: stageId: Long

Handler: listStageFiles() **Returns:** ResponseEntity<List<OffboardingStageFile>>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:166

POST `{{baseUrl}}/api/offboarding/stages/{stageId}/files`

Path: stageId: Long

Body: OffboardingStageFile (application/json)

Handler: addStageFile() **Returns:** ResponseEntity<OffboardingStageFile>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:173

DELETE `{{baseUrl}}/api/offboarding/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:41

PUT `{{baseUrl}}/api/offboarding/{id}/complete`

Path: id: Long

Handler: complete() **Returns:** ResponseEntity<EmployeeOffboarding>

src/main/java/com/example/demo/offboarding/controller/OffboardingController.java:35

OnboardingController (onboarding - 27 endpoints)

POST `{{baseUrl}}/api/onboarding/assign`

Body: EmployeeOnboarding (application/json)

Handler: assign() **Returns:** ResponseEntity<EmployeeOnboarding>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:41

PUT `{{baseUrl}}/api/onboarding/candidate-stages/{id}/complete`

Path: id: Long

Handler: completeCandidateStage() **Returns:** ResponseEntity<CandidateStage>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:155

PUT `{{baseUrl}}/api/onboarding/candidate-tasks/{id}/complete`

Path: id: Long

Handler: completeCandidateTask() **Returns:** ResponseEntity<CandidateTask>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:178

GET `{{baseUrl}}/api/onboarding/candidates/{candidateId}/stages`

Path: candidateId: Long

Handler: listCandidateStages() **Returns:** ResponseEntity<List<CandidateStage>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:140

POST `{{baseUrl}}/api/onboarding/candidates/{candidateId}/stages`

Path: candidateId: Long

Body: CandidateStage (application/json)

Handler: addCandidateStage() **Returns:** ResponseEntity<CandidateStage>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:147

GET `{{baseUrl}}/api/onboarding/candidates/{candidateId}/tasks`

Path: candidateId: Long

Handler: listCandidateTasks() **Returns:** ResponseEntity<List<CandidateTask>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:164

POST `{{baseUrl}}/api/onboarding/candidates/{candidateId}/tasks`

Path: candidateId: Long

Body: CandidateTask (application/json)

Handler: assignTask() **Returns:** ResponseEntity<CandidateTask>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:171

PUT `{{baseUrl}}/api/onboarding/candidates/{id}/complete`

Path: id: Long

Handler: completeOnboarding() **Returns:** ResponseEntity<OnboardingCandidate>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:131

POST `{{baseUrl}}/api/onboarding/candidates/{id}/offer-letter/send`

Path: id: Long

Handler: sendOfferLetter() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:187

PUT `{{baseUrl}}/api/onboarding/candidates/{id}/offer-letter/status`

Path: id: Long

Query: status: String

Handler: updateOfferLetterStatus() **Returns:** ResponseEntity<OnboardingCandidate>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:194

GET `{{baseUrl}}/api/onboarding/dashboard`

Handler: onboardingDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:221

GET `{{baseUrl}}/api/onboarding/employee/{employeeId}`

Path: employeeId: Long

Handler: getEmployeeOnboarding() **Returns:** ResponseEntity<List<EmployeeOnboarding>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:35

POST `{{baseUrl}}/api/onboarding/portal/{token}/create-account`

Path: token: String

Body: Map<String, Object> (application/json)

Handler: portalCreateAccount() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:211

GET `{{baseUrl}}/api/onboarding/portal/{token}/welcome`

Path: token: String

Handler: portalWelcome() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:205

GET `{{baseUrl}}/api/onboarding/portals`

Handler: listPortals() **Returns:** ResponseEntity<List<OnboardingPortal>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:55

POST `{{baseUrl}}/api/onboarding/portals`

Body: OnboardingPortal (application/json)

Handler: createPortal() **Returns:** ResponseEntity<OnboardingPortal>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:62

DELETE `{{baseUrl}}/api/onboarding/portals/{id}`

Path: id: Long

Handler: deletePortal() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:76

PUT `{{baseUrl}}/api/onboarding/portals/{id}`

Path: id: Long

Body: OnboardingPortal (application/json)

Handler: updatePortal() **Returns:** ResponseEntity<OnboardingPortal>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:69

GET `{{baseUrl}}/api/onboarding/portals/{portalId}/candidates`

Path: portalId: Long

Handler: listCandidates() **Returns:** ResponseEntity<List<OnboardingCandidate>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:116

POST `{{baseUrl}}/api/onboarding/portals/{portalId}/candidates`

Path: portalId: Long

Body: OnboardingCandidate (application/json)

Handler: addCandidate() **Returns:** ResponseEntity<OnboardingCandidate>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:123

GET `{{baseUrl}}/api/onboarding/portals/{portalId}/stages`

Path: portalId: Long

Handler: listStages() **Returns:** ResponseEntity<List<OnboardingStage>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:86

POST `{{baseUrl}}/api/onboarding/portals/{portalId}/stages`

Path: portalId: Long

Body: OnboardingStage (application/json)

Handler: createStage() **Returns:** ResponseEntity<OnboardingStage>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:93

DELETE `{{baseUrl}}/api/onboarding/stages/{id}`

Path: id: Long

Handler: deleteStage() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:107

PUT `{{baseUrl}}/api/onboarding/stages/{id}`

Path: id: Long

Body: OnboardingStage (application/json)

Handler: updateStage() **Returns:** ResponseEntity<OnboardingStage>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:100

GET `{{baseUrl}}/api/onboarding/tasks`

Handler: listTasks() **Returns:** ResponseEntity<List<OnboardingTask>>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:23

POST `{{baseUrl}}/api/onboarding/tasks`

Body: OnboardingTask (application/json)

Handler: createTask() **Returns:** ResponseEntity<OnboardingTask>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:29

PUT `{{baseUrl}}/api/onboarding/{id}/complete`

Path: id: Long

Handler: complete() **Returns:** ResponseEntity<EmployeeOnboarding>

src/main/java/com/example/demo/onboarding/controller/OnboardingController.java:47

OutlookAuthController (outlookauth - 6 endpoints)

GET `{{baseUrl}}/api/outlook-auth/configs`

Handler: listConfigs() **Returns:** ResponseEntity<List<AzureApi>>

src/main/java/com/example/demo/outlookauth/controller/OutlookAuthController.java:22

POST `{{baseUrl}}/api/outlook-auth/configs`

Body: AzureApi (application/json)

Handler: createConfig() **Returns:** ResponseEntity<AzureApi>

src/main/java/com/example/demo/outlookauth/controller/OutlookAuthController.java:34

GET `{{baseUrl}}/api/outlook-auth/configs/company/{companyId}`

Path: companyId: Long

Handler: listConfigsByCompany() **Returns:** ResponseEntity<List<AzureApi>>

src/main/java/com/example/demo/outlookauth/controller/OutlookAuthController.java:28

DELETE `{{baseUrl}}/api/outlook-auth/configs/{id}`

Path: id: Long

Handler: deleteConfig() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/outlookauth/controller/OutlookAuthController.java:46

PUT `{{baseUrl}}/api/outlook-auth/configs/{id}`

Path: id: Long

Body: AzureApi (application/json)

Handler: updateConfig() **Returns:** ResponseEntity<AzureApi>

src/main/java/com/example/demo/outlookauth/controller/OutlookAuthController.java:40

POST `{{baseUrl}}/api/outlook-auth/configs/{id}/set-primary`

Path: id: Long

Handler: setPrimary() **Returns:** ResponseEntity<AzureApi>

src/main/java/com/example/demo/outlookauth/controller/OutlookAuthController.java:53

GratuityController (payroll - 7 endpoints)

GET `{{baseUrl}}/api/gratuity`

Handler: list() **Returns:** ResponseEntity<List<GratuityCalculation>>

src/main/java/com/example/demo/payroll/controller/GratuityController.java:37

POST `{{baseUrl}}/api/gratuity/calculate`

Body: Map<String, Object> (application/json)

Handler: calculate() **Returns:** ResponseEntity<GratuityCalculation>

src/main/java/com/example/demo/payroll/controller/GratuityController.java:51

DELETE `{{baseUrl}}/api/gratuity/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/payroll/controller/GratuityController.java:83

GET `{{baseUrl}}/api/gratuity/{id}`

Path: id: Long

Handler: getById() **Returns:** ResponseEntity<GratuityCalculation>

src/main/java/com/example/demo/payroll/controller/GratuityController.java:44

PUT `{{baseUrl}}/api/gratuity/{id}`

Path: id: Long

Body: Map<String, Object> (application/json)

Handler: update() **Returns:** ResponseEntity<GratuityCalculation>

src/main/java/com/example/demo/payroll/controller/GratuityController.java:58

POST `{{baseUrl}}/api/gratuity/{id}/approve`

Path: id: Long

Handler: approve() **Returns:** ResponseEntity<GratuityCalculation>

src/main/java/com/example/demo/payroll/controller/GratuityController.java:66

GET `{{baseUrl}}/api/gratuity/{id}/report`

Path: id: Long

Handler: downloadReport() **Returns:** ResponseEntity<byte[]>

src/main/java/com/example/demo/payroll/controller/GratuityController.java:91

PayrollController (payroll - 78 endpoints)

GET `{{baseUrl}}/api/payroll/allowances`

Handler: listAllowances() **Returns:** ResponseEntity<List<Allowance>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:236

POST `{{baseUrl}}/api/payroll/allowances`

Body: Allowance (application/json)

Handler: createAllowance() **Returns:** ResponseEntity<Allowance>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:253

DELETE `{{baseUrl}}/api/payroll/allowances/{id}`

Path: id: Long

Handler: deleteAllowance() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:301

GET `{{baseUrl}}/api/payroll/allowances/{id}`

Path: id: Long

Handler: getAllowance() **Returns:** ResponseEntity<Allowance>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:245

PUT `{{baseUrl}}/api/payroll/allowances/{id}`

Path: id: Long

Body: Allowance (application/json)

Handler: updateAllowance() **Returns:** ResponseEntity<Allowance>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:264

GET `{{baseUrl}}/api/payroll/attendance-check`

Query: companyId: Long, startDate: LocalDate, endDate: LocalDate

Handler: checkAttendance() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:966

GET `{{baseUrl}}/api/payroll/batch-groups`

Handler: listBatchGroups() **Returns:** ResponseEntity<List<PayrollBatchGroup>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1889

POST `{{baseUrl}}/api/payroll/batch-groups`

Body: PayrollBatchGroup (application/json)

Handler: createBatchGroup() **Returns:** ResponseEntity<PayrollBatchGroup>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1900

DELETE `{{baseUrl}}/api/payroll/batch-groups/{id}`

Path: id: Long

Handler: deleteBatchGroup() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1926

PUT `{{baseUrl}}/api/payroll/batch-groups/{id}`

Path: id: Long

Body: PayrollBatchGroup (application/json)

Handler: updateBatchGroup() **Returns:** ResponseEntity<PayrollBatchGroup>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1911

POST `{{baseUrl}}/api/payroll/biometric-upload`

Query: file: MultipartFile, companyId: Long, startDate: LocalDate, endDate: LocalDate

Handler: uploadBiometricAttendance() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:979

GET `{{baseUrl}}/api/payroll/conditions`

Query: allowanceId: Long (optional), deductionId: Long (optional)

Handler: listConditions() **Returns:** ResponseEntity<List<MultipleCondition>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:819

POST `{{baseUrl}}/api/payroll/conditions`

Body: MultipleCondition (application/json)

Handler: createCondition() **Returns:** ResponseEntity<MultipleCondition>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:830

DELETE `{{baseUrl}}/api/payroll/conditions/{id}`

Path: id: Long

Handler: deleteCondition() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:853

PUT `{{baseUrl}}/api/payroll/conditions/{id}`

Path: id: Long

Body: MultipleCondition (application/json)

Handler: updateCondition() **Returns:** ResponseEntity<MultipleCondition>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:838

GET `{{baseUrl}}/api/payroll/contracts`

Handler: listContracts() **Returns:** ResponseEntity<List<Contract>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:80

POST `{{baseUrl}}/api/payroll/contracts`

Body: Contract (application/json)

Handler: createContract() **Returns:** ResponseEntity<Contract>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:124

GET `{{baseUrl}}/api/payroll/contracts/employee/{employeeId}`

Path: employeeId: Long

Handler: getContractByEmployee() **Returns:** ResponseEntity<Contract>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:113

DELETE `{{baseUrl}}/api/payroll/contracts/{id}`

Path: id: Long

Handler: deleteContract() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:226

GET `{{baseUrl}}/api/payroll/contracts/{id}`

Path: id: Long

Handler: getContract() **Returns:** ResponseEntity<Contract>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:105

PUT `{{baseUrl}}/api/payroll/contracts/{id}`

Path: id: Long

Body: Contract (application/json)

Handler: updateContract() **Returns:** ResponseEntity<Contract>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:165

GET `{{baseUrl}}/api/payroll/dashboard`

Query: companyId: Long

Handler: payrollDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1940

GET `{{baseUrl}}/api/payroll/deductions`

Handler: listDeductions() **Returns:** ResponseEntity<List<Deduction>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:312

POST `{{baseUrl}}/api/payroll/deductions`

Body: Deduction (application/json)

Handler: createDeduction() **Returns:** ResponseEntity<Deduction>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:329

DELETE `{{baseUrl}}/api/payroll/deductions/{id}`

Path: id: Long

Handler: deleteDeduction() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:375

GET `{{baseUrl}}/api/payroll/deductions/{id}`

Path: id: Long

Handler: getDeduction() **Returns:** ResponseEntity<Deduction>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:321

PUT `{{baseUrl}}/api/payroll/deductions/{id}`

Path: id: Long

Body: Deduction (application/json)

Handler: updateDeduction() **Returns:** ResponseEntity<Deduction>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:340

GET `{{baseUrl}}/api/payroll/employee/{employeeId}/payslips`

Path: employeeId: Long

Handler: employeePayslips() **Returns:** ResponseEntity<List<Payslip>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:485

GET `{{baseUrl}}/api/payroll/encashment-settings`

Query: companyId: Long

Handler: getEncashmentSettings() **Returns:** ResponseEntity<EncashmentGeneralSetting>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:748

PUT `{{baseUrl}}/api/payroll/encashment-settings`

Query: companyId: Long

Body: EncashmentGeneralSetting (application/json)

Handler: upsertEncashmentSettings() **Returns:** ResponseEntity<EncashmentGeneralSetting>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:758

GET `{{baseUrl}}/api/payroll/filing-statuses`

Handler: listFilingStatuses() **Returns:** ResponseEntity<List<FilingStatus>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:494

POST `{{baseUrl}}/api/payroll/filing-statuses`

Body: FilingStatus (application/json)

Handler: createFilingStatus() **Returns:** ResponseEntity<FilingStatus>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:503

DELETE `{{baseUrl}}/api/payroll/filing-statuses/{id}`

Path: id: Long

Handler: deleteFilingStatus() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:529

PUT `{{baseUrl}}/api/payroll/filing-statuses/{id}`

Path: id: Long

Body: FilingStatus (application/json)

Handler: updateFilingStatus() **Returns:** ResponseEntity<FilingStatus>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:514

GET `{{baseUrl}}/api/payroll/general-settings`

Query: companyId: Long

Handler: getGeneralSettings() **Returns:** ResponseEntity<PayrollGeneralSetting>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:715

PUT `{{baseUrl}}/api/payroll/general-settings`

Query: companyId: Long

Body: PayrollGeneralSetting (application/json)

Handler: upsertGeneralSettings() **Returns:** ResponseEntity<PayrollGeneralSetting>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:725

GET `{{baseUrl}}/api/payroll/loans`

Handler: listLoans() **Returns:** ResponseEntity<List<LoanAccount>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:581

POST `{{baseUrl}}/api/payroll/loans`

Body: LoanAccount (application/json)

Handler: createLoan() **Returns:** ResponseEntity<LoanAccount>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:601

DELETE `{{baseUrl}}/api/payroll/loans/{id}`

Path: id: Long

Handler: deleteLoan() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1876

POST `{{baseUrl}}/api/payroll/loans/{id}/settle`

Path: id: Long

Handler: settleLoan() **Returns:** ResponseEntity<LoanAccount>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:615

GET `{{baseUrl}}/api/payroll/payslip-auto-generate`

Query: companyId: Long

Handler: getPayslipAutoGenerate() **Returns:** ResponseEntity<PayslipAutoGenerate>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:780

PUT `{{baseUrl}}/api/payroll/payslip-auto-generate`

Query: companyId: Long

Body: PayslipAutoGenerate (application/json)

Handler: upsertPayslipAutoGenerate() **Returns:** ResponseEntity<PayslipAutoGenerate>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:790

POST `{{baseUrl}}/api/payroll/payslip-auto-generate/trigger`

Handler: triggerAutoGenerate() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:809

GET `{{baseUrl}}/api/payroll/payslips`

Query: autoGenerated: Boolean (optional), year: Integer (optional), month: Integer (optional)

Handler: listPayslips() **Returns:** ResponseEntity<List<Payslip>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:384

POST `{{baseUrl}}/api/payroll/payslips/bulk-delete`

Body: List<Long> (application/json)

Handler: deletePayslipsBulk() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:477

GET `{{baseUrl}}/api/payroll/payslips/bulk-pdf`

Query: ids: List<Long>

Handler: downloadBulkPayslipPdf() **Returns:** ResponseEntity<byte[]>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1441

GET `{{baseUrl}}/api/payroll/payslips/export/excel`

Query: status: Payslip.PayslipStatus (optional), startDate: LocalDate (optional), endDate: LocalDate (optional), employeeId: Long (optional)

Handler: exportPayslipsExcel() **Returns:** ResponseEntity<byte[]>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1278

GET `{{baseUrl}}/api/payroll/payslips/export/import-format`

Query: companyId: Long, 0: int, 0: int

Handler: exportPayslipsImportFormat() **Returns:** ResponseEntity<byte[]>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:2178

POST `{{baseUrl}}/api/payroll/payslips/generate`

Query: employeeId: Long, startDate: LocalDate, endDate: LocalDate, companyId: Long, true: boolean, true: boolean, 0.5: double

Handler: generatePayslip() **Returns:** ResponseEntity<Payslip>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:922

POST `{{baseUrl}}/api/payroll/payslips/generate/bulk`

Query: companyId: Long, startDate: LocalDate, endDate: LocalDate, true: boolean, true: boolean, 0.5: double

Handler: generateBulkPayslips() **Returns:** ResponseEntity<List<Payslip>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:936

GET `{{baseUrl}}/api/payroll/payslips/import/info`

Query: companyId: Long, 0: int

Handler: payslipImportInfo() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:2104

POST `{{baseUrl}}/api/payroll/payslips/import/process`

Query: companyId: Long, month: int, year: int, file: MultipartFile

Handler: processPayslipImport() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:2159

GET `{{baseUrl}}/api/payroll/payslips/import/template`

Query: companyId: Long, 0: int, 0: int

Handler: downloadImportTemplate() **Returns:** ResponseEntity<byte[]>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:2132

DELETE `{{baseUrl}}/api/payroll/payslips/{id}`

Path: id: Long

Handler: deletePayslip() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:468

GET `{{baseUrl}}/api/payroll/payslips/{id}`

Path: id: Long

Handler: getPayslip() **Returns:** ResponseEntity<Payslip>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:434

PATCH `{{baseUrl}}/api/payroll/payslips/{id}`

Path: id: Long

Body: Map<String, Object> (application/json)

Handler: patchPayslip() **Returns:** ResponseEntity<Payslip>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1154

POST `{{baseUrl}}/api/payroll/payslips/{id}/confirm`

Path: id: Long

Handler: confirmPayslip() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:442

PATCH `{{baseUrl}}/api/payroll/payslips/{id}/inline`

Path: id: Long

Body: Map<String, Object> (application/json)

Handler: inlineEditPayslip() **Returns:** ResponseEntity<Payslip>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1966

POST `{{baseUrl}}/api/payroll/payslips/{id}/mark-paid`

Path: id: Long

Handler: markPaid() **Returns:** ResponseEntity<?>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:455

GET `{{baseUrl}}/api/payroll/payslips/{id}/pdf`

Path: id: Long

Handler: downloadPayslipPdf() **Returns:** ResponseEntity<byte[]>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1335

POST `{{baseUrl}}/api/payroll/payslips/{id}/send-email`

Path: id: Long

Handler: sendPayslipEmail() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:1864

GET `{{baseUrl}}/api/payroll/reimbursements`

Handler: listReimbursements() **Returns:** ResponseEntity<List<Reimbursement>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:629

POST `{{baseUrl}}/api/payroll/reimbursements`

Body: Reimbursement (application/json)

Handler: createReimbursement() **Returns:** ResponseEntity<Reimbursement>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:647

DELETE `{{baseUrl}}/api/payroll/reimbursements/attachments/{id}`

Path: id: Long

Handler: deleteReimbursementAttachment() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:881

DELETE `{{baseUrl}}/api/payroll/reimbursements/comments/{id}`

Path: id: Long

Handler: deleteReimbursementComment() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:912

GET `{{baseUrl}}/api/payroll/reimbursements/{id}`

Path: id: Long

Handler: getReimbursement() **Returns:** ResponseEntity<Reimbursement>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:638

POST `{{baseUrl}}/api/payroll/reimbursements/{id}/approve`

Path: id: Long

Handler: approveReimbursement() **Returns:** ResponseEntity<Reimbursement>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:662

POST `{{baseUrl}}/api/payroll/reimbursements/{id}/reject`

Path: id: Long

Handler: rejectReimbursement() **Returns:** ResponseEntity<Reimbursement>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:673

GET `{{baseUrl}}/api/payroll/reimbursements/{reimbursementId}/attachments`

Path: reimbursementId: Long

Handler: listReimbursementAttachments() **Returns:** ResponseEntity<List<ReimbursementAttachment>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:863

POST `{{baseUrl}}/api/payroll/reimbursements/{reimbursementId}/attachments`

Path: reimbursementId: Long

Body: ReimbursementAttachment (application/json)

Handler: addReimbursementAttachment() **Returns:** ResponseEntity<ReimbursementAttachment>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:871

GET `{{baseUrl}}/api/payroll/reimbursements/{reimbursementId}/comments`

Path: reimbursementId: Long

Handler: listReimbursementComments() **Returns:** ResponseEntity<List<ReimbursementComment>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:891

POST `{{baseUrl}}/api/payroll/reimbursements/{reimbursementId}/comments`

Path: reimbursementId: Long

Body: ReimbursementComment (application/json)

Handler: addReimbursementComment() **Returns:** ResponseEntity<ReimbursementComment>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:899

GET `{{baseUrl}}/api/payroll/settings`

Query: companyId: Long

Handler: getSettings() **Returns:** ResponseEntity<PayrollSettings>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:686

PUT `{{baseUrl}}/api/payroll/settings`

Query: companyId: Long

Body: PayrollSettings (application/json)

Handler: updateSettings() **Returns:** ResponseEntity<PayrollSettings>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:696

GET `{{baseUrl}}/api/payroll/tax-brackets`

Query: filingStatusId: Long

Handler: listTaxBrackets() **Returns:** ResponseEntity<List<TaxBracket>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:539

POST `{{baseUrl}}/api/payroll/tax-brackets`

Body: TaxBracket (application/json)

Handler: createTaxBracket() **Returns:** ResponseEntity<TaxBracket>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:547

DELETE `{{baseUrl}}/api/payroll/tax-brackets/{id}`

Path: id: Long

Handler: deleteTaxBracket() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:571

PUT `{{baseUrl}}/api/payroll/tax-brackets/{id}`

Path: id: Long

Body: TaxBracket (application/json)

Handler: updateTaxBracket() **Returns:** ResponseEntity<TaxBracket>

src/main/java/com/example/demo/payroll/controller/PayrollController.java:558

PmsController (pms - 58 endpoints)

GET `{{baseUrl}}/api/pms/anonymous-feedback`

Handler: listAnonymousFeedback() **Returns:** ResponseEntity<List<AnonymousFeedback>>

src/main/java/com/example/demo/pms/controller/PmsController.java:163

POST `{{baseUrl}}/api/pms/anonymous-feedback`

Body: AnonymousFeedback (application/json)

Handler: createAnonymousFeedback() **Returns:** ResponseEntity<AnonymousFeedback>

src/main/java/com/example/demo/pms/controller/PmsController.java:170

DELETE `{{baseUrl}}/api/pms/anonymous-feedback/{id}`

Path: id: Long

Handler: deleteAnonymousFeedback() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/pms/controller/PmsController.java:185

PUT `{{baseUrl}}/api/pms/anonymous-feedback/{id}`

Path: id: Long

Body: AnonymousFeedback (application/json)

Handler: updateAnonymousFeedback() **Returns:** ResponseEntity<AnonymousFeedback>

src/main/java/com/example/demo/pms/controller/PmsController.java:177

GET `{{baseUrl}}/api/pms/bonus-point-settings`

Handler: getBonusPointSettings() **Returns:** ResponseEntity<BonusPointSetting>

src/main/java/com/example/demo/pms/controller/PmsController.java:428

PUT `{{baseUrl}}/api/pms/bonus-point-settings`

Body: BonusPointSetting (application/json)

Handler: upsertBonusPointSettings() **Returns:** ResponseEntity<BonusPointSetting>

src/main/java/com/example/demo/pms/controller/PmsController.java:435

GET `{{baseUrl}}/api/pms/bonus-points`

Query: employeeId: Long (optional)

Handler: listBonusPoints() **Returns:** ResponseEntity<List<EmployeeBonusPoint>>

src/main/java/com/example/demo/pms/controller/PmsController.java:249

POST `{{baseUrl}}/api/pms/bonus-points`

Body: EmployeeBonusPoint (application/json)

Handler: awardBonusPoints() **Returns:** ResponseEntity<EmployeeBonusPoint>

src/main/java/com/example/demo/pms/controller/PmsController.java:257

GET `{{baseUrl}}/api/pms/cycles`

Handler: listCycles() **Returns:** ResponseEntity<List<PerformanceCycle>>

src/main/java/com/example/demo/pms/controller/PmsController.java:26

POST `{{baseUrl}}/api/pms/cycles`

Body: PerformanceCycle (application/json)

Handler: createCycle() **Returns:** ResponseEntity<PerformanceCycle>

src/main/java/com/example/demo/pms/controller/PmsController.java:32

PUT `{{baseUrl}}/api/pms/cycles/{id}`

Path: id: Long

Body: PerformanceCycle (application/json)

Handler: updateCycle() **Returns:** ResponseEntity<PerformanceCycle>

src/main/java/com/example/demo/pms/controller/PmsController.java:38

GET `{{baseUrl}}/api/pms/dashboard`

Handler: pmsDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/pms/controller/PmsController.java:482

POST `{{baseUrl}}/api/pms/employee-key-results`

Body: EmployeeKeyResult (application/json)

Handler: recordKeyResultProgress() **Returns:** ResponseEntity<EmployeeKeyResult>

src/main/java/com/example/demo/pms/controller/PmsController.java:299

PUT `{{baseUrl}}/api/pms/employee-key-results/{id}`

Path: id: Long

Body: EmployeeKeyResult (application/json)

Handler: updateKeyResultProgress() **Returns:** ResponseEntity<EmployeeKeyResult>

src/main/java/com/example/demo/pms/controller/PmsController.java:306

GET `{{baseUrl}}/api/pms/employee-objectives`

Query: employeeId: Long (optional), objectiveId: Long (optional)

Handler: listEmployeeObjectives() **Returns:** ResponseEntity<List<EmployeeObjective>>

src/main/java/com/example/demo/pms/controller/PmsController.java:266

POST `{{baseUrl}}/api/pms/employee-objectives`

Body: EmployeeObjective (application/json)

Handler: assignEmployeeObjective() **Returns:** ResponseEntity<EmployeeObjective>

src/main/java/com/example/demo/pms/controller/PmsController.java:275

DELETE `{{baseUrl}}/api/pms/employee-objectives/{id}`

Path: id: Long

Handler: removeEmployeeObjective() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/pms/controller/PmsController.java:282

GET `{{baseUrl}}/api/pms/feedback`

Query: employeeId: Long (optional)

Handler: listFeedback() **Returns:** ResponseEntity<List<EmployeeFeedback>>

src/main/java/com/example/demo/pms/controller/PmsController.java:114

POST `{{baseUrl}}/api/pms/feedback`

Body: EmployeeFeedback (application/json)

Handler: createFeedback() **Returns:** ResponseEntity<EmployeeFeedback>

src/main/java/com/example/demo/pms/controller/PmsController.java:120

POST `{{baseUrl}}/api/pms/feedback/bulk-create`

Body: List<Map<String, Object>> (application/json)

Handler: bulkCreateFeedback() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/pms/controller/PmsController.java:152

GET `{{baseUrl}}/api/pms/feedback/overview`

Handler: feedbackOverview() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/pms/controller/PmsController.java:145

PUT `{{baseUrl}}/api/pms/feedback/{id}`

Path: id: Long

Body: EmployeeFeedback (application/json)

Handler: updateFeedback() **Returns:** ResponseEntity<EmployeeFeedback>

src/main/java/com/example/demo/pms/controller/PmsController.java:126

POST `{{baseUrl}}/api/pms/feedback/{id}/archive`

Path: id: Long

Handler: archiveFeedback() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/pms/controller/PmsController.java:133

GET `{{baseUrl}}/api/pms/key-results/{keyResultId}/employee-progress`

Path: keyResultId: Long

Handler: listKeyResultProgress() **Returns:** ResponseEntity<List<EmployeeKeyResult>>

src/main/java/com/example/demo/pms/controller/PmsController.java:292

GET `{{baseUrl}}/api/pms/key-results/{keyResultId}/feedback`

Path: keyResultId: Long

Handler: listKeyResultFeedback() **Returns:** ResponseEntity<List<KeyResultFeedback>>

src/main/java/com/example/demo/pms/controller/PmsController.java:314

POST `{{baseUrl}}/api/pms/key-results/{keyResultId}/feedback`

Path: keyResultId: Long

Body: KeyResultFeedback (application/json)

Handler: addKeyResultFeedback() **Returns:** ResponseEntity<KeyResultFeedback>

src/main/java/com/example/demo/pms/controller/PmsController.java:321

DELETE `{{baseUrl}}/api/pms/meeting-answers/{id}`

Path: id: Long

Handler: deleteMeetingAnswer() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/pms/controller/PmsController.java:239

GET `{{baseUrl}}/api/pms/meetings`

Handler: listMeetings() **Returns:** ResponseEntity<List<Meeting>>

src/main/java/com/example/demo/pms/controller/PmsController.java:195

POST `{{baseUrl}}/api/pms/meetings`

Body: Meeting (application/json)

Handler: createMeeting() **Returns:** ResponseEntity<Meeting>

src/main/java/com/example/demo/pms/controller/PmsController.java:202

DELETE `{{baseUrl}}/api/pms/meetings/{id}`

Path: id: Long

Handler: deleteMeeting() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/pms/controller/PmsController.java:216

PUT `{{baseUrl}}/api/pms/meetings/{id}`

Path: id: Long

Body: Meeting (application/json)

Handler: updateMeeting() **Returns:** ResponseEntity<Meeting>

src/main/java/com/example/demo/pms/controller/PmsController.java:209

GET `{{baseUrl}}/api/pms/meetings/{meetingId}/answers`

Path: meetingId: Long

Handler: listMeetingAnswers() **Returns:** ResponseEntity<List<MeetingAnswer>>

src/main/java/com/example/demo/pms/controller/PmsController.java:224

POST `{{baseUrl}}/api/pms/meetings/{meetingId}/answers`

Path: meetingId: Long

Body: MeetingAnswer (application/json)

Handler: addMeetingAnswer() **Returns:** ResponseEntity<MeetingAnswer>

src/main/java/com/example/demo/pms/controller/PmsController.java:231

DELETE `{{baseUrl}}/api/pms/objective-comments/{id}`

Path: id: Long

Handler: deleteObjectiveComment() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/pms/controller/PmsController.java:104

GET `{{baseUrl}}/api/pms/objectives`

Query: employeeId: Long (optional)

Handler: listObjectives() **Returns:** ResponseEntity<List<Objective>>

src/main/java/com/example/demo/pms/controller/PmsController.java:47

POST `{{baseUrl}}/api/pms/objectives`

Body: Objective (application/json)

Handler: createObjective() **Returns:** ResponseEntity<Objective>

src/main/java/com/example/demo/pms/controller/PmsController.java:53

PUT `{{baseUrl}}/api/pms/objectives/{id}`

Path: id: Long

Body: Objective (application/json)

Handler: updateObjective() **Returns:** ResponseEntity<Objective>

src/main/java/com/example/demo/pms/controller/PmsController.java:59

POST `{{baseUrl}}/api/pms/objectives/{id}/archive`

Path: id: Long

Handler: archiveObjective() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/pms/controller/PmsController.java:65

POST `{{baseUrl}}/api/pms/objectives/{id}/unarchive`

Path: id: Long

Handler: unarchiveObjective() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/pms/controller/PmsController.java:77

GET `{{baseUrl}}/api/pms/objectives/{objectiveId}/comments`

Path: objectiveId: Long

Handler: listObjectiveComments() **Returns:** ResponseEntity<List<ObjectiveComment>>

src/main/java/com/example/demo/pms/controller/PmsController.java:89

POST `{{baseUrl}}/api/pms/objectives/{objectiveId}/comments`

Path: objectiveId: Long

Body: ObjectiveComment (application/json)

Handler: addObjectiveComment() **Returns:** ResponseEntity<ObjectiveComment>

src/main/java/com/example/demo/pms/controller/PmsController.java:96

GET `{{baseUrl}}/api/pms/periods`

Handler: listPeriods() **Returns:** ResponseEntity<List<Period>>

src/main/java/com/example/demo/pms/controller/PmsController.java:444

POST `{{baseUrl}}/api/pms/periods`

Body: Period (application/json)

Handler: createPeriod() **Returns:** ResponseEntity<Period>

src/main/java/com/example/demo/pms/controller/PmsController.java:458

DELETE `{{baseUrl}}/api/pms/periods/{id}`

Path: id: Long

Handler: deletePeriod() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/pms/controller/PmsController.java:472

GET `{{baseUrl}}/api/pms/periods/{id}`

Path: id: Long

Handler: getPeriod() **Returns:** ResponseEntity<Period>

src/main/java/com/example/demo/pms/controller/PmsController.java:451

PUT `{{baseUrl}}/api/pms/periods/{id}`

Path: id: Long

Body: Period (application/json)

Handler: updatePeriod() **Returns:** ResponseEntity<Period>

src/main/java/com/example/demo/pms/controller/PmsController.java:465

DELETE `{{baseUrl}}/api/pms/question-options/{id}`

Path: id: Long

Handler: deleteOption() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/pms/controller/PmsController.java:402

GET `{{baseUrl}}/api/pms/question-templates`

Handler: listQuestionTemplates() **Returns:** ResponseEntity<List<QuestionTemplate>>

src/main/java/com/example/demo/pms/controller/PmsController.java:331

POST `{{baseUrl}}/api/pms/question-templates`

Body: QuestionTemplate (application/json)

Handler: createQuestionTemplate() **Returns:** ResponseEntity<QuestionTemplate>

src/main/java/com/example/demo/pms/controller/PmsController.java:338

DELETE `{{baseUrl}}/api/pms/question-templates/{id}`

Path: id: Long

Handler: deleteQuestionTemplate() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/pms/controller/PmsController.java:353

PUT `{{baseUrl}}/api/pms/question-templates/{id}`

Path: id: Long

Body: QuestionTemplate (application/json)

Handler: updateQuestionTemplate() **Returns:** ResponseEntity<QuestionTemplate>

src/main/java/com/example/demo/pms/controller/PmsController.java:345

GET `{{baseUrl}}/api/pms/question-templates/{templateId}/questions`

Path: templateId: Long

Handler: listQuestions() **Returns:** ResponseEntity<List<Question>>

src/main/java/com/example/demo/pms/controller/PmsController.java:363

POST `{{baseUrl}}/api/pms/question-templates/{templateId}/questions`

Path: templateId: Long

Body: Question (application/json)

Handler: addQuestion() **Returns:** ResponseEntity<Question>

src/main/java/com/example/demo/pms/controller/PmsController.java:370

`DELETE` **`{{baseUrl}}/api/pms/questions/{id}`**

Path: id: Long

Handler: deleteQuestion() **Returns:** ResponseEntity<Void>

src/main/java/com/example/demo/pms/controller/PmsController.java:377

`GET` **`{{baseUrl}}/api/pms/questions/{questionId}/answers`**

Path: questionId: Long

Handler: listAnswers() **Returns:** ResponseEntity<List<Answer>>

src/main/java/com/example/demo/pms/controller/PmsController.java:412

`POST` **`{{baseUrl}}/api/pms/questions/{questionId}/answers`**

Path: questionId: Long

Body: Answer (application/json)

Handler: submitAnswer() **Returns:** ResponseEntity<Answer>

src/main/java/com/example/demo/pms/controller/PmsController.java:419

`GET` **`{{baseUrl}}/api/pms/questions/{questionId}/options`**

Path: questionId: Long

Handler: listOptions() **Returns:** ResponseEntity<List<QuestionOption>>

src/main/java/com/example/demo/pms/controller/PmsController.java:387

`POST` **`{{baseUrl}}/api/pms/questions/{questionId}/options`**

Path: questionId: Long

Body: QuestionOption (application/json)

Handler: addOption() **Returns:** ResponseEntity<QuestionOption>

src/main/java/com/example/demo/pms/controller/PmsController.java:394

ProfileController (profile - 2 endpoints)

`GET` **`{{baseUrl}}/api/profile/fetchMe`**

Handler: fetchMe() **Returns:** ResponseEntity<EmployeeResponse>

src/main/java/com/example/demo/profile/controller/ProfileController.java:85

`POST` **`{{baseUrl}}/api/profile/uploadPhoto`**

Query: file: MultipartFile

Handler: uploadPhoto() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/profile/controller/ProfileController.java:59

ProjectController (project - 17 endpoints)

`GET` **`{{baseUrl}}/api/projects`**

Handler: list() **Returns:** ResponseEntity<List<Project>>

src/main/java/com/example/demo/project/controller/ProjectController.java:26

POST `{{baseUrl}}/api/projects`

Body: Project (application/json)

Handler: create() **Returns:** ResponseEntity<Project>

src/main/java/com/example/demo/project/controller/ProjectController.java:38

DELETE `{{baseUrl}}/api/projects/stages/{stageId}`

Path: stageId: Long

Handler: deleteStage() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/project/controller/ProjectController.java:100

PUT `{{baseUrl}}/api/projects/stages/{stageId}`

Path: stageId: Long

Body: ProjectStage (application/json)

Handler: updateStage() **Returns:** ResponseEntity<ProjectStage>

src/main/java/com/example/demo/project/controller/ProjectController.java:93

PUT `{{baseUrl}}/api/projects/tasks/{taskId}`

Path: taskId: Long

Body: Task (application/json)

Handler: updateTask() **Returns:** ResponseEntity<Task>

src/main/java/com/example/demo/project/controller/ProjectController.java:71

GET `{{baseUrl}}/api/projects/timesheets`

Handler: listTimesheets() **Returns:** ResponseEntity<List<TimeSheet>>

src/main/java/com/example/demo/project/controller/ProjectController.java:110

POST `{{baseUrl}}/api/projects/timesheets`

Body: TimeSheet (application/json)

Handler: createTimesheet() **Returns:** ResponseEntity<TimeSheet>

src/main/java/com/example/demo/project/controller/ProjectController.java:124

GET `{{baseUrl}}/api/projects/timesheets/employee/{employeeId}`

Path: employeeId: Long

Handler: listTimesheetsByEmployee() **Returns:** ResponseEntity<List<TimeSheet>>

src/main/java/com/example/demo/project/controller/ProjectController.java:117

DELETE `{{baseUrl}}/api/projects/timesheets/{id}`

Path: id: Long

Handler: deleteTimesheet() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/project/controller/ProjectController.java:138

PUT `{{baseUrl}}/api/projects/timesheets/{id}`

Path: id: Long

Body: TimeSheet (application/json)

Handler: updateTimesheet() **Returns:** ResponseEntity<TimeSheet>

src/main/java/com/example/demo/project/controller/ProjectController.java:131

DELETE `{{baseUrl}}/api/projects/{id}`

Path: id: Long

Handler: delete() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/project/controller/ProjectController.java:50

GET `{{baseUrl}}/api/projects/{id}`

Path: id: Long

Handler: get() **Returns:** ResponseEntity<Project>

src/main/java/com/example/demo/project/controller/ProjectController.java:32

PUT `{{baseUrl}}/api/projects/{id}`

Path: id: Long

Body: Project (application/json)

Handler: update() **Returns:** ResponseEntity<Project>

src/main/java/com/example/demo/project/controller/ProjectController.java:44

GET `{{baseUrl}}/api/projects/{projectId}/stages`

Path: projectId: Long

Handler: listStages() **Returns:** ResponseEntity<List<ProjectStage>>

src/main/java/com/example/demo/project/controller/ProjectController.java:79

POST `{{baseUrl}}/api/projects/{projectId}/stages`

Path: projectId: Long

Body: ProjectStage (application/json)

Handler: createStage() **Returns:** ResponseEntity<ProjectStage>

src/main/java/com/example/demo/project/controller/ProjectController.java:86

GET `{{baseUrl}}/api/projects/{projectId}/tasks`

Path: projectId: Long

Handler: getTasks() **Returns:** ResponseEntity<List<Task>>

src/main/java/com/example/demo/project/controller/ProjectController.java:59

POST `{{baseUrl}}/api/projects/{projectId}/tasks`

Path: projectId: Long

Body: Task (application/json)

Handler: createTask() **Returns:** ResponseEntity<Task>

src/main/java/com/example/demo/project/controller/ProjectController.java:65

LinkedInController (recruitment - 3 endpoints)

POST `{{baseUrl}}/api/recruitment/linkedin/setup`

Body: LinkedInAccount (application/json)

Handler: saveLinkedInAccount() **Returns:** ResponseEntity<LinkedInAccount>

src/main/java/com/example/demo/recruitment/controller/LinkedInController.java:22

POST `{{baseUrl}}/api/recruitment/linkedin/sync`

Query: companyId: Long (optional)

Handler: syncCandidates() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/recruitment/controller/LinkedInController.java:38

POST `{{baseUrl}}/api/recruitment/linkedin/validate`

Body: Map<String, Object> (application/json)

Handler: validateCredentials() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/recruitment/controller/LinkedInController.java:29

RecruitmentController (recruitment - 72 endpoints)

GET `{{baseUrl}}/api/recruitment/applicants`

Handler: listApplicants() **Returns:** ResponseEntity<List<Applicant>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:151

POST `{{baseUrl}}/api/recruitment/applicants`

Body: Applicant (application/json)

Handler: createApplicant() **Returns:** ResponseEntity<Applicant>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:163

POST `{{baseUrl}}/api/recruitment/applicants/bulk-action`

Body: Map<String, Object> (application/json)

Handler: bulkApplicantAction() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:194

POST `{{baseUrl}}/api/recruitment/applicants/{id}/convert-employee`

Path: id: Long

Handler: convertToEmployee() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:187

PUT `{{baseUrl}}/api/recruitment/applicants/{id}/hire`

Path: id: Long

Handler: hire() **Returns:** ResponseEntity<Applicant>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:175

PUT `{{baseUrl}}/api/recruitment/applicants/{id}/reject`

Path: id: Long

Handler: rejectApplicant() **Returns:** ResponseEntity<Applicant>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:181

POST `{{baseUrl}}/api/recruitment/applicants/{id}/send-mail`

Path: id: Long

Body: Map<String, Object> (application/json)

Handler: sendApplicantMail() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:208

PUT `{{baseUrl}}/api/recruitment/applicants/{id}/stage`

Path: id: Long

Query: stageId: Long

Handler: updateStage() **Returns:** ResponseEntity<Applicant>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:169

DELETE `{{baseUrl}}/api/recruitment/candidates/resumes/{id}`

Path: id: Long

Handler: deleteResume() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:512

GET `{{baseUrl}}/api/recruitment/candidates/{candidateId}/document-requests`

Path: candidateId: Long

Handler: listDocumentRequests() **Returns:** ResponseEntity<List<CandidateDocumentRequest>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:522

POST `{{baseUrl}}/api/recruitment/candidates/{candidateId}/document-requests`

Path: candidateId: Long

Body: CandidateDocumentRequest (application/json)

Handler: createDocumentRequest() **Returns:** ResponseEntity<CandidateDocumentRequest>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:530

GET `{{baseUrl}}/api/recruitment/candidates/{candidateId}/documents`

Path: candidateId: Long

Handler: listDocuments() **Returns:** ResponseEntity<List<CandidateDocument>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:539

POST `{{baseUrl}}/api/recruitment/candidates/{candidateId}/documents`

Path: candidateId: Long

Body: CandidateDocument (application/json)

Handler: uploadDocument() **Returns:** ResponseEntity<CandidateDocument>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:546

GET `{{baseUrl}}/api/recruitment/candidates/{candidateId}/resumes`

Path: candidateId: Long

Handler: listResumes() **Returns:** ResponseEntity<List<Resume>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:498

POST `{{baseUrl}}/api/recruitment/candidates/{candidateId}/resumes`

Path: candidateId: Long

Body: Resume (application/json)

Handler: addResume() **Returns:** ResponseEntity<Resume>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:505

GET `{{baseUrl}}/api/recruitment/dashboard`

Query: companyId: Long

Handler: recruitmentDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:576

GET `{{baseUrl}}/api/recruitment/interviews`

Handler: listInterviews() **Returns:** ResponseEntity<List<InterviewSchedule>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:219

POST `{{baseUrl}}/api/recruitment/interviews`

Body: InterviewSchedule (application/json)

Handler: createInterview() **Returns:** ResponseEntity<InterviewSchedule>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:226

DELETE `{{baseUrl}}/api/recruitment/interviews/{id}`

Path: id: Long

Handler: deleteInterview() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:248

PUT `{{baseUrl}}/api/recruitment/interviews/{id}`

Path: id: Long

Body: InterviewSchedule (application/json)

Handler: updateInterview() **Returns:** ResponseEntity<InterviewSchedule>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:233

POST `{{baseUrl}}/api/recruitment/interviews/{id}/complete`

Path: id: Long

Handler: completeInterview() **Returns:** ResponseEntity<InterviewSchedule>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:241

GET `{{baseUrl}}/api/recruitment/posts`

Handler: listPosts() **Returns:** ResponseEntity<List<RecruitmentPost>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:25

POST `{{baseUrl}}/api/recruitment/posts`

Body: RecruitmentPost (application/json)

Handler: createPost() **Returns:** ResponseEntity<RecruitmentPost>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:37

DELETE `{{baseUrl}}/api/recruitment/posts/{id}`

Path: id: Long

Handler: deletePost() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:50

GET `{{baseUrl}}/api/recruitment/posts/{id}`

Path: id: Long

Handler: getPost() **Returns:** ResponseEntity<RecruitmentPost>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:31

PUT `{{baseUrl}}/api/recruitment/posts/{id}`

Path: id: Long

Body: RecruitmentPost (application/json)

Handler: updatePost() **Returns:** ResponseEntity<RecruitmentPost>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:43

POST `{{baseUrl}}/api/recruitment/posts/{id}/archive`

Path: id: Long

Handler: archivePost() **Returns:** ResponseEntity<RecruitmentPost>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:71

POST `{{baseUrl}}/api/recruitment/posts/{id}/close`

Path: id: Long

Handler: closePost() **Returns:** ResponseEntity<RecruitmentPost>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:57

GET `{{baseUrl}}/api/recruitment/posts/{id}/pipeline`

Path: id: Long

Handler: getPostPipeline() **Returns:** ResponseEntity<List<Map<String, Object>>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:85

POST `{{baseUrl}}/api/recruitment/posts/{id}/reopen`

Path: id: Long

Handler: reopenPost() **Returns:** ResponseEntity<RecruitmentPost>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:64

POST `{{baseUrl}}/api/recruitment/posts/{id}/unarchive`

Path: id: Long

Handler: unarchivePost() **Returns:** ResponseEntity<RecruitmentPost>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:78

GET `{{baseUrl}}/api/recruitment/posts/{postId}/applicants`

Path: postId: Long

Handler: applicantsByPost() **Returns:** ResponseEntity<List<Applicant>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:157

GET `{{baseUrl}}/api/recruitment/posts/{postId}/stages`

Path: postId: Long

Handler: listStagesByPost() **Returns:** ResponseEntity<List<RecruitmentStage>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:94

GET `{{baseUrl}}/api/recruitment/posts/{postId}/surveys`

Path: postId: Long

Handler: listSurveys() **Returns:** ResponseEntity<List<RecruitmentSurvey>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:450

POST `{{baseUrl}}/api/recruitment/posts/{postId}/surveys`

Path: postId: Long

Body: RecruitmentSurvey (application/json)

Handler: createSurvey() **Returns:** ResponseEntity<RecruitmentSurvey>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:457

GET `{{baseUrl}}/api/recruitment/ratings`

Query: candidateId: Long

Handler: getRatings() **Returns:** ResponseEntity<List<CandidateRating>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:258

POST `{{baseUrl}}/api/recruitment/ratings`

Body: CandidateRating (application/json)

Handler: rateCandidate() **Returns:** ResponseEntity<CandidateRating>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:265

GET `{{baseUrl}}/api/recruitment/reject-reasons`

Handler: listRejectReasons() **Returns:** ResponseEntity<List<RejectReason>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:344

POST `{{baseUrl}}/api/recruitment/reject-reasons`

Body: RejectReason (application/json)

Handler: createRejectReason() **Returns:** ResponseEntity<RejectReason>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:351

DELETE `{{baseUrl}}/api/recruitment/reject-reasons/{id}`

Path: id: Long

Handler: deleteRejectReason() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:366

PUT `{{baseUrl}}/api/recruitment/reject-reasons/{id}`

Path: id: Long

Body: RejectReason (application/json)

Handler: updateRejectReason() **Returns:** ResponseEntity<RejectReason>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:358

GET `{{baseUrl}}/api/recruitment/rejected-candidates`

Query: companyId: Long (optional)

Handler: listRejected() **Returns:** ResponseEntity<List<RejectedCandidate>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:376

POST `{{baseUrl}}/api/recruitment/rejected-candidates`

Body: RejectedCandidate (application/json)

Handler: rejectCandidate() **Returns:** ResponseEntity<RejectedCandidate>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:384

GET `{{baseUrl}}/api/recruitment/settings`

Query: companyId: Long

Handler: getSettings() **Returns:** ResponseEntity<RecruitmentGeneralSetting>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:556

PUT `{{baseUrl}}/api/recruitment/settings`

Query: companyId: Long

Body: RecruitmentGeneralSetting (application/json)

Handler: upsertSettings() **Returns:** ResponseEntity<RecruitmentGeneralSetting>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:565

GET `{{baseUrl}}/api/recruitment/skill-zones`

Handler: listSkillZones() **Returns:** ResponseEntity<List<SkillZone>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:274

POST `{{baseUrl}}/api/recruitment/skill-zones`

Body: SkillZone (application/json)

Handler: createSkillZone() **Returns:** ResponseEntity<SkillZone>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:281

DELETE `{{baseUrl}}/api/recruitment/skill-zones/{id}`

Path: id: Long

Handler: deleteSkillZone() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:295

PUT `{{baseUrl}}/api/recruitment/skill-zones/{id}`

Path: id: Long

Body: SkillZone (application/json)

Handler: updateSkillZone() **Returns:** ResponseEntity<SkillZone>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:288

GET `{{baseUrl}}/api/recruitment/skill-zones/{id}/candidates`

Path: id: Long

Handler: listSkillZoneCandidates() **Returns:** ResponseEntity<List<SkillZoneCandidate>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:303

POST `{{baseUrl}}/api/recruitment/skill-zones/{id}/candidates`

Path: id: Long

Body: SkillZoneCandidate (application/json)

Handler: addSkillZoneCandidate() **Returns:** ResponseEntity<SkillZoneCandidate>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:310

GET `{{baseUrl}}/api/recruitment/skills`

Query: companyId: Long (optional)

Handler: listSkills() **Returns:** ResponseEntity<List<Skill>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:393

POST `{{baseUrl}}/api/recruitment/skills`

Body: Skill (application/json)

Handler: createSkill() **Returns:** ResponseEntity<Skill>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:400

DELETE `{{baseUrl}}/api/recruitment/skills/{id}`

Path: id: Long

Handler: deleteSkill() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:407

GET `{{baseUrl}}/api/recruitment/stage-notes`

Query: candidateId: Long (optional)

Handler: listStageNotes() **Returns:** ResponseEntity<List<StageNote>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:320

POST `{{baseUrl}}/api/recruitment/stage-notes`

Body: StageNote (application/json)

Handler: createStageNote() **Returns:** ResponseEntity<StageNote>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:327

DELETE `{{baseUrl}}/api/recruitment/stage-notes/{id}`

Path: id: Long

Handler: deleteStageNote() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:334

POST `{{baseUrl}}/api/recruitment/stages`

Body: RecruitmentStage (application/json)

Handler: createStage() **Returns:** ResponseEntity<RecruitmentStage>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:100

DELETE `{{baseUrl}}/api/recruitment/stages/files/{id}`

Path: id: Long

Handler: deleteStageFile() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:141

PUT `{{baseUrl}}/api/recruitment/stages/{id}`

Path: id: Long

Body: RecruitmentStage (application/json)

Handler: updateStage() **Returns:** ResponseEntity<RecruitmentStage>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:106

POST `{{baseUrl}}/api/recruitment/stages/{id}/archive`

Path: id: Long

Handler: archiveStage() **Returns:** ResponseEntity<RecruitmentStage>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:120

POST `{{baseUrl}}/api/recruitment/stages/{id}/duplicate`

Path: id: Long

Handler: duplicateStage() **Returns:** ResponseEntity<RecruitmentStage>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:113

GET `{{baseUrl}}/api/recruitment/stages/{stageId}/files`

Path: stageId: Long

Handler: listStageFiles() **Returns:** ResponseEntity<List<StageFile>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:127

POST `{{baseUrl}}/api/recruitment/stages/{stageId}/files`

Path: stageId: Long

Body: StageFile (application/json)

Handler: addStageFile() **Returns:** ResponseEntity<StageFile>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:134

GET `{{baseUrl}}/api/recruitment/survey-templates`

Query: companyId: Long (optional)

Handler: listSurveyTemplates() **Returns:** ResponseEntity<List<SurveyTemplate>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:417

POST `{{baseUrl}}/api/recruitment/survey-templates`

Body: SurveyTemplate (application/json)

Handler: createSurveyTemplate() **Returns:** ResponseEntity<SurveyTemplate>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:425

DELETE `{{baseUrl}}/api/recruitment/survey-templates/{id}`

Path: id: Long

Handler: deleteSurveyTemplate() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:440

PUT `{{baseUrl}}/api/recruitment/survey-templates/{id}`

Path: id: Long

Body: SurveyTemplate (application/json)

Handler: updateSurveyTemplate() **Returns:** ResponseEntity<SurveyTemplate>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:432

DELETE `{{baseUrl}}/api/recruitment/surveys/questions/{id}`

Path: id: Long

Handler: deleteQuestion() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:480

POST `{{baseUrl}}/api/recruitment/surveys/{surveyId}/answers`

Path: surveyId: Long

Body: SurveyAnswer (application/json)

Handler: submitAnswer() **Returns:** ResponseEntity<SurveyAnswer>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:488

GET `{{baseUrl}}/api/recruitment/surveys/{surveyId}/questions`

Path: surveyId: Long

Handler: listQuestions() **Returns:** ResponseEntity<List<QuestionOrdering>>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:465

POST `{{baseUrl}}/api/recruitment/surveys/{surveyId}/questions`

Path: surveyId: Long

Body: QuestionOrdering (application/json)

Handler: addQuestion() **Returns:** ResponseEntity<QuestionOrdering>

src/main/java/com/example/demo/recruitment/controller/RecruitmentController.java:472

ConsolidatedReportController (report - 11 endpoints)

GET `{{baseUrl}}/api/reports/asset-dashboard`

Query: companyId: Long (optional)

Handler: assetDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/ConsolidatedReportController.java:251

GET `{{baseUrl}}/api/reports/attendance`

Query: from: LocalDate (optional), to: LocalDate (optional)

Handler: attendance() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/ConsolidatedReportController.java:62

GET `{{baseUrl}}/api/reports/attendance-dashboard`

Query: companyId: Long (optional)

Handler: attendanceDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/ConsolidatedReportController.java:141

GET `{{baseUrl}}/api/reports/export`

Query: type: String, from: LocalDate (optional), to: LocalDate (optional)

Handler: export() **Returns:** ResponseEntity<byte[]>

src/main/java/com/example/demo/report/controller/ConsolidatedReportController.java:102

GET `{{baseUrl}}/api/reports/headcount`

Handler: headcount() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/ConsolidatedReportController.java:55

GET `{{baseUrl}}/api/reports/leave`

Query: from: LocalDate (optional), to: LocalDate (optional)

Handler: leave() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/ConsolidatedReportController.java:73

GET `{{baseUrl}}/api/reports/leave-dashboard`

Query: companyId: Long (optional)

Handler: leaveDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/ConsolidatedReportController.java:171

GET `{{baseUrl}}/api/reports/payroll`

Query: from: LocalDate (optional), to: LocalDate (optional)

Handler: payroll() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/ConsolidatedReportController.java:84

GET `{{baseUrl}}/api/reports/payroll-dashboard`

Query: companyId: Long (optional)

Handler: payrollDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/ConsolidatedReportController.java:199

GET `{{baseUrl}}/api/reports/pending-approvals`

Handler: pendingApprovals() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/ConsolidatedReportController.java:95

GET `{{baseUrl}}/api/reports/recruitment-dashboard`

Query: companyId: Long (optional)

Handler: recruitmentDashboard() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/ConsolidatedReportController.java:232

PlatformCompanyScopeController (report - 3 endpoints)

GET `{{baseUrl}}/api/platform/scope/companies`

Handler: listSelectableCompanies() **Returns:** ResponseEntity<List<Map<String, Object>>>

src/main/java/com/example/demo/report/controller/PlatformCompanyScopeController.java:34

GET `{{baseUrl}}/api/platform/scope/current`

Handler: scopeInstructions() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/PlatformCompanyScopeController.java:67

GET `{{baseUrl}}/api/platform/scope/validate/{companyId}`

Path: companyId: Long

Handler: validateScope() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/PlatformCompanyScopeController.java:53

PlatformMonitorController (report - 1 endpoints)

GET `{{baseUrl}}/api/platform/stats`

Handler: stats() **Returns:** ResponseEntity<Map<String, Object>>

src/main/java/com/example/demo/report/controller/PlatformMonitorController.java:37

ViewsController (views - 12 endpoints)

GET `{{baseUrl}}/api/views/active-groups`

Query: path: String

Handler: getActiveGroup() **Returns:** ResponseEntity<ActiveGroup>

src/main/java/com/example/demo/views/controller/ViewsController.java:61

POST `{{baseUrl}}/api/views/active-groups`

Body: Map<String, Object> (application/json)

Handler: saveActiveGroup() **Returns:** ResponseEntity<ActiveGroup>

src/main/java/com/example/demo/views/controller/ViewsController.java:68

GET `{{baseUrl}}/api/views/active-tabs`

Query: path: String

Handler: getActiveTab() **Returns:** ResponseEntity<ActiveTab>

src/main/java/com/example/demo/views/controller/ViewsController.java:43

POST `{{baseUrl}}/api/views/active-tabs`

Body: Map<String, Object> (application/json)

Handler: saveActiveTab() **Returns:** ResponseEntity<ActiveTab>

src/main/java/com/example/demo/views/controller/ViewsController.java:50

GET `{{baseUrl}}/api/views/active-views`

Query: path: String

Handler: getActiveView() **Returns:** ResponseEntity<ActiveView>

src/main/java/com/example/demo/views/controller/ViewsController.java:107

POST `{{baseUrl}}/api/views/active-views`

Body: Map<String, Object> (application/json)

Handler: saveActiveView() **Returns:** ResponseEntity<ActiveView>

src/main/java/com/example/demo/views/controller/ViewsController.java:114

GET `{{baseUrl}}/api/views/saved-filters`

Handler: getSavedFilters() **Returns:** ResponseEntity<List<SavedFilter>>

src/main/java/com/example/demo/views/controller/ViewsController.java:80

POST `{{baseUrl}}/api/views/saved-filters`

Body: SavedFilter (application/json)

Handler: createSavedFilter() **Returns:** ResponseEntity<SavedFilter>

src/main/java/com/example/demo/views/controller/ViewsController.java:86

DELETE `{{baseUrl}}/api/views/saved-filters/{id}`

Path: id: Long

Handler: deleteSavedFilter() **Returns:** ResponseEntity<Map<String, String>>

src/main/java/com/example/demo/views/controller/ViewsController.java:98

PUT `{{baseUrl}}/api/views/saved-filters/{id}`

Path: id: Long

Body: SavedFilter (application/json)

Handler: updateSavedFilter() **Returns:** ResponseEntity<SavedFilter>

src/main/java/com/example/demo/views/controller/ViewsController.java:92

GET `{{baseUrl}}/api/views/toggle-columns`

Handler: getToggleColumns() **Returns:** ResponseEntity<List<ToggleColumn>>

src/main/java/com/example/demo/views/controller/ViewsController.java:26

POST `{{baseUrl}}/api/views/toggle-columns`

Body: Map<String, Object> (application/json)

Handler: saveToggleColumn() **Returns:** ResponseEntity<ToggleColumn>

src/main/java/com/example/demo/views/controller/ViewsController.java:32