

Script-Controlled ACL – Restrict Record Access Based on Field Value

6. Project Documentation / FSD – Completed Answer

The ZIP includes a MERN-oriented FSD template. The reference project is a ServiceNow ACL lab, so React, Node.js/Express and MongoDB are not claimed as project technologies.

6.1 Introduction

Project Title: Script-Controlled ACL – Restrict Record Access Based on Field Value

Purpose: Demonstrate record-level security in ServiceNow using script-controlled ACLs so access depends on roles and the Branch field.

6.2 Project Overview

Item	Answer
Platform	ServiceNow
Primary table	u_institution_details
Security model	Record-level ACLs
Branch values	ECE, EEE, CSE
Roles	bb1, bb2, bb3, bb4; admin handled by READ script
Operations	Read, Create, Write, Delete

6.3 Architecture

User → ServiceNow ACL engine → role and condition/script evaluation → u_institution_details → authorized record/form/list access.

6.4 Setup Instructions

Step	Action
1	Log in to ServiceNow with admin access.
2	Create the EEE User.
3	Create bb1–bb4 and assign them to EEE User.
4	Create u_institution_details.
5	Add the specified fields and create ECE/EEE/CSE records.
6	Elevate Security_admin and create the four ACLs.
7	Impersonate users and verify results.

6.5 ACL Summary

Operation	Required Role	Condition / Script
Read	bb1	Branch is EEE + supplied script; admin allowed by script
Create	bb2	No additional data condition
Write	bb3	No additional data condition
Delete	bb4	No additional data condition

6.6 Authentication & Authorization

Authentication is through the ServiceNow instance. Authorization is enforced through ACLs. The READ script checks admin, then bb1, then denies other users.

6.7 MERN/API Items

Not applicable to the reference lab. No React client, Node.js server, MongoDB schema, or API inventory is supplied.

6.8 Known Limitations

The source does not provide production hardening details, quantitative performance results, deployment topology or screenshots.

6.9 Future Enhancements

Proposed extensions: additional branch policies, more granular roles, automated ACL regression tests, and audit/monitoring documentation.