



CRICKET PLATER PERFORMANCEAPPLICATION CRICKSTATS

DEPATMENT OF SOFTWARE COMPUTER SCIENCE

**SHANMUGA INDUSTRIES ARTS AND SCIENCE
COLLEGE**

Tiruvannamalai – 606 603

By

Ragul A (20923U30037)

Sivaraman R (20923U30046)

Siva K (20923U30045)

Parasuraman A (20923U30034)

Dhanush S (20923U30011)

CRICKET PLATER PERFORMANCE APPLICATION: CRICKSTATS

USERS STORY:

As a Salesforce Admin, I want to create a comprehensive player performance tracking application within Salesforce to capture and analyze detailed match-by-match information of cricket players. This application will include custom objects such as Player and Match Performance with carefully defined fields and relationships to ensure data integrity and accessibility. By leveraging master-detail and lookup relationships, the application will enable robust tracking of individual and team performances, facilitate insightful reporting and analytics, and support the overall management of player statistics, thereby enhancing strategic decision-making and player development initiatives.

1.INTRODUCTION

1.1 Project Overview:

CRICKSTATS is a Salesforce-based application designed to track, manage, and analyze cricket players' performance on a match-by-match basis. The system uses customs objects, relationships, dashboards, and automation tools to provide structured performance insights.

It enables coaches, analysts, and administrators to record player statistics, generate reports, and support strategic decision-making.

Overall, the application enhances transparency, improves decision-making, and supports strategic planning by providing accurate and accessible performance insights within a secure cloud environment

1.2 Purpose:

The main purpose of this project is:

- To digitize player performance records
- To improve accuracy and accessibility of cricket statistics
- To provide real-time analytics
- To support player development and team planning
- To automate data management using Salesforce

1.3 Key Features:

- Player Profile Management
- Match Performance Tracking
- Automated Statistical Calculations
- Real-Time Reporting and Dashboards
- Secure Cloud-Based Data Storage
- User-Friendly Interface

2.IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)

Problem statement (PS)	I'm (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	A cricket team coach	Track player Performance across matches	I cannot get Accurate statistics easily	Data is stored in Different files and formats	Frustrated and unsure About team selection
PS-2	A team Manager	Maintain complete player records	It takes too much time to update and verify data	Most records are maintained manually	Stressed and inefficient
PS-3	A sports Analyst	Analyze player trends and generate reports	I face difficulty in Comparing performances	There is no centralized analytics system	Confused and dissatisfied
PS-4	A tournament organizer	Track match results and player statistics for the tournament	It is difficult to collect data from different teams	Each team maintains their records separately	Frustrated and disorganized
PS-5	A cricket player	Review my personal performance and improve my skills	I cannot clearly see my past match statistics	My performance data Is not recorded in a structured system	Confused about my progress

Key Problem Statements

Cricket Team Coach	Team Manager	Sports Analyst	Tournament Organizer	Cricket Player
				
I want to track player performance across matches,	I want to maintain complete player records,	I want to analyze player trends and generate reports,	I want to track match results and player stats,	I want to review my personal performance,
BUT	BUT	BUT	BUT	BUT
I cannot get Accurate statistics easily	It takes too much time to update and verify data	I face difficulty in Comparing performances	It is difficult to collect data from different teams	I cannot clearly see my past match statistics
BECAUSE	BECAUSE	BECAUSE	BECAUSE	BECAUSE
Data is stored in Different files and formats.	Most records are maintained manually.	There is no centralized analytics system.	Each team maintains their records separately.	my data is not recorded in a structured system.
I Feel Frustrated & Unsure About Team Selection	I Feel Stressed & Inefficient	I Feel Confused & Dissatisfied	I Feel Frustrated & Disorganized	I Feel Confused About My Progress

2.2 Empathy Map Canvas

Target Users

- Team manages
- Couches
- Analysts
- Salesforce-Admins

Empathy Analysis


Aspect

Think & Feel
Hear
See
Say & Do
Pain
Gain

Description

Need accurate performance data and deeper analytical insights.
Receive feedback, performance expectations from management.
Disorganized data across multiple files and platforms.
Manually collect, verify, and update player statistics.
Data inconsistencies, delays in updates, and difficulty in analysis
Faster decision-making, automated tracking, and centralized data management.

2.2 Empathy Map Canvas




Empathy Map Canvas

2.3 Brainstroming

Brainstormed Ideas

- Web-based player management system
- Mobile statistics tracker
- Salesforce-integrated CRM
- AI-based performance prediction
- Dashboard-based analytics

Selected Idea: Salesforce-based performance tracking platform (CRICKSTATS)




3.REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Journey Stages:

- Login
- Enter Player Data
- Record Match Performance
- Generate Reports
- Analyse Results
- Decision Making



3.2 Solution Requirements

Functional Requirements

FR No	Requirement
FR-1	Player Registration
FR-2	Match Performance Entry
FR-3	Dashboard Generation
FR-4	Report Creation
FR-5	Flow Automation

NON-FUNCTIONAL REQUIREMENTS (NFRS) – CRICKSTATS

NFR-1: Usability

The CRICKSTATS system should be simple, user-friendly, and easy to understand so that different users such as coaches, managers, analysts, and administrators can operate the system without requiring advanced technical knowledge or training. The interface should be designed in a way that allows users to easily navigate between different modules and quickly access player information, match data, and reports. A well-structured design improves productivity and reduces the time required to learn the system.

Requirements

- Simple and intuitive user interface
- Clear and well-organized navigation menus
- Easy-to-read dashboards and charts
- Minimal learning curve for new users
- Consistent layout across all pages

Example

A new coach who uses the CRICKSTATS system for the first time should be able to:

- Log in to the system
- Enter match statistics for players
- View player performance reports
- All these tasks should be completed within a few minutes without any special training or technical assistance.

Implementation Example

The Salesforce Lightning interface provides drag-and-drop dashboards, visual components, and user-friendly forms that make the system easy to operate.

NFR-2: Security

The system must ensure that sensitive player data, match statistics, and team information are protected from unauthorized access. Security is essential because the system contains confidential information related to player performance and team strategies. Proper authentication and authorization mechanisms must be implemented to control access to the system.

Requirements

- Role-based access control
- Secure user authentication
- Encrypted data storage
- Regular data backups
- Secure login sessions

Example

Different users will have different levels of access:

- Coaches can view player statistics and performance details
- Managers can update and edit player records
- Analysts can generate reports and analyze performance trends

Implementation Example

Salesforce Profiles and Permission Sets are used to restrict access and ensure that only authorized users can view or modify sensitive information.

NFR-3: Reliability

The CRICKSTATS system should be reliable and capable of functioning correctly without unexpected failures. Data must be stored accurately, and the system should maintain stability even when multiple users access it simultaneously. Reliability ensures that users can depend on the system during important matches or tournaments.

Requirements

- No data loss during operations
- Automatic system backups
- Proper error handling mechanisms
- Stable and consistent system performance
- Secure data storage

Example

If a manager enters match statistics and suddenly loses internet connectivity, the system should save the entered data automatically once the connection is restored. This prevents loss of important match information.

Implementation Example

Salesforce cloud infrastructure provides automatic backup and recovery mechanisms that help restore data in case of system failure or unexpected errors.

NFR-4: Performance

The CRICKSTATS system should perform efficiently and respond quickly to user requests. It should be capable of processing large amounts of player data and generating reports without delays. Fast performance improves the user experience and helps analysts and coaches make quick decisions.

Requirements

- Fast page loading time
- Quick report generation
- Smooth dashboard rendering
- Minimal response time for user actions
- Efficient database queries

Example

When a sports analyst generates a performance report for more than 100 players, the system should load and display the report within 2–3 seconds without slowing down.

Implementation Example

Optimized Salesforce queries, efficient database indexing, and caching mechanisms improve system response speed and performance.

NFR-5: Availability

The CRICKSTATS system should be available whenever users need it. Since cricket teams often require access to data during training sessions, tournaments, and matches, the system must provide continuous availability with minimal downtime.

Requirements

- 24/7 system accessibility
- Minimal maintenance downtime
- Cloud-based system access
- Disaster recovery support
- High uptime guarantee

Example

Coaches and analysts should be able to access the CRICKSTATS system during tournaments, late at night, or on weekends without facing any interruptions.

Implementation Example

Salesforce cloud hosting provides high availability and ensures that the system remains accessible with very minimal downtime.

NFR-6: Scalability

The system should be able to handle increasing amounts of data and a growing number of users without affecting performance. As more teams, players, and matches are added to the system, the platform should continue to function smoothly and efficiently.

Requirements

- Ability to manage growing datasets
- Support for multiple teams and leagues
- Expandable storage capacity
- Maintain performance under heavy system load
- Support more concurrent users

Example

If CRICKSTATS initially manages data for one team and later expands to support 50 teams and thousands of player records, the system should still operate efficiently without performance issues.

Implementation Example

Salesforce cloud infrastructure automatically scales storage and computing resources, allowing the system to handle increased workloads and larger datasets.

3.3 Data Flow Diagram

Data Flow

User → Salesforce UI → Player Object → Match Performance → Reports → Dashboard



3.4 Technology Stack

Layer	Technology
Frontend	Salesforce Lightning
Analytics	Reports & Dashboards
Automation	Salesforce Flows
Backend	Salesforce Objects
Database	Salesforce Cloud

4. PROJECT DESIGN PHASE

4.1 Problem–Solution Fit

The CRICKSTATS system effectively addresses the key challenges faced in traditional cricket performance management. Earlier, most player and match data were maintained using manual records, which were time-consuming and prone to errors. This issue has been resolved by implementing an automated system through Salesforce, which ensures accurate and efficient data entry and management. The problem of data loss, caused by improper storage and lack of backups, is overcome by using secure cloud storage that safely stores all information and allows easy retrieval. Poor analysis of player performance, due to scattered and unorganized data, is addressed through interactive dashboards that present clear visual insights and reports.

Additionally, delays in accessing performance information and generating reports are eliminated by providing real-time reporting features, enabling users to make faster and more informed decisions. Thus, CRICKSTATS successfully bridges the gap between existing problems and modern technological solutions.

Furthermore, the system improves collaboration between coaches, managers, and analysts by providing a centralized platform for managing player information. It also enhances transparency and consistency in decision-making by offering accurate and up-to-date performance data. As a result, CRICKSTATS contributes to better team management, improved player evaluation, and more strategic planning for future matches.

CRICKSTATS Solution:

Bridging The Gap in Cricket Performance Management



4.2 PROPOSED SOLUTION

Description

CRICKSTATS provides:

- Custom objects (Player, Match Performance)
- Master-detail relationships
- Roll-up summaries
- Lightning App
- Automated flows
- Interactive dashboards

Key Features


- Centralized database

- Live statistics
- Secure access
- Scalable design
- Easy reporting

4.3 Solution Architecture

Architecture Layers

- Presentation Layer (Lightning UI)
- Application Layer (Flows, Logic)
- Data Layer (Objects)
- Analytics Layer (Reports)



5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

- Agile-based execution
- Object creation → automation → reporting
- Sprint-wise development

Product Backlog, Sprint Schedule, and Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Developer Setup	USN-1	As an admin, I want to create a Salesforce developer account so that I can configure and deploy the CRICKSTATS system.	1	High	Ragul A
Sprint-1	Data Modelling	USN-2	As an admin, I want to create Player and Match Performance objects so that player and match data can be stored systematically.	3	High	Sivaraman R
Sprint-2	Navigation	USN-3	As a user, I want separate tabs for each object so that I can easily navigate and manage records within the application.	3	High	Siva K
Sprint-2	UI Design	USN-4	As a coach, I want a dedicated Lightning App so that all performance tracking features are accessible from one dashboard.	3	High	Parasuraman A
Sprint-2	Data Structure	USN-5	As an admin, I want to create player and match fields so that complete performance details can be captured accurately.	5	Medium	Ragul A
Sprint-2	Data Structure	USN-6	As a user, I want customized page layouts so that only relevant fields are displayed during data entry.	5	High	Sivaraman R
Sprint-2	Automation	USN-7	As a system, I want to validate player and match inputs so that incorrect data entries are prevented.	3	High	Dhanush S
Sprint-3	Automation	USN-8	As a system, I want automated flows to update player statistics so that performance data remains accurate.	5	High	Ragul A

Project Tracker, Velocity & Burndown Chart:

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Completed (as on Planned Date)	Points on End	Sprint Release Date (Actual)
Sprint-1	20	2 Days	28 Feb 2026	2 Mar 2026	20		28 Feb 2026
Sprint-2	20	2 Days	2 Mar 2026	4 Mar 2026	20		2 Mar 2026
Sprint-3	19	2 Days	4 Mar 2026	6 Mar 2026	19		4 Mar 2026
Sprint-4	19	2 Days	6 Mar 2026	8 Mar 2026	19		6 Mar 2026

6. PROJECT DEVELOPMENT PHASE:

Project Flow

Milestone 1: Creation of developer account

Milestone 2: Object Creation

Milestone 3: Tabs

Milestone 4: The Lightning App

Milestone 5: Fields & Relationships

Milestone 6: Roll-up Summary

Milestone 7: Flows


7. IMPLEMENTATION

Milestone 1 - Salesforce developer account creation:

Activity 1: Creating Developer Account:


Creating a developer org in salesforce.

I successfully created a **Salesforce Developer Organization** by visiting the Salesforce Developer Signup page. I filled in the required details including **First Name, Last Name, Email Address, Role (Developer), Company Name, Country (India), Postal Code, and Username**. The username was created in the required format (username@organization.com), which does not necessarily have to be a real email address. After entering all the information correctly, I clicked the “**Sign Me Up**” button and completed the registration process. The **Salesforce Developer Org** was successfully created and activated through the verification email sent to my registered email address.




Activity 2: Account Activation:

1. After completing the registration on the Salesforce Developer Signup page, I checked the inbox of the email address used during the sign-up process.
2. I received a verification email from Salesforce within a few minutes.



3. I opened the email and clicked the **“Verify Account”** link to activate my Salesforce Developer Organization successfully.



Milestone 2 - Object Creation:

Activity 1: Player Object

1. In the Salesforce Developer Org, I clicked the Gear Icon and selected Setup to open the Setup page.
2. From the Setup page, I searched for **Object Manager** in the Quick Find box and opened the **Object Manager** tab.
3. In **Object Manager**, I clicked **Create** → **Custom Object** and entered the details:
 - **Label:** Player
 - **Plural Label:** Players
 - **Record Name:** Player Name
 - **Data Type:** Text
4. I also enabled **Allow Reports**, **Allow Activities**, **Track Field History**, and **Allow Search**, then clicked **Save** to successfully create the **Player** custom object.

Files | Salesforce Home | Salesforce New Custom Object | Salesforce x CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/new

Developer Edition

Search Setup

Setup Home Object Manager

SETUP New Custom Object

Custom Object Definition Edit

Save Save & New Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

Context-Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Content Name

Enter Record Name Label and Format

Files | Salesforce Home | Salesforce New Custom Object | Salesforce x CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/new

Developer Edition

Search Setup

Setup Home Object Manager

SETUP New Custom Object

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

Deployment Status [What is this?](#)

- ☐ In Development
- ☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

- ☐ Allow Search

Object Creation Options (Available only when custom object is first created)

- ☐ Add Notes and Attachments related list to default page layout
- ☐ Launch New Custom Tab Wizard after saving this custom object

Save Save & New Cancel

Activity 2: Match Performance Object

1. In the Salesforce Setup page, I clicked **Object Manager**.
2. In **Object Manager**, I selected **Create** → **Custom Object**.
3. I entered the object details as follows:
 - ☐ Label: Match Performance
 - ☐ Plural **Label**: Match Performances
 - ☐ Record **Name**: Customer Account Name
 - ☐ Data **Type**: Text
4. Under **Optional Features**, I selected **Allow Reports**, **Allow Activities**, and **Track Field History**.
5. In **Search Status**, I enabled **Allow Search** and then clicked **Save** to create the **Match Performance custom object** successfully.

Files | Salesforce

New Custom Object | Salesforce

CRICKSTATS NM

+

< > ↺

orgfarm-9bbde02360-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/new

🔗 📄 📁 ⚙️ 🔒

☰

☰

Developer Edition

☰

☁️

🔍 Search Setup

★ ⌵ + 🏠 ? ⚙️ 🔔 👤

☰ Setup

Home

Object Manager ⌵

SETUP

New Custom Object

Custom Object Definition Edit

Save Save & New Cancel

Custom Object Information

Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Match Performance Example: Account

Plural Label Match Performances Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Match_Performance Example: Account

Description

Context-Sensitive Help Setting

☒ Open the standard Salesforce.com Help & Training window

☐ Open a window using a Visualforce page

Content Name

None

Enter Record Name Label and Format

The screenshot shows the 'New Custom Object' setup page in Salesforce. The page is titled 'New Custom Object' and has a 'SETUP' icon. Below the title, there is a 'Record Name' field with the value 'Customer Account Name' and an 'Example: Account Name'. The 'Data Type' is set to 'Text'. A warning message states: 'Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.' The 'Optional Features' section includes checkboxes for 'Allow Reports', 'Allow Activities', 'Track Field History', 'Allow in Chatter Groups', and 'Enable Licensing'. The 'Object Classification' section includes checkboxes for 'Allow Sharing', 'Allow Bulk API Access', and 'Allow Streaming API Access'. The 'Deployment Status' section includes radio buttons for 'In Development' and 'Deployed'.

Milestone 3 – Tabs

Activity 1: Custom tabs creation

1. In Salesforce Setup, I typed **Tabs** in the **Quick Find** bar and selected **Tabs**. Then I clicked **New** under **Custom Object Tabs**.
2. I selected the **Player** object, chose a **Tab Style**, and clicked **Next**. In the **Add to Profiles** page, I kept the default settings and clicked **Next**. In the **Add to Custom Apps** page, I unchecked **Include Tab**.
3. I ensured that the **Append tab to users' existing personal customizations** option was checked.
4. I clicked **Save** to create the **Player tab**.
5. I repeated the same steps to create a tab for **Match Performances**.

Files | Salesforce

CRICKSTATS NM

+

orgfarm-9bbde02360-dev-ed.develop.my.salesforce-setup.com/lightning/setup/CustomTabs/home

Developer Edition

Search Setup

Setup Home Object Manager

tabs

User Interface

Rename Tabs and Labels

tabs

Didn't find what you're looking for? Try using Global Search.

SETUP

Tabs

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs

New What Is This?

Action	Label	Tab Style	Description
Edit Del	Match Performances	 Computer	
Edit Del	Players	 People	

Web Tabs

New What Is This?

No Web Tabs have been defined

Visualforce Tabs


New What Is This?

No Visualforce Tabs have been defined

Milestone 4 - The Lightning App-CRICKSTATS

Activity 1: Create a lightning app

1. In Salesforce Setup, I searched for **App Manager** in the **Quick Find** box and selected **App Manager**, then clicked **New Lightning App**.




The screenshot shows the Salesforce Setup interface for the Lightning Experience App Manager. The left sidebar contains a search bar with "app mANAGER" and a list of navigation items: Apps, App Manager (selected), External Client Apps, and Lightning Out 2.0 Apps. The main content area displays a table of 32 items, sorted by App Name. The table has columns for App Name, Developer Name, Description, Last Modified Date, App Type, and Visibility. The first 10 items are listed below.


	App Name ↑	Developer N...	Description	Last Modified D...	App ...	Visi...
1	Agentforce Grid	AIWorkbench	Access Agentforce Grid	2/22/2026, 10:06 AM	Lightning	✓
2	Agentforce Studio	AgentforceStudio	Agentforce Studio	2/22/2026, 10:06 AM	Lightning	✓
3	All Tabs	AllTabSet		2/22/2026, 9:59 AM	Classic	✓
4	Analytics Studio	Insights	Build CRM Analytics dashboards and apps	2/22/2026, 9:59 AM	Classic	✓
5	App Launcher	AppLauncher	App Launcher tabs	2/22/2026, 9:59 AM	Classic	✓
6	Approvals	Approvals	Manage approvals and approval flows	2/22/2026, 9:59 AM	Lightning	✓
7	Automation	FlowsApp	Automate business processes and repetitive tasks.	2/22/2026, 10:05 AM	Lightning	✓
8	Bolt Solutions	LightningBolt	Discover and manage business solutions designed for your industry.	2/22/2026, 9:59 AM	Lightning	✓
9	Community	Community	Salesforce CRM Communities	2/22/2026, 9:59 AM	Classic	✓
10	Content	Content	Salesforce CRM Content	2/22/2026, 9:59 AM	Classic	✓

2. In **App Details & Branding**, I entered the following:


- **App Name:** CRICKSTATS
 - **Developer Name:** Auto-populated
 - **Image:** Optional
 - **Primary Colour:** Default
- Then I clicked **Next**



3. In **App Options**, I selected:
 - **Navigation Style:** Standard Navigation
 - **Setup Experience:** Setup
 - **Supported Form Factors:** Desktop and Phone
 Then I clicked **Next**.
4. In **Utility Items**, I kept the **Utility Bar Alignment** as **Default** and clicked **Next**.
5. In **Navigation Items**, I added the required objects:
 - **Players**
 - **Match Performances**
 - **Reports**
 - **Dashboards**




6. In **User Profiles**, I selected **System Administrator**.



7. Finally, I clicked **Save & Finish** to successfully create the **CRICKSTATS Lightning App**.

Milestone 5: Fields & Relationships:

Activity 1: Create Custom fields for Player object



1. In Salesforce, I clicked the Gear Icon and selected Setup to open the Setup page.
2. I searched for Object Manager in the Quick Find box and opened the Object Manager tab.
3. In Object Manager, I searched for and selected the Player custom object.
4. From the sidebar, I clicked Fields & Relationships to view the existing standard fields.

5. I clicked New to create a new custom field and ensured that no similar field already existed.
6. I selected the Text data type to define the format of the field input and proceeded with the field creation.
7. I clicked **Save & Finish** to successfully
8. Then I repeated those steps for following objects.
 - Data Type: Text
Field Label: Player Name
Field Name: Auto Populates
Length: 50
I clicked **Next** → **Next** → **Save**
 - Data Type: Rich Text Area
Field Label: Profile Picture
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
 - Data Type: Date
Field Label: Date of Birth
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
 - Data Type: Picklist
Field Label: Role
Field Name: Auto Populates
Value: Enter value, with each value separated by a new line.
Batsman
Bowler
Batsman & Wicket Keeper
All Rounder
 - Data Type: Picklist
Field Label: Batting Style
Field Name: Auto Populates
Value: Enter value, with each value separated by a new line.
Right- Handed
Left - Handed
I clicked **Next** → **Next** → **Save**
 - Data Type: Picklist
Field Label: Bowling Style
Field Name: Auto Populates
Value: Enter value, with each value separated by a new line.
Right-Arm Fast
Left-Arm Fast
Right-Arm Medium
Left-Arm Medium
Right-Arm Spin
Left-Arm Spin

I clicked **Next** → **Next** → **Save**

- Data Type: Picklist
Field Label: Nationality
Field Name: Auto Populates
Value: Enter value, with each value separated by a new line.
Australia
Bangladesh
England
India
New Zealand
Pakistan
South Africa
Sri Lanka
West Indies
Afghanistan
Zimbabwe
Ireland
Scotland
Netherlands
United Arab Emirates
Nepal
United States of America

I clicked **Next** → **Next** → **Save**

- Data Type: Picklist
Field Label: Team
Field Name: Auto Populates
Value: Enter value, with each value separated by a new line
Chennai Super Kings (CSK)
Delhi Capitals (DC)
Kolkata Knight Riders (KKR)
Mumbai Indians (MI)
Punjab Kings (PBKS)
Rajasthan Royals (RR)
Royal Challengers Bangalore (RCB)
Sunrisers Hyderabad (SRH)
Gujarat Titans (GT)
Lucknow SuperGiants (LSG)
- Data Type: Formula
Field Label: AVG Score
Field Name: Auto Populates
Formula Return: Number
Formula: IF (Matches_Played__c > 0, Total_Runs__c / Matches_Played__c ,0)
- Data Type: Lookup Relationship

Related To: Match Performance
Field Label: Match Performance
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**

Lightning Experience

Player | Salesforce

CRICKSTATS NM

< > ↺

orgfarm-9bbde02360-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/011f0000...

🔍 ⚙️ 📄 📁 📌 📧

⊕ ≡

Developer Edition

⌵

🌩

🔍 Search Setup

★ ⌵ ⊕ ⚙️ ? ⚙️ 🔔 👤

⌵ Setup

Home

Object Manager ⌵

SETUP > OBJECT MANAGER

Player

Details

Fields & Relationships

24 Items, Sorted by Field Label

🔍 Quick Find

New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
AVG Score	AVG_Score__c	Formula (Number)		⌵
Batting Style	Batting_Style__c	Picklist		⌵
Bowling Style	Bowling_Style__c	Picklist		⌵
Created By	CreatedById	Lookup(User)		
Date of Birth	Date_of_Birth__c	Date		⌵
Last Modified By	LastModifiedById	Lookup(User)		
Match Performance	Match_Performance__c	Lookup(Match Performance)		✓ ⌵

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Lightning Experience | Player | Salesforce | CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/011fj0000...

Developer Edition

Search Setup

Setup | Home | Object Manager

SETUP > OBJECT MANAGER

Player

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Fields & Relationships

24 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

Matches Played	Matches_Played__c	Roll-Up Summary (COUNT Match Performance)	
Nationality	Nationality__c	Picklist	
Number of 100's	Number_of_100_s__c	Roll-Up Summary (COUNT Match Performance)	
Number of 50's	Number_of_50_s__c	Roll-Up Summary (COUNT Match Performance)	
Owner	OwnerId	Lookup(User,Group)	✓
Player Name	Name	Text(80)	✓
Player Number	Player_Number__c	Text(3)	

Lightning Experience | Player | Salesforce | CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/011fj0000...

Developer Edition

Search Setup

Setup | Home | Object Manager

SETUP > OBJECT MANAGER

Player

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Fields & Relationships

24 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

Profile Picture	Profile_Picture__c	Rich Text Area(32768)	
Role	Role__c	Picklist	
Team	Team__c	Picklist	
Total 4's	Total_4_s__c	Roll-Up Summary (SUM Match Performance)	
Total 6's	Total_6_s__c	Roll-Up Summary (SUM Match Performance)	
Total Catches	Total_Catches__c	Roll-Up Summary (SUM Match Performance)	
Total Overs	Total_Overs__c	Roll-Up Summary (SUM Match Performance)	

Lightning Experience | Player | Salesforce | CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/01lfj0000...

Developer Edition

Search Setup

Setup | Home | Object Manager

SETUP > OBJECT MANAGER

Player

Details

Fields & Relationships
24 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

Field Label	API Name	Description	Action
Total 4's	Total_4_s__c	Roll-Up Summary (SUM Match Performance)	▼
Total 6's	Total_6_s__c	Roll-Up Summary (SUM Match Performance)	▼
Total Catches	Total_Catches__c	Roll-Up Summary (SUM Match Performance)	▼
Total Overs	Total_Overs__c	Roll-Up Summary (SUM Match Performance)	▼
Total Runs	Total_Runs__c	Roll-Up Summary (SUM Match Performance)	▼
Total Stumpings	Total_Stumpings__c	Roll-Up Summary (SUM Match Performance)	▼
Total Wickets	Total_Wickets__c	Roll-Up Summary (SUM Match Performance)	▼

Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts

Activity 2: Create Custom fields for Match Performance object.

Lightning Experience | Object Manager | Salesforce | CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/home

Developer Edition

Search Setup

Setup | Home | Object Manager

SETUP

Object Manager

1 Items, Sorted by Label

match

Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED	Action
Match Performance	Match_Performance__c	Custom Object		2/28/2026	✓	▼

- Data Type: Text
Field Label: Match Performance Name
Field Name: Auto Populates
Length: 80
I clicked **Next** → **Next** → **Save**
- Data Type: Checkbox
Field Label: Player of the Match
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
- Data Type: Picklist
Field Label: Match Result
Field Name: Auto Populates
Value: Enter value, with each value separated by a new line
WON
LOST
DRAW
I clicked **Next** → **Next** → **Save**
- Data Type: Number
Field Label: Runs Scored
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
- Data Type: Number
Field Label: Balls Faced
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
- Data Type: Number
Field Label: Fours
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
- Data Type: Number
Field Label: Sixes
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
- Data Type: Number
Field Label: Overs Bowled
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
- Data Type: Number

Field Label: Wickets Taken
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**

- Data Type: Number
Field Label: Runs Conceded
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
- Data Type: Number
Field Label: Maiden Overs
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
- Data Type: Number
Field Label: Stumpings
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
- Data Type: Number
Field Label: Catches
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**
- Data Type: Master - Detail Relationship
Related To: Player
Field Label: Player
Field Name: Auto Populates
I clicked **Next** → **Next** → **Save**

Lightning Experience Match Performance | Salesforce x CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/01lf0000...

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Match Performance

Details

Fields & Relationships
16 Items, Sorted by Field Label

Q Quick Find New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Balls Faced	Balls_Faced__c	Number(18, 0)		
Catches	Catches__c	Number(18, 0)		
Created By	CreatedById	Lookup(User)		
Fours	Fours__c	Number(18, 0)		
Last Modified By	LastModifiedById	Lookup(User)		
Maiden Overs	Maiden_Overs__c	Number(18, 0)		
Match Performance Name	Name	Text(80)		✓

Lightning Experience Match Performance | Salesforce x CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/01lf0000...

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER


Match Performance

Details

Fields & Relationships
16 Items, Sorted by Field Label

Q Quick Find New Deleted Fields Field Dependencies Set History Tracking

Maiden Overs	Maiden_Overs__c	Number(18, 0)		
Match Performance Name	Name	Text(80)		✓
Match Result	Match_Result__c	Picklist		
Overs Bowled	Overs_Bowled__c	Number(18, 0)		
Player	Player__c	Master-Detail(Player)		✓
Player of the Match	Player_of_the_Match__c	Checkbox		
Runs Conceded	Runs_Conceded__c	Number(18, 0)		



Milestone 6: Roll-up Summary

Activity 1: Create Roll-up Summary for Player object.

1. In Salesforce, I clicked the **Gear Icon** and selected **Setup** to open the Setup page.
2. I searched for **Object Manager** in the **Quick Find** box and opened the **Object Manager** tab.
3. In **Object Manager**, I searched for the custom object **Player**.
4. From the sidebar, I selected **Fields & Relationships** to view the existing standard fields.
5. I clicked **New** to create a custom field and clicked **Next**.
6. I selected the **Roll-Up Summary** data type and clicked **Next**, then entered the following details:
 - **Field Label:** Matches Played
 - **Field Name:** Auto Populated
 - **Summarized Object:** Match Performances
 - **Roll-Up Type:** COUNT
 - **Filter Criteria:** All records should be included in the calculation.
7. Finally, I clicked **Next** → **Next** → **Save & New** to successfully create the **Matches Played** roll-up summary field.
8. Then I repeated Creating Roll-up Summary for Player objects.
 - **Data Type:** Roll-up Summary
 - **Field Label:** Number of 50's
 - **Field Name:** Auto Populates
 - **Summarized Object:** Match Performances
 - **Select Roll-up Type:** COUNT
 - **Filter Criteria:** Only records meeting certain criteria should be included in the calculation.
 - I clicked **Next** → **Next** → **Save & New**.

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Player

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Select Object to Summarize

Master Object: Player

Summarized Object: Match Performances

Select Roll-Up Type

☐ COUNT

☒ SUM

☐ MIN

☐ MAX

Field to Aggregate: Sixes

Filter Criteria

☒ All records should be included in the calculation

☐ Only records meeting certain criteria should be included in the calculation

Previous Next Cancel

- Data Type: Roll-up Summary
 Field Label: Number of 100's
 Field Name: Auto Populates
 Summarized Object: Match Performances
 Select Roll-up Type: COUNT
 Filter Criteria: Only records meeting certain criteria should be included in the calculation.
 I clicked **Next** → **Next** → **Save & New**.
- Data Type: Roll-up Summary
 Field Label: Total 4's
 Field Name: Auto Populates
 Summarized Object: Match Performances
 Select Roll-up Type: SUM
 Field To Aggregate: Fours
 Filter Criteria: All records should be included in the calculation.
 I clicked **Next** → **Next** → **Save & New**.
- Data Type: Roll-up Summary
 Field Label: Total 6's
 Field Name: Auto Populates
 Summarized Object: Match Performances
 Select Roll-up Type: SUM
 Field To Aggregate: Sixes
 Filter Criteria: All records should be included
 I clicked **Next** → **Next** → **Save & New**.

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Player

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Select Object to Summarize

Master Object: Player

Summarized Object: Match Performances

Select Roll-Up Type

☐ COUNT

☒ SUM

☐ MIN

☐ MAX

Field to Aggregate: Sixes

Filter Criteria

☒ All records should be included in the calculation

☐ Only records meeting certain criteria should be included in the calculation

Previous Next Cancel

- Data Type: Roll-up Summary
 Field Label: Total Runs
 Field Name: Auto Populates
 Summarized Object: Match Performances
 Select Roll-up Type: SUM
 Field To Aggregate: Runs Scored
 Filter Criteria: All records should be included in the calculation.
 I clicked **Next** → **Next** → **Save & New**.
- Data Type: Roll-up Summary
 Field Label: Total Overs
 Field Name: Auto Populates
 Summarized Object: Match Performances
 Select Roll-up Type: SUM
 Field To Aggregate: Overs Bowled
 Filter Criteria: All records should be included in the calculation.
 I clicked **Next** → **Next** → **Save & New**.
- Data Type: Roll-up Summary
 Field Label: Total Wickets
 Field Name: Auto Populates
 Summarized Object: Match Performances
 Select Roll-up Type: SUM
 Field To Aggregate: Wickets Taken
 Filter Criteria: All records should be included in the calculation.
 I clicked **Next** → **Next** → **Save & New**.
- Data Type: Roll-up Summary
 Field Label: Total Stumpings
 Field Name: Auto Populates
 Summarized Object: Match Performances
 Select Roll-up Type: SUM

Field To Aggregate: Stumpings

Filter Criteria: All records should be included in the calculation.

I clicked **Next** → **Next** → **Save & New**.

- Data Type: Roll-up Summary

Field Label: Total Catches

Field Name: Auto Populates

Summarized Object: Match Performances

Select Roll-up Type: SUM

Field To Aggregate: Catches

Filter Criteria: All records should be included in the calculation.

I clicked **Next** → **Next** → **Save & New**.

Milestone 7: Flows


Activity 1: Screen Flow

1. In Salesforce Setup, I searched for **Flow** in the **Quick Find** box, selected **Flow**, and clicked **New Flow**.

The screenshot shows the Salesforce Setup interface. The left sidebar contains a navigation menu with the following items: Apps, Lightning Bolt, Flow Category, Einstein, Einstein Generative AI, Flow Creation with Einstein, Process Automation, Automation App, Flow Performance, Flows (highlighted), Migrate to Flow, Paused And Failed Flow, Interviews, Process Builder, Workflow Actions, and Email Alerts. The main content area is titled 'SETUP Flows' and includes a 'Flow Trigger Explorer' button and a 'New Flow' button. Below this, there is a section for 'Flow Definitions' with a dropdown menu set to 'All Flows'. A table lists 50+ items, sorted by Flow Label. The table has columns for Flow Label, Process Type, Active, Templ..., Package State, Packa..., Last M..., and Last M... The table contains the following rows:

Flow Label ↑	Process Type	Active	Templ...	Package State	Packa...	Last M...	Last M...
Add Case Comment	Autolaunched Flow	✓	□	Managed-Installed			
Add or Modify Service Appointment Attendees	Salesforce Scheduler Flow	✓	□	Managed-Installed			
Approvals Workflow: Evaluate Approval Requests	Screen Flow	✓	✓	Managed-Installed			
Approvals Workflow: Process Approval Submission	Screen Flow	✓	□	Managed-Installed			
Authentication Provider User Registration	Identity User Registration Flow	□	✓	Managed-Installed			
Basic Approval Request	Flow Orchestration for CMS	✓	✓	Managed-Installed			
Book Appointment from Invitation	Salesforce Scheduler Flow	✓	✓	Managed-Installed			
Cancel All Eligible Items Flow	Screen Flow	□	✓	Managed-Installed			
Cancel Item Flow	Screen Flow	□	✓	Managed-Installed			
Cancel Order	Autolaunched Flow	✓	□	Managed-Installed			

2. I selected **Screen Flow** and clicked **Create** to open the Flow Builder.



3. I clicked the (+) icon and added a **Screen** component with the following details:

Label: Players Screen

API Name: Players Screen

I added a **Picklist** component:

Label: Team

API Name: Team

Component Type: Picklist

Data Type: Text

Then I created a **New Choice Resource:**

Resource Type: Picklist Choice Set

API Name: Team

Object: Player

Data Type: Picklist

Field: Team

After configuring, I clicked **Done**.

4. I clicked the (+) icon again and added a **Get Records** component:

☐ **Label:** Players

☐ **API Name:** Players

☐ **Object:** Player

☐ **Filter:** Team Equals **Dynamic Variable**

☐ created a **Variable Resource:**

☐ **API Name:** Dynamic

☐ **Data Type:** Text


☐ **Default Value:** Team (from Screen Picklist).

5. I added another **Screen** component:

- ☐ **Label:** Player info
- ☐ **API Name:** Player info
- ☐ I inserted a **Data Table** component with the following settings:
- ☐ **API Name:** Player_info_table
- ☐ **Label:** Data Table
- ☐ **Source Collection:** Players from Player (Player__c)
- ☐ **Columns Added:** Profile Picture, Player Name, Total Runs, AVG Score, Batting Style, Bowling Style, Matches Played, Number of 50's, Number of 100's.

6. Finally, I clicked **Save** and entered:


- Flow **Label:** Player Flow
- Flow **API Name:** Player_Flow



Activity 2: Flow on Home Page

1. In the Salesforce **CRICKSTATS** application, I clicked the **Personalize Navigation Bar (Pencil Icon)** on the top right and added the **Home** page, then clicked **Save**.
2. I removed the existing components and added the **Flow** component from the **Standard Components** panel on the left side.
3. I selected the **Players Flow** in the **Flow** option.
4. Then I clicked **Save** and **Activation**.
5. I selected **App Default** and clicked **Assign to Apps**.

6. Finally, I selected the **CRICKSTATS App**, clicked **Next**, and then clicked **Save** to complete the setup.



FUNCTIONAL & PERFORMANCE TESTING

During the testing phase, screenshots were captured from the Salesforce Lightning Experience interface to verify the proper functioning of all features in the **CRICKSTATS** system. The testing included creating records for **Player** and **Match Performance** objects, checking validation rules for mandatory fields and score limits, and verifying the behaviour of record types for **Domestic** and **International** match categories. The execution of flows was also tested to ensure automatic updating of player statistics and proper data consistency. Roll-up summary fields were verified to confirm accurate calculations of total runs, wickets, averages, and other performance metrics.

In addition, system performance was evaluated by observing response time during **data entry, report generation, and dashboard loading**. The application was tested with multiple user interactions to ensure stable performance without delays. Screenshots of generated reports and dashboards were documented to confirm correct data visualization and real-time updates. These testing activities ensured that the **CRICKSTATS** application met both functional and performance requirements and was ready for deployment.

Home | Salesforce x Home | Salesforce CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.lightning.force.com/lightning/n/Home_1

Developer Edition

CRICKSTATS Home Players Match Performances Reports Dashboards

Home Post File New Event

Player Flow

12 of 12 items • 0 items selected

☐	Profile Picture	Player Name	Total Runs	AVG Score	Batting Style	Bowling Style	Matches Played	Number of 50's	Number of 100's
☐		Mahendra Singh Dhoni	196	196	Right- Handed		1	0	1
☐		Pathirana	0	0	Right- Handed	Right-Arm Fast	1	0	0

Recently Viewed | Players | Sales x Home | Salesforce CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.lightning.force.com/lightning/o/Player__c/list?filterName=__Recent

Developer Edition

CRICKSTATS Home Players Match Performances Reports Dashboards

Players Recently Viewed New Import Change Owner Assign Label

50+ items • Updated a few seconds ago

Search this list...

☐	Player Name
☐	1 Deepak Chahar
☐	2 Mitchell Marsh
☐	3 Rohit Sharma
☐	4 Mitchell Starc
☐	5 Vyshak Vijayakumar
☐	6 Sai Sudharshan
☐	7 Shubman Gill
☐	8 Washington Sundar

Recently Viewed | Match Performances

Home | Salesforce

CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.lightning.force.com/lightning/o/Match_Performance_c/list?filterNa...

Developer Edition

Search...

CRICKSTATS

Home

Players

Match Performances

Reports

Dashboards

Match Performances

Recently Viewed

NewImportAssign Label

50+ items • Updated a few seconds ago

Search this list...

Match Performance Name

1

IPL 2025 (Consistent opening bowler)

2

IPL 2025 (Most runs for LSG in 2025 (627))

3

IPL 2025 (Highest individual score for MI (81))

4

IPL 2025 (Core spinner for PBKS)

5

IPL 2025 (Played in 2025 Final)

6

IPL 2025 (Leading run-scorer for GT in 2025)

7

IPL 2025 (Joined GT from SRH in 2025)

8

IPL 2025 (Most catches for GT (8))

Player | Salesforce

Home | Salesforce

CRICKSTATS NM

orgfarm-9bbde02360-dev-ed.develop.lightning.force.com/lightning/r/Report/00Ofj000008hsQLEAY/view?q...

Developer Edition

Search...

CRICKSTATS

Home

Players

Match Performances

Reports

Dashboards

Report: Players

Player

Enable Field Editing

Add Chart

Edit

Total Records: 117

Total Total Wickets: 524

Total Total 4's: 1,873

Total Total 6's: 1,084

Total Total Runs: 21,186

Total Total Catches: 438

Total Total Overs: 1,498

Player: Player Name	Player: ID	Nationality	Total Wickets	Match Performance	Total 4's	Total 6's	Total Runs	Team
☐ Abdul Samad (1)	a00fj000017d0d7 (1)	India (1)	0	IPL 2025 (High score of 45 vs PBKS)	8	14	164	Lucknow Super Giants (LSG)
		Subtotal	0		8	14	164	
	Subtotal		0		8	14	164	
	Subtotal		0		8	14	164	
☐ Abinav Manohar (1)	a00fj000017cVxW (1)	India (1)	0	IPL 2025 (Hit 100 off 37 balls vs KKR)	2	4	61	Sunrisers Hyderabad (SRH)
		Subtotal	0		2	4	61	
	Subtotal		0		2	4	61	
	Subtotal		0		2	4	61	
☐ Abishek Porel (1)	a00fj000017ckdB (1)	India (1)	0	IPL 2025 (Strong opening knock)	28	12	309	Delhi Capitals (DC)
		Subtotal						


Row Counts

Detail Rows

Subtotals

Grand Total

45 | Page



8. ADVANTAGES & DISADVANTAGES

Advantages

- Centralized system
- Real-time analytics
- Secure platform
- Scalable design
- Reduced manual work

Disadvantages

- Requires Salesforce license
- Internet dependency
- Limited offline access

9. Conclusion:

CRICKSTATS successfully implements a cloud-based cricket performance tracking system using Salesforce. The system automates data management, improves reporting accuracy, and supports informed decision-making.

The project demonstrates practical application of SDLC, Agile methodology, and CRM-based development.

10. FUTURE SCOPE

- Mobile application integration
- AI-based performance prediction
- Video analysis integration
- Player ranking system
- Public statistics portal
- Multi-league support

11. APPENDIX

- Salesforce Objects & Fields
- Manual match statistics
- Flow Configurations

THANK YOU...!