

PowerMax Ultra 2000 Car Battery

Product Overview

The PowerMax Ultra 2000 is designed to deliver exceptional performance and reliability for a wide range of vehicles. With advanced technology and a robust build, it ensures long-lasting power and energy efficiency—perfect for both everyday commuting and long road trips.

Specifications

- **Voltage:** 12V
- **Cold Cranking Amps (CCA):** 850
- **Reserve Capacity (RC):** 120 minutes
- **Dimensions:** 10 x 6.5 x 8 inches
- **Weight:** 40 lbs
- **Compatibility:** Suitable for most passenger vehicles, SUVs, and light trucks
- **Operating Temperature Range:** -40°F to 140°F

Installation Guide

1. **Safety First:** Ensure the vehicle is turned off, and wear protective gloves.
2. **Remove Old Battery:** Disconnect the negative (-) and then the positive (+) terminal. Remove clamps or hold-downs and carefully lift the old battery out.
3. **Clean Connections:** Check the battery tray and terminals for corrosion. Clean if necessary.
4. **Install PowerMax Ultra 2000:** Place in the battery tray, making sure it is level. Secure with clamps.
5. **Reconnect Terminals:** Connect the positive (+) terminal first, followed by the negative (-) terminal.
6. **Check Installation:** Ensure all connections are tight and secure. Test by starting the vehicle.

Warranty Information

The PowerMax Ultra 2000 comes with a comprehensive 4-year warranty covering manufacturing defects and performance issues. Note that the warranty doesn't cover physical damage from incorrect installation or external impacts.

Making a Warranty Claim

- **Contact Information:** Call our support line at 1-800-555-0123 or email support@powermaxbatteries.com.
- **Documentation Required:** Proof of purchase, photos of the battery, and a detailed description of the issue.
- **Process:** After verification, if the claim is valid, the battery will be replaced free of charge.

Troubleshooting Guide

- **Battery Doesn't Hold Charge:** Ensure all connections are tight, and check for any power drains in the vehicle.
- **Battery Not Charging:** Verify alternator function and check for any blown fuses.
- **Claim Denied:** If you believe a claim was wrongly denied, request an escalation through our support team for a second review.

Maintenance Tips

- **Regular Charging:** Charge every two months if not in regular use.
- **Keep Clean:** Regularly inspect and clean terminals and surfaces.
- **Avoid Extreme Temperatures:** Store and operate within the specified temperature range to prevent damage.

Customer Support and FAQs

For any inquiries, please contact our 24/7 support at support@powermaxbatteries.com or at 1-800-555-0123. Response times typically within 24 hours.

Additional Resources

Visit our website for installation videos and maintenance tutorials at www.powermaxbatteries.com/resources.