A Mini Project on

ONLINE STUDENT'S ATTENDANCE

BACHELOR OF TECHNOLOGY

IN

INFORMATION TECHNOLOGY

Submitted by

Batch No: 5

G SIVASAI	**16121A1225**
J.RITHWIK	**16121A1239**
K.NARESH	**16121A1254**

Under the Supervision of

G.Uma Mahesh M.Tech

Assistant Professor
Department of InformationTechnology

Department of Information Technology

SREE VIDYANIKETHAN ENGINEERING COLLEGE

(AUTONOMOUS)

(Affiliated to JNTUA, Ananthapuramu, Approved by AICTE, Accredited by NBA & NAAC)
Sree Sainath Nagar, Tirupati – 517 102, A.P., INDIA

2018 -2019

Department of Information Technology

SREE VIDYANIKETHAN ENGINEERING COLLEGE

(AUTONOMOUS)

(Affiliated to JNTUA, Anantapur, Approved by AICTE, Accredited by NBA &
NAAC) Sree Sainath Nagar, Tirupati – 517 102, A.P., INDIA

Certificate

This is to certify that Mini Project entitled
"ONLINE STUDENT'S ATTENDANCE"
is the bonafide work done by

G SIVASAI	**16121A1225**
J RITHWIK	**16121A1239**
K NARESH	**16121A1254**

in the Department of **Information Technology**, **Sree Vidyanikethan Engineering College, (Autonomous), Sree Sainath Nagar, Tirupati** for Web Technology Lab of III B.Tech I Semester during the academic year 2018-2019

Supervisor:
G.Uma Mahesh,M.Tech

Assistant Professor
Dept. of Information Technology
Sree Vidyanikethan Engineering College
Sree Sainath Nagar,Tirupathi-517102

INDEX

ABSTRACT

Online Student Attendance Management System Project deal to totally eliminate the paper work and to progress the student information. Mainly teachers can monitor the student with in the short time and the parent to check their children status on the online itself whether college neither school. Teacher can also do grades system in online itself with proposed manner , they give the proper reason to student not attending the school or college, monitor the attendance report daily wise or whenever they want, and to check student can eligibility to write the exam or not . This online based tool can use the instructors in school, college and university in very effective manner.

Online Attendance Management System is an innovative tool to maintain and manage the attendance of students/employees. These tools can be a software to monitor attendance details. Prefixing a word "online" to this tool makes this tool very resourceful technique. This is because now this tool can be accessed from anywhere around the globe.

So an online Attendance Management System is an innovative way to monitor and track the attendance of students/employee. Also this provides a transparency in the system so that each student can view their attendance from any where , anytime.

As soon as a teacher or a student joins the institution, he/she is requested to sign up to the online attendance management system. After this, admin is required to review and approve their account activation .As their account gets approved, they can access to their account.

CODE

Main.php:

```html
<html>

<head>

<meta name="viewport" content="width=device-width, initial-scale=1">

<style>

body {font-family: Arial, Helvetica, sans-serif;height: 100%; }

html{height: 100%;}

* {box-sizing: border-box;}

.bg-img {

  background-image: url("m.jpg");

  height: 100%;

  background-position: center;

  background-repeat: no-repeat;

  background-size: cover;

  position: relative;

}

.container {

  position: absolute;

  margin: 20px;

  width: auto;

}
```

```css
.topnav {

  overflow: hidden;

  background-color: #333;

}

.topnav a {

  float: left;

  color: #f2f2f2;

  text-align: center;

  padding: 14px 16px;

  text-decoration: none;

  font-size: 17px;

}

.topnav a:hover {

  background-color: #ddd;

  color: black;

}

</style>

</head>

<body>

<div class="bg-img">

<h1><p align="center"> SVEC STUDENT'S ATTENDANCE</p></h1>

  <div class="container"

 <div class="topnav"

<a href="adminlogin.php" class="button" target="_parent">ADMIN LOGIN</a>
```

```
    <a href="facultylogin.php" class="button" target="_parent">FACULTY LOGIN</a>

    <a href="studentlogin.php" class="button" target="_parent">STUDENT LOGIN</a>

<a href="ac.pdf" target="_parent">ACADEMIC CALENDER</a>

 </div>

</div>

</div>

</body>

</html>
```

adminlogin.php:

```
<html>

<head>

   <title> LOGIN </title>

<style>

body{

   margin: 0;

   padding: 0;

   background: url(image.jpg);

   background-size: cover;

   background-position: center;

   font-family: sans-serif;

}

.login-box{
```

```css
    width: 320px;

    height: 420px;

    background: rgba(0, 0, 0, 0.5);

    color: #fff;

    top: 50%;

    left: 50%;

    position: absolute;

    transform: translate(-50%,-50%);

    box-sizing: border-box;

    padding: 70px 30px;

}

.avatar{

    width: 100px;

    height: 100px;

    border-radius: 50%;

    position: absolute;

    top: -50px;

    left: calc(50% - 50px);

}

h1{

    margin: 0;

    padding: 0 0 20px;

    text-align: center;

    font-size: 22px;
```

```
}

.login-box p{

    margin: 0;

    padding: 0;

    font-weight: bold;

}

.login-box input{

    width: 100%;

    margin-bottom: 20px;

}

.login-box input[type="text"], input[type="password"]

{

    border: none;

    border-bottom: 1px solid #fff;

    background: transparent;

    outline: none;

    height: 40px;

    color: #fff;

    font-size: 16px;

}

.login-box input[type="submit"]

{

    border: none;

    outline: none;
```

```
    height: 40px;

    background: #1c8adb;

    color: #fff;

    font-size: 18px;

    border-radius: 20px;

}

.login-box input[type="submit"]:hover

{

    cursor: pointer;

    background: #39dc79;

    color: #000;

}


.login-box a{

    text-decoration: none;

    font-size: 14px;

    color: #fff;

}

.login-box a:hover

{

    color: #39dc79;

}
</style>

</head>
```

```
<body>

<div class="login-box">

<img src="avatar.png" class="avatar">

  <h1>ADMIN LOGIN</h1>

    <form id="myform" action="adminloginvalidation.php" method="post">

    <p>User Name</p>

    <input type="text" name="t1" placeholder="Enter UserName">

    <p>Password</p>

    <input type="password" name="t2" placeholder="Enter Password">

    <input type="submit" name="submit" value="sign in"

    </form>

  </div>

</body>

</html>
```

adminloginvalidation.php:

```php
<?php
session_start();
 $us=$_POST['t1'];
 $pwd=$_POST['t2'];
 $con=new mysqli("localhost","root","","siva");
 $sql="select * from adminregister where adminid='$us' and password='$pwd' ";
 $result=$con->query($sql);
```

```php
$_SESSION["aname"]=$us;

if($result->num_rows==1)

{

 header('Location: adminpage.php');

}

else

{

 header('Location: wrongadmin.php');

}

$con->close();
?>
```

adminpage.php:

```php
<?php

 session_start();

 if (!isset($_SESSION["aname"])){

 header('Location: adminlogin.php');

}
?>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
```

```css
body {height: 100%; }

html{height: 100%;

.bg-img {

  background-image: url("a.jpg");

  height: 100%;

  background-position: center;

  background-repeat: no-repeat;

  background-size: cover;

  position: relative;

}

#mySidenav a {

    position: absolute;

    left: -80px;

    transition: 0.3s;

    padding: 15px;

    width: 100px;

    text-decoration: none;

    font-size: 20px;

    color: white;

    border-radius: 0 5px 5px 0;

}


#mySidenav a:hover {

    left: 0;
```

```css
    }


    #HOME {

        top: 40px;

        background-color: #800000;

    }


    #ADDSTUDENTS {

        top: 100px;

        background-color: #4CAF50;

    }


    #ADDFACULTY {

        top: 180px;

        background-color: #2196F3;

    }


    #STUDENTSLIST {

        top: 260px;

        background-color: #f44336;

    }


    #FACULTYLIST {

        top: 340px;
```

```
        background-color: #E67E22;

    }


#LOGOUT {

    top: 420px;

    background-color: #555

    }




</style>

</head>

<body>

<div style="margin-left:80px;">




</div>

<div class="bg-img">

<h2>welcome admin</h2>

<div id="mySidenav" class="sidenav">

  <a href="logout.php" id="HOME">HOME</a>

  <a href="studentregistrationform.php" id="ADDSTUDENTS" target="new">ADD
STUDENTS</a>

  <a href="facultyregistrationform.php" id="ADDFACULTY" target="new">ADD
FACULTY</a>
```

```
<a href="studentslist.php" target="new" id="STUDENTSLIST">STUDENTS LIST</a>

<a href="facultylist.php" target="new" id="FACULTYLIST">FACULTY LIST</a>

<a href="logout.php" id="LOGOUT" method="post">LOG OUT</a>



</div>

</div>



</div>



</body>

</html>
```

facultyregistrationform.php:

```
<html>

<body>

<form name="f1" align="center" action="facultyregistrationform.php" method="post">

<table width="50%" align="center">

<tr>

<td>

<h4>FIRST NAME :</h4>

</td>

<td>

<input type="text" name = "firstname" size="30">
```

```html
</td>

</tr>

<tr>

<td>

<h4>LAST NAME :</h4>

</td>

<td>

<input type="text" name = "lastname" size="30">

</td>

</tr>


<tr>

<td>

<h4>User Name:</h4>

</td>

<td>

<input type="text" name="username" size="30" maxlength="10">

</td>

</tr>


<tr>

<td>

<h4>password:</h4>

</td>
```

```html
<td>

<input type="password" name="password" size="30">

</td>

</tr>


<tr>

<td>

<h4>confirm password:</h4>

</td>

<td>

<input type="password" name="confirmpassword" size="30">

</td>

</tr>

<tr>

<td>

<h4>postal code:</h4>

</td>

<td>

<input type="number" name="postalcode" size="30" maxlength="6">

</td>

</tr>


<tr>

<td>
```

```html
<h4>phone number:</h4>

</td>

<td>

<input type="number" name="phonenumber" size="30" maxlength="10">

</td>

</tr>


<tr>

<td>

<h4>mail id:</h4>

</td>

<td>

<input type="email" name="mailid" size="30" >

</td>

</tr>


<tr>

<td>

<input type="submit" value="submit" name="submit">

<input type="reset" value="reset" name="reset">

</td>

</tr>

</table>

</form>
```

```php
</body>

</html>

<?php

if(isset($_POST['submit']))

{

        $firstname = $_POST['firstname'];

        $lastname = $_POST['lastname'];

        $username = $_POST['username'];

        $password = $_POST['password'];

        $confirmpassword = $_POST['confirmpassword'];

        $postalcode = $_POST['postalcode'];

        $phonenumber = $_POST['phonenumber'];

        $mailid = $_POST['mailid'];

        $con=new mysqli("localhost","root","","siva");

        $sql="insert into
addfaculty(firstname,lastname,username,password,confirmpassword,postalcode,phonenumber,mailid)
values('$firstname','$lastname','$username','$password','$confirmpassword','$postalcode','$phonenumber','$mailid');";

        if($con->query($sql)==true)

        {

                echo "inserted";

        }

        else

        {
```

```php
            echo "Error:".$sql."<br>".$con->error;

        }

        $con->close();

}

?>
```

facultylogin.php:

```html
<html>

<head>

    <title> LOGIN </title>


<style>

body{

    margin: 0;

    padding: 0;

    background: url(image.jpg);

    background-size: cover;

    background-position: center;

    font-family: sans-serif;

}

.login-box{

    width: 320px;

    height: 420px;
```

```css
   background: rgba(0, 0, 0, 0.5);

   color: #fff;

   top: 50%;

   left: 50%;

   position: absolute;

   transform: translate(-50%,-50%);

   box-sizing: border-box;

   padding: 70px 30px;

}

.avatar{

   width: 100px;

   height: 100px;

   border-radius: 50%;

   position: absolute;

   top: -50px;

   left: calc(50% - 50px);

}

h1{

   margin: 0;

   padding: 0 0 20px;

   text-align: center;

   font-size: 22px;

}

.login-box p{
```

```css
    margin: 0;

    padding: 0;

    font-weight: bold;

}

.login-box input{

    width: 100%;

    margin-bottom: 20px;

}

.login-box input[type="text"], input[type="password"]

{

    border: none;

    border-bottom: 1px solid #fff;

    background: transparent;

    outline: none;

    height: 40px;

    color: #fff;

    font-size: 16px;

}

.login-box input[type="submit"]

{

    border: none;

    outline: none;

    height: 40px;

    background: #1c8adb;
```

```css
    color: #fff;

    font-size: 18px;

    border-radius: 20px;

}

.login-box input[type="submit"]:hover

{

    cursor: pointer;

    background: #39dc79;

    color: #000;

}


.login-box a{

    text-decoration: none;

    font-size: 14px;

    color: #fff;

}

.login-box a:hover

{

    color: #39dc79;

}


</style>
</head>
    <body>
```

```html
<div class="login-box">

<img src="avatar.png" class="avatar">

  <h1>FACULTY LOGIN</h1>

    <form id="myform" action="facultyloginvalidation.php" method="post">

    <p>User Name</p>

    <input type="text" name="t1" placeholder="Enter UserName">

    <p>Password</p>

    <input type="password" name="t2" placeholder="Enter Password">

    <input type="submit" name="submit" value="sign in">


    </form>



  </div>


  </body>

</html>
```

facultyloginvalidation:


```php
<?php
session_start();
 $us=$_POST['t1'];

 $pwd=$_POST['t2'];
```

```php
$con=new mysqli("localhost","root","","siva");

$sql="select * from addfaculty where username='$us' and password='$pwd' ";

$result=$con->query($sql);

$_SESSION["aname"]=$us;

if($result->num_rows==1)

{

 header('Location: facultypage.php');

}

else

{

 header('Location: wrongfaculty.php');

}

$con->close();
?>
```

facultypage.php:

```php
<?php
 session_start();

 if (!isset($_SESSION["aname"])){

 header('Location: facultylogin.php');

 }
?>

<html>
```

```html
<head>

<meta name="viewport" content="width=device-width, initial-scale=1">

<style>


body {height: 100%; }

html{height: 100%;}



.bg-img {


  background-image: url("s1.jpg");



  height: 100%;



  background-position: center;

  background-repeat: no-repeat;

  background-size: cover;



  position: relative;

}

#mySidenav a {

    position: absolute;
```

```css
    left: -80px;

    transition: 0.3s;

    padding: 15px;

    width: 120px;

    text-decoration: none;

    font-size: 20px;

    color: white;

    border-radius: 0 5px 5px 0;

}


#mySidenav a:hover {

    left: 0;

}


#HOME {

    top: 40px;

    background-color: #800000;

}


#POSTATTENDANCE {

    top: 100px;

    background-color: #2196F3;

}
```

```
#STUDENTSLIST {

   top: 180px;

   background-color: #f44336;

}



#LOGOUT {

   top: 260px;

   background-color: #555

}




</style>

</head>

<body>

<div class="bg-img">

<div id="mySidenav" class="sidenav">

 <a href="logout.php" id="HOME">HOME</a>

 <a href="pa.php" id="POSTATTENDANCE">POST ATTENDANCE</a>

 <a href="studentslist.php" target="new" id="STUDENTSLIST">STUDENTS LIST</a>

 <a href="logout.php" id="LOGOUT" method="post">LOG OUT</a>

</div>

</div>
```

```html
<div style="margin-left:80px;">

 <h2>welcome faculty</h2>


</div>


</body>

</html>
```

facultylist.php:

```php
<?php


        $connect=new mysqli("localhost","root","","siva");

        $sql="select * from addfaculty";

        $ans=$connect->query($sql);

        if($ans->num_rows>=1)

        {

                echo "<table border=2>";

                echo
"<tr><th>firstname</th><th>lastname</th><th>username</th><th>password</th><th>confirmp
assword</th><th>postalcode</th><th>phonenumber</th><th>mailid</th></tr>";

                while($row=$ans->fetch_assoc())

        {
```

```
            echo
"<tr><td>".$row['firstname']."</td><td>".$row['lastname']."</td><td>".$row['username']."</td>
<td>".$row['password']."</td><td>".$row['confirmpassword']."</td><td>".$row['postalcode']."</
td><td>".$row['phonenumber']."</td><td>".$row['mailid']."</td></tr>";

        }

            echo "</table>";

    }

    else

  {

            echo "No records found";

  }
?>
```

studentregistrationform.php:

```
<html>

<body>

<form name="f1" align="center" action="studentregistrationform.php" method="post">

<table width="50%" align="center">

<tr>

<td>

<h4>FIRST NAME :</h4>

</td>

<td>

<input type="text" name = "firstname" size="30">
```

```
</td>

</tr>

<tr>

<td>

<h4>LAST NAME :</h4>

</td>

<td>

<input type="text" name = "lastname" size="30">

</td>

</tr>


<tr>

<td>

<h4>User Name:</h4>

</td>

<td>

<input type="text" name="username" size="30" maxlength="10">

</td>

</tr>


<tr>

<td>

<h4>password:</h4>

</td>
```

```
<td>

<input type="password" name="password" size="30">

</td>

</tr>


<tr>

<td>

<h4>confirm password:</h4>

</td>

<td>

<input type="password" name="confirmpassword" size="30">

</td>

</tr>




<tr>

<td>

<h4>postal code:</h4>

</td>

<td>

<input type="number" name="postalcode" size="30" maxlength="6">

</td>

</tr>
```

```html
<tr>

<td>

<h4>phone number:</h4>

</td>

<td>

<input type="number" name="phonenumber" size="30" maxlength="10">

</td>

</tr>


<tr>

<td>

<h4>mail id:</h4>

</td>

<td>

<input type="email" name="mailid" size="30" >

</td>

</tr>


<tr>

<td>

<input type="submit" value="submit" name="submit">

<input type="reset" value="reset" name="reset">

</td>
```

```php
</tr>

</table>

</form>

</body>

</html>

<?php

if(isset($_POST['submit']))

{

        $firstname = $_POST['firstname'];

        $lastname = $_POST['lastname'];

        $username = $_POST['username'];

        $password = $_POST['password'];

        $confirmpassword = $_POST['confirmpassword'];

        $postalcode = $_POST['postalcode'];

        $phonenumber = $_POST['phonenumber'];

        $mailid = $_POST['mailid'];

        $con=new mysqli("localhost","root","","siva");

        $sql="insert into
addstudent(firstname,lastname,username,password,confirmpassword,postalcode,phonenumber,mailid)
values('$firstname','$lastname','$username','$password','$confirmpassword','$postalcode','$phonenumber','$mailid');";

        if($con->query($sql)==true)

        {

                echo "inserted";
```

```php
                }

        else

        {

                echo "Error:".$sql."<br>".$con->error;

        }

        $con->close();

}

?>
```

studentlogin.php:

```html
<html>

<head>

   <title> LOGIN </title>


<style>

body{

   margin: 0;

   padding: 0;

   background: url(image.jpg);

   background-size: cover;

   background-position: center;

   font-family: sans-serif;

}
```

```css
.login-box{

    width: 320px;

    height: 420px;

    background: rgba(0, 0, 0, 0.5);

    color: #fff;

    top: 50%;

    left: 50%;

    position: absolute;

    transform: translate(-50%,-50%);

    box-sizing: border-box;

    padding: 70px 30px;

}

.avatar{

    width: 100px;

    height: 100px;

    border-radius: 50%;

    position: absolute;

    top: -50px;

    left: calc(50% - 50px);

}

h1{

    margin: 0;

    padding: 0 0 20px;

    text-align: center;
```

```css
    font-size: 22px;

}

.login-box p{

    margin: 0;

    padding: 0;

    font-weight: bold;

}

.login-box input{

    width: 100%;

    margin-bottom: 20px;

}

.login-box input[type="text"], input[type="password"]

{

    border: none;

    border-bottom: 1px solid #fff;

    background: transparent;

    outline: none;

    height: 40px;

    color: #fff;

    font-size: 16px;

}

.login-box input[type="submit"]

{

    border: none;
```

```css
    outline: none;

    height: 40px;

    background: #1c8adb;

    color: #fff;

    font-size: 18px;

    border-radius: 20px;

}

.login-box input[type="submit"]:hover

{

    cursor: pointer;

    background: #39dc79;

    color: #000;

}


.login-box a{

    text-decoration: none;

    font-size: 14px;

    color: #fff;

}

.login-box a:hover

{

    color: #39dc79;

}
```

```
</style>

</head>

   <body>

   <div class="login-box">

   <img src="avatar.png" class="avatar">

     <h1>STUDENT LOGIN</h1>

       <form id="myform" action="studentloginvalidation.php" method="post">

       <p>User Name</p>

       <input type="text" name="t1" placeholder="Enter UserName">

       <p>Password</p>

       <input type="password" name="t2" placeholder="Enter Password">

       <input type="submit" name="submit" value="sign in">


       </form>



     </div>


   </body>

</html>



studentloginvalidation.php:


<?php
```

```php
session_start();

$us=$_POST['t1'];

$pwd=$_POST['t2'];

$con=new mysqli("localhost","root","","siva");

$sql="select * from addstudent where username='$us' and password='$pwd' ";

$result=$con->query($sql);

$_SESSION["aname"]=$us;

if($result->num_rows==1)

{

  header('Location: studentpage.php');

}

else

{

  header('Location: wrongstudent.php');

}

$con->close();
?>
```

studentslist.php:

```php
<?php

        $connect=new mysqli("localhost","root",",","siva");

        $sql="select * from addstudent";
```

```php
        $ans=$connect->query($sql);

        if($ans->num_rows>=1)

        {

                echo "<table border=2>";

                echo
"<tr><th>firstname</th><th>lastname</th><th>username</th><th>password</th><th>confirmp
assword</th><th>postalcode</th><th>phonenumber</th><th>mailid</th></tr>";

                while($row=$ans->fetch_assoc())

    {

                        echo
"<tr><td>".$row['firstname']."</td><td>".$row['lastname']."</td><td>".$row['username']."</td>
<td>".$row['password']."</td><td>".$row['confirmpassword']."</td><td>".$row['postalcode']."</
td><td>".$row['phonenumber']."</td><td>".$row['mailid']."</td></tr>";

        }

                echo "</table>";

        }

        else

  {

                echo "No records found";

  }

?>
```

studentpage.php:

```php
<?php

  session_start();
```

```php
    if (!isset($_SESSION["aname"])){

     header('Location: studentlogin.php');

    }

?>
```

```html
<html>

<head>

<meta name="viewport" content="width=device-width, initial-scale=1">

<style>


body {height: 100%; }

html{height: 100%;}



.bg-img {


  background-image: url("s.jpg");



  height: 100%;



  background-position: center;

  background-repeat: no-repeat;

  background-size: cover;
```

```
  position: relative;

}

#mySidenav a {

    position: absolute;

    left: -80px;

    transition: 0.3s;

    padding: 15px;

    width: 120px;

    text-decoration: none;

    font-size: 20px;

    color: white;

    border-radius: 0 5px 5px 0;

}


#mySidenav a:hover {

    left: 0;

}


#HOME {

    top: 40px;

    background-color: #800000;

}
```

```css
#ATTENDANCE {

    top: 100px;

    background-color: #2196F3;

}


#ACADEMICCALENDER {

    top: 160px;

    background-color: #f44336;

}


#LOGOUT {

    top: 240px;

    background-color: #555

}
```

```html
</style>

</head>

<body>

<div class="bg-img">

<div id="mySidenav" class="sidenav">

  <a href="logout.php" id="HOME">HOME</a>

  <a href="#" id="ATTENDANCE">ATTENDANCE</a>
```

```html
<a href="ac.pdf" target="new" id="ACADEMICCALENDER">ACADEMIC CALENDER</a>

<a href="logout.php" id="LOGOUT" method="post">LOG OUT</a>

</div>

</div>

<div style="margin-left:80px;">

</div>


</body>

</html>
```

pa.php:

```html
<html>

<head>

<meta charset="utf-8">

<title>POST Attendance</title>

<style>

        body {font-family: Arial, Helvetica, sans-serif;height: 100%; }

html{height: 100%;}

* {box-sizing: border-box;}


.bg-img {


  background-image: url("3.jpg");
```

```
  height: 100%;


  background-position: center;

  background-repeat: no-repeat;

  background-size: cover;


  position: relative;
}
        #stu {

  font-family: "Trebuchet MS", Arial, Helvetica, sans-serif;

  border-collapse: collapse;

  width: 100%;
}


#stu td, #stu th {

  border: 1px solid #ddd;

  padding: 8px;

        text-align: center;
}
```

```css
#stu tr:nth-child(even){background-color: #f2f2f2;}


#stu tr:hover {background-color: #ddd;}


#stu th {

    padding-top: 12px;

    padding-bottom: 12px;

    text-align: left;

    background-color: #4CAF50;

    color: white;

        text-align: center;


}


        </style>

</head>


<body class="bg-img">

<marquee> <h3><p> IT-A Students Attendance</p></h3></marquee>

<form name="f1" action="pas.php" method="post">

 <table width="95%" border="1" align="center" id="stu">

  <tbody>

   <tr>

     <th width="373"  align="center" scope="col"><p><strong>Name</strong></p></th>
```

```html
    <th width="377"  align="center" scope="col">Roll nuber</th>

    <th width="485"  align="center" scope="col">Attendance</th>

</tr>

<tr>

    <th scope="row" ><input type="text" name="s1"  value="student1" readonly></th>

    <td> <input type="text" name="r1" value="1201" readonly></td>

    <td>

        <h5>present<input type="radio" name="attendance1" value="present" >

          absent

          <input type="radio" name="attendance1" value="absent"></h5>

    </td>

</tr>


        <tr>

    <th scope="row" ><input type="text" name="s2"  value="student2" readonly></th>

    <td> <input type="text" name="r2" value="1202" readonly></td>

    <td>

        <h5>present<input type="radio" name="attendance2" value="present" >

          absent

          <input type="radio" name="attendance2" value="absent"></h5>

    </td>

</tr>

        <tr>

    <th scope="row" ><input type="text" name="s3"  value="student3" readonly></th>
```

```html
<td> <input type="text" name="r3" value="1203" readonly></td>

<td>

    <h5>present<input type="radio" name="attendance3" value="present" >

     absent

     <input type="radio" name="attendance3" value="absent"></h5>

 </td>

</tr>


    <tr>

 <th scope="row" ><input type="text" name="s4"  value="student4" readonly></th>

 <td> <input type="text" name="r4" value="1204" readonly></td>

 <td>

    <h5>present<input type="radio" name="attendance4" value="present" >

     absent

     <input type="radio" name="attendance4" value="absent"></h5>

 </td>

</tr>


    <tr>

 <th scope="row" ><input type="text" name="s5"  value="student5" readonly></th>

 <td> <input type="text" name="r5" value="1205" readonly></td>

 <td>

    <h5>present<input type="radio" name="attendance5" value="present" >

     absent
```

```html
        <input type="radio" name="attendance5" value="absent"></h5>

  </td>

 </tr>




     <tr>

     <td align="center">  <input type="submit" name="submit" value="submit"></td>


     <td align="center">  <input type="reset" name="reset" value="reset"></td></tr>

 </tbody>


</table>

</form>

</body>

</html>




     <?php


     $f=$_POST['s1'];

     $u=$_POST['r1'];
```

```php
$s = $_POST['attendance1'];

$con=new mysqli("localhost","root","","siva");

$sql="insert into storeattendance(firstname,username,status) values('$f','$u','$s');";

if($con->query($sql)==true)

{

        echo "inserted<br>";

}

else

{

        echo "Error:".$sql."<br>".$con->error;

}

$con->close();


$f=$_POST['s2'];

$u=$_POST['r2'];

$s = $_POST['attendance2'];

$con=new mysqli("localhost","root","","siva");

$sql="insert into storeattendance(firstname,username,status) values('$f','$u','$s');";

if($con->query($sql)==true)

{

        echo "inserted<br>";

}

else

{
```

```php
        echo "Error:".$sql."<br>".$con->error;

}

$con->close();


$f=$_POST['s3'];

$u=$_POST['r3'];

$s = $_POST['attendance3'];

$con=new mysqli("localhost","root","","siva");

$sql="insert into storeattendance(firstname,username,status) values('$f','$u','$s');";

if($con->query($sql)==true)

{

        echo "inserted<br>";

}

else

{

        echo "Error:".$sql."<br>".$con->error;

}

$con->close();


$f=$_POST['s4'];

$u=$_POST['r4'];

$s = $_POST['attendance4'];

$con=new mysqli("localhost","root","","siva");

$sql="insert into storeattendance(firstname,username,status) values('$f','$u','$s');";
```

```php
if($con->query($sql)==true)

{

        echo "inserted<br>";

}

else

{

        echo "Error:".$sql."<br>".$con->error;

}

$con->close();


$f=$_POST['s5'];

$u=$_POST['r5'];

$s = $_POST['attendance5'];

$con=new mysqli("localhost","root","","siva");

$sql="insert into storeattendance(firstname,username,status) values('$f','$u','$s');";

if($con->query($sql)==true)

{

        echo "inserted<br>";

}

else

{

        echo "Error:".$sql."<br>".$con->error;

}

$con->close();
```

?>

Sa.php

```php
<?php
  $uname=$_COOKIE['un'];
    $connect=new mysqli("localhost","root","","siva");
    $sql="select firstname,username,count(status) from storeattendance where username='$uname' and status='present'";
    $ans=$connect->query($sql);
    if($ans->num_rows>=1)
    {
        echo "<table border=2>";
        echo "<tr><th>firstname</th><th>username</th><th>attendance</th><tr>";
        while($row=$ans->fetch_assoc())
    {
            echo "<tr><td>".$row['firstname']."</td><td>".$row['username']."</td><td>".$row["count(status)"]."</td></tr>";
      }
        echo "</table>";
    }
    else
  {
        echo "No records found";
  }
```

?>

wrongadmin.php:

```html
<html>
<head>
<title>
        Sree Vidyanikethan
</title>
</head>
<body>
<h1>Invalid Credintials...you are not admin</h1>
</body>
</html>
```

wrongfaculty.php:

```html
<html>
<head>
<title>
        Sree Vidyanikethan
</title>
</head>
<body>
<h1>Invalid Credintials...you are not faculty</h1>
```

</body>

</html>

wrongstudent.php:

```html
<html>

<head>

<title>

        Sree Vidyanikethan

</title>

</head>

<body>

<h1>Invalid Credintials...you are not student</h1>

</body>

</html>
```

Sa.php

```php
<?php

   $uname=$_COOKIE['un'];

        $connect=new mysqli("localhost","root","","siva");

        $sql="select * from addstudent where username='$uname'";

        $ans=$connect->query($sql);
```

```php
        if($ans->num_rows>=1)

        {

                echo "<table border=2>";

                echo "<tr><th>firstname</th><th>username</th><th>status</th><tr>";

                while($row=$ans->fetch_assoc())

    {

                        echo
"<tr><td>".$row['firstname']."</td><td>".$row['username']."</td><td>".$row['status']."</td></tr
>";

        }

                echo "</table>";

        }

        else

    {

                echo "No records found";

    }
?>
```

logout.php:

```php
<?php

        session_start();

        session_destroy();

        header('Location: main.php')

?>
```

RESULT

Figure : Home page

Figure : Admin Login

welcome admin

ADD STUDENTS

LTY

ENTS

LTY

UT

localhost:82/siva/studentregistrationform.php

Figure: Admin page

FIRST NAME :	sivasai
LAST NAME :	gajula
User Name:	16121a1225
password:	••••
confirm password:	••••
postal code:	518501
phone number:	9885816091
mail id:	siva@gmail.com

submit   reset

Figure : Students Registration Page

Figure : Add Faculty in admin page

Figure:Students list in admin page

firstname	lastname	username	password	confirmpassword	postalcode	phonenumber	mailid
sivasai	gajula	siva	1234	1234	518501	9885816091	siva@gmail.com
student1	2	stu1	1234	1234	518501	9885898858	sai@gmail.com
birju	rithwik	rithwik	1234	1234	517503	9999988888	rithwik@gmail.com

Figure : Students list from database

Figure : faculty list

| firstname	lastname	username	password	confirmpassword	postalcode	phonenumber	mailid
uma	mahesh	umamahesh	1234	1234	518501	9999988888	umamahesh@gmail.com
basheer	khaja	basheer	1234	1234	518501	8888877777	basheer@gmail.com

Figure : faculty list from data base

Figure:logut from database

Fiure:Faculty login page

Figure:Post attendance in faculty page

Figure:post attendance

Figure: student login page

Figure:students see their attendance

Figure:attendance count

Figure:academic calender in home page

Figure: academic calender