CODING

```
♦ Mk.HTML X
```

```
♦ Mk.HTML > ♦ html > ♦ head > ♦ title

      <!DOCTYPE html>
      <html lang="en">
       <meta charset="UTF-8">
       <meta name="viewport" content="width=device-width, initial-scale=1">
       <title>Dynamic Image Slider</title>
 6
            box-sizing: border-box;
            margin: 0;
           padding: 0;
          body {
            font-family: Arial, sans-serif;
           background: #f4f4f4;
           display: flex;
            justify-content: center;
           align-items: center;
           height: 100vh;
          .slider {
            position: relative;
           width: 80%;
           max-width: 600px;
           overflow: hidden;
           border-radius: 10px;
           box-shadow: 0 0 15px □rgba(0,0,0,0.2);
          .slides img {
           width: 100%;
           display: none;
          .slides img.active {
           display: block;
          .nav-btn {
            position: absolute;
           top: 50%;
```

44 transform: translateY(-50%);

background-color: □rgba(0,0,0,0.5);

```
color: □#fff;
           border: none;
           padding: 10px 15px;
           cursor: pointer;
           font-size: 24px;
           z-index: 10;
         .nav-btn:hover {
           background-color: \square \operatorname{rgba}(0,0,0,0.7);
         .prev {
         left: 10px;
         .next {
          right: 10px;
       </style>
     </head>
     <body>
       <div class="slider">
70
         <div class="slides">
           <img src="download (1).jpeg" alt="Image 1" class="active">
           <img src="images (1).jpeg" alt="Image 2">
           <img src="images.jpeg" alt="Image 3">
         </div>
         <button class="nav-btn prev" onclick="changeSlide(-1)">
         <button class="nav-btn next" onclick="changeSlide(1)">> / button>
       </div>
       <script>
         let slideIndex = 0;
         const slides = document.querySelectorAll('.slides img');
82
         function showSlide(index) {
84
           slides.forEach((slide, i) => {
             slide.classList.remove('active');
```

```
if (i === index) {
          slide.classList.add('active');
     });
    function changeSlide(direction) {
      slideIndex += direction;
      if (slideIndex < 0) {</pre>
        slideIndex = slides.length - 1;
      } else if (slideIndex >= slides.length) {
        slideIndex = 0;
      showSlide(slideIndex);
    setInterval(() => {
      changeSlide(1);
    }, 4000); // Change every 4 seconds
  </script>
</body>
</html>
```