


Exp No: 8: GAS SENSOR MQ-2 IN PROTEUS USING ARDUINO

CIRCUIT DIAGRAM:



PROGRAM:

```
#define GreenLed 13
```

```
#define Sensor A0
```

```
void setup() {
```

```
    pinMode(GreenLed, OUTPUT);
```

```
    pinMode(12, OUTPUT);
```

```
    pinMode(Sensor, INPUT);
```

```
    Serial.begin(9600);
```

```
}
```

```
void loop() {
```

```
    int value = analogRead(Sensor);
```

```
    Serial.print("Analogic Value coming from the sensor: ");
```

```
    Serial.println(value);
```

```
if (value > 600) {  
    digitalWrite(GreenLed, HIGH);  
}  
else {  
    digitalWrite(GreenLed, LOW);  
}  
  
delay(100);  
}
```

Code for Sensor:

```
// Code for MQ-6 Gas Sensor  
  
int mq6Pin = A0; // MQ-6 analog pin connected to A0  
  
void setup() {  
    Serial.begin(9600);  
}  
  
void loop() {  
    int sensorValue = analogRead(mq6Pin);  
  
    Serial.print("MQ6 Sensor Value: ");  
    Serial.println(sensorValue);  
  
    delay(1000); // 1-second delay  
}
```

