




stack overflow

CLONE



React
Native





StackOverflow Mobile App

With React Native, StackOverflow API and StepZen



In today's video

- ||| 1. Building the UI of StackOverflow app in React Native
- || 2. Converting the StackOverflow REST API to a GraphQL API using StepZen
- || 3. Querying our GraphQL API inside our app using URQL
- ||
- ||
- |||

3:56

React native | x Cancel

php wordpress plugins asked Fri Jun 02 2023

0 votes • 1 answers • 10 views
[Doctrine Migrations with more than one databases/
schemas \(in Symfony project\)](#)
I have a single data connection with two schemas configured in my
Symfony 6 project:


php symfony doctrine-orm doctrine
doctrine-migrations asked Fri Jun 02 2023

0 votes • 0 answers • 10 views
[how to pass button id from table to modal](#)
i have this code
<input type="button" name="EditBtn1" onclick="showPopup('<!-- ph...
javascript php html popup asked Fri Jun 02 2023

-1 votes • 1 answers • 11 views
[How can I resolve a critical section runtime error with
PHP sessions in WordPress?](#)
A PHP session was created by a session_start() function call. This
interferes with REST API and loopback requests. The session should...

php wordpress session runtime-error critical-section
asked Fri Jun 02 2023

-1 votes • 0 answers • 55 views
[Count multi-dimensional values in array](#)
The title seems to overly-simplify how easy this process is, but it really
isn't easy. I've tried working around this but it's very difficult



3:56

React native | x Cancel

php wordpress plugins asked Fri Jun 02 2023

0 votes • 1 answers • 10 views
[Doctrine Migrations with more than one databases/schemas \(in Symfony project\)](#)
I have a single data connection with two schemas configured in my Symfony 6 project:

php symfony doctrine-orm doctrine doctrine-migrations asked Fri Jun 02 2023

0 votes • 0 answers • 10 views
[how to pass button id from table to modal](#)
I have this code
<input type="button" name="EditBtn1" onclick="showPopup('<!-- ph...')
javascript php html popup asked Fri Jun 02 2023

-1 votes • 1 answers • 11 views
[How can I resolve a critical section runtime error with PHP sessions in WordPress?](#)
A PHP session was created by a session_start() function call. This interferes with REST API and loopback requests. The session should...

php wordpress session runtime-error critical-section asked Fri Jun 02 2023

-1 votes • 0 answers • 55 views
[Count multi-dimensional values in array](#)
The title seems to overly-simplify how easy this process is, but it really isn't easy. I've tried working around this but it's very difficult

3:56

StackOverflow Question

```
if (isset($params['qty'])) {  
    $filter = new  
    \Zend_Filter_LocalizedToNormalized(  
        ['locale' => $this->_objectManager->get(  
            \Magento\Framework\Locale\ResolverInterface::class  
        )->getLocale()  
    );  
    $params['qty'] = $filter->filter($params['qty']);  
}
```

It was working in php 7.3 and so I honestly am not sure what it wants me to do here. Any help would be greatly appreciated. Thank you.


php magento2.4 zend-filter php-8.2 asked Thu Apr 20 2023

2 Answers

↑ In version 2.4.6,
2 replacement with
Magento\Framework\Filter\LocalizedToNormalized
(try this class and everything will work).

I think the reason you get this error because you upgrade to version 2.4.6 but your module not compatible with magento 2.4.6 yet.


You can read about class change in vendor/magento/magento-coding-standard/Magento2/Sniffs/Legacy/_files/restricted_classes.php in line 282-285.



What will we use?



React Native with Expo and Expo Router for the mobile application




https://chagallu.stepzen.net/

api/tinseled-cat

Docs History Builder Connect Refresh Clear

```
1 query GetQuestion($id: Int!) {  
2   question(questionId: $id) {  
3     has_more  
4     quota_max  
5     quota_remaining  
6     items {  
7       title  
8     }  
9   }  
10 }
```

{
 "data": {
 "question": {
 "has_more": false,
 "quota_max": 300,
 "quota_remaining": 249,
 "items": [
 {
 "title": "What is the difference
between using constructor vs getInitialState
in React / React Native?"
 }
]
 }
 }
}




What will we use?



- StackOverflow API
- StepZen for the GraphQL Layer

Thanks for sponsoring this tutorial



Build GraphQL Easily Optimize & Scale GraphQL Automatically

The only declarative approach for federated access to data

[Start for Free](#)[Request Demo](#)

TRUSTED BY

WORK
&CO

 everfund

Sight Consulting

 Recorem

 Persistent



 Premium

komax


 Hewlett Packard
Enterprise

DataStax

Declaratively build GraphQL APIs from backend building blocks



Create a free account: <https://bit.ly/3WLqBTo>




notJust

//development



Let's get started





Don't worry, you can do it! 💪

- The tutorial is beginner friendly
- There is a step-by-step guide
- We will build everything together



//development

Follow the guide



<https://www.notjust.dev/projects/stackoverflow>



Link in video description!



Building the UI of StackOverflow app in React Native

Let's start with the UI. For the mobile app, we will use Expo and Expo Router.

Create a new project with Expo

1. Initialize the project with `npx create-expo-app@latest StackOverflow -e with-router`
2. Open it in VSCode
3. Start the dev server with `npm start`
4. Run the project on a simulator or a physical device
5. Download Asset Bundle and import the data folder. This will be the dummy data we will use before we integrate the API.

Expo Router

Let's create a `_layout.js` file where we can manage the Root Layout and Navigator of our app.

JAVASCRIPT

```
import { Stack, } from 'expo-router';

const _layout = () => {
  return (
    <Stack>
      <Stack.Screen name="index" options={{ title: 'StackOverflow' }} />
    </Stack>
  );
};

export default _layout;
```

Display a question

Let's start by building a component that can render 1 question.

1 votes • ✓ 2 answers • 66 views

[React-native flatlist item layout should adapt device orientation change](#)

So I am creating flatlist of images. Which shows only one image at a time on the screen.


react-native orientation landscape device-orientation

flatlist

asked Fri May 05 2023

Download the Asset Bundle

To get the Source Code, PDF guide, dummy data, images, etc.



notJust
//development



Q&A

