Tables Listings:

1. Volunteer – This entity represents the act of someone willing to volunteer to a project.

<u>Voluteer_ID:</u> Unique number to identify the volunteer.PK, NOT NULL

Type: Varchar(50)

First_Name: The first name of the volunteer, not null

Type: Varchar(50)

Last_Name: The last name of the volunteer, not null,

Type: Varchar(100)

Phone: An alphanumeric representing the phone contact of the volunteer.

Type:Varchar(30)

Email: An alphanumeric representing the email contact of the volunteer.

Type:Varchar(50)

Street: Street of the address.

Type: Varchar(50)

City: The name of the city.

Type: Varchar(50)

State: The state of the address.

Type: char(2)

Postal Code

Type: Varchar(11)

Date_accepted: The date that the volunteer was accepted

Type: Date

Project_Preferences: Desired projects that volunteer wants assign for

Type:Varchar(30)

Total_hours: Total volunteering time

Type: decimal(10,2)

Examples:

- 1. '01-11111','Michael','Smith','718-210-0000','Michael.Smith@gmail.com','12 Alma St.','Jersey City','NJ','07037','2002-03-17','animals',358.00
- 2. '01-11112','Susan','Barker','718-210-0001','Susan.Barker@gmail.com','4 North St.','Jersey City','NJ','07032','2002-09-15','education',289.00
- 3. '01-11113','Robert','Tyler','718-210-0002','Robert.Tyler@gmail.com','3 Main St.','Newark','NJ','07114','2003-11-14','seniors',105.50
- 4. '01-11114','John','Gooding','718-210-0003','John.Gooding@gmail.com','123 Putnam Ave','Brooklyn','NY','06878', '2005-12-02','hunger',67.00
- 5. '01-11115','Helen','Fleming','718-210-0004','Helen.Fleming@gmail.com','175 Park Ave.','New York','NY','10065','2005-04-24','health',54.50
- 6. '01-11116','Chris','Tucker','718-210-0005','Chris.Tucker@gmail.com','17 North St.','Newark','NJ','07114','2008-05-03','education',123.00
- 7. '01-11117','Sarah','Parker','718-210-0006','Sarah.Parker@gmail.com','1265 Lombardi Ave.','East Medow','NY','06870','2010-07-27','children',92.00
- 8. '01-11118','Jane','Grossman','718-210-0007','Jane.Grossman@gmail.com','14 E 22nd St.','New York','NY','10033','2011-03-17','animals', 234.00
- 9. '01-11119', 'Paula', 'Roberts', '718-210-0008', 'Paula. Roberts@gmail.com', '401 9th avenue', 'New York', 'NY', '10075', '2014-05-11', 'seniors', 15.00
- 10. '01-11120','John','Blake','718-210-0009','John.Blake@gmail.com','19 E 65th St','New York','NY','10075','2015-04-01','hunger',157.00
- 11. '01-11121','Cindy','Mason','718-210-0010','Cindy.Mason@gmail.com','47 W 13th st','New York','NY','10011','2017-03-15','children',45.00
- 12. '01-11122', 'Frank', 'Portman', '718-210-0011', 'Frank. Portman@gmail.com', '146 e 19th st', 'Brooklyn', 'NY', '11226', '2017-06-29', 'health', 76.50
- 13. '01-11123','Theresa','Markham','718-210-0012','Theresa.Markham@gmail.com','100 E 92nd st','Brooklyn','NY','11212','2018-08-09','education',176.00
- 14. '01-11124', 'Beth', 'Fowler', '718-210-0013', 'Beth. Fowler@gmail.com', '22-77 28th St', 'Astoria', 'NY', '11105', '2018-10-12', 'hunger', 55.50
- 15. '01-11125','Rick','Tulman','718-210-0014','Rick.Tulman@gmail.com','37-19 21th st','Astoria','NY','11102','2018-12-12','children',10.00

2.CharityProject – Represents a charity project.

CharityProject_id: Unique identifier of the project. PK ,NOT NULL

Type: Int(11)

Project_Name: The name of the project

Type: Varchar(50)

Project Description: The description of the project.

Type: Varchar(300)

SupervisorID: The identifier of the supervisor. FK (references to volunteer_id in volunteer table),Not null.

Type: Varchar(15)

Examples:

- 1. '02-10001', 'Volunteer at soup kitchen', 'We are looking for compassionate volunteers to help us with food distribution and bagging our inventory', '01-11111'
- 2.'02-10002', 'Children and youth education', 'Transform the lives of children through mentoring', '01-11112'
- 3.'02-10003','Share your pets love','Share your pets unconditional love with fellow animal lovers','01-11118'
- 4.'02-10004','Visit a senior','Volunteers need to come visit a senior, read a book, play checkers/chess or just chat','01-11123'
- 5.'02-10005', 'Play soccer?', 'Coach soccer to underserved kids', '01-11112'
- 6. ('02-10006','Cat adoption center','This is an opportunity to help abandoned cats to get into a healthy environment and prepare them for a new life in a forever home','01-11118'
- 7.'02-10007', 'Make a difference in the life of a child', 'Volunteers needed to play with children who are hospitalized', '01-11112'
- 8.'02-10008', 'MealTime Feeder', 'MealTime Mate volunteers to provide assistance and companionship to those patients who need help with their meals', '01-11123'
- 9. '02-10009', 'Health and wellness project', 'Our Health and Wellness projects, volunteers bring much-needed companionship to long-term hospital residents and individuals living with devastating illnesses', '01-11123'
- 10.'02-10010','Come teach kids to code!',' We are looking for STEM gurus who have the ability of using coding blocks as primary methods of teaching programming logic and skills.','01-11112'

3.Time_slot – Represent a timeslot in the project.

<u>Time slot ID</u>: The unique identifier of the timeslot. PK, not null

Type: varchar(15)

Date:date of slot for particular project

Type:Date

Begin_time: The initial start of the slot.

Type:time

End_time: The final end time of the slot.

Type: time

CharityProject_id: Unique identifier of the project, FK references the charity project that this time slot belongs to, not null

Type: Varchar(15)

Examples:

1.'05-11111','2020-11-12','17:00:00','19:00:00','02-10001'

2.'05-11112','2020-10-28','12:00:00','14:00:00','02-10003'

3.'05-11113','2020-11-21','09:00:00','10:30:00','02-10005'

4.'05-11114','2020-11-05','13:00:00','14:00:00','02-10008'

5.'05-11115','2020-11-05','17:00:00','18:00:00','02-10008'

6.'05-11116','2020-11-11','10:00:00','11:00:00','02-10010'

4.Donor – This entity represents a donor.

Donor_id: The unique identifier of the donor. PK, not null.

Type: Varchar(15)

First name: The first name of the donor.

Type: Varchar(50)

Last name: The last name of the donor.

Type: Varchar(100)

Email: An alphanumeric representing the email contact of the donor.

Type:Varchar(50)

Phone: An alphanumeric representing the phone contact of the donor.

Type:Varchar(30)

Employer_Name: The employer of the donor.

Type: Varchar(50)

Examples:

1. '03-0001', 'Susan', 'Hawthorne', 'Susan. Hawthorne@amazon.com', '202-330-1111', 'Amazon'

2.'03-0002', 'Kathlene', 'Barone', 'Kathlene. Barone@apple.com', '202-330-1112', 'Apple'

3.'03-0003', 'Sally', 'Avino', 'Sally. Avino@microsoft.com', '202-330-1113', 'Microsoft'

4.'03-0004', 'Mark', 'Cohen', 'Mark. Cohen@jpmorgan.com', '202-330-1114', 'JP Morgan'

5.'03-0005', 'Rodger', 'Gibson', 'Rodger. Gibson@bofa.com', '202-330-1115', 'Bank of America'

6.'03-0006', 'Timothy', 'Jackson', 'Timothy. Jackson@google.com', '202-330-1116', 'Google'

7.'03-0007', 'Paul', 'Kolinsky', 'Paul. Kolinsky@disney.com', '202-330-1117', 'Disney'

8.'03-0008', 'Kelly', 'Miller', 'Kelly. Miller@cvs.com', '202-330-1118', 'CVS'

9.'03-0009', 'Hazel', 'Mccoy', 'Hazel.Mccoy@ibm.com', '202-330-1119', 'IBM'

10.'03-0010', 'Robert', 'Maxwell', 'Robert.Maxwell@verizon.com', '202-330-1120', 'Verizon'

5.Donate – This table represents the relationship between Charity Project and Donor.

<u>Donation_id:</u> the unique identifier of the donation PK not null

Type: Varchar(15)

Date: The date and time of the donation.

Type: Date

Amount: The amount of the donation

Type: Decimal(10,2)

Donor_id: The unique identifier of the donor , FK,references to donor_id,which Donor is donating , not null

Type: Varchar(15)

CharityProject_id: Unique identifier of the project, references to Charyti_Project that donor is donating to, FK, not null

Type: Varchar(15)

Examples:

1.'04-11111','2020-08-18',200.00,'03-0001','02-10010'

2.'04-11112','2020-09-15',150.00,'03-0006','02-10001'

3.'04-11113','2020-09-23',500.00,'03-0003','02-10006'

4.'04-11114','2020-09-30',250.00,'03-0005','02-10005'

5.'04-11115','2020-10-05',250.00,'03-0005','02-10004'

6.'04-11116','2020-10-15',100.00,'03-0010','02-10009'

7.'04-11117','2020-10-15',300.00,'03-0007','02-10002'

8.'04-11118','2020-10-28',500.00,'03-0002','02-10002'

9.'04-11119','2020-11-01',1000.00,'03-0004','02-10007'

10.'04-11120','2020-11-02',180.00,'03-0008','02-10003'

11.'04-11121','2020-07-15',50.00,'03-0008','02-10007'

12.'04-11122','2020-08-01',180.00,'03-0002','02-10006'

13.'04-11123','2020-09-10',200.00,'03-0002','02-10005'

6.Applies_for_slot- this table represents relationship between volunteer and Time_Slot

<u>Time Slot ID</u>: The unique identifier of the timeslot, references to time slot that volunteer is applying for, FK, not null

Type: Varchar(15)

<u>Volunteer ID</u>: The unique identifier of the volunteer ,references to volunteer that applies for slot, FK,not null

Type: Int

PK(**Time_Slot_ID**, **Volunteer_ID**),not null

Slot_Position_Name: The alias of the position

Type: Varchar(25)

Examle:

1.'05-11111','01-11111','Cook'

2.'05-11112','01-11114','Companionship'

3.'05-11113','01-11120','Coach'

```
4.'05-11114','01-11123','Assist patients'
```

5.'05-11115','01-11113','Companionship'

6.'05-11116','01-11125','Teacher'

7.'05-11111','01-11120','Cook'

8.'05-11111','01-11114','Food Prep'

9.`05-11111','01-11124','Food Prep'

10.'05-11111','01-11121','Packing Coordinator'

7.Applies_no_slot - This table represents relationship between volunteer and Charity_Project

<u>VolunteerID</u>: The unique identifier of the volunteer, references to volunteer that applies for project ,FK, not null

Type: Varchar(15)

<u>Charity ProjectID:</u> The unique identifier of the Charity_Project, References to Charyti_Project that volunteer is applying for ,FK, not null

Type: Varchar(15)

PK(**VolunteerID, Charity_ProjectID**), not null

Position_Name: The alias of the position

Type: Varchar(25)

Example:

1.'01-11112','02-10002','Teacher'

2.'01-11113','02-10004','Companionship'

3.'01-11115','02-10009','Assist patients'

4.'01-11118','02-10006','Animal care'

5.'01-11125','02-10007','Teacher'

6.'01-11112','02-10007','Teacher'

7.'01-11116','02-10007','Teacher'

8.'01-11111','02-10006','Animal care'

9.'01-11119','02-10004','Companionship'

10.'01-11117','02-10006','Record Administrator'

8.CharityProjectLocation – This is multivalued attribute that represents the possible location of the projects.

charityProjectLocation_id: The unique identifier of the project location PK not null

Type: Varchar(15)

Location_Name: The name of the location.

Type: Varchar(50)

<u>Charity ProjectID:</u> The unique identifier of the Charity_Project, references to charity project that location is associated with, FK,not null

Type: Varchar(15)

Example:

1.'06-00001','NY','02-10001'

2.'06-00002','NJ','02-10002'

3.'06-00003','NY','02-10003'

4.'06-00004','NY','02-10004'

5.'06-00005','NY','02-10005'

6.'06-00006','NJ','02-10006'

7.'06-00007','NY','02-10007'

8.'06-00008','NY','02-10008'

9.'06-00009','NY','02-10009'

10.'06-00010','NJ','02-10010'

11.'06-00011','NY','02-10002'

12.'06-00012','CT','02-10002'

13.'06-00013','NJ','02-10003'

In summary tables:

- 1. Volunteer(<u>VolunteerID</u>, First_Name, Last_Name, Phone, Email, Street, City, State, Postal_Code, Date_accepted, Project_Preferences, Total_hours) VolunteerID is PK
- 2.Charity_Project(<u>Charity_ProjectID</u>,Project_Name,Project_Description,SupervisiorID)<u>Charity_ProjectID</u> is PK_SupervisorId is FK that referring to VolunteerID_in volunteer table.
- 3.Time_Slot(Time_SlotID,Date,Begin_Time,End_Time,Charity_ProjectID) <u>Time_SlotID</u> is PK , Charity_ProjectID is FK that referring to Charity_Project.
- 4.Donor(**DonorID**, First_Name, Last_Name, Email, Phone, Employer_Name) **DonorID** is PK
- 5.Donate(<u>DonorID,Charity_ProjectID</u>,Donation_Date,Donation_Amount) DonorID is FK referring to Donor, Charity_ProjectID is FK referring to Charity_Project together they present PK
- 6.Applies_for_slot(<u>Time_SlotID,VolunteerID</u>,Slot_Position_Name)Time_SlotID is FK referring to TimeSlot and VolunteerID is FK referring to Volunteer, together they form PK
- 7.Applies_no_slot(<u>VolunteerID</u>, <u>Charity_ProjectID</u>, Position_Name) VolunteerID is FK referring to Volunteer and Charity_ProjectID is FK referring to Charity_Project, together they form PK
- 8. Charity_Project_Location(<u>Charity_Project_LocationID</u>, Charity_ProjectID, Location_name) <u>Charity_Project_LocationID</u> is PK and Charity_ProjectID is FK referring to Charity_Project