



FarmAg Picloram 240 SL

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 9/10/2022 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form	: Mixture
Trade name	: FarmAg Picloram 240 SL
Type of product	: Herbicide
CAS-No.	: 2545-60-0
Product group	: End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: A water soluble concentrate of a systemic herbicide for the control of woody plants and weeds as indicated for forestry, grass pastures industrial and conservation areas.
------------------------------	--

1.3. Supplier's details

Supplier

Farm-Ag International (Pty) Ltd
Old Mill Industrial Park
61, Marshall Drive
P.O. Box 1523
4300 Mount Edgecombe – Durban KwaZulu Natal
South Africa
T 031 003 3486

1.4. Emergency telephone number

Emergency number	: 24 Hr Emergency Number: In case of Poisoning: Poison Information Helpline : 0861 555 777
	In case of Spillage: HAZMAT:0800 147 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable liquids	Not classified
Acute toxicity (dermal), Category 5	H313
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Full text of H-statements: see section 16	

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA)	:	 
Signal word (GHS-ZA)	:	Danger
Hazardous ingredients	:	Picloram 95% TC, Potassium Hydroxide
Hazard statements (GHS ZA)	:	H313 - May be harmful in contact with skin H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.

FarmAg Picloram 240 SL

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Precautionary statements (GHS ZA)	: P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read label before use. P261 - Avoid breathing vapours, spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor. P312 - Call a POISON CENTER or doctor if you feel unwell. P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P501 - Dispose of container to an approved waste disposal plant.
-----------------------------------	--

2.3. Other hazards

Adverse physicochemical, human health and environmental effects	: Harmful in contact with skin,Harmful if swallowed,Causes skin irritation,Causes serious eye damage,Toxic to aquatic life
---	--

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Picloram 95% TC	CAS-No.: 2545-60-0	≥ 20 – < 25	Acute Tox. Not classified (Oral) Acute Tox. 5 (Dermal), H313 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Potassium Hydroxide	CAS-No.: 1310-58-3	≥ 1 – < 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Eye Dam. 1, H318

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Have victim rinse mouth thoroughly with water. Do not induce vomiting. If the person is alert, give 3 to 4 glasses of water or milk to drink. Do not give anything to drink to an unconscious or convulsing person. If vomiting does occur, give fluids again. Seek medical advice immediately, showing container and label.

FarmAg Picloram 240 SL

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

There is no specific antidote. Treat symptomatically and supportively as and when required. Gastric lavage could be contraindicated due to probable mucosal damage.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Water spray as a fog can be used for cooling of unaffected stock, but avoid water coming in contact with the product. Contain water used for fire-fighting for later disposal. Avoid the accumulation of polluted run-off from the site.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Firefighting instructions	: Remove spectators from surrounding area. Remove container from fire area if possible. Contain fire control agents for later disposal. Use a recommended extinguishing agent for the type of surrounding fire. Avoid inhaling hazardous vapours and fumes from burning materials. Keep upwind.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Personal protection (Emergency response)	: Wear respiratory protection, Wear protective gloves, Wear eye protection, Face-shield, Wear protective clothing



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin, eyes and clothing.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Do not allow entering drains or watercourses. Spillage or uncontrolled discharges into water courses (or public waters) to be reported immediately to the Police and to the Department of Water/Environmental Affairs.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
-----------------	---------------------

FarmAg Picloram 240 SL

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Methods for cleaning up

- : Occupational spill:
Keep out unprotected persons and animals. Do not touch spilled material; stop leak if you can do it without risk.
Earth all equipment used when handling the product. Do not touch or walk through spilled material. Stop leak if possible without risk. Avoid runoff of product into sewers, water systems, basements or confined areas as it may cause fire/explosion. A vapour-suppressing foam could be used to reduce vapours. Thoroughly wash body areas, which come into contact with the product.
For spills: Use clean, non-sparking tools to collect absorbed material. Soak up with absorptive material such as damp earth or sand or other suitable non-combustible absorbent material. Place the material into a clean, dry container and cover for subsequent disposal. In situations where product comes in contact with water, contain contaminated water for later disposal. Prevent material from spreading by damming in with absorptive material. Do not flush spilled material into drains. Keep spectators away and upwind. To decontaminate spill area, tools and equipment, wash with a suitable solution (i.e. organic solvent, detergent bleach or caustic). Add the solution to the drums already collected. Label drums with its content and dispose it in accordance with local regulations.
Open burning or dumping of this material is prohibited.
- : Dispose of materials or solid residues at an authorized site.

Other information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool.
- Storage area : Keep locked up. Store in a dry area. Store out of reach of unauthorised persons, children and animals.
- Information on mixed storage : KEEP SUBSTANCE AWAY FROM: Food supplies. Water supplies.
- Storage temperature : < 32 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Picloram 95% TC (2545-60-0)	
South Africa - Occupational Exposure Limits (Recommended Limits)	
Local name	Picloram
OEL TWA	10 mg/m ³ 10 mg/m ³
OEL STEL	20 mg/m ³
Regulatory reference	Government Notice No. R. 280, 2021 Government Notice. R: 1179
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Picloram
OEL TWA	10 mg/m ³
OEL STEL	20 mg/m ³
Regulatory reference	Government Notice No. R 904

FarmAg Picloram 240 SL

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Potassium Hydroxide (1310-58-3)

South Africa - Occupational Exposure Limits (Recommended Limits)

Local name	Potassium hydroxide
OEL STEL	4 mg/m ³ 2 mg/m ³
Regulatory reference	Government Notice No. R. 280, 2021 Government Notice. R: 1179

South Africa - Occupational Exposure Limits (Airborne Pollutants)

Local name	Potassium hydroxide
OEL STEL	2 mg/m ³
Regulatory reference	Government Notice No. R 904

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Dark. Brown.
Odour	: No data available
Odour threshold	: No data available
pH	: 6.8
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: < -5 °C
Boiling point	: > 82 °C
Flash point	: > 100 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 32 mm Hg
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.148
Relative density of saturated gas/air mixture	: No data available

FarmAg Picloram 240 SL

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Density	: No data available
Relative gas density	: No data available
Solubility	: Miscible.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: May be harmful in contact with skin.
Acute toxicity (inhalation)	: Not classified

FarmAg Picloram 240 SL (2545-60-0)

ATE ZA (Dermal)	2035.266 mg/kg bodyweight
Unknown acute toxicity (GHS ZA)Unknown acute toxicity (GHS ZA)	22% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 73.19% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 100% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))

Picloram 95% TC (2545-60-0)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 1.63 mg/l

FarmAg Picloram 240 SL

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Water (7732-18-5)

LD50 oral rat	90000 mg/kg
Skin corrosion/irritation	: Causes skin irritation. pH: 6.8
Serious eye damage/irritation	: Causes serious eye damage. pH: 6.8
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Picloram 95% TC (2545-60-0)

LC50 - Fish [1]	26 mg/l Rainbow Trout
LC50 - Fish [2]	24 mg/l Bluegill sunfish
BCF - Fish [1]	0.11 – 0.54 (28 day(s), Lepomis macrochirus)
Partition coefficient n-octanol/water (Log Kow)	-2.09
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.506 – 1.588 (log Koc, Calculated value)
Additional ecotoxicological information	Birds: Acute oral LD50 for mallard ducks and bobwhite quail >2250 mg/kg. Dietary LC50 for bobwhite quail >5620 mg/kg diet. Bees: (LD50, µg/bee) >100

Water (7732-18-5)

Partition coefficient n-octanol/water (Log Pow)	-1.38
---	-------

12.2. Persistence and degradability

FarmAg Picloram 240 SL (2545-60-0)

Persistence and degradability	No additional information available
-------------------------------	-------------------------------------

Picloram 95% TC (2545-60-0)

Persistence and degradability	Non degradable in the soil. Not readily biodegradable in water. Not easily biodegradable in water in anaerobic conditions.
-------------------------------	--

12.3. Bioaccumulative potential

FarmAg Picloram 240 SL (2545-60-0)

Bioaccumulative potential	No additional information available
---------------------------	-------------------------------------

Picloram 95% TC (2545-60-0)

BCF - Fish [1]	0.11 – 0.54 (28 day(s), Lepomis macrochirus)
Partition coefficient n-octanol/water (Log Kow)	-2.09

FarmAg Picloram 240 SL

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Picloram 95% TC (2545-60-0)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.506 – 1.588 (log Koc, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

Water (7732-18-5)

Partition coefficient n-octanol/water (Log Pow)	-1.38
---	-------

12.4. Mobility in soil

FarmAg Picloram 240 SL (2545-60-0)

Mobility in soil	No additional information available
------------------	-------------------------------------

Picloram 95% TC (2545-60-0)

Partition coefficient n-octanol/water (Log Kow)	-2.09
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.506 – 1.588 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil. Not toxic to animals. Not toxic to bees. Toxic to flora.

Water (7732-18-5)

Partition coefficient n-octanol/water (Log Pow)	-1.38
---	-------

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
3082	3082	3082
14.2. Proper Shipping Name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains picloram 240 g/l)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains picloram 240 g/l)	Environmentally hazardous substance, liquid, n.o.s. (contains picloram 240 g/l)
14.3. Transport hazard class(es)		
9	9	9
		
14.4. Packing group		
III	III	III

FarmAg Picloram 240 SL

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SANS	IMDG	IATA
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		

14.6. Special precautions for user

SANS

Special provisions (SANS)	: 179, 274, 331, 335
Limited quantities (SANS)	: 5 L
Limited quantities (SANS)	: 5 L
Packagings, large packagings and IBCs Packing instructions (SANS)	: P001, IBC03, LP01
Packagings, large packagings and IBCs Special packing instructions (SANS)	: PP1
Portable tank and bulk containers instructions (SANS)	: T4
Portable tank and bulk container special provisions (SANS)	: TP1, TP29

IMDG

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A

IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date : 10/09/2022

FarmAg Picloram 240 SL

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of H-statements

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.