

1. IDENTIFICATION

Product Name	HHBTA
Other Names	No Data Available
Uses	Solvent mixture; Industrial use. Raw material for cleaning agents and disinfectants.
Chemical Family	No Data Available
Chemical Formula	Unspecified
Chemical Name	Contains: Tar acids, polyalkylphenol fraction; Xylenol; Cresol
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Suite 13A.03, Menara Summit Persiaran Kewajipan USJ1 47600 UEP Subang Jaya Selangor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Australia – Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
National Poison Centre	Malaysia	+60-4-6536-999
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

6

Globally Harmonised System

Hazard Classification		Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
Hazard Categories		Acute Toxicity (Oral) - Category 3 Acute Toxicity (Dermal) - Category 3 Skin Corrosion/Irritation - Category 1B Serious Eye Damage/Irritation - Category 1 Long-term Hazard To The Aquatic Environment - Category 2
Pictograms		  
Signal Word		Danger
Hazard Statements		H301 + H311 Toxic if swallowed or in contact with skin. H314 Causes severe skin burns and eye damage. H411 Toxic to aquatic life with long lasting effects.
Precautionary Statements	Prevention	P260 Do not breathe mist/vapour/spray. P273 Avoid release to the environment. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection and suitable respirator.
	Response	P321 Specific treatment (see First Aid Measures on Safety Data Sheet). P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P310 Immediately call a POISON CENTER or doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P363 Wash contaminated clothing before reuse. P391 Collect spillage.
	Storage	P304 + P340 IF INHALED: Remove victim to fresh air and keep comfortable for breathing.
	Disposal	P405 Store locked up.
		P501 Dispose of contents/container in accordance with local / regional / national / international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

Hazard Classification	Hazardous according to the criteria of Safe Work Australia under Model WHS Regulations
------------------------------	--

3. COMPOSITION/INFORMATION ON INGREDIENTS**Ingredients**

Chemical Entity	Formula	CAS Number	Proportion
Tar acids, polyalkylphenol fraction	UVCB	84989-05-9	>=33 - <=58 %
Xylenol	Unspecified	1300-71-6	>=5 - <35 %
Cresol	Unspecified	1319-77-3	<2 %

4. FIRST AID MEASURES**Description of necessary measures according to routes of exposure**

Swallowed	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Never give anything by mouth to an unconscious person.
Eye	IF IN EYES: Danger of very serious irreversible effects! Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue flushing until advised to stop by a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor, or for at least 15 minutes.
Skin	IF ON SKIN (or hair): Rapid skin decontamination is critical! Immediately remove any contaminated clothing. Wash off immediately with plenty of water. Apply PEG/EtOH solution liberally to affected area. Allow to remain 15 to 30 seconds, then wash with water. Continue cycle of water and PEG/EtOH solution for at least 15 minutes (PEG/EtOH solution consists of 2 parts polyethylene glycol 400 to 1 part ethanol - For external use only); then flush under running water until advised to stop by a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. For minor skin contact, avoid spreading material on unaffected skin. Wash contaminated clothing and shoes before reuse.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Centre or doctor/physician for advice. Give artificial respiration if victim is not breathing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Administer oxygen if breathing is difficult.
Advice to Doctor	Keep victim calm and warm. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. *Most important symptoms and effects, both acute and delayed: Toxic if swallowed and in contact with skin. Causes severe skin burns and eye damage.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out. Dike fire-control water for later disposal; do not scatter the material. Do not get water inside containers.
Flammability Conditions	Combustible material; may burn but does not ignite readily.
Extinguishing Media	Use dry chemical, Carbon dioxide (CO ₂), alcohol-resistant foam or water spray for extinction. Do NOT use water jet. Do not use a solid water stream as it may scatter and spread fire.
Fire and Explosion Hazard	When heated, vapours may form explosive mixtures with air: indoors, outdoors and sewers explosion hazards! Containers may explode when heated.
Hazardous Products of Combustion	Fire may produce irritating, corrosive and/or toxic gases, including Carbon dioxide, Carbon monoxide.
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may be corrosive and/or toxic and cause pollution.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing - It may provide

little or no thermal protection. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Flash Point	112 °C [Closed cup]
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	2X

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation - Ventilate enclosed spaces before entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Do not breathe mist/vapours and prevent contact with eyes, skin and clothing.
Clean Up Procedures	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers for disposal (see SECTION 13). *Never return spills in original containers for re-use!
Containment	Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. *Do NOT get water inside containers!
Decontamination	No information available.
Environmental Precautionary Measures	Spillages and decontamination runoff should be prevented from entering drains and watercourses. Local authorities should be advised if significant spillages cannot be contained.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away from and upwind of spill/leak.
Personal Precautionary Measures	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (see SECTION 8). *Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Do not breathe mist/vapours and prevent contact with eyes, skin and clothing. Do not ingest. Wear protective gloves/protective clothing/eye protection/face protection and suitable respirator (see SECTION 8). Combustible material: Keep away from heat and sources of ignition - No smoking. Avoid release to the environment - Collect spillage (see SECTION 6).
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Keep away from heat and sources of ignition - No smoking. Keep away from incompatible materials (see SECTION 10). Store locked up.
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No specific exposure standards are available for this product. COMPONENT: Cresol, all isomers (CAS No. 1319-77-3): - Safe Work Australia Exposure Standard: TWA = 5 ppm (22 mg/m ³); Absorption through the skin may be a significant source of exposure (Sk). - New Zealand Workplace Exposure Standard [Next review 2022]: TWA = 5 ppm (22 mg/m ³); Skin absorption (skin).
Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing

dispersion of it into the general work area.

Personal Protection Equipment

- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory protection. Recommended: Organic vapour/particulate filter (refer to AS/NZS 1715 & 1716).
- Eye/face protection: Wear appropriate eye protection to prevent eye contact. Recommended: Full face-shield; Goggles.
- Hand protection: Wear protective gloves. Recommended: Gloves suitable for permanent contact, e.g. butyl rubber (Break through time: 4 h; Material thickness: 0.5 mm).
- Skin/body protection: Wear appropriate personal protective clothing to prevent skin contact. Recommended: Protective suit; Safety shoes.

Special Hazards Precautions

No information available.

Work Hygienic Practices

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Liquid
Odour	Phenol-like
Colour	Dark
pH	No Data Available
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	182 - 263 °C
Melting Point	No Data Available
Freezing Point	No Data Available
Solubility	No Data Available
Specific Gravity	No Data Available
Flash Point	112 °C [Closed cup]
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	71.78 mm ² /s (@ 20 °C)
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Not applicable.

Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Combustible material; may burn but does not ignite readily.
Reactions That Release Gases or Vapours	Fire/thermal decomposition may produce irritating, corrosive and/or toxic gases, including Carbon dioxide, Carbon monoxide.
Release of Invisible Flammable Vapours and Gases	When heated, vapours may form explosive mixtures with air: indoors, outdoors and sewers explosion hazards!

10. STABILITY AND REACTIVITY

General Information	Exposure to strong oxidisers can result in exothermic reactions and potentially hazardous by-product.
Chemical Stability	Stable under normal conditions.
Conditions to Avoid	Keep away from heat and sources of ignition.
Materials to Avoid	Incompatible/reactive with oxidisers.
Hazardous Decomposition Products	Fire/thermal decomposition may produce irritating, corrosive and/or toxic gases, including Carbon dioxide, Carbon monoxide.
Hazardous Polymerisation	No information available.

11. TOXICOLOGICAL INFORMATION

General Information	Information on toxicological effects: - Acute toxicity: Toxic if swallowed and in contact with skin (Xylenol; Cresol). - Skin corrosion/irritation: Causes severe skin burns and eye damage (Xylenol; Cresol). - Serious eye damage/irritation: Causes serious eye damage. - Respiratory/skin sensitisation: No information available. - Germ cell mutagenicity: Not classified. COMPONENT: Tar acids, polyalkylphenol fraction (CAS No. 84989-05-9): The classification as a mutagen need not apply if it can be shown that the substance contains less than 0.1% w/w benzene. - Carcinogenicity: Not classified. COMPONENT: Tar acids, polyalkylphenol fraction (CAS No. 84989-05-9): The classification as a carcinogen need not apply if it can be shown that the substance contains less than 0.1% w/w benzene and if it can be shown that the substance contains less than 0.005% w/w benzo[a]-pyrene. - Reproductive toxicity: No information available. - STOT (single exposure): No information available. - STOT (repeated exposure): No information available. - Aspiration toxicity: No information available. Information on likely routes of exposure: - Ingestion: Toxic if swallowed. - Eye contact: Danger of very serious irreversible effects. - Skin contact: Toxic in contact with skin. Causes severe skin burns. - Inhalation: No information available. Chronic effects: No information available.
Acute	
Ingestion	Acute toxicity (Oral): COMPONENT: Xylenol (CAS No. 1300-71-6): - Acute toxicity estimate (ATE): 100 mg/kg [Supplier's SDS]. COMPONENT: Cresol (CAS No. 1319-77-3): - LD50, Rat: 3,00 - 2,000 mg/kg [Supplier's SDS].

Other	Acute toxicity (Dermal): COMPONENT: Xylenol (CAS No. 1300-71-6): - Acute toxicity estimate (ATE): 300 mg/kg [Supplier's SDS].
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	Aquatic toxicity: COMPONENT: Xylenol (CAS No. 1300-71-6): - LC50, aquatic invertebrates (Daphnia magna): 150 mg/l (24 h) [Literature value; Supplier's SDS].
Persistence/Degradability	No information available.
Mobility	No information available.
Environmental Fate	Toxic to aquatic life with long lasting effects - Avoid release to the environment.
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of contents/container in accordance with local/regional/national regulations.
Special Precautions for Land Fill	No information available.

14. TRANSPORT INFORMATION**Land Transport (Australia)**

ADG Code

Proper Shipping Name	TOXIC LIQUID, ORGANIC, N.O.S. (Contains: Xylenol; Cresol)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
EPG	153 Substances - Toxic and_or Corrosive (Combustible)
UN Number	2810
Hazchem	2X
Pack Group	II
Special Provision	No Data Available

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	TOXIC LIQUID, ORGANIC, N.O.S. (Contains: Xylenol; Cresol)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
EPG	153 Substances - Toxic and_or Corrosive (Combustible)
UN Number	2810
Hazchem	2X

Pack Group	II
Special Provision	No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	TOXIC LIQUID, ORGANIC, N.O.S. (Contains: Xylenol; Cresol)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
EPG	153 Substances - Toxic and/or Corrosive (Combustible)
UN Number	2810
Hazchem	2X
Pack Group	II
Special Provision	No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name	TOXIC LIQUID, ORGANIC, N.O.S. (Contains: Xylenol; Cresol)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
ERG	153 Substances - Toxic and/or Corrosive (Combustible)
UN Number	2810
Hazchem	2X
Pack Group	II
Special Provision	No Data Available

Sea Transport

IMDG Code

Proper Shipping Name	TOXIC LIQUID, ORGANIC, N.O.S. (Contains: Xylenol; Cresol)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
UN Number	2810
Hazchem	2X
Pack Group	II
Special Provision	No Data Available
EMS	F-A, S-A
Marine Pollutant	Yes

Air Transport

IATA DGR

Proper Shipping Name	TOXIC LIQUID, ORGANIC, N.O.S. (Contains: Xylenol; Cresol)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
UN Number	2810
Hazchem	2X
Pack Group	II
Special Provision	No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification

Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION**General Information**

PHENOL

Poisons Schedule (Aust)

6

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code

Not Assessed

National/Regional Inventories**Australia (AIC)**

Listed

Canada (DSL)

Listed

Canada (NDSL)

Not Determined

China (IECSC)

Listed

Europe (EINECS)284-893-4
215-089-3
215-293-2**Europe (REACH)**

Listed

Japan (ENCS/METI)

Listed

Korea (KECI)

Listed

Malaysia (List of Classified Substances)

Not Determined

New Zealand (NZIoC)

Listed

Philippines (PICCS)

Listed

Taiwan (TCSI)

Not Determined

USA (TSCA)

Listed

Mexico (INSQ)

Not Determined

16. OTHER INFORMATION**Related Product Codes**

HHBTAA5000

Revision

2

Revision Date

26 Nov 2021

Key/Legend

< Less Than

> Greater Than

AICS Australian Inventory of Chemical Substances**atm** Atmosphere**CAS** Chemical Abstracts Service (Registry Number)**cm²** Square Centimetres**CO₂** Carbon Dioxide**COD** Chemical Oxygen Demand**deg C (°C)** Degrees Celcius**EPA (New Zealand)** Environmental Protection Authority of New Zealand**deg F (°F)** Degrees Farenheit**g** Grams**g/cm³** Grams per Cubic Centimetre**g/l** Grams per Litre**HSNO** Hazardous Substance and New Organism**IDLH** Immediately Dangerous to Life and Health**immiscible** Liquids are insoluable in each other.**inHg** Inch of Mercury**inH₂O** Inch of Water**K** Kelvin**kg** Kilogram**kg/m³** Kilograms per Cubic Metre**lb** Pound**LC₅₀** LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.**LD₅₀** LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.**ltr or L** Litre**m³** Cubic Metre**mbar** Millibar**mg** Milligram**mg/24H** Milligrams per 24 Hours**mg/kg** Milligrams per Kilogram**mg/m³** Milligrams per Cubic Metre**Misc or Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.**mm** Millimetre**mmH₂O** Millimetres of Water**mPa.s** Millipascals per Second**N/A** Not Applicable**NIOSH** National Institute for Occupational Safety and Health**NOHSC** National Occupational Heath and Safety Commission**OECD** Organisation for Economic Co-operation and Development**Oz** Ounce**PEL** Permissible Exposure Limit**Pa** Pascal**ppb** Parts per Billion**ppm** Parts per Million**ppm/2h** Parts per Million per 2 Hours**ppm/6h** Parts per Million per 6 Hours**psi** Pounds per Square Inch**R** Rankine**RCP** Reciprocal Calculation Procedure**STEL** Short Term Exposure Limit**TLV** Threshold Limit Value**tne** Tonne**TWA** Time Weighted Average**ug/24H** Micrograms per 24 Hours**UN** United Nations**wt** Weight