

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Substance

**Product Name:** Coal Tar Pitch Liquid

**Chemical Name:** Pitch, coal tar

**CAS-No.:** 65996-92-1

**Synonyms:** Binder pitch, binder pitch blend, impregnation pitch, impregnation pitch blend, 23 soft pitch, 100 pitch, electrode binder

#### 1.2. Intended Use of the Product

**Use of the Substance/Mixture:** Waterproofing; roofing; specialty carbon products

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Company

Lone Star Specialty Products, LLC

6412 U.S. Highway 259 South

Lone Star, TX 75668 USA

Phone #: 903-656-2536

Fax #: 903-656-2151

[www.lonestarspecialties.net](http://www.lonestarspecialties.net)

#### 1.4. Emergency Telephone Number

**Emergency Number** : 800-424-9300 (CHEMTREC)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

Skin Irrit. 2 H315

Skin Sens. 1 H317

Muta. 1B H340

Carc. 1B H350

Repr. 2 H361

Aquatic Acute 1 H400

Aquatic Chronic 1 H410

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label Elements

##### GHS-US Labeling

##### Hazard Pictograms (GHS-US)



##### Signal Word (GHS-US)

: Danger

##### Hazard Statements (GHS-US)

: H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H340 - May cause genetic defects.  
H350 - May cause cancer.  
H361 - Suspected of damaging fertility or the unborn child.  
H400 - Very toxic to aquatic life.  
H410 - Very toxic to aquatic life with long lasting effects.

##### Precautionary Statements (GHS-US)

: P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P261 - Avoid breathing vapors, mist, or spray.  
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P272 - Contaminated work clothing must not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, and eye protection.  
P302+P352 - If on skin: Wash with plenty of water.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P321 - Specific treatment (see section 4 on this SDS).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

# Coal Tar Pitch Liquid

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Name : Coal Tar Pitch Liquid

CAS-No. : 65996-92-1

| Name                  | Synonyms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Product Identifier   | %   | GHS US classification                                                                                                                              |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Distillates, coal tar | Coal tar distillate / Coal tar distillates / Coal tar distillates, flammable / Distillates (coal tar) / Distillates coal tar / Distillates (coal tar) - heavy anthracene oil / Distillates, coal tar (The distillate from coal tar having an approximate distillation range of 100-450°C. Composed primarily of two to four membered condensed ring aromatic hydrocarbons, phenolic compounds, and aromatic nitrogen bases.) / Distillates (coal tar); Heavy Anthracene Oil [The distillate from coal tar having an approximate distillation range of 100°C to 450°C (212°F to 842°F). Composed primarily of two to four membered condensed ring aromatic hydrocarbons, phenolic compounds, and aromatic nitrogen bases.] | (CAS-No.) 65996-92-1 | 100 | Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Muta. 1B, H340<br>Carc. 1B, H350<br>Repr. 2, H361<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |

Coal tar pitch is a UVCB substance and may contain the following components in appreciable amounts:

| Name                             | Synonyms                                                                                                                                                                                                                                    | Product Identifier    | %         | GHS US classification                                                                                                                                          |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Polycyclic aromatic hydrocarbons | Aromatic hydrocarbons, polycyclic / PAHs / PAH / HAP / Hydrocarbons, aromatic, polycyclic / Poly(2+)cyclic aromatics hydrocarbons / Polynuclear aromatic hydrocarbons / Aromatic polycyclic hydrocarbons / Polycyclic-aromatic hydrocarbons | (CAS-No.) 130498-29-2 | 4 - 5     | Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Skin Sens. 1, H317<br>Muta. 2, H341<br>Carc. 1B, H350<br>Repr. 2, H361<br>STOT SE 3, H335                        |
| Phenanthrene                     |                                                                                                                                                                                                                                             | (CAS-No.) 85-01-8     | 1 - 4.5   | Acute Tox. 4 (Oral), H302<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410<br>Comb. Dust                                                                    |
| Anthracene                       | Paranaphthalene / Green oil                                                                                                                                                                                                                 | (CAS-No.) 120-12-7    | 0.5 - 1.5 | Acute Tox. 4 (Dermal), H312<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>STOT SE 3, H335<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410<br>Comb. Dust |

# Coal Tar Pitch Liquid

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|             |                                                                            |                   |        |                                                                                                                                    |
|-------------|----------------------------------------------------------------------------|-------------------|--------|------------------------------------------------------------------------------------------------------------------------------------|
| Naphthalene | Naphthalene, molten /<br>Naphthalene, crude /<br>Naphthalenes / Moth balls | (CAS-No.) 91-20-3 | <= 0.4 | Flam. Sol. 2, H228<br>Acute Tox. 4 (Oral), H302<br>Carc. 2, H351<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410<br>Comb. Dust |
|-------------|----------------------------------------------------------------------------|-------------------|--------|------------------------------------------------------------------------------------------------------------------------------------|

Full text of H-phrases: see section 16

### 3.2. Mixture

Not applicable

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. If exposed or concerned: Get medical advice/attention. Obtain medical attention if irritation/rash develops or persists.

**First-aid Measures After Eye Contact:** Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for at least 15 minutes. Obtain medical attention.

**First-aid Measures After Ingestion:** Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**Symptoms/Injuries:** May cause cancer. Suspected of damaging fertility or the unborn child. Skin sensitization. Causes skin irritation. May cause genetic defects. Contact with hot liquid may cause thermal burns.

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction. Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** May cause cancer. Suspected of damaging fertility or the unborn child. May cause genetic defects.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures. May release flammable vapors.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Sulfur dioxide. Polycyclic-aromatic hydrocarbons (PAH).

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

# Coal Tar Pitch Liquid

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Tank headspaces should always be regarded as potentially flammable and care should be taken to avoid static electrical discharge and all ignition sources during filling, discharging and sampling from storage tanks.

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not handle until all safety precautions have been read and understood. Do not breathe vapors, mist, spray. Obtain special instructions before use. Do not get in eyes, on skin, or on clothing.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

**Incompatible Materials:** Strong oxidizers.

### 7.3. Specific End Use(s)

Waterproofing; roofing; specialty carbon products

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

| Phenanthrene (85-01-8)                         |                                       |                                                                                                                                                                                                   |
|------------------------------------------------|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| USA OSHA                                       | OSHA PEL (TWA) (mg/m <sup>3</sup> )   | 0.2 mg/m <sup>3</sup> (Coal tar pitch volatiles)                                                                                                                                                  |
| Anthracene (120-12-7)                          |                                       |                                                                                                                                                                                                   |
| USA OSHA                                       | OSHA PEL (TWA) (mg/m <sup>3</sup> )   | 0.2 mg/m <sup>3</sup> (Coal tar pitch volatiles)                                                                                                                                                  |
| Naphthalene (91-20-3)                          |                                       |                                                                                                                                                                                                   |
| USA ACGIH                                      | ACGIH TWA (ppm)                       | 10 ppm                                                                                                                                                                                            |
| USA ACGIH                                      | ACGIH chemical category               | Skin - potential significant contribution to overall exposure by the cutaneous route, Confirmed Animal Carcinogen with Unknown Relevance to Humans                                                |
| USA ACGIH                                      | Biological Exposure Indices (BEI)     | Parameter: 1-Naphthol with hydrolysis plus 2-Naphthol with hydrolysis - Sampling time: end of shift (nonquantitative, nonspecific)                                                                |
| USA NIOSH                                      | NIOSH REL (TWA) (mg/m <sup>3</sup> )  | 50 mg/m <sup>3</sup>                                                                                                                                                                              |
| USA NIOSH                                      | NIOSH REL (TWA) (ppm)                 | 10 ppm                                                                                                                                                                                            |
| USA NIOSH                                      | NIOSH REL (STEL) (mg/m <sup>3</sup> ) | 75 mg/m <sup>3</sup>                                                                                                                                                                              |
| USA NIOSH                                      | NIOSH REL (STEL) (ppm)                | 15 ppm                                                                                                                                                                                            |
| USA IDLH                                       | US IDLH (ppm)                         | 250 ppm                                                                                                                                                                                           |
| USA OSHA                                       | OSHA PEL (TWA) (mg/m <sup>3</sup> )   | 50 mg/m <sup>3</sup>                                                                                                                                                                              |
| USA OSHA                                       | OSHA PEL (TWA) (ppm)                  | 10 ppm                                                                                                                                                                                            |
| Polycyclic aromatic hydrocarbons (130498-29-2) |                                       |                                                                                                                                                                                                   |
| USA ACGIH                                      | Biological Exposure Indices (BEI)     | 2.5 µg/l Parameter: 1-Hydroxypyrene with hydrolysis - Medium: urine - Sampling time: end of shift at end of workweek (background)<br>Parameter: 3-Hydroxybenzo(a)pyrene with hydrolysis - Medium: |

# Coal Tar Pitch Liquid

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |                                                                          |
|--|--------------------------------------------------------------------------|
|  | urine - Sampling time: end of shift at end of workweek (nonquantitative) |
|--|--------------------------------------------------------------------------|

### 8.2. Exposure Controls

#### Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released.

#### Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



#### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

#### Hand Protection

: Wear protective gloves.

#### Eye and Face Protection

: Chemical safety goggles.

#### Skin and Body Protection

: Wear suitable protective clothing.

#### Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

#### Thermal Hazard Protection

: When working with hot material, use suitable thermally protective clothing.

#### Other Information

: When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

|                                        |                                                                                          |
|----------------------------------------|------------------------------------------------------------------------------------------|
| Physical State                         | : Liquid                                                                                 |
| Appearance                             | : black solid, becomes black liquid                                                      |
| Odor                                   | : slight aromatic odor, strong tarry odor upon melting                                   |
| Odor Threshold                         | : No data available                                                                      |
| pH                                     | : No data available                                                                      |
| Evaporation Rate                       | : No data available                                                                      |
| Melting Point                          | : No data available                                                                      |
| Freezing Point                         | : No data available                                                                      |
| Boiling Point                          | : > 250 °C (482 °F) initial                                                              |
| Flash Point                            | : > 500 °F (260 °C) TCC                                                                  |
| Auto-ignition Temperature              | : > 750 °F (398.89 °C)                                                                   |
| Decomposition Temperature              | : No data available                                                                      |
| Flammability (solid, gas)              | : Not applicable                                                                         |
| Vapor Pressure                         | : < 1 mm Hg @ 20 °C (68 °F)                                                              |
| Relative Vapor Density at 20°C         | : > 1 (air = 1)                                                                          |
| Relative Density                       | : No data available                                                                      |
| Specific Gravity                       | : 1.3 +/- 0.04 @ 15.5 °C (59.9 °F)                                                       |
| Density                                | : > 10 lb/gal                                                                            |
| Solubility                             | : Water: insoluble to slightly soluble                                                   |
| Partition Coefficient: N-Octanol/Water | : No data available                                                                      |
| Viscosity                              | : No data available                                                                      |
| Molecular Formula                      | : a complex hydrocarbon mixture which includes polynuclear aromatic hydrocarbons (PAH's) |
| Softening Point                        | : 60 °C to 140 °C (140 - 284 °F), depending on the specific product                      |

### 9.2. Other Information

No additional information available

## SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

# Coal Tar Pitch Liquid

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Strong oxidizers.
- 10.6. Hazardous Decomposition Products:** None expected under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

|                               |                                              |
|-------------------------------|----------------------------------------------|
| <b>Phenanthrene (85-01-8)</b> |                                              |
| <b>ATE (Oral)</b>             | 500.00 mg/kg body weight                     |
| <b>Anthracene (120-12-7)</b>  |                                              |
| <b>LD50 Oral Rat</b>          | > 16 g/kg                                    |
| <b>LD50 Dermal Rat</b>        | > 1320 mg/kg                                 |
| <b>ATE (Dermal)</b>           | 1,100.00 mg/kg body weight                   |
| <b>Naphthalene (91-20-3)</b>  |                                              |
| <b>LD50 Oral Rat</b>          | 533 - 710 mg/kg                              |
| <b>LC50 Inhalation Rat</b>    | > 340 mg/m <sup>3</sup> (Exposure time: 1 h) |

**Skin Corrosion/Irritation:** Causes skin irritation.

**Serious Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** May cause genetic defects.

**Carcinogenicity:** May cause cancer.

|                                                  |                                                |
|--------------------------------------------------|------------------------------------------------|
| <b>Phenanthrene (85-01-8)</b>                    |                                                |
| <b>IARC group</b>                                | 3                                              |
| <b>Anthracene (120-12-7)</b>                     |                                                |
| <b>IARC group</b>                                | 3                                              |
| <b>Naphthalene (91-20-3)</b>                     |                                                |
| <b>IARC group</b>                                | 2B                                             |
| <b>National Toxicology Program (NTP) Status</b>  | Reasonably anticipated to be Human Carcinogen. |
| <b>OSHA Hazard Communication Carcinogen List</b> | In OSHA Hazard Communication Carcinogen list.  |

**Reproductive Toxicity:** Suspected of damaging fertility or the unborn child.

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction. Redness, pain, swelling, itching, burning, dryness, and dermatitis.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** May cause cancer. Suspected of damaging fertility or the unborn child. May cause genetic defects.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Very toxic to aquatic life with long lasting effects.

|                               |                                                                                      |
|-------------------------------|--------------------------------------------------------------------------------------|
| <b>Phenanthrene (85-01-8)</b> |                                                                                      |
| <b>EC50 Daphnia 1</b>         | 0.35 mg/l                                                                            |
| <b>NOEC Chronic Fish</b>      | 0.004 mg/l                                                                           |
| <b>Anthracene (120-12-7)</b>  |                                                                                      |
| <b>LC50 Fish 1</b>            | 0 - 0.00318 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) |
| <b>EC50 Daphnia 1</b>         | 0.081 - 0.112 mg/l (Exposure time: 48 h - Species: Daphnia magna)                    |
| <b>LC50 Fish 2</b>            | 0.00278 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])           |
| <b>Naphthalene (91-20-3)</b>  |                                                                                      |
| <b>LC50 Fish 1</b>            | 5.74 - 6.44 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| <b>EC50 Daphnia 1</b>         | 2.16 mg/l (Exposure time: 48 h - Species: Daphnia magna)                             |

# Coal Tar Pitch Liquid

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                |                                                                              |
|----------------|------------------------------------------------------------------------------|
| LC50 Fish 2    | 1.6 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) |
| EC50 Daphnia 2 | 1.96 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])      |

### 12.2. Persistence and Degradability

|                                    |                                                         |
|------------------------------------|---------------------------------------------------------|
| Coal Tar Pitch Liquid (65996-92-1) |                                                         |
| Persistence and Degradability      | May cause long-term adverse effects in the environment. |

### 12.3. Bioaccumulative Potential

|                                    |                  |
|------------------------------------|------------------|
| Coal Tar Pitch Liquid (65996-92-1) |                  |
| Bioaccumulative Potential          | Not established. |
| Phenanthrene (85-01-8)             |                  |
| Log Pow                            | 4.5              |
| Anthracene (120-12-7)              |                  |
| BCF Fish 1                         | 903 - 2820       |
| Log Pow                            | 4.54             |
| Naphthalene (91-20-3)              |                  |
| BCF Fish 1                         | 30 - 430         |
| Log Pow                            | 3.6              |

### 12.4. Mobility in Soil No additional information available

### 12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, and international regulations.

**Additional Information:** Container may remain hazardous when empty. Continue to observe all precautions.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1. In Accordance with DOT

Proper Shipping Name : ELEVATED TEMPERATURE LIQUID, N.O.S. (COAL TAR PITCH)  
Hazard Class : 9  
Identification Number : UN3257  
Label Codes : 9  
Packing Group : III  
Marine Pollutant : Marine pollutant  
ERG Number : 128




### 14.2. In Accordance with IMDG

Proper Shipping Name : ELEVATED TEMPERATURE LIQUID, N.O.S. (COAL TAR PITCH)  
Hazard Class : 9  
Identification Number : UN3257  
Packing Group : III  
Label Codes : 9  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-P  
Marine Pollutant : Marine pollutant



### 14.3. In Accordance with IATA

Proper Shipping Name : ELEVATED TEMPERATURE LIQUID, N.O.S. (COAL TAR PITCH)  
Identification Number : UN3257  
Hazard Class : 9  
Label Codes : 9  
ERG Code (IATA) : 9L



# Coal Tar Pitch Liquid

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 15: REGULATORY INFORMATION

#### 15.1. US Federal Regulations

|                                                                                                                                                  |                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Coal Tar Pitch Liquid (65996-92-1)</b>                                                                                                        |                                                                                                                                                                                                                         |
| <b>SARA Section 311/312 Hazard Classes</b>                                                                                                       | Health hazard - Carcinogenicity<br>Health hazard - Reproductive toxicity<br>Health hazard - Respiratory or skin sensitization<br>Health hazard - Skin corrosion or Irritation<br>Health hazard - Germ cell mutagenicity |
| <b>Distillates, coal tar (65996-92-1)</b>                                                                                                        |                                                                                                                                                                                                                         |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory                                                                        |                                                                                                                                                                                                                         |
| <b>Phenanthrene (85-01-8)</b>                                                                                                                    |                                                                                                                                                                                                                         |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Subject to reporting requirements of United States SARA Section 313 |                                                                                                                                                                                                                         |
| <b>CERCLA RQ</b>                                                                                                                                 | 5000 lb                                                                                                                                                                                                                 |
| <b>SARA Section 313 - Emission Reporting</b>                                                                                                     | 1 %                                                                                                                                                                                                                     |
| <b>Anthracene (120-12-7)</b>                                                                                                                     |                                                                                                                                                                                                                         |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Subject to reporting requirements of United States SARA Section 313 |                                                                                                                                                                                                                         |
| <b>CERCLA RQ</b>                                                                                                                                 | 5000 lb                                                                                                                                                                                                                 |
| <b>SARA Section 313 - Emission Reporting</b>                                                                                                     | 1 %                                                                                                                                                                                                                     |
| <b>Naphthalene (91-20-3)</b>                                                                                                                     |                                                                                                                                                                                                                         |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Subject to reporting requirements of United States SARA Section 313 |                                                                                                                                                                                                                         |
| <b>CERCLA RQ</b>                                                                                                                                 | 100 lb                                                                                                                                                                                                                  |
| <b>SARA Section 313 - Emission Reporting</b>                                                                                                     | 0.1 %                                                                                                                                                                                                                   |

#### 15.2. US State Regulations

|                                                                                                                                                                                                                                    |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Phenanthrene (85-01-8)</b>                                                                                                                                                                                                      |  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List |  |
| <b>Anthracene (120-12-7)</b>                                                                                                                                                                                                       |  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List |  |
| <b>Naphthalene (91-20-3)</b>                                                                                                                                                                                                       |  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List |  |
| <b>Polycyclic aromatic hydrocarbons (130498-29-2)</b>                                                                                                                                                                              |  |
| U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List                                              |  |

#### California Proposition 65

 **WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

| Chemical Name (CAS No.) | Carcinogenicity | Developmental Toxicity | Female Reproductive Toxicity | Male Reproductive Toxicity |
|-------------------------|-----------------|------------------------|------------------------------|----------------------------|
| Naphthalene (91-20-3)   | X               |                        |                              |                            |

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 09/02/2020



# Coal Tar Pitch Liquid

## Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

### GHS Full Text Phrases:

|                       |                                                                  |
|-----------------------|------------------------------------------------------------------|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal) Category 4                               |
| Acute Tox. 4 (Oral)   | Acute toxicity (oral) Category 4                                 |
| Aquatic Acute 1       | Hazardous to the aquatic environment - Acute Hazard Category 1   |
| Aquatic Chronic 1     | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Carc. 1B              | Carcinogenicity Category 1B                                      |
| Carc. 2               | Carcinogenicity Category 2                                       |
| Comb. Dust            | Combustible Dust                                                 |
| Eye Irrit. 2A         | Serious eye damage/eye irritation Category 2A                    |
| Flam. Sol. 2          | Flammable solids Category 2                                      |
| Muta. 1B              | Germ cell mutagenicity Category 1B                               |
| Muta. 2               | Germ cell mutagenicity Category 2                                |
| Repr. 2               | Reproductive toxicity Category 2                                 |
| Skin Irrit. 2         | Skin corrosion/irritation Category 2                             |
| Skin Sens. 1          | Skin sensitization, Category 1                                   |
| STOT SE 3             | Specific target organ toxicity (single exposure) Category 3      |
| H228                  | Flammable solid                                                  |
| H302                  | Harmful if swallowed                                             |
| H312                  | Harmful in contact with skin                                     |
| H315                  | Causes skin irritation                                           |
| H317                  | May cause an allergic skin reaction                              |
| H319                  | Causes serious eye irritation                                    |
| H335                  | May cause respiratory irritation                                 |
| H340                  | May cause genetic defects                                        |
| H341                  | Suspected of causing genetic defects                             |
| H350                  | May cause cancer                                                 |
| H351                  | Suspected of causing cancer                                      |
| H361                  | Suspected of damaging fertility or the unborn child              |
| H400                  | Very toxic to aquatic life                                       |
| H410                  | Very toxic to aquatic life with long lasting effects             |

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)