

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Process DK 80 process oil**

Version: 3 Latest revision: 10.12.2015

Date of issue: 20. 06. 2007

Page: 1/(11)

Section 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

MOL Process DK 80 process oil

Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated,
CAS No: 101316-69-2

1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: process oil

Uses advised against: distribution for population

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

1.4 Emergency telephone number

Emergency telephone (on workdays 07-15²⁰ h: +36 34 526 210

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: 36 80 201 199 (0-24 h, free number).

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Process DK 80 process oil**

Version: 3 Latest revision: 10.12.2015

Date of issue: 20. 06. 2007

Page: 2/(11)

Section 2 Hazards identification

2.1 Classification of the mixture or substance

Hazard Class and Category: Hazard statement:
Not classified. -

2.2 Label elements

Product identification: Trade name: **MOL Process DK 80 process oil**
Lubricating oils (petroleum), C>25, solvent-extd.,
deasphalted, dewaxed, hydrogenated,
CAS No: 101316-69-2

Hazardous substance(s): -

GHS Pictogram: Not required.
Signal word: Not required.

Hazard statement:
Not required.

Supplemental hazard information: -

Precautionary statements – General: -
P102 Keep out of reach of children

Precautionary statements - Prevention
P273 Avoid release to the environment.
P280 Wear protective gloves, protective clothing, eye protection.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements - Disposal
P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:
Tactile warning of danger: Not required.
Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Process DK 80 process oil**

Version: 3 Latest revision: 10.12.2015

Date of issue: 20. 06. 2007

Page: 3/(11)

Section 3 Composition / information on ingredients

3.1 Substances

Chemical description: Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated.

Component(s) / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Lubricating oils petroleum), C>25, (solvent-extd., deasphalted, dewaxed, hydrogenated* REACH Registr. Nr: 01-21194866948-2	309-874-0	101316-69-2	- (Note L)	-	≤100
Lubricating oils (petroleum), C24- C50* REACH Registr.Nr: 01-2119489969-06	309-877-7	101316-72-7	Asp.Tox.1 (Note L)	H304	max. 10

*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

Section 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed

Not classified risk of aspiration, but due to the low viscosity at risk of aspiration.

4.3 Indication of any immediate medical attention and special treatment needed

Not required, in case of aspiration is suspected seek medical attention.

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Process DK 80 process oil**

Version: 3 Latest revision: 10.12.2015

Date of issue: 20. 06. 2007

Page: 4/(11)

Section 5 Fire-fighting measures

Fire hazards:
Combustible

5.1 Extinguishing media

Suitable extinguishing media:
Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:
Water jet.

5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:
On burning, carbon monoxide, carbon dioxide, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:
According to the existing fire-fighting regulations.

Further information:
No data.

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see section 8.

6.2 Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid.
All kind of ignition sources should be remove. Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid by pumping. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: See section 8.

Waste treatment methods: See section 13.

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Process DK 80 process oil**

Version: 3 Latest revision: 10.12.2015

Date of issue: 20. 06. 2007

Page: 5/(11)

Section 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and with flammable liquids.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Avoid splashing the product.

Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke.

Recommended handling temperature: 120°C

7.2 Conditions for safe storage, including any incompatibilities

Keep general measures applied for normal operations with flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: 120°C

7.3 Specific end use(s)

Process oil.

Section 8 Exposure controls / personal protection

Engineering control measures:

Not required.

8.1 Control parameters

Exposure limits:

Mineral oil mist: TWA: **5 mg/m³**; STEL: 10 mg/m³, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Personal protection:

Respiratory protection:

Breathing apparatus not required.

In case of exceeded exposure-limits respiratory protection with particle-filter („A”) is recommended.

Hand protection:

Chemical resistant gloves recommended (EN 374) (e.g. nitrile rubber).

Any specific glove information provided is based on published literature and glove manufacturer data. Work conditions can greatly effect glove durability; inspect and replace worn or damaged gloves.

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Process DK 80 process oil**

Version: 3 Latest revision: 10.12.2015

Date of issue: 20. 06. 2007

Page: 6/(11)

Eye protection:	Protective goggles, if splashes may occur.
Skin protection:	Protective clothing.
Other special:	No data available.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state:	liquid
Colour:	brown, clean
Odour:	characteristic

Change in physical state:

Pour point (ISO 3016):	-12°C
Boiling point:	not available

Others:

Flash point (ISO 2592):	295°C
Ignition point:	not available
Autoignition temperature:	not available
Explosive properties:	not explosive
Oxidizing properties:	not available
Vapour pressure at 20°C:	negligible
Density at 15°C (ASTM D 4052):	0.908 g/cm ³
Solubility in water:	insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
Vapour density:	not available
Evaporation rate:	not available
Heating value:	not available
Kinematic viscosity at 100°C (ASTM D 445):	31.2 mm ² /s
Kinematic viscosity at 40°C:	540 mm ² /s
pH:	not applicable

9.2 Other information

Not available.

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Process DK 80 process oil**

Version: 3 Latest revision: 10.12.2015

Date of issue: 20. 06. 2007

Page: 7/(11)

Section 10 Stability and reactivity

10.1 Reactivity:	Dangerous reactivity not known.
10.2 Chemical stability:	No decomposition if stored and handled properly.
10.3 Possibility of hazardous reactions:	Not known.
10.4 Conditions to avoid:	Direct heat or ignition sources.
10.5 Incompatible materials:	Strong oxidizing agents (peroxides, chromates).
10.6 Hazardous decomposition products:	No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

Section 11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Oral:	LD ₅₀ (rat)	> 5000	mg/kg	(literature data)
Dermal:	LD ₅₀ (rabbit)	> 2000	mg/kg	(literature data)

Corrosion / Irritation

Skin corrosion/irritation:	not irritant (based on components)
Serious eye damage /irritation:	not irritant (based on components)
Note:	Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

Respiratory or skin sensitization: not sensitising (based on components)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

NOTE L: The base oil(s) contain(s) less than 3% DMSO extract (IP 346), therefore not classified as carcinogenic material according.

Germ cell mutagenicity	not classified
Carcinogenicity:	not classified
Reproductive toxicity:	not classified
STOT-single exposure:	not classified
STOT-repeated exposure:	not classified
Aspiration hazard:	not classified

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Process DK 80 process oil**

Version: 3 Latest revision: 10.12.2015

Date of issue: 20. 06. 2007

Page: 8/(11)

Section 12 Ecological information

12.1 Toxicity

Aquatic organisms: LC₅₀ Fisch 1 >100 mg/l (literature data)

LC₅₀ Aquatic organisms 1 >100 mg/l (literature data)

Soil organisms:

Other:

12.2 Persistence and degradability

Biodegradability: No data available.

12.3 Bioaccumulative potential

LogK_{ow} 3.9-6 (literature data)

12.4 Mobility in soil

Absorbs on soil.

Mobility in water:

Floats on water.

12.5 Results of PBT and vPvB assessment

Does not contain PBT and vPvB substances.

12.6 Other adverse effects

Heavy metal content:

Does not contain.

PCT, PCB and other chlorinated

hydrocarbons:

Does not contain.

Environmental effects:

Spills may form a film on water surfaces causing impaired oxygen transfer.

No component damaging the ozone layer.

Water hazard classification

(Germany):

WGK 1 (Classification by VwVwS)

Section 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 08*

Other engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Process DK 80 process oil**

Version: 3 Latest revision: 10.12.2015

Date of issue: 20. 06. 2007

Page: 9/(11)

Recommended waste treatment method: incineration.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

Section 14 Transport information

Land transport:

Road/ Railway

ADR/RID:

Not classified.

- | | | |
|-------|-------------------------------|---|
| 14.1. | UN number: | - |
| 14.2. | UN proper shipping name: | - |
| 14.3. | Transport hazard class(es): | - |
| 14.4. | Packing group: | - |
| 14.5. | Environmental hazards: | - |
| 14.6. | Special precautions for user: | - |

Waterways:

Inland waterways/ Sea transport ADN/IMDG:

Not apply to the product.

Air transport: ICAO / IATA:

Not apply to the product.

Section 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture.
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment.
Not available.

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Process DK 80 process oil**

Version: 3 Latest revision: 10.12.2015

Date of issue: 20. 06. 2007

Page: 10/(11)

Section 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Hungarian and EU lists of dangerous substances

Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)

Not classified. -

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H304 May be fatal if swallowed and enters airways.

Asp.Tox.1 Aspiration hazard Category 1

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Process DK 80 process oil**

Version: 3 Latest revision: 10.12.2015 Date of issue: 20. 06. 2007 Page: 11/(11)

ECHA	European Chemicals Agency
Ec _x	Effective Concentration x%
ErC ₅₀	EC ₅₀ in terms of reduction of growth rate
Ed _x	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC _x	Lethal Concentration x%
LD _x	Lethal Dose x%) Halálos dózis x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
3	Composition/information on ingredients	28.03.2011	2
9	Physical and chemical properties		
1-16	Revision modification according to 453/2010/EC		
1	Details of the supplier of the safety data sheet, Responsible for SDS	10.12.2015	3
3	Composition/information on ingredients		
9	Physical and chemical properties		
1-16	Other corrections, revision modification according to 2015/830 /EU		