## Module C

#### Standard C1

C1. Set up and solve a differential equation to answer the following question:

A water droplet with a radius of 100  $\mu$ m has a mass of about  $4 \times 10^{-12}$ kg and a terminal velocity of 27  $\frac{\text{cm}}{\text{s}}$ . Such a droplet is dropped from rest. What is its velocity after 0.01 s?

C1. Set up and solve a differential equation to answer the following question:

A water droplet with a radius of 100  $\mu$ m has a mass of about  $4 \times 10^{-12}$ kg. Such a droplet is dropped from rest. After 0.02 s it has reached half of its terminal velocity. What is its terminal velocity?

C1. Set up and solve a differential equation to answer the following question:

A water droplet with a radius of 10  $\mu$ m has a mass of about  $4 \times 10^{-15}$ kg. Such a droplet is dropped from rest. After 0.002 s it has reached half of its terminal velocity. What is its terminal velocity?

C1. Set up and solve a differential equation to answer the following question:

A single grain of corn pollen has a radius of 50  $\mu$ m and a terminal velocity of 27  $\frac{cm}{s}$ . Such a droplet is dropped from rest. What is its velocity after 0.01 s?

$$y' + 3y = 6t + 5.$$

$$y' + 4y = 4.$$

$$y' + 2y = 6t - 1.$$

$$y' - y = e^t.$$

$$y' + y = e^t.$$

$$y' - y = e^{-t}.$$

$$y' + y = e^{-t}.$$

$$y' + 3y = 10\sin(t).$$

$$y' + 2y = 10\sin(t).$$

$$y' + 2y = 5\sin(t).$$

$$y' + 3y = 10\cos(t).$$

$$y' + 2y = 10\cos(t).$$

C2. Find the general solution to

$$y' + 2y = 5\cos(t).$$

$${f C4.}$$
 Find the general solution to

$$y'' + 2y' + y = 0.$$

$$y'' + 2y' - 8y = 0.$$

$$y'' + 4y' + 3y = 0.$$

$$y'' + 2y' - 3y = 0.$$

$$y'' - 2y' - 3y = 0.$$

$$y'' + 4y' + 4y = 0.$$

$$y'' - 4y' + 4y = 0.$$

$$y'' + 5y' + 6y = 0.$$

$$y'' - 2y' + 2y = 0.$$

$$y'' + 2y' + 2y = 0.$$

$$y'' - 6y' + 10y = 0.$$

$$y'' + 6y' + 10y = 0.$$

$$y'' - 2y' + 5y = 0.$$

$$y'' + 2y' + 5y = 0.$$

$$y'' - 4y' + 5y = 0.$$

$$y'' + 4y' + 5y = 0.$$

C5. Find a general solution to the given equation.

$$y'' + 2y' + y = 3x + 4$$

C5. Find a general solution to the given equation.

$$y'' + 4y' + 3y = 2\sin(3x)$$

C5. Find a general solution to the given equation.

$$y'' - 2y' - 3y = 1 + xe^x$$

C5. Find a general solution to the given equation.

$$y'' - 4y' + 4y = e^{2x}$$

C5. Find a general solution to the given equation.

$$y'' + 4y' + 4y = e^{2x}$$

C5. Find a general solution to the given equation.

$$y'' + 4y = \cos(2x)$$

C5. Find a general solution to the given equation.

$$y'' - 4y = \cos(2x)$$

C5. Find a general solution to the given equation.

$$y'' + 9y = \sin(3x)$$

C5. Find a general solution to the given equation.

$$y'' - 9y = \sin(3x)$$

C5. Find a general solution to the given equation.

$$y'' - 2y' + 2y = \sin(x)$$

C5. Find a general solution to the given equation.

$$y'' - 2y' + 5y = 2x + 1$$

$$y'' + 2y' + y = 0$$

when 
$$y(0) = 0$$
 and  $y'(0) = 2$ .

$$y'' + 2y' + y = 0$$

when 
$$y(0) = 2$$
 and  $y'(0) = 0$ .

$$y'' + 2y' - 8y = 0$$

when 
$$y(0) = 3$$
 and  $y'(0) = -6$ .

$$y'' + 4y' + 3y = 0$$

when 
$$y(0) = 1$$
 and  $y'(0) = 5$ .

$$y'' + 2y' - 3y = 0$$

when 
$$y(0) = 5$$
 and  $y'(0) = 1$ .

$$y'' + 2y' - 3y = 0$$

when 
$$y(0) = 2$$
 and  $y'(0) = 2$ .

$$y'' - 2y' - 3y = 0$$

when 
$$y(0) = 2$$
 and  $y'(0) = 2$ .

$$y'' + 4y' + 4y = 0$$

when 
$$y(0) = 1$$
 and  $y'(0) = 3$ .

$$y'' - 4y' + 4y = 0$$

when 
$$y(0) = 1$$
 and  $y'(0) = 3$ .

$$y'' + 4y' + 4y = 0$$

when 
$$y(0) = 3$$
 and  $y'(0) = 1$ .

$$y'' - 4y' + 4y = 0$$

when 
$$y(0) = 3$$
 and  $y'(0) = 1$ .

$$y'' + 5y' + 6y = 0$$

when y(0) = 3 and y'(0) = 1.

**C6.** Find the solution to

$$y'' + 5y' + 6y = 0$$

when y(0) = 1 and y'(0) = 2.

# Module F

## Standard F1


F1. Sketch a solution curve through each point marked in the slope field.

F1. Sketch a solution curve through each point marked in the slope field.


$$y' = x^{2} + y + 1$$

$$2 - \frac{1}{2} + \frac{1}{2} +$$


F1. Sketch a solution curve through each point marked in the slope field.




F1. Sketch a solution curve through each point marked in the slope field.




F1. Sketch a solution curve through each point marked in the slope field.




F1. Sketch a solution curve through each point marked in the slope field.




 ${f F1.}$  Sketch a solution curve through each point marked in the slope field.



 ${f F1.}$  Sketch a solution curve through each point marked in the slope field.



F1. Sketch a solution curve through each point marked in the slope field.



- **F2.** Find the general solution to  $\frac{dy}{dx} + 3xy = 0$ .
- **F2.** Find the general solution to  $y' y\sin(x) = 0$ .
- **F2.** Find the general solution to  $y' = \frac{x+2}{y}$ .
- **F2.** Find the general solution to  $\frac{dy}{dx} = \frac{1+x}{1+y}$ .
- **F2.** Find the general solution to xy' = y.
- **F2.** Find the general solution to  $y\frac{dy}{dx} = y^2 \cos(x)$ .
- **F2.** Find the general solution to  $xy\frac{dy}{dx} = 1$ .
- **F2.** Find the general solution to  $x\cos(y)y'=1$ .

**F3.** Consider the autonomous equation

$$\frac{dx}{dt} = x - 3.$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(0) = 4.
- **F3.** Consider the autonomous equation

$$\frac{dx}{dt} = 1 - x.$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(2) = 2.
- **F3.** Consider the autonomous equation

$$\frac{dx}{dt} = (x-3)^2.$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(1) = 2.
- **F3.** Consider the autonomous equation

$$\frac{dx}{dt} = (x+4)^2.$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(4) = 0.
- **F3.** Consider the autonomous equation

$$\frac{dx}{dt} = (4 - x)^3.$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(3) = 2.
- **F3.** Consider the autonomous equation

$$\frac{dx}{dt} = (5 - x)^3.$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(0) = 4.
- **F3.** Consider the autonomous equation

$$\frac{dx}{dt} = x^2 - 7x + 10.$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(0) = 3.

F3. Consider the autonomous equation

$$\frac{dx}{dt} = x^2 - x - 6.$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(3) = 0.
- **F3.** Consider the autonomous equation

$$\frac{dx}{dt} = x^2(x^2 - x - 6).$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(5) = 1.
- **F3.** Consider the autonomous equation

$$\frac{dx}{dt} = x^2 - 4x + 3.$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(2) = 2.
- **F3.** Consider the autonomous equation

$$\frac{dx}{dt} = x(x^2 - 4x + 3).$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(2) = 2.
- **F3.** Consider the autonomous equation

$$\frac{dx}{dt} = x(x^2 - 9x + 20).$$

- (a) Find and classify the critical points.
- (b) Describe the long term behavior of the solution passing through the point x(2) = 2.

- **F4.** Find the general solution to xy' + 4y = 2x.
- **F4.** Find the general solution to  $xy' + 4y = \sqrt{x}$  (for x > 0).
- **F4.** Find the general solution to  $xy' + 2y = x^2$ .
- **F4.** Find the general solution to y' = 1 + 2x + y + 2xy.

# Module S

### Standard S1

**S1.** Find the general solution of the system

$$x' = x + y,$$
  
$$y' = 4x + y.$$

**S1.** Find the general solution of the system

$$x' = x + 2y,$$
  
$$y' = 3x + 2y.$$

**S1.** Find the general solution of the system

$$x' = 2x + y,$$
  
$$y' = x + 2y.$$

**S1.** Find the general solution of the system

$$x' = 2x + y,$$
  
$$y' = 2x + 3y.$$

S1. Find the general solution of the system

$$x' = 3x + y,$$
  
$$y' = x + 3y.$$

 ${f S1.}$  Find the general solution of the system

$$x' = 3x + y,$$
  
$$y' = 2x + 2y.$$

 ${f S1.}$  Find the general solution of the system

$$x' = 4x + y,$$
  
$$y' = 2x + 3y.$$

 ${f S1.}$  Find the general solution of the system

$$x' = 4x + 3y,$$
  
$$y' = x + 2y.$$

## Module N

#### Standard N1

**N1.** Determine whether existence of at least one solution of the given initial value problem is guaranteed and, if so, whether uniqueness of that solution is guaranteed.

$$y' = x^2y + xy^2;$$
  $y(1) = 3$ 

N1. Determine whether existence of at least one solution of the given initial value problem is guaranteed and, if so, whether uniqueness of that solution is guaranteed.

$$y' = 2x^2 + xy + 3y^2; y(1) = -1$$

N1. Determine whether existence of at least one solution of the given initial value problem is guaranteed and, if so, whether uniqueness of that solution is guaranteed.

$$y' = x + \ln(y);$$
  $y(1) = 2$ 

**N1.** Determine whether existence of at least one solution of the given initial value problem is guaranteed and, if so, whether uniqueness of that solution is guaranteed.

$$y' = \sqrt{x+y}; \qquad y(1) = 1$$

**N1.** Determine whether existence of at least one solution of the given initial value problem is guaranteed and, if so, whether uniqueness of that solution is guaranteed.

$$y' = \sqrt[3]{x - y}; \quad y(2) = 2$$

**N1.** Determine whether existence of at least one solution of the given initial value problem is guaranteed and, if so, whether uniqueness of that solution is guaranteed.

$$y' = \frac{y}{x}; \qquad y(2) = 1$$

**N2.** Consider the differential equation

$$xy'' + y' = 0.$$

Determine all intervals on which a unique solution is guaranteed to exist.

N2. Consider the differential equation

$$xy'' - y' = 0.$$

Determine all intervals on which a unique solution is guaranteed to exist.

**N2.** Consider the differential equation

$$x^2y'' - 4xy' + 4y = 0.$$

Determine all intervals on which a unique solution is guaranteed to exist.

**N2.** Consider the differential equation

$$x^2y'' - xy' - 3y = 0.$$

Determine all intervals on which a unique solution is guaranteed to exist.

N2. Consider the differential equation

$$x^2y'' + xy' + 4y = 0.$$

Determine all intervals on which a unique solution is guaranteed to exist.

N2. Consider the differential equation

$$y'' - \frac{1}{1+x}y' + \frac{1}{(1+x)^2}y = 0.$$

Determine all intervals on which a unique solution is guaranteed to exist.

N2. Consider the differential equation

$$y'' + \frac{2}{x-2}y' - \frac{6}{(x-2)^2}y = 0.$$

Determine all intervals on which a unique solution is guaranteed to exist.

N2. Consider the differential equation

$$e^x y'' - 2y' + 4e^{4x} y = 0.$$

Determine all intervals on which a unique solution is guaranteed to exist.

**N2.** Consider the differential equation

$$y'' + y' - e^{-2x}y = 0.$$

Determine all intervals on which a unique solution is guaranteed to exist.

N3. Determine all intervals on which a unique solution is guaranteed to exist.

$$x' = -\frac{3}{t}x + 2y,$$
  
$$y' = 2\ln(t)x + y + 1$$

N3. Determine all intervals on which a unique solution is guaranteed to exist.

$$x' = -\frac{2}{t}x + y,$$
  
$$y' = x + \ln(t)y + 2$$

N3. Determine all intervals on which a unique solution is guaranteed to exist.

$$x' = -x + \sqrt{t},$$
  
$$y' = 2x + ty + \sqrt[3]{t}$$

N3. Determine all intervals on which a unique solution is guaranteed to exist.

$$x' = x + 2y + \sqrt{t},$$
  
$$y' = x + y + \sqrt[3]{t}$$

N3. Determine all intervals on which a unique solution is guaranteed to exist.

$$x' = x + y + \sqrt[3]{t},$$
  
$$y' = x + 2y + \sqrt{t}$$

N3. Determine all intervals on which a unique solution is guaranteed to exist.

$$x' = tx + 2y + \sqrt[3]{t},$$
  
$$y' = -y + \sqrt{t}$$

N3. Determine all intervals on which a unique solution is guaranteed to exist.

$$x' = x + \ln(t)y + 2,$$
  
$$y' = -\frac{1}{t}y + 2t$$

 ${f N3.}$  Determine all intervals on which a unique solution is guaranteed to exist.

$$x' = 2\ln(t)x + y + 1,$$

$$y' = -\frac{2}{t}x + y$$

## Module D

#### Standard D1

**D1.** Demonstrate directly from the definition that

$$\mathcal{L}\{u(t+1)\}(s) = \frac{e^s}{s}.$$

**D1.** Demonstrate directly from the definition that

$$\mathcal{L}\lbrace u(t-5)\rbrace(s) = \frac{e^{-5s}}{s}.$$

**D1.** Demonstrate directly from the definition that

$$\mathcal{L}\{\delta(t+3)\}(s) = e^{3s}.$$

**D1.** Demonstrate directly from the definition that

$$\mathcal{L}\{\delta(t-2)\}(s) = e^{-2s}.$$

**D1.** Demonstrate directly from the definition that

$$\mathcal{L}\lbrace e^{3t}\rbrace(s) = \frac{1}{s-3}.$$

**D1.** Demonstrate directly from the definition that

$$\mathcal{L}\{e^{-2t}\}(s) = \frac{1}{s+2}.$$

**D1.** Demonstrate directly from the definition that

$$\mathcal{L}\{\delta(t+4) + e^t\}(s) = e^{4s} + \frac{1}{s-1}.$$

**D1.** Demonstrate directly from the definition that

$$\mathcal{L}\{\delta(t) + u(t-5)\}(s) = 1 + \frac{e^{-5s}}{s}.$$

**D1.** Demonstrate directly from the definition that

$$\mathcal{L}\{1 + e^t\}(s) = \frac{1}{s} + \frac{1}{s - 1}.$$