

PMD Results

The following document contains the results of PMD (<https://pmd.github.io>) 7.7.0.

Violations By Priority

Priority 2

co/edu/usta/spevb/exception/GlobalExceptionHandler.java

Rule	Violation	Line
GuardLogStatement (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#guardlogstatement)	Logger calls should be surrounded by log level guards.	44

Priority 3

co/edu/usta/spevb/SpevbRutasApplication.java

Rule	Violation	Line
UseUtilityClass (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_design.html#useutilityclass)	This utility class has a non-private constructor	7

co/edu/usta/spevb/config/CityArea.java

Rule	Violation	Line
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	38
LooseCoupling (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#loosecoupling)	Avoid using implementation types like 'ArrayList'; use the interface instead	52
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	57
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	64

co/edu/usta/spevb/config/EditorSecurityFilter.java

Rule	Violation	Line
CyclomaticComplexity (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_design.html#cyclomaticcomplexity)	The method 'doFilterInternal(HttpServletRequest, HttpServletResponse, FilterChain)' has a cyclomatic complexity of 22.	27
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	40

co/edu/usta/spevb/controller/LugarController.java

Rule	Violation	Line
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	25

co/edu/usta/spevb/repository/LugarRepository.java

Rule	Violation	Line
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	69

co/edu/usta/spevb/repository/RutaRepository.java

Rule	Violation	Line
UseLocaleWithCaseConversions (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_errorprone.html#uselocalewithcaseconversions)	When doing a String.toLowerCase()/toUpperCase() call, use a Locale	78

co/edu/usta/spevb/service/GeocodingService.java

Rule	Violation	Line
CyclomaticComplexity (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_design.html#cyclomaticcomplexity)	The method 'buscar(String)' has a cyclomatic complexity of 21.	58
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	59
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	61
LooseCoupling (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#loosecoupling)	Avoid using implementation types like 'LinkedHashMap'; use the interface instead	63
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	65
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	77
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	79
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	83
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	85
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	89

PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	94
PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	98
CyclomaticComplexity (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_design.html#cyclomaticcomplexity)	The method 'reverso(double, double)' has a cyclomatic complexity of 14.	106
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	108
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	110
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	121
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	124
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	127
PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	136
PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	140
PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	161
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	168– 169
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	170
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	176
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	185

co/edu/usta/spevb/service/GeometriaValidator.java

Rule	Violation	Line
------	-----------	------

CyclomaticComplexity (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_design.html#cyclomaticcomplexity)

The method 'validar(JsonNode)' has a cyclomatic complexity of 27. 8

co/edu/usta/spevb/service/LugarService.java

Rule	Violation	Line
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	34
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	43
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	65
LooseCoupling (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#loosecoupling)	Avoid using implementation types like 'LinkedHashMap'; use the interface instead	78
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	82

co/edu/usta/spevb/service/RutaService.java

Rule	Violation	Line
PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	72
UseLocaleWithCaseConversions (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_errorprone.html#uselocalewithcaseconversions)	When doing a String.toLowerCase()/toUpperCase() call, use a Locale	72
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	82
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	92
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	108

co/edu/usta/spevb/service/ViajeService.java

Rule	Violation	Line
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	27

Priority 4

co/edu/usta/spevb/service/GeometriaValidator.java

Rule	Violation	Line
OneDeclarationPerLine (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#onedecclarationperline)	Use one line for each declaration, it enhances code readability.	17
OneDeclarationPerLine (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#onedecclarationperline)	Use one line for each declaration, it enhances code readability.	22

Files

co/edu/usta/spevb/SpevbRutasApplication.java

Rule	Violation	Priority	Line
UseUtilityClass (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_design.html#useutilityclass)	This utility class has a non-private constructor	3	7

co/edu/usta/spevb/config/CityArea.java

Rule	Violation	Priority	Line
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	38
LooseCoupling (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#loosecoupling)	Avoid using implementation types like 'ArrayList'; use the interface instead	3	52
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	57
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	64

co/edu/usta/spevb/config/EditorSecurityFilter.java

Rule	Violation	Priority	Line
CyclomaticComplexity (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_design.html#cyclomaticcomplexity)	The method 'doFilterInternal(HttpServletRequest, HttpServletResponse, FilterChain)' has a cyclomatic complexity of 22.	3	27
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	40

co/edu/usta/spevb/controller/LugarController.java

Rule	Violation	Priority	Line
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	25

co/edu/usta/spevb/exception/GlobalExceptionHandler.java

Rule	Violation	Priority	Line
GuardLogStatement (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#guardlogstatement)	Logger calls should be surrounded by log level guards.	2	44

co/edu/usta/spevb/repository/LugarRepository.java

Rule	Violation	Priority	Line
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	69

co/edu/usta/spevb/repository/RutaRepository.java

Rule	Violation	Priority	Line
UseLocaleWithCaseConversions (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_errorprone.html#uselocalewithcaseconversions)	When doing a String.toLowerCase()/toUpperCase() call, use a Locale	3	78

co/edu/usta/spevb/service/GeocodingService.java

Rule	Violation	Priority	Line
CyclomaticComplexity (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_design.html#cyclomaticcomplexity)	The method 'buscar(String)' has a cyclomatic complexity of 21.	3	58
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	59
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	61
LooseCoupling (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#loosecoupling)	Avoid using implementation types like 'LinkedHashMap'; use the interface instead	3	63

ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	65
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	77
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	79
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	83
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	85
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	89
PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	3	94
PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	3	98
CyclomaticComplexity (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_design.html#cyclomaticcomplexity)	The method 'reverso(double, double)' has a cyclomatic complexity of 14.	3	106
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	108
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	110
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	121
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	124
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	127
PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	3	136
PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	3	140

PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	3	161
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	168–169
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	170
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	176
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	185

co/edu/usta/spevb/service/GeometriaValidator.java

Rule	Violation	Priority	Line
CyclomaticComplexity (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_design.html#cyclomaticcomplexity)	The method 'validar(JsonNode)' has a cyclomatic complexity of 27.	3	8
OneDeclarationPerLine (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#onedecclarationperline)	Use one line for each declaration, it enhances code readability.	4	17
OneDeclarationPerLine (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#onedecclarationperline)	Use one line for each declaration, it enhances code readability.	4	22

co/edu/usta/spevb/service/LugarService.java

Rule	Violation	Priority	Line
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	34
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	43
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	65
LooseCoupling (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#loosecoupling)	Avoid using implementation types like 'LinkedHashMap'; use the interface instead	3	78
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	82

co/edu/usta/spevb/service/RutaService.java

Rule	Violation	Priority	Line
PreserveStackTrace (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_bestpractices.html#preservestacktrace)	Thrown exception does not preserve the stack trace of exception 'ex' on all code paths	3	72
UseLocaleWithCaseConversions (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_errorprone.html#uselocalewithcaseconversions)	When doing a String.toLowerCase()/toUpperCase() call, use a Locale	3	72
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	82
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	92
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	108

co/edu/usta/spevb/service/ViajeService.java

Rule	Violation	Priority	Line
ControlStatementBraces (https://docs.pmd-code.org/pmd-doc-7.7.0/pmd_rules_java_codestyle.html#controlstatementbraces)	This statement should have braces	3	27

