Impact of Transmission Type on Mileage for Car Models

Anand Venkataraman
March 23, 2017

Executive summary

This report examines the relationship between a set of variables and fuel consumption measured in miles per gallon (MPG). Looking only at the transmission type, our findings suggest that cars with an automatic transmission consume more fuel than cars with a manual transmission. However, this effect can no longer be observed when including other variables in our final regression model. Based on our findings fuel consumption can be best expressed as linear combination of Weight, Weight² and Quarter mile time. The entire report including the respective code can be found on GitHub.

Examing the Effect of Transmission Type on Fuel Consumption

An exploratory data analysis reveals a difference in fuel consumption between cars grouped by transmission type (See Appendix). In this section we will examine if this observed difference is also statistically significant.

We assume that the data was randomly sampled from the 1974 Motor Trend magazine. Moreover, we deal with non-paired data which means that the independence condition is also satisfied between groups. Since both samples have n < 30 observations and are not strongly skewed we can apply a two sample t-test $(H_0: \mu_{automatic} = \mu_{manual}. H_A: \mu_{automatic} \neq \mu_{manual})$:

| estimate | estimate1 | estimate2 | statistic | p.value | parameter | conf.low | conf.high | method |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------------------------|
| -7.244939 | 17.14737 | 24.39231 | -3.767123 | 0.0013736 | 18.33225 | -11.28019 | -3.209684 | Welch Two Sample t-test |

Because the p-value 0.0014 < 0.05, we reject the null hypothesis. The data provides strong evidence that fuel consumption indeed differs between transmission types. We are 95% confident that cars from the 1973/74 population with an automatic transmission drive between 3.21 and 11.28 less miles per gallon than cars with a manual transmission.

Examing the Effect of Multiple Variables on Fuel Consumption


In this section we will determine whether the difference in fuel consumption by transmission type holds, if we take additional variables and their effect on fuel consumption into account.

The first step is to perform a linear regression of MPG on all other variables in the mtcars data set leveraging the step() function: This ensures that we will perform a variable selection leaving only the most important variables in the model. This model we refer to as **Model 1** includes 3 significant variables:

| term | estimate | std.error | statistic | p.value |
|-------------|-----------|-----------|-----------|-----------|
| (Intercept) | 9.617781 | 6.9595930 | 1.381946 | 0.1779152 |
| wt | -3.916504 | 0.7112016 | -5.506882 | 0.0000070 |
| qsec | 1.225886 | 0.2886696 | 4.246676 | 0.0002162 |
| am | 2.935837 | 1.4109045 | 2.080819 | 0.0467155 |

When performing model diagnostics we observe a non-linear pattern in the residual plot for Model 1 (Left

side of Figure 2). This is a problem because all of the conclusions that we draw from the fit are suspect. Our findings suggest that it is best to add $Weight^2$ to Model 1 to accommodate this non-linear relationship. We call this new model **Model 2**. When adding $Weight^2$ only a slight pattern can be observed in the residuals (Right side of Figure 1).






Figure 1: Plots of residuals versus fitted values for the mtcars data set. **Left**: A linear regression of MPG on Weight, $Quarter\ mile\ time\ and\ Transmission\ Type$. A pattern in the residuals indicates non-linearity in the data. **Right**: A linear regression of MPG on the same variables plus $Weight^2$. The former pattern nearly vanished.

Performing a hypothesis test comparing the two models with the anova() function reveals the following:

| Model | Res.Df | RSS | Df | Sum of Sq | F | Pr(>F) |
|------------------|--------|----------|----|-----------|----------|-----------|
| Model 1 | 28 | 169.2859 | NA | NA | NA | NA |
| ${\rm Model}\ 2$ | 27 | 130.8573 | 1 | 38.42859 | 7.929032 | 0.0089778 |

Here the F-statistic is 7.93 and the associated p-value is 0.009. This provides evidence that the model containing the predictors Weight and $Weight^2$ is superior to the model that only contains the predictor Weight.

Model 2 is superior to Model 1 in terms of \mathbb{R}^2 (0.8666 vs. 0.8336) and $\mathbb{R}SE$ (2.2015 vs. 2.4588). However, examining the individual p-values from the predictors of Model 2 reveals that $Transmission\ Type\ (AM)$ is no longer significant:

| term | estimate | $\operatorname{std.error}$ | statistic | p.value |
|-------------|-------------|----------------------------|------------|-----------|
| (Intercept) | 27.7376147 | 8.9574469 | 3.0965983 | 0.0045282 |
| wt | -11.2490694 | 2.6807530 | -4.1962349 | 0.0002629 |
| $I(wt^2)$ | 0.9581950 | 0.3402858 | 2.8158538 | 0.0089778 |
| qsec | 0.9705112 | 0.2739061 | 3.5432263 | 0.0014614 |
| am | 1.0215185 | 1.4345500 | 0.7120828 | 0.4825217 |

This suggests that we might drop $Transmission\ Type\ (AM)$ from the quadratic model. Dropping this predictor results in **Model 3** with the respective summary information below:

| term | estimate | $\operatorname{std.error}$ | statistic | p.value |
|-------------|-------------|----------------------------|-----------|-----------|
| (Intercept) | 32.6418325 | 5.6767588 | 5.750083 | 0.0000036 |
| wt | -12.4330965 | 2.0841792 | -5.965464 | 0.0000020 |
| $I(wt^2)$ | 1.0730270 | 0.2969987 | 3.612901 | 0.0011739 |
| qsec | 0.8598587 | 0.2235665 | 3.846099 | 0.0006339 |

Now, all included variables are highly significant again. Like Model 2, Model 3 does not show any pattern in the residual plot (See Appendix).

Comparing all three models we can clearly see the superiority of Model 3 in terms of Adjusted \mathbb{R}^2 and $\mathbb{R}SE$:

| Model | Adj.r.squared | RSE |
|---------|---------------|----------|
| Model 1 | 0.8335561 | 2.458846 |
| Model 2 | 0.8665743 | 2.201492 |
| Model 3 | 0.8689233 | 2.182028 |

Model 3 would be our final choice when modeling the relationship of specific car variables and and fuel consumption. The 95% confidence intervals are as follows: (-16.702, -8.164) for Weight, (0.465, 1.681) for $Weight^2$, and (0.402, 1.318) for $Quarter\ mile\ time$. Moreover, Model 3 corresponds to the model derived by the step() function when adding $Weight^2$ as an additional variable to the original mtcars dataset (See Appendix).

Appendix

General Terms

The fuel economy of an automobile is the fuel efficiency relationship between the distance traveled and the amount of fuel consumed. Consumption can be expressed in 2 ways:


- Volume of fuel to travel a fixed distance (Gallons per Mile)
- Distance traveled per fixed fuel unit (Miles per Gallon).


In this report we will deal with fuel consumption measured in **Miles per gallon (MPG)**. At least for European readers it is important to note that MGP is interpreted the opposite way compared to Gallons per Mile:

• A car with a higher MPG metric consumes less fuel than a car with a lower MPG

Exploratory Data Analysis

- Number of observations and variables: 3
- Number of NAs: 0
- Number of cars by transmission type: Automatic = 19; Manual = 13





Additional Regression Models

Results of a regression of MPG on all variables plus $Weight^2$ with a subsequent automatic variable selection:

| term | estimate | std.error | statistic | p.value |
|-------------|-------------|-----------|-----------|-----------|
| (Intercept) | 32.6418325 | 5.6767588 | 5.750083 | 0.0000036 |
| wt | -12.4330965 | 2.0841792 | -5.965464 | 0.0000020 |
| qsec | 0.8598587 | 0.2235665 | 3.846099 | 0.0006339 |
| $I(wt^2)$ | 1.0730270 | 0.2969987 | 3.612901 | 0.0011739 |

Additional Plots




Figure 2: No pattern can be observed in the residuals