ICPSR 36498

# Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

*United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse*

*United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products*

ICPSR Codebook for Wave 5: Adult - Wave 1 Cohort Special Collection All-Waves Weights

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

**NOTE**

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at **nahdap@icpsr.umich.edu**. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

# CODEBOOK DISPLAY NOTES

# PATH STUDY

# WEIGHTS FILE

# ICPSR #36498

1. ICPSR customized the display of variables in this codebook. There are no variables that contain a frequency table displaying value labels and unweighted counts. This is because all of the variables in this file are identification, sample design, or sampling weight variables for which univariate statistics are not meaningful.

2. Each variable contains the following statement:

   > “This variable has XXXXX valid cases out of XXXXX total cases.”

   This statement describes the number of valid cases for a variable that would be used in the calculation of percentages in the frequency tables.

# ICPSR 36498

# Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

## Variable Description and Frequencies

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

# Wave 5: Adult - Wave 1 Cohort Special Collection All-Waves Weights

## CASEID: Case Identification Number

Case Identification Number

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1-4 (width: 4; decimal: 0)
*Variable Type:* numeric

## PERSONID: Participant ID

Participant ID Number.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 5-14 (width: 10; decimal: 0)
*Variable Type:* character

## VARSTRAT: Stratum Indicator for Variance Estimation

Stratum indicator for variance estimation using the Taylor series approximation method.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 15-16 (width: 2; decimal: 0)
*Variable Type:* numeric

## VARPSU: PSU Indicator for Variance Estimation

PSU indicator for variance estimation using the Taylor series approximation method.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 17-17 (width: 1; decimal: 0)
*Variable Type:* numeric

## R05_A_AX01WGT: Wave 5 Adult All-Waves Longitudinal Special Collection Weight for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection weight for the Wave 1 Cohort.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 18-32 (width: 15; decimal: 10)
*Variable Type:* numeric

## R05_A_AX01WGT1: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 1 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 1 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 33-47 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT2: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 2 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 2 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 48-62 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT3: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 3 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 3 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 63-77 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT4: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 4 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 4 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 78-92 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT5: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 5 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 5 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 93-107 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT6: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 6 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 6 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 108-122 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT7: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 7 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 7 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 123-137 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT8: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 8 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 8 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 138-152 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT9: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 9 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 9 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 153-167 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT10: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 10 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 10 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 168-182 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT11: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 11 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 11 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 183-197 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT12: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 12 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 12 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 198-212 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT13: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 13 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 13 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 213-227 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT14: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 14 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 14 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 228-242 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT15: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 15 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 15 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 243-257 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT16: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 16 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 16 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 258-272 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT17: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 17 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 17 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 273-287 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT18: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 18 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 18 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 288-302 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT19: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 19 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 19 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 303-317 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT20: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 20 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 20 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 318-332 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT21: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 21 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 21 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 333-347 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT22: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 22 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 22 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 348-362 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT23: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 23 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 23 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 363-377 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT24: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 24 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 24 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 378-392 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT25: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 25 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 25 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 393-407 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT26: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 26 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 26 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 408-422 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT27: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 27 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 27 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 423-437 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT28: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 28 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 28 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 438-452 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT29: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 29 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 29 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 453-467 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT30: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 30 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 30 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 468-482 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT31: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 31 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 31 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 483-497 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT32: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 32 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 32 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 498-512 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT33: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 33 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 33 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 513-527 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT34: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 34 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 34 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 528-542 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT35: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 35 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 35 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 543-557 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT36: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 36 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 36 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 558-572 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT37: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 37 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 37 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 573-587 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT38: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 38 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 38 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 588-602 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT39: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 39 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 39 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 603-617 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT40: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 40 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 40 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 618-632 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT41: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 41 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 41 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 633-647 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT42: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 42 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 42 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 648-662 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT43: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 43 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 43 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 663-677 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT44: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 44 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 44 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 678-692 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT45: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 45 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 45 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 693-707 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT46: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 46 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 46 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 708-722 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT47: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 47 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 47 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 723-737 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT48: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 48 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 48 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 738-752 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT49: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 49 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 49 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 753-767 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT50: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 50 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 50 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 768-782 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT51: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 51 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 51 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 783-797 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT52: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 52 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 52 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 798-812 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT53: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 53 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 53 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 813-827 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT54: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 54 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 54 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 828-842 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT55: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 55 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 55 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 843-857 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT56: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 56 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 56 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 858-872 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT57: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 57 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 57 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 873-887 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT58: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 58 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 58 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 888-902 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT59: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 59 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 59 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 903-917 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT60: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 60 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 60 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 918-932 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT61: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 61 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 61 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 933-947 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT62: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 62 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 62 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 948-962 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT63: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 63 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 63 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 963-977 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT64: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 64 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 64 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 978-992 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT65: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 65 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 65 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 993-1007 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT66: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 66 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 66 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1008-1022 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT67: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 67 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 67 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1023-1037 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT68: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 68 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 68 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1038-1052 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT69: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 69 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 69 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1053-1067 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT70: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 70 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 70 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1068-1082 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT71: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 71 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 71 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1083-1097 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT72: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 72 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 72 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1098-1112 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT73: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 73 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 73 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1113-1127 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT74: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 74 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 74 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1128-1142 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT75: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 75 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 75 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1143-1157 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT76: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 76 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 76 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1158-1172 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT77: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 77 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 77 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1173-1187 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT78: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 78 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 78 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1188-1202 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT79: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 79 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 79 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1203-1217 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT80: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 80 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 80 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1218-1232 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT81: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 81 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 81 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1233-1247 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT82: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 82 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 82 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1248-1262 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT83: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 83 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 83 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1263-1277 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT84: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 84 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 84 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1278-1292 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT85: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 85 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 85 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1293-1307 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT86: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 86 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 86 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1308-1322 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT87: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 87 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 87 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1323-1337 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT88: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 88 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 88 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1338-1352 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT89: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 89 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 89 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1353-1367 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT90: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 90 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 90 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1368-1382 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT91: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 91 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 91 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1383-1397 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT92: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 92 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 92 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1398-1412 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT93: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 93 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 93 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1413-1427 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT94: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 94 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 94 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1428-1442 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT95: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 95 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 95 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1443-1457 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT96: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 96 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 96 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1458-1472 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT97: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 97 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 97 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1473-1487 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT98: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 98 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 98 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1488-1502 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT99: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 99 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 99 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1503-1517 (width: 15; decimal: 9)
*Variable Type:* numeric

## R05_A_AX01WGT100: Wave 5 Adult All-Waves Longitudinal Special Collection Replicate Weight 100 for the Wave 1 Cohort

Wave 5 adult all-waves longitudinal special collection replicate weight 100 for variance estimation for the Wave 1 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 1,504 valid cases out of 1,504 total cases.

*Location:* 1518-1532 (width: 15; decimal: 9)
*Variable Type:* numeric