ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

ICPSR Codebook for Wave 6: Youth / Parent - Wave 4 Cohort Single-Wave Weights Codebook

Inter-university Consortium for Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at **nahdap@icpsr.umich.edu**. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

CODEBOOK DISPLAY NOTES

PATH STUDY

WEIGHTS FILE

ICPSR #36498-6222

1. ICPSR customized the display of variables in this codebook. There are no variables that contain a frequency table displaying value labels and unweighted counts. This is because all of the variables in this file are identification, sample design, or sampling weight variables for which univariate statistics are not meaningful.

2. Each variable contains the following statement:

   > "This variable has XXXXX valid cases out of XXXXX total cases."

   This statement describes the number of valid cases for a variable that would be used in the calculation of percentages in the frequency tables.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 6: Youth / Parent - Wave 4 Cohort Single-Wave Weights

CASEID: Case Identification Number

Case Identification Number.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1-4 (width: 4; decimal: 0)
Variable Type: numeric

PERSONID: Participant ID

Participant ID Number.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 5-14 (width: 10; decimal: 0)
Variable Type: character

VARSTRAT: Stratum Indicator for Variance Estimation

Stratum indicator for variance estimation using the Taylor series approximation method.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 15-16 (width: 2; decimal: 0)
Variable Type: numeric

VARPSU: PSU Indicator for Variance Estimation

PSU indicator for variance estimation using the Taylor series approximation method.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 17-17 (width: 1; decimal: 0)
Variable Type: numeric

R06_Y_S04WGT: Wave 6 Youth Single-wave Longitudinal Weight for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal full-sample weight for the Wave 4 Cohort.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 18-32 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT1: Wave 6 Youth Single-wave Longitudinal Replicate Weight 1 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 1 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 33-47 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT2: Wave 6 Youth Single-wave Longitudinal Replicate Weight 2 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 2 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 48-62 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT3: Wave 6 Youth Single-wave Longitudinal Replicate Weight 3 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 3 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 63-77 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT4: Wave 6 Youth Single-wave Longitudinal Replicate Weight 4 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 4 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 78-92 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT5: Wave 6 Youth Single-wave Longitudinal Replicate Weight 5 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 5 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 93-107 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT6: Wave 6 Youth Single-wave Longitudinal Replicate Weight 6 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 6 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 108-122 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT7: Wave 6 Youth Single-wave Longitudinal Replicate Weight 7 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 7 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 123-137 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT8: Wave 6 Youth Single-wave Longitudinal Replicate Weight 8 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 8 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 138-152 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT9: Wave 6 Youth Single-wave Longitudinal Replicate Weight 9 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 9 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 153-167 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT10: Wave 6 Youth Single-wave Longitudinal Replicate Weight 10 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 10 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 168-182 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT11: Wave 6 Youth Single-wave Longitudinal Replicate Weight 11 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 11 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 183-197 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT12: Wave 6 Youth Single-wave Longitudinal Replicate Weight 12 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 12 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 198-212 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT13: Wave 6 Youth Single-wave Longitudinal Replicate Weight 13 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 13 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 213-227 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT14: Wave 6 Youth Single-wave Longitudinal Replicate Weight 14 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 14 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 228-242 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT15: Wave 6 Youth Single-wave Longitudinal Replicate Weight 15 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 15 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 243-257 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT16: Wave 6 Youth Single-wave Longitudinal Replicate Weight 16 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 16 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 258-272 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT17: Wave 6 Youth Single-wave Longitudinal Replicate Weight 17 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 17 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 273-287 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT18: Wave 6 Youth Single-wave Longitudinal Replicate Weight 18 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 18 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 288-302 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT19: Wave 6 Youth Single-wave Longitudinal Replicate Weight 19 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 19 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 303-317 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT20: Wave 6 Youth Single-wave Longitudinal Replicate Weight 20 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 20 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 318-332 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT21: Wave 6 Youth Single-wave Longitudinal Replicate Weight 21 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 21 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 333-347 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT22: Wave 6 Youth Single-wave Longitudinal Replicate Weight 22 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 22 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 348-362 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT23: Wave 6 Youth Single-wave Longitudinal Replicate Weight 23 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 23 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 363-377 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT24: Wave 6 Youth Single-wave Longitudinal Replicate Weight 24 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 24 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 378-392 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT25: Wave 6 Youth Single-wave Longitudinal Replicate Weight 25 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 25 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 393-407 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT26: Wave 6 Youth Single-wave Longitudinal Replicate Weight 26 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 26 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 408-422 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT27: Wave 6 Youth Single-wave Longitudinal Replicate Weight 27 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 27 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 423-437 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT28: Wave 6 Youth Single-wave Longitudinal Replicate Weight 28 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 28 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 438-452 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT29: Wave 6 Youth Single-wave Longitudinal Replicate Weight 29 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 29 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 453-467 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT30: Wave 6 Youth Single-wave Longitudinal Replicate Weight 30 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 30 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 468-482 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT31: Wave 6 Youth Single-wave Longitudinal Replicate Weight 31 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 31 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 483-497 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT32: Wave 6 Youth Single-wave Longitudinal Replicate Weight 32 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 32 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 498-512 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT33: Wave 6 Youth Single-wave Longitudinal Replicate Weight 33 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 33 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 513-527 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT34: Wave 6 Youth Single-wave Longitudinal Replicate Weight 34 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 34 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 528-542 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT35: Wave 6 Youth Single-wave Longitudinal Replicate Weight 35 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 35 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 543-557 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT36: Wave 6 Youth Single-wave Longitudinal Replicate Weight 36 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 36 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 558-572 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT37: Wave 6 Youth Single-wave Longitudinal Replicate Weight 37 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 37 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 573-587 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT38: Wave 6 Youth Single-wave Longitudinal Replicate Weight 38 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 38 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 588-602 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT39: Wave 6 Youth Single-wave Longitudinal Replicate Weight 39 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 39 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 603-617 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT40: Wave 6 Youth Single-wave Longitudinal Replicate Weight 40 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 40 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 618-632 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT41: Wave 6 Youth Single-wave Longitudinal Replicate Weight 41 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 41 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 633-647 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT42: Wave 6 Youth Single-wave Longitudinal Replicate Weight 42 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 42 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 648-662 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT43: Wave 6 Youth Single-wave Longitudinal Replicate Weight 43 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 43 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 663-677 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT44: Wave 6 Youth Single-wave Longitudinal Replicate Weight 44 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 44 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 678-692 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT45: Wave 6 Youth Single-wave Longitudinal Replicate Weight 45 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 45 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 693-707 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT46: Wave 6 Youth Single-wave Longitudinal Replicate Weight 46 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 46 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 708-722 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT47: Wave 6 Youth Single-wave Longitudinal Replicate Weight 47 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 47 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 723-737 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT48: Wave 6 Youth Single-wave Longitudinal Replicate Weight 48 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 48 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 738-752 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT49: Wave 6 Youth Single-wave Longitudinal Replicate Weight 49 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 49 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 753-767 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT50: Wave 6 Youth Single-wave Longitudinal Replicate Weight 50 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 50 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 768-782 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT51: Wave 6 Youth Single-wave Longitudinal Replicate Weight 51 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 51 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 783-797 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT52: Wave 6 Youth Single-wave Longitudinal Replicate Weight 52 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 52 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 798-812 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT53: Wave 6 Youth Single-wave Longitudinal Replicate Weight 53 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 53 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 813-827 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT54: Wave 6 Youth Single-wave Longitudinal Replicate Weight 54 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 54 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 828-842 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT55: Wave 6 Youth Single-wave Longitudinal Replicate Weight 55 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 55 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 843-857 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT56: Wave 6 Youth Single-wave Longitudinal Replicate Weight 56 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 56 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 858-872 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT57: Wave 6 Youth Single-wave Longitudinal Replicate Weight 57 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 57 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 873-887 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT58: Wave 6 Youth Single-wave Longitudinal Replicate Weight 58 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 58 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 888-902 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT59: Wave 6 Youth Single-wave Longitudinal Replicate Weight 59 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 59 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 903-917 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT60: Wave 6 Youth Single-wave Longitudinal Replicate Weight 60 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 60 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 918-932 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT61: Wave 6 Youth Single-wave Longitudinal Replicate Weight 61 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 61 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 933-947 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT62: Wave 6 Youth Single-wave Longitudinal Replicate Weight 62 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 62 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 948-962 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT63: Wave 6 Youth Single-wave Longitudinal Replicate Weight 63 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 63 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 963-977 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT64: Wave 6 Youth Single-wave Longitudinal Replicate Weight 64 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 64 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 978-992 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT65: Wave 6 Youth Single-wave Longitudinal Replicate Weight 65 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 65 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 993-1007 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT66: Wave 6 Youth Single-wave Longitudinal Replicate Weight 66 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 66 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1008-1022 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT67: Wave 6 Youth Single-wave Longitudinal Replicate Weight 67 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 67 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1023-1037 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT68: Wave 6 Youth Single-wave Longitudinal Replicate Weight 68 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 68 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1038-1052 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT69: Wave 6 Youth Single-wave Longitudinal Replicate Weight 69 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 69 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1053-1067 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT70: Wave 6 Youth Single-wave Longitudinal Replicate Weight 70 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 70 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1068-1082 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT71: Wave 6 Youth Single-wave Longitudinal Replicate Weight 71 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 71 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1083-1097 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT72: Wave 6 Youth Single-wave Longitudinal Replicate Weight 72 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 72 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1098-1112 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT73: Wave 6 Youth Single-wave Longitudinal Replicate Weight 73 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 73 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1113-1127 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT74: Wave 6 Youth Single-wave Longitudinal Replicate Weight 74 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 74 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1128-1142 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT75: Wave 6 Youth Single-wave Longitudinal Replicate Weight 75 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 75 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1143-1157 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT76: Wave 6 Youth Single-wave Longitudinal Replicate Weight 76 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 76 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1158-1172 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT77: Wave 6 Youth Single-wave Longitudinal Replicate Weight 77 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 77 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1173-1187 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT78: Wave 6 Youth Single-wave Longitudinal Replicate Weight 78 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 78 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1188-1202 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT79: Wave 6 Youth Single-wave Longitudinal Replicate Weight 79 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 79 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1203-1217 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT80: Wave 6 Youth Single-wave Longitudinal Replicate Weight 80 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 80 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1218-1232 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT81: Wave 6 Youth Single-wave Longitudinal Replicate Weight 81 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 81 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1233-1247 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT82: Wave 6 Youth Single-wave Longitudinal Replicate Weight 82 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 82 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1248-1262 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT83: Wave 6 Youth Single-wave Longitudinal Replicate Weight 83 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 83 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1263-1277 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT84: Wave 6 Youth Single-wave Longitudinal Replicate Weight 84 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 84 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1278-1292 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT85: Wave 6 Youth Single-wave Longitudinal Replicate Weight 85 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 85 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1293-1307 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT86: Wave 6 Youth Single-wave Longitudinal Replicate Weight 86 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 86 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1308-1322 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT87: Wave 6 Youth Single-wave Longitudinal Replicate Weight 87 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 87 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1323-1337 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT88: Wave 6 Youth Single-wave Longitudinal Replicate Weight 88 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 88 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1338-1352 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT89: Wave 6 Youth Single-wave Longitudinal Replicate Weight 89 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 89 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1353-1367 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT90: Wave 6 Youth Single-wave Longitudinal Replicate Weight 90 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 90 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1368-1382 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT91: Wave 6 Youth Single-wave Longitudinal Replicate Weight 91 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 91 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1383-1397 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT92: Wave 6 Youth Single-wave Longitudinal Replicate Weight 92 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 92 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1398-1412 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT93: Wave 6 Youth Single-wave Longitudinal Replicate Weight 93 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 93 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1413-1427 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT94: Wave 6 Youth Single-wave Longitudinal Replicate Weight 94 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 94 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1428-1442 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT95: Wave 6 Youth Single-wave Longitudinal Replicate Weight 95 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 95 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1443-1457 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT96: Wave 6 Youth Single-wave Longitudinal Replicate Weight 96 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 96 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1458-1472 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT97: Wave 6 Youth Single-wave Longitudinal Replicate Weight 97 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 97 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1473-1487 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT98: Wave 6 Youth Single-wave Longitudinal Replicate Weight 98 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 98 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1488-1502 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT99: Wave 6 Youth Single-wave Longitudinal Replicate Weight 99 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 99 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1503-1517 (width: 15; decimal: 9)
Variable Type: numeric

R06_Y_S04WGT100: Wave 6 Youth Single-wave Longitudinal Replicate Weight 100 for the Wave 4 Cohort

Wave 6 youth single-wave longitudinal replicate weight 100 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 5,585 valid cases out of 5,585 total cases.

Location: 1518-1532 (width: 15; decimal: 9)
Variable Type: numeric