ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

ICPSR Codebook for Wave 5: Adult - Wave 4 Cohort Single-Wave Weights

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

NOTE

CODEBOOK DISPLAY NOTES

PATH STUDY

WEIGHTS FILE

ICPSR #36498

1. ICPSR customized the display of variables in this codebook. There are no variables that contain a frequency table displaying value labels and unweighted counts. This is because all of the variables in this file are identification, sample design, or sampling weight variables for which univariate statistics are not meaningful.

2. Each variable contains the following statement:

   "This variable has XXXXX valid cases out of XXXXX total cases."

   This statement describes the number of valid cases for a variable that would be used in the calculation of percentages in the frequency tables.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 5: Adult - Wave 4 Cohort Single-Wave Weights

CASEID: Case Identification Number

Case Identification Number

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

PERSONID: Participant ID

Participant ID Number.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 6-15 (width: 10; decimal: 0)
Variable Type: character

VARSTRAT: Stratum Indicator for Variance Estimation

Stratum indicator for variance estimation using the Taylor series approximation method.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 16-17 (width: 2; decimal: 0)
Variable Type: numeric

VARPSU: PSU Indicator for Variance Estimation

PSU indicator for variance estimation using the Taylor series approximation method.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 18-18 (width: 1; decimal: 0)
Variable Type: numeric

R05_A_S04WGT: Wave 5 Adult Single-wave Longitudinal Weight for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal full-sample weight for the Wave 4 Cohort.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 19-33 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT1: Wave 5 Adult Single-wave Longitudinal Replicate Weight 1 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 1 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 34-48 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT2: Wave 5 Adult Single-wave Longitudinal Replicate Weight 2 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 2 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 49-63 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT3: Wave 5 Adult Single-wave Longitudinal Replicate Weight 3 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 3 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 64-78 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT4: Wave 5 Adult Single-wave Longitudinal Replicate Weight 4 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 4 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 79-93 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT5: Wave 5 Adult Single-wave Longitudinal Replicate Weight 5 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 5 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 94-108 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT6: Wave 5 Adult Single-wave Longitudinal Replicate Weight 6 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 6 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 109-123 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT7: Wave 5 Adult Single-wave Longitudinal Replicate Weight 7 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 7 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 124-138 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT8: Wave 5 Adult Single-wave Longitudinal Replicate Weight 8 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 8 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 139-153 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT9: Wave 5 Adult Single-wave Longitudinal Replicate Weight 9 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 9 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 154-168 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT10: Wave 5 Adult Single-wave Longitudinal Replicate Weight 10 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 10 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 169-183 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT11: Wave 5 Adult Single-wave Longitudinal Replicate Weight 11 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 11 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 184-198 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT12: Wave 5 Adult Single-wave Longitudinal Replicate Weight 12 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 12 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 199-213 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT13: Wave 5 Adult Single-wave Longitudinal Replicate Weight 13 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 13 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 214-228 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT14: Wave 5 Adult Single-wave Longitudinal Replicate Weight 14 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 14 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 229-243 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT15: Wave 5 Adult Single-wave Longitudinal Replicate Weight 15 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 15 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 244-258 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT16: Wave 5 Adult Single-wave Longitudinal Replicate Weight 16 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 16 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 259-273 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT17: Wave 5 Adult Single-wave Longitudinal Replicate Weight 17 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 17 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 274-288 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT18: Wave 5 Adult Single-wave Longitudinal Replicate Weight 18 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 18 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 289-303 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT19: Wave 5 Adult Single-wave Longitudinal Replicate Weight 19 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 19 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 304-318 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT20: Wave 5 Adult Single-wave Longitudinal Replicate Weight 20 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 20 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 319-333 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT21: Wave 5 Adult Single-wave Longitudinal Replicate Weight 21 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 21 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 334-348 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT22: Wave 5 Adult Single-wave Longitudinal Replicate Weight 22 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 22 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 349-363 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT23: Wave 5 Adult Single-wave Longitudinal Replicate Weight 23 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 23 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 364-378 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT24: Wave 5 Adult Single-wave Longitudinal Replicate Weight 24 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 24 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 379-393 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT25: Wave 5 Adult Single-wave Longitudinal Replicate Weight 25 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 25 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 394-408 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT26: Wave 5 Adult Single-wave Longitudinal Replicate Weight 26 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 26 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 409-423 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT27: Wave 5 Adult Single-wave Longitudinal Replicate Weight 27 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 27 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 424-438 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT28: Wave 5 Adult Single-wave Longitudinal Replicate Weight 28 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 28 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 439-453 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT29: Wave 5 Adult Single-wave Longitudinal Replicate Weight 29 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 29 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 454-468 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT30: Wave 5 Adult Single-wave Longitudinal Replicate Weight 30 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 30 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 469-483 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT31: Wave 5 Adult Single-wave Longitudinal Replicate Weight 31 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 31 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 484-498 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT32: Wave 5 Adult Single-wave Longitudinal Replicate Weight 32 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 32 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 499-513 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT33: Wave 5 Adult Single-wave Longitudinal Replicate Weight 33 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 33 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 514-528 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT34: Wave 5 Adult Single-wave Longitudinal Replicate Weight 34 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 34 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 529-543 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT35: Wave 5 Adult Single-wave Longitudinal Replicate Weight 35 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 35 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 544-558 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT36: Wave 5 Adult Single-wave Longitudinal Replicate Weight 36 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 36 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 559-573 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT37: Wave 5 Adult Single-wave Longitudinal Replicate Weight 37 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 37 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 574-588 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT38: Wave 5 Adult Single-wave Longitudinal Replicate Weight 38 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 38 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 589-603 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT39: Wave 5 Adult Single-wave Longitudinal Replicate Weight 39 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 39 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 604-618 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT40: Wave 5 Adult Single-wave Longitudinal Replicate Weight 40 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 40 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 619-633 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT41: Wave 5 Adult Single-wave Longitudinal Replicate Weight 41 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 41 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 634-648 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT42: Wave 5 Adult Single-wave Longitudinal Replicate Weight 42 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 42 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 649-663 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT43: Wave 5 Adult Single-wave Longitudinal Replicate Weight 43 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 43 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 664-678 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT44: Wave 5 Adult Single-wave Longitudinal Replicate Weight 44 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 44 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 679-693 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT45: Wave 5 Adult Single-wave Longitudinal Replicate Weight 45 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 45 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 694-708 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT46: Wave 5 Adult Single-wave Longitudinal Replicate Weight 46 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 46 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 709-723 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT47: Wave 5 Adult Single-wave Longitudinal Replicate Weight 47 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 47 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 724-738 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT48: Wave 5 Adult Single-wave Longitudinal Replicate Weight 48 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 48 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 739-753 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT49: Wave 5 Adult Single-wave Longitudinal Replicate Weight 49 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 49 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 754-768 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT50: Wave 5 Adult Single-wave Longitudinal Replicate Weight 50 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 50 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 769-783 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT51: Wave 5 Adult Single-wave Longitudinal Replicate Weight 51 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 51 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 784-798 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT52: Wave 5 Adult Single-wave Longitudinal Replicate Weight 52 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 52 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 799-813 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT53: Wave 5 Adult Single-wave Longitudinal Replicate Weight 53 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 53 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 814-828 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT54: Wave 5 Adult Single-wave Longitudinal Replicate Weight 54 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 54 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 829-843 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT55: Wave 5 Adult Single-wave Longitudinal Replicate Weight 55 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 55 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 844-858 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT56: Wave 5 Adult Single-wave Longitudinal Replicate Weight 56 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 56 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 859-873 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT57: Wave 5 Adult Single-wave Longitudinal Replicate Weight 57 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 57 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 874-888 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT58: Wave 5 Adult Single-wave Longitudinal Replicate Weight 58 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 58 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 889-903 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT59: Wave 5 Adult Single-wave Longitudinal Replicate Weight 59 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 59 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 904-918 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT60: Wave 5 Adult Single-wave Longitudinal Replicate Weight 60 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 60 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 919-933 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT61: Wave 5 Adult Single-wave Longitudinal Replicate Weight 61 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 61 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 934-948 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT62: Wave 5 Adult Single-wave Longitudinal Replicate Weight 62 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 62 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 949-963 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT63: Wave 5 Adult Single-wave Longitudinal Replicate Weight 63 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 63 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 964-978 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT64: Wave 5 Adult Single-wave Longitudinal Replicate Weight 64 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 64 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 979-993 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT65: Wave 5 Adult Single-wave Longitudinal Replicate Weight 65 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 65 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 994-1008 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT66: Wave 5 Adult Single-wave Longitudinal Replicate Weight 66 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 66 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1009-1023 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT67: Wave 5 Adult Single-wave Longitudinal Replicate Weight 67 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 67 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1024-1038 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT68: Wave 5 Adult Single-wave Longitudinal Replicate Weight 68 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 68 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1039-1053 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT69: Wave 5 Adult Single-wave Longitudinal Replicate Weight 69 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 69 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1054-1068 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT70: Wave 5 Adult Single-wave Longitudinal Replicate Weight 70 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 70 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1069-1083 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT71: Wave 5 Adult Single-wave Longitudinal Replicate Weight 71 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 71 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1084-1098 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT72: Wave 5 Adult Single-wave Longitudinal Replicate Weight 72 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 72 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1099-1113 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT73: Wave 5 Adult Single-wave Longitudinal Replicate Weight 73 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 73 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1114-1128 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT74: Wave 5 Adult Single-wave Longitudinal Replicate Weight 74 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 74 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1129-1143 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT75: Wave 5 Adult Single-wave Longitudinal Replicate Weight 75 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 75 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1144-1158 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT76: Wave 5 Adult Single-wave Longitudinal Replicate Weight 76 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 76 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1159-1173 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT77: Wave 5 Adult Single-wave Longitudinal Replicate Weight 77 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 77 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1174-1188 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT78: Wave 5 Adult Single-wave Longitudinal Replicate Weight 78 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 78 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1189-1203 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT79: Wave 5 Adult Single-wave Longitudinal Replicate Weight 79 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 79 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1204-1218 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT80: Wave 5 Adult Single-wave Longitudinal Replicate Weight 80 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 80 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1219-1233 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT81: Wave 5 Adult Single-wave Longitudinal Replicate Weight 81 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 81 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1234-1248 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT82: Wave 5 Adult Single-wave Longitudinal Replicate Weight 82 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 82 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1249-1263 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT83: Wave 5 Adult Single-wave Longitudinal Replicate Weight 83 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 83 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1264-1278 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT84: Wave 5 Adult Single-wave Longitudinal Replicate Weight 84 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 84 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1279-1293 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT85: Wave 5 Adult Single-wave Longitudinal Replicate Weight 85 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 85 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1294-1308 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT86: Wave 5 Adult Single-wave Longitudinal Replicate Weight 86 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 86 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1309-1323 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT87: Wave 5 Adult Single-wave Longitudinal Replicate Weight 87 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 87 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1324-1338 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT88: Wave 5 Adult Single-wave Longitudinal Replicate Weight 88 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 88 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1339-1353 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT89: Wave 5 Adult Single-wave Longitudinal Replicate Weight 89 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 89 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1354-1368 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT90: Wave 5 Adult Single-wave Longitudinal Replicate Weight 90 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 90 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1369-1383 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT91: Wave 5 Adult Single-wave Longitudinal Replicate Weight 91 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 91 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1384-1398 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT92: Wave 5 Adult Single-wave Longitudinal Replicate Weight 92 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 92 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1399-1413 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT93: Wave 5 Adult Single-wave Longitudinal Replicate Weight 93 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 93 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1414-1428 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT94: Wave 5 Adult Single-wave Longitudinal Replicate Weight 94 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 94 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1429-1443 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT95: Wave 5 Adult Single-wave Longitudinal Replicate Weight 95 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 95 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1444-1458 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT96: Wave 5 Adult Single-wave Longitudinal Replicate Weight 96 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 96 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1459-1473 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT97: Wave 5 Adult Single-wave Longitudinal Replicate Weight 97 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 97 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1474-1488 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT98: Wave 5 Adult Single-wave Longitudinal Replicate Weight 98 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 98 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1489-1503 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT99: Wave 5 Adult Single-wave Longitudinal Replicate Weight 99 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 99 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1504-1518 (width: 15; decimal: 8)
Variable Type: numeric

R05_A_S04WGT100: Wave 5 Adult Single-wave Longitudinal Replicate Weight 100 for the Wave 4 Cohort

Wave 5 adult single-wave longitudinal replicate weight 100 for variance estimation for the Wave 4 Cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 32,687 valid cases out of 32,687 total cases.

Location: 1519-1533 (width: 15; decimal: 8)
Variable Type: numeric