

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

Wave 1: Adult Questionnaire Data with Weights

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

Contract #: HHSN271201100027C

PATH Study Wave 1 Adult Public Use File Annotated Instrument



Updated: November 30, 2017

Updated: June 01, 2017

Updated: April 05, 2017

Date: June 15, 2016

Prepared by:
Westat
An Employee-Owned Research Corporation
1600 Research Boulevard
Rockville, Maryland 20850-3129
(301) 251-1500

Table of Contents

PATH Study Wave 1 Annotated Instrument – Explanatory Notes.....	iii
ADULT AGE CONFIRMATION.....	1
INITIAL ADMINISTRATIVE DATA.....	3
INTRODUCTORY DEMOGRAPHICS	4
TOBACCO USE.....	9
CIGARETTE	37
E-CIGARETTE.....	67
CIGAR.....	92
PIPE	136
HOOKAH	157
SMOKELESS TOBACCO	184
DISSOLVABLE TOBACCO	221
POLYUSE	244
NICOTINE DEPENDENCE.....	250
PACKAGING AND HEALTH WARNINGS.....	320
PRODUCT REGULATION - MODIFIED RISK TOBACCO PRODUCTS	332
MEDIA USE	342
SECONDHAND SMOKE EXPOSURE	346
PEER AND FAMILY INFLUENCES.....	349
HEALTH EFFECTS OUTCOME	351
INDUSTRY ADVERTISING AND PROMOTION	415
ADDITIONAL DEMOGRAPHICS.....	424
PRODUCT BARCODE SCANNING MODULE.....	431
CLOSING ADMINISTRATIVE DATA.....	443
APPENDIX – ADULT GENERIC IMAGES	444
APPENDIX – ADULT USER GROUP DEFINITIONS.....	449
APPENDIX – ADULT INSTRUMENT SKIP ERROR SUMMARY	481
APPENDIX – ADULT INSTRUMENT DATA ERROR SUMMARY	488

20171130

PATH Study Wave 1 Annotated Instrument – Explanatory Notes

- **Structure of Question Boxes.** Each question in the annotated instrument is presented in a box. Within the box, the top row usually indicates the name of the variable(s) in which data collected by that question are stored. However, for questions with a “choose all that apply” structure, the top row states “SEE BELOW:” and the variable names are displayed next to the corresponding response options. All variable names are displayed in red italic font. The second row includes the question text, including any instructions for the respondent (for example, “Choose all that apply”). The next several rows display the response options. The last row specifies which respondents were asked the question, followed in many instances by special instructions used in programming.
- **Non-Question Boxes.** Some boxes in the instrument do not include questions. These boxes include introductory text, display instructions, or more complex programming instructions, such as those used to create derived variables.
- **Question Routing.** The instrument was designed with the assumption that all respondents to a question would be asked the next question, *unless* there are specific instructions routing a subgroup of respondents to a different question. The phrase “GOTO” precedes such routing instructions. Non-response values (“DON’T KNOW” and “REFUSED”) are treated the same as response values for routing; if they are not mentioned in specific routing instructions, then the routing follows other criteria. Many routing instructions consist of multiple statements. The first statement describes a set of conditions and indicates the next question to be asked if those conditions are met. (“IF ____, GO TO ____.”) Subsequent statements use the word “else” to indicate that the conditions given in previous statements have not been met. (“ELSE, IF ____, GO TO ____.”) This means that the first statement fulfilled by the respondent always indicates the next question asked.
- **Randomized Question Order.** Some series of questions were presented to respondents in a randomized order. In such instances, a non-question box precedes the series and specifies which questions are part of the randomized series. Routing within these series indicates which questions were asked of different respondents and reflects the static order of the questions in this document. It does *not* reflect the actual order in which the questions were displayed for respondents.

- **Iterative Loops.** There are several questions, series of questions, and entire sections that are specified as being asked in a loop. In such instances, questions were iteratively asked of the respondent to collect similar information on two or more topics. For example, the questions about cigars are asked iteratively regarding traditional cigars, cigarillos, and filtered cigars. These items are specified one time, with programming instructions identifying the beginning and ending of the loop and how it is to be changed for each iteration. The responses for each iteration are captured in different variables, which have different suffixes to indicate which iteration each variable applies to. For example, the variables for smokeless tobacco end in SM and the variables for snus pouches end in SU. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) However, when variables within loops are referenced in the instrument, the root variable is referenced a single time and the iteration indicator suffixes are combined in brackets. This is done to simplify the presentation. Unless explicitly stated otherwise, variables for one iteration have no impact on a different iteration. For example, if a question about smokeless tobacco or snus pouches refers to a variable that ends in [SM/SU], *only* the SM variable applies to the smokeless tobacco iteration, and *only* the SU variable applies to the snus pouch iteration.
- **Variables With Multiple Components.** Some questions contain separate variables for multiple components. Examples of such items include “choose all that apply” questions, where there is a separate variable for each response category; questions that ask about duration, where data are recorded in separate variables as number and unit (days, months, years) combinations (number variables are indicated by the suffix _NN and unit variables are indicated by _UN); and questions that ask for a price, where data are recorded in separate variables as dollar (_D) and cent (_C) combinations. Each component variable in such items is differentiated using an appropriate suffix. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) However, when variables with multiple components are referenced in routing instructions that precede the question, the component suffix is omitted. This is done to simplify the presentation, since before the question is asked, the respondent’s answer is not known. Unless explicitly stated otherwise, the reference to the root variable name (without the component suffix) in the logic means that the logic applies to the entire item, not just to a specific component variable. In routing instructions that come after the question, the specific variable with the component suffix is included, so that the routing instructions are clear and specific.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

- **Images.** All generic images used to display examples during interview administration are included in an appendix. Images used to display tobacco brands, products, or advertisements are not included in this instrument.
- **Range Checks.** Some questions include a soft range check for responses. This means that respondents were not prevented from entering responses that were outside of the range. However, if a respondent entered a response that was out of range, they received a prompt noting their answer. They were asked to change their answer if it was incorrect or confirm their answer by proceeding to the next question.
- **Section routing.** Respondents are assumed to be routed through every section in the instrument in turn, unless otherwise noted. For the sections that ask questions about specific tobacco products (cigarettes, e-cigarettes, cigars, pipe, hookah, smokeless tobacco and dissolvable tobacco), respondents are only routed to the section if they are ever users of the product, then to the polyuse section. All respondents are routed to the nicotine dependence section. This routing is not explicitly defined in each section, but is driven by BOX R01_AX1, which specifies:
 - For a respondent who is an ever of cigarettes (R01_EVER USERS = 1): go to cigarette section, then to sections (in order) for the other products they are ever users of (if any). Complete remaining specific tobacco product sections in order, then the polyuse section, then the nicotine dependence section. Complete all remaining sections after nicotine dependence in order.
 - For a respondent who has never used cigarettes (R01_EVER USERS = 2): go to sections (in order) for the other product or products they are ever users of (if any). Complete remaining specific tobacco product sections in order, then the polyuse section, then the nicotine dependence section. Complete all remaining sections after nicotine dependence in order.
 - In some cases, a respondent is skipped from the middle of one section to the next section on the route that is applicable to them. This is noted by stating “GO TO THE NEXT SECTION.” For simplicity, the specific logic for routing from one section to another is not described in these cases. Rather, it is assumed that respondents are routed through the specific tobacco product sections for every tobacco product they have ever used, and that all respondents are routed to the

PATH Study Wave 1 Adult Public Use File Annotated Instrument

nicotine dependence section. After the nicotine dependence sections, all remaining sections are completed in order.

- **Never Users.** The instrument refers to a respondent not reporting use of a product as having never used the product. As such, never usage includes respondents reporting that they have never used a product, or that they don't know whether they have ever used the product, or refusing to answer whether they have ever used the product. This design reflects programming and data collection necessities, rather than an analytic definition.
- ****/** Notation.** The **/** notation on some item IDs is indicative of a Wave 1 instrument error. The "***" notation represents an INSTRUMENT ERROR which resulted in missing data for some respondents due to an incorrect skip. See Appendix - Adult Instrument Skip Error Summary for more information. The "****" notation on some item IDs is indicative of a Wave 1 instrument DATA ERROR which are not attributed to any skip errors. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.). See Appendix - Adult Instrument Data Error Summary for more information.
- **Nicotine Dependence Section.** Respondents routed to this section were asked the questions up to two times, as part of an iterative loop. For this reason, the nicotine dependence data are stored in two sets of variables: one that ends with an “E” suffix (for example, R01_AN0030E, R01_AN0035E, R01_AN0045E) and one that does not (for example, R01_AN0030, R01_AN0035, R01_AN0045). This note describes the variables in which the data are stored and how use is defined.

Polyuse means use of two or more tobacco products. The variables with the “E” suffix only include data about e-cigarettes for polyusers who use e-cigarettes. E-cigarette data for single product users and data for all other tobacco products are found in the variables without the suffix.

Variables that store nicotine dependence data

- Data for single product e-cigarette users are stored in the variables without the “E” suffix.
- Data for single product users of other tobacco products are stored in the variables without the “E” suffix.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

- Data for polyusers who use e-cigarettes are stored in the variables with the “E” suffix for responses specific to their e-cigarettes and in the variables without the “E” suffix for responses about their other product or products.
- Data for polyusers who do not use e-cigarettes are stored in the variables without the “E” suffix.

It is important to note that the first and third bullets indicate that data for respondents who use e-cigarettes are stored in one or the other of the two sets of variables; which set depends on whether they used e-cigarettes exclusively or in combination with other tobacco products.

Therefore, analysts interested in dependence among e-cigarette users should consider both sets of variables.

The variable R01_ND_DATA_ROUTE in the data file identifies the set of variables in which a respondent has dependence data. Please refer to the codebook for more information regarding this variable.

Description of respondents who are asked questions in the nicotine dependence section.

Respondents were routed to the nicotine dependence section based on the count of tobacco products used, which is itself dependent on how use is defined.

The count of tobacco products used to determine if a respondent was a single product user or a polyuser depended on three types of use: current established use (CS), former past 12 month use (FP12) and current experimental use (CX).

The rules for counting products used are shown in the table below.

- To determine the count, the products in the use category(ies) shown in the “basis of product count” column were summed. Each of the three types of cigars (traditional cigars, cigarillos and filtered cigars) were counted separately, as were smokeless tobacco and snus.
- Based on that sum, users were categorized as single product users or polyusers.
- If one of the use categories was missing, it was considered to be no.
- The questions asked in the nicotine dependence section were about the products in the use category(ies) shown in the last column.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Current experimental user (CX)	Current established user (CS)	Former Past 12 month user (FP12)	Basis of product count
YES	NO	NO	CX
NO	YES	NO	CS
NO	NO	YES	FP12
NO	YES	YES	CS and FP12 combined
YES	YES	YES	CS and FP12 combined
YES	YES	NO	CS
YES	NO	YES	FP12
NO	NO	NO	Not applicable

Note that as shown in the table above, the only circumstance where a respondent answered nicotine dependence questions about their current experimental use is when that respondent was neither a current established user nor a former past 12 month user. Current established users or former past 12 month users of a single product who were experimental users of a second product were considered single product users. Once the respondent was categorized as a single product user or a polyuser, their responses to questions were stored in the data file as described in the variables section above.

- **Questionnaire variables excluded from the data file.** Several questionnaire variables are excluded from the PATH Study Wave 1 Public Use File (PUF) in order to protect the identity of the PATH Study participants. Some of the information in these variables will be retained and presented in new derived variables while other information will be entirely excluded from the file. Table 1 below contains a list of variables that are entirely excluded from the data file; Table 2 below contains a list of variables that are replaced with a new derived variable.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF

Questionnaire Variable	Questionnaire Variable Description
R01_AC1033MC_OS	Retail location where your cigarette is purchased most of the time - Specify
R01_AC1033RY_OS	Retail location where your roll your own cigarette tobacco is purchased most of the time - Specify
R01_AC1049MC	Brand of cigarettes usually / last smoked - Specify
R01_AC1049RY	Brand of roll-your-own cigarette tobacco usually / last smoked - Specify
R01_AC1071MC	Sub-brand of cigarette product usually / last smoked - Specify
R01_AC1071RY	Name of roll-your-own cigarette tobacco product usually / last smoked - Specify
R01_AD1033_OS	Retail location where your dissolvable tobacco is purchased most of the time - Specify
R01_AD1049	Brand of dissolvable tobacco usually / last used - Specify
R01_AD1071	Sub-brand of dissolvable tobacco usually / last smoked - Specify
R01_AE1033_OS	Retail location where your e-cigarettes and e-liquid / e-cigarette cartridges is purchased most of the time - Specify
R01_AE1049	Brand of e-cigarettes usually / last used - Specify
R01_AE9003	Brand of e-cigarette owned - Specify
R01_AG1033CG_OS	Retail location where your cigarillos / cigarillos for blunts is purchased most of the time - Specify
R01_AG1033FC_OS	Retail location where your filtered cigars / filtered cigars for blunts is purchased most of the time - Specify
R01_AG1033TC_OS	Retail location where your traditional cigars are purchased most of the time - Specify
R01_AG1049CG	Brand of cigarillos usually / last smoked - Specify
R01_AG1049FC	Brand of filtered cigars usually / last smoked - Specify
R01_AG1049TC	Brand of traditional cigars usually / last smoked - Specify
R01_AG1071CG	Sub-brand of cigarillo product usually / last smoked - Specify
R01_AG1071FC	Sub-brand of filtered cigar product usually / last smoked - Specify
R01_AG1071TC	Sub-brand of traditional cigar product usually / last smoked - Specify
R01_AH1033_OS	Retail location where your hookah tobacco is purchased most of the time - Specify
R01_AH1049	Brand of hookah tobacco usually / last smoked - Specify
R01_AH1071	Sub-brand of hookah tobacco product usually / last smoked - Specify
R01_AH9011_OS	Place where usually smoke / smoked a hookah: Somewhere else - Specify
R01_AM0007	Ever served on active duty in the U.S. Armed Forces, Military Reserves or National Guard
R01_AM0008	Currently on active duty in the U.S. Armed Forces
R01_AM0010_01	When served on active duty in the U.S. Armed Forces: September 2001 or later
R01_AM0010_02	When served on active duty in the U.S. Armed Forces: August 1990 to August 2001 (including Persian Gulf War)

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF (continued)

Questionnaire Variable	Questionnaire Variable Description
R01_AM0010_03	When served on active duty in the U.S. Armed Forces: September 1980 to July 1990
R01_AM0010_04	When served on active duty in the U.S. Armed Forces: May 1975 to August 1980
R01_AM0010_05	When served on active duty in the U.S. Armed Forces: Vietnam era (August 1964 to April 1975)
R01_AM0010_06	When served on active duty in the U.S. Armed Forces: March 1961 to July 1964
R01_AM0010_07	When served on active duty in the U.S. Armed Forces: February 1955 to February 1961
R01_AM0010_08	When served on active duty in the U.S. Armed Forces: Korean War (July 1950 to January 1955)
R01_AM0010_09	When served on active duty in the U.S. Armed Forces: January 1947 to June 1950
R01_AM0010_10	When served on active duty in the U.S. Armed Forces: Word War II (December 1941 to December 1946)
R01_AM0010_11	When served on active duty in the U.S. Armed Forces: November 1941 or earlier
R01_AM0011_01	Branch served when on active duty: Army
R01_AM0011_02	Branch served when on active duty: Navy
R01_AM0011_03	Branch served when on active duty: Air Force
R01_AM0011_04	Branch served when on active duty: Marine Corps
R01_AM0011_05	Branch served when on active duty: Coast Guard
R01_AM0012	Ever been enrolled in VA Health Care
R01_AM0013_01	Received any VA Health Care Benefits: I have received services at the VA
R01_AM0013_02	Received any VA Health Care Benefits: VA has paid for some or all of my health care
R01_AM0013_03	Received any VA Health Care Benefits: I have not received any VA health care benefits
R01_AM0016	Main job title or occupation
R01_AM0021	Sexual attraction to gender
R01_AM0025	Sexual orientation - Specify
R01_AM0050	Ever served on active duty in the U.S. Armed Forces, Military Reserves or National Guard (Confirmation)
R01_AP1033_OS	Retail location where your pipe tobacco is purchased most of the time - Specify
R01_AP1049	Brand of pipe tobacco usually / last smoked - Specify
R01_AP1071	Sub-brand of pipe tobacco product usually / last smoked - Specify
R01_AS1033SM_OS	Retail location where your smokeless tobacco is purchased most of the time - Specify
R01_AS1033SU_OS	Retail location where your snus pouches is purchased most of the time - Specify
R01_AS1049SM	Brand of smokeless tobacco usually / last used - Specify

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF (continued)

Questionnaire Variable	Questionnaire Variable Description
R01_AS1049SU	Brand of snus pouch usually / last used – Specify
R01_AS1071SM	Sub-brand of smokeless tobacco product usually / last smoked - Specify
R01_AS1071SU	Sub-brand of snus pouch product usually / last smoked - Specify
R01_AX0190	Is deaf or has serious difficulty hearing
R01_AX0191	Is blind or has serious difficulty seeing, even when wearing glasses
R01_AX0197_OS	Brand of favorite tobacco advertisement - Specify
R01_AX0217_1A	Tobacco Product 1, bar code scan
R01_AX0217_2A	Tobacco Product 2, bar code scan
R01_AX0217_3A	Tobacco Product 3, bar code scan
R01_AX0217_4A	Tobacco Product 4, bar code scan
R01_AX0217_5A	Tobacco Product 5, bar code scan
R01_AX0217_6A	Tobacco Product 6, bar code scan
R01_AX0217_7A	Tobacco Product 7, bar code scan
R01_AX0217_8A	Tobacco Product 8, bar code scan
R01_AX0217_9A	Tobacco Product 9, bar code scan
R01_AX0217_10A	Tobacco Product 10, bar code scan
R01_AX0309	Calendar year of most recent pregnancy
R01_LAD01	Respondent's preferred language to complete ACASI interview
R01_LCAD01	Language in which CAPI portions of adult interview were conducted

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R01_AM0001 R01_AM0002 R01_AM0003	R01R_A_AGECA7	Age range when interviewed (7 levels)
R01_AM0005_01 R01_AM0005_02 R01_AM0005_03 R01_AM0005_04 R01_AM0005_05	R01R_A_HISP	Hispanic origin from the interview (2 levels)
R01_AM0006_WH R01_AM0006_AA R01_AM0006_AI R01_AM0006_IN R01_AM0006_CH R01_AM0006_FI R01_AM0006_JA R01_AM0006_KO R01_AM0006_VI R01_AM0006_OA R01_AM0006_HI R01_AM0006_GU R01_AM0006_SA R01_AM0006_OP	R01R_A_RACECAT3	Race from the interview (3 levels)
R01_AM0018	R01R_A_AM0018	Highest grade or level of school completed (6 levels)
R01_AM0030	R01R_A_AM0030	Total household income in the past 12 months (5 levels)
R01_AX0135_01 R01_AX0135_02 R01_AX0135_03 R01_AX0135_04 R01_AX0135_05	R01R_A_AX0135	Ever had pregnancy outcome of miscarriages, induced abortions, ectopic or tubal pregnancies or stillbirths (2 levels)
R01_AX0300_01 R01_AX0300_02 R01_AX0300_03 R01_AX0300_04 R01_AX0300_05 R01_AX0300_06 R01_AX0300_07	R01R_A_AX0300	Indicator of Ever had outcome for live birth of Preterm birth, low birth weight, birth defects, Placenta Previa, Placenta Abruptio, or Pre-eclampsia (2 levels)
R01_AC1006 R01_AC1120	R01R_A_AC1006	Age range when first smoked part or all of a cigarette (6 levels)
R01_AC1007 R01_AC1121	R01R_A_AC1007	Age range when first started smoking cigarettes fairly regularly (6 levels)
R01_AC1020 R01_AC1122	R01R_A_AC1020	Age range when first started smoking cigarettes every day (6 levels)

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R01_AD1006 R01_AD1120	R01R_A_AD1006	Age range when first used dissolvable tobacco, even one or two times (6 levels)
R01_AD1007 R01_AD1121	R01R_A_AD1007	Age range when first started using dissolvable tobacco fairly regularly (6 levels)
R01_AD1020 R01_AD1122	R01R_A_AD1020	Age range when first started using dissolvable tobacco every day (6 levels)
R01_AE1006 R01_AE1120	R01R_A_AE1006	Age range when first time used an e-cigarette, even one or two times (6 levels)
R01_AE1007 R01_AE1121	R01R_A_AE1007	Age range when first started using e-cigarettes fairly regularly (6 levels)
R01_AE1020 R01_AE1122	R01R_A_AE1020	Age range when first started using e-cigarettes every day (6 levels)
R01_AG1006CG R01_AG1120CG	R01R_A_AG1006CG	Age range when first time smoked part or all of a cigarillo, even one or two puffs (6 levels)
R01_AG1006FC R01_AG1120FC	R01R_A_AG1006FC	Age range when first smoked part or all of a filtered cigar, even one or two puffs (6 levels)
R01_AG1006TC R01_AG1120TC	R01R_A_AG1006TC	Age range when first smoked part or all of a traditional cigar, even one or two puffs (6 levels)
R01_AG1007CG R01_AG1121CG	R01R_A_AG1007CG	Age range when first started smoking cigarillos fairly regularly (6 levels)
R01_AG1007FC R01_AG1121FC	R01R_A_AG1007FC	Age range when first started smoking filtered cigars fairly regularly (6 levels)
R01_AG1007TC R01_AG1121TC	R01R_A_AG1007TC	Age range when first started smoking traditional cigars fairly regularly (6 levels)
R01_AG1020CG R01_AG1122CG	R01R_A_AG1020CG	Age range when first started smoking cigarillos every day (6 levels)
R01_AG1020FC R01_AG1122FC	R01R_A_AG1020FC	Age range when first started smoking filtered cigars every day (6 levels)
R01_AG1020TC R01_AG1122TC	R01R_A_AG1020TC	Age range when first started smoking traditional cigars every day (6 levels)
R01_AH1006 R01_AH1120	R01R_A_AH1006	Age range when first smoked hookah, even one or two puffs (6 levels)
R01_AH1007 R01_AH1121	R01R_A_AH1007	Age range when first started smoking hookah fairly regularly (6 levels)
R01_AH1020 R01_AH1122	R01R_A_AH1020	Age range when first started smoking hookah every day (6 levels)

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R01_AP1006 R01_AP1120	R01R_A_AP1006	Age range when first smoked part or all of a pipe filled with tobacco, even one or two puffs (6 levels)
R01_AP1007 R01_AP1121	R01R_A_AP1007	Age range when first started smoking a pipe filled with tobacco fairly regularly (6 levels)
R01_AP1020 R01_AP1122	R01R_A_AP1020	Age range when first started smoking a pipe filled with tobacco every day (6 levels)
R01_AS1006SM R01_AS1120SM	R01R_A_AS1006SM	Age range when first used smokeless tobacco, even one or two times (6 levels)
R01_AS1006SU R01_AS1120SU	R01R_A_AS1006SU	Age range when first used snus pouches, even one or two times (6 levels)
R01_AS1007SM R01_AS1121SM	R01R_A_AS1007SM	Age range when first started using smokeless tobacco fairly regularly (6 levels)
R01_AS1007SU R01_AS1121SU	R01R_A_AS1007SU	Age range when first started using snus pouches fairly regularly (6 levels)
R01_AS1020SM R01_AS1122SM	R01R_A_AS1020SM	Age range when first started using smokeless tobacco every day (6 levels)
R01_AS1020SU R01_AS1122SU	R01R_A_AS1020SU	Age range when first started using snus pouches every day (6 levels)
R01_AX0074 R01_AX0270	R01R_A_AX0074	Age range when first alcoholic drink was consumed (6 levels)
R01_AX0079 R01_AX0271	R01R_A_AX0079	Age range when first used marijuana, hash, THC or grass (6 levels)
R01_AX0082_01 R01_AX0272_01	R01R_A_AX0082_01	Age range when first started using: Ritalin or Adderall (6 levels)
R01_AX0082_02 R01_AX0272_02	R01R_A_AX0082_02	Age range when first started using: Painkillers, sedatives or tranquilizers (6 levels)
R01_AX0082_03 R01_AX0272_03	R01R_A_AX0082_03	Age range when first started using: Cocaine or crack (6 levels)
R01_AX0082_04 R01_AX0272_04	R01R_A_AX0082_04	Age range when first started using: Stimulants like methamphetamine or speed (6 levels)
R01_AX0082_05 R01_AX0272_05	R01R_A_AX0082_05	Age range when first started using: Any other drugs like heroin, inhalants, solvents, or hallucinogens (6 levels)
R01_AX0086 R01_AX0087	R01R_A_AX0086	Age range when first drank alcohol at all, counting small tastes or sips (6 levels)
R01_AX0112 R01_AX0252	R01R_A_AX0112	Age range when you were first told you had a heart attack (6 levels)

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R01_AX0114 R01_AX0253	R01R_A_AX0114	Age range when you were first told you had high blood pressure (6 levels)
R01_AX0115 R01_AX0254	R01R_A_AX0115	Age range when you were first told you had high cholesterol (6 levels)
R01_AX0116 R01_AX0255	R01R_A_AX0116	Age range when you were first told you had congestive heart failure (6 levels)
R01_AX0117 R01_AX0256	R01R_A_AX0117	Age range when you were first told you had a stroke (6 levels)
R01_AX0120 R01_AX0257	R01R_A_AX0120	Age range when you were first told you had COPD (6 levels)
R01_AX0121 R01_AX0258	R01R_A_AX0121	Age range when you were first told you had chronic bronchitis (6 levels)
R01_AX0123 R01_AX0259	R01R_A_AX0123	Age range when you were first told you had emphysema (6 levels)
R01_AX0124 R01_AX0260	R01R_A_AX0124	Age range when you were first told you had asthma (6 levels)
R01_AX0131 R01_AX0261	R01R_A_AX0131	Age range when you were first told you had gum disease (6 levels)
R01_AX0133 R01_AX0262	R01R_A_AX0133	Age range when you were first told you had pre-cancerous oral lesions (6 levels)
R01_AX0143 R01_AX0264	R01R_A_AX0143	Age range when you were first told you had an ulcer (6 levels)
R01_AX0148 R01_AX0266	R01R_A_AX0148	Age range when you were first told you had stomach or gastro-intestinal bleeding (6 levels)
R01_AX0150 R01_AX0267	R01R_A_AX0150	Age range when you were first told you had osteoporosis (6 levels)
R01_AX0152 R01_AX0269	R01R_A_AX0152	Age range when you were first told you had a cataract or glaucoma (6 levels)
R01_AX0198 R01_AX0268	R01R_A_AX0198	Age range when you were first told you had a bone fracture because you have fragile bones (6 levels)
R01_AX0280 R01_AX0263	R01R_A_AX0280	Age range when you were first told you had diabetes, sugar diabetes, high blood sugar or borderline diabetes (6 levels)

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R01_AM0026_01 R01_AM0026_02 R01_AM0026_03 R01_AM0026_04 R01_AM0026_05 R01_AM0026_06 R01_AM0026_07 R01_AM0026_08	R01R_A_AM0026	Currently covered by health insurance or health coverage plan (5 levels)
R01_AX0308	R01R_A_AX0308	Number of pregnancies that have resulted in a live birth (2 levels)
R01_AX0310 R01_AX0108_FT R01_AX0108_IN R01_AX0311 R01_AX0109 R01_AX0312	R01R_A_BMI	Body mass index
R01_AX0145_01 R01_AX0145_06 R01_AX0145_07 R01_AX0145_08 R01_AX0145_10 R01_AX0145_11 R01_AX0145_13 R01_AX0145_14 R01_AX0145_17 R01_AX0145_20 R01_AX0145_22 R01_AX0145_26 R01_AX0145_28	R01R_A_AX0145_TOB	Type of cancer is a tobacco related cancer

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R01_AX0146_01 R01_AX0146_06 R01_AX0146_07 R01_AX0146_08 R01_AX0146_10 R01_AX0146_11 R01_AX0146_13 R01_AX0146_14 R01_AX0146_17 R01_AX0146_20 R01_AX0146_22 R01_AX0146_26 R01_AX0146_28 R01_AX0265_01 R01_AX0265_06 R01_AX0265_07 R01_AX0265_08 R01_AX0265_10 R01_AX0265_11 R01_AX0265_13 R01_AX0265_14 R01_AX0265_17 R01_AX0265_20 R01_AX0265_22 R01_AX0265_26 R01_AX0265_28	R01R_A_AX0146_TOB	Age when first tobacco-related cancer was diagnosed
R01_AX0145_02 R01_AX0145_03 R01_AX0145_04 R01_AX0145_05 R01_AX0145_09 R01_AX0145_12 R01_AX0145_15 R01_AX0145_16 R01_AX0145_18 R01_AX0145_19 R01_AX0145_21 R01_AX0145_23 R01_AX0145_24 R01_AX0145_25 R01_AX0145_27 R01_AX0145_29 R01_AX0145_30 R01_AX0145_31	R01R_A_AX0145_NONTOB	Type of cancer is a non-tobacco related cancer

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R01_AX0146_02	R01R_A_AX0146_NONTOB	Age when first non tobacco-related cancer was diagnosed
R01_AX0146_03		
R01_AX0146_04		
R01_AX0146_05		
R01_AX0146_09		
R01_AX0146_12		
R01_AX0146_15		
R01_AX0146_16		
R01_AX0146_18		
R01_AX0146_19		
R01_AX0146_21		
R01_AX0146_23		
R01_AX0146_24		
R01_AX0146_25		
R01_AX0146_27		
R01_AX0146_29		
R01_AX0146_30		
R01_AX0146_31		
R01_AX0265_02		
R01_AX0265_03		
R01_AX0265_04		
R01_AX0265_05		
R01_AX0265_09		
R01_AX0265_12		
R01_AX0265_15		
R01_AX0265_16		
R01_AX0265_18		
R01_AX0265_19		
R01_AX0265_21		
R01_AX0265_23		
R01_AX0265_24		
R01_AX0265_25		
R01_AX0265_27		
R01_AX0265_29		
R01_AX0265_30		
R01_AX0265_31		

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R01_AM0022 R01_AM0023 R01_AM0024 R01_AM0028	R01R_A_SEXORIENT2	Adult sexual orientation (2 levels)

ADULT AGE CONFIRMATION**Variable(s): R01_AM0001 (R01R_A_AGE)**

May I please have your date of birth?

_____ MM/DD/YYYY

-8 DON'T KNOW GO TO R01_AM0002

-7 REFUSED GO TO R01_AM0002

ASK: All respondents.

NOTE: R01R_A_AGE was created after data collection. The variable R01_AM0001 is not included in the dataset, but the question is included in this questionnaire for reference.

BOX ID: BOX 1

DISPLAY HARD-ERROR:

I have recorded that your date of birth is {R01_AM0001 ANSWER}. Is that correct?

PRESS S IF YES.

PRESS G TO GO BACK AND EDIT ENTRY.

S SUPPRESS GO TO BOX 1A

G GO BACK GO TO R01_AM0001

Variable(s): R01_AM0002 (R01R_A_AGE)

Can you tell me how old you are?

|_|_|_| years old GO TO BOX 1A

-8 DON'T KNOW

-7 REFUSED

ASK: If R01_AM0001 = -8 or -7.

NOTE: R01R_A_AGE was created after data collection. The variable R01_AM0002 is not included in the dataset, but the question is included in this questionnaire for reference.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AM0003**

Are you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 29 years old, or
- 4 30 years old or older?

-8 DON'T KNOW

GO TO CAD16

-7 REFUSED

GO TO CAD16

ASK: If R01_AM0002 = -8 or -7.

BOX ID: **BOX 1A**

Create a variable, INTVDATE, to record the date that the interview is being conducted.

Create a derived variable, called ACHIEVEDAGE (R01R_A_AGE), as follows:

IF R01_AM0001 !=DK/RF, use a standard algorithm to determine his/her year of age on the date that the consent is being administered, using the DOB entered into R01_AM0001.

IF R01_AM0001=DK/RF and R01_AM0002 !=DK/RF, then use the age entered into R01_AM0002.

IF R01_AM0002=DK/RF and R01_AM0003 !=DK/RF, then use the following values for ACHIEVEDAGE:

IF R01_AM0003=1, then ACHIEVEDAGE=17

IF R01_AM0003=2, then ACHIEVEDAGE=21

IF R01_AM0003=3, then ACHIEVEDAGE=27

IF R01_AM0003=4, then ACHIEVEDAGE=30

NOTE: R01R_A_AGE was created after data collection. The variable ACHIEVEDAGE is not included in the dataset, but the description is included in this questionnaire for reference.

INITIAL ADMINISTRATIVE DATA

Variable(s): R01_LAD01

I'm going to give you the computer to complete the survey. Do you want to answer questions in English or Spanish?

1 ENGLISH

2 SPANISH

-8 DON'T KNOW

-7 REFUSED

ASK: All respondents who signed the consent.

INTRODUCTORY DEMOGRAPHICS

Variable(s): R01_AM0004 (R01R_A_SEX)

What is your sex?

- 1 Male
- 2 Female
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: R01R_A_SEX was created for analysis after data collection. It is the sex variable that is included in the dataset. R01_AM0004 is not included in the dataset, but the question is included in this questionnaire for reference.

Variable(s): SEE BELOW:

Are you Hispanic, [Latino I Latina I Latino or Latina], or of Spanish origin? Choose all that apply.

- R01_AM0005_01 1 No, not of Hispanic, [Latino I Latina I Latino or Latina], or Spanish origin
- R01_AM0005_02 2 Yes, Mexican, Mexican American, [Chicano I Chicana I Chicano or Chicana]
- R01_AM0005_03 3 Yes, Puerto Rican
- R01_AM0005_04 4 Yes, Cuban
- R01_AM0005_05 5 Yes, Another Hispanic, [Latino I Latina I Latino or Latina], or Spanish origin
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

DISPLAY: If male (R01R_A_SEX=1), display "Latino" and "Chicano"; if female (R01R_A_SEX=2), display "Latina" and "Chicana"; if don't know or refused (R01R_A_SEX=SYSTEM MISSING), display "Latino or Latina" and "Chicano or Chicana".

PROGRAM: Option 1 cannot be selected if options 2, 3, 4, or 5 are also selected. (IF R01_AM0005_01 = 1, THEN R01_AM0005_02 != 1 AND R01_AM0005_03 != 1 AND R01_AM0005_04 != 1 AND R01_AM0005_05 != 1.)

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
What is your race? Choose all that apply.	
R01_AM0006_WH	1 White
R01_AM0006_AA	2 Black or African American
R01_AM0006_AI	3 American Indian or Alaska Native
R01_AM0006_IN	4 Asian Indian
R01_AM0006_CH	5 Chinese
R01_AM0006_FI	6 Filipino
R01_AM0006_JA	7 Japanese
R01_AM0006_KO	8 Korean
R01_AM0006_VI	9 Vietnamese
R01_AM0006_OA	10 Other Asian
R01_AM0006_HI	11 Native Hawaiian
R01_AM0006_GU	12 Guamanian or Chamorro
R01_AM0006_SA	13 Samoan
R01_AM0006_OP	14 Other Pacific Islander
	-8 DON'T KNOW
	-7 REFUSED
ASK: All respondents.	

Variable(s):	R01_AM0007
Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?	
Note: Active duty for the Reserves or National Guard does not include the regular training for the Reserves or Guard. It does include being activated for deployment, such as for the Iraq War.	
1	Yes, now on active duty
2	Yes, on active duty in the past, but not now
3	No, training for Reserves or National Guard only
4	No, never served in the military
-8	DON'T KNOW
-7	REFUSED
	GO TO R01_AM0010
	GO TO R01_AC1002
	GO TO R01_AC1002
	GO TO R01_AC1002
	GO TO R01_AC1002
ASK: All respondents.	

Variable(s):	R01_AM0008
You said you are currently on active duty in the U.S. Armed Forces. Is that correct?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
	GO TO R01_AM0009
	GO TO R01_AM0009
	GO TO R01_AM0009
ASK: Respondents who are currently on active duty (R01_AM0007=1).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AM0050

Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?

Note: Active duty for the Reserves or National Guard does not include the regular training for the Reserves or Guard. It does include being activated for deployment, such as for the Iraq War.

- | | | |
|----|--|------------------|
| 1 | Yes, now on active duty | |
| 2 | Yes, on active duty in the past, but not now | GO TO R01_AM0010 |
| 3 | No, training for Reserves or National Guard only | GO TO R01_AC1002 |
| 4 | No, never served in the military | GO TO R01_AC1002 |
| -8 | DON'T KNOW | GO TO R01_AC1002 |
| -7 | REFUSED | GO TO R01_AC1002 |

ASK: Respondents who did not provide confirmation to active duty (R01_AM0008=2).

Variable(s): R01_AM0009

[DISPLAY IF RESPONDENT IS CURRENTLY ON ACTIVE DUTY ((R01_AM0007 = 1 AND R01_AM0008 != NO) OR R01_AM0050 = 1))]

People who are currently on active duty in the U.S. Armed Forces are not eligible to be interviewed in this study. We appreciate you taking the time to speak with us. Please give the computer back to the interviewer.

ASK: Respondents who are currently on active duty (R01_AM0007=1) and confirmed their response (R01_AM0008!=NO) or corrected response (R01_AM0050=1)

GOTO: R01_AL3001

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
When did you serve on active duty in the U.S. Armed Forces? Choose all that apply, even if it was just for part of the period.	
R01_AM0010_01	1 September 2001 or later
R01_AM0010_02	2 August 1990 to August 2001 (including Persian Gulf War)
R01_AM0010_03	3 September 1980 to July 1990
R01_AM0010_04	4 May 1975 to August 1980
R01_AM0010_05	5 Vietnam era (August 1964 to April 1975)
R01_AM0010_06	6 March 1961 to July 1964
R01_AM0010_07	7 February 1955 to February 1961
R01_AM0010_08	8 Korean War (July 1950 to January 1955)
R01_AM0010_09	9 January 1947 to June 1950
R01_AM0010_10	10 World War II (December 1941 to December 1946)
R01_AM0010_11	11 November 1941 or earlier
	-8 DON'T KNOW
	-7 REFUSED
ASK: Respondents who have been on active duty, but are not currently on active duty (R01_AM0007=2 or R01_AM0050=2).	

Variable(s):	SEE BELOW:
In which branch or branches did you serve on active duty? Choose all that apply.	
R01_AM0011_01	1 Army
R01_AM0011_02	2 Navy
R01_AM0011_03	3 Air Force
R01_AM0011_04	4 Marine Corps
R01_AM0011_05	5 Coast Guard
	-8 DON'T KNOW
	-7 REFUSED
ASK: Respondents who have been on active duty, but are not currently on active duty (R01_AM0007=2 or R01_AM0050=2).	

Variable(s):	R01_AM0012
Have you ever been enrolled in VA health care?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Respondents who have been on active duty, but are not currently on active duty (R01_AM0007=2 or R01_AM0050=2).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):		SEE BELOW:
Have you received any VA health care benefits? Choose all that apply.		
R01_AM0013_01	1	I have received services at the VA
R01_AM0013_02	2	VA has paid for some or all of my health care
R01_AM0013_03	3	I have not received any VA health care benefits
	-8	DON'T KNOW
	-7	REFUSED
ASK: Respondents who have been on active duty, but are not currently on active duty (R01_AM0007=2 or R01_AM0050=2).		
PROGRAM: Option 3 cannot be selected if Options 1 or 2 are also selected. (If R01_AM0013_03 = 1 Then R01_AM0013_01 != 1 AND R01_AM0013_02 != 1.)		

TOBACCO USE

Variable(s): R01_AC1002		
Have you ever smoked a cigarette, even one or two puffs?		
1	Yes	
2	No	GO TO BOX R01_AE1
-8	DON'T KNOW	GO TO BOX R01_AE1
-7	REFUSED	GO TO BOX R01_AE1
ASK: All respondents.		

Variable(s): R01_AC1003		
Do you now smoke cigarettes...		
1	Every day	
2	Some days	
3	Not at all	GO TO R01_AC1004
-8	DON'T KNOW	
-7	REFUSED	
ASK: Respondents who have ever smoked a cigarette (R01_AC1002=1).		

Variable(s): R01_AC0100		
When did you last smoke a cigarette?		
1	In the past hour	
2	Sometime today	
3	Yesterday	
4	Day before yesterday	
5	Three or more days ago	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Respondents who smoke cigarettes everyday or some days (R01_AC1003=1, 2, -8 or -7).		
GOTO: IF R01_AC0100 = 2 OR 3 OR 4, GO TO R01_AC0102.		
ELSE, IF R01_AC0100 = 1, GO TO R01_AC0103.		
ELSE, IF R01_AC1003 = -8, -7, GO TO R01_AC1004.		
ELSE, GO TO BOX R01_AE1.		

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC0102

When you last smoked a cigarette [FILL BASED ON R01_AC0100], was it in the...

- 1 Morning
- 2 Afternoon
- 3 Evening
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have smoked a cigarette sometime today, yesterday or the day before yesterday (R01_AC0100=2 or 3 or 4).

DISPLAY: [FILL BASED ON R01_AC0100]: If R01_AC0100=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AC0100, making first letter lowercase.

Variable(s): R01_AC0103

How many cigarettes [have/did] you [smoked/smoke] [FILL BASED ON R01_AC0100]? A pack usually has 20 cigarettes in it.

- I _ I _ I Number of cigarettes
- 8 DON'T KNOW
 - 7 REFUSED

ASK: Respondents who have smoked a cigarette in past hour, sometime today, yesterday or the day before yesterday (R01_AC0100=1 or 2 or 3 or 4).

DISPLAY: If respondent smoked in past hour or sometime today (R01_AC0100=1 or 2), display "have" and "smoked". If respondent smoked yesterday or the day before yesterday (R01_AC0100=3 or 4), display "did" and "smoke".

For [FILL BASED ON R01_AC0100]: If R01_AC0100=1 OR 2, display "today".

If R01_AC0100=4, display "the day before yesterday".

Else, display text as shown in options selected in R01_AC0100.

Display 'Number of cigarettes' as a title.

Variable(s): R01_AC1004

In the past 30 days, have you smoked a cigarette, even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever smoked a cigarette (R01_AC1002=1) AND do not currently smoke every day or some days (R01_AC1003=3, -8 or -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_AE1
The next questions are about electronic cigarettes, often called e-cigarettes. E-cigarettes look like regular cigarettes, but are battery-powered and produce vapor instead of smoke. There are many types of e-cigarettes. Some common brands include NJOY, Blu and Smoking Everywhere. SHOW GENERIC IMAGE OF E-CIGARETTES Bold "electronic cigarettes", "e-cigarettes".

Variable(s): R01_AE1001												
Have you ever seen or heard of an electronic cigarette or e-cigarette before this study? <table> <tr> <td>1</td> <td>Yes</td> <td></td> </tr> <tr> <td>2</td> <td>No</td> <td>GO TO BOX R01_AG1A</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO BOX R01_AG1A</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO BOX R01_AG1A</td> </tr> </table> ASK: All respondents. DISPLAY: SHOW GENERIC IMAGE OF E-CIGARETTES	1	Yes		2	No	GO TO BOX R01_AG1A	-8	DON'T KNOW	GO TO BOX R01_AG1A	-7	REFUSED	GO TO BOX R01_AG1A
1	Yes											
2	No	GO TO BOX R01_AG1A										
-8	DON'T KNOW	GO TO BOX R01_AG1A										
-7	REFUSED	GO TO BOX R01_AG1A										

Variable(s): R01_AE1002												
Have you ever used an e-cigarette, such as NJOY, Blu, or Smoking Everywhere, even one or two times? <table> <tr> <td>1</td> <td>Yes</td> <td></td> </tr> <tr> <td>2</td> <td>No</td> <td>GO TO BOX R01_AG1A</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO BOX R01_AG1A</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO BOX R01_AG1A</td> </tr> </table> ASK: Respondents who have seen or heard of e-cigarettes (R01_AE1001=1). DISPLAY: SHOW GENERIC IMAGE OF E-CIGARETTES	1	Yes		2	No	GO TO BOX R01_AG1A	-8	DON'T KNOW	GO TO BOX R01_AG1A	-7	REFUSED	GO TO BOX R01_AG1A
1	Yes											
2	No	GO TO BOX R01_AG1A										
-8	DON'T KNOW	GO TO BOX R01_AG1A										
-7	REFUSED	GO TO BOX R01_AG1A										

Variable(s): R01_AE1003															
Do you now use e-cigarettes... <table> <tr> <td>1</td> <td>Every day</td> <td></td> </tr> <tr> <td>2</td> <td>Some days</td> <td></td> </tr> <tr> <td>3</td> <td>Not at all</td> <td>GO TO R01_AE1004</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td></td> </tr> </table> ASK: Respondents who have ever used an e-cigarette (R01_AE1002=1).	1	Every day		2	Some days		3	Not at all	GO TO R01_AE1004	-8	DON'T KNOW		-7	REFUSED	
1	Every day														
2	Some days														
3	Not at all	GO TO R01_AE1004													
-8	DON'T KNOW														
-7	REFUSED														

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE0100

When did you last use an e-cigarette?

- 1 In the past hour
- 2 Sometime today
- 3 Yesterday
- 4 Day before yesterday
- 5 Three or more days ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who use e-cigarettes everyday or some days (R01_AE1003=1, 2, -8 or -7).

GOTO: IF R01_AE0100 = 2 OR 3 OR 4, GO TO R01_AE0102.

ELSE, IF R01_AE0100 = 1, GO TO R01_AE0103.

ELSE, IF R01_AE1003 = -8, -7, GO TO R01_AE1004.

ELSE, GO TO BOX R01_AG1A.

Variable(s): R01_AE0102

When you last used an e-cigarette [FILL BASED ON R01_AE0100], was it in the...

- 1 Morning
- 2 Afternoon
- 3 Evening
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have used an e-cigarette sometime today, yesterday or the day before yesterday (R01_AE0100=2 or 3 or 4).

DISPLAY: For [FILL BASED ON R01_AE0100], if R01_AE0100=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AE0100, making first letter lowercase.

Variable(s): R01_AE0103

How many puffs from an e-cigarette [have/did] you [taken/take] [FILL BASED ON R01_AE0100]?

- I__I__I
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have used an e-cigarette in past hour, sometime today, yesterday or the day before yesterday (R01_AE0100=1 or 2 or 3 or 4).

DISPLAY: If respondent used in past hour or sometime today (R01_AE0100=1 or 2), display "have" and "taken". If respondent used yesterday or the day before yesterday (R01_AE0100=3 or 4), display "did" and "take".

For [FILL BASED ON R01_AE0100], if R01_AE0100=1 OR 2, display "today"; if R01_AE0100=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AE0100, making first letter lowercase.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE1004
In the past 30 days, have you used an e-cigarette, even one or two times? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Respondents who have ever used an e-cigarette (R01_AE1002=1) AND do not currently use e-cigarettes every day or some days (R01_AE1003=3, -8 or -7).

BOX ID: R01_AG1A
The next questions are about traditional cigars, cigarillos, and filtered cigars. These products go by lots of different names, so please use these descriptions and photos to understand what they are. Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, and Arturo Fuente, but there are many others. SHOW GENERIC IMAGE OF TRADITIONAL CIGARS Bold "traditional cigars", "cigarillos", "filtered cigars".

BOX ID: R01_AG1B
Cigarillos and filtered cigars are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with tips or filters. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Prime Time, and Winchester. SHOW GENERIC IMAGES OF CIGARILLOS AND FILTERED CIGARS Bold "Cigarillos", "filtered cigars".

Variable(s): R01_AG1001
Have you ever seen or heard of a cigar, cigarillo, or filtered cigar before this study? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO BOX R01_APH1 GO TO BOX R01_APH1 GO TO BOX R01_APH1 ASK: All respondents. DISPLAY: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
Which type of cigar have you heard of before this study?	
R01_AG9002_01	1 Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, or others
R01_AG9002_02	2 Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Prime Time, Winchester, or others
	-8 DON'T KNOW
	-7 REFUSED
ASK: Respondents who have seen or heard of a cigar, cigarillo or filtered cigar (R01_AG1001=1).	
DISPLAY: For R01_AG9002, display a "Yes" and "No" column with options for each response category.	
GOTO: If respondent has not heard of either type of cigar (R01_AG9002_01 != 1 AND R01_AG9002_02 != 1), go to BOX R01_APH1.	
Else if R01_AG9002_01 = 1, go to R01_AG9003.	
Else, if R01_AG9002_02 = 1, go to R01_AG9004.	

Variable(s): R01_AG9003	
Have you ever smoked a traditional cigar, even one or two puffs?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Respondents who have seen or heard of a traditional cigar and can identify which type of cigar they have heard of (R01_AG1001=1 AND (R01_AG9002_01=1)).	
DISPLAY: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS	
GOTO: If R01_AG9002_02 = 1, go to R01_AG9004.	
Else, go to R01_AG9105.	

Variable(s): R01_AG9004	
Have you ever smoked a cigarillo or filtered cigar, even one or two puffs?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Respondents who have seen or heard of a cigarillo or filtered cigar and can identify which type of cigar they have heard of (R01_AG1001=1 AND (R01_AG9002_02=1)).	
DISPLAY: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG9105 Sometimes people take tobacco out of a cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt". Have you <u>ever</u> smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Respondents who have seen or heard of a traditional cigar, cigarillo or filtered cigar and can identify which type of cigar they have heard of (R01_AG1001=1 AND (R01_AG9002_01=1 OR R01_AG9002_02=1)). DISPLAY: Underline, 2nd paragraph: "ever". GOTO: If R01_AG9105=1, go to R01_AG9107. If ((R01_AG9003=2, -8 or -7 AND R01_AG9004=2, -8 or -7) AND R01_AG9105=2, -8 or -7)), go to BOX R01_APH1. If (R01_AG9003=1 AND R01_AG9004=2, -8 or -7) AND R01_AG9105=2, -8 or -7, go to R01_CreateCigarVars. If (R01_AG9003=2, -8 or -7 AND R01_AG9004=1) AND R01_AG9105=2, -8 or -7, go to R01_AG9009. If (R01_AG9003=1 AND R01_AG9004=1) AND R01_AG9105=2, -8 or -7, go to R01_AG9009. Else go to BOX R01_APH1.

Variable(s): R01_AG9107 In the <u>past 12 months</u>, have you smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Respondents who have smoked cigars with marijuana (R01_AG9105=1). DISPLAY: Underline "past 12 months". GOTO: If R01_AG9107=1, go to R01_AG9106. If (R01_AG9003=2, -8 or -7 AND R01_AG9004=2, -8 or -7) AND R01_AG9107=2, -8 or -7), go to BOX R01_APH1. If (R01_AG9003=1 AND R01_AG9004=2, -8 or -7) AND R01_AG9107=2, -8 or -7, go to BOX R01_CreateCigarVars. If (R01_AG9003=2, -8 or -7 AND R01_AG9004=1) AND R01_AG9107=2, -8 or -7, go to R01_AG9009. If (R01_AG9003=1 AND R01_AG9004=1) AND R01_AG9107=2, -8 or -7, go to R01_AG9009. Else go to BOX R01_APH1.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AG9106**

In the past 12 months, when you smoked a cigar, cigarillo or filtered cigar, how often has tobacco been replaced with any marijuana?

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have smoked cigars with marijuana in the past 12 months (R01_AG9107=1).

DISPLAY: Underline "past 12 months".

GOTO: If (R01_AG9003=1 AND R01_AG9004=2, -8 or -7), go to Box R01_CreateCigarVars. Else, go to R01_AG9009.

Variable(s): **SEE BELOW:**

Which of the following kinds of cigarillos or filtered cigars have you smoked[as blunts]? Choose all that apply. The kind...

- R01_AG9009_01** 1 With a plastic or wooden tip
- R01_AG9009_02** 2 With a filter (like a cigarette filter)
- R01_AG9009_03** 3 Without a tip or filter
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever smoked a cigarillo or filtered cigar (R01_AG9004=1) OR blunt-only cigar smokers (R01_AG9003=2, -8 or -7 AND R01_AG9004=2, -8 or -7 AND R01_AG9107=1).

DISPLAY: Display " as blunts" if (R01_AG9003=2, -8 or -7 AND R01_AG9004=2, -8 or -7 AND R01_AG9107=1). Else, do not display " as blunts".

DISPLAY GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS

BOX ID:	R01_CreateCigarVars
PROGRAM - CREATE NEW VARIABLES:	
R01_BLUNT_ONLY_GRILLO: Respondents that report never smoking any type of cigar, but report smoking cigarillos as blunts in the past 12 months.	
R01_BLUNT_ONLY_GRILLO=1 YES, if R01_AG9003=2, -8 or -7 AND R01_AG9004=2, -8 or -7 AND R01_AG9107=1 AND R01_AG9009_01=1 OR R01_AG9009_03=1.	
Else R01_BLUNT_ONLY_GRILLO=2 NO.	
R01_BLUNT_ONLY_GFC: Respondents that report never smoking any type of cigar, but report smoking filtered cigars as blunts in the past 12 months.	
R01_BLUNT_ONLY_GFC=1 YES, if R01_AG9003=2, -8 or -7 AND R01_AG9004=2, -8 or -7 AND R01_AG9107=1 AND R01_AG9009_02=1.	
Else R01_BLUNT_ONLY_GFC=2 NO.	
PROGRAM – CREATE [CIGARFILL] SERIES:	
Create [CIGARFILL] and repeat R01_AG1003 through R01_AG1004 for each product that the respondent has indicated that he or she used: traditional cigar (R01_AG9003 = 1), cigarillo (R01_AG9004=1 AND (R01_AG9009_01=1 OR R01_AG9009_03=1)), or filtered cigar (R01_AG9004=1 AND R01_AG9009_02=1).	
Create [CIGARFILL]. If R01_AG9003=1, [CIGARFILL]=traditional cigar. If R01_AG9004=1 AND (R01_AG9009_01=1 OR R01_AG9009_03=1), [CIGARFILL]=cigarillo. If R01_AG9004=1 AND R01_AG9009_02=1, [CIGARFILL]=filtered cigar.	
Repeat R01_AG1003 through R01_AG1004 for each type of cigar the respondent has used (traditional cigars, cigarillos, filtered cigars). Blunt-only cigar smokers will also be asked R01_AG1003 through R01_AG1004 to assess recent exposure to blunt usage. Display text instructions for these respondents will be specified in the question PROGRAM statement. If a respondent is blunt-only cigarillo AND blunt-only filtered cigar smoker, repeat R01_AG1003 through R01_AG1004 for each type, asking about cigarillos first.	
Display text below at the start of each R01_AG1003-R01_AG1004 loop:	
DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT THE REST OF THE SECTION. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT.	
The next questions are about [[CIGARFILL]s I cigarillos I filtered cigars], like those shown below. As you answer these questions, please think ONLY about your use of [[CIGARFILL]s I cigarillos when smoked as blunts I filtered cigars when smoked as blunts .	
[SHOW GENERIC IMAGE FOR CIGARFILL].	
[ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION]. There will be a separate section later about other kinds of cigars.	
[DISPLAY: If R01_BLUNT_ONLY_GRILLO=1, display 'cigarillos' and 'cigarillos when smoked as blunts'. If R01_BLUNT_ONLY_GFC=1, display 'filtered cigars' and 'filtered cigars when smoked as blunts'. Else, display [CIGARFILL]s as specified.	
ELSE IF R01_AG9003=2, -8 or -7 AND R01_AG9004=2, -8 or -7 AND R01_AG9107=2, -8 or -7, GO TO	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX R01_APH1

Variable(s): R01_AG1003TC; R01_AG1003CG; R01_AG1003FC

Do you now smoke [[CIGARFILL]s I cigarillos as blunts I filtered cigars as blunts]...

- 1 Every day
- 2 Some days
- 3 Not at all GO TO R01_AG1004[TC/CG/FC]
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG1003TC: Respondents who have ever smoked a traditional cigar (R01_AG9003 = 1).

For R01_AG1003CG: Respondents who have ever smoked a cigarillo or are blunt only cigarillo smokers (R01_AG9004 = 1 AND (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1)) OR (R01_BLUNT_ONLY_GRILLO = 1).

For R01_AG1003FC: Respondents who have ever smoked a filtered cigar or are blunt only filtered cigar smokers (R01_AG9004 = 1 AND R01_AG9009_02 = 1) OR (R01_BLUNT_ONLY_GFC = 1).

DISPLAY: If R01_BLUNT_ONLY_GRILLO=1, display 'cigarillos as blunts'. If R01_BLUNT_ONLY_GFC=1, display 'filtered cigars as blunts'. Else, display [CIGARFILL]s as specified.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG0100TC; R01_AG0100CG; R01_AG0100FC

When did you last smoke a [[CIGARFILL] I cigarillo as a blunt I filtered cigar as a blunt]?

- 1 In the past hour
- 2 Sometime today
- 3 Yesterday
- 4 Day before yesterday
- 5 Three or more days ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG0100TC: Respondents who smoke traditional cigars everyday or some days (R01_AG1003TC=1, 2, -8 or -7).

For R01_AG0100CG: Respondents who smoke cigarillos or cigarillos as blunts everyday or some days (R01_AG1003CG=1, 2, -8 or -7).

For R01_AG0100FC: Respondents who smoke filtered cigars or filtered cigars as blunts everyday or some days (R01_AG1003FC=1, 2, -8 or -7).

DISPLAY: If R01_BLUNT_ONLY_GRILLO=1, display 'cigarillo as a blunt'. If R01_BLUNT_ONLY_GFC=1, display 'filtered cigar as a blunt'. Else, display [CIGARFILL] as specified.

GOTO: From R01_AG0100TC: IF R01_AG0100TC = 2 OR 3 OR 4, GO TO R01_AG0102TC. ELSE, IF R01_AG0100TC = 1, GO TO R01_AG0103TC. ELSE, IF R01_AG1003TC = -8, -7, GO TO R01_AG1004TC. ELSE, GO TO BOX R01_APH1.

From R01_AG0100CG: IF R01_AG0100CG = 2 OR 3 OR 4, GO TO R01_AG0102CG.

ELSE, IF R01_AG0100CG = 1, GO TO R01_AG0103CG.

ELSE, IF R01_AG1003CG = -8, -7, GO TO R01_AG1004CG.

ELSE, GO TO BOX R01_APH1.

From R01_AG0100FC: IF R01_AG0100FC = 2 OR 3 OR 4, GO TO R01_AG0102FC.

ELSE, IF R01_AG0100FC = 1, GO TO R01_AG0103FC.

ELSE, IF R01_AG1003FC = -8, -7, GO TO R01_AG1004FC.

ELSE, GO TO BOX R01_APH1.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG0102TC; R01_AG0102CG; R01_AG0102FC
When you last smoked a [[CIGARFILL] cigarillo as a blunt filtered cigar as a blunt] [FILL BASED ON R01_AG0100[TC/CG/FC]], was it in the... 1 Morning 2 Afternoon 3 Evening -8 DON'T KNOW -7 REFUSED ASK: For R01_AG0102TC: Respondents who have smoked a traditional cigar sometime today, yesterday or the day before yesterday (R01_AG0100TC=2 or 3 or 4). For R01_AG0102CG: Respondents who have smoked a cigarillo or cigarillo as a blunt sometime today, yesterday or the day before yesterday (R01_AG0100CG=2 or 3 or 4). For R01_AG0102FC: Respondents who have smoked a filtered cigar or filtered cigar as a blunt sometime today, yesterday or the day before yesterday (R01_AG0100FC=2 or 3 or 4). DISPLAY: For R01_AG0102TC: Display [CIGARFILL] as specified. For [FILL BASED ON R01_AG0100[TC/CG/FC]], if R01_AG0100TC=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AG0100TC, making first letter lowercase. For R01_AG0102CG: If R01_BLUNT_ONLY_GRILLO=1, display 'cigarillo as a blunt'. Else, display [CIGARFILL] as specified. For [FILL BASED ON R01_AG0100[TC/CG/FC]], if R01_AG0100CG=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AG0100CG, making first letter lowercase. For R01_AG0102FC: If R01_BLUNT_ONLY_GFC=1, display 'filtered cigar as a blunt'. Else, display [CIGARFILL] as specified. For [FILL BASED ON R01_AG0100[TC/CG/FC]], if R01_AG0100FC=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AG0100FC, making first letter lowercase.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG0103TC; R01_AG0103CG; R01_AG0103FC
How many [[CIGARFILL]s I cigarillos as blunts I filtered cigars as blunts] [have/did] you [smoked/smoke] [FILL BASED ON R01_AG0100[TC/CG/FC]]? (If less than 1, enter 1.) _ _ -8 DON'T KNOW -7 REFUSED ASK: For R01_AG0103TC: Respondents who have smoked a traditional cigar in the past hour, sometime today, yesterday or the day before yesterday (R01_AG0100TC=1 or 2 or 3 or 4). For R01_AG0103CG: Respondents who have smoked a cigarillo or cigarillo as a blunt in the past hour, sometime today, yesterday or the day before yesterday (R01_AG0100CG=1 or 2 or 3 or 4). For R01_AG0103FC: Respondents who have smoked a filtered cigar or filtered cigar as a blunt in the past hour, sometime today, yesterday or the day before yesterday (R01_AG0100FC=1 or 2 or 3 or 4). DISPLAY: For R01_AG0103TC: Display [CIGARFILL]s as specified. If respondent smoked in past hour or sometime today (R01_AG0100TC=1 or 2), display "have" and "smoked". If respondent smoked yesterday or the day before yesterday (R01_AG0100TC=3 or 4), display "did" and "smoke". For [FILL BASED ON R01_AG0100[TC/CG/FC]], if R01_AG0100TC=1 OR 2, display "today". If R01_AG0100TC=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AG0100TC, making first letter lowercase. For R01_AG0103CG: If R01_BLUNT_ONLY_GRILLO=1, display 'cigarillos as blunts'. Else, display [CIGARFILL]s as specified. If respondent smoked in past hour or sometime today (R01_AG0100CG=1 or 2), display "have" and "smoked". If respondent smoked yesterday or the day before yesterday (R01_AG0100CG=3 or 4), display "did" and "smoke". For [FILL BASED ON R01_AG0100[TC/CG/FC]], if R01_AG0100CG=1 OR 2, display "today". If R01_AG0100CG=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AG0100CG, making first letter lowercase. For R01_AG0103FC: If R01_BLUNT_ONLY_GFC=1, display 'filtered cigars as blunts'. Else, display [CIGARFILL]s as specified. If respondent smoked in past hour or sometime today (R01_AG0100FC=1 or 2), display "have" and "smoked". If respondent smoked yesterday or the day before yesterday (R01_AG0100FC=3 or 4), display "did" and "smoke". For [FILL BASED ON R01_AG0100[TC/CG/FC]], if R01_AG0100FC=1 OR 2, display "today". If R01_AG0100FC=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AG0100FC, making first letter lowercase.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1004TC; R01_AG1004CG; R01_AG1004FC
In the past 30 days, have you smoked a [[CIGARFILL] I cigarillo as a blunt I filtered cigar as a blunt], even one or two puffs? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1004TC: Respondents who have ever smoked a traditional cigar and do not currently smoke every day or some days (R01_AG9003 = 1 and (R01_AG1003TC = 3, -8, -7)). For R01_AG1004CG: Respondents who have ever smoked a cigarillo and do not currently smoke every day or some days or are blunt-only cigarillo smokers and do not currently smoke every day or some days ((R01_AG9004 = 1 AND (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1)) and (R01_AG1003CG = 3, -8, -7)) or ((R01_BLUNT_ONLY_GRILLO = 1) and (R01_AG1003CG = 3, -8, -7)). For R01_AG1004FC: Respondents who have ever smoked a filtered cigar and do not currently smoke every day or some days or are blunt-only filtered cigar smokers and do not currently smoke every day or some days ((R01_AG9004 = 1 AND R01_AG9009_02 = 1) and (R01_AG1003FC = 3, -8, -7)) or ((R01_BLUNT_ONLY_GFC = 1) and (R01_AG1003FC = 3, -8, -7)) DISPLAY: If R01_BLUNT_ONLY_GRILLO=1, display 'cigarillo as a blunt'. If R01_BLUNT_ONLY_GFC=1, display 'filtered cigar as a blunt'. Else, display [CIGARFILL] as specified.

BOX ID: R01_APH1
The next questions are about smoking tobacco in pipes. We first ask about smoking tobacco in a regular pipe. There are many different types of regular pipes. They all have a bowl that holds the tobacco and a stem. The picture below shows a typical pipe. [GENERIC IMAGES OF PIPES] Bold "pipe", "regular pipe".

Variable(s): R01_AP1001
Have you ever seen or heard of a pipe before this study? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO BOX R01_AHH2 GO TO BOX R01_AHH2 GO TO BOX R01_AHH2 ASK: All respondents. DISPLAY: DISPLAY GENERIC IMAGE OF PIPES

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1002	
Have you ever smoked a pipe filled with tobacco, even one or two puffs?	
1 Yes	
2 No	GO TO BOX R01_AHH2
-8 DON'T KNOW	GO TO BOX R01_AHH2
-7 REFUSED	GO TO BOX R01_AHH2
ASK: Respondents who have seen or heard of pipes (R01_AP1001=1).	
DISPLAY: SHOW GENERIC IMAGE OF PIPES	

Variable(s): R01_AP1003	
Do you now smoke a pipe filled with tobacco...	
1 Every day	
2 Some days	
3 Not at all	GO TO R01_AP1004
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have ever smoked a pipe filled with tobacco (R01_AP1002=1).	

Variable(s): R01_AP0100	
When did you last smoke a pipe filled with tobacco?	
1 In the past hour	
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who smoke a pipe everyday or some days (R01_AP1003=1, 2, -8 or -7).	
GOTO: IF R01_AP0100 = 2 OR 3 OR 4, GO TO R01_AP0102.	
ELSE, IF R01_AP0100 = 1, GO TO R01_AP0103.	
ELSE, IF R01_AP1003 = -8, -7, GO TO R01_AP1004.	
ELSE, GO TO BOX R01_APH2.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP0102

When you last smoked a pipe filled with tobacco [FILL BASED ON R01_AP0100], was it in the...

- 1 Morning
- 2 Afternoon
- 3 Evening
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have smoked a pipe sometime today, yesterday or the day before yesterday (R01_AP0100=2 or 3 or 4).

DISPLAY: For [FILL BASED ON R01_AP0100], if R01_AP0100=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AP0100, making first letter lowercase.

Variable(s): R01_AP0103

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke] [FILL BASED ON R01_AP0100]? (If less than 1, enter 1.)

- I__I__I
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have smoked a pipe in the past hour, sometime today, yesterday or the day before yesterday (R01_AP0100=1 or 2 or 3 or 4).

DISPLAY: If respondent smoked in past hour or sometime today (R01_AP0100=1 or 2), display "have" and "smoked". If respondent smoked yesterday or the day before yesterday (R01_AP0100=3 or 4), display "did" and "smoke". For [FILL BASED ON R01_AP0100], if R01_AP0100=1 OR 2, display "today". If R01_AP0100=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AP0100, making first letter lowercase.

Variable(s): R01_AP1004

In the past 30 days, have you smoked a regular pipe filled with tobacco, even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever smoked a pipe filled with tobacco (R01_AP1002=1) AND do not currently smoke pipes every day or some days (R01_AP1003=3, -8, -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_AHH2

We next ask about smoking tobacco in a **hookah**, which is a type of water pipe. It is sometimes also called a “narghile” pipe. From now on, we will use “hookah” to refer to a water pipe or narghile pipe that is often used to smoke tobacco.

There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafes or in hookah bars. The picture below shows a typical hookah.

[GENERIC IMAGES OF HOOKAH]

Bold, 1st paragraph: 1st instance of "hookah".

Variable(s): R01_AH1001

Have you ever seen or heard of a hookah before this study?

- | | | |
|----|------------|--------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R01_ASU1 |
| -8 | DON'T KNOW | GO TO BOX R01_ASU1 |
| -7 | REFUSED | GO TO BOX R01_ASU1 |

ASK: All respondents.

DISPLAY: DISPLAY GENERIC IMAGE OF HOOKAH

Variable(s): R01_AH1002

Have you ever smoked tobacco in a hookah, even one or two puffs?

- | | | |
|----|------------|--------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R01_ASU1 |
| -8 | DON'T KNOW | GO TO BOX R01_ASU1 |
| -7 | REFUSED | GO TO BOX R01_ASU1 |

ASK: Respondents who have seen or heard of a hookah (R01_AH1001=1).

DISPLAY: SHOW GENERIC IMAGE OF HOOKAH

Variable(s): R01_AH1003

Do you now smoke hookah...

- | | | |
|----|------------|--------------------|
| 1 | Every day | |
| 2 | Some days | |
| 3 | Not at all | GO TO BOX R01_ASU1 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Respondents who have ever smoked hookah (R01_AH1002=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AH0100**		
When did you last smoke hookah?		
1	In the past hour	GO TO R01_AH0103
2	Sometime today	
3	Yesterday	
4	Day before yesterday	
5	Three or more days ago	GO TO BOX R01_ASU1
-8	DON'T KNOW	GO TO BOX R01_ASU1
-7	REFUSED	GO TO BOX R01_ASU1
ASK: Respondents who smoke hookah everyday or some days (R01_AH1003=1, 2, -8 or -7).		
NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who answered R01_AH1003 as don't know or refused.		

Variable(s): R01_AH0102		
When you last smoked hookah [FILL BASED ON R01_AH0100], was it in the...		
1	Morning	
2	Afternoon	
3	Evening	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Respondents who have smoked hookah sometime today, yesterday or the day before yesterday (R01_AH0100=2 or 3 or 4).		
DISPLAY: For [FILL BASED ON R01_AH0100], if R01_AH0100=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AH0100, making first letter lowercase.		

Variable(s): R01_AH0103		
How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R01_AH0100]?		
	I _ I _ I	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Respondents who have smoked hookah in the past hour, sometime today, yesterday or the day before yesterday (R01_AH0100=1 or 2 or 3 or 4).		
DISPLAY: If respondent smoked in past hour or sometime today (R01_AH0100=1 or 2), display "have" and "taken". If respondent smoked yesterday or the day before yesterday (R01_AH0100=3 or 4), display "did" and "take". For [FILL BASED ON R01_AH0100], if R01_AH0100=1 OR 2, display "today". If R01_AH0100=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AH0100, making first letter lowercase.		

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_ASU1
The next questions ask about smokeless tobacco which you put in your mouth. Frequently you chew, suck or spit while using smokeless tobacco, although there is no need to do so for some types. Snus, for instance, is a type of smokeless tobacco that comes in a small pouch that you put inside your lip. There are many kinds of smokeless tobacco, such as snus pouches, loose snus, moist snuff, dip, spit, and chewing tobacco. Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly, Nordic Ice and Copenhagen. SHOW GENERIC IMAGES OF SMOKELESS TOBACCO
Bold, 1st paragraph: 1st instance of "smokeless tobacco".

Variable(s): R01_AS1001												
Have you ever seen or heard of smokeless tobacco, such as snus pouches, loose snus, moist snuff, dip, spit or chewing tobacco, before this study? <table> <tr> <td>1</td> <td>Yes</td> <td></td> </tr> <tr> <td>2</td> <td>No</td> <td>GO TO BOX R01_AD1</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO BOX R01_AD1</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO BOX R01_AD1</td> </tr> </table> ASK: All respondents. DISPLAY: SHOW GENERIC IMAGES OF SMOKELESS TOBACCO	1	Yes		2	No	GO TO BOX R01_AD1	-8	DON'T KNOW	GO TO BOX R01_AD1	-7	REFUSED	GO TO BOX R01_AD1
1	Yes											
2	No	GO TO BOX R01_AD1										
-8	DON'T KNOW	GO TO BOX R01_AD1										
-7	REFUSED	GO TO BOX R01_AD1										

Variable(s): SEE BELOW:															
Have you ever used any of the following smokeless tobacco products, even one or two times? Choose all that apply. <table> <tr> <td>R01_AS1002_01</td> <td>1</td> <td>Snus pouches</td> </tr> <tr> <td>R01_AS1002_02</td> <td>2</td> <td>Loose snus, moist snuff, dip, spit, or chewing tobacco</td> </tr> <tr> <td>R01_AS1002_03</td> <td>3</td> <td>I have never used a smokeless tobacco product</td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: Respondents who have seen or heard of smokeless tobacco (R01_AS1001=1). DISPLAY: SHOW GENERIC IMAGES OF SMOKELESS TOBACCO PROGRAM: Option 3 may not be selected if options 1 or 2 are selected. (If R01_AS1002_03 = 1 Then R01_AS1002_01 != 1 AND R01_AS1002_02 != 1.) GOTO: If respondent has used snus pouches (R01_AS1002_01 = 1 IN SNUS POUCHES), go to R01_AU1003. Else if respondent has used loose snus, moist snuff, dip, spit or chewing tobacco AND has NOT used snus pouches ((R01_AS1002_01!= 1 AND R01_AS1002_02=1)), go to BOX R01_AS5. Else If respondent has NOT used any type of smokeless tobacco including snus pouches AND loose snus, moist snuff, dip, spit or chewing tobacco ((R01_AS1002_03 = 1 OR R01_AS1002_01 = -8, -7)), go to BOX R01_AD1.	R01_AS1002_01	1	Snus pouches	R01_AS1002_02	2	Loose snus, moist snuff, dip, spit, or chewing tobacco	R01_AS1002_03	3	I have never used a smokeless tobacco product		-8	DON'T KNOW		-7	REFUSED
R01_AS1002_01	1	Snus pouches													
R01_AS1002_02	2	Loose snus, moist snuff, dip, spit, or chewing tobacco													
R01_AS1002_03	3	I have never used a smokeless tobacco product													
	-8	DON'T KNOW													
	-7	REFUSED													

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_AS4

DEFINE VARIABLE [OTHPOUCH] to capture names of types of smokeless tobacco pouches other than snus pouches.

OTHPOUCH="Skoal Bandits"

Variable(s): R01_AU1003

You mentioned that you have used snus pouches. There are many brands of snus pouches. Did you use the brand called "[OTHPOUCH]"?

- 1 Yes, I used only [OTHPOUCH]
- 2 Yes, I used both [OTHPOUCH] and other brands of snus pouches
- 3 No, I did not use [OTHPOUCH]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used snus pouches ((R01_AS1002_01=1 IN SNUS POUCHES)).

DISPLAY: Bold, response codes: response code 1, "only"; response code 2 "both".

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID:	R01_AS5
DEFINE: CREATE AN ARRAY SMKLSSTYPE WITH 2 ELEMENTS – ONE FOR EACH SMOKELESS TOBACCO TYPE (SMOKELESS TOBACCO; SNUS) SMKLSSTYPE[1]=1 'smokeless tobacco' Respondent uses smokeless tobacco, but not snus pouches: If respondent has ever used smokeless tobacco (R01_AS1002_02=1) and has not used snus pouches (R01_AS1002_01=2), then SMKLSSTYPE[1]=1 ; {uses smokeless tobacco only}. If respondent has ever used smokeless tobacco (R01_AS1002_02=1) and has used snus pouches (R01_AS1002_01=1), and used only (OTHPOUCH) (R01_AU1003=1), then SMKLSSTYPE[1]=1 ; {uses snus - Skoal Bandits > same as smokeless user} If respondent has never used smokeless tobacco (R01_AS1002_02=2) and has used snus pouches (R01_AS1002_01=1), and used only (OTHPOUCH) (R01_AU1003=1), then SMKLSSTYPE[1]=1 ; {uses snus - Skoal Bandits > same as smokeless user} SMKLSSTYPE[2]=2 'snus pouches' Respondent uses snus pouches but not other forms of smokeless: If respondent has never used smokeless tobacco (R01_AS1002_02=2) and has used snus pouches (R01_AS1002_01=1), and used both (OTHPOUCH) and other brands (R01_AU1003=2), then SMKLSSTYPE[2]=2 ; {uses snus pouches} If respondent has never used smokeless tobacco (R01_AS1002_02=2) and has used snus pouches (R01_AS1002_01=1), and did not use (OTHPOUCH) (R01_AU1003=3), then SMKLSSTYPE[2]=2 ; {uses snus pouches} SMKLSSTYPE[1]=1 AND SMKLSSTYPE[2]=2 'smokeless tobacco' and 'snus pouches' Respondent uses snus pouches AND other forms of smokeless: If respondent has ever used smokeless tobacco (R01_AS1002_02=1) and has used snus pouches (R01_AS1002_01=1), and used both (OTHPOUCH) and other brands (R01_AU1003=2), then SMKLSSTYPE[1] =1 AND SMKLSSTYPE[2]=2. If respondent has ever used smokeless tobacco (R01_AS1002_02=1) and has used snus pouches (R01_AS1002_01=1), and did not use (OTHPOUCH) (R01_AU1003=3), then SMKLSSTYPE[1] =1 AND SMKLSSTYPE[2]=2. Then do the following: {FILL-1} If SMKLSSTYPE[1] = 1 and SMKLSSTYPE[2] = NULL, complete Box R01_AS6 through R01_AS1004SM one time, filling [SMKLSSFILL] with "smokeless tobacco" {FILL-2} If SMKLSSTYPE[1] = NULL and SMKLSSTYPE[2] = 2, complete Box R01_AS6 through R01_AS1004SU one time, filling [SMKLSSFILL] with "snus pouches" {FILL-3} If SMKLSSTYPE[1] = 1 and SMKLSSTYPE[2] = 2, complete Box R01_AS6 through R01_AS1004[SU/SM] TWICE. The first time, fill [SMKLSSFILL] with "snus pouches". The second time, fill [SMKLSSFILL] with "smokeless tobacco."	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_AS6
{FILL-1} If SMKLSSTYPE[1] = 1 and SMKLSSTYPE[2] = NULL (respondent uses smokeless tobacco, but not snus pouches), no transition text shown. GO DIRECTLY TO R01_AS1003SM. {FILL-2} If SMKLSSTYPE[1] = NULL and SMKLSSTYPE[2] = 2 (respondent uses snus pouches but not other forms of smokeless), display the following text then GO TO R01_AS1003SU: The next questions are about snus pouches. Common brands of snus pouches include Camel snus, General snus, Marlboro snus, and Nordic Ice, but there are many others. Please think about your use of snus pouches as you answer these questions. [SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES] {FILL-3} If SMKLSSTYPE[1]=1 and SMKLSSTYPE[2]=2, (respondent uses snus pouches AND other forms of smokeless) FIRST TIME THROUGH, display the following text then ask R01_AS1003SU and R01_AS1004SU: The next questions are about snus. Please think about your use of snus pouches as you answer these questions. [SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES] If SMKLSSTYPE[1]=1 and SMKLSSTYPE[2]=2, SECOND TIME THROUGH, display the following text then ask R01_AS1003SM through R01_AS1004SM: The next questions are about your use of other kinds of smokeless tobacco, not including snus pouches. The questions will use the phrase “smokeless tobacco” to refer to these products. [SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS TIN AND POUCHES]

Variable(s): R01_AS1003SU; R01_AS1003SM															
Do you now use [SMKLSSFILL]... <table> <tr> <td>1</td> <td>Every day</td> <td></td> </tr> <tr> <td>2</td> <td>Some days</td> <td></td> </tr> <tr> <td>3</td> <td>Not at all</td> <td>GO TO R01_AS1004[SU/SM]</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td></td> </tr> </table> ASK: For R01_AS1003SU: Respondents who have ever used snus pouches (R01_AS1002_01=1 and R01_AU1003 != 1). For R01_AS1003SM: Respondents who have ever used smokeless tobacco (R01_AS1002_02 = 1 or R01_AU1003 = 1).	1	Every day		2	Some days		3	Not at all	GO TO R01_AS1004[SU/SM]	-8	DON'T KNOW		-7	REFUSED	
1	Every day														
2	Some days														
3	Not at all	GO TO R01_AS1004[SU/SM]													
-8	DON'T KNOW														
-7	REFUSED														

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS0100SU**; R01_AS0100SM** When did you last use [SMKLSSFILL]? 1 In the past hour 2 Sometime today 3 Yesterday 4 Day before yesterday 5 Three or more days ago -8 DON'T KNOW -7 REFUSED ASK: For AS0100SU: Respondents who use snus pouches everyday or some days (R01_AS1003SU = 1, 2, -8, -7). For AS0100SM: Respondents who use smokeless tobacco everyday or some days (R01_AS1003SM = 1, 2, -8, -7). GOTO: From R01_AS0100SU: IF R01_AS0100SU = 2 OR 3 OR 4, GO TO R01_AS0102SU. ELSE, IF R01_AS0100SU = 1, GO TO R01_AS0103SU. ELSE, IF R01_AS1003SU = -8, -7, GO TO R01_AS1004SU. ELSE, GO TO BOX R01_AD1. From R01_AS0100SM: IF R01_AS0100SM = 2 OR 3 OR 4, GO TO R01_AS0102SM. ELSE, IF R01_AS0100SM = 1, GO TO R01_AS0103SM. ELSE, IF R01_AS1003SM = -8, -7, GO TO R01_AS1004SM. ELSE, GO TO BOX R01_AD1. NOTES: INSTRUMENT ERROR: R01_AS0100SU was skipped incorrectly by respondents who answered R01_AS1003SU as don't know or refused. R01_AS0100SM was skipped incorrectly by respondents who answered R01_AS1003SM as don't know or refused.

Variable(s): R01_AS0102SU; R01_AS0102SM When you last used [SMKLSSFILL] [FILL BASED ON R01_AS0100[SU/SM]], was it in the... 1 Morning 2 Afternoon 3 Evening -8 DON'T KNOW -7 REFUSED ASK: For R01_AS0102SU: Respondents who have used snus pouches sometime today, yesterday or the day before yesterday (R01_AS0100SU=2 or 3 or 4). For R01_AS0102SM: Respondents who have used smokeless tobacco sometime today, yesterday or the day before yesterday (R01_AS0100SM=2 or 3 or 4). DISPLAY: For R01_AS0102SU: For [FILL BASED ON R01_AS0100[SU/SM]], if R01_AS0100SU=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AS0100SU, making first letter lowercase. For R01_AS0102SM: For [FILL BASED ON R01_AS0100[SU/SM]], if R01_AS0100SM=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AS0100SM, making first letter lowercase.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS0103SU; R01_AS0103SM
How many [times/snus pouches] [have/did] you [used/use] [smokeless tobacco] [FILL BASED ON R01_AS0100[SU/SM]]? _ _ -8 DON'T KNOW -7 REFUSED ASK: For R01_AS0103SU: Respondents who have used snus pouches in the past hour, sometime today, yesterday or the day before yesterday (R01_AS0100SU=1 or 2 or 3 or 4). For R01_AS0103SM: Respondents who have used smokeless tobacco in the past hour, sometime today, yesterday or the day before yesterday (R01_AS0100SM=1 or 2 or 3 or 4). DISPLAY: If SMKLSSTYPE[1]=1, display "times" and "smokeless tobacco"; if SMKLSSTYPE[2]=2, display "snus pouches". For R01_AS0103SU: If respondent used in past hour or sometime today (R01_AS0100SU=1 or 2), display "have" and "used". If respondent used yesterday or the day before yesterday (R01_AS0100SU=3 or 4), display "did" and "use". For [FILL BASED ON R01_AS0100[SU/SM]], if R01_AS0100SU=1 OR 2, display "today". If R01_AS0100SU=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AS0100SU, making first letter lowercase. For R01_AS0103SM: If respondent used in past hour or sometime today (R01_AS0100SM=1 or 2), display "have" and "used". If respondent used yesterday or the day before yesterday (R01_AS0100SM=3 or 4), display "did" and "use". For [FILL BASED ON R01_AS0100[SU/SM]], if R01_AS0100SM=1 OR 2, display "today". If R01_AS0100SM=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AS0100SM, making first letter lowercase.	

Variable(s):	R01_AS1004SU; R01_AS1004SM
In the past 30 days have you used [SMKLSSFILL], even one or two times? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1004SU: Respondents who have ever used snus pouches AND do not currently use snus pouches every day or some days (R01_AS1002_01=1 and R01_AU1003 != 1) and (R01_AS1003SU=3, -8 or -7). For R01_AS1004SM: Respondents who have ever used smokeless tobacco AND do not currently use smokeless tobacco every day or some days (R01_AS1002_02=1 or R01_AU1003 =1) and (R01_AS1003SM=3, -8 or -7).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_AD1

The next questions ask about another type of tobacco called **dissolvable tobacco**. You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth.

Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, and Camel Orbs, Sticks or Strips.

SHOW GENERIC IMAGES OF DISSOLVABLES

Bold, 1st paragraph: 1st instance of "dissolvable tobacco".

Variable(s): R01_AD1001

Have you ever seen or heard of dissolvable tobacco before this study?

- | | | |
|----|------------|-------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R01_AX1 |
| -8 | DON'T KNOW | GO TO BOX R01_AX1 |
| -7 | REFUSED | GO TO BOX R01_AX1 |

ASK: All respondents.

DISPLAY: SHOW GENERIC IMAGES OF DISSOLVABLES

Variable(s): R01_AD1002

Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

- | | | |
|----|------------|-------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R01_AX1 |
| -8 | DON'T KNOW | GO TO BOX R01_AX1 |
| -7 | REFUSED | GO TO BOX R01_AX1 |

ASK: Respondents who have seen or heard of dissolvable tobacco (R01_AD1001=1).

DISPLAY: SHOW GENERIC IMAGES OF DISSOLVABLES

Variable(s): R01_AD1003

Do you now use dissolvable tobacco...

- | | | |
|----|------------|------------------|
| 1 | Every day | |
| 2 | Some days | |
| 3 | Not at all | GO TO R01_AD1004 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Respondents who have ever used dissolvable tobacco (R01_AD1002=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD0100
When did you last use dissolvable tobacco? 1 In the past hour 2 Sometime today 3 Yesterday 4 Day before yesterday 5 Three or more days ago -8 DON'T KNOW -7 REFUSED ASK: Respondents who use dissolvable tobacco everyday or some days (R01_AD1003=1, 2, -8 or -7). GOTO: IF R01_AD0100 = 2 OR 3 OR 4, GO TO R01_AD0102. ELSE IF R01_AD0100 = 1, GO TO R01_AD0103. ELSE IF R01_AD1003 = -8, -7, GO TO R01_AD1004. ELSE GO TO BOX R01_AX1.

Variable(s): R01_AD0102
When you last used dissolvable tobacco [FILL BASED ON R01_AD0100], was it in the... 1 Morning 2 Afternoon 3 Evening -8 DON'T KNOW -7 REFUSED ASK: Respondents who have used dissolvable tobacco sometime today, yesterday or the day before yesterday (R01_AD0100=2 or 3 or 4). DISPLAY: For [FILL BASED ON R01_AD0100], if R01_AD0100=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AD0100, making first letter lowercase.

Variable(s): R01_AD0103
How many pieces of dissolvable tobacco [have/did] you [used/use] [FILL BASED ON R01_AD0100]? _ _ -8 DON'T KNOW -7 REFUSED ASK: Respondents who have used dissolvable tobacco in the past hour, sometime today, yesterday or the day before yesterday (R01_AD0100=1 or 2 or 3 or 4). DISPLAY: If respondent used in past hour or sometime today (R01_AD0100=1 or 2), display "have" and "used". If respondent used yesterday or the day before yesterday (R01_AD0100=3 or 4), display "did" and "use". For [FILL BASED ON R01_AD0100], if R01_AD0100=1 OR 2, display "today". If R01_AD0100=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AD0100, making first letter lowercase.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1004

In the past 30 days, have you used dissolvable tobacco, even one or two times?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used dissolvable tobacco (R01_AD1001=1) AND do not currently use dissolvable tobacco every day or some days (R01_AD1003=3, -8 or -7).

BOX ID: R01_AX1

The second stage sampling algorithm will be run here. After the sampling algorithm is run, do the following:

DEFINE: R01_EVER_USER_CIGS = YES (1) IF R01_AC1002=1; = NO (2) IF R01_AC1002=2, -8, -7.

For respondents that are ever users of cigarettes (R01_EVER_USER_CIGS = 1): go to cigarette section, then to sections (in order) for the other products they use (if any). Then for respondents who are dual or poly users, go to polyuse section, for all others go to nicotine dependence section. Complete remaining sections in order.

For respondents that have never used cigarettes (R01_EVER_USER_CIGS = 2): go to sections (in order) for the product or products they use. Then for respondents who are dual or poly users, go to polyuse section, for all others go to nicotine dependence section. Complete remaining sections in order.

PROGRAM: Implement check specified in TOBCONF of logic checks and confirmations file.

Route the questionnaire back to each checked question and allow respondent to change answer. Save original answers in a history variable for each question. Apply the same missing probes or logic checks to any revisited question as specified for the initial administration of the question, e.g., probe for -8, -7, but only once each.

After respondent has been routed through any checked items, display the summary screen again and allow further iterations until the respondent checks the master box.

Do not run the Phase 2 sampling algorithm until the respondent checks the master approval box.

Routing:

All Adults that screen out of the Phase 2 screener (status code CPX); AND all adults who have confirmed their active duty military status (R01_AM0008=1) GO TO R01_AL3001

ELSE GO TO next appropriate section.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AL3001

You have finished the questionnaire. Thank you. Please hand the computer to the interviewer.

The interviewer must now enter the Monitor Password into the computer.

Monitor Password: _____

ASK: All Adults that screen out of the Phase 2 screener (status code CPX); AND all adults who have confirmed their active duty military status (R01_AM0007 = 1 AND R01_AM0008 != NO)

PROGRAM: THE MONITOR PASSWORD IS 8954

Variable(s): R01_AL3002

[FOR RESPONDENTS WHO ARE UNDER AGE 18, ALSO DISPLAY]

Interviewer: This respondent is under age 18 and is not eligible to be interviewed in this study.
(8IONO)

[FOR RESPONDENTS WHO ARE ACTIVE DUTY MILITARY, ALSO DISPLAY]

Interviewer: This respondent is on active duty in the U.S. Armed Services and is not eligible to be interviewed in this study.
(8IONO)

[FOR RESPONDENTS WHO ARE SUPPLEMENTAL SAMPLE AND RESPONDENTS WHO ARE NOT SAMPLED AT THE END OF P2, ALSO DISPLAY]

Interviewer: This respondent has completed a brief adult interview.
(8IONO)

ASK: All Adults that screen out of the Phase 2 screener (status code CPX); AND all adults who have confirmed their active duty military status (R01_AM0007 = 1 AND R01_AM0008 != NO)

PROGRAM: THE MONITOR PASSWORD IS 8954

GOTO: Adult extended is finished. Go to next appropriate task.

CIGARETTE

BOX ID:	R01_TransText_Clg
DISPLAY TRANSITION TEXT: The following questions ask about your experience with cigarettes .	
Bold "cigarettes".	

Variable(s):	R01_AC1005
How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.	
1 1 or more puffs but never a whole cigarette 2 1 to 10 cigarettes (about ½ pack total) 3 11 to 20 cigarettes (about ½ pack to 1 pack) 4 21 to 50 cigarettes (more than 1 pack but less than 3 packs) 5 51 to 99 (more than 2 ½ packs but less than 5 packs) 6 100 or more cigarettes (5 packs or more) -8 DON'T KNOW -7 REFUSED	
ASK: Respondents who have ever smoked a cigarette (R01_EVER_USER_CIGS = 1).	

Variable(s):	R01_AC1006
How old were you the first time you smoked part or all of a cigarette?	
_ _ _ -8 DON'T KNOW -7 REFUSED	
ASK: Respondents who have ever smoked a cigarette (R01_EVER_USER_CIGS = 1).	
DISPLAY: Display "Years old" as a title.	
GOTO: If R01_AC1006 = -8 or -7, go to R01_AC1120.	
Else, if R01_EVER_USER_CIGS = 1 AND R01_AC1005 = 6, go to R01_AC1100.	
Else, go to BOX R01_AC1.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AC1120**

The first time you smoked part or all of a cigarette, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AC1006 = -8 or -7).

GOTO: If R01_EVER_USER_CIGS = 1 AND R01_AC1005 = 6, go to R01_AC1100.

Else, go to BOX R01_AC1.

Variable(s): **R01_AC1100**

Have you ever smoked cigarettes fairly regularly?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO BOX R01_AC1
GO TO BOX R01_AC1
GO TO BOX R01_AC1

ASK: Respondents who have ever smoked a cigarette and have smoked 100 or more cigarettes in their lifetime (R01_EVER_USER_CIGS = 1 AND R01_AC1005 = 6).

Variable(s): **R01_AC1007**

How old were you when you first started smoking fairly regularly?

- I__|__|
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO BOX R01_AC1

ASK: Respondents who have ever smoked cigarettes fairly regularly (R01_AC1100 = 1).

DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AC1121**

When you first started smoking fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AC1007 = -8, -7).

BOX ID: R01_AC1

PROGRAM - CREATE VARIABLES: (SEE APPENDIX)

R01_EVER_USER_CIGS (Ever users): Has ever smoked a cigarette, even one or two puffs (IF R01_AC1002 = 1, THEN R01_EVER_USER_CIGS = 1 (YES).

ELSE, R01_EVER_USER_CIGS = 2 (NO).).

R01_CURRENT_USER_CIGS (Current users): Has ever smoked a cigarette, has smoked 100 cigarettes (lifetime), and now smokes every day or some days (IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 1 OR 2, THEN R01_CURRENT_USER_CIGS = 1 (YES).

ELSE, R01_CURRENT_USER_CIGS = 2 (NO).).

R01 EVERYDAY_USER_CIGS (Everyday users): Has ever smoked a cigarette, has smoked 100 cigarettes (lifetime), and now smokes every day (IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 1, THEN R01 EVERYDAY_USER_CIGS = 1 (YES).

ELSE, R01 EVERYDAY_USER_CIGS = 2 (NO).).

R01_SOME_DAY_USER_CIGS (Some day users): Has ever smoked a cigarette, has smoked 100 cigarettes (lifetime) and now smokes some days (IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 2, THEN R01_SOME_DAY_USER_CIGS = 1 (YES).

ELSE, R01_SOME_DAY_USER_CIGS = 2 (NO).).

R01_EXPERIMENTAL_CURRENT_CIGS (Experimental Current users): Has ever smoked a cigarette, has NOT smoked 100 cigarettes (lifetime) and now smokes every day or some days (IF R01_AC1002 = 1 AND R01_AC1005 = 1, 2, 3, 4, OR 5 AND R01_AC1003 = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_CIGS = 1 (YES).

ELSE, R01_EXPERIMENTAL_CURRENT_CIGS = 2 (NO).).

R01_EXPERIMENTAL_FORMER_CIGS (Experimental Former users): Has ever smoked a cigarette, has NOT smoked 100 cigarettes (lifetime) and now does not smoke at all (IF R01_AC1002 = 1 AND R01_AC1005 = 1, 2, 3, 4, OR 5 AND R01_AC1003 = 3, THEN R01_EXPERIMENTAL_FORMER_CIGS = 1 (YES).

ELSE, R01_EXPERIMENTAL_FORMER_CIGS = 2 (NO).). Note: might currently use other products.

R01_FORMER_USER_CIGS (Former users): Has ever smoked a cigarette, has smoked 100 cigarettes (lifetime) and now does not smoke at all (IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 3, THEN R01_FORMER_USER_CIGS = 1 (YES).

ELSE, R01_FORMER_USER_CIGS = 2 (NO).). Note: might currently use other products.

R01_UNDETERMINED_CIGS (Undetermined): Has ever smoked a cigarette, but cannot be identified as a particular type of cigarette user (IF R01_AC1003 = -8, -7 OR R01_AC1005 = -8, -7 THEN R01_UNDETERMINED_CIGS = 1 (YES).

ELSE, IF R01_AC1003 = -1, 1, 2, OR 3 AND R01_AC1005 = -1, 1, 2, 3, 4, OR 5 THEN R01_UNDETERMINED_CIGS = 2 (NO).).

AFTER CREATING NEW VARIABLES, DO THE FOLLOWING:

IF R01 EVERYDAY_USER_CIGS = 1, GO TO R01_AC1020.

ELSE, IF R01_CURRENT_USER_CIGS = 1, R01_FORMER_USER_CIGS = 1, R01_EXPERIMENTAL_CURRENT_CIGS = 1, OR R01_EXPERIMENTAL_FORMER_CIGS = 1, GO TO R01_AC9020.

ELSE, IF R01_UNDETERMINED_CIGS = 1, GO TO THE NEXT SECTION (see note on pg. v).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC1020

How old were you when you first started smoking cigarettes every day?

I__|__|

-8 DON'T KNOW

-7 REFUSED

ASK: Everyday users (R01_EVERYDAY_USER_CIGS = 1).

DISPLAY: Display "Years old" as a title.

GOTO: If R01_AC1020 = -8 or -7, go to R01_AC1122.

Else, go to R01_AC9020.

Variable(s): R01_AC1122

When you first started smoking cigarettes every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AC1020 = -8, -7).

Variable(s): R01_AC9020

When you first started smoking cigarettes, did you start with cigarettes flavored to taste like menthol or mint?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current users, Former users, Experimental Current users, and Experimental Former users (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1 OR R01_EXPERIMENTAL_FORMER_CIGS = 1).

GOTO: If Current user (R01_CURRENT_USER_CIGS = 1) AND R01_AC9020 = 1, go to BOX R01_AC6.

Else, if Experimental Current user (R01_EXPERIMENTAL_CURRENT_CIGS = 1) AND R01_AC9020 = 1, go to BOX R01_AC2.

Else, if Former user or Experimental Former user (R01_FORMER_USER_CIGS = 1 OR R01_EXPERIMENTAL_FORMER_CIGS = 1) AND R01_AC9020 = 1, go to R01_AC1009.

Else, if R01_AC9020 = 2, -8, -7, go to R01_AC9021.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC9021

When you first started smoking cigarettes, did you start with cigarettes flavored to taste like clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Former users, Experimental Current users, and Experimental Former users who did not start smoking with menthol flavored cigarettes ((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1 OR R01_EXPERIMENTAL_FORMER_CIGS = 1) AND R01_AC9020 = 2, -8, -7).

GOTO: If Current user (R01_CURRENT_USER_CIGS = 1), go to R01_AC9002.

Else, if Experimental Current user (R01_EXPERIMENTAL_CURRENT_CIGS = 1), go to BOX R01_AC2.

Else, go to R01_AC1009.

Variable(s): R01_AC1009_NN; R01_AC1009_UN

About how long has it been since you completely quit smoking cigarettes? (If it was earlier today, enter 1 day)

- 1 I__I__I DAYS
- 2 I__I__I MONTHS
- 3 I__I__I YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former users and Experimental Former users (R01_FORMER_USER_CIGS = 1 OR R01_EXPERIMENTAL_FORMER_CIGS = 1).

PROGRAM: Display as Quantity/Units

GOTO: If Former user (R01_FORMER_USER_CIGS = 1), go to BOX R01_AC6.

Else, go to the next section (see note on pg. v).

NOTES: The value "1" refers to R01_AC1009_UN = Days, the value "2" refers to R01_AC1009_UN = Months, and the value "3" refers to R01_AC1009_UN = Years.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID:	R01_AC6
PROGRAM - CREATE VARIABLES: (SEE APPENDIX)	
R01_FORMER_USER_12MONTH_CIGS (Former users 12 Month): Has ever smoked a cigarette, has smoked 100 cigarettes (lifetime), now does not smoke at all, and quit smoking within the past 12 months (IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 3 AND ((R01_AC1009_NN <= 365 AND R01_AC1009_UN = 1) OR (R01_AC1009_NN <= 12 AND R01_AC1009_UN = 2) OR (R01_AC1009_NN = 1 AND R01_AC1009_UN = 3)), THEN R01_FORMER_USER_12MONTH_CIGS = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_CIGS = 2 (NO).). Note: might currently use other products. R01_FORMER_USER_12MONTHPLUS_CIGS (Former users 12 Month Plus): Has ever smoked a cigarette, has smoked 100 cigarettes (lifetime), now does not smoke at all, and quit smoking longer than 12 months ago (IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 3 AND ((R01_AC1009_NN > 365 AND R01_AC1009_UN = 1) OR (R01_AC1009_NN > 12 AND R01_AC1009_UN = 2) OR (R01_AC1009_NN > 1 AND R01_AC1009_UN = 3)), THEN R01_FORMER_USER_12_MONTHPLUS_CIGS = 1 (YES). ELSE, R01_FORMER_USER_12_MONTHPLUS_CIGS = 2 (NO).). Note: might currently use other products. After defining the variables, then: If R01_FORMER_USER_12MONTH_CIGS = 1 OR R01_FORMER_USER_12MONTHPLUS_CIGS = 1, go to R01_AC9002 and R01_AC9003. If R01_CURRENT_USER_CIGS = 1, go to R01_AC9002 then BOX R01_AC2. Else, if R01_AC1100 = 1, go to R01_AC9002. Else, go to BOX R01_AC2.	

Variable(s):	R01_AC9002_YR; R01_AC9002_MO
About how long [have you been smoking did you smoke] fairly regularly? Do not count any time you may have stayed off cigarettes. I__ __ YEARS __ __ MONTHS -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users that have ever smoked fairly regularly ((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_CIGS = 1) AND R01_AC1100 = 1). DISPLAY: Display 'Years' and 'Months' as titles. PROGRAM: Display as Quantity/Units. GOTO: If Former user (R01_FORMER_USER_CIGS = 1), go to R01_AC9003. Else, go to BOX R01_AC2.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC9003_NN; R01_AC9003_UN

On average, about how many cigarettes did you smoke per day while you were smoking fairly regularly? A pack usually has 20 cigarettes in it.

- 1 |__|__| Cigarettes per day
- 2 |__|__| Packs per day
- 8 DON'T KNOW
- 7 REFUSED

ASK: Former users that have ever smoked fairly regularly (R01_FORMER_USER_CIGS = 1 AND R01_AC1100 = 1).

PROGRAM: Display as Quantity/Units

NOTES: The value "1" refers to R01_AC9003_UN = Cigarettes per day, the value "2" refers to R01_AC9003_UN = Packs per day.

BOX ID: R01_AC2

IF R01_EVERYDAY_USER_CIGS = 1, GO TO R01_AC1021.

IF R01_SOME_DAY_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1, GO TO R01_AC1022.

R01_FORMER_USER_12MONTHPLUS_CIGS = 1, GO TO THE NEXT SECTION (see note on pg. v).

ELSE, IF R01_FORMER_USER_12MONTH_CIGS = 1, GO TO R01_AC1025.

Variable(s): R01_AC1021_NN; R01_AC1021_UN

On average, about how many cigarettes do you now smoke each day? A pack usually has 20 cigarettes in it.

- 1 |__|__| Cigarettes per day
- 2 |__|__| Packs per day
- 8 DON'T KNOW
- 7 REFUSED

ASK: Everyday users (R01_EVERYDAY_USER_CIGS = 1).

PROGRAM: Display as Quantity/Units

GOTO: If R01_AC1021_NN = 0, go to R01_AC1024.

Else, if R01_AC1021_NN = -8, -7, go to R01_AC1090.

Else, go to BOX R01_AC5.

NOTES: The value "1" refers to R01_AC1021_UN = Cigarettes per day, the value "2" refers to R01_AC1021_UN = Packs per day.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AC1090**

Would you say that, on average, you now smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day? A pack usually has 20 cigarettes in it.

- | | | |
|----|----------------------------------|-------------------|
| 1 | More than 20 cigarettes each day | GO TO BOX R01_AC5 |
| 2 | About 20 cigarettes each day | GO TO BOX R01_AC5 |
| 3 | Less than 20 cigarettes each day | GO TO BOX R01_AC5 |
| -8 | DON'T KNOW | GO TO R01_AC1024 |
| -7 | REFUSED | GO TO R01_AC1024 |

ASK: Everyday users who don't know or refused to report how many cigarettes they smoke each day (R01_EVERYDAY_USER_CIGS = 1 AND R01_AC1021_NN = -8, -7).

Variable(s): **R01_AC1022**

On how many of the past 30 days did you smoke cigarettes?

|_|_|_|

- 8 DON'T KNOW
-7 REFUSED

ASK: Some day users and Experimental Current users (R01_SOME_DAY_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1).

PROGRAM: Range check: 0-30 days

GOTO: If R01_AC1022 = 0 and some day user (R01_SOME_DAY_USER_CIGS = 1), go to R01_AC1024.

Else, if R01_AC1022 = 0 and Experimental Current user (R01_EXPERIMENTAL_CURRENT_CIGS = 1) between 18-24 years old ((R01R_A_AGE > 17 AND R01R_A_AGE < 25) OR R01_AM0003 = 2), go to R01_AC9022.

Else, if R01_AC1022 = 0 and Experimental Current user (R01_EXPERIMENTAL_CURRENT_CIGS = 1) not between 18-24 years old, go to R01_AC1025.

Else, go to R01_AC1023.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC1023_NN*; R01_AC1023_UN

On average, on those [FILL NUMBER OF DAYS FROM R01_AC1022 days I days you smoked], how many cigarettes did you usually smoke each day? A pack usually has 20 cigarettes in it.

1 |__|__| Cigarettes per day

2 |__|__| Packs per day

-8 DON'T KNOW

-7 REFUSED

ASK: Some day users and Experimental Current users who smoked at least one day in the past 30 days or did not provide the number of days smoked in the past 30 days ((R01_SOME_DAY_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1) AND (R01_AC1022 > 0 OR R01_AC1022 IN ((-8, -7))).

DISPLAY: If R01_AC1022 = 1, -8, -7, display "days you smoked". Else display "# days" where # = number of days reported in R01_AC1022.

PROGRAM: Display as Quantity/Units.

GOTO: If Experimental Current user (R01_EXPERIMENTAL_CURRENT_CIGS = 1) AND between 18-24 years old ((R01R_A_AGE > 17 AND R01R_A_AGE < 25) OR R01_AM0003 = 2), go to R01_AC9022.

Else, if Experimental Current user (R01_EXPERIMENTAL_CURRENT_CIGS = 1) AND not between 18-24 years old ((R01R_A_AGE < 18 OR R01R_A_AGE > 24) AND R01_AM0003 != 2), go to R01_AC1025.

Else, if R01_AC1023_NN IN (0, -8, -7), go to R01_AC1024.

Else, go to BOX R01_AC5.

NOTES: The value "1" refers to R01_AC1023_UN = Cigarettes per day, the value "2" refers to R01_AC1023_UN = Packs per day.

INSTRUMENT ERROR: This item was skipped incorrectly by respondents who answered R01_AC1022 as don't know or refused.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_AC5
Create variables: Create CIGSPERDAY if respondent selected 'cigarette' (R01_AC1021_UN = 1 or R01_AC1023_UN = 1 or R01_AC9003_UN = 1) unit when reporting number. For Everyday users (R01_EVERYDAY_USER_CIGS = 1) and R01_AC1021_NN != -8, -7, CIGSPERDAY = R01_AC1021_NN For Some day users (R01_SOME_DAY_USER_CIGS = 1), CIGSPERDAY = R01_AC1023_NN For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1), CIGSPERDAY = R01_AC9003_NN Create PCKSPERDAY if respondent selected 'pack' (R01_AC1021_UN = 2 or R01_AC1023_UN = 2 or R01_AC9003_UN = 2) unit when reporting number. For Everyday users (R01_EVERYDAY_USER_CIGS = 1) and R01_AC1021_NN != -8, -7, PCKSPERDAY = R01_AC1021_NN For Some day users (R01_SOME_DAY_USER_CIGS = 1), PCKSPERDAY = R01_AC1023_NN For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1), PCKSPERDAY = R01_AC9003_NN GO TO: If Everyday user (R01_EVERYDAY_USER_CIGS = 1) and R01_AC1090 in (1, 2, 3), go to R01_AC9009. Else, if R01_AC1100 = 1, go to R01_AC9004. Else, go to R01_AC1024.

Variable(s): R01_AC9004***												
You mentioned that you smoke [#] [[cigarette[s] pack[s]] per day. Have you smoked about this many [cigarettes packs] per day since you started smoking fairly regularly? <table> <tr> <td>1</td> <td>Yes</td> <td>GO TO R01_AC1024</td> </tr> <tr> <td>2</td> <td>No</td> <td>GO TO R01_AC9005</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO R01_AC9005</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO R01_AC9005</td> </tr> </table> ASK: Current users who provided the number of cigarettes smoked per day AND have ever smoked fairly regularly (R01_CURRENT_USER_CIGS = 1 AND (R01_AC1021_NN > 1 or R01_AC1023_NN > 1) AND R01_AC1100 = 1). DISPLAY: AUTOFILL [#] with CIGSPERDAY or PCKSPERDAY. If CIGSPERDAY = 1, display 'cigarette'; if CIGSPERDAY > 1, display 'cigarettes'. If PCKSPERDAY = 1, display 'pack'; if PCKSPERDAY > 1, display 'packs'. If CIGSPERDAY used, display "cigarettes"; if PCKSPERDAY used, display "packs". NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.	1	Yes	GO TO R01_AC1024	2	No	GO TO R01_AC9005	-8	DON'T KNOW	GO TO R01_AC9005	-7	REFUSED	GO TO R01_AC9005
1	Yes	GO TO R01_AC1024										
2	No	GO TO R01_AC9005										
-8	DON'T KNOW	GO TO R01_AC9005										
-7	REFUSED	GO TO R01_AC9005										

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AC9009**

You mentioned that you smoke [CIGSPERDAY2]. Have you smoked about this many cigarettes per day since you started smoking fairly regularly?

- 1 Yes GO TO R01_AC1024
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Everyday users who indicated an average number of cigarettes smoked per day AND have ever smoked fairly regularly (R01_EVERYDAY_USER_CIGS = 1 AND (R01_AC1090 IN (1, 2, 3)) AND R01_AC1100 = 1).

DISPLAY: Fill CIGSPERDAY2 with "more than 20 cigarettes each day" if R01_AC1090 = 1, "about 20 cigarettes each day" if R01_AC1090 = 2, and "less than 20 cigarettes each day" if R01_AC1090 = 3.

Variable(s): **R01_AC9005_NN; R01_AC9005_UN**

On average, about how many cigarettes did you smoke per day when you smoked fairly regularly in the past? A pack usually has 20 cigarettes in it.

- 1 I__I__I Cigarettes per day
- 2 I__I__I Packs per day
- 7 REFUSED
- 8 DON'T KNOW

ASK: Current users who reported that they have ever smoked fairly regularly AND who say they now smoke a different amount than they used to (R01_CURRENT_USER_CIGS = 1 AND R01_AC1100 = 1 AND R01_AC9004 = 2, -8, -7).

PROGRAM: Display as Quantity/Units.

GOTO: If Current user (R01_CURRENT_USER_CIGS = 1), go to R01_AC1024.

Else, if Current Experimental user (R01_EXPERIMENTAL_CURRENT_CIGS = 1) between 18-24 years old ((R01R_A_AGE > 17 AND R01R_A_AGE < 25) OR R01_AM0003 = 2), go to R01_AC9022.

Else, go to R01_AC1025.

NOTES: The value "1" refers to R01_AC9005_UN = cigarettes per day, the value "2" refers to R01_AC9005_UN = packs per day.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC1024_NN; R01_AC1024_UN

[On the days that you smoke, how | How] soon after you wake up do you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

- 1 |__|__| MINUTES after waking
- 2 |__|__| HOURS after waking
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users (R01_CURRENT_USER_CIGS = 1).

DISPLAY: For Everyday users (R01_EVERYDAY_USER_CIGS = 1), display "How". For Some day users (R01_SOME_DAY_USER_CIGS = 1), display "On the days that you smoke, how".

PROGRAM: Display as Quantity/Units.

GOTO: If R01_AC1024 = 1 or 2 AND Current user (R01_CURRENT_USER_CIGS = 1) between 18-24 years old ((R01R_A_AGE > 17 AND R01R_A_AGE < 25) OR R01_AM0003 = 2), go to R01_AC9022.

Else, go to R01_AC1025.

NOTES: The value "1" refers to R01_AC1024_UN = minutes after waking, the value "2" refers to R01_AC1024_UN = hours after waking.

Variable(s): R01_AC1092

[On the days that you smoke, would | Would] you say you smoke your first cigarette of the day within the first 30 minutes after you wake up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users who don't know or refuse to answer how soon after waking up (R01_CURRENT_USER_CIGS = 1 AND R01_AC1024 = -8, -7).

DISPLAY: For Everyday users (R01_EVERYDAY_USER_CIGS = 1), display "Would". For Some day users (R01_SOME_DAY_USER_CIGS = 1), display "On the days that you smoke, would".

GOTO: If Current user and Experimental Current user (R01_CURRENT_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1) between 18-24 years old ((R01R_A_AGE > 17 AND R01R_A_AGE < 25) OR R01_AM0003 = 2), go to R01_AC9022.

Else, go to R01_AC1025.

Variable(s): R01_AC9022

Do you consider yourself a smoker?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Experimental Current users who are between 18-24 years old ((R01_CURRENT_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1) AND (R01R_A_AGE > 17 AND R01R_A_AGE < 25) OR R01_AM0003 = 2).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC1025

Around this time 12 months ago, were you smoking cigarettes every day, some days, or not at all?

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1 OR
R01_FORMER_USER_12MONTH_CIGS = 1).

GOTO: If Experimental Current user (R01_EXPERIMENTAL_CURRENT_CIGS = 1), go to the next section (see note on pg. v).

Else, if R01_AC1025 = 1, go to R01_AC9006.

Else, if Former user 12 month (R01_FORMER_USER_12MONTH_CIGS = 1), go to R01_AC9007.

Else, go to R01_AC1097.

Variable(s): R01_AC9006_NN; R01_AC9006_UN

Around this time 12 months ago, on average, about how many cigarettes did you smoke each day? A pack usually has 20 cigarettes in it.

- 1 I__I__I Cigarettes per day
- 2 I__I__I Packs per day
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who used cigarettes everyday around this time 12 months ago (R01_AC1025 = 1).

PROGRAM: Display as Quantity/Units.

GOTO: If R01_AC9006_NN = -8 or -7, go to R01_AC9140.

Else, if Current user (R01_CURRENT_USER_CIGS = 1), go to R01_AC1097.

Else, if Former user 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1), go to R01_AC9007.

NOTES: The value "1" refers to R01_AC9006_UN = cigarettes per day, the value "2" refers to R01_AC9006_UN = packs per day.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC9140

Would you say that, around this time 12 months ago, on average, you smoked more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day? A pack usually has 20 cigarettes in it.

- 1 More than 20 cigarettes each day
- 2 About 20 cigarettes each day
- 3 Less than 20 cigarettes each day
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who used cigarettes everyday around this time 12 months ago (R01_AC1025 = 1) who refused or did not know how many cigarettes they smoked each day (R01_AC9006 = -8, -7).

GOTO: If Current user (R01_CURRENT_USER_CIGS = 1), go to R01_AC1097.

Else, if Former user 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1), go to R01_AC9007.

Variable(s): R01_AC1097

The next questions ask about your experience buying cigarettes.

In the past 30 days, did you use a coupon when buying cigarettes?

- | | | |
|----|--|------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AC9007 |
| 3 | I did not buy cigarettes in the past 30 days | GO TO R01_AC9007 |
| -8 | DON'T KNOW | GO TO R01_AC9007 |
| -7 | REFUSED | GO TO R01_AC9007 |

ASK: Current users (R01_CURRENT_USER_CIGS = 1).

Variable(s): R01_AC1098

How many times in the past 30 days have you used a coupon to buy cigarettes?

- I__I__I
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users who have used a coupon to buy cigarettes in the past 30 days (R01_CURRENT_USER_CIGS = 1 AND R01_AC1097=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
When you [buy I bought] cigarettes for yourself, [do I did] you usually buy manufactured cigarettes or a pouch of tobacco to roll-your-own cigarettes? Choose all that apply.	
R01_AC9007_01 R01_AC9007_02	1 Manufactured cigarettes 2 Roll-your-own tobacco -8 DON'T KNOW -7 REFUSED
ASK: Current users and Former users 12 Month (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1). DISPLAY: For Current users (R01_CURRENT_USER_CIGS = 1), display “buy” and “do”; For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1), display “bought” and “did”.	

BOX ID:	R01_RYO_Loop
If respondent provides more than one response in R01_AC9007, create and repeat R01_AC1030 TO R01_AC1051 as a loop once for each cigarette type, following appropriate skip patterns. Loop manufactured cigarettes first, then roll-your-own cigarette tobacco second. If R01_AC9007_01 = -8, -7, go through R01_AC1030MC TO R01_AC1051MC once, following the display instructions for manufactured cigarettes.	

Variable(s):	R01_AC1030RY; R01_AC1030MC
How [do I did] you usually buy [cigarettes a pouch of roll-your-own cigarette tobacco] for yourself? Is it...	
1 In person 2 From the internet 3 By telephone 4 I [do I did] not buy my own [cigarettes cigarette tobacco] -8 DON'T KNOW -7 REFUSED	GO TO R01_AC1039 GO TO R01_AC1039 GO TO R01_AC1047[RY/MC] GO TO R01_AC1047[RY/MC] GO TO R01_AC1047[RY/MC]
ASK: Current users and Former users 12 Month (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1). DISPLAY: Display instruction for question and response option 4 fills: For Current users (R01_CURRENT_USER_CIGS = 1), display “do”. For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1), display “did”. For Current users (R01_CURRENT_USER_CIGS = 1) or Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who usually purchase manufactured cigarettes (R01_AC9007_01 = 1), display “cigarettes”. For Current users (R01_CURRENT_USER_CIGS = 1) or Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who usually purchase roll-your-own cigarettes (R01_AC9007_02 = 1), display “a pouch of roll-your-own cigarette tobacco” (and “cigarette tobacco” in response option 4).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AC1032RY; R01_AC1032MC
[Do/Did] you usually buy [cigarettes roll-your-own cigarette tobacco]...? 1 In your own state 2 In another state 3 Outside the US -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month who usually buy cigarettes in person ((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND R01_AC1030[RY/MC]=1). DISPLAY: For Current users (R01_CURRENT_USER_CIGS = 1), display "Do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1), display "Did". For Current users (R01_CURRENT_USER_CIGS = 1) or Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who usually purchase manufactured cigarettes (R01_AC9007_01 = 1), display "cigarettes". For Current users (R01_CURRENT_USER_CIGS = 1) or Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who usually purchase roll-your- own cigarettes (R01_AC9007_02 = 1), display "roll-your-own cigarette tobacco".	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AC1033RY; R01_AC1033RY_OS; R01_AC1033MC; R01_AC1033MC_OS
---------------------	---

Where [do | did] you buy your [cigarettes | roll-your-own cigarette tobacco] most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A store on an Indian reservation
- 10 A liquor store
- 11 Or from somewhere else SPECIFY: _____
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Former users 12 Month who usually buy in person
 ((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND
 R01_AC1030[RY/MC]=1).

DISPLAY: For Current users (R01_CURRENT_USER_CIGS = 1), display "do". For Former users 12
 Month (R01_FORMER_USER_12MONTH_CIGS = 1), display "did". For those who usually purchase
 manufactured cigarettes (R01_AC9007_01 = 1), display "cigarettes". For those who usually purchase
 roll-your-own cigarettes (R01_AC9007_02 = 1), display "roll-your-own cigarette tobacco". If OS field
 selected and additional OS screen is shown, display question text and add the following text: "Please
 type your answer using the computer keyboard."

GOTO: If Former user 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1), go to
 R01_AC1047[RY/MC].

Else, go to BOX R01_AC3.

BOX ID:	R01_AC3
----------------	----------------

Current users who usually purchase roll-your-own cigarettes (R01_CURRENT_USER_CIGS = 1 AND
 R01_AC9007_02 = 1), go to R01_AC1047[RY/MC].

Else, current users who usually purchase manufactured cigarettes (R01_CURRENT_USER_CIGS = 1
 AND R01_AC9007_01 = 1, -8, -7) , go to R01_AC1039.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC1039**	
Do you usually buy cigarettes by the carton, pack or as single cigarettes?	
1 Carton	
2 Pack	GO TO R01_AC1042
3 Single cigarettes	GO TO R01_AC1043
-8 DON'T KNOW	GO TO R01_AC1047MC
-7 REFUSED	GO TO R01_AC1047MC
ASK: Current users who usually purchase manufactured cigarettes (R01_CURRENT_USER_CIGS = 1 AND R01_AC9007_01 = 1, -8, -7).	
NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who answered R01_AC9007_01 and R01_AC9007_02 as don't know or refused. Since this item was skipped incorrectly, the follow-up items R01_AC1040, R01_AC1041_D, R01_AC1041_C, R01_AC1042_D, R01_AC1042_C, R01_AC1043_D and R01_AC1043_C were also skipped incorrectly.	

Variable(s): R01_AC1040**	
How many packs of cigarettes are in the carton you usually buy?	
I__ __	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current users who usually purchase manufactured cigarettes (R01_CURRENT_USER_CIGS = 1 AND R01_AC9007_01 = 1, -8, -7) by the carton (R01_AC1039 = 1).	
NOTES: INSTRUMENT ERROR: R01_AC1039 was skipped incorrectly by respondents who answered R01_AC9007_01 and R01_AC9007_02 as don't know or refused. Since R01_AC1039 was skipped incorrectly, this follow-up item was also skipped incorrectly.	

Variable(s): R01_AC1041_D**; R01_AC1041_C**	
How much do you usually pay for a carton of cigarettes?	
\$I__ __ __ . I__ __	GO TO R01_AC1047MC
-8 DON'T KNOW	GO TO R01_AC1047MC
-7 REFUSED	GO TO R01_AC1047MC
ASK: Current users who usually purchase manufactured cigarettes (R01_CURRENT_USER_CIGS = 1 AND R01_AC9007_01 = 1, -8, -7) by the carton (R01_AC1039 = 1).	
DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles	
PROGRAM: Display as Quantity/Quantity.	
NOTES: INSTRUMENT ERROR: R01_AC1039 was skipped incorrectly by respondents who answered R01_AC9007_01 and R01_AC9007_02 as don't know or refused. Since R01_AC1039 was skipped incorrectly, these follow-up items were also skipped incorrectly.	

Variable(s):	R01_AC1042_D**;	R01_AC1042_C**
How much do you usually pay for a pack of cigarettes?		
	\$ __ __ __ . __ __	GO TO R01_AC1047MC
-8	DON'T KNOW	GO TO R01_AC1047MC
-7	REFUSED	GO TO R01_AC1047MC
ASK: Current users who usually purchase manufactured cigarettes (R01_CURRENT_USER_CIGS = 1 AND R01_AC9007_01 = 1, -8, -7) by the pack (R01_AC1039 = 2).		
DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles		
PROGRAM: Display as Quantity/Quantity.		
NOTES: INSTRUMENT ERROR: R01_AC1039 was skipped incorrectly by respondents who answered R01_AC9007_01 and R01_AC9007_02 as don't know or refused. Since R01_AC1039 was skipped incorrectly, these follow-up items were also skipped incorrectly.		

Variable(s): **R01_AC1043_D****; **R01_AC1043_C****

How much do you usually pay for a single cigarette?

\$ |__|__|__| . |__|__|

-8 DON'T KNOW

-7 REFUSED

ASK: Current users who usually purchase manufactured cigarettes (R01_CURRENT_USER_CIGS = 1 AND R01_AC9007_01 = 1, -8, -7) as single cigarettes (R01_AC1039 = 3).

DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles

PROGRAM: Display as Quantity/Quantity.

NOTES: INSTRUMENT ERROR: R01_AC1039 was skipped incorrectly by respondents who answered R01_AC9007_01 and R01_AC9007_02 as don't know or refused. Since R01_AC1039 was skipped incorrectly, these follow-up items were also skipped incorrectly.

Variable(s): **R01_AC1047RY; R01_AC1047MC**

[Do I Did] you have a regular brand of [cigarettes | roll-your-own cigarette tobacco] that you usually [smoke I smoked]?

1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED

ASK: Current users and Former users 12 Month (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1).

DISPLAY: For Current users (R01_CURRENT_USER_CIGS = 1), display “Do” and “smoke”; For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1), display “Did” and “smoked”. For Current users (R01_CURRENT_USER_CIGS = 1) and Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who usually purchase manufactured cigarettes (R01_AC9007_01=1), display “cigarettes”. For Current users (R01_CURRENT_USER_CIGS = 1) and Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who usually purchase roll-your-own cigarettes (R01_AC9007_02=1), display “roll-your-own cigarette tobacco”.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AC1048RY_BRAND; R01_AC1048MC_BRAND
What brand of [cigarettes roll-your-own cigarette tobacco] [do I did] you [usually I last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1). DISPLAY: For Current users (R01_CURRENT_USER_CIGS = 1) who have regular brand (R01_AC1047[RY/MC] = 1), display "do" and "usually"; For Current users (R01_CURRENT_USER_CIGS = 1) who do not have a regular brand (R01_AC1047[RY/MC] = 2, -8, -7), display "did" and "last". For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who had a regular brand (R01_AC1047[RY/MC] = 1), display "did" and "usually"; For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who did not have a regular brand (R01_AC1047[RY/MC] = 2, -8, -7), display "did" and "last". For Current users (R01_CURRENT_USER_CIGS = 1) and Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who usually purchase manufactured cigarettes (R01_AC9007_01 = 1), display "cigarettes". For Current users (R01_CURRENT_USER_CIGS = 1) and Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who usually purchase roll-your-own cigarettes (R01_AC9007_02 = 1), display "roll-your-own cigarette tobacco". For Current users (R01_CURRENT_USER_CIGS = 1) and Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who usually purchase manufactured cigarettes (R01_AC9007_01 = 1), display only brands of manufactured cigarettes. For Current users (R01_CURRENT_USER_CIGS = 1) and Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who usually purchase roll-your-own cigarettes (R01_AC9007_02 = 1), display only brands of roll-your-own cigarette tobacco. [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else". PROGRAM: [SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. WHEN A RESPONDENT SELECTS A BRAND, GO TO R01_AC1070[RY/MC]_PRODUCT] GOTO: If R01_AC1048[RY/MC]_BRAND != 9995, -8, -7, go to R01_AC0170_PRODUCT. Else if R01_AC1048[RY/MC]_BRAND = 9995, go to R01_AC1049[RY/MC]. Else, go to R01_AC1050MC.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC1070RY_PRODUCT; R01_AC1070MC_PRODUCT
You selected [CIGBRANDFILL RYOBRANDFILL] as your brand. What kind of [CIGBRANDFILL RYOBRANDFILL] [do I did] you [usually I last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else."] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) who selected a brand image in R01_AC1048RY_BRAND or R01_AC1048MC_BRAND. DISPLAY: If manufactured user, fill CIGBRANDFILL with R01_AC1048MC_BRAND; if roll-your-own user, fill RYOBRANDFILL with R01_AC1048RY_BRAND. For Current users (R01_CURRENT_USER_CIGS = 1) who have regular brand (R01_AC1047[RY/MC] = 1), display "do" and "usually"; For Current users (R01_CURRENT_USER_CIGS = 1) who do not have a regular brand (R01_AC1047[RY/MC] = 2, -8, -7), display "did" and "last". For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who had a regular brand (R01_AC1047[RY/MC] = 1), display "did" and "usually"; For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who did not have a regular brand (R01_AC1047[RY/MC] = 2, -8, -7), display "did" and "last". [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else". PROGRAM: [SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R01_AC1048[RY/MC]] GOTO: GO TO: IF R01_AC1070[RY/MC]_PRODUCT = 99995, GO TO R01_AC1071[RY/MC]. Else, if respondent smokes roll-your-own cigarettes (R01_AC9007_02 = 1),go to R01_AC1052RY. Else, if respondent smokes manufactured cigarettes (R01_AC9007_01 = 1, -8, -7), go to R01_AC1050MC.

Variable(s): R01_AC1049RY; R01_AC1049MC
You said that your brand was not pictured. What is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month who did not select an image of their regular brand ((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND (R01_AC1048RY_BRAND = 9995 OR R01_AC1048MC_BRAND = 9995)). GOTO: If respondent smokes roll-your-own cigarettes (R01_AC9007_02 = 1),go to R01_AC1052RY. Else, if respondent smokes manufactured cigarettes (R01_AC9007_01 = 1, -8, -7), go to R01_AC1050MC.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC1071RY; R01_AC1071MC

You said that the type of [CIGBRANDFILL | RYOBANDFILL]s that you [smoke I smoked] is not pictured. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Current users and Former users 12 Month (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) who did not select the type of product they use (R01_AC1070MC_PRODUCT = 99995 "Something else" OR R01_AC1070RY_PRODUCT = 99995) but who DID select a brand (R01_AC1048MC_BRAND != 9995, -8, -7 OR R01_AC1048RY_BRAND != 9995, -8, -7). Do not ask of respondents who wrote a brand into R01_AC1049[RY/MC].

DISPLAY: For Current users (R01_CURRENT_USER_CIGS = 1), display "smoke"; for Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1), display "smoked".

GOTO: If respondent smokes roll-your-own cigarettes (R01_AC9007_02 = 1), go to R01_AC1052RY. Else, if respondent smokes manufactured cigarettes (R01_AC9007_01 = 1, -8, -7), go to R01_AC1050MC.

Variable(s): R01_AC1050MC

[Is / was] [your regular brand I the last brand] you [smoke I smoked] flavored to taste like menthol or mint?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current users and Former users 12 Month who usually purchase manufactured cigarettes ((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND R01_AC9007_01 = 1, -8, -7).

DISPLAY: For Current users (R01_CURRENT_USER_CIGS = 1) who have regular brand (R01_AC1047MC = 1), display "Is" and "your regular brand" and "smoke"; For Current users (R01_CURRENT_USER_CIGS = 1) who do not have a regular brand (R01_AC1047MC = 2, -8, -7), display "Was" and "the last brand" and "smoked". For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who had a regular brand (R01_AC1047MC = 1), display "Was" and "your regular brand" and "smoked"; For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who did not have a regular brand (R01_AC1047MC = 2, -8, -7), display "Was" and "the last brand" and "smoked".

GOTO: If R01_AC9007_01 = 1, -8, -7, go to R01_AC1051[RY/MC].

Else, go to R01_AC1052RY.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AC1052RY	
[Is / was] [your regular brand I the last brand] of roll-your-own cigarette tobacco [you smoked] flavored to taste like menthol or mint?		
1 Yes 2 No -8 DON'T KNOW -7 REFUSED		GO TO R01_AC1051RY
ASK: Current users and Former users 12 Month who usually purchase roll-your-own cigarettes ((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND R01_AC9007_02 = 1). DISPLAY: For Current users (R01_CURRENT_USER_CIGS = 1) who have a regular brand (R01_AC1047RY = 1), display "Is", "your regular brand". For Current users (R01_CURRENT_USER_CIGS = 1) who do not have a regular brand (R01_AC1047RY = 2, -8, -7), display "Was", "the last brand" and "you smoked". For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who had a regular brand (R01_AC1047RY = 1), display "Was", "your regular brand". For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who did not have a regular brand (R01_AC1047RY = 2, -8, -7), display "Was", "the last brand" and "you smoked".		

Variable(s):	R01_AC1053RY	
[Is / was] [your regular brand I the last brand] of roll-your-own cigarette tobacco [you smoked] flavored to taste like clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets?		
1 Yes 2 No -8 DON'T KNOW -7 REFUSED		
ASK: Current users and Former users 12 Month who usually purchase roll-your-own cigarettes ((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND R01_AC9007_02 = 1) whose current or last brand was not mint/menthol (R01_AC1052RY = 2). DISPLAY: For Current users (R01_CURRENT_USER_CIGS = 1) who have a regular brand (R01_AC1047RY = 1), display "Is", "your regular brand". For Current users (R01_CURRENT_USER_CIGS = 1) who do not have a regular brand (R01_AC1047RY = 2, -8, -7), display "Was", "the last brand" and "you smoked". For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who had a regular brand (R01_AC1047RY = 1), display "Was", "your regular brand". For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) who did not have a regular brand (R01_AC1047RY = 2, -8, -7), display "Was", "the last brand" and "you smoked". GOTO: If Current user (R01_CURRENT_USER_CIGS = 1) AND R01_AC1047RY = 1, go to R01_AC1051RY. Else, if Former user 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) AND R01_AC9007_01 = 1, -8, -7 AND R01_AC1047RY = 1, go to Box R01_AC7. Else, if Current user or Former user 12 Month (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND R01_AC9007_01 = 1, -8, -7 AND R01_AC1047RY != 1, go to R01_AC9019. Else, go to the next section (see note on pg. v).		

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AC1051RY_NN; R01_AC1051RY_UN; R01_AC1051MC_NN; R01_AC1051MC_UN
About how long have you been smoking your regular brand of [cigarettes roll-your-own cigarette tobacco]? 1 I__I__I DAYS 2 I__I__I MONTHS 3 I__I__I YEARS -8 DON'T KNOW -7 REFUSED ASK: Current users who have a regular brand (R01_CURRENT_USER_CIGS = 1 AND R01_AC1047[RY/MC] = 1). DISPLAY: For Current users (R01_CURRENT_USER_CIGS = 1) who usually purchase manufactured cigarettes (R01_AC9007_01 = 1), display "cigarettes". For Current users (R01_CURRENT_USER_CIGS = 1) who usually purchase roll-your-own cigarettes (R01_AC9007_02 = 1), display "roll-your-own cigarette tobacco". PROGRAM: Display as Quantity/Units. GOTO: If user of both manufactured and roll-your-own cigarettes (R01_AC9007_01 = 1 AND R01_AC9007_02 = 1), go to R01_AC0105. Else, if user of only manufactured cigarettes (R01_AC9007_02 != 1), go to Box R01_AC7. Else, go to R01_AC9019. NOTES: The value "1" refers to R01_AC1051[RY/MC]_UN = Days, the value "2" refers to R01_AC1051[RY/MC]_UN = Months, and the value "3" refers to R01_AC1051[RY/MC]_UN = Years.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AC0105
You said earlier that you smoked a cigarette [TIME OF LAST USE]. Think about the very last cigarette you smoked. Was the brand... 1 [NEQBRAND] (PROGRAM: Fill with selection stored in R01_AC1070MC_PRODUCT for manufactured) 2 [NEQBRAND] (PROGRAM: Fill with selection stored in R01_AC1070RY_PRODUCT for roll-your-own) 3 Some other brand -8 DON'T KNOW -7 REFUSED ASK: Respondents who have smoked a cigarette today, yesterday or the day before yesterday (R01_AC0100 = 1, 2 or 3 or 4) AND who selected a valid brand (R01_AC1048MC_BRAND != 9995, -8, -7 AND R01_AC1048RY_BRAND != 9995, -8, -7) AND valid sub brand (R01_AC1070MC_PRODUCT != 99995, -8, -7 AND R01_AC1070RY_PRODUCT != 99995, -8, -7) AND are users of both RYO and manufactured cigarettes (R01_AC9007_01 = 1 AND R01_AC9007_02 = 1). If NEQBRAND is missing in either loop for manufactured or RYO cigarettes, default to asking R01_AC0104 at the end of the cigarette section instead of R01_AC0105. DISPLAY: For smokers who have a regular brand (R01_AC1047[RY/MC] = 1), display "your regular brand". For smokers who do not have a regular brand (R01_AC1047[RY/MC] = 2, -8, -7), display "the last brand" and "you smoked". For 'TIME OF LAST USE', if R01_AC0100 = 1, display "in the past hour". If R01_AC0100 = 2, display "sometime today". If R01_AC0100 = 3, display "yesterday". If R01_AC0100 = 4, display "the day before yesterday". For 'NEQBRAND', fill with selection stored in R01_AC1070[RY/MC]_PRODUCT for manufactured and roll-your-own users.	

BOX ID:	R01_AC7
Display question R01_AC9010, R01_AC9011, R01_AC9012, R01_AC9013, R01_AC9014, R01_AC9015, R01_AC9016, R01_AC9017, on one screen. Show the intro/transition text from R01_AC9010 first, then show each item with a Y/N response. As each item is answered, show the next one. PROGRAM: Randomize order of R01_AC9010 through R01_AC9017.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AC9010*****

The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes. In choosing your regular brand of cigarettes [when you smoked], was part of your decision based on any of the following?

It [is/was] less expensive.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Former users 12 Month who have a regular brand
((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND
R01_AC1047MC = 1) and who usually purchase manufactured cigarettes (R01_AC9007_01 = 1, -8, -7).

DISPLAY: For Current users (R01_CURRENT_USER_CIGS = 1), display "is". For Former users 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1), display "when you last smoked" and "was".

If respondent uses both manufactured and roll-your-own cigarettes (R01_AC9007_01 = 1 AND R01_AC9007_02 = 1), display the following transition text: 'The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes.' Else, do not display this text.

PROGRAM: Underline "manufactured".

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R01_AC9011*****

The tar and nicotine levels.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Former users 12 Month who have a regular brand
((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND
R01_AC1047MC = 1) and who usually purchase manufactured cigarettes (R01_AC9007_01 = 1, -8, -7).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC9012***

The design of the pack.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Former users 12 Month who have a regular brand
((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND
R01_AC1047MC = 1) and who usually purchase manufactured cigarettes (R01_AC9007_01 = 1, -8, -7).
NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R01_AC9013***

It may not be as bad for your health.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Former users 12 Month who have a regular brand
((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND
R01_AC1047MC = 1) and who usually purchase manufactured cigarettes (R01_AC9007_01 = 1, -8, -7).
NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R01_AC9014***

The taste.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Former users 12 Month who have a regular brand
((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND
R01_AC1047MC = 1) and who usually purchase manufactured cigarettes (R01_AC9007_01 = 1, -8, -7).
NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC9015***

As a way to help you quit.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Former users 12 Month who have a regular brand
((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND
R01_AC1047MC = 1) and who usually purchase manufactured cigarettes (R01_AC9007_01 = 1, -8, -7).
NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R01_AC9016***

The amount of satisfaction it [gives | gave] you.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Former users 12 Month who have a regular brand
((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND
R01_AC1047MC = 1) and who usually purchase manufactured cigarettes (R01_AC9007_01 = 1, -8, -7).
DISPLAY: DISPLAY: For Current users, display "gives". For Former users 12 Month, display "gave".

Variable(s): R01_AC9017***

People who are important to you [smoke | smoked] this brand.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Former users 12 Month who have a regular brand
((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND
R01_AC1047MC = 1) and who usually purchase manufactured cigarettes (R01_AC9007_01 = 1, -8, -7).
DISPLAY: DISPLAY: For Current users, display "smoke". For Former users 12 Month, display "smoked".

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AC9019**/**
Do you think the brand of cigarettes you [usually smoke I usually smoked last smoked] might be less harmful, no different, or more harmful, compared to other cigarette brands? 1 Less harmful 2 No different 3 More harmful -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month who usually purchase manufactured cigarettes ((R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND R01_AC9007_01 = 1, -8, -7). DISPLAY: If Current user (R01_CURRENT_USER_CIGS = 1) with a regular brand (R01_AC1047MC = 1), fill with "usually smoke"; If Current user (R01_CURRENT_USER_CIGS = 1) that does not have regular brand (R01_AC1047MC = 2, -8, -7), fill with "last smoked". If Former user 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) with a regular brand (R01_AC1047MC = 1), fill with "usually smoked"; If Former user 12 Month (R01_FORMER_USER_12MONTH_CIGS = 1) that did not have a regular brand (R01_AC1047MC = 2, -8, -7), fill with "last smoked". NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who answered R01_AC9007_01 and R01_AC9007_02 as don't know or refused. DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R01_AC0104***
We just have one more question about [your regular brand I the last brand] of cigarettes[you smoked]. You said earlier that you smoked a cigarette [TIME OF LAST USE]. Think about the very last cigarette you smoked. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Respondents who have smoked a cigarette today, yesterday or the day before yesterday (R01_AC0100 = 1, 2, 3 or 4) AND who selected a valid brand (R01_AC1048MC_BRAND != 9995, -8, -7 OR R01_AC1048RY_BRAND != 9995, -8, -7) AND valid sub brand (R01_AC1070MC_PRODUCT != 99995, -8, -7 OR R01_AC1070RY_PRODUCT != 99995, -8, -7) AND are users of either manufactured OR roll-your-own cigarettes, but not both ((R01_AC9007_01 = -8 OR -7) OR (R01_AC9007_01 = 1 AND R01_AC9007_02 = 2) OR (R01_AC9007_01 = 2 AND R01_AC9007_02 = 1)). DISPLAY: For smokers who have a regular brand (R01_AC1047[RY/MC] = 1), display "your regular brand". For smokers who do not have a regular brand (R01_AC1047[RY/MC] = 2, -8, -7), display "the last brand" and "you smoked". For 'TIME OF LAST USE', if R01_AC0100 = 1, display "in the past hour". If R01_AC0100 = 2, display "sometime today". If R01_AC0100 = 3, display "yesterday". If R01_AC0100 = 4, display "the day before yesterday". For 'NEQBRAND', fill with selection stored in R01_AC1070[RY/MC]_PRODUCT. NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.	

E-CIGARETTE**BOX ID: R01_AET02**

The next questions are about **electronic or e-cigarettes**. E-cigarettes look like regular cigarettes, but are battery-powered and produce vapor instead of smoke.

E-cigarettes can be bought as one-time, disposable products, or can be bought as re-usable kits with a cartridge. Some people refill their own cartridges with nicotine fluid, sometimes called “e-juice” or “e-liquid”.

Disposable e-cigarettes, e-cigarette cartridges and e-liquid come in many different flavors and nicotine concentrations.

SHOW GENERIC IMAGES OF E-CIGARETTES, CARTRIDGES AND JUICE.

Variable(s): R01_AE1090

Do you own an e-cigarette?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AE1005 |
| -8 | DON'T KNOW | GO TO R01_AE1005 |
| -7 | REFUSED | GO TO R01_AE1005 |

ASK: Respondents who have ever used an e-cigarette (R01_AE1002=1).

Variable(s): R01_AE9002_BRAND

What brand of e-cigarette do you own? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked “NEXT”. If you do not see it below, touch the box marked “Something else”.]

- | | | |
|------|----------------|------------------|
| 9995 | Something else | |
| -8 | DON'T KNOW | GO TO R01_AE9004 |
| -7 | REFUSED | GO TO R01_AE9004 |

ASK: Respondents who own an e-cigarette (R01_AE1090=1).

DISPLAY: [If multiple screens] Display: If you do not see it below, touch the button marked “NEXT”.

[If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked “Something else”.

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. WHEN A RESPONDENT SELECTS A BRAND, GO TO R01_AE9004]

Variable(s): R01_AE9003

You said that the brand of e-cigarette you own was not pictured. What brand is it?

- | | |
|----|------------|
| | _____ |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Respondents who did not select an image of the brand they own (R01_AE9002_BRAND=9995).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE9004

About how much did you pay for your e-cigarette? Do not include the cost of additional cartridges or accessories unless they were included in a starter kit.

- 1 Less than \$10
- 2 \$10 to \$20
- 3 \$21 to \$100
- 4 More than \$100
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who own an e-cigarette (R01_AE1090=1).

Variable(s): R01_AE1005

How many disposable e-cigarettes or e-cigarette cartridges have you used in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used an e-cigarette (R01_AE1002=1).

Variable(s): R01_AE1006

How old were you when you first used an e-cigarette, even one or two times?

I__|__|

GO TO R01_AE1100

- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used an e-cigarette (R01_AE1002=1).

DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE1120

When you first used an e-cigarette, even one or two times, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AE1006 = -8, -7).

Variable(s): R01_AE1100

Have you ever used e-cigarettes fairly regularly?

- 1 Yes
- 2 No GO TO R01_AE1008
- 8 DON'T KNOW GO TO R01_AE1008
- 7 REFUSED GO TO R01_AE1008

ASK: Respondents who have ever used an e-cigarette (R01_AE1002=1).

Variable(s): R01_AE1007

How old were you when you first started using e-cigarettes fairly regularly?

- I__|__|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used e-cigarettes fairly regularly (R01_AE1100=1).

DISPLAY: Display "Years old" as a title.

GOTO: If R01_AE1007 = -8 or -7, go to R01_AE1121.

Else if R01_AE1003 = 1, go to R01_AE1020.

Else, go to R01_AE1008.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE1121

When you first started using e-cigarettes fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age when they first started using e-cigarettes fairly regularly (R01_AE1007 = -8, -7).

GOTO: If R01_AE1003 = 1, go to R01_AE1020.

Else, go to R01_AE1008.

Variable(s): R01_AE1020

How old were you when you first started using e-cigarettes every day?

|_|_|

GO TO R01_AE1008

- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who use an e-cigarette every day (R01_AE1003=1) and have ever used fairly regularly (R01_AE1100 = 1).

DISPLAY: Display "Years old" as a title.

Variable(s): R01_AE1122

When you first started using e-cigarettes every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age they first started using e-cigarettes every day (R01_AE1020 = -8, -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE1008

When you first started using e-cigarettes, did you use cartridges or disposable e-cigarettes flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used an e-cigarette (R01_AE1002=1).

GOTO: If R01_AE1003 = 3, go to R01_AE1009.

Else, go to BOX R01_AE2.

Variable(s): R01_AE1009_NN; R01_AE1009_UN

About how long has it been since you last took a puff from an e-cigarette? (If it was earlier today, enter 1 day).

- 1 I__I__I DAYS
- 2 I__I__I MONTHS
- 3 I__I__I YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used an e-cigarette (R01_AE1002=1) AND currently use not at all (R01_AE1003=3).

PROGRAM: Display as Quantity/Units

NOTES: The value "1" refers to R01_AE1009_UN = Days, the value "2" refers to R01_AE1009_UN = Months, and the value "3" refers to R01_AE1009_UN = Years.

Variable(s): R01_AE1010

Have you completely quit using e-cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used an e-cigarette (R01_AE1002=1) AND currently use not at all (R01_AE1003=3).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID:	R01_AE2
PROGRAM - CREATE VARIABLES: (SEE APPENDIX)	
R01_EVER_USER_ECIG (Ever users): Has ever used e-cigarettes, even once or twice (IF R01_AE1002 = 1, THEN R01_EVER_USER_ECIG = 1 (YES). ELSE, R01_EVER_USER_ECIG = 2 (NO).). R01_CURRENT_USER_ECIG (Current users): Has ever used e-cigarettes, is a regular user, and uses every day or some days (IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 1 OR 2, THEN R01_CURRENT_USER_ECIG = 1 (YES). ELSE, R01_CURRENT_USER_ECIG = 2 (NO).). R01 EVERYDAY_USER_ECIG (Everyday users): Has ever used e-cigarettes, is a regular user, and uses every day (IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 1, THEN R01 EVERYDAY_USER_ECIG = 1 (YES). ELSE, R01 EVERYDAY_USER_ECIG = 2 (NO).). R01_SOME_DAY_USER_ECIG (Some day users): Has ever used e-cigarettes, is a regular user, and uses some days (IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 2, THEN R01_SOME_DAY_USER_ECIG = 1 (YES). ELSE, R01_SOME_DAY_USER_ECIG = 2 (NO).). R01_EXPERIMENTAL_CURRENT_ECIG (Experimental Current users): Has ever used e-cigarettes, has never been a regular user, and now uses e-cigarettes every day or some days (IF R01_AE1002 = 1 AND R01_AE1100 = 2 AND R01_AE1003 = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_ECIG = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_ECIG = 2 (NO).). R01_EXPERIMENTAL_FORMER_ECIG (Experimental Former users): Has ever used e-cigarettes, has never been a regular user, and now does not use e-cigarettes at all (IF R01_AE1002 = 1 AND R01_AE1100 = 2 AND R01_AE1003 = 3, THEN R01_EXPERIMENTAL_FORMER_ECIG = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_ECIG = 2 (NO).). Note: might currently use other products. R01_FORMER_USER_ECIG (Former users): Has ever used e-cigarettes, has been a regular user and now does not use e-cigarettes at all (IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 3, THEN R01_FORMER_USER_ECIG = 1 (YES). ELSE, R01_FORMER_USER_ECIG = 2 (NO).). Note: might currently use other products. R01_FORMER_USER_12MONTH_ECIG (Former users 12 Month): Has ever used e-cigarettes, has been a regular user, now does not use e-cigarettes at all and quit using e-cigarettes within the past 12 months (IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 3 AND ((R01_AE1009_NN <= 365 AND R01_AE1009_UN = 1) OR (R01_AE1009_NN <= 12 AND R01_AE1009_UN = 2) OR (R01_AE1009_NN = 1 AND R01_AE1009_UN = 3)), THEN R01_FORMER_USER_12MONTH_ECIG = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_ECIG = 2 (NO).). Note: might currently use other products. R01_FORMER_USER_12MONTHPLUS_ECIG (Former users 12 Month Plus): Has ever used e-cigarettes, has been a regular user, now does not use e-cigarettes at all, and quit using e-cigarettes longer than 12 months ago (IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 3 AND ((R01_AE1009_NN > 365 AND R01_AE1009_UN = 1) OR (R01_AE1009_NN > 12 AND R01_AE1009_UN = 2) OR (R01_AE1009_NN > 1 AND R01_AE1009_UN = 3)), THEN R01_FORMER_USER_12MONTHPLUS_ECIG = 1 (YES). ELSE, R01_FORMER_USER_12MONTHPLUS_ECIG = 2 (NO).). Note: might currently use other products. R01_UNDETERMINED_ECIG (Undetermined): Has ever used e-cigarettes, but cannot be identified as a particular type of e-cigarette user (IF R01_AE1003 = -8, -7 OR R01_AE1100 = -8, -7 THEN R01_UNDETERMINED_ECIG = 1 (YES).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

ELSE, IF R01_AE1003 = -1, 1, 2, OR 3 AND R01_AE1100 = -1, 1 OR 2 THEN
R01_UNDETERMINED_ECIG = 2 (NO).).

After creating new variables, do the following:

IF R01 EVERYDAY_USER_ECIG = 1, GO TO R01_AE9005.

IF R01_SOME_DAY_USER_ECIG, GO TO R01_AE9005.

IF R01_EXPERIMENTAL_CURRENT_ECIG = 1, GO TO R01_AE9005.

IF R01_EXPERIMENTAL_FORMER_ECIG = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_FORMER_USER_12MONTH_ECIG = 1, GO TO R01_AE9005.

IF R01_FORMER_USER_12MONTHPLUS_ECIG = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_UNDETERMINED_ECIG = 1, GO TO THE NEXT SECTION (see note on pg. v).

Variable(s): **R01_AE9005****

Please think about the e-cigarette you [use/used] most of the time.

[Is/Was] your e-cigarette rechargeable?

1 Yes

2 No

GO TO R01_AE9009

-8 DON'T KNOW

-7 REFUSED

ASK: Current users, Former users 12 Month and Experimental Current users
(R01_CURRENT_USER_ECIG = 1, R01_FORMER_USER_12MONTH_ECIG = 1, and
R01_EXPERIMENTAL_CURRENT_ECIG = 1).

DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 and
R01_EXPERIMENTAL_CURRENT_ECIG = 1), display "use" and "Is"; For Former users 12 Month
(R01_FORMER_USER_12MONTH_ECIG = 1), display "used" and "Was".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not
correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The
incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AE9008
[Does I Did] your e-cigarette use cartridges? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Current users, Former users 12 Month and experimental Current users (R01_CURRENT_USER_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1) whose e-cigarettes are rechargeable (R01_AE9005=1, -8 or -7). DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1) , display "Does"; For Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG = 1) , display "Did".	

Variable(s):	R01_AE9009**
Can you refill your [e-cigarette I e-cigarette cartridges] with "e-liquid"? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Current users, Former users 12 Month and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1). DISPLAY: If R01_AE9008=2, -8 or -7, display "e-cigarette"; if R01_AE9008=1, display "e-cigarette cartridges" NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of this data collection variable also caused this item to be skipped incorrectly.	

BOX ID:	R01_AED01
[ECIGFILL] Series If respondent reports using disposable/non-rechargeable (R01_AE9005=2 AND R01_AE9009=2) OR uses rechargeable that does not use cartridges but is refillable with e-liquid (R01_AE9005=1 AND R01_AE9008=2 AND R01_AE9009=1), fill [ECIGFILL] with "e-cigarettes". If respondent reports using rechargeable with cartridges or is refillable ((R01_AE9005=1) AND (R01_AE9008=1 OR R01_AE9009=1)), fill [ECIGFILL] with "e-cigarette cartridges".	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID:	R01_AE4
R01_EVERYDAY_USER_ECIG = 1, GO TO R01_AE1021. R01_SOME_DAY_USER_ECIG = 1, GO TO R01_AE1022. R01_EXPERIMENTAL_CURRENT_ECIG = 1, GO TO R01_AE1022. R01_FORMER_USER_12MONTH_ECIG = 1, GO TO R01_AE1025.	

Variable(s):	R01_AE1021
On average, about how many [ECIGFILL] do you now use each day?	
-2	Less than 1 each day
	GO TO R01_AE9010
	I__ __
	GO TO R01_AE9010
-8	DON'T KNOW
	GO TO R01_AE9010
-7	REFUSED
	GO TO R01_AE9010
ASK: Everyday users (R01_EVERYDAY_USER_ECIG = 1).	
DISPLAY: Display as numeric quantity field, with button "Less than 1 each day" on right. Use R01_AX0074 as model.	

Variable(s):	R01_AE1022
On how many of the past 30 days did you use an e-cigarette?	
	I__ __
-8	DON'T KNOW
-7	REFUSED
ASK: Some day users and Experimental Current users(R01_SOME_DAY_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1).	
PROGRAM: Soft range check: 0-30 days.	
GOTO: If R01_AE1022 = 0, go to R01_AE9029. If R01_AE1022!=0, go to R01_AE1023.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE9029_NN; R01_AE9029_UN About how long has it been since you last took a puff from an e-cigarette? 1 I__I__I DAYS 2 I__I__I MONTHS 3 I__I__I YEARS -8 DON'T KNOW -7 REFUSED ASK: Some day users and Experimental Current users (R01_SOME_DAY_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1) that have used 0 days in the past 30 days (R01_AE1022=0). PROGRAM: Display as Quantity/Units. GOTO: If R01_CURRENT_USER_ECIG = 1, go to R01_AE9010. Else, go to R01_AE1025. NOTES: The value "1" refers to R01_AE9029_UN = Days, the value "2" refers to R01_AE9029_UN = Months, and the value "3" refers to R01_AE9029_UN = Years.

Variable(s): R01_AE1023** On average, on those [FILL NUMBER OF DAYS FROM R01_AE1022 days I days you used], how many [ECIGFILL] did you usually use each day? Please enter a number. -2 Less than 1 each day I__I__I -8 DON'T KNOW -7 REFUSED ASK: Some day users and Experimental Current Users (R01_SOME_DAY_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1) who have used at least one day in the past 30 days or did not provide the number of days used in the past 30 days (R01_AE1022>0 OR R01_AE1022 IN (-8, -7)). DISPLAY: If R01_AE1022=1, -8, -7, display "days you used". Else display "# days" where # = number of days reported in R01_AE1022. Display as numeric quantity field, with button "Less than 1 each day" on right. Use R01_AX0074 as model. GOTO: If R01_EXPERIMENTAL_CURRENT_ECIG = 1, go to R01_AE1025. NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who answered R01_AE1022 as don't know or refused.
--

Variable(s): R01_AE9010 Do the [ECIGFILL] you usually use contain nicotine? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R01_AE1024 GO TO R01_AE1024 GO TO R01_AE1024 ASK: Current users (R01_CURRENT_USER_ECIG = 1).
--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AE9006**

What concentration of nicotine do you usually use in your [ECIGFILL]?

- 1 I don't know the concentration
- 2 0mg or 0%
- 3 1-12mg or 0.1-0.6%
- 4 13-17mg or 0.7-1.2%
- 5 18-24mg or 1.3-1.8%
- 6 25+mg or 1.9+%
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users (R01_CURRENT_USER_ECIG = 1) whose e-cigarettes contain nicotine (R01_AE9010=1).

Variable(s): **R01_AE1024_NN; R01_AE1024_UN**

[On the days that you use e-cigarettes, how I How] soon after you wake up do you typically take your first puff of the day? Please enter the number of minutes or hours.

- 1 |__|__|__| Minutes after waking GO TO R01_AE1025
- 2 |__|__|__| Hours after waking GO TO R01_AE1025
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users (R01_CURRENT_USER_ECIG = 1).

DISPLAY: For Everyday users (R01 EVERYDAY_USER_ECIG =1), display "How"; For Some day users (R01_SOME_DAY_USER_ECIG = 1), display 'On the days that you use e-cigarettes, how'.

PROGRAM: Display as Quantity/Units

NOTES: The value "1" refers to R01_AE1024_UN = minutes after waking, the value "2" refers to R01_AE1024_UN = hours after waking.

Variable(s): **R01_AE1092**

[On the days that you use e-cigarettes, would I Would] you say you take your first puff of the day within the first 30 minutes after you wake up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users (R01_CURRENT_USER_ECIG = 1) who don't know or refuse to answer how soon after waking up (R01_AE1024=-8,-7).

DISPLAY: For Everyday users (R01 EVERYDAY_USER_ECIG = 1), display "Would". For Someday users (R01_SOME_DAY_USER_ECIG = 1), display "On the days that you use e-cigarettes, would".

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AE1025****

Around this time 12 months ago, were you using e-cigarettes...?

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

GOTO: IF R01_AE1025 = 1 or 2, go to R01_AE9007.

Else, R01_EXPERIMENTAL_CURRENT_ECIG = 1, go to R01_AE1060.

Else, R01_CURRENT_USER_ECIG = 1, go to R01_AE1097.

Else, R01_FORMER_USER_12MONTH_ECIG = 1, go to R01_AE1030.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

Variable(s): **R01_AE9007**

Around this time 12 months ago, what concentration of nicotine do you usually use in your [ECIGFILL]?

- 1 I don't know the concentration
- 2 0mg or 0%
- 3 1-12mg or 0.1-0.6%
- 4 13-17mg or 0.7-1.2%
- 5 18-24mg or 1.3-1.8%
- 6 25+mg or 1.9+%
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1 or
R01_FORMER_USER_12MONTH_ECIG = 1) who used everyday or some days around this time 12
months ago (R01_AE1025=1, 2).

GOTO: If R01_EXPERIMENTAL_CURRENT_ECIG = 1, go to R01_AE1060.

Else, if R01_CURRENT_USER_ECIG = 1, go to R01_AE1097.

Else, if R01_FORMER_USER_12MONTH_ECIG = 1 , go to R01_AE1030.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE1097	
The next questions ask about your experience buying [ECIGFILL].	
In the past 30 days, did you use a coupon when buying [ECIGFILL][and e-liquid]?	
1 Yes	
2 No	GO TO R01_AE1030
-8 DON'T KNOW	GO TO R01_AE1030
-7 REFUSED	GO TO R01_AE1030
ASK: Current users (R01_CURRENT_USER_ECIG = 1).	
DISPLAY: If R01_AE9009=1, display "and e-liquid".	

Variable(s): R01_AE1098	
How many times in the past 30 days have you used a coupon to buy [ECIGFILL][and e-liquid]?	
I _ I _ I _ I _	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current users (R01_CURRENT_USER_ECIG = 1) who have used a coupon to buy e-cigarettes in the past 30 days (R01_AE1097=1).	
DISPLAY: If R01_AE9009=1, display "and e-liquid".	

Variable(s): R01_AE1030**	
How [do/did] you usually buy [ECIGFILL][and e-liquid] for yourself? Is it...	
1 In person	
2 From the internet	GO TO R01_AE1047
3 By telephone	GO TO R01_AE1047
4 I [do I did] not buy my own [ECIGFILL] [and e-liquid]	GO TO R01_AE1047
-8 DON'T KNOW	GO TO R01_AE1047
-7 REFUSED	GO TO R01_AE1047
ASK: Current users and Former users 12 Month (R01_CURRENT_USER_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1).	
DISPLAY: If R01_AE9009=1, display "and e-liquid". Display instruction for question and response option 4 fill: for Current users (R01_CURRENT_USER_ECIG = 1), display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG = 1), display "did". If R01_AE9009=1, display "and e-liquid".	
NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of this data collection variable also caused this item to be skipped incorrectly.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AE1032**

[Do/Did] you usually buy [ECIGFILL][and e-liquid]...

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Former users 12 Month (R01_CURRENT_USER_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1) who usually buy e-cigarettes in person (R01_AE1030=1).
 DISPLAY: If R01_AE9009=1, display "and e-liquid". For Current users (R01_CURRENT_USER_ECIG = 1), display "Do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG = 1), display "Did".

Variable(s): **R01_AE1033; R01_AE1033_OS**

Where [do/did] you buy your [ECIGFILL][and e-liquid] most of the time?

- 1 A mall kiosk
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else SPECIFY: _____
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Former users 12 Month (R01_CURRENT_USER_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1) who usually buy e-cigarettes in person (R01_AE1030=1).
 DISPLAY: If R01_AE9009=1, display "and e-liquid". For Current users (R01_CURRENT_USER_ECIG = 1) display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG =1), display "did".
 If OS field selected and additional OS screen is shown, display question text and add the following text:
 "Please type your answer using the computer keyboard."

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AE1047**
[Do I Did] you have a regular brand of e-cigarettes that you usually [use I used]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1). DISPLAY: For Current users (R01_CURRENT_USER_ECIG = 1), display “Do” and “use”; for Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG = 1), display “Did” and “used”. NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not correctly set to “1 = Yes” for respondents if they reported last using product exactly one year ago. The incorrect setting of this data collection variable also caused this item to be skipped incorrectly.	

Variable(s):	R01_AE1048_BRAND**
What brand of e-cigarette [do I did] you [usually I last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked “NEXT”. I If you do not see it below, touch the box marked “Something else”.] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1). DISPLAY: For Current users (R01_CURRENT_USER_ECIG = 1) who have regular brand (R01_AE1047=1), display “do” and “usually”; For Current users (R01_CURRENT_USER_ECIG = 1) who do not have a regular brand (R01_AE1047=2, -8, -7), display “did” and “last”. For Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG = 1) who had a regular brand (R01_AE1047=1), display “did” and “usually”; For Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG = 1) who did not have a regular brand (R01_AE1047=2, -8, -7), display “did” and “last”. [If multiple screens] Display: If you do not see it below, touch the button marked “NEXT”. [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked “Something else”. [SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. WHEN A RESPONDENT SELECTS A BRAND, GO TO R01_AE1050]. GOTO: If R01_AE1048_BRAND = 9995, go to R01_AE1049. Else, go to R01_AE1050. NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not correctly set to “1 = Yes” for respondents if they reported last using product exactly one year ago. The incorrect setting of this data collection variable also caused this item to be skipped incorrectly.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AE1049
You said that your brand was not pictured. What is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1) who did not select an image of their brand (R01_AE1048_BRAND=9995).	

Variable(s):	R01_AE1050**
[Is I was] [your regular brand I the last brand] you [use I used] flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1). DISPLAY: For Current users (R01_CURRENT_USER_ECIG = 1) who have a regular brand (R01_AE1047=1), display "Is", "your regular brand" and "use." For Current users (R01_CURRENT_USER_ECIG = 1) who do not have a regular brand (R01_AE1047=2, -8, -7), display "Was", "the last brand" and "used ". For Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG = 1) who had a regular brand (R01_AE1047=1), display "Was", "your regular brand" and "used ". For Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG = 1) who did not have a regular brand (R01_AE1047=2, -8, -7), display "Was", "the last brand" and "used ". GOTO: If (R01_CURRENT_USER_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1) and R01_AE1047 = 1, go to R01_AE1051. Else, if respondent used an e-cigarette today, yesterday or the day before yesterday (R01_AE0100=1, 2, 3 or 4) AND selected a valid brand (R01_AE1048_BRAND != 9995, -8, -7), go to R01_AE0104. Else, go to R01_AE1060. NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of this data collection variable also caused this item to be skipped incorrectly.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE1051_NN; R01_AE1051_UN
About how long (did you use/have you been using) your regular brand of e-cigarette? 1 I ___ I ___ DAYS 2 I ___ I ___ MONTHS 3 I ___ I ___ YEARS -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1) who have a regular brand (R01_AE1047=1). DISPLAY: For Current users (R01_CURRENT_USER_ECIG = 1), display "have you been using" and "you've been using." For Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG = 1), display "did you use" and "you used." PROGRAM: Display as Quantity/Units GOTO: If respondent used an e-cigarette today, yesterday or the day before yesterday (R01_AE0100=1, 2, 3 or 4) AND selected a valid brand (R01_AE1048_BRAND != 9995, -8, -7), go to R01_AE0104. Else, go to R01_AE1060. NOTES: The value "1" refers to R01_AE1051_UN = Days, the value "2" refers to R01_AE1051_UN = Months, and the value "3" refers to R01_AE1051_UN = Years.

Variable(s): R01_AE0104**
You said earlier that you last used an e-cigarette [TIME OF LAST USE]. Think about the very last puff you took. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Respondents who have used an e-cigarette today, yesterday or the day before yesterday (R01_AE0100=1, 2 or 3 or 4) AND who selected a valid brand (R01_AE1048_BRAND!=9995, -8, -7). DISPLAY: For 'TIME OF LAST USE', if R01_AE0100=1, display "in the past hour". If R01_AE0100=2, display "sometime today". If R01_AE0100=3, display "yesterday". If R01_AE0100=4, display "the day before yesterday". For 'NEQBRAND', fill with selection stored in R01_AE1048_BRAND NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who answered that they used e-cigarettes today, yesterday, or the day before yesterday and selected brand response R01_AE1048_BRAND = 1245.

BOX ID: R01_AE3
Randomize order of R01_AE1060 through R01_AE1072. Display question R01_AE1060, R01_AE1061, R01_AE1085, R01_AE1062, R01_AE1075, R01_AE1063, R01_AE1064, R01_AE1065, R01_AE1066, R01_AE1067, R01_AE1068, R01_AE1069, R01_AE1072 on one screen. Show the intro/transition text from R01_AE1060 first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE1060**

The next questions are about the reasons people use e-cigarettes. Please select which reasons [apply to you I applied to you when you used to use e-cigarettes].

I [use I used] e-cigarettes because...

They [are I were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or
R01_EXPERIMENTAL_CURRENT_ECIG =1), display “apply to you”, “use” and “are”; for Former users
12 Month (R01_FORMER_USER_12MONTH_ECIG = 1), display “applied to you when you used to use
e-cigarettes”, “used” and “were”.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not
correctly set to “1 = Yes” for respondents if they reported last using product exactly one year ago. The
incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AE1061**

People in the media or other public figures [use I used] e-cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or
R01_EXPERIMENTAL_CURRENT_ECIG = 1), display “use”; for Former users 12 Month
(R01_FORMER_USER_12MONTH_ECIG = 1), display “used”.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not
correctly set to “1 = Yes” for respondents if they reported last using product exactly one year ago. The
incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE1085**

I [can I could] use e-cigarettes at times when or in places where smoking cigarettes [isn't I wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or
R01_EXPERIMENTAL_CURRENT_ECIG =1) , display "can" and "isn't"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_ECIG = 1), display "could" and "wasn't".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not
correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The
incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AE1062**

They might [be I have been] less harmful to me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or
R01_EXPERIMENTAL_CURRENT_ECIG =1), display "be"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_ECIG = 1), display "have been".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not
correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The
incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE1075**

They might [be I have been] less harmful to people around me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or
R01_EXPERIMENTAL_CURRENT_ECIG =1) , display “be”; for Former users 12 Month
R01_FORMER_USER_12MONTH_ECIG = 1), display “have been”.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not
correctly set to “1 = Yes” for respondents if they reported last using product exactly one year ago. The
incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AE1063**

[ECIGFILL] [come I came] in flavors I [like I liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or
R01_EXPERIMENTAL_CURRENT_ECIG =1), display “come” and “like”; for Former users 12 Month
(R01_FORMER_USER_12MONTH_ECIG = 1), display “came” and “liked”.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not
correctly set to “1 = Yes” for respondents if they reported last using product exactly one year ago. The
incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE1064**

Using e-cigarettes helps people to quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AE1065**

E-cigarettes don't smell

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AE1066**

Using an e-cigarette [feels I felt] like smoking a regular cigarette.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or
R01_EXPERIMENTAL_CURRENT_ECIG =1), display "feel"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_ECIG = 1), display "felt".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AE1067**

E-cigarettes [are I were] more acceptable to non-tobacco users.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or
R01_EXPERIMENTAL_CURRENT_ECIG =1) , display "are"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_ECIG = 1), display "were".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not
correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The
incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AE1068**

People who are important to me [use I used] e-cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or
R01_EXPERIMENTAL_CURRENT_ECIG =1), display "use"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_ECIG = 1), display "used".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not
correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The
incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AE1069****

I [like I liked] socializing while using an e-cigarette.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

DISPLAY: For Current and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or
R01_EXPERIMENTAL_CURRENT_ECIG = 1), display "like"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_ECIG = 1), display "liked".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not
correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The
incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

Variable(s): **R01_AE1072****

The advertising for e-cigarettes [appeals I appealed] to me.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current Users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1 or
R01_FORMER_USER_12MONTH_ECIG = 1).

DISPLAY: For Current or Experimental Current users (R01_CURRENT_USER_ECIG = 1 or
R01_EXPERIMENTAL_CURRENT_ECIG = 1), display "appeals"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_ECIG = 1), display "appealed".

GOTO: If (R01_CURRENT_USER_ECIG = 1 OR R01_EXPERIMENTAL_CURRENT_ECIG = 1) AND
R01_CURRENT_USER_CIGS = 1, go to R01_AE1086.

Else, If ((R01_CURRENT_USER_ECIG = 1 OR R01_EXPERIMENTAL_CURRENT_ECIG = 1) AND
R01_FORMER_USER_12MONTH_CIGS = 1) OR (R01_FORMER_USER_12MONTH_ECIG = 1 AND
(R01_CURRENT_USER_CIGS = 1 or R01_FORMER_USER_12MONTH_CIGS = 1)), go to
R01_AE1080.

Else, go to the next section (see note on pg. v).

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not
correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The
incorrect setting of this data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AE1086
In the past 30 days, have you used an e-cigarette at times when or in places where you could not smoke regular cigarettes?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
	GO TO R01_AE1080
	GO TO R01_AE1080
	GO TO R01_AE1080
ASK: Current users and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1) who are also Current cigarette users (R01_CURRENT_USER_CIGS = 1).	

Variable(s):	R01_AE1087
How often do you use e-cigarettes at times when or in places where you could not smoke regular cigarettes?	
1	Every day
2	Some days
3	Rarely
-8	DON'T KNOW
-7	REFUSED
ASK: Current users and Experimental Current users (R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1), who are also Current cigarette users (R01_CURRENT_USER_CIGS = 1), who have used e-cigarettes when they could not smoke regular cigarettes (R01_AE1086=1).	

Variable(s):	R01_AE1080**
[Do Did] you use e-cigarettes as a way of cutting down on your cigarette smoking?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Current users, Experimental Current users, and Former users 12 Month (R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1) who are also Current or Former users 12 Month of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_FORMER_USER_12MONTH_CIGS = 1).	
DISPLAY: For Current users or Experimental Current users (R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1), display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG = 1), display "did".	
NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_ECIG were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of this data collection variable also caused this item to be skipped incorrectly.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AE1081**
[Do Did] you use e-cigarettes as an alternative to quitting tobacco altogether? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Current users, Experimental Current users, and Former users 12 Month (R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1). DISPLAY: For Current users or Experimental Current users(R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1), display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_ECIG = 1), , display "did". NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who were Current, Experimental Current, or Former users 12 Month (R01_CURRENT_USER_ECIG = 1 OR R01_EXPERIMENTAL_CURRENT_ECIG = 1 OR R01_FORMER_USER_12MONTH_ECIG = 1). The error was not corrected during Wave 1 Data Collection. Values for R01_FORMER_USER_12MONTH_ECIG were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of this data collection variable also caused this item to be skipped incorrectly.	

CIGAR

BOX ID: R01_AGT03

REPEAT THE REST OF THE SECTION ONCE FOR EACH TYPE OF CIGAR THE RESPONDENT HAS USED (TRADITIONAL CIGARS, CIGARILLOS, FILTERED CIGARS). IF

R01_BLUNT_ONLY_GRILLO=1 OR R01_BLUNT_ONLY_GFC=1, ONLY ASK ITEMS:

R01_AG1095[CG/FC], R01_AG1008[CG/FC], R01_AG1030[CG/FC], R01_AG1032[CG/FC], R01_AG1033[CG/FC], R01_AG1039[CG/FC], R01_AG1040[CG/FC], R01_AG1042[CG/FC], R01_AG1043[CG/FC], R01_AG1047[CG/FC], R01_AG1048[CG/FC] BRAND, R01_AG1070[CG/FC] PRODUCT, R01_AG1049[CG/FC], R01_AG1071[CG/FC], and R01_AG1050[CG/FC], following skips appropriately.

DISPLAY TEXT BELOW AS FOLLOWS:

FOR RESPONDENTS WHO HAVE USED TRADITIONAL CIGARS:

The next questions are about **traditional cigars**.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf.

[SHOW GENERIC IMAGE FOR TRADITIONAL CIGAR]

FOR RESPONDENTS WHO HAVE USED CIGARILLOS OR FILTERED CIGARS, **EXCLUDING BLUNT ONLY USERS** (R01_BLUNT_ONLY_GRILLO=2 AND R01_BLUNT_ONLY_GFC=2), DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT THE REST OF THE SECTION. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT:

The next questions are about **[CIGARFILL]s**.

[IF CIGARFILL=cigarillos] Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips.

[IF CIGARFILL=filtered cigars] Filtered cigars are usually brown and have a filter like a cigarette.

As you answer these questions, please think only about your use of [CIGARFILL]s like those shown below. [SHOW GENERIC IMAGE FOR CIGARFILL]. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION]. There will be a separate section later about other kinds of cigars.

FOR RESPONDENTS WHO HAVE USED CIGARILLOS OR FILTERED CIGARS **ONLY AS BLUNTS** (R01_BLUNT_ONLY_GRILLO=1 OR R01_BLUNT_ONLY_GFC=1), DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT THE REST OF THE SECTION. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT.

The next questions are about [cigarillos I filtered cigars] smoked as blunts.

[IF R01_BLUNT_ONLY_GRILLO=1 cigarillos] Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips. Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt.

[IF R01_BLUNT_ONLY_GFC=1 filtered cigars] Filtered cigars are usually brown and have a filter like a cigarette. Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt.

As you answer these questions, please think ONLY about your use of **[cigarillos I filtered cigars]** smoked as **blunts** like those shown below. [SHOW GENERIC IMAGE FOR CIGARFILL].

PATH Study Wave 1 Adult Public Use File Annotated Instrument

[ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION]. There will be a separate section later about other kinds of blunts.

BOX ID: R01_AGR01

If R01_BLUNT_ONLY_GRILLO=1 OR R01_BLUNT_ONLY_GFC=1, go to R01_AG1095[CG/FC].
Else, go to R01_AG1005[TC/CG/FC].

Variable(s): R01_AG1005TC; R01_AG1005CG; R01_AG1005FC

How many [CIGARFILL]s have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG1005TC: Respondents who have smoked a traditional cigar (R01_AG9003=1)

For R01_AG1005CG: Respondents who have smoked a cigarillo and are not blunt-only cigarillo smokers (R01_AG9004=1 AND (R01_AG9009_01=1 OR R01_AG9009_03=1) AND R01_BLUNT_ONLY_GRILLO!=1)

For R01_AG1005FC: Respondents who have smoked a filtered cigar and are not blunt-only filtered cigar smokers (R01_AG9004=1 AND R01_AG9009_02=1 AND R01_BLUNT_ONLY_GFC!=1).

Variable(s): R01_AG1095TC; R01_AG1095CG; R01_AG1095FC

Please look at this picture. Which group is most like the [[CIGARFILL]] cigarillo I filtered cigar] you usually smoke[as a blunt]?

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 4 Group 4
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG1095TC: Respondents who have smoked a traditional cigar (R01_AG9003=1)
For R01_AG1095CG: Respondents who have smoked a cigarillo or are blunt-only cigarillo smokers
((R01_AG9004=1 AND (R01_AG9009_01=1 OR R01_AG9009_03=1) AND
R01_BLUNT_ONLY_GRILLO!=1))or R01_BLUNT_ONLY_GRILLO=1
For R01_AG1095FC: Respondents who have smoked a filtered cigar or are blunt-only filtered cigar
smokers (R01_AG9004=1 AND R01_AG9009_02=1 AND R01_BLUNT_ONLY_GFC!=1) OR
R01_BLUNT_ONLY_GFC=1.

DISPLAY: If blunt-only cigarillo smoker, display "cigarillo" and "as a blunt". If blunt-only filtered cigar
smoker, display "filtered cigar" and "as a blunt". Else, display "[CIGARFILL]".

DISPLAY IMAGE OF CIGARS WITH SCALE.

Prepared by Westat, Rockville MD

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1120TC; R01_AG1120CG; R01_AG1120FC

The first time you smoked part or all of a [CIGARFILL], even one or two puffs, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG1120TC: Respondents who refused to give or did not know age they first smoked a traditional cigar (R01_AG1006TC = -8, -7).

For R01_AG1120CG: Respondents who refused to give or did not know age they first smoked a cigarillo (R01_AG1006CG = -8, -7).

For R01_AG1120FC: Respondents who refused to give or did not know age they first smoked a filtered cigar (R01_AG1006FC = -8, -7).

Variable(s): R01_AG1100TC; R01_AG1100CG; R01_AG1100FC

Have you ever smoked [CIGARFILL]s fairly regularly?

- 1 Yes
- 2 No GO TO R01_AG1008[TC/CG/FC]
- 8 DON'T KNOW GO TO R01_AG1008[TC/CG/FC]
- 7 REFUSED GO TO R01_AG1008[TC/CG/FC]

ASK: For R01_AG1100TC: Respondents who have smoked a traditional cigar (R01_AG9003=1)

For R01_AG1100CG: Respondents who have smoked a cigarillo and are not blunt-only cigarillo smokers (R01_AG9004=1 AND (R01_AG9009_01=1 OR R01_AG9009_03=1) AND R01_BLUNT_ONLY_GRILLO!=1)

For R01_AG1100FC: Respondents who have smoked a filtered cigar and are not blunt-only filtered cigar smokers (R01_AG9004=1 AND R01_AG9009_02=1 AND R01_BLUNT_ONLY_GFC!=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1007TC; R01_AG1007CG; R01_AG1007FC How old were you when you first started smoking [CIGARFILL]s fairly regularly? _ _ _ -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1007TC: Respondents who have ever smoked traditional cigars fairly regularly (R01_AG1100TC=1). For R01_AG1007CG: Respondents who have ever smoked cigarillos fairly regularly (R01_AG1100CG=1). For R01_AG1007FC: Respondents who have ever smoked filtered cigars fairly regularly (R01_AG1100FC=1). DISPLAY: Display "Years old" as a title. GOTO: From R01_AG1007TC: If R01_AG1007TC = -8 or -7, go to R01_AG1121TC. Else if R01_AG1003TC = 1, go to R01_AG1020TC. Else go to R01_AG1008TC. From R01_AG1007CG: If R01_AG1007CG = -8 or -7, go to R01_AG1121CG. Else if R01_AG1003CG = 1, go to R01_AG1020CG. Else go to R01_AG1008CG. From R01_AG1007FC: If R01_AG1007FC = -8 or -7, go to R01_AG1121FC. Else if R01_AG1003FC = 1, go to R01_AG1020FC. Else go to R01_AG1008FC.

Variable(s): R01_AG1121TC; R01_AG1121CG; R01_AG1121FC When you first started smoking [CIGARFILL]s fairly regularly, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1121TC: Respondents who refused to give or did not know age they started smoking traditional cigars fairly regularly (R01_AG1007TC = -8, -7). For R01_AG1121CG: Respondents who refused to give or did not know age they started smoking cigarillos fairly regularly (R01_AG1007CG = -8, -7). For R01_AG1121FC: Respondents who refused to give or did not know age they started smoking filtered cigars fairly regularly (R01_AG1007FC = -8, -7). GOTO: From R01_AG1121TC: If R01_AG1003TC = 1, go to R01_AG1020TC. Else, go to R01_AG1008TC. From R01_AG1121CG: If R01_AG1003CG = 1, go to R01_AG1020CG. Else, go to R01_AG1008CG. From R01_AG1121FC: If R01_AG1003FC = 1, go to R01_AG1020FC. Else, go to R01_AG1008FC.
--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1020TC; R01_AG1020CG; R01_AG1020FC

How old were you when you first started smoking [CIGARFILL]s every day?

____|____|

GO TO R01_AG1008[TC/CG/FC]

-8 DON'T KNOW

-7 REFUSED

ASK: For R01_AG1020TC: Respondents who smoke a traditional cigar everyday and have ever smoked fairly regularly (R01_AG1003TC = 1 and R01_AG1100TC = 1).

For R01_AG1020CG: Respondents who smoke a cigarillo everyday and have ever smoked fairly regularly (R01_AG1003CG = 1 and R01_AG1100CG = 1).

For R01_AG1020FC: Respondents who smoke a filtered cigar everyday and have ever smoked fairly regularly (R01_AG1003FC = 1 and R01_AG1100FC = 1).

DISPLAY: Display "Years old" as a title.

Variable(s): R01_AG1122TC; R01_AG1122CG; R01_AG1122FC

When you first started smoking [CIGARFILL]s every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: For R01_AG1122TC: Respondents who refused to give or did not know age they started smoking a traditional cigar every day (R01_AG1020TC = -8, -7).

For R01_AG1122CG: Respondents who refused to give or did not know age they started smoking a cigarillo every day (R01_AG1020CG = -8, -7).

For R01_AG1122FC: Respondents who refused to give or did not know age they started smoking a filtered cigar every day (R01_AG1020FC = -8, -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1008TC; R01_AG1008CG; R01_AG1008FC
When you first started smoking [[CIGARFILL]s I cigarillos as blunts I filtered cigars as blunts], did you smoke [[CIGARFILL]s I blunts] flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1008TC: Respondents who have smoked a traditional cigar (R01_AG9003=1). For R01_AG1008CG: Respondents who have smoked a cigarillo or are blunt-only cigarillo smokers ((R01_AG9004=1 AND (R01_AG9009_01=1 OR R01_AG9009_03=1) AND R01_BLUNT_ONLY_GRILLO!=1) or R01_BLUNT_ONLY_GRILLO=1). For R01_AG1008FC: Respondents who have smoked a filtered cigar or are blunt-only filtered cigar smokers ((R01_AG9004=1 AND R01_AG9009_02=1 AND R01_BLUNT_ONLY_GFC!=1) or R01_BLUNT_ONLY_GFC=1). DISPLAY: If blunt-only cigarillo smoker, display "cigarillos as blunts" and "blunts". If blunt-only filtered cigar smoker, display "filtered cigars as blunts" and "blunts". GOTO: From R01_AG1008TC: if R01_AG1003TC = 3, go to R01_AG1009TC. Else go to BOX R01_AG2. From R01_AG1008CG: if R01_AG1003CG = 3, go to R01_AG1009CG. If R01_BLUNT_ONLY_GRILLO = 1, go to R01_AG1030CG. Else, go to BOX R01_AG2. From R01_AG1008FC: if R01_AG1003FC = 3, go to R01_AG1009FC. If R01_BLUNT_ONLY_GFC = 1, go to R01_AG1030FC. Else, go to BOX R01_AG2.	

Variable(s):	R01_AG1009TC_NN; R01_AG1009TC_UN R01_AG1009CG_NN; R01_AG1009CG_UN; R01_AG1009FC_NN; R01_AG1009FC_UN
About how long has it been since you last smoked [CIGARFILL]s? (If it was earlier today, enter 1 day) 1 I__I__I DAYS 2 I__I__I MONTHS 3 I__I__I YEARS -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1009TC[NN/ UN]: Respondents who have smoked a traditional cigar and currently smoke not at all (R01_AG9003=1 and R01_AG1003TC = 3). For R01_AG1009CG[NN/ UN]: Respondents who have smoked a cigarillo and are not blunt-only cigarillo smokers and currently smoke not at all ((R01_AG9004=1 AND (R01_AG9009_01=1 OR R01_AG9009_03=1) AND R01_BLUNT_ONLY_GRILLO!=1) and R01_AG1003CG = 3). For R01_AG1009FC[NN/ UN]: Respondents who have smoked a filtered cigar and are not blunt-only filtered cigar smokers and currently smoke not at all ((R01_AG9004=1 AND R01_AG9009_02=1 AND R01_BLUNT_ONLY_GFC!=1) and R01_AG1003FC=3). PROGRAM: Display as Quantity/Units NOTE: The value "1" refers to R01_AG1009[TC/CG//FC]_UN = Days, the value "2" refers to R01_AG1009[TC/CG/FC]_UN = Months, and the value "3" refers to R01_AG1009[TC/CG/FC]_UN = Years.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1010TC; R01_AG1010CG; R01_AG1010FC

Have you completely quit smoking [CIGARFILL]s?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG1009TC[_NN/_UN]: Respondents who have smoked a traditional cigar and currently smoke not at all (R01_AG9003=1 and R01_AG1003TC = 3).

For R01_AG1009CG[_NN/_UN]: Respondents who have smoked a cigarillo and are not blunt-only cigarillo smokers and currently smoke not at all ((R01_AG9004=1 AND (R01_AG9009_01=1 OR R01_AG9009_03=1) AND R01_BLUNT_ONLY_GRILLO!=1) and R01_AG1003CG = 3).

For R01_AG1009FC[_NN/_UN]: Respondents who have smoked a filtered cigar and are not blunt-only filtered cigar smokers and currently smoke not at all ((R01_AG9004=1 AND R01_AG9009_02=1 AND R01_BLUNT_ONLY_GFC!=1) and R01_AG1003FC=3).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID:	R01_AG2
PROGRAM: DEFINE THE FOLLOWING VARIABLES (SEE APPENDIX).	
R01_EVER_USER_GTRAD (Ever users): Has ever smoked a traditional cigar, even one or two puffs (IF R01_AG9003 = 1 THEN R01_EVER_USER_GTRAD = 1 (YES). ELSE, R01_EVER_USER_GTRAD = 2 (NO).) R01_EVER_USER_GRILLO (Ever users): Has ever smoked a cigarillo, even one or two puffs (IF R01_AG9004 = 1 AND (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1), THEN R01_EVER_USER_GRILLO = 1 (YES). ELSE, R01_EVER_USER_GRILLO = 2 (NO).) R01_EVER_USER_GFILTR (Ever users): Has ever smoked a filtered cigar, even one or two puffs (IF R01_AG9004 = 1 AND R01_AG9009_02 = 1, THEN R01_EVER_USER_GFILTR = 1 (YES). ELSE, R01_EVER_USER_GFILTR = 2 (NO).) R01_CURRENT_USER_GTRAD (Current users): Has ever smoked a traditional cigar, is a regular smoker, and smokes traditional cigars every day or some days (IF R01_AG9003 = 1 AND R01_AG1100TC = 1 AND R01_AG1003TC = 1 OR 2, THEN R01_CURRENT_USER_GTRAD = 1 (YES). ELSE, R01_CURRENT_USER_GTRAD = 2 (NO).) R01_CURRENT_USER_GRILLO (Current users): Has ever smoked a cigarillo, is a regular smoker, and smokes cigarillos every day or some days (IF R01_AG9004 = 1 AND (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1) AND R01_AG1100CG = 1 AND R01_AG1003CG = 1 OR 2, THEN R01_CURRENT_USER_GRILLO = 1 (YES). ELSE, R01_CURRENT_USER_GRILLO = 2 (NO).) R01_CURRENT_USER_GFILTR (Current users): Has ever smoked a filtered cigar, is a regular smoker, and smokes filtered cigars every day or some days (IF R01_AG9004 = 1 AND R01_AG9009_02 = 1 AND R01_AG1100FC = 1 AND R01_AG1003FC = 1 OR 2, THEN R01_CURRENT_USER_GFILTR = 1 (YES). ELSE, R01_CURRENT_USER_GFILTR = 2 (NO).) R01 EVERYDAY_USER_GTRAD (Everyday users): Has ever smoked a traditional cigar, is a regular smoker, and smokes traditional cigars every day (IF R01_AG1100TC = 1 AND R01_AG1003TC = 1, THEN R01 EVERYDAY_USER_GTRAD = 1 (YES). ELSE, R01 EVERYDAY_USER_GTRAD = 2 (NO).) R01 EVERYDAY_USER_GRILLO (Everyday users): Has ever smoked a cigarillo, is a regular smoker, and smokes cigarillos every day (IF R01_AG1100CG = 1 AND R01_AG1003CG = 1, THEN R01 EVERYDAY_USER_GRILLO = 1 (YES). ELSE, R01 EVERYDAY_USER_GRILLO = 2 (NO).) R01 EVERYDAY_USER_GFILTR (Everyday users): Has ever smoked a filtered cigar, is a regular smoker, and smokes filtered cigars every day (IF R01_AG1100FC = 1 AND R01_AG1003FC = 1, THEN R01 EVERYDAY_USER_GFILTR = 1 (YES). ELSE, R01 EVERYDAY_USER_GFILTR = 2 (NO).) R01_SOME_DAY_USER_GTRAD (Some day users): Has ever smoked a traditional cigar, is a regular smoker, and smokes traditional cigars some days (IF R01_AG1100TC = 1 AND R01_AG1003TC = 2, THEN R01_SOME_DAY_USER_GTRAD = 1 (YES). ELSE, R01_SOME_DAY_USER_GTRAD = 2 (NO).) R01_SOME_DAY_USER_GRILLO (Some day users): Has ever smoked a cigarillo, is a regular	

smoker, and smokes cigarillos some days (IF R01_AG1100CG = 1 AND R01_AG1003CG = 2, THEN R01_SOME_DAY_USER_GRILLO = 1 (YES).

ELSE, R01_SOME_DAY_USER_GRILLO = 2 (NO).)

R01_SOME_DAY_USER_GFILTR (Some day users): Has ever smoked a filtered cigar, is a regular smoker, and smokes filtered cigars some days (IF R01_AG1100FC = 1 AND R01_AG1003FC = 2, THEN R01_SOME_DAY_USER_GFILTR = 1 (YES).

ELSE, R01_SOME_DAY_USER_GFILTR = 2 (NO).)

R01_EXPERIMENTAL_CURRENT_GTRAD (Experimental Current users): Has ever smoked a traditional cigar, has never been a regular smoker, and now smokes traditional cigars every day or some days (IF R01_AG9003 = 1 AND R01_AG1100TC = 2 AND R01_AG1003TC = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_GTRAD = 1 (YES).

ELSE, R01_EXPERIMENTAL_CURRENT_GTRAD = 2 (NO).)

R01_EXPERIMENTAL_CURRENT_GRILLO (Experimental Current users): Has ever smoked a cigarillo, has never been a regular smoker, and now smokes cigarillos every day or some days (IF R01_AG1100CG = 2 and R01_AG1003CG = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_GRILLO = 1 (YES).

ELSE, R01_EXPERIMENTAL_CURRENT_GRILLO = 2 (NO).)

R01_EXPERIMENTAL_CURRENT_GFILTR (Experimental Current users): Has ever smoked a filtered cigar, has never been a regular smoker, and now smokes filtered cigars every day or some days (IF R01_AG9009_02 = 1 AND R01_AG1100FC = 2 AND R01_AG1003FC = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_GFILTR = 1 (YES).

ELSE, R01_EXPERIMENTAL_CURRENT_GFILTR = 2 (NO).)

R01_EXPERIMENTAL_FORMER_GTRAD (Experimental Former users): Has ever smoked a traditional cigar, has never been a regular smoker, and now does not smoke traditional cigars at all (IF R01_AG9003 = 1 AND R01_AG1100TC = 2 AND R01_AG1003 = 3, THEN R01_EXPERIMENTAL_FORMER_GTRAD = 1 (YES).

ELSE, R01_EXPERIMENTAL_FORMER_GTRAD = 2 (NO).)

R01_EXPERIMENTAL_FORMER_GRILLO (Experimental Former users): Has ever smoked a cigarillo, has never been a regular smoker, and now does not smoke cigarillos at all (IF (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1) AND R01_AG1100CG = 2 AND R01_AG1003 = 3, THEN R01_EXPERIMENTAL_FORMER_GRILLO = 1 (YES).

ELSE, R01_EXPERIMENTAL_FORMER_GRILLO = 2 (NO).)

R01_EXPERIMENTAL_FORMER_GFILTR (Experimental Former users): Has ever smoked a filtered cigar, has never been a regular smoker, and now does not smoke filtered cigars at all (IF R01_AG9009_02 = 1 AND R01_AG1100FC = 2 AND R01_AG1003 = 3, THEN R01_EXPERIMENTAL_FORMER_GFILTR = 1 (YES).

ELSE, R01_EXPERIMENTAL_FORMER_GFILTR = 2 (NO).)

R01_FORMER_USER_GTRAD (IF R01_AG9003 = 1 AND R01_AG1100TC = 1 AND R01_AG1003TC = 3, THEN R01_FORMER_USER_GTRAD = 1 (YES).

ELSE, R01_FORMER_USER_GTRAD = 2 (NO).)

R01_FORMER_USER_GRILLO (IF (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1) AND R01_AG1100CG = 1 AND R01_AG1003CG = 3, THEN R01_FORMER_USER_GRILLO = 1 (YES).

ELSE, R01_FORMER_USER_GRILLO = 2 (NO).)

R01_FORMER_USER_GFILTR (IF R01_AG9009_02 = 1 AND R01_AG1100FC = 1 AND R01_AG1003FC = 3, THEN R01_FORMER_USER_GFILTR = 1 (YES).

ELSE, R01_FORMER_USER_GFILTR = 2 (NO).)

R01_FORMER_USER_12MONTH_GTRAD (Former users): Has ever smoked a traditional cigar, has been a regular smoker, and now does not smoke traditional cigars at all (IF R01_AG9003 = 1 AND R01_AG1100TC = 1 AND R01_AG1003TC = 3 AND ((R01_AG1009TC_NN <= 365 AND R01_AG1009TC_UN = 1) OR (R01_AG1009TC_NN <= 12 AND R01_AG1009TC_UN = 2) OR (R01_AG1009TC_NN = 1 AND R01_AG1009TC_UN = 3)), THEN R01_FORMER_USER_12MONTH_GTRAD = 1 (YES).

ELSE, R01_FORMER_USER_12MONTH_GTRAD = 2 (NO).)

R01_FORMER_USER_12MONTH_GRILLO (Former users): Has ever smoked a cigarillo, has been a regular smoker, and now does not smoke cigarillos at all (IF (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1) AND R01_AG1100CG = 1 AND R01_AG1003CG = 3 AND ((R01_AG1009CG_NN <= 365 AND R01_AG1009CG_UN = 1) OR (R01_AG1009CG_NN <= 12 AND R01_AG1009CG_UN = 2) OR (R01_AG1009CG_NN = 1 AND R01_AG1009CG_UN = 3)), THEN R01_FORMER_USER_12MONTH_GRILLO = 1 (YES).

ELSE, R01_FORMER_USER_12MONTH_GRILLO = 2 (NO).)

R01_FORMER_USER_12MONTH_GFILTR (Former users): Has ever smoked a filtered cigar, has been a regular smoker, and now does not smoke filtered cigars at all (IF R01_AG9009_02 = 1 AND R01_AG1100FC = 1 AND R01_AG1003FC = 3 AND ((R01_AG1009FC_NN <= 365 AND R01_AG1009FC_UN = 1) OR (R01_AG1009FC_NN <= 12 AND R01_AG1009FC_UN = 2) OR (R01_AG1009FC_NN = 1 AND R01_AG1009FC_UN = 3)), THEN R01_FORMER_USER_12MONTH_GFILTR = 1 (YES).

ELSE, R01_FORMER_USER_12MONTH_GFILTR = 2 (NO).)

R01_FORMER_12MONTHPLUS_GTRAD (Former users 12 Month): Has ever smoked a traditional cigar, has been a regular smoker, and now does not smoke traditional cigars at all and quit smoking traditional cigars within the past 12 months (IF R01_AG9003 = 1 AND R01_AG1100TC = 1 AND R01_AG1003TC = 3 AND ((R01_AG1009TC_NN > 365 AND R01_AG1009TC_UN = 1) OR (R01_AG1009TC_NN > 12 AND R01_AG1009TC_UN = 2) OR (R01_AG1009TC_NN > 1 AND R01_AG1009TC_UN = 3)), THEN R01_FORMER_12MONTHPLUS_GTRAD = 1 (YES).

ELSE, R01_FORMER_12MONTHPLUS_GTRAD = 2 (NO).)

R01_FORMER_12MONTHPLUS_GRILLO (Former users 12 Month): Has ever smoked a cigarillo, has been a regular smoker, and now does not smoke cigarillos at all and quit smoking cigarillos within the past 12 months (IF (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1) AND R01_AG1100CG = 1 AND R01_AG1003CG = 3 AND ((R01_AG1009CG_NN > 365 AND R01_AG1009CG_UN = 1) OR (R01_AG1009CG_NN > 12 AND R01_AG1009CG_UN = 2) OR (R01_AG1009CG_NN > 1 AND R01_AG1009CG_UN = 3)), THEN R01_FORMER_12MONTHPLUS_GRILLO = 1 (YES).

ELSE, R01_FORMER_12MONTHPLUS_GRILLO = 2 (NO).)

R01_FORMER_12MONTHPLUS_GFILTR (Former users 12 Month): Has ever smoked a filtered cigar, has been a regular smoker, and now does not smoke filtered cigars at all and quit smoking filtered cigars within the past 12 months (IF R01_AG9009_02 = 1 AND R01_AG1100FC = 1 AND R01_AG1003FC = 3 AND ((R01_AG1009FC_NN > 365 AND R01_AG1009FC_UN = 1) OR (R01_AG1009FC_NN > 12 AND R01_AG1009FC_UN = 2) OR (R01_AG1009FC_NN > 1 AND R01_AG1009FC_UN = 3)), THEN R01_FORMER_12MONTHPLUS_GFILTR = 1 (YES).

ELSE, R01_FORMER_12MONTHPLUS_GFILTR = 2 (NO).)

R01_UNDETERMINED_GTRAD (Undetermined): Has ever smoked a traditional cigar, but cannot be identified as a particular type of traditional cigar user (IF R01_AG1003TC = -8, -7 OR R01_AG1100TC = -8, -7 THEN R01_UNDETERMINED_GTRAD = 1 (YES).

ELSE, IF R01_AG1003TC = -1, 1, 2, OR 3 AND R01_AG1100TC = -1, 1 OR 2 THEN R01_UNDETERMINED_GTRAD = 2 (NO).).

R01_UNDETERMINED_GRILLO (Undetermined): Has ever smoked a cigarillo, but cannot be

PATH Study Wave 1 Adult Public Use File Annotated Instrument

identified as a particular type of cigarillo user (IF R01_AG1003CG = -8, -7 OR R01_AG1100CG = -8, -7 THEN R01_UNDETERMINED_GRILLO = 1 (YES).

ELSE, IF R01_AG1003CG = -1, 1, 2, OR 3 AND R01_AG1100CG = -1, 1 OR 2 THEN R01_UNDETERMINED_GRILLO = 2 (NO).).

R01_UNDETERMINED_GFILTR (Undetermined): Has ever smoked a filtered cigar, but cannot be identified as a particular type of filtered cigar user (IF R01_AG1003FC = -8, -7 OR R01_AG1100FC = -8, -7 THEN R01_UNDETERMINED_GFILTR = 1 (YES).

ELSE, IF R01_AG1003FC = -1, 1, 2, OR 3 AND R01_AG1100FC = -1, 1 OR 2 THEN R01_UNDETERMINED_GFILTR = 2 (NO).).

After creating new variables, do the following:

IF R01_EVERYDAY_USER_GTRAD = 1, GO TO R01_AG1021TC.

IF R01_SOMEDAY_USER_GTRAD = 1, GO TO R01_AG1022TC.

IF R01_EXPERIMENTAL_CURRENT_GTRAD = 1, GO TO R01_AG1022TC.

IF R01_EXPERIMENTAL_FORMER_GTRAD = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_FORMER_USER_12MONTH_GTRAD = 1, GO TO R01_AG1025TC.

IF R01_FORMER_12MONTHPLUS_GTRAD = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_UNDETERMINED_GTRAD = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_EVERYDAY_USER_GRILLO = 1, GO TO R01_AG1021CG.

IF R01_SOMEDAY_USER_GRILLO = 1, GO TO R01_AG1022CG.

IF R01_EXPERIMENTAL_CURRENT_GRILLO = 1, GO TO R01_AG1022CG.

IF R01_EXPERIMENTAL_FORMER_GRILLO = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_FORMER_USER_12MONTH_GRILLO = 1, GO TO R01_AG1025CG.

IF R01_FORMER_12MONTHPLUS_GRILLO = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_UNDETERMINED_GRILLO = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_EVERYDAY_USER_GFILTR = 1, GO TO R01_AG1021FC.

IF R01_SOMEDAY_USER_GFILTR = 1, GO TO R01_AG1022FC.

IF R01_EXPERIMENTAL_CURRENT_GFILTR = 1, GO TO R01_AG1022FC.

IF R01_EXPERIMENTAL_FORMER_GFILTR = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_FORMER_USER_12MONTH_GFILTR = 1, GO TO R01_AG1025FC.

IF R01_FORMER_12MONTHPLUS_GFILTR = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_UNDETERMINED_GFILTR = 1, GO TO THE NEXT SECTION (see note on pg. v).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1021TC; R01_AG1021CG; R01_AG1021FC

On average, about how many [CIGARFILL]s do you now smoke each day?

-2 Less than 1 each day

GO TO R01_AG1024[TC/CG/FC]

|_|_|

GO TO R01_AG1024[TC/CG/FC]

-8 DON'T KNOW

GO TO R01_AG1024[TC/CG/FC]

-7 REFUSED

GO TO R01_AG1024[TC/CG/FC]

ASK: For R01_AG1021TC: Everyday traditional cigar users (R01_EVERDAY_USER_GTRAD = 1).

For R01_AG1021CG: Everyday cigarillo users (R01_EVERDAY_USER_GRILLO = 1).

For R01_AG1021FC: Everyday filtered cigar users (R01_EVERDAY_USER_GFILTR = 1).

DISPLAY: Display as numeric quantity field, with button "Less than 1 each day" on right. Use R01_AX0074 as model.

Variable(s): R01_AG1022TC; R01_AG1022CG; R01_AG1022FC

On how many of the past 30 days did you smoke [CIGARFILL]s?

|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: For R01_AG1022TC: Some day and experimental traditional cigar users

(R01_SOME_DAY_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1).

For R01_AG1022CG: Some day and experimental cigarillo users (R01_SOME_DAY_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1).

For R01_AG1022FC: Some day and experimental filtered cigar users

(R01_SOME_DAY_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1).

PROGRAM: Soft range check: 0-30 days.

GOTO: From R01_AG1022TC, if R01_AG1022TC != 0, go to R01_AG1023TC. If R01_AG1022TC = 0, go to AG9029TC.

From R01_AG1022CG, if R01_AG1022CG != 0, go to R01_AG1023CG. If R01_AG1022CG = 0, go to R01_AG9029CG.

From R01_AG1022FC, if R01_AG1022FC != 0, go to R01_AG1023FC. If R01_AG1022FC = 0, go to R01_AG9029FC.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG9029TC_NN; R01_AG9029TC_UN; R01_AG9029CG_NN; R01_AG9029CG_UN; R01_AG9029FC_NN; R01_AG9029FC_UN
About how long has it been since you last smoked [CIGARFILL]s? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: For R01_AG9029TC[_NN/_UN]: Some day and experimental traditional cigar users who smoked 0 of the last 30 days ((R01_SOME_DAY_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1) and (R01_AG1022TC=0)). For R01_AG9029CG[_NN/_UN]: Some day and experimental cigarillo users who smoked 0 of the last 30 days ((R01_SOME_DAY_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1) and (R01_AG1022CG=0)). For R01_AG9029FC[_NN/_UN]: Some day and experimental filtered cigar users who smoked 0 of the last 30 days ((R01_SOME_DAY_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1) and (R01_AG1022FC=0)). PROGRAM: Display as Quantity/Units. NOTE: The value "1" refers to R01_AG9029[TC/CG/FC]_UN = Days, the value "2" refers to R01_AG9029[TC/CG/FC]_UN = Months, and the value "3" refers to R01_AG9029[TC/CG/FC]_UN = Years.GO TO: From R01_AG9029TC[_NN/_UN]: If R01_CURRENT_USER_GTRAD = 1, go to R01_AG1024TC. Else, go to R01_AG1025TC. From R01_AG9029CG[_NN/_UN]: If R01_CURRENT_USER_GRILLO = 1, go to R01_AG1024CG. Else, go to R01_AG1025CG. From R01_AG9029FC[_NN/_UN]: If R01_CURRENT_USER_GFILTR = 1, go to R01_AG1024FC. Else, go to R01_AG1025FC.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1023TC**; R01_AG1023CG**; R01_AG1023FC**
On average, on those [FILL NUMBER OF DAYS FROM R01_AG1022[TC/CG/FC] days I days you smoked], how many [CIGARFILL]s did you usually smoke each day? -2 Less than 1 each day _ _ -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1023TC: Some day users and Experimental Current traditional cigar users who have smoked at least one day in the past 30 days or did not provide the number of days smoked in the past 30 days ((R01_SOME_DAY_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1) and (R01_AG1022TC>0 OR R01_AG1022TC = -8, -7)). For R01_AG1023CG: Some day users and Experimental Current cigarillo users who have smoked at least one day in the past 30 days or did not provide the number of days smoked in the past 30 days ((R01_SOME_DAY_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1) and (R01_AG1022CG>0 OR R01_AG1022CG = -8, -7)). For R01_AG1023FC: Some day users and Experimental Current filtered cigar users who have smoked at least one day in the past 30 days or did not provide the number of days smoked in the past 30 days ((R01_SOME_DAY_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1) and (R01_AG1022FC>0 OR R01_AG1022FC = -8, -7)). DISPLAY: For R01_AG1023TC: If R01_AG1022TC=1, -8, -7, display "days you smoked". Else display "# days" where # = number of days reported in R01_AG1022TC. For R01_AG1023CG: If R01_AG1022CG=1, -8, -7, display "days you smoked". Else display "# days" where # = number of days reported in R01_AG1022CG. For R01_AG1023FC: If R01_AG1022FC=1, -8, -7, display "days you smoked". Else display "# days" where # = number of days reported in R01_AG1022FC. PROGRAM: Display as numeric quantity field, with button "Less than 1 each day" on right. Use R01_AX0074 as model. GOTO: FROM R01_AG1023TC: If R01_EXPERIMENTAL_CURRENT_GTRAD = 1, go to R01_AG1025TC. FROM R01_AG1023CG: If R01_EXPERIMENTAL_CURRENT_GRILLO = 1, go to R01_AG1025CG. FROM R01_AG1023FC: If R01_EXPERIMENTAL_CURRENT_GFILTR = 1, go to R01_AG1025FC. NOTES: INSTRUMENT ERROR: These items were skipped incorrectly by respondents who answered R01_AG1022[TC/CG/FC] as don't know or refused.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1024TC_NN; R01_AG1024TC_UN; R01_AG1024CG_NN; R01_AG1024CG_UN; R01_AG1024FC_NN; R01_AG1024FC_UN	
(On the days that you smoke [CIGARFILL]s,) {how/How} soon after you wake up do you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.	
1	I ___ ___ ___ Minutes after waking GO TO R01_AG1025[TC/CG/FC]
2	I ___ ___ ___ Hours after waking GO TO R01_AG1025[TC/CG/FC]
-8	DON'T KNOW
-7	REFUSED
ASK: For R01_AG1024TC[NN/_UN]: Current traditional cigar users (R01_CURRENT_USER_GTRAD = 1). For R01_AG1024CG[NN/_UN]: Current cigarillo users (R01_CURRENT_USER_GRILLO = 1). For R01_AG1024FC[NN/_UN]: Current filtered cigar users (R01_CURRENT_USER_GFILTR = 1). DISPLAY: For Everyday users (R01_EVERYDAY_USER_GTRAD = 1, R01_EVERYDAY_USER_GRILLO = 1, R01_EVERYDAY_USER_GFILTR = 1), display "How"; For Some day users (R01_SOME_DAY_USER_GTRAD = 1, R01_SOME_DAY_USER_GRILLO = 1, R01_SOME_DAY_USER_GFILTR = 1), display 'On the days that you smoke [CIGARFILL]s, how'. PROGRAM: Display as Quantity/Units. NOTE: The value "1" refers to R01_AG1024[TC/CG/FC]_UN = minutes after waking, the value "2" refers to R01_AG1024[TC/CG/FC]_UN = hours after waking.	

Variable(s): R01_AG1092TC; R01_AG1092CG; R01_AG1092FC	
(On the days that you smoke [CIGARFILL]s, would Would) you say you smoke your first [CIGARFILL] of the day within the first 30 minutes after you wake up?	
1	Yes
2	No
3	It varies
-8	DON'T KNOW
-7	REFUSED
ASK: For R01_AG1092TC: Current traditional cigar users who don't know or refuse to answer how soon after waking up R01_CURRENT_USER_GTRAD = 1 and R01_AG1024TC_NN=-8,-7). For R01_AG1092CG: Current cigarillo users who don't know or refuse to answer how soon after waking up R01_CURRENT_USER_GRILLO = 1 and R01_AG1024CG_NN=-8,-7). For R01_AG1092FC: Current filtered cigar users who don't know or refuse to answer how soon after waking up R01_CURRENT_USER_GFILTR = 1 and R01_AG1024FC_NN=-8,-7). DISPLAY: For Everyday users (R01_EVERYDAY_USER_GTRAD = 1, R01_EVERYDAY_USER_GRILLO = 1, R01_EVERYDAY_USER_GFILTR = 1), display "Would". For Some day users (R01_SOME_DAY_USER_GTRAD = 1, R01_SOME_DAY_USER_GRILLO = 1, R01_SOME_DAY_USER_GFILTR = 1), display "On the days that you smoke [CIGARFILL]s, would".	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1025TC; R01_AG1025CG**; R01_AG1025FC** Around this time 12 months ago, were you smoking [CIGARFILL]s...? 1 Every day 2 Some days 3 Not at all -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1025TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1025CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1). For R01_AG1025FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1). GOTO: From R01_AG1025TC; If R01_FORMER_USER_12MONTH_GTRAD = 1, go to R01_AG1030TC. If R01_EXPERIMENTAL_CURRENT_GTRAD = 1, go to R01_AG1060TC. Else, go to R01_AG1097TC. From R01_AG1025CG; If R01_FORMER_USER_12MONTH_GRILLO = 1, go to R01_AG1030CG. If R01_EXPERIMENTAL_CURRENT_GRILLO = 1, go to R01_AG1060CG. Else, go to R01_AG1097CG. From R01_AG1025FC; If R01_FORMER_USER_12MONTH_GFILTR = 1, go to R01_AG1030FC. If R01_EXPERIMENTAL_CURRENT_GFILTR = 1, go to R01_AG1060FC. Else, go to R01_AG1097FC. NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1025[CG/FC].

Variable(s): R01_AG1097TC; R01_AG1097CG; R01_AG1097FC The next questions ask about your experience buying [CIGARFILL]s. In the past 30 days, did you use a coupon when buying [CIGARFILL]s? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R01_AG1030[TC/CG/FC] GO TO R01_AG1030[TC/CG/FC] GO TO R01_AG1030[TC/CG/FC] ASK: For R01_AG1097TC: Current traditional cigar users (R01_CURRENT_USER_GTRAD = 1). For R01_AG1097CG: Current cigarillo cusers (R01_CURRENT_USER_GRILLO = 1). For R01_AG1097FC: Current filtered cigar users (R01_CURRENT_USER_GFILTR = 1).
--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1098TC; R01_AG1098CG; R01_AG1098FC

How many times in the past 30 days have you used a coupon to buy [CIGARFILL]s?

I__I__I

-8 DON'T KNOW

-7 REFUSED

ASK: For R01_AG1097TC: Current traditional cigar users who have used a coupon to buy traditional cigars in the past 30 days (R01_CURRENT_USER_GTRAD = 1 and R01_AG1097TC = 1).

For R01_AG1097CG: Current cigarillo users who have used a coupon to buy cigarillos in the past 30 days (R01_CURRENT_USER_GRILLO = 1 and R01_AG1097CG = 1).

For R01_AG1097FC: Current filtered cigar users who have used a coupon to buy filtered cigars in the past 30 days (R01_CURRENT_USER_GFILTR = 1 and R01_AG1097FC=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1030TC; R01_AG1030CG; R01_AG1030FC****

How [do/did] you usually buy [[CIGARFILL]s I cigarillos I filtered cigars] for yourself[when you smoke blunts]? Is it...

- | | | |
|----|---|----------------------------|
| 1 | In person (such as at a store or cigar bar) | |
| 2 | From the internet | GO TO R01_AG1047[TC/CG/FC] |
| 3 | By telephone | GO TO R01_AG1047[TC/CG/FC] |
| 4 | I [do I did] not buy my own [CIGARFILL]s | GO TO R01_AG1047[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R01_AG1047[TC/CG/FC] |
| -7 | REFUSED | GO TO R01_AG1047[TC/CG/FC] |

ASK: For R01_AG1030TC: Current and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1).

For R01_AG1030CG: Current and Former users 12 Month of cigarillos or blunt-only cigarillo smokers (R01_CURRENT_USER_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1).

For R01_AG1030FC: Current and Former users 12 Month of filtered cigars or blunt-only filtered cigar smokers (R01_CURRENT_USER_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1).

DISPLAY: For Current users (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1), display "do" and [CIGARFILLs]; For Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "did" and [CIGARFILLs]. If blunt-only cigarillo smoker (R01_BLUNT_ONLY_GRILLO = 1), display "do", "cigarillos" and "when you smoke blunts"; and fill response option 4 with "do" and "cigarillos for blunts". If blunt-only filtered cigar smoker (R01_BLUNT_ONLY_GFC = 1), display "do", "filtered cigars" and "when you smoke blunts"; and fill response option 4 with "do" and "filtered cigars for blunts".

Display instruction for question and response option 4 fill: for Current users (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1), display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "did".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1030[CG/FC].

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1032TC; R01_AG1032CG; R01_AG1032FC
[Do/Did] you usually buy [[CIGARFILL]s I cigarillos for blunts I filtered cigars for blunts]...? 1 In your own state 2 In another state 3 Outside the US -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1030TC: Current users and Former users 12 Month traditional cigar smokers who usually buy traditional cigars in person ((R01_CURRENT_USER_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1) and R01_AG1030TC = 1). For R01_AG1030CG: Current users, Former users 12 Month of cigarillos and blunt-only cigarillo smokers who usually buy cigarillos in person ((R01_CURRENT_USER_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1) and R01_AG1030CG = 1). For R01_AG1030FC: Current users, Former users 12 Month of filtered cigars and blunt-only filtered cigar smokers who usually buy filtered cigars in person ((R01_CURRENT_USER_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1) and R01_AG1030FC = 1). DISPLAY: For Current users (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) display "Do" and "[CIGARFILL]s"; For Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "Did" and "[CIGARFILL]s". If blunt-only cigarillo smoker (R01_BLUNT_ONLY_GRILLO = 1), display "Do" and "cigarillos for blunts". If blunt-only filtered cigar smoker (R01_BLUNT_ONLY_GFC = 1), display "Do" and "filtered cigars for blunts".	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1033TC; R01_AG1033TC_OS; R01_AG1033CG; R01_AG1033CG_OS; R01_AG1033FC; R01_AG1033FC_OS
Where [do/did] you buy your [[CIGARFILL]s I cigarillos for blunts I filtered cigars for blunts] most of the time?	
[PROGRAM: If OS field selected and additional OS screen is shown, display question text and add the following text: "Please type your answer using the computer keyboard."]	
1 A cigar bar 2 A convenience store or gas station 3 A supermarket, grocery store, or drug store 4 A warehouse club, such as Sam's or Costco 5 A smoke shop, tobacco specialty store or tobacco outlet store 6 A duty free shop or military commissary 7 A bar, pub, restaurant or casino 8 A friend or relative 9 A swap meet or flea market 10 A liquor store 11 Or from somewhere else SPECIFY: _____ -8 DON'T KNOW -7 REFUSED	
ASK: For R01_AG1030TC: Current users and Former users 12 Month of traditional cigars who usually buy traditional cigars in person ((R01_CURRENT_USER_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1) and R01_AG1030TC = 1).	
For R01_AG1030CG: Current users, Former users 12 Month of cigarillos and blunt-only cigarillo smokers who usually buy cigarillos in person ((R01_CURRENT_USER_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1) and R01_AG1030CG = 1).	
For R01_AG1030FC: Current users, Former users 12 Month of filtered cigars and blunt-only filtered cigar smokers who usually buy filtered cigars in person ((R01_CURRENT_USER_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1) and R01_AG1030FC = 1).	
DISPLAY: For Current users (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1), display "do" and "[CIGARFILL]s"; For Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "did" and "[CIGARFILL]s". If blunt-only cigarillo smoker (R01_BLUNT_ONLY_GRILLO = 1), display "Do" and "cigarillos for blunts". If blunt-only filtered cigar smoker (R01_BLUNT_ONLY_GFC = 1), display "Do" and "filtered cigars for blunts".	
GOTO: From R01_AG1033TC: If R01_FORMER_USER_12MONTH_GTRAD = 1, GO TO R01_AG1047TC. ELSE GO TO R01_AG1039TC.	
From R01_AG1033CG: If R01_FORMER_USER_12MONTH_GRILLO = 1, GO TO R01_AG1047CG. ELSE GO TO R01_AG1039CG.	
From R01_AG1033FC: If R01_FORMER_USER_12MONTH_GFILTR = 1, GO TO R01_AG1047FC. ELSE GO TO R01_AG1039FC.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1039TC; R01_AG1039CG; R01_AG1039FC

Do you usually buy [[CIGARFILL]s I cigarillos for blunts I filtered cigars for blunts] by the box or pack, or as single [[CIGARFILL]s cigarillos I filtered cigars]?

- 1 Box or pack
- 2 Single [[CIGARFILL]s I cigarillos I filtered cigars] GO TO R01_AG1043[TC/CG/FC]
- 8 DON'T KNOW GO TO R01_AG1047[TC/CG/FC]
- 7 REFUSED GO TO R01_AG1047[TC/CG/FC]

ASK: For R01_AG1039TC: Current traditional cigar users who usually buy traditional cigars in person (R01_CURRENT_USER_GTRAD = 1 and R01_AG1030TC = 1).

For R01_AG1039CG: Current cigarillo users or blunt-only cigarillo smokers who usually buy cigarillos in person ((R01_CURRENT_USER_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1) and R01_AG1030CG = 1).

For R01_AG1039FC: Current filtered cigar users or blunt-only filtered cigar smokers who usually buy filtered cigars in person ((R01_CURRENT_USER_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1) and R01_AG1030FC = 1).

DISPLAY: If blunt-only cigarillo smoker (R01_BLUNT_ONLY_GRILLO = 1), display "cigarillos for blunts" and "cigarillos" in question and option 2. If blunt-only filtered cigar smoker (R01_BLUNT_ONLY_GFC = 1), display "filtered cigars for blunts" and "filtered cigars" in question and option 2. Else, display [CIGARFILL]s.

Variable(s): R01_AG1040TC; R01_AG1040CG; R01_AG1040FC

How many [[CIGARFILL]s I cigarillos I filtered cigars] come in the box or pack that you usually buy[for blunts]?

- 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG1040TC: Current traditional cigar users who buy traditional cigars by the box (R01_CURRENT_USER_GTRAD = 1 and R01_AG1039TC = 1).

For R01_AG1040CG: Current cigarillo users and blunt-only cigarillo smokers who buy cigarillos by the box ((R01_CURRENT_USER_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1) and R01_AG1039CG = 1).

For R01_AG1040FC: Current filtered cigar users and blunt-only filtered cigar smokers who buy filtered cigars by the box ((R01_CURRENT_USER_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1) and R01_AG1039FC = 1).

DISPLAY: If blunt-only cigarillo smoker (R01_BLUNT_ONLY_GRILLO = 1), display "cigarillos" (in question and option 1) and "for blunts". If blunt-only filtered cigar smoker (R01_BLUNT_ONLY_GFC = 1), display "filtered cigars" (in question and option 1) and "for blunts". Else, display [CIGARFILL]s.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1042TC_D; R01_AG1042TC_C; R01_AG1042CG_D; R01_AG1042CG_C; R01_AG1042FC_D; R01_AG1042FC_C
How much do you usually pay for a box or pack of [[CIGARFILL]]s I cigarillos for blunts I filtered cigars for blunts]? \$ _ _ _ _ . _ _ _ _ -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1042TC[_D/_C]: Current traditional cigar users who buy traditional cigars by the box (R01_CURRENT_USER_GTRAD = 1 and R01_AG1039TC = 1). For R01_AG1042CG[_D/_C]: Current cigarillo users and blunt-only cigarillo smokers who buy cigarillos by the box ((R01_CURRENT_USER_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1) and R01_AG1039CG = 1). For R01_AG1042FC[_D/_C]: Current filtered cigar users and blunt-only filtered cigar smokers who buy filtered cigars by the box ((R01_CURRENT_USER_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1) and R01_AG1039FC = 1). DISPLAY: If blunt-only cigarillo smoker (R01_BLUNT_ONLY_GRILLO = 1), display "cigarillos for blunts". If blunt-only filtered cigar smoker, display "filtered cigars for blunts". Else, display [CIGARFILLs]. Display "\$" as left label; "Dollars" and "Cents" as titles. PROGRAM: Display as Quantity/Quantity.	

Variable(s):	R01_AG1043TC_D; R01_AG1043TC_C; R01_AG1043CG_D; R01_AG1043CG_C; R01_AG1043FC_D; R01_AG1043FC_C
How much do you usually pay for a single [[CIGARFILL]] I cigarillo for a blunt I filtered cigar for a blunt]? \$ _ _ _ _ . _ _ _ _ -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1043TC[_D/_C]: Current traditional cigar users who buy traditional cigars as single traditional cigars (R01_CURRENT_USER_GTRAD = 1 and R01_AG1039TC = 2). For R01_AG1043CG[_D/_C]: Current cigarillo users and blunt-only cigarillo smokers who buy cigarillos as single cigarillos ((R01_CURRENT_USER_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1) and R01_AG1039CG = 2). For R01_AG1043FC[_D/_C]: Current filtered cigar users and blunt-only filtered cigar smokers who buy filtered cigars as single filtered cigars ((R01_CURRENT_USER_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1) and R01_AG1039FC = 2). DISPLAY: If blunt-only cigarillo smoker (R01_BLUNT_ONLY_GRILLO = 1), display "cigarillo for a blunt". If blunt-only filtered cigar smoker (R01_BLUNT_ONLY_GFC = 1), display "filtered cigar for a blunt". Else, display [CIGARFILL]. Display "\$" as left label; "Dollars" and "Cents" as titles. PROGRAM: Display as Quantity/Quantity.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1047TC; R01_AG1047CG**; R01_AG1047FC**
[Do I Did] you have a regular brand of [[CIGARFILL]s I cigarillo I filtered cigar] that you usually [smoke I smoked I use for blunts]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1047TC: Current users and Former users 12 Month of traditioanl cigars (R01_CURRENT_USER_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1047CG: Current users, Former users 12 Month of cigarillos and blunt-only cigarillo smokers (R01_CURRENT_USER_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1). For R01_AG1047FC: Current users, Former users 12 Month of filtered cigars and blunt-only filtered cigar smokers (R01_CURRENT_USER_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1). DISPLAY: For Current users (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) display "Do", "smoke" and "[CIGARFILL]s"; for Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "Did", "smoked", and "[CIGARFILL]s". If blunt-only cigarillo smoker (R01_BLUNT_ONLY_GRILLO = 1), display "Do", cigarillo" and "use for blunts". If blunt-only filtered cigar smoker (R01_BLUNT_ONLY_GFC = 1), display "Do", "filtered cigar" and "use for blunts". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1047[CG/FC].	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1048TC_BRAND; R01_AG1048CG_BRAND**; R01_AG1048FC_BRAND**
What brand of [[CIGARFILL]] I cigarillo for blunts I filtered cigar for blunts] [do I did] you [usually I last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1048TC_BRAND: Current users and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1048CG_BRAND: Current users, Former users 12 Month of cigarillos and blunt-only cigarillo smokers (R01_CURRENT_USER_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1). For R01_AG1048FC_BRAND: Current users, Former users 12 Month of filtered cigars and blunt-only filtered cigar smokers (R01_CURRENT_USER_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1). DISPLAY: For R01_AG1048TC_BRAND: For Current users who have regular brand (R01_CURRENT_USER_GTRAD = 1 and R01_AG1047TC=1), display [CIGARFILL], "do" and "usually"; For Current users who do not have a regular brand (R01_CURRENT_USER_GTRAD = 1 and R01_AG1047TC=2, -8, -7), display [CIGARFILL], "did" and "last". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_GTRAD = 1 and R01_AG1047TC=1), display [CIGARFILL], "did" and "usually"; For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_GTRAD = 1 and R01_AG1047TC=2, -8, -7), display [CIGARFILL], "did" and "last". For R01_AG1048CG_BRAND: For Current users who have regular brand (R01_CURRENT_USER_GRILLO = 1 and R01_AG1047CG=1), display [CIGARFILL], "do" and "usually"; For Current users who do not have a regular brand (R01_CURRENT_USER_GRILLO = 1 and R01_AG1047CG=2, -8, -7), display [CIGARFILL], "did" and "last". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_GRILLO = 1 and R01_AG1047CG=1), display [CIGARFILL], "did" and "usually"; For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_GRILLO = 1 and R01_AG1047CG=2, -8, -7), display [CIGARFILL], "did" and "last". If blunt-only cigarillo smoker and has regular brand (R01_BLUNT_ONLY_GRILLO = 1 AND R01_AG1047CG=1), display "cigarillos for blunts", "do" and "usually". If blunt-only cigarillo smoker and does not have regular brand (R01_BLUNT_ONLY_GRILLO = 1 AND R01_AG1047CG=2, -8, -7), display "cigarillo for blunts", "did" and "last". For R01_AG1048fC_BRAND: For Current users who have regular brand (R01_CURRENT_USER_GFILTR = 1 and R01_AG1047FC=1), display [CIGARFILL], "do" and "usually"; For Current users who do not have a regular brand (R01_CURRENT_USER_GFILTR = 1 and R01_AG1047FC=2, -8, -7), display [CIGARFILL], "did" and "last". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_GFILTR = 1 and R01_AG1047FC=1), display [CIGARFILL], "did" and "usually"; For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_GFILTR = 1 and R01_AG1047FC=2, -8, -7), display [CIGARFILL], "did" and "last". If blunt-only filtered cigar smoker and has regular brand (R01_BLUNT_ONLY_GFC = 1 AND R01_AG1047FC=1), display "filtered cigar for blunts", "do" and "usually". If blunt-only filtered cigar smoker and does not have regular brand (R01_BLUNT_ONLY_GFC = 1 AND R01_AG1047FC=2, -8, -7), display "filtered cigar for blunts", "did" and "last". [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else". [SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. WHEN A RESPONDENT SELECTS A BRAND, GO TO R01_AG1070[TC/CG/FC]_PRODUCT] GOTO: From R01_AG1048TC_BRAND: If R01_AG1048TC_BRAND != 9995, -8, -7, go to	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

R01_AG1070TC_PRODUCT. Else if R01_AG1048TC_BRAND = 9995, go to R01_AG1049TC. Else, go to R01_AG1050TC.

From R01_AG1048CG_BRAND: If R01_AG1048CG_BRAND != 9995, -8, -7, go to R01_AG1070CG_PRODUCT. Else if R01_AG1048CG_BRAND = 9995, go to R01_AG1049CG. Else, go to R01_AG1050CG.

From R01_AG1048FC_BRAND: If R01_AG1048FC_BRAND != 9995, -8, -7, go to R01_AG1070FC_PRODUCT. Else if R01_AG1048FC_BRAND = 9995, go to R01_AG1049FC. Else, go to R01_AG1050FC.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1048[CG/FC]_BRAND.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1070TC_PRODUCT; R01_AG1070CG_PRODUCT; R01_AG1070FC_PRODUCT
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do I did] you [usually I last] smoke[as a blunt]? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else".]	
99995 Something else -8 DON'T KNOW -7 REFUSED	
ASK: For R01_AG1070TC_PRODUCT: Current users and Former users 12 Month of traditional cigars who selected a brand image ((R01_CURRENT_USER_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1) and R01_AG1048TC_BRAND != 9995, -8, -7).	
For R01_AG1070CG_PRODUCT: Current users, Former users 12 Month of cigarillos and blunt-only cigarillo smokers who selected a brand image ((R01_CURRENT_USER_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1) and R01_AG1048CG_BRAND != 9995, -8, -7).	
For R01_AG1070FC_PRODUCT: Current users, Former users 12 Month of filtered cigars and blunt-only filtered cigar smokers who selected a brand image ((R01_CURRENT_USER_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1) and R01_AG1048FC_BRAND != 9995, -8, -7).	
DISPLAY: For R01_AG1070TC_PRODUCT: For Current users who have regular brand (R01_CURRENT_USER_GTRAD = 1 and R01_AG1047TC=1), display "do" and "usually"; For Current users who do not have a regular brand (R01_CURRENT_USER_GTRAD = 1 and R01_AG1047TC=2, -8, -7), display "did" and "last". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_GTRAD = 1 and R01_AG1047TC=1), display "did" and "usually"; For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_GTRAD = 1 and R01_AG1047TC=2, -8, -7), display "did" and "last".	
For R01_AG1070CG_PRODUCT: For Current users who have regular brand (R01_CURRENT_USER_GRILLO = 1 and R01_AG1047CG=1), display "do" and "usually"; For Current users who do not have a regular brand (R01_CURRENT_USER_GRILLO = 1 and R01_AG1047CG=2, -8, -7), display "did" and "last". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_GRILLO = 1 and R01_AG1047CG=1), display "did" and "usually"; For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_GRILLO = 1 and R01_AG1047FC=2, -8, -7), display "did" and "last". If blunt-only cigarillo smoker and has regular brand (R01_BLUNT_ONLY_GRILLO = 1 and R01_AG1047CG=1), display "do", "usually" and "as a blunt"; If blunt-only cigarillo smoker and does not have a regular brand (R01_BLUNT_ONLY_GRILLO = 1 and R01_AG1047CG=2, -8, -7), display "did", "last", and "as a blunt".	
For R01_AG1070FC_PRODUCT: For Current users who have regular brand (R01_CURRENT_USER_GFILTR = 1 and R01_AG1047FC=1), display "do" and "usually"; For Current users who do not have a regular brand (R01_CURRENT_USER_GFILTR = 1 and R01_AG1047FC=2, -8, -7), display "did" and "last". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_GFILTR = 1 and R01_AG1047FC=1), display "did" and "usually"; For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_GFILTR = 1 and R01_AG1047FC=2, -8, -7), display "did" and "last". If blunt-only filtered cigar smoker and has regular brand (R01_BLUNT_ONLY_GFC = 1 and R01_AG1047FC=1), display "do", "usually" and "as a blunt"; If blunt-only filtered cigar smoker and does not have a regular brand (R01_BLUNT_ONLY_GFC = 1 and R01_AG1047FC=2, -8, -7), display "did", "last", and "as a blunt".	
[If multiple screens] Display: If you do not see it below, touch the button marked "NEXT".	
[If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

marked "Something else".

PROGRAM: [SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R01_AG1048[TC/CG/FC]_BRAND]

GOTO: From R01_AG1070TC_PRODUCT: If R01_AG1070TC_PRODUCT = 99995, go to R01_AG1071TC. Else, go to R01_AG1050TC.

From R01_AG1070CG_PRODUCT: If R01_AG1070CG_PRODUCT = 99995, go to R01_AG1071CG. Else, go to R01_AG1050CG.

From R01_AG1070FC_PRODUCT: If R01_AG1070FC_PRODUCT = 99995, go to R01_AG1071FC. Else, go to R01_AG1050FC.

Variable(s): R01_AG1049TC; R01_AG1049CG; R01_AG1049FC

You said that your brand was not pictured. What is it?

_____	GO TO R01_AG1050[TC/CG/FC]
-8 DON'T KNOW	GO TO R01_AG1050[TC/CG/FC]
-7 REFUSED	GO TO R01_AG1050[TC/CG/FC]

ASK: For R01_AG1049TC: Current users and Former users 12 Month of traditional cigars who did not select a brand image ((R01_CURRENT_USER_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1) and R01_AG1048TC_BRAND=9995).

For R01_AG1049CG: Current users, Former users 12 Month of cigarillos and blunt-only cigarillo smokers who did not select a brand image ((R01_CURRENT_USER_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1) and R01_AG1048CG_BRAND=9995).

For R01_AG1049FC: Current users, Former users 12 Month of filtered cigars and blunt-only filtered cigar smokers who did not select a brand image ((R01_CURRENT_USER_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1) and R01_AG1048FC_BRAND=9995).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1071TC; R01_AG1071CG ; R01_AG1071FC
You said that the type of [BRANDFILL]s that you [smoke I smoked][as blunts] is not pictured. What type is it? _____ -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1071TC: Current users and Former users 12 Month of traditional cigars who did not select the type of product they use but who DID select a brand ((R01_CURRENT_USER_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1) and (R01_AG1048TC_BRAND!=9995,-8,-7) and R01_AG1070TC_PRODUCT=99995). Do not ask of respondents who wrote a brand into R01_AG1049TC. For R01_AG1071CG: Current users and Former users 12 Month of cigarillos and blunt-only cigarillo smokers who did not select the type of product they use but who DID select a brand ((R01_CURRENT_USER_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1) and (R01_AG1048CG_BRAND!=9995,-8,-7) and R01_AG1070CG_PRODUCT=99995). Do not ask of respondents who wrote a brand into R01_AG1049CG. For R01_AG1071FC: Current users and Former users 12 Month of filtered cigars and blunt-only filtered cigar smokers who did not select the type of product they use but who DID select a brand ((R01_CURRENT_USER_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1) and (R01_AG1048FC_BRAND!=9995,-8,-7) and R01_AG1070FC_PRODUCT=99995). Do not ask of respondents who wrote a brand into R01_AG1049FC. DISPLAY: For Current users (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1), display "smoke"; for Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "smoked". If blunt-only smoker (R01_BLUNT_ONLY_GRILLO = 1, R01_BLUNT_ONLY_GFILTR = 1), display "smoke" and "as blunts".	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1050TC; R01_AG1050CG**; R01_AG1050FC**
[Is / was] [your regular brand I the last brand] you [smoke I smoked][as blunts] flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1050TC: Current users and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1050CG: Current users and Former users 12 Month of cigarillos and blunt-only cigarillo smokers (R01_CURRENT_USER_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1 or R01_BLUNT_ONLY_GRILLO = 1). For R01_AG1050FC: Current users and Former users 12 Month of filtered cigars and blunt-only filtered cigar smokers (R01_CURRENT_USER_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1 or R01_BLUNT_ONLY_GFC = 1). DISPLAY: For R01_AG1050TC: For Current users who have a regular brand (R01_CURRENT_USER_GTRAD = 1 and R01_AG1047TC=1), display "Is", "your regular brand" and "smoke". For Current users who do not have a regular brand (R01_CURRENT_USER_GTRAD = 1 and R01_AG1047TC=2, -8, -7), display "Was", "the last brand" and "smoked". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_GTRAD = 1 and R01_AG1047TC=1), display "Was", "your regular brand" and "smoked". For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_GTRAD = 1 and R01_AG1047TC=2, -8, -7), display "Was", "the last brand" and "smoked". For R01_AG1050CG: For Current users who have a regular brand (R01_CURRENT_USER_GRILLO = 1 and R01_AG1047CG=1), display "Is", "your regular brand" and "smoke". For Current users who do not have a regular brand (R01_CURRENT_USER_GRILLO = 1 and R01_AG1047CG=2, -8, -7), display "Was", "the last brand" and "smoked". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_GRILLO = 1 and R01_AG1047CG=1), display "Was", "your regular brand" and "smoked". For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_GRILLO = 1 and R01_AG1047CG=2, -8, -7), display "Was", "the last brand" and "smoked". If blunt-only cigarillo smoker and has a regular brand (R01_BLUNT_ONLY_GRILLO = 1 and R01_AG1047CG=1), display "Is", "your regular brand", "smoke" and "as blunts". If blunt-only cigarillo smoker and does not have a regular brand (R01_BLUNT_ONLY_GRILLO = 1 and R01_AG1047CG=2, -8, -7), display "Was", "the last brand", "smoked", "as blunts". For R01_AG1050FC: For Current users who have a regular brand (R01_CURRENT_USER_GFILTR = 1 and R01_AG1047FC=1), display "Is", "your regular brand" and "smoke". For Current users who do not have a regular brand (R01_CURRENT_USER_GFILTR = 1 and R01_AG1047FC=2, -8, -7), display "Was", "the last brand" and "smoked". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_GFILTR = 1 and R01_AG1047FC=1), display "Was", "your regular brand" and "smoked". For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_GFILTR = 1 and R01_AG1047FC=2, -8, -7), display "Was", "the last brand" and "smoked". If blunt-only filtered cigar smoker and has a regular brand (R01_BLUNT_ONLY_GFC = 1 and R01_AG1047FC=1), display "Is", "your regular brand", "smoke" and "as blunts". If blunt-only filtered cigar smoker and does not have a regular brand (R01_BLUNT_ONLY_GFC = 1 and R01_AG1047FC=2, -8, -7), display "Was", "the last brand", "smoked", "as blunts". GOTO: From R01_AG1050TC: If (R01_CURRENT_USER_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1) AND R01_AG1047TC = 1, go to R01_AG1051TC. Else, go to R01_AG0104TC. From R01_AG1050CG: If (R01_CURRENT_USER_GRILLO = 1 or	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

R01_FORMER_USER_12MONTH_GRILLO = 1) AND R01_AG1047CG = 1, go to R01_AG1051CG. If R01_BLUNT_ONLY_GRILLO = 1, go to the next section (see note on pg. v). Else, go to R01_AG104CG.

From R01_AG1050FC: If (R01_CURRENT_USER_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1) AND R01_AG1047FC = 1, go to R01_AG1051FC. If R01_BLUNT_ONLY_GFC = 1, go to the next section (see note on pg. v). Else, go to R01_AG104FC.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1050[CG/FC].

Variable(s): R01_AG1051TC_NN; R01_AG1051TC_UN; R01_AG1051CG_NN; R01_AG1051CG_UN; R01_AG1051FC_NN; R01_AG1051FC_UN

About how long (did you smoke/have you been smoking) your regular brand of [CIGARFILL]?

- 1 I ___ I DAYS
- 2 I ___ I MONTHS
- 3 I ___ I YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG1051TC[NN/ UN]: Current users and Former users 12 Month users of traditional cigars who have a regular brand ((R01_CURRENT_USER_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1) and R01_AG1047TC = 1).

For R01_AG1051CG[NN/ UN]: Current users and Former users 12 Month users of cigarillos who have a regular brand ((R01_CURRENT_USER_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1) and R01_AG1047CG = 1).

For R01_AG1051FC[NN/ UN]: Current users and Former users 12 Month users of filtered cigars who have a regular brand ((R01_CURRENT_USER_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1) and R01_AG1047FC = 1).

DISPLAY: For Current users (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1), display "have you been smoking" and "you've been smoking." For Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "did you smoke" and "you smoked."

PROGRAM: Display as Quantity/Units

NOTE: The value "1" refers to R01_AG1051[TC/CG/FC]_UN = Days, the value "2" refers to R01_AG1051[TC/CG/FC]_UN = Months, and the value "3" refers to R01_AG1051[TC/CG/FC]_UN = Years.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AG0104TC; R01_AG0104CG; R01_AG0104FC**

You said earlier that you smoked a [CIGARFILL] [TIME OF LAST USE]. Think about the very last [CIGARFILL] you smoked. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG0104TC: Respondents who have smoked a traditional cigar today, yesterday or the day before yesterday AND who selected a valid brand AND valid sub brand ((R01_AG0100TC = 1, 2, 3, 4) AND (R01_AG1048TC_BRAND != 9995, -8, -7) AND (R01_AG1070TC_PRODUCT != 99995, -8, -7)).

For R01_AG0104CG: Respondents who have smoked a cigarillo today, yesterday or the day before yesterday AND who selected a valid brand AND valid sub brand ((R01_AG0100CG = 1, 2, 3, 4) AND (R01_AG1048CG_BRAND != 9995, -8, -7) AND (R01_AG1070CG_PRODUCT != 99995, -8, -7)).

For R01_AG0104FC: Respondents who have smoked a filtered cigar today, yesterday or the day before yesterday AND who selected a valid brand AND valid sub brand ((R01_AG0100FC = 1, 2, 3, 4) AND (R01_AG1048FC_BRAND != 9995, -8, -7) AND (R01_AG1070FC_PRODUCT != 99995, -8, -7)).

DISPLAY: For 'TIME OF LAST USE',

For R01_AG0104TC:

If R01_AG0100TC=1, display "in the past hour".

If R01_AG0100TC=2, display "sometime today".

If R01_AG0100TC=3, display "yesterday".

If R01_AG0100TC=4, display "the day before yesterday".

For 'NEQBRAND', fill with selection stored in R01_AG1070TC_PRODUCT.

For R01_AG0104CG:

If R01_AG0100CG=1, display "in the past hour".

If R01_AG0100CG=2, display "sometime today".

If R01_AG0100CG=3, display "yesterday".

If R01_AG0100CG=4, display "the day before yesterday".

For 'NEQBRAND', fill with selection stored in R01_AG1070CG_PRODUCT.

For R01_AG0104FC:

If R01_AG0100FC=1, display "in the past hour".

If R01_AG0100FC=2, display "sometime today".

If R01_AG0100FC=3, display "yesterday".

If R01_AG0100FC=4, display "the day before yesterday".

For 'NEQBRAND', fill with selection stored in R01_AG1070FC_PRODUCT.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID:	R01_AG6
Display question R01_AG1060[TC/CG/FC], R01_AG1061[TC/CG/FC], R01_AG1085[TC/CG/FC], R01_AG1062[TC/CG/FC], R01_AG1063[TC/CG/FC], R01_AG1064[TC/CG/FC], R01_AG1066[TC/CG/FC], R01_AG1068[TC/CG/FC], R01_AG1069[TC/CG/FC], R01_AG1072[TC/CG/FC] on one screen. Show the intro/transition text from R01_AG1060[TC/CG/FC] first, then show each item with responses. As each item is answered, show the next one. PROGRAM: Randomize order of R01_AG1060[TC/CG/FC] through R01_AG1072[TC/CG/FC].	

Variable(s):	R01_AG1060TC***; R01_AG1060CG**; R01_AG1060FC**
The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons [apply to you I applied to you when you used to smoke [CIGARFILL]s]. I [smoke I smoked] [CIGARFILL]s because... They [are I were] affordable. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1060TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1060CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1). For R01_AG1060FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1). DISPLAY: For Current (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) and Experimental Current (R01_EXPERIMENTAL_CURRENT_GTRAD = 1, R01_EXPERIMENTAL_CURRENT_GRILLO = 1, R01_EXPERIMENTAL_CURRENT_GFILTR = 1) users, display "apply to you", "smoke" and "are"; for Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "applied to you when you used to smoke [CIGARFILL]s", "smoked" and "were". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1060[CG/FC]. DATA ERROR: Some respondents have missing data (-9) for R01_AG1060TC.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1061TC***; R01_AG1061CG**; R01_AG1061FC**
People in the media or other public figures [smoke I smoked] [CIGARFILL]s. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1061TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1061CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1). For R01_AG1061FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1). DISPLAY: For Current (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) and Experimental Current (R01_EXPERIMENTAL_CURRENT_GTRAD = 1, R01_EXPERIMENTAL_CURRENT_GRILLO = 1, R01_EXPERIMENTAL_CURRENT_GFILTR = 1) users, display "smoke"; for Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "smoked". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1061[CG/FC]. DATA ERROR: Some respondents have missing data (-9) for R01_AG1061TC.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1085TC***; R01_AG1085CG**; R01_AG1085FC**
I [can I could] smoke [CIGARFILL]s at times when or in places where smoking cigarettes [isn't I wasn't] allowed. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1085TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1085CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1). For R01_AG1085FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1). DISPLAY: For Current (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) and Experimental Current (R01_EXPERIMENTAL_CURRENT_GTRAD = 1, R01_EXPERIMENTAL_CURRENT_GRILLO = 1, R01_EXPERIMENTAL_CURRENT_GFILTR = 1) users, display "can" and "isn't"; for Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "could" and "wasn't". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1085[CG/FC]. DATA ERROR: Some respondents have missing data (-9) for R01_AG1085TC.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1062TC***; R01_AG1062CG**; R01_AG1062FC**

They might [be I have been] less harmful than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG1062TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1).

For R01_AG1062CG: Current users, Experimental Current users, and Former users 12 Month cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1).

For R01_AG1062FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1).

DISPLAY: For Current (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) and Experimental Current (R01_EXPERIMENTAL_CURRENT_GTRAD = 1, R01_EXPERIMENTAL_CURRENT_GRILLO = 1, R01_EXPERIMENTAL_CURRENT_GFILTR = 1) users, display "be"; for Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "have been".

NOTES: DATA ERROR: Some respondents have missing data (-9) for R01_AG1062TC.

INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1062[CG/FC].

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1063TC***; R01_AG1063CG**; R01_AG1063FC**
[CIGARFILL]s [come I came] in flavors I [like I liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1063TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1063CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1). For R01_AG1063FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1). DISPLAY: For Current (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) and Experimental Current (R01_EXPERIMENTAL_CURRENT_GTRAD = 1, R01_EXPERIMENTAL_CURRENT_GRILLO = 1, R01_EXPERIMENTAL_CURRENT_GFILTR = 1) users, display "come" and "like"; for Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "came" and "liked". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1063[CG/FC]. DATA ERROR: Some respondents have missing data (-9) for R01_AG1063TC.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1064TC***; R01_AG1064CG**; R01_AG1064FC**

Smoking [CIGARFILL]s helps people to quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG1064TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1).

For R01_AG1064CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1).

For R01_AG1064FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1).

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1064[CG/FC].

DATA ERROR: Some respondents have missing data (-9) for R01_AG1064TC.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1066TC***; R01_AG1066CG**; R01_AG1066FC**
Smoking a [CIGARFILL] [feels I felt] like smoking a regular cigarette. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1066TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1066CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1). For R01_AG1066FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1). DISPLAY: For Current (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) and Experimental Current (R01_EXPERIMENTAL_CURRENT_GTRAD = 1, R01_EXPERIMENTAL_CURRENT_GRILLO = 1, R01_EXPERIMENTAL_CURRENT_GFILTR = 1) users, display "feel"; for Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "felt". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1066[CG/FC]. DATA ERROR: Some respondents have missing data (-9) for R01_AG1066TC.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1068TC***; R01_AG1068CG**; R01_AG1068FC**
People who are important to me [smoke I smoked] [CIGARFILL]s. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1068TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1068CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1). For R01_AG1068FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1). DISPLAY: For Current (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) and Experimental Current (R01_EXPERIMENTAL_CURRENT_GTRAD = 1, R01_EXPERIMENTAL_CURRENT_GRILLO = 1, R01_EXPERIMENTAL_CURRENT_GFILTR = 1) users, display "smoke"; for Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "smoked". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1068[CG/FC]. DATA ERROR: Some respondents have missing data (-9) for R01_AG1068TC.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1069TC***; R01_AG1069CG**; R01_AG1069FC**
I [like I liked] socializing while smoking a [CIGARFILL]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1069TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1069CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1). For R01_AG1069FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1). DISPLAY: For Current (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) and Experimental Current (R01_EXPERIMENTAL_CURRENT_GTRAD = 1, R01_EXPERIMENTAL_CURRENT_GRILLO = 1, R01_EXPERIMENTAL_CURRENT_GFILTR = 1) users, display "like"; for Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "liked". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1069[CG/FC]. DATA ERROR: Some respondents have missing data (-9) for R01_AG1069TC.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1072TC***; R01_AG1072CG**; R01_AG1072FC**

The advertising for [CIGARFILL]s [appeals I appealed] to me.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AG1072TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1).

For R01_AG1072CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1).

For R01_AG1072FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1).

DISPLAY: For Current (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) and Experimental Current (R01_EXPERIMENTAL_CURRENT_GTRAD = 1, R01_EXPERIMENTAL_CURRENT_GRILLO = 1, R01_EXPERIMENTAL_CURRENT_GFILTR = 1) users, display "appeals"; for Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1), display "appealed".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1072[CG/FC].

DATA ERROR: Some respondents have missing data (-9) for R01_AG1072TC.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1080TC; R01_AG1080CG**; R01_AG1080FC**
[Do Did] you smoke [CIGARFILL]s as a way of cutting down on your cigarette smoking? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1060TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars who are also Current or Former users 12 Month of cigarettes ((R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1) and (R01_CURRENT_USER_CIGS = 1 or R01_FORMER_USER_12MONTH_CIGS = 1)). For R01_AG1060CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos who are also Current or Former users 12 Month of cigarettes ((R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1) and (R01_CURRENT_USER_CIGS = 1 or R01_FORMER_USER_12MONTH_CIGS = 1)). For R01_AG1060FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars who are also Current or Former users 12 Month of cigarettes ((R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1) and (R01_CURRENT_USER_CIGS = 1 or R01_FORMER_USER_12MONTH_CIGS = 1)). DISPLAY: For Current (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) and Experimental Current (R01_EXPERIMENTAL_CURRENT_GTRAD = 1, R01_EXPERIMENTAL_CURRENT_GRILLO = 1, R01_EXPERIMENTAL_CURRENT_GFILTR = 1) users display “do”; For Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1) display “did”. NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to “1 = Yes” for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1080[CG/FC].	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AG1081TC; R01_AG1081CG**; R01_AG1081FC**
[Do Did] you smoke [CIGARFILL]s as an alternative to quitting tobacco altogether? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AG1081TC: Current users, Experimental Current users, and Former users 12 Month of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_12MONTH_GTRAD = 1). For R01_AG1081CG: Current users, Experimental Current users, and Former users 12 Month of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_12MONTH_GRILLO = 1). For R01_AG1081FC: Current users, Experimental Current users, and Former users 12 Month of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_12MONTH_GFILTR = 1). DISPLAY: For Current (R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1) and Experimental Current (R01_EXPERIMENTAL_CURRENT_GTRAD = 1, R01_EXPERIMENTAL_CURRENT_GRILLO = 1, R01_EXPERIMENTAL_CURRENT_GFILTR = 1) users display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_GTRAD = 1, R01_FORMER_USER_12MONTH_GRILLO = 1, R01_FORMER_USER_12MONTH_GFILTR = 1) display "did". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_GRILLO and R01_FORMER_USER_12MONTH_GFILTR were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1081[CG/FC].	

PIPE**BOX ID: R01_APT02**

The next questions are about smoking tobacco in **pipes**.

Pipes come in many shapes and sizes. They all have a bowl that holds the tobacco and a stem. Pipe tobacco is often sold loose in packages or tins. In the following section, we are only asking about smoking pipes filled with tobacco. The picture below shows a typical pipe and some pipe tobacco.

[SHOW IMAGES OF PIPES AND PIPE TOBACCO – BOTH LOOSE AND IN TINS]

Bold "pipes".

Variable(s): R01_AP1005

How many bowls filled with pipe tobacco have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever smoked a pipe (R01_AP1002 = 1).

Variable(s): R01_AP1006

How old were you the first time you smoked part or all of a pipe filled with tobacco, even one or two puffs?

- I__I__I
- 8 DON'T KNOW
- 7 REFUSED

GO TO R01_AP1100

ASK: Respondents who have ever smoked a pipe (R01_AP1002 = 1).

DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1120

The first time you smoked part or all of a pipe filled with tobacco, even one or two puffs, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AP1006 = -8, -7).

Variable(s): R01_AP1100

Have you ever smoked a pipe filled with tobacco fairly regularly?

- 1 Yes
- 2 No GO TO R01_AP1008
- 8 DON'T KNOW GO TO R01_AP1008
- 7 REFUSED GO TO R01_AP1008

ASK: Respondents who have ever smoked a pipe (R01_AP1002 = 1).

Variable(s): R01_AP1007

How old were you when you first started smoking a pipe filled with tobacco fairly regularly?

- I__|__|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents that have ever smoked fairly regularly (R01_AP1100 = 1).

DISPLAY: Display "Years old" as a title.

GOTO: If R01_AP1007 = -8 or -7, go to R01_AP1121.

Else, if R01_AP1003 = 1, go to R01_AP1020.

Else, go to R01_AP1008.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AP1121**

When you first started smoking a pipe filled with tobacco fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age they started smoking a pipe fairly regularly (R01_AP1007 = -8, -7).

GOTO: If R01_AP1003 = 1, go to R01_AP1020.

Else, go to R01_AP1008.

Variable(s): **R01_AP1020**

How old were you when you first started smoking a pipe filled with tobacco every day?

|_|_|

GO TO R01_AP1008

- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who smoke a pipe every day (R01_AP1003 = 1) and have ever smoked fairly regularly (R01_AP1100 = 1).

DISPLAY: Display "Years old" as a title.

Variable(s): **R01_AP1122**

When you first started smoking a pipe filled with tobacco every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age they started smoking a pipe every day (R01_AP1020 = -8, -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1008

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever smoked a pipe (R01_AP1002 = 1).

GOTO: If R01_AP1003 = 3, go to R01_AP1009.

Else, go to BOX R01_AP1.

Variable(s): R01_AP1009_NN; R01_AP1009_UN

About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day)

- 1 I__I__I DAYS
- 2 I__I__I MONTHS
- 3 I__I__I YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever smoked a pipe (R01_AP1002 = 1) AND currently smoke not at all (R01_AP1003 = 3).

PROGRAM: Display as Quantity/Units

NOTES: The value "1" refers to R01_AP1009_UN = Days, the value "2" refers to R01_AP1009_UN = Months, and the value "3" refers to R01_AP1009_UN = Years.

Variable(s): R01_AP1010

Have you completely quit smoking pipes filled with tobacco?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever smoked a pipe (R01_AP1002 = 1) AND currently smoke not at all (R01_AP1003 = 3).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_AP1

PROGRAM: DEFINE THE FOLLOWING VARIABLES (SEE APPENDIX):

R01_EVER_USER_PIPE (Ever users): Has ever smoked a pipe, even once or twice (IF R01_AP1002 = 1, THEN R01_EVER_USER_PIPE = 1 (YES).

ELSE, R01_EVER_USER_PIPE = 2 (NO).).

R01_CURRENT_USER_PIPE (Current users): Has ever smoked a pipe, is a regular smoker, and smokes a pipe every day or some days (IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 1 OR 2 THEN R01_CURRENT_USER_PIPE = 1 (YES).

ELSE, R01_CURRENT_USER_PIPE = 2 (NO).).

R01 EVERYDAY_USER_PIPE (Everyday users): Has ever smoked a pipe, is a regular smoker, and smokes a pipe every day (IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 1, THEN R01 EVERYDAY_USER_PIPE = 1 (YES).

ELSE, R01 EVERYDAY_USER_PIPE = 2 (NO).).

R01_SOME_DAY_USER_PIPE (Some day users): Has ever smoked a pipe, is a regular smoker, and smokes a pipe some days (IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 2, THEN R01_SOME_DAY_USER_PIPE = 1 (YES).

ELSE, R01_SOME_DAY_USER_PIPE = 2 (NO).).

R01_EXPERIMENTAL_CURRENT_PIPE (Experimental Current users): Has ever smoked a pipe, has never been a regular smoker, and now smokes a pipe every day or some days (IF R01_AP1002 = 1 AND R01_AP1100 = 2 AND R01_AP1003 = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_PIPE = 1 (YES).

ELSE, R01_EXPERIMENTAL_CURRENT_PIPE = 2 (NO).).

R01_EXPERIMENTAL_FORMER_PIPE (Experimental Former users): Has ever smoked a pipe, has never been a regular smoker, and now does not smoke a pipe at all (IF R01_AP1002 = 1 AND R01_AP1100 = 2 AND R01_AP1003 = 3, THEN R01_EXPERIMENTAL_FORMER_PIPE = 1 (YES).

ELSE, R01_EXPERIMENTAL_FORMER_PIPE = 2 (NO).). Note: might currently use other products.

R01_FORMER_USER_PIPE (Former users): Has ever smoked a pipe, has been a regular smoker and now does not smoke a pipe at all (IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 3, THEN R01_FORMER_USER_PIPE = 1 (YES).

ELSE, R01_FORMER_USER_PIPE = 2 (NO).). Note: might currently use other products.

R01_FORMER_USER_12MONTH_PIPE (Former users 12 Month): Has ever smoked a pipe, has been a regular smoker, now does not smoke a pipe at all and quit smoking a pipe within the past 12 months (IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 3 AND ((R01_AP1009_NN <= 365 AND R01_AP1009_UN = 1) OR (R01_AP1009_NN <= 12 AND R01_AP1009_UN = 2) OR (R01_AP1009_NN = 1 AND R01_AP1009_UN = 3)), THEN R01_FORMER_USER_12MONTH_PIPE = 1 (YES).

ELSE, R01_FORMER_USER_12MONTH_PIPE = 2 (NO).). Note: might currently use other products.

R01_FORMER_USER_12MONTHPLUS_PIPE (Former users 12 Month Plus): Has ever smoked a pipe, has been a regular smoker, now does not smoke a pipe at all, and quit smoking a pipe longer than 12 months ago (IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 3 AND ((R01_AP1009_NN > 365 AND R01_AP1009_UN = 1) OR (R01_AP1009_NN > 12 AND R01_AP1009_UN = 2) OR (R01_AP1009_NN > 1 AND R01_AP1009_UN = 3)), THEN R01_FORMER_USER_12MONTHPLUS_PIPE = 1 (YES).

ELSE, R01_FORMER_USER_12MONTHPLUS_PIPE = 2 (NO).). Note: might currently use other products.

R01_UNDETERMINED_PIPE (Undetermined): Has ever smoked a pipe, but cannot be identified as a particular type of pipe user (IF R01_AP1003 = -8, -7 OR R01_AP1100 = -8, -7 THEN R01_UNDETERMINED_PIPE = 1 (YES).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

ELSE, IF R01_AP1003 = -1, 1, 2, OR 3 AND R01_AP1100 = -1, 1 OR 2 THEN
R01_UNDETERMINED_PIPE = 2 (NO).).

AFTER CREATING NEW VARIABLES, DO THE FOLLOWING:

IF R01_EVERYDAY_USER_PIPE = 1, GO TO R01_AP1021.

IF R01_SOME_DAY_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1, GO TO
R01_AP1022.

IF R01_FORMER_USER_12MONTH_PIPE = 1, GO TO R01_AP1025.

IF R01_FORMER_USER_12MONTHPLUS_PIPE = 1 OR R01_EXPERIMENTAL_FORMER_PIPE = 1,
GO TO THE NEXT SECTION (see note on pg. v).

IF R01_UNDETERMINED_PIPE = 1, GO TO THE NEXT SECTION (see note on pg. v).

Variable(s): **R01_AP1021**

On average, about how many bowls filled with pipe tobacco do you now smoke each day?

-2	Less than 1 each day	GO TO R01_AP1024
	_ _	GO TO R01_AP1024
-8	DON'T KNOW	GO TO R01_AP1024
-7	REFUSED	GO TO R01_AP1024

ASK: Everyday users (R01_EVERYDAY_USER_PIPE = 1).

DISPLAY: Display as numeric quantity field, with button "Less than 1 each day" on right. Use
R01_AX0074 as model.

Variable(s): **R01_AP1022**

On how many of the past 30 days did you smoke a pipe filled with tobacco?

	_ _
-8	DON'T KNOW
-7	REFUSED

ASK: Some day users and Experimental Current users (R01_SOME_DAY_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1).

PROGRAM: Soft range check: 0-30 days

GOTO: If R01_AP1022 = 0, go to R01_AP9029.

Else, if R01_AP1022 != 0, go to R01_AP1023.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP9029_NN; R01_AP9029_UN About how long has it been since you last smoked a pipe filled with tobacco? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Some day users and Experimental Current users that have smoked 0 days in the past 30 days ((R01_SOME_DAY_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1) AND R01_AP1022 = 0). PROGRAM: Display as Quantity/Units NOTES: The value "1" refers to R01_AP9029_UN = Days, the value "2" refers to R01_AP9029_UN = Months, and the value "3" refers to R01_AP9029_UN = Years.GO TO: Current users (R01_CURRENT_USER_PIPE = 1), go to R01_AP1024. Else, go to R01_AP1025.
--

Variable(s): R01_AP1023 On average, on those [FILL NUMBER OF DAYS FROM R01_AP1022 days I days you smoked], how many bowls filled with pipe tobacco did you usually smoke each day? -2 Less than 1 each day __ -8 DON'T KNOW -7 REFUSED ASK: Some day users and Experimental Current users who have smoked at least one day in the past 30 days or did not provide the number of days smoked in the past 30 days ((R01_SOME_DAY_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1) AND (R01_AP1022 > 0 OR R01_AP1022 IN (-8, -7))). DISPLAY: If R01_AP1022 = 1, -8, -7, display "days you smoked". Else display "# days" where # = number of days reported in R01_AP1022. Display as numeric quantity field, with button "Less than 1 each day" on right. Use R01_AX0074 as model. GOTO: Experimental Current users (R01_EXPERIMENTAL_CURRENT_PIPE = 1), go to R01_AP1025. Else, go to R01_AP1024.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1024_NN; R01_AP1024_UN

(On the days that you smoke a pipe filled with tobacco,) [how/How] soon after you wake up do you typically take your first puff from a pipe? Please enter the number of minutes or hours.

1 |___|___|___| Minutes after waking

GO TO R01_AP1025

2 | | | Hours after waking

GO TO R01_AP1025

-8 DON'T KNOW

-7 REFUSED

ASK: Current users (R01_CURRENT_USER_PIPE = 1).

DISPLAY: For Everyday users (R01_EVERYDAY_USER_PIPE = 1), display “How”; For Some day users (R01_SOME_DAY_USER_PIPE = 1), display ‘On the days that you smoke a pipe filled with tobacco, how’.

PROGRAM: Display as Quantity/Units

NOTES: The value “1” refers to R01_AP1024_UN = minutes after waking, the value “2” refers to R01_AP1024_UN = hours after waking.

Variable(s): R01_AP1092

(On the days that you smoke a pipe filled with tobacco, would | Would) you say you take your first puff from a pipe within the first 30 minutes after you wake up?

1 Yes

2 No

3 It varies

-8 DON'T KNOW

-7 REFUSED

ASK: Current users who don't know or refuse to answer how soon after waking up (R01_CURRENT_USER_PIPE = 1 AND R01_AP1024_NN=-8,-7).

DISPLAY: For Everyday users (R01 Everyday User Pipe = 1), display "Would". For Some day users (R01 Some Day User Pipe = 1), display "On the days that you smoke pipes filled with tobacco, would".

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1025**

Around this time 12 months ago, were you smoking a pipe filled with tobacco every day, some days, or not at all?

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R01_FORMER_USER_12MONTH_PIPE = 1).

GOTO: If Experimental Current user (R01_EXPERIMENTAL_CURRENT_PIPE = 1), go to
R01_AP1060.

Else, if Former users 12 Month (R01_FORMER_USER_12MONTH_PIPE = 1), go to R01_AP1030.

Else, go to R01_AP1097.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AP1097

The next questions ask about your experience buying pipe tobacco.

In the past 30 days, did you use a coupon when buying pipe tobacco?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R01_AP1030 |
| -8 DON'T KNOW | GO TO R01_AP1030 |
| -7 REFUSED | GO TO R01_AP1030 |

ASK: Current users (R01_CURRENT_USER_PIPE = 1).

Variable(s): R01_AP1098

How many times in the past 30 days have you used a coupon to buy pipe tobacco?

- I__I__I
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users who have used a coupon to buy pipe tobacco in the past 30 days
(R01_CURRENT_USER_PIPE = 1 AND R01_AP1097 = 1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1030**		
How [do/did] you usually buy pipe tobacco for yourself? Is it...		
1	In person	
2	From the internet	GO TO R01_AP1047
3	By telephone	GO TO R01_AP1047
4	I [do I did] not buy my own pipe tobacco	GO TO R01_AP1047
-8	DON'T KNOW	GO TO R01_AP1047
-7	REFUSED	GO TO R01_AP1047
ASK: Current users and Former users 12 Month (R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1).		
DISPLAY: Display instruction for question and response option 4 fill: for Current users (R01_CURRENT_USER_PIPE = 1) display "do"; For 12 month former pipe smokers (R01_FORMER_USER_12MONTH_PIPE = 1) display "did".		
NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.		

Variable(s): R01_AP1032		
[Do/Did] you usually buy pipe tobacco...?		
1	In your own state	
2	In another state	
3	Outside the US	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Current users or Former users 12 Month who usually buy pipe tobacco in person ((R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1) AND R01_AP1030 = 1).		
DISPLAY: For Current users (R01_CURRENT_USER_PIPE = 1), display "Do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_PIPE = 1), display "Did".		

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1033; R01_AP1033_OS Where [do/did] you buy your pipe tobacco most of the time? 1 A convenience store or gas station 2 A supermarket, grocery store, or drug store 3 A warehouse club, such as Sam's or Costco 4 A smoke shop, tobacco specialty store or tobacco outlet store 5 A duty free shop or military commissary 6 A bar, pub, restaurant or casino 7 A friend or relative 8 A swap meet or flea market 9 A liquor store 10 Or from somewhere else SPECIFY: _____ -8 DON'T KNOW -7 REFUSED ASK: Current users or Former users 12 Month who usually buy pipe tobacco in person ((R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1) AND R01_AP1030 = 1). DISPLAY: For Current users (R01_CURRENT_USER_PIPE = 1), display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_PIPE = 1), display "did." If OS field selected and additional OS screen is shown, display question text and add the following text: "Please type your answer using the computer keyboard."
--

Variable(s): R01_AP1047** [Do I Did] you have a regular brand of pipe tobacco that you usually [smoke I smoked]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1) . DISPLAY: For Current users (R01_CURRENT_USER_PIPE = 1), display "Do" and "smoke"; for Former users 12 Month (R01_FORMER_USER_12MONTH_PIPE = 1), display "Did" and "smoked". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AP1048_BRAND**
What brand of pipe tobacco [do I did] you [usually I last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else".] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1). DISPLAY: For Current users who have regular brand (R01_CURRENT_USER_PIPE = 1 AND R01_AP1047 = 1), display "do" and "usually"; For Current users who do not have a regular brand (R01_CURRENT_USER_PIPE = 1 AND R01_AP1047 = 2, -8, -7), display "did" and "last". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_PIPE = 1 AND R01_AP1047 = 1), display "did" and "usually"; For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_PIPE = 1 AND R01_AP1047 = 2, -8, -7), display "did" and "last". [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else". PROGRAM: [SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. WHEN A RESPONDENT SELECTS A BRAND, GO TO R01_AP1070_PRODUCT] GOTO: If R01_AP1048_BRAND != 9995, -8, -7, go to R01_AP1070_PRODUCT. Else if R01_AP1048_BRAND = 9995, go to R01_AP1049. Else, go to R01_AP1050. NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1070_PRODUCT You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do I did] you [usually I last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month who selected a brand image in R01_AP1048_BRAND ((R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1) AND R01_AP1048_BRAND != 9995, -8, -7). DISPLAY: For Current users who have regular brand (R01_CURRENT_USER_PIPE = 1 AND R01_AP1047 = 1), display "do" and "usually"; For Current users who do not have a regular brand (R01_CURRENT_USER_PIPE = 1 AND R01_AP1047 = 2, -8, -7), display "did" and "last". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_PIPE = 1 AND R01_AP1047 = 1), display "did" and "usually"; For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_PIPE = 1 AND R01_AP1047 = 2, -8, -7), display "did" and "last". [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else". PROGRAM: [SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R01_AP1048_BRAND] GOTO: If R01_AP1070_PRODUCT = 99995, go to R01_AP1071. Else, go to R01_AP1050.
--

Variable(s): R01_AP1049 You said that your brand was not pictured. What is it? _____ -8 DON'T KNOW -7 REFUSED GO TO R01_AP1050 GO TO R01_AP1050 GO TO R01_AP1050 ASK: Current users and Former users 12 Month who did not select an image of their brand ((R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1) AND R01_AP1048_BRAND = 9995).
--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AP1071**

You said that the type of [BRANDFILL]s that you [smoke I smoked] is not pictured. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Current users and Former users 12 Month (R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1) who did not select the type of product they use (R01_AP1070_PRODUCT = 99995) but who DID select a brand (R01_AP1048_BRAND != 9995, -8, -7). Do not ask of respondents who wrote a brand into R01_AP1049.

DISPLAY: For Current users (R01_CURRENT_USER_PIPE = 1), display "smoke"; for Former users 12 Month (R01_FORMER_USER_12MONTH_PIPE = 1), display "smoked".

Variable(s): **R01_AP1050****

[Is / was] [your regular brand I the last brand] you [smoke I smoked] flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current users and Former users 12 Month (R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1).

DISPLAY: For Current users who have a regular brand (R01_CURRENT_USER_PIPE = 1 AND R01_AP1047 = 1), display "Is", "your regular brand" and "smoke". For Current users who do not have a regular brand (R01_CURRENT_USER_PIPE = 1 AND R01_AP1047 = 2, -8, -7), display "Was", "the last brand" and "smoked". For Former users 12 Month who had a regular brand (R01_FORMER_USER_12MONTH_PIPE = 1 AND R01_AP1047 = 1), display "Was", "your regular brand" and "smoked". For Former users 12 Month who did not have a regular brand (R01_FORMER_USER_12MONTH_PIPE = 1 AND R01_AP1047 = 2, -8, -7), display "Was", "the last brand" and "smoked".

GOTO: If Current user or Former user 12 Month (R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1) AND R01_AP1047 = 1, go to R01_AP1051.

Else, go to R01_AP0104.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1051_NN; R01_AP1051_UN
About how long (did you smoke/have you been smoking) your regular brand of pipe tobacco? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month who have a regular brand ((R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1) AND R01_AP1047 = 1). DISPLAY: For Current users (R01_CURRENT_USER_PIPE = 1), display "have you been smoking" and "you've been smoking." For Former users 12 Month (R01_FORMER_USER_12MONTH_PIPE = 1), display "did you smoke" and "you smoked." PROGRAM: Display as Quantity/Units NOTES: The value "1" refers to R01_AP1051_UN = Days, the value "2" refers to R01_AP1051_UN = Months, and the value "3" refers to R01_AP1051_UN = Years.

Variable(s): R01_AP0104
You said earlier that you last smoked a pipe [TIME OF LAST USE]. Think about the very last bowl of pipe tobacco you smoked. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Respondents who have smoked a pipe today, yesterday or the day before yesterday (R01_AP0100 = 1, 2 or 3 or 4) AND who selected a valid brand (R01_AP1048_BRAND != 9995, -8, -7) AND valid sub brand (R01_AP1070_PRODUCT != 99995, -8, -7). DISPLAY: For 'TIME OF LAST USE', if R01_AP0100 = 1, display "in the past hour". If R01_AP0100 = 2, display "sometime today". If R01_AP0100 = 3, display "yesterday". If R01_AP0100 = 4, display "the day before yesterday". For 'NEQBRAND', fill with selection stored in R01_AP1070_PRODUCT.

BOX ID: R01_AP2
Display question R01_AP1060, R01_AP1061, R01_AP1062, R01_AP1063, R01_AP1064, R01_AP1068, R01_AP1069, R01_AP1072 on one screen. Show the intro/transition text from R01_AP1060 first, then show each item with responses. As each item is answered, show the next one. PROGRAM: Randomize order of R01_AP1060 through R01_AP1072.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1060**

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you I applied to you when you used to smoke pipes].

I [smoke I smoked] a pipe filled with tobacco because...

It [is I was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R01_FORMER_USER_12MONTH_PIPE = 1).

DISPLAY: For Current or Experimental Current users (R01_CURRENT_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1), display "apply to you", "smoke" and "is"; for Former
users 12 Month (R01_FORMER_USER_12MONTH_PIPE = 1), display "applied to you when you used
to smoke pipes", "smoked" and "was".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AP1061**

People in the media or other public figures [smoke I smoked] pipes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R01_FORMER_USER_12MONTH_PIPE = 1).

DISPLAY: For Current or Experimental Current users (R01_CURRENT_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1), display "smoke"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_PIPE = 1), display "smoked".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1085**

I [can I could] smoke pipes at times when or in places where smoking cigarettes [isn't I wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R01_FORMER_USER_12MONTH_PIPE = 1).

DISPLAY: For Current or Experimental Current users (R01_CURRENT_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1), display "can" and "isn't"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_PIPE = 1), display "could" and "wasn't".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AP1062**

It might [be I have been] less harmful than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R01_FORMER_USER_12MONTH_PIPE = 1).

DISPLAY: For Current or Experimental Current users (R01_CURRENT_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1), display "be"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_PIPE = 1), display "have been".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AP1063****

Pipe tobacco [comes I came] in flavors I [like I liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R01_FORMER_USER_12MONTH_PIPE = 1).

DISPLAY: For Current or Experimental Current users (R01_CURRENT_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1), display "come" and "like"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_PIPE = 1), display "came" and "liked".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): **R01_AP1064****

Smoking a pipe helps people to quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R01_FORMER_USER_12MONTH_PIPE = 1).

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1068**

People who are important to me [smoke I smoked] pipes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R01_FORMER_USER_12MONTH_PIPE = 1).

DISPLAY: For Current or Experimental Current users (R01_CURRENT_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1), display "smoke"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_PIPE = 1), display "smoked".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AP1069**

I [like I liked] socializing while smoking a pipe.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R01_FORMER_USER_12MONTH_PIPE = 1).

DISPLAY: For Current or Experimental Current users (R01_CURRENT_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1), display "like"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_PIPE = 1), display "liked".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AP1072**

The advertising for pipes [appeals I appealed] to me.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R01_FORMER_USER_12MONTH_PIPE = 1).

DISPLAY: For Current or Experimental Current users (R01_CURRENT_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1), display "appeals"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_PIPE = 1), display "appealed".

GOTO: If NOT Current user or Former user 12 Month CIG (R01_CURRENT_USER_CIGS = 2 OR
R01_FORMER_USER_12MONTH_CIGS = 2), go to the next section (see note on pg. v).

Else, go to R01_AP1080.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AP1080**

[Do | Did] you smoke pipes filled with tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month who are also Current or
Former users 12 Month of cigarettes ((R01_CURRENT_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1) AND
(R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1)).

DISPLAY: For Current or Experimental Current users (R01_CURRENT_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1), display "do"; For Former users 12 Month
(R01_FORMER_USER_12MONTH_PIPE = 1), display "did".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AP1081**
[Do Did] you smoke pipes as an alternative to quitting tobacco altogether? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Current users, Experimental Current users, and Former users 12 Month (R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1). DISPLAY: For Current or Experimental Current users (R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1), display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_PIPE = 1), display "did". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_PIPE were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.	

HOOKAH

BOX ID:	R01_AHT02
[AHINTRO_1] The next few questions are about smoking tobacco in a hookah. A hookah pipe is a type of water pipe that is sometimes also called a narghile pipe. From now on, we will use hookah to refer to a water pipe or narghile pipe that is often used to smoke tobacco. There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafes or in hookah bars. SHOW GENERIC IMAGES OF HOOKAH [AHINTRO_2] People smoke shisha or hookah tobacco in a hookah. Some shisha contains tobacco and some does not. Shisha comes in many flavors. SHOW GENERIC IMAGES OF SHISHA Bold "hookah".	

Variable(s):	R01_AH1005														
How many times have you smoked hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others. <table> <tr><td>1</td><td>1 to 10</td></tr> <tr><td>2</td><td>11 to 20</td></tr> <tr><td>3</td><td>21 to 50</td></tr> <tr><td>4</td><td>51 to 99</td></tr> <tr><td>5</td><td>100 or more</td></tr> <tr><td>-8</td><td>DON'T KNOW</td></tr> <tr><td>-7</td><td>REFUSED</td></tr> </table> ASK: Respondents who have ever smoked hookah (R01_AH1002=1).		1	1 to 10	2	11 to 20	3	21 to 50	4	51 to 99	5	100 or more	-8	DON'T KNOW	-7	REFUSED
1	1 to 10														
2	11 to 20														
3	21 to 50														
4	51 to 99														
5	100 or more														
-8	DON'T KNOW														
-7	REFUSED														

Variable(s):	R01_AH1006																										
How old were you the first time you smoked hookah, even one or two puffs? <table> <tr> <td> <table> <tr><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>5</td><td>6</td><td>7</td><td>8</td></tr> <tr><td>9</td><td>0</td><td>1</td><td>2</td></tr> <tr><td>3</td><td>4</td><td>5</td><td>6</td></tr> <tr><td>7</td><td>8</td><td>9</td><td>0</td></tr> </table> </td> <td>GO TO R01_AH1100</td> </tr> <tr><td>-8</td><td>DON'T KNOW</td></tr> <tr><td>-7</td><td>REFUSED</td></tr> </table> ASK: Respondents who have ever smoked hookah (R01_AH1002=1). DISPLAY: Display "Years old" as a title.		<table> <tr><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>5</td><td>6</td><td>7</td><td>8</td></tr> <tr><td>9</td><td>0</td><td>1</td><td>2</td></tr> <tr><td>3</td><td>4</td><td>5</td><td>6</td></tr> <tr><td>7</td><td>8</td><td>9</td><td>0</td></tr> </table>	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	GO TO R01_AH1100	-8	DON'T KNOW	-7	REFUSED
<table> <tr><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>5</td><td>6</td><td>7</td><td>8</td></tr> <tr><td>9</td><td>0</td><td>1</td><td>2</td></tr> <tr><td>3</td><td>4</td><td>5</td><td>6</td></tr> <tr><td>7</td><td>8</td><td>9</td><td>0</td></tr> </table>	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	GO TO R01_AH1100						
1	2	3	4																								
5	6	7	8																								
9	0	1	2																								
3	4	5	6																								
7	8	9	0																								
-8	DON'T KNOW																										
-7	REFUSED																										

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH1120**

The first time you smoked hookah, even one or two puffs, were you ...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AH1006 = -8, -7).

Variable(s): **R01_AH1100**

Have you ever smoked hookah fairly regularly?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R01_AH1008
GO TO R01_AH1008
GO TO R01_AH1008

ASK: Respondents who have ever smoked hookah (R01_AH1002=1).

Variable(s): **R01_AH1007**

How old were you when you first started smoking hookah fairly regularly?

- |_|_|_|
- 8 DON'T KNOW
 - 7 REFUSED

ASK: Respondents who have ever smoked hookah fairly regularly (R01_AH1100=1).

DISPLAY: Display "Years old" as a title.

GOTO: If R01_AH1007 = -8, -7, go to R01_AH1121. Else, if R01_AH1003 = 1, go to R01_AH1020. Else, go to R01_AH1008.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH1121**

When you first started smoking hookah fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age they started smoking hookah fairly regularly (R01_AH1007 = -8, -7).

GOTO: If R01_AH1003 = 1, go to R01_AH1020. Else, go to R01_AH1008.

Variable(s): **R01_AH1020**

How old were you when you first started smoking hookah every day?

I__I__I

GO TO R01_AH1008

- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who smoke hookah everyday (R01_AH1003 = 1) and have ever smoked fairly regularly (R01_AH1100 = 1).

DISPLAY: Display "Years old" as a title.

Variable(s): **R01_AH1122**

When you first started smoking hookah every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age they started smoking hookah every day (R01_AH1020 = -8, -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH1008**

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever smoked hookah (R01_AH1002=1).

GOTO: If R01_AH1003 = 1 OR (R01_AH1003 = 2 AND R01_AH0100 =1,2,3,4) go to BOX R01_AH3.
Else, go to R01_AH1009.

Variable(s): **R01_AH1009_NN; R01_AH1009_UN**

About how long has it been since you last smoked hookah? (If it was earlier today, enter 1 day)

- 1 |__|__| DAYS GO TO BOX R01_AH3
- 2 |__|__| MONTHS GO TO BOX R01_AH3
- 3 |__|__| YEARS GO TO BOX R01_AH3
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever smoked hookah (R01_AH1002=1) and do not smoke everyday (R01_AH1003!=1).

PROGRAM: Display as Quantity/Units.

EXCLUDE Some day users (R01_AH1003=2) who previously reported they last smoked in the past hour, sometime today, yesterday, or the day before yesterday (R01_AH0100=1 or 2 or 3 or 4).

NOTES: The value "1" refers to R01_AH1009_UN = Days, the value "2" refers to R01_AH1009_UN = Months, and the value "3" refers to R01_AH1009_UN = Years.

Variable(s): **R01_AH9001**

Have you smoked hookah at least once in the past 30 days?

- 1 Yes GO TO BOX R01_AH3
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who did not provide the amount of time that has passed since they had last smoked hookah (R01_AH1009_NN =-8,-7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AH9002
Have you smoked hookah at least once in the past three months?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
GO TO BOX R01_AH3	
ASK: Respondents who did not provide the amount of time that has passed since they had last smoked hookah AND have not smoked hookah at least once in the past 30 days (R01_AH1009_NN = -8, -7 AND R01_AH9001 = 2, -8, -7).	

Variable(s):	R01_AH9010
Have you smoked hookah at least once in the past twelve months?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
GO TO R01_AH1010	
GO TO R01_AH1010	
GO TO R01_AH1010	
GO TO R01_AH1010	
ASK: Respondents who did not provide the amount of time that has passed since they had last smoked hookah AND have not smoked hookah at least once in the past 3 months (R01_AH1009_NN = 8, -7 AND R01_AH9001 = 2, -8, -7 AND R01_AH9002 = 2, -8, -7).	

BOX ID:	R01_AH3
IF R01_AH1003 = 1 GO TO R01_AH9006.	
ELSE, IF R01_AH1003 = 2 AND (R01_AH0100 = 1,2,3,4 OR R01_AH1009_NN <= 90 AND R01_AH1009_UN = 1 OR R01_AH1009_NN <= 3 AND R01_AH1009_UN = 2 OR R01_AH9001 = 1 OR R01_AH9002 = 1) GO TO R01_AH9003.	
ELSE, GO TO R01_AH1010.	

Variable(s):	R01_AH1010
Have you completely quit smoking hookah?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Respondents who have not smoked hookah in the past three months (R01_AH9002!=1 OR R01_AH1009_NN>90 AND R01_AH1009_UN =1 or R01_AH1009_NN > 3 AND R01_AH1009_UN = 2).	
GOTO: If R01_AH1009_NN <=12 AND R01_AH1009_UN = 2 OR R01_AH1009_UN = 365 AND R01_AH1009_UN = 1 OR R01_AH1009_NN = 1 AND R01_AH1009_UN = 3 OR R01_AH9001=1 OR R01_AH9002=1 OR R01_AH9010=1, go to R01_AH9003. Else, go to BOX R01_AH1.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AH9003**	
Which of the following choices best describes your hookah smoking? Usually I smoke hookah...	
1 Every day	GO TO R01_AH9006
2 Weekly	GO TO R01_AH9005
3 Monthly	
4 Every couple of months	GO TO BOX R01_AH1
5 About once a year	GO TO BOX R01_AH1
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have ever smoked hookah (R01_AH1002=1) AND do not smoke everyday (R01_AH1003!=1) AND smoked hookah in the past 12 months (R01_AH1009_NN <=12 AND R01_AH1009_UN = 2 OR R01_AH1009_NN <=365 AND R01_AH1009_UN = 1 OR R01_AH1009_NN = 1 AND R01_AH1009_UN = 3 OR R01_AH9001=1 OR R01_AH9002=1). PROGRAM: DISPLAY RESPONSE OPTION 1 ONLY IF R01_AH1003=-8, -7. NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who last smoked hookah exactly 1 year ago (R01_AH1009_NN = 1 AND R01_AH1009_UN = 3). The error was not corrected during Wave 1 Data Collection.	

Variable(s): R01_AH9004	
On average, about how many times do you smoke hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.	
_____	GO TO BOX R01_AH1
-8 DON'T KNOW	GO TO BOX R01_AH1
-7 REFUSED	GO TO BOX R01_AH1
ASK: Respondents who smoke hookah monthly (R01_AH9003=3).	

Variable(s): R01_AH9005	
On average, about how many times do you smoke hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.	
_____	GO TO BOX R01_AH1
-8 DON'T KNOW	GO TO BOX R01_AH1
-7 REFUSED	GO TO BOX R01_AH1
ASK: Respondents who smoke hookah weekly (R01_AH9003=2).	

Variable(s): R01_AH9006	
On average, about how many times do you smoke hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.	

-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who smoke hookah everyday (R01_AH1003 = 1 OR R01_AH9003 = 1).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID:	R01_AH1
PROGRAM - CREATE VARIABLES: (SEE APPENDIX)	
R01_EVER_USER_HOOK (Ever users): Has ever smoked hookah, even one or two puffs (IF R01_AH1002 = 1, THEN R01_EVER_USER_HOOK = 1 (YES). ELSE, R01_EVER_USER_HOOK = 2 (NO).). R01_CURRENT_USER_HOOK (Current users): Has ever smoked hookah, is a regular smoker, and smokes hookah every day, some days, or monthly (IF R01_AH1002 = 1 AND R01_AH1100 = 1 AND (R01_AH1003 = 1 OR 2 OR R01_AH9003 = 1, 2 OR 3), THEN R01_CURRENT_USER_HOOK = 1 (YES). ELSE, R01_CURRENT_USER_HOOK = 2 (NO).). R01 EVERYDAY_USER_HOOK (Everyday users): Has ever smoked hookah, is regular smoker, and smokes hookah every day (IF R01_AH1002 = 1 AND R01_AH1100 = 1 AND (R01_AH1003 = 1 OR R01_AH9003 = 1), THEN R01 EVERYDAY_USER_HOOK = 1 (YES). ELSE, R01 EVERYDAY_USER_HOOK = 2 (NO).). R01_SOME_DAY_USER_HOOK (Some day users): Has ever smoked hookah, is a regular smoker, and smokes hookah some days (IF R01_AH1002 = 1 AND R01_AH1100 = 1 AND (R01_AH1003 = 2 OR R01_AH9003 = 2 OR 3), THEN R01_SOME_DAY_USER_HOOK = 1 (YES). ELSE, R01_SOME_DAY_USER_HOOK = 2 (NO).). R01_THIRTY_DAY_USER_HOOK (30 Day users): Has ever smoked a hookah and has smoked hookah within the past 30 days (IF R01_AH1002 = 1 AND ((R01_AH1009_NN <= 30 AND R01_AH1009_UN = 1) OR R01_AH9001 = 1), THEN R01_THIRTY_DAY_USER_HOOK = 1 (YES). ELSE, R01_THIRTY_DAY_USER_HOOK = 2 (NO).). R01_EXPERIMENTAL_CURRENT_HOOK (Experimental Current users): Has ever smoked hookah, has never been a regular smoker, and now smokes every day or some days or weekly or monthly or in the past 30 days (IF R01_AH1002 = 1 AND R01_AH1100 = 2 AND (R01_AH1003 = 1 OR 2 OR R01_AH9003 = 1, 2 OR 3 OR (R01_AH1009_NN <= 30 AND R01_AH1009_UN = 1) OR R01_AH9001 = 1), THEN R01_EXPERIMENTAL_CURRENT_HOOK = 1 (YES). ELSE R01_EXPERIMENTAL_CURRENT_HOOK = 2 (NO).). R01_EXPERIMENTAL_FORMER_HOOK (Experimental Former users): Has ever smoked a hookah, has never been a regular smoker, and now does not smoke hookah at all (IF R01_AH1002 = 1 AND R01_AH1100 = 2 AND R01_AH1003 = 3, THEN R01_EXPERIMENTAL_FORMER_HOOK = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_HOOK = 2 (NO).). Note: might currently use other products. R01_FORMER_USER_HOOK (Former users): Has ever smoked hookah, has been a regular smoker, and now does not smoke hookah at all (IF R01_AH1002 = 1 AND R01_AH1003 = 3 AND R01_AH1100 = 1, THEN R01_FORMER_USER_HOOK = 1 (YES). ELSE, R01_FORMER_USER_HOOK = 2 (NO).). Note: might currently use other products. R01_FORMER_USER_12MONTH_HOOK (Former users 12 Month): Has ever smoked hookah, has been a regular smoker, now does not smoke hookah at all and quit smoking hookah within the past 12 months (IF R01_AH1002 = 1 AND R01_AH1003 = 3 AND R01_AH1100 = 1 AND (((R01_AH1009_NN <= 365 AND R01_AH1009_UN = 1) OR (R01_AH1009_NN <= 12 AND R01_AH1009_UN = 2) OR (R01_AH1009_NN = 1 AND R01_AH1009_UN = 3)) OR R01_AH9002 = 1 OR R01_AH9001 = 1 OR R01_AH9010 = 1), THEN R01_FORMER_USER_12MONTH_HOOK = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_HOOK = 2 (NO).). Note: might currently use other products. R01_FORMER_USER_12MONTHPLUS_HOOK (Former users 12 Month Plus): Has ever smoked hookah, has been a regular smoker, now does not smoke hookah at all and quit smoking hookah longer than 12 months ago (IF R01_AH1002 = 1 AND R01_AH1003 = 3 AND R01_AH1100 = 1 AND (((R01_AH1009_NN > 365 AND R01_AH1009_UN = 1) OR (R01_AH1009_NN > 12 AND R01_AH1009_UN = 2) OR (R01_AH1009_NN > 1 AND R01_AH1009_UN = 3)) OR R01_AH9010 = 2), THEN R01_FORMER_USER_12MONTHPLUS_HOOK = 1 (YES).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

ELSE, R01_FORMER_USER_12MONTHPLUS_HOOK = 2 (NO).). Note: might currently use other products.

R01_UNDETERMINED_HOOK (Undetermined): Has ever smoked hookah, but cannot be identified as a particular type of hookah user (IF (R01_AH1003 = -8, -7 OR R01_AH9003 = -8, -7) OR R01_AH1100 = -8, -7 THEN R01_UNDETERMINED_HOOK = 1 (YES).

ELSE, IF (R01_AH1003 = -1, 1, 2, OR 3 OR R01_AH9003 = -1, -9, 1, 2, 3, 4, OR 5) AND R01_AH1100 = -1, 1 OR 2 THEN R01_UNDETERMINED_HOOK = 2 (NO).).

After creating new variables, do the following:

IF R01_CURRENT_USER_HOOK = 1 OR R01_EXPERIMENTAL_CURRENT_HOOK = 1, GO TO R01_AH1024.

IF R01_FORMER_USER_12MONTH_HOOK = 1, GO TO R01_AH1025.

IF R01_FORMER_USER_12MONTHPLUS_HOOK = 1 OR R01_EXPERIMENTAL_FORMER_HOOK = 1 GO TO THE NEXT SECTION (see note on pg. v).

IF R01_UNDETERMINED_HOOK = 1, GO TO THE NEXT SECTION (see note on pg. v).

Variable(s): **R01_AH1024_NN; R01_AH1024_UN**

(On the days that you smoke hookah,) {how/How} soon after you wake up do you typically take your first puff from a hookah? Please enter the number of minutes or hours.

1 |__|__|__| Minutes after waking GO TO R01_AH1025

2 |__|__|__| Hours after waking GO TO R01_AH1025

-8 DON'T KNOW

-7 REFUSED

ASK: Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1).

DISPLAY: For Everyday users (R01_EVERYDAY_USER_HOOK = 1) display "How"; Else, display 'On the days that you smoke hookah, how'.

PROGRAM: Display as Quantity/Units

NOTES: The value "1" refers to R01_AH1024_UN = minutes after waking, the value "2" refers to R01_AH1024_UN = hours after waking.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH1092**

(On the days that you smoke hookah, would | Would) you say you typically take your first puff from a hookah within the first 30 minutes after you wake up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1) who don't know or refuse to answer how soon after waking up (R01_AH1024=-8,-7).

DISPLAY: For Everyday users (R01_EVERYDAY_USER_HOOK = 1), display "Would". Else, display "On the days that you smoke hookah, would".

Variable(s): **R01_AH1025****

Around this time 12 months ago, were you smoking hookah every day, some days, or not at all?

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH1090****

[Do / Did] you own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

DISPLAY: For Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "Do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "Did".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): **SEE BELOW:**

Where [do / did] you usually smoke hookah? Choose all that apply.

[PROGRAM: If OS field selected and additional OS screen is shown, display question text and add the following text: "Please type your answer using the computer keyboard."]

- R01_AH9011_01**** 1 At home
- R01_AH9011_02**** 2 In a hookah bar or cafe
- R01_AH9011_03**** 3 At a friend's house
- R01_AH9011_04**;**
R01_AH9011_OS 4 Somewhere else SPECIFY: _____
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

DISPLAY: For Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "Do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "Did".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AH9012**	
[Do/Did] you usually share the same hookah with others when you [smoke/smoked]?	
1 Yes	
2 No	GO TO R01_AH9014
-8 DON'T KNOW	GO TO R01_AH1097
-7 REFUSED	GO TO R01_AH1097
ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1). DISPLAY: For Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "Do" and "smoke"; For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "Did" and "smoked". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.	

Variable(s): R01_AH9013	
How many people [do/did] you usually share hookah with?	
1 1 other person	
2 2 other people	
3 3 other people	
4 4 or more other people	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) that share hookah with others (R01_AH9012=1). DISPLAY: For Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "Do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "Did".	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH9014**

On average, how long [is/was] one hookah session for you[and the people you share/d it with]? A session is one sitting in which you smoke hookah, whether alone or with others.

- 1 Less than 30 minutes
- 2 30-60 minutes
- 3 1-2 hours
- 4 More than 2 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) that report status of shared use (R01_AH9012 = 1 OR 2).

DISPLAY: For Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "is"; for Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "was". If Current user, Experimental Current user or 30 Day user (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1) that shares with other people (R01_AH9012=1), display "and the people you share it with". If Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1) and shared with other people (R01_AH9012=1), display "and the people you shared it with". Else, do not display this bracketed text.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH9015**

On average, when you [smoke I smoked I share I shared] hookah, how many times [do I did] you refill it with tobacco?

- 1 0 times
- 2 1 time
- 3 2 to 3 times
- 4 4 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) that report status of shared use (R01_AH9012 = 1 OR 2).

DISPLAY: If Current user, Experimental Current user or 30 Day user (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1) and does not share with other people (R01_AH9012=2), display "smoke" and "do". If Current user, Experimental Current user or 30 Day user (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1) and does share with other people (R01_AH9012=1), display "share" and "do". If Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1) and does not share with other people (R01_AH9012=2), display "smoked" and "did". If Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1) and does share with other people (R01_AH9012=1), display "shared" and "did".

GOTO: If Experimental Current user or Former user 12 Month (R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1), go to R01_AH1030.

If Current user or 30 Day user (R01_CURRENT_USER_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), go to R01_AH1097.

Variable(s): **R01_AH1097**

The next questions ask about your experience buying shisha or hookah tobacco.

In the past 30 days, did you use a coupon when buying shisha or hookah tobacco?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R01_AH1030
GO TO R01_AH1030
GO TO R01_AH1030

ASK: Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AH1098
How many times in the past 30 days have you used a coupon to buy shisha or hookah tobacco?	
I _ I _ I	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1) who have used a coupon to buy shisha tobacco in the past 30 days (R01_AH1097=1).	

Variable(s):	R01_AH1030**
How [do/did] you usually buy shisha or hookah tobacco for yourself? Is it...	
1 In person (such as at a store or hookah bar)	
2 From the internet	GO TO R01_AH1047
3 By telephone	GO TO R01_AH1047
4 I [do I did] not buy my own shisha or hookah tobacco	GO TO R01_AH1047
-8 DON'T KNOW	GO TO R01_AH1047
-7 REFUSED	GO TO R01_AH1047
ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).	
DISPLAY: Display instruction for question and response option 4 fill: for Current users, Experimental Current users or 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "did".	
NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.	

Variable(s):	R01_AH1032
[Do/Did] you usually buy shisha or hookah tobacco...?	
1 In your own state	
2 In another state	
3 Outside the US	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current users, Experimental Current users, 30 Day users or Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) who usually buy shisha tobacco in person (R01_AH1030=1).	
DISPLAY: For Current users, Experimental Current users or 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "Do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "Did".	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AH1033; R01_AH1033_OS

Where [do/did] you buy your shisha or hookah tobacco most of the time?

- 1 A hookah bar or cafe
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else SPECIFY: _____
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) who usually buy shisha tobacco in person (R01_AH1030=1).

DISPLAY: For Current users, Experimental Current users or 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "Do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "Did". If OS field selected and additional OS screen is shown, display question text and add the following text: "Please type your answer using the computer keyboard."

Variable(s): R01_AH1047**

[Do I Did] you have a regular brand of shisha or hookah tobacco that you usually [smoke I smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

DISPLAY: For Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "Do" and "smoke"; for Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "Did" and "smoked".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AH1048_BRAND**
What brand of shisha or hookah tobacco [do I did] you [usually I last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1). DISPLAY: For Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1) who have regular brand (R01_AH1047=1), display "do" and "usually"; For Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1) who do not have a regular brand (R01_AH1047=2, -8, -7), display "did" and "last". For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1) who had a regular brand (R01_AH1047=1), display "did" and "usually"; For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1) who did not have a regular brand (R01_AH1047=2, -8, -7), display "did" and "last". [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else". GOTO: If R01_AH1048_BRAND != 9995, -8, -7, go to R01_AH1070_PRODUCT. Else if R01_AH1048_BRAND = 9995, go to R01_AH1049. Else, go to R01_AH1050. IMAGE: [SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. WHEN A RESPONDENT SELECTS A BRAND, GO TO R01_AH1070_PRODUCT] NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AH1070_PRODUCT You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do I did] you [usually I last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) who selected a brand image (R01_AH1048_BRAND!=9995, -8, -7). DISPLAY: For Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1) who have regular brand (R01_AH1047=1), display "do" and "usually"; For Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1) who do not have a regular brand (R01_AH1047=2, -8, -7), display "did" and "last". For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1) who had a regular brand (R01_AH1047=1), display "did" and "usually"; For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1) who did not have a regular brand (R01_AH1047=2, -8, -7), display "did" and "last". [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else". GOTO: If R01_AH1070_PRODUCT != 99995, -8, -7, go to R01_AH9108. Else if R01_AH1070_PRODUCT = 99995, go to R01_AH1071. Else, go to R01_AH1060. IMAGE: [SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R01_AH1048]

Variable(s): R01_AH1049 You said that your brand was not pictured. What is it? _____ -8 DON'T KNOW -7 REFUSED GO TO R01_AH9108 GO TO R01_AH1060 GO TO R01_AH1060 ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) who did not select an image of their brand (R01_AH1048_BRAND=9995).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AH1071

You said that the type of [BRANDFILL]s that you [smoke I smoked] is not pictured. What type is it?

-8 DON'T KNOW

GO TO R01_AH1060

-7 REFUSED

GO TO R01_AH1060

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) who did not select the type of product they use (R01_AH1070_PRODUCT=99995) but who DID select a brand (R01_AH1048_BRAND!=9995, -8, -7). Do not ask of respondents who wrote a brand into R01_AH1049.

DISPLAY: For Current users, Experimental Current users and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "smoke"; for Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "smoked".

Variable(s): R01_AH9108**

Does this brand of shisha contain tobacco?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users, and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) who DID select a brand (R01_AH1048_BRAND!=9995, -8, -7).

NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who selected a brand in R01_AH1048_BRAND and answered R01_AH1070_PRODUCT as don't know, refused or other with a don't know or refused answer for R01_AH1071.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH1050****

[Is / was] [your regular brand / the last brand] you [smoke / smoked] flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month
(R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or
R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

DISPLAY: For Current users, Experimental Current users and 30 Day users
(R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or
R01_THIRTY_DAY_USER_HOOK = 1) who have a regular brand (R01_AH1047=1), display "Is", "your
regular brand" and "smoke". For Current users, Experimental Current users and 30 Day users
(R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or
R01_THIRTY_DAY_USER_HOOK = 1) who do not have a regular brand (R01_AH1047=2, -8, -7),
display "Was", "the last brand" and "smoked ". For Former users 12 Month
(R01_FORMER_USER_12MONTH_HOOK = 1) who had a regular brand (R01_AH1047=1), display
"Was", "your regular brand" and "smoked ". For Former users 12 Month
(R01_FORMER_USER_12MONTH_HOOK = 1) who did not have a regular brand (R01_AH1047=2, -8,
-7), display "Was", "the last brand" and "smoked ".

GOTO: If Current user, Experimental Current user, 30 Day user or Former user 12 Month
(R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or
R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) AND
R01_AH1047 = 1, go to R01_AH1051.

Else, go to R01_AH1060.

NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who did not provide
a hookah brand or product (R01_AH1048_BRAND = -8, -7 OR R01_AH1070_PRODUCT = -8, -7 OR
R01_AH1049 = -8, -7 OR R01_AH1071 = -8, -7). The error was not corrected during Wave 1 Data
Collection. Note: Respondents who provided a response to R01_AH1049 that was later upcoded to -8
(DON'T KNOW) were asked R01_AH1050 correctly.

Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for
respondents if they reported last using the product exactly one year ago. The incorrect setting of the
data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AH1051_NN**; R01_AH1051_UN
About how long [did you smoke/ have you been smoking] your regular brand of shisha or hookah tobacco? 1 I__I__I DAYS 2 I__I__I MONTHS 3 I__I__I YEARS -8 DON'T KNOW -7 REFUSED ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) who have a regular brand (R01_AH1047=1). DISPLAY: If Current user, Experimental Current user, or 30 Day user (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "have you been smoking" and "you've been smoking". If Former user 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "did you smoke" and "you smoked". PROGRAM: Display as Quantity/Units NOTES: The value "1" refers to R01_AH1051_UN = Days, the value "2" refers to R01_AH1051_UN = Months, and the value "3" refers to R01_AH1051_UN = Years. INSTRUMENT ERROR: This item was skipped incorrectly by respondents who selected a brand in R01_AH1048_BRAND and answered R01_AH1070_PRODUCT as don't know, refused or other with a don't know or refused answer for R01_AH1071.	

Variable(s):	R01_AH0104
You said earlier that you last smoked hookah [TIME OF LAST USE]. Think about the very last puff you took. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Respondents who have smoked hookah today, yesterday or the day before yesterday (R01_AH0100=1, 2 or 3 or 4) AND who selected a valid brand (R01_AH1048_BRAND!=9995, -8, -7) AND valid sub brand (R01_AH1070_PRODUCT!=99995, -8, -7). DISPLAY: For 'TIME OF LAST USE', if R01_AH0100=1, display "in the past hour". If R01_AH0100=2, display "sometime today". If R01_AH0100=3, display "yesterday". If R01_AH0100=4, display "the day before yesterday". For 'NEQBRAND', fill with selection stored in R01_AH1070_PRODUCT.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID:	R01_AH2
Display question R01_AH1060, R01_AH1061, R01_AH1085, R01_AH1062, R01_AH1063, R01_AH1064, R01_AH1066, R01_AH1068, R01_AH1069, R01_AH1072, R01_AH1073 on one screen. Show the intro/transition text from R01_AH1060 first, then show each item with responses. As each item is answered, show the next one.	
PROGRAM: Randomize order of R01_AH1060 through R01_AH1073.	

Variable(s):	R01_AH1060**
The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you I applied to you when you used to smoke hookah].	
I [smoke I smoked] hookah because...	
It [is I was] affordable.	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).	
DISPLAY: For Current users, Experimental Current users, and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "apply to you", "smoke" and "is"; For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "applied to you when you used to smoke hookah", "smoked" and "was".	
NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH1061****

People in the media or other public figures [smoke I smoked] hookah.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

DISPLAY: For Current users, Experimental Current users, and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "smoke"; for Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "smoked".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): **R01_AH1085****

I [can I could] smoke hookah at times when or in places where smoking cigarettes [isn't I wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

DISPLAY: For Current users, Experimental Current users, and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "can" and "isn't"; for Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "could" and "wasn't".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH1062****

It might [be I have been] less harmful than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

DISPLAY: For Current users, Experimental Current users, and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "be"; for Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "have been".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): **R01_AH1063****

Shisha or hookah tobacco [comes I came] in flavors I [like I liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users, and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

DISPLAY: For Current users, Experimental Current users, and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "come" and "like"; for Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "came" and "liked".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AH1064**
Smoking hookah helps people to quit smoking cigarettes.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).	
NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.	

Variable(s):	R01_AH1068**
People who are important to me [smoke I smoked] hookah.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).	
DISPLAY: For Current users, Experimental Current users, and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "smoke"; for Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "smoked".	
NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AH1069**

I [like I liked] socializing while smoking hookah.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

DISPLAY: For Current users, Experimental Current users, and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "like"; for Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "liked".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AH1072**

The advertising for hookah [appeals I appealed] to me.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

DISPLAY: For Current users, Experimental Current users, and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "appeals"; for Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "appealed".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH1073****

Smoking hookah is part of my cultural tradition.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users, and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1).

GOTO: GO TO: If Current user or Former user 12 Month of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_FORMER_USER_12MONTH_CIGS = 1), go to R01_AH1080.

Else, go to R01_AG1081

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): **R01_AH1080****

[Do | Did] you smoke hookah as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users, and Former users 12 Month (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1) who are also Current users or Former users 12 Month of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_FORMER_USER_12MONTH_CIGS = 1).

DISPLAY: For Current users, Experimental Current users, and 30 Day users (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_THIRTY_DAY_USER_HOOK = 1), display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_HOOK = 1), display "did".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AH1081****

[Do | Did] you smoke hookah as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, 30 Day users, and Former users 12 Month
(R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or
R01_THIRTY_DAY_USER_HOOK = 1 or R01_FORMER_USER_12MONTH_HOOK = 1)

DISPLAY: For Current users, Experimental Current users, and 30 Day users
(R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or
R01_THIRTY_DAY_USER_HOOK = 1), display "do"; For Former users 12 Month
(R01_FORMER_USER_12MONTH_HOOK = 1), display "did".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_HOOK were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

SMOKELESS TOBACCO

BOX ID: R01_AST02

If SMKLSSTYPE[1]=1 and SMKLSSTYPE[2]=null (respondents who use smokeless BUT not snus), display the following text:

The next questions ask about **smokeless tobacco** which you put in your mouth and chew, suck or spit. There are many kinds of smokeless tobacco, such as loose snus, moist snuff, dip, spit, and chewing tobacco.

Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly and Copenhagen, but there are many others.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS TIN AND POUCHES]

If SMKLSSTYPE[1]=null and SMKLSSTYPE[2]=2 (respondents who use snus pouches BUT not smokeless), display the following text:

The next questions ask about **snus pouches**, a type of smokeless tobacco that comes in a small pouch that you put under your lip.

Common brands of snus pouches include Camel snus, General snus, Marlboro snus, and Nordic Ice, but there are many others.

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

If SMKLSSTYPE[1]=1 and SMKLSSTYPE[2]=2 (respondents who use both snus pouches and other smokeless) FIRST TIME THROUGH, display the following text:

The next questions ask about **snus pouches**, a type of smokeless tobacco that comes in a small pouch that you put under your lip.

Common brands of snus pouches include Camel snus, General snus, Marlboro snus, and Nordic Ice, but there are many others.

Please think about your use of **snus pouches** as you answer these questions. There will be a separate section later about other kinds of smokeless tobacco.

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

If SMKLSSTYPE[1]=1 and SMKLSSTYPE[2]=2, SECOND TIME THROUGH, display the following text:

You just answered questions about snus pouches. The next questions are about your use of other kinds of smokeless tobacco, such as loose snus, moist snuff, dip, spit, and chewing tobacco.

Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly and Copenhagen, but there are many others.

The questions will use the phrase "smokeless tobacco" to refer to these products. Please think about your use of **smokeless tobacco products, not including snus pouches**, as you answer these questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS TIN AND POUCHES]

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AS1005SU; R01_AS1005SM**

How many [times I snus pouches] have you used[smokeless tobacco] in your entire life?

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AS1005SU: Respondents who have ever used snus pouches (R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3).

For R01_AS1005SM: Respondents who have ever used smokeless tobacco (R01_AS1002_02 = 1 OR R01_AU1003 = 1 OR 2).

DISPLAY: If SMKLSSTYPE[1]=1, display "times" and "smokeless tobacco"; if SMKLSSTYPE[2]=2, display "snus pouches".

Variable(s): **R01_AS1006SU; R01_AS1006SM**

How old were you when you first used [SMKLSSFILL], even one or two times?

- I__I__I GO TO R01_AS1100[SU/SM]
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AS1006SU: Respondents who have ever used snus pouches (R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3).

For R01_AS1006SM: Respondents who have ever used smokeless tobacco (R01_AS1002_02 = 1 OR R01_AU1003 = 1 OR 2).

DISPLAY: Display "Years old" as a title.

Variable(s): **R01_AS1120SU; R01_AS1120SM**

When you first used [SMKLSSFILL], even one or two times, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AS1120SU: Respondents who refused to give or did not know age they first used snus pouches (R01_AS1006SU = -8, -7).

For R01_AS1120SM: Respondents who refused to give or did not know age they first used smokeless tobacco (R01_AS1006SM = -8, -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1100SU; R01_AS1100SM

Have you ever used [SMKLSSFILL] fairly regularly?

- 1 Yes
- 2 No GO TO R01_AS1008[SU/SM]
- 8 DON'T KNOW GO TO R01_AS1008[SU/SM]
- 7 REFUSED GO TO R01_AS1008[SU/SM]

ASK: For R01_AS1100SU: Respondents who have ever used snus pouches (R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3).

For R01_AS1100SM: Respondents who have ever used smokeless tobacco (R01_AS1002_02 = 1 OR R01_AU1003 = 1 OR 2).

Variable(s): R01_AS1007SU; R01_AS1007SM

How old were you when you first started using [SMKLSSFILL] fairly regularly?

- |_|_|
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AS1007SU: Respondents who have ever used snus pouches fairly regularly (R01_AS1100SU=1).

For R01_AS1007SM: Respondents who have ever used smokeless tobacco fairly regularly (R01_AS1100SM=1).

DISPLAY: Display "Years old" as a title.

GOTO: If R01_AS1007[SU/SM] = -8 or -7, go to R01_AS1121[SU/SM].

Else if R01_AS1003[SU/SM] = 1, go to R01_AS1020[SU/SM]. Else, go to R01_AS1008[SU/SM].

Variable(s): R01_AS1121SU; R01_AS1121SM

When you first started using [SMKLSSFILL] fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AS1121SU: Respondents who refused to give or did not know age they started using snus pouches fairly regularly (R01_AS1007SU = -8, -7).

R01_AS1121SM: Respondents who refused to give or did not know age they started using smokeless tobacco fairly regularly (R01_AS1007SM = -8, -7).

GOTO: If R01_AS1003[SU/SM] = 1, go to R01_AS1020[SU/SM]. Else, go to R01_AS1008[SU/SM].

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1020SU; R01_AS1020SM

How old were you when you first started using [SMKLSSFILL] every day?

I__|__|

GO TO R01_AS1008[SU/SM]

-8 DON'T KNOW

-7 REFUSED

ASK: For R01_AS1020SU: Respondents who use snus pouches everyday (R01_AS1003SU=1) and have ever used fairly regularly (R01_AS1100SU=1).

For R01_AS1020SM: Respondents who use smokeless tobacco everyday (R01_AS1003SM=1) and have ever used fairly regularly (R01_AS1100SM=1).

DISPLAY: Display "Years old" as a title.

Variable(s): R01_AS1122SU; R01_AS1122SM

When you first started using [SMKLSSFILL] every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: For R01_AS1122SU: Respondents who refused to give or did not know age they first started using snus pouches every day (R01_AS1020SU = -8, -7).

For R01_AS1122SM: Respondents who refused to give or did not know age they first started using smokeless tobacco every day (R01_AS1020SM = -8, -7).

Variable(s): R01_AS1008SU; R01_AS1008SM

When you first started using [SMKLSSFILL], did you use [smokeless tobacco I snus pouches] flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: For R01_AS1008SU: Respondents who have ever used snus pouches (R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3).

For R01_AS1008SM: Respondents who have ever used smokeless tobacco (R01_AS1002_02 = 1 OR R01_AU1003 = 1 OR 2).

DISPLAY: If SMKLSSTYPE[1]=1, display "smokeless tobacco"; if SMKLSSTYPE[2]=2, display "snus pouches".

GOTO: If R01_AS1003[SU/SM] = 3, go to R01_AS1009[SU/SM]. Else, go to Box R01_AS2.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1009SU_NN; R01_AS1009SU_UN R01_AS1009SM_NN; R01_AS1009SM_UN
About how long has it been since you last used [SMKLSSFILL]? (If it was earlier today, enter 1 day)	
1	I__I__I DAYS
2	I__I__I MONTHS
3	I__I__I YEARS
-8	DON'T KNOW
-7	REFUSED
ASK: For R01_AS1009SU_NN, R01_AS1009SU_UN: Respondents who have ever used snus pouches AND currently use not at all (R01_AS1003SU=3).	
For R01_AS1009SM_NN, R01_AS1009SM_UN: Respondents who have ever used smokeless tobacco AND currently use not at all (R01_AS1003SM=3).	
PROGRAM: Display as Quantity/Units	
NOTES: The value "1" refers to R01_AS1009[SU/SM]_UN = Days, the value "2" refers to R01_AS1009[SU/SM]_UN = Months, and the value "3" refers to R01_AS1009[SU/SM]_UN = Years.	

Variable(s):	R01_AS1010SU; R01_AS1010SM
Have you completely quit using [SMKLSSFILL]?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: For R01_AS1010SU: Respondents who have ever used snus pouches AND currently use not at all (R01_AS1003SU=3).	
For R01_AS1010SM: Respondents who have ever used smokeless tobacco AND currently use not at all (R01_AS1003SM=3).	

BOX ID: R01_AS2

PROGRAM: DEFINE THE FOLLOWING VARIABLES (SEE APPENDIX):

R01_EVER_USER_SNUS (Ever users): Has ever used snus pouches, even once or twice. (IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3, THEN R01_EVER_USER_SNUS = 1 (YES). ELSE, R01_EVER_USER_SNUS = 2 (NO))

R01_EVER_USER_SMKLS (Ever users): Has ever used smokeless tobacco, even once or twice. (IF R01_AS1002_02 = 1 OR R01_AU1003 = 1 OR 2, THEN R01_EVER_USER_SMKLS = 1 (YES). ELSE, R01_EVER_USER_SMKLS = 2 (NO))

R01_CURRENT_USER_SNUS (Current users): Has ever used snus pouches, is a regular user, and uses every day or some days. (IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 1 OR 2, THEN R01_CURRENT_USER_SNUS = 1 (YES). ELSE, R01_CURRENT_USER_SNUS = 2 (NO))

R01_CURRENT_USER_SMKLS (Current users): Has ever used smokeless tobacco, is a regular user, and uses every day or some days. (IF R01_AS1100SM = 1 AND R01_AS1003SM = 1 OR 2, THEN R01_CURRENT_USER_SMKLS = 1 (YES). ELSE, R01_CURRENT_USER_SMKLS = 2 (NO))

R01 EVERYDAY_USER_SNUS (Everyday users): Has ever used snus pouches, is a regular user, and uses every day. (IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 1, THEN R01 EVERYDAY_USER_SNUS = 1 (YES). ELSE, R01 EVERYDAY_USER_SNUS = 2 (NO))

R01 EVERYDAY_USER_SMKLS (Everyday users): Has ever used smokeless tobacco, is a regular user, and uses every day. (IF R01_AS1100SM = 1 AND R01_AS1003SM = 1, THEN R01 EVERYDAY_USER_SMKLS = 1 (YES). ELSE, R01 EVERYDAY_USER_SMKLS = 2 (NO))

R01_SOME_DAY_USER_SNUS (Some day users): Has ever used snus pouches, is a regular user, and uses some days. (IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 2, THEN R01_SOME_DAY_USER_SNUS = 1 (YES). ELSE, R01_SOME_DAY_USER_SNUS = 2 (NO))

R01_SOME_DAY_USER_SMKLS (Some day users): Has ever used smokeless tobacco, is a regular user, and uses some days. (IF R01_AS1100SM = 1 AND R01_AS1003SM = 2, THEN R01_SOME_DAY_USER_SMKLS = 1 (YES). ELSE, R01_SOME_DAY_USER_SMKLS = 2 (NO))

R01_EXPERIMENTAL_CURRENT_SNUS (Experimental Current users): Has ever used snus pouches, has never been a regular user, and now uses snus pouches every day or some days. (IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 2 AND R01_AS1003SU = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_SNUS = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_SNUS = 2 (NO))

R01_EXPERIMENTAL_CURRENT_SMKLS (Experimental Current users): Has ever used smokeless tobacco, has never been a regular user, and now uses smokeless tobacco every day or some days. (IF R01_AS1100SM = 2 AND R01_AS1003SM = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_SMKLS = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_SMKLS = 2 (NO))

R01_EXPERIMENTAL_FORMER_SNUS (Experimental Former users): Has ever used snus pouches, has never been a regular user, and now does not use snus pouches at all. (IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 2 AND R01_AS1003SU = 3, THEN R01_EXPERIMENTAL_FORMER_SNUS = 1 (YES).

ELSE, R01_EXPERIMENTAL_FORMER_SNUS = 2 (NO))

R01_EXPERIMENTAL_FORMER_SMKLS Has ever used smokeless tobacco, has never been a regular user, and now does not use smokeless tobacco at all. (Experimental Former users): (IF R01_AS1100SM = 2 AND R01_AS1003SM = 3, THEN R01_EXPERIMENTAL_FORMER_SMKLS = 1 (YES).

ELSE, R01_EXPERIMENTAL_FORMER_SMKLS = 2 (NO))

R01_FORMER_USER_SNUS (Former users): Has ever used snus pouches, has been a regular user, and now does not use snus pouches at all. (IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 3, THEN R01_FORMER_USER_SNUS = 1 (YES).

ELSE, R01_FORMER_USER_SNUS = 2 (NO))

R01_FORMER_USER_SMKLS (Former users): Has ever used smokeless tobacco, has been a regular user, and now does not use smokeless tobacco at all. (IF R01_AS1100SM = 1 AND R01_AS1003SM = 3, THEN R01_FORMER_USER_SMKLS = 1 (YES).

ELSE, R01_FORMER_USER_SMKLS = 2 (NO))

R01_FORMER_USER_12MONTH_SNUS (Former users 12 Month): Has ever used snus pouches, has been a regular user, now does not use snus pouches at all and quit using snus pouches within the past 12 months. (IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 3 AND ((R01_AS1009SU_NN <= 365 AND R01_AS1009SU_UN = 1) OR (R01_AS1009SU_NN <= 12 AND R01_AS1009SU_UN = 2) OR (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3)), THEN R01_FORMER_USER_12MONTH_SNUS = 1 (YES).

ELSE, R01_FORMER_USER_12MONTH_SNUS = 2 (NO))

R01_FORMER_USER_12MONTH_SMKLS (Former users 12 Month): Has ever used smokeless tobacco, has been a regular user, now does not use smokeless tobacco at all, and quit using smokeless tobacco within the past 12 months. (IF R01_AS1100SM = 1 AND R01_AS1003SM = 3 AND ((R01_AS1009SM_NN <= 365 AND R01_AS1009SM_UN = 1) OR (R01_AS1009SM_NN <= 12 AND R01_AS1009SM_UN = 2) OR (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)), THEN R01_FORMER_USER_12MONTH_SMKLS = 1 (YES).

ELSE, R01_FORMER_USER_12MONTH_SMKLS = 2 (NO))

R01_FORMER_USER_12MONTHPLUS_SNUS (Former users 12 Month Plus): Has ever used snus pouches, has been a regular user, now does not use snus pouches at all, and quit using snus pouches longer than 12 months ago. (IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 3 AND ((R01_AS1009SU_NN > 365 AND R01_AS1009SU_UN = 1) OR (R01_AS1009SU_NN > 12 AND R01_AS1009SU_UN = 2) OR (R01_AS1009SU_NN > 1 AND R01_AS1009SU_UN = 3)), THEN R01_FORMER_USER_12MONTHPLUS_SNUS = 1 (YES).

ELSE, R01_FORMER_USER_12MONTHPLUS_SNUS = 2 (NO))

R01_FORMER_12MONTHPLUS_SMKLS (Former users 12 Month Plus): Has ever used smokeless tobacco, has been a regular user, now does not use smokeless tobacco at all, and quit using smokeless tobacco longer than 12 months ago. (IF R01_AS1100SM = 1 OR R01_AS1003SM = 3 AND ((R01_AS1009SM_NN > 365 AND R01_AS1009SM_UN = 1) OR (R01_AS1009SM_NN > 12 AND R01_AS1009SM_UN = 2) OR (R01_AS1009SM_NN > 1 AND R01_AS1009SM_UN = 3)), THEN R01_FORMER_12MONTHPLUS_SMKLS = 1 (YES).

ELSE, R01_FORMER_12MONTHPLUS_SMKLS = 2 (NO))

R01_UNDETERMINED_SNUS (Undetermined): Has ever used snus pouches, but cannot be identified as a particular type of snus pouch user (IF R01_AS1003SU = -8, -7 OR R01_AS1100SU = -8, -7 THEN R01_UNDETERMINED_SNUS = 1 (YES).

ELSE, IF R01_AS1003SU = -1, 1, 2, OR 3 AND R01_AS1100SU = -1, 1 OR 2 THEN R01_UNDETERMINED_SNUS = 2 (NO).).

R01_UNDETERMINED_SMKLS (Undetermined): Has ever used smokeless tobacco, but cannot be identified as a particular type of smokeless tobacco user (IF R01_AS1003SM = -8, -7 OR R01_AS1100SM = -8, -7 THEN R01_UNDETERMINED_SMKLS = 1 (YES).

ELSE, IF R01_AS1003SM = -1, 1, 2, OR 3 AND R01_AS1100SM = -1, 1 OR 2 THEN R01_UNDETERMINED_SMKLS = 2 (NO).).

AFTER CREATING NEW VARIABLES, DO THE FOLLOWING:

IF R01_EVERYDAY_USER_SNUS= 1, GO TO R01_AS1021SU.

IF R01_SOME_DAY_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1, GO TO R01_AS1022SU.

IF R01_FORMER_USER_12MONTH_SNUS, GO TO R01_AS1025SU.

IF R01_FORMER_12MONTHPLUS_SNUS = 1 OR R01_EXPERIMENTAL_FORMER_SNUS = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_UNDETERMINED_SNUS = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_EVERYDAY_USER_SMKLS= 1, GO TO R01_AS1021SM.

IF R01_SOME_DAY_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1, GO TO R01_AS1022SM.

IF R01_FORMER_USER_12MONTH_SMKLS, GO TO R01_AS1025SM.

IF R01_FORMER_12MONTHPLUS_SMKLS = 1 OR R01_EXPERIMENTAL_FORMER_SMKLS = 1, GO TO THE NEXT SECTION (see note on pg. v).

IF R01_UNDETERMINED_SMKLS = 1, GO TO THE NEXT SECTION (see note on pg. v).

Variable(s): **R01_AS1021SU; R01_AS1021SM**

On average, about how many [times do you now use smokeless tobacco each day | snus pouches do you now use each day]?

_ _ _	GO TO R01_AS1024[SU/SM]
-8 DON'T KNOW	GO TO R01_AS1024[SU/SM]
-7 REFUSED	GO TO R01_AS1024[SU/SM]

ASK: For R01_AS1021SU: Everyday users of snus pouches (R01_EVERYDAY_USER_SNUS = 1).

For R01_AS1021SM: Everyday users of smokeless tobacco (R01_EVERYDAY_USER_SMKLS = 1).

DISPLAY: If SMKLSSTYPE[1]=1, display "times do you now use smokeless tobacco each day"; if SMKLSSTYPE[2]=2, display "snus pouches do you now use each day".

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1022SU; R01_AS1022SM On how many of the past 30 days did you use [SMKLSSFILL]? _ _ -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1022SU: Some day users and Experimental Current Users of snus pouches (R01_SOME_DAY_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1). For R01_AS1022SM: Some day users and Experimental Current Users of smokeless tobacco (R01_SOME_DAY_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1). DISPLAY: If SMKLSSTYPE[1]=1, display "smokeless tobacco"; if SMKLSSTYPE[2]=2, display "snus pouches". PROGRAM: Soft range check: 0-30 days. GOTO: From R01_AS1022SU: if R01_AS1022SU = 0 , go to R01_AS9029SU. Else, if R01_AS1022SU != 0, go to R01_AS1023SU. From R01_AS1022SM: if R01_AS1022SM = 0 , go to R01_AS9029SM. Else, if R01_AS1022SM != 0, go to R01_AS1023SM.

Variable(s): R01_AS9029SU_NN; R01_AS9029SU_UN; R01_AS9029SM_NN; R01_AS9029SM_UN About how long has it been since you last used [SMKLSSFILL]? 1 _ _ DAYS 2 _ _ MONTHS 3 _ _ YEARS -8 DON'T KNOW -7 REFUSED ASK: For R01_AS9029SU[_NN/_UN]: Some day users and Experimental Current users of snus pouches that have used 0 days in the past 30 days ((R01_SOME_DAY_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1) AND R01_AS1022SU = 0). For R01_AS9029SM[_NN/_UN]: Some day users and Experimental Current users of smokeless tobacco that have used 0 days in the past 30 days ((R01_SOME_DAY_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1) AND R01_AS1022SM = 0). PROGRAM: Display as Quantity/Units. GOTO: From R01_AS9029SU[_NN/_UN]: Current users (R01_CURRENT_USER_SNUS = 1), go to R01_AS1024SU. Else, go to R01_AS1025SU. From R01_AS9029SM[_NN/_UN]: Current users (R01_CURRENT_USER_SMKLS = 1), go to R01_AS1024SM. Else, go to R01_AS1025SM. NOTES: The value "1" refers to R01_AS9029[SU/SM]_UN = Days, the value "2" refers to R01_AS9029[SU/SM]_UN = Months, and the value "3" refers to R01_AS9029[SU/SM]_UN = Years.
--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1023SU; R01_AS1023SM**

On average, on those [FILL NUMBER OF DAYS FROM R01_AS1022[SU/SM] days I days you used], [how many times did you usually use smokeless tobacco each day I how many snus pouches did you usually use each day]?

|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: For R01_AS1023SU: Some day users and Experimental Current users of snus pouches who have used snus pouches at least one day in the past 30 days or did not provide the number of days used in the past 30 days ((R01_SOME_DAY_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1) AND (R01_AS1022SU > 0 OR R01_AS1022SU = -8, -7)).

For R01_AS1023SM: Some day users and Experimental Current users of smokeless tobacco who have used smokeless tobacco at least one day in the past 30 days or did not provide the number of days used in the past 30 days ((R01_SOME_DAY_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1) AND (R01_AS1022SM > 0 OR R01_AS1022SM = -8, -7)).

DISPLAY: If R01_AS1022[SU/SM] = 1, -8, -7, display "days you used"; else display "# days" where # = number of days reported in R01_AS1022[SU/SM]. If SMKLSSTYPE[1] = 1, display "how many times did you usually use smokeless tobacco each day; if SMKLSSTYPE[2] = 2, display "how many snus pouches did you usually use each day".

GOTO: From R01_AS1023SU: Experimental Current users (R01_EXPERIMENTAL_CURRENT_SNUS = 1), go to R01_AS1025SU.

From R01_AS1023SM: Experimental Current users (R01_EXPERIMENTAL_CURRENT_SMKLS = 1), go to R01_AS1025SM.

NOTES: INSTRUMENT ERROR: R01_AS1023SM was skipped incorrectly by respondents who answered R01_AS1022SM as don't know or refused.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1024SU_NN; R01_AS1024SU_UN; R01_AS1024SM_NN; R01_AS1024SM_UN
(On the days that you use [SMKLSSFILL],) {how/How} soon after you wake up do you typically use your first [smokeless tobacco product snus pouch] of the day? Please enter the number of minutes or hours.	
1	_ _ _ MINUTES AFTER WAKING GO TO R01_AS1025[SU/SM]
2	_ _ _ HOURS AFTER WAKING GO TO R01_AS1025[SU/SM]
-8	DON'T KNOW
-7	REFUSED
ASK: For R01_AS1024SU[_NN/_UN]: Current users of snus pouches (R01_CURRENT_USER_SNUS = 1).	
For R01_AS1024SM[_NN/_UN]: Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1).	
DISPLAY: For R01_AS1024SU[_NN/_UN] Everyday users (R01 EVERYDAY_USER_SNUS = 1), display "How"; For Some day users (R01_SOME_DAY_USER_SNUS = 1), display 'On the days that you use SMKLSSFILL], how'.	
For R01_AS1024SM[_NN/_UN] Everyday users (R01 EVERYDAY_USER_SMKLS = 1), display "How"; For Some day users (R01_SOME_DAY_USER_SMKLS = 1), display 'On the days that you use [SMKLSSFILL], how'.	
PROGRAM: Display as Quantity/Units	
NOTES: The value "1" refers to R01_AS1024[SU/SM]_UN = minutes after waking, the value "2" refers to R01_AS1024[SU/SM]_UN = hours after waking	

Variable(s):	R01_AS1092SU; R01_AS1092SM
(On the days that you use [SMKLSSFILL], would Would) you say you use your first [smokeless tobacco product snus pouch] of the day within the first 30 minutes after you wake up?	
1	Yes
2	No
3	It varies
-8	DON'T KNOW
-7	REFUSED
ASK: For R01_AS1092SU: Current users of snus pouches who don't know or refuse to answer how soon after waking up (R01_CURRENT_USER_SNUS = 1 AND R01_AS1024SU_NN = -8, -7).	
For R01_AS1092SM: Current users of smokeless tobacco who don't know or refuse to answer how soon after waking up (R01_CURRENT_USER_SMKLS = 1 AND R01_AS1024SM_NN = -8, -7).	
DISPLAY: For R01_AS1092SU Everyday users of snus pouches (R01 EVERYDAY_USER_SNUS = 1), display "Would". For Some day users of snus pouches (R01_SOME_DAY_USER_SNUS = 1), display "On the days that you use [SMKLSSFILL], would".	
For R01_AS1092SM Everyday users of smokeless tobacco (R01 EVERYDAY_USER_SMKLS = 1), display "Would". For Some day users of smokeless tobacco (R01_SOME_DAY_USER_SMKLS = 1), display "On the days that you use [SMKLSSFILL], would".	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1025SU**; R01_AS1025SM**
Around this time 12 months ago, were you using [SMKLSSFILL] every day, some days, or not at all? 1 Every day 2 Some days 3 Not at all -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1025SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1). For R01_AS1025SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1). GOTO: From R01_AS1025SU: If Experimental Current user of snus pouches (R01_EXPERIMENTAL_CURRENT_SNUS = 1), go to R01_AS1060SU. Else, if Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), go to R01_AS1030SU. Else, go to R01_AS1097SU. From R01_AS1025SM: If Experimental Current user of smokeless tobacco (R01_EXPERIMENTAL_CURRENT_SMKLS = 1), go to R01_AS1060SM. Else, if Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), go to R01_AS1030SM. Else, go to R01_AS1097SM. NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

Variable(s):	R01_AS1097SU; R01_AS1097SM
The next questions ask about your experience buying [SMKLSSFILL]. In the past 30 days, did you use a coupon when buying [SMKLSSFILL]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R01_AS1030[SU/SM] GO TO R01_AS1030[SU/SM] GO TO R01_AS1030[SU/SM] ASK: For R01_AS1097SU: Current users of snus pouches (R01_CURRENT_USER_SNUS = 1). For R01_AS1097SM: Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1098SU; R01_AS1098SM

How many times in the past 30 days have you used a coupon to buy [SMKLSSFILL]?

I _ I _ I

-8 DON'T KNOW

-7 REFUSED

ASK: For R01_AS1098SU: Current users of snus pouches who have used a coupon to buy snus pouches in the past 30 days (R01_CURRENT_USER_SNUS = 1 AND R01_AS1097SU = 1).

For R01_AS1098SM: Current users of smokeless tobacco who have used a coupon to buy smokeless tobacco in the past 30 days (R01_CURRENT_USER_SMKLS = 1 AND R01_AS1097SM = 1).

Variable(s): R01_AS1030SU**; R01_AS1030SM**

How [do/did] you usually buy [SMKLSSFILL] for yourself? Is it...

1 In person

2 From the internet

GO TO R01_AS1047[SU/SM]

3 By telephone

GO TO R01_AS1047[SU/SM]

4 I [do I did] not buy my own [SMKLSSFILL]

GO TO R01_AS1047[SU/SM]

-8 DON'T KNOW

GO TO R01_AS1047[SU/SM]

-7 REFUSED

GO TO R01_AS1047[SU/SM]

ASK: For R01_AS1030SU: Current users and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1).

For R01_AS1030SM: Current users and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1).

DISPLAY: Display instruction for question and response option 4 fill: for R01_AS1030SU Current users of snus pouches (R01_CURRENT_USER_SNUS = 1) display "do"; For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "did."

Display instruction for question and response option 4 fill: for R01_AS1030SM Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1) display "do"; For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "did."

NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1032SU; R01_AS1032SM
[Do/Did] you usually buy [SMKLSSFILL]...? 1 In your own state 2 In another state 3 Outside the US -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1032SU: Current users or Former users 12 Month of snus pouches who usually buy snus pouches in person ((R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1) AND R01_AS1030SU = 1). For R01_AS1032SM: Current users or Former users 12 Month of smokeless tobacco who usually buy smokeless tobacco in person ((R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1) AND R01_AS1030SM = 1). DISPLAY: For R01_AS1032SU: Current users of snus pouches (R01_CURRENT_USER_SNUS = 1), display "Do"; For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "Did." For R01_AS1032SM: Current users of smokeles tobacco (R01_CURRENT_USER_SMKLS = 1), display "Do"; For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "Did."	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1033SU; R01_AS1033SU_OS; R01_AS1033SM; R01_AS1033SM_OS
Where [do/did] you buy your [SMKLSSFILL] most of the time?	
1 A convenience store or gas station 2 A supermarket, grocery store, or drug store 3 A warehouse club, such as Sam's or Costco 4 A smoke shop, tobacco specialty store or tobacco outlet store 5 A duty free shop or military commissary 6 A bar, pub, restaurant or casino 7 A friend or relative 8 A swap meet or flea market 9 A liquor store 10 Or from somewhere else SPECIFY: _____ -8 DON'T KNOW -7 REFUSED	
ASK: For R01_AS1033SU: Current users or Former users 12 Month of snus pouches who usually buy snus pouches in person ((R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1) AND R01_AS1030SU = 1). For R01_AS1033SM: Current users or Former users 12 Month of smokeless tobacco who usually buy smokeless tobacco in person ((R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1) AND R01_AS1030SM = 1). DISPLAY: For R01_AS1033SU: Current users of snus pouches (R01_CURRENT_USER_SNUS = 1) display "do"; For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "did". For R01_AS1033SM: Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1) display "do"; For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "did". If OS field selected and additional OS screen is shown, display question text and add the following text: "Please type your answer using the computer keyboard." GOTO: From R01_AS1033SU: if Former user 12 Month (R01_FORMER_USER_12MONTH_SNUS = 1), go to R01_AS1047SU. Else, go to R01_AS1042SU. From R01_AS1033SM: if Former user 12 Month (R01_FORMER_USER_12MONTH_SMKLS = 1), go to R01_AS1047SM. Else, go to R01_AS1042SM.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1042SU_D; R01_AS1042SU_C R01_AS1042SM_D; R01_AS1042SM_C
How much do you usually pay for a container of [SMKLSSFILL]? \$ _ _ _ _ . _ _ _ _ -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1042SU[_D/_C]: Current users of snus pouches who usually buy snus pouches in person (R01_CURRENT_USER_SNUS = 1 AND R01_AS1030SU = 1). For R01_AS1042SM[_D/_C]: Current users of smokeless tobacco who usually buy smokeless tobacco in person (R01_CURRENT_USER_SMKLS = 1 AND R01_AS1030SM = 1). DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles. PROGRAM: Display as Quantity/Quantity. GOTO: FROM R01_AS1042SU[_D/_C], go to R01_AU9001. FROM R01_AS1042SM[_D/_C], go to R01_AS1047SM.

Variable(s): R01_AU9001
How many pouches are in the container of snus that you usually buy? _ _ _ _ -8 DON'T KNOW -7 REFUSED GO TO R01_AS1047SU GO TO R01_AS1047SU ASK: Current snus pouch users who usually buy snus pouches in person (R01_CURRENT_USER_SNUS = 1 AND R01_AS1030SU = 1). PROGRAM: This is only asked of snus pouch users where SMKLSSTYPE[2] = 2; This is not asked of smokeless tobacco users where SMKLSSTYPE[1] = 1.

Variable(s): R01_AU9002
About how many days does it take you to use up this size container? _ _ _ _ -8 DON'T KNOW -7 REFUSED ASK: Current snus pouch users who provided the number of pouches in the container of snus pouches they usually buy (R01_CURRENT_USER_SNUS = 1 AND R01_AU9001 != -8, -7) PROGRAM: This is only asked of snus pouch users where SMKLSSTYPE[2] = 2; This is not asked of smokeless tobacco users where SMKLSSTYPE[1] = 1.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AS1047SU****; **R01_AS1047SM****

[Do I Did] you have a regular brand of [SMKLSSFILL] that you usually [use I used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AS1047SU: Current users and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1).

For R01_AS1047SM: Current users and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1).

DISPLAY: For R01_AS1047SU: Current users of snus pouches (R01_CURRENT_USER_SNUS = 1), display "Do" and "use"; for Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "Did" and "used".

For R01_AS1047SM: Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1), display "Do" and "use"; for Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "Did" and "used".

NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1048SU_BRAND**; R01_AS1048SM_BRAND**
What brand of [SMKLSSFILL] [do I did] you [usually I last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1048SU_BRAND, Current users and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1). For R01_AS1048SM_BRAND, Current users and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1). DISPLAY: For R01_AS1048SU_BRAND, Current users of snus pouches who have regular brand (R01_CURRENT_USER_SNUS = 1 AND R01_AS1047SU = 1), display "do" and "usually"; For Current users of snus pouches who do not have a regular brand (R01_CURRENT_USER_SNUS = 1 AND R01_AS1047SU = 2, -8, -7), display "did" and "last". For Former users 12 Month of snus pouches who had a regular brand (R01_FORMER_USER_12MONTH_SNUS = 1 AND R01_AS1047SU = 1), display "did" and "usually"; For Former users 12 Month of snus pouches who did not have a regular brand (R01_FORMER_USER_12MONTH_SNUS = 1 AND R01_AS1047SU = 2, -8, -7), display "did" and "last". For R01_AS1048SM_BRAND, Current users of smokeless tobacco who have regular brand (R01_CURRENT_USER_SMKLS = 1 AND R01_AS1047SM = 1), display "do" and "usually"; For Current users of smokeless tobacco who do not have a regular brand (R01_CURRENT_USER_SMKLS = 1 AND R01_AS1047SM = 2, -8, -7), display "did" and "last". For Former users 12 Month of smokeless tobacco who had a regular brand (R01_FORMER_USER_12MONTH_SMKLS = 1 AND R01_AS1047SM = 1), display "did" and "usually"; For Former users 12 Month of smokeless tobacco who did not have a regular brand (R01_FORMER_USER_12MONTH_SMKLS = 1 AND R01_AS1047SM = 2, -8, -7), display "did" and "last". [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else". PROGRAM: [SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. WHEN A RESPONDENT SELECTS A BRAND, GO TO R01_AS1070[SU/SM]_PRODUCT] GOTO: From R01_AS1048SU_BRAND, if R01_AS1048SU_BRAND != 9995, -8, -7, go to R01_AS1070SU_PRODUCT. Else, if R01_AS1048SU_BRAND = 9995, go to R01_AS1049SU. Else, go to R01_AS1050SU. From R01_AS1048SM_BRAND, if R01_AS1048SM_BRAND != 9995, -8, -7, go to R01_AS1070SM_PRODUCT. Else, if R01_AS1048SM_BRAND = 9995, go to R01_AS1049SM. Else, go to R01_AS1050SM. NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1070SU_PRODUCT; R01_AS1070SM_PRODUCT
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do I did] you [usually I last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1070SU_PRODUCT, Current users and Former users 12 Month of snus pouches who selected a brand image in R01_AS1048SU_BRAND ((R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1) AND R01_AS1048SU_BRAND != 9995, -8, -7). For R01_AS1070SM_PRODUCT, Current users and Former users 12 Month of smokeless tobacco who selected a brand image in R01_AS1048SM_BRAND ((R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1) AND R01_AS1048SM_BRAND != 9995, -8, -7). DISPLAY: For R01_AS1070SU_PRODUCT, Current users of snus pouches who have regular brand (R01_CURRENT_USER_SNUS = 1 AND R01_AS1047SU = 1), display "do" and "usually"; For Current users of snus pouches who do not have a regular brand (R01_CURRENT_USER_SNUS = 1 AND R01_AS1047SU = 2, -8, -7), display "did" and "last". For Former users 12 Month of snus pouches who had a regular brand (R01_FORMER_USER_12MONTH_SNUS = 1 AND R01_AS1047SU = 1), display "did" and "usually"; For Former users 12 Month of snus pouches who did not have a regular brand (R01_FORMER_USER_12MONTH_SNUS = 1 AND R01_AS1047SU = 2, -8, -7), display "did" and "last". For R01_AS1070SM_PRODUCT, Current users of smokeless tobacco who have regular brand (R01_CURRENT_USER_SMKLS = 1 AND R01_AS1047SM = 1), display "do" and "usually"; For Current users of smokeless tobacco who do not have a regular brand (R01_CURRENT_USER_SMKLS = 1 AND R01_AS1047SM = 2, -8, -7), display "did" and "last". For Former users 12 Month of smokeless tobacco who had a regular brand (R01_FORMER_USER_12MONTH_SMKLS = 1 AND R01_AS1047SM = 1), display "did" and "usually"; For Former users 12 Month of smokeless tobacco who did not have a regular brand (R01_FORMER_USER_12MONTH_SMKLS = 1 AND R01_AS1047SM = 2, -8, -7), display "did" and "last". [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else". PROGRAM: [SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R01_AS1048[SU/SM]_BRAND] GOTO: From R01_AS1070SU_PRODUCT, if R01_AS1070SU_PRODUCT = 99995, go to R01_AS1071SU. Else, go to R01_AS1050SU. From R01_AS1070SM_PRODUCT, if R01_AS1070SM_PRODUCT = 99995, go to R01_AS1071SM. Else, go to R01_AS1050SM.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1049SU; R01_AS1049SM

You said that your brand was not pictured. What is it?

-8 DON'T KNOW

GO TO R01_AS1050[SU/SM]

-7 REFUSED

GO TO R01_AS1050[SU/SM]

GO TO R01_AS1050[SU/SM]

ASK: For R01_AS1049SU: Current users and Former users 12 Month of snus pouches who did not select an image of their brand ((R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1) AND R01_AS1048SU_BRAND = 9995).

For R01_AS1049SM: Current users and Former users 12 Month of smokeless tobacco who did not select an image of their brand ((R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1) AND R01_AS1048SM_BRAND = 9995).

Variable(s): R01_AS1071SU; R01_AS1071SM

You said that the type of [BRANDFILL]s that you [use I used] is not pictured. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: For R01_AS1071SU: Current users and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1) who did not select the type of product they use (R01_AS1070SU_PRODUCT = 99995) but who DID select a brand (R01_AS1048SU_BRAND != 9995, -8, -7). Do not ask of respondents who wrote a brand into R01_AS1049SU.

For R01_AS1071SM: Current users and Former users 12 Month (R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1) who did not select the type of product they use (R01_AS1070SM_PRODUCT = 99995) but who DID select a brand (R01_AS1048SM_BRAND != 9995, -8, -7). Do not ask of respondents who wrote a brand into R01_AS1049SM.

DISPLAY: For R01_AS1071SU: Current users of snus pouches (R01_CURRENT_USER_SNUS = 1), display "use"; for Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "used".

For R01_AS1071SM: Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1), display "use"; for Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "used".

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1050SU**; R01_AS1050SM**
[Is / was] [your regular brand / the last brand] you [use / used] flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1050SU: Current users and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1). For R01_AS1050SM: Current users and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1). DISPLAY: For R01_AS1050SU: Current users of snus pouches who have a regular brand (R01_CURRENT_USER_SNUS = 1 AND R01_AS1047SU = 1), display "Is", "your regular brand" and "use." For Current users of snus pouches who do not have a regular brand (R01_CURRENT_USER_SNUS = 1 AND R01_AS1047SU = 2, -8, -7), display "Was", "the last brand" and "used ". For Former users 12 Month of snus pouches who had a regular brand (R01_FORMER_USER_12MONTH_SNUS = 1 AND R01_AS1047SU = 1), display "Was", "your regular brand" and "used ". For Former users 12 Month of snus pouches who did not have a regular brand (R01_FORMER_USER_12MONTH_SNUS = 1 AND R01_AS1047SU = 2, -8, -7), display "Was", "the last brand" and "used ". For R01_AS1050SM: Current users of smokeless tobacco who have a regular brand (R01_CURRENT_USER_SMKLS = 1 AND R01_AS1047SM = 1), display "Is", "your regular brand" and "use." For Current users of smokeless tobacco who do not have a regular brand (R01_CURRENT_USER_SMKLS = 1 AND R01_AS1047SM = 2, -8, -7), display "Was", "the last brand" and "used ". For Former users 12 Month of smokeless tobacco who had a regular brand (R01_FORMER_USER_12MONTH_SMKLS = 1 AND R01_AS1047SM = 1), display "Was", "your regular brand" and "used ". For Former users 12 Month of smokeless tobacco who did not have a regular brand (R01_FORMER_USER_12MONTH_SMKLS = 1 AND R01_AS1047SM = 2, -8, -7), display "Was", "the last brand" and "used ". GOTO: From R01_AS1050SU: if Current user or Former user 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1) AND R01_AS1047SU = 1, go to R01_AS1051SU. Else, if SMKLSSTYPE[2] = 2, go to R01_AU0104. From R01_AS1050SM: if Current user or Former user 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1) AND R01_AS1047SM = 1, go to R01_AS1051SM. Else, if SMKLSSTYPE[1] = 1, go to R01_AS0104. NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1051SU_NN; R01_AS1051SU_UN; R01_AS1051SM_NN; R01_AS1051SM_UN
About how long (did you use/have you been using) your regular brand of [SMKLSSFILL]? 1 I ___ I ___ DAYS 2 I ___ I ___ MONTHS 3 I ___ I ___ YEARS -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1051SU[NN/ UN]: Current users and Former users 12 Month of snus pouches who have a regular brand ((R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1) AND R01_AS1047SU = 1). For R01_AS1051SM[NN/ UN]: Current users and Former users 12 Month of smokeless tobacco who have a regular brand ((R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1) AND R01_AS1047SM = 1). DISPLAY: For R01_AS1051SU[NN/ UN]: Current users of snus pouches (R01_CURRENT_USER_SNUS = 1), display "have you been using" and "you've been using." For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "did you use" and "you used". For R01_AS1051SM[NN/ UN]: Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1), display "have you been using" and "you've been using." For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "did you use" and "you used". PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R01_AS1051[SU/SM]_UN = Days, the value "2" refers to R01_AS1051[SU/SM]_UN = Months, and the value "3" refers to R01_AS1051[SU/SM]_UN = Years.	

Variable(s):	R01_AS0104**
You said earlier that you used smokeless tobacco [TIME OF LAST USE]. Think about the very last time you used it. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Respondents who have used smokeless tobacco (SMKLSSTYPE[1] = 1) today, yesterday or the day before yesterday (R01_AS0100SM = 1, 2 or 3 or 4) AND who selected a valid brand (R01_AS1048SM_BRAND != 9995, -8, -7) AND valid sub brand (R01_AS1070SM_PRODUCT != 99995, -8, -7). This question is limited to smokeless tobacco users; it is not asked for snus pouch users. DISPLAY: For 'TIME OF LAST USE', if R01_AS0100SM = 1, display "in the past hour". If R01_AS0100SM = 2, display "sometime today". If R01_AS0100SM = 3, display "yesterday". If R01_AS0100SM = 4, display "the day before yesterday". For 'NEQBRAND', fill with selection stored in R01_AS1070SM_PRODUCT. NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who answered that they used smokeless tobacco today, yesterday, or the day before yesterday.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AU0104***
You said earlier that you last used snus [TIME OF LAST USE]. Think about the very last pouch you used. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Respondents who have used snus pouches (SMKLSSTYPE[2] = 2) today, yesterday or the day before yesterday (R01_AS0100SU = 1, 2 or 3 or 4) AND who selected a valid brand (R01_AS1048SU_BRAND != 9995, -8, -7) AND valid sub brand (R01_AS1070SU_PRODUCT != 99995, -8, -7). This question is limited to snus pouch users; it is not asked for smokeless tobacco users. DISPLAY: For 'TIME OF LAST USE', If R01_AS0100SU = 1, display "in the past hour". If R01_AS0100SU = 2, display "sometime today". If R01_AS0100SU = 3, display "yesterday". If R01_AS0100SU = 4, display "the day before yesterday". For 'NEQBRAND', fill with selection stored in R01_AS1070SU_PRODUCT. NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R01_AS3
Display question R01_AS1060[SU/SM], R01_AS1061[SU/SM], R01_AS1085[SU/SM], R01_AS1062[SU/SM], R01_AS1075[SU/SM], R01_AS1063[SU/SM], R01_AS1064[SU/SM], R01_AS1065[SU/SM], R01_AS1067[SU/SM], R01_AS1068[SU/SM], R01_AU1076, R01_AU1070, R01_AS1072[SU/SM] on one screen. Show the intro/transition text from R01_AS1060[SU/SM] first, then show each item with responses. As each item is answered, show the next one. PROGRAM: Items R01_AU1076 and R01_AU1070 are only shown for snus pouch users; they are not shown for smokeless tobacco users. PROGRAM: Randomize order of R01_AS1060[SU/SM] through R01_AS1072[SU/SM] (including R01_AU1076 and R01_AU1070).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1060SU**; R01_AS1060SM**

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons [apply to you I applied to you when you used to use [SMKLSSFILL]].

I [use I used] [SMKLSSFILL] because...

It [is I was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AS1060SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1).

For R01_AS1060SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1).

DISPLAY: For R01_AS1060SU: Current users and Experimental Current users of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "apply to you", "use" and "is"; For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "applied to you when you used to use [SMKLSSFILL]", "used" and "was".

For R01_AS1060SM: Current users and Experimental Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1), display "apply to you", "use" and "is"; For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "applied to you when you used to use [SMKLSSFILL]", "used" and "was".

NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1061SU**; R01_AS1061_SM**

People in the media or other public figures [use I used] [SMKLSSFILL].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AS1061SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1).

For R01_AS1061SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1).

DISPLAY: For R01_AS1061SU: Current users and Experimental Current users of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "use"; For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "used".

For R01_AS1061SM: Current users and Experimental Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1), display "use"; For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "used".

NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1085SU**; R01_AS1085SM**
I [can I could] use [SMKLSSFILL] at times when or in places where smoking cigarettes [isn't I wasn't] allowed. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1085SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1). For R01_AS1085SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1). DISPLAY: For R01_AS1085SU: Current users and Experimental Current users of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "can" and "isn't"; For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "could" and "wasn't". For R01_AS1085SM: Current users and Experimental Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1), display "can" and "isn't"; For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "could" and "wasn't". NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AS1062SU****; **R01_AS1062SM****

It might [be I have been] less harmful to me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AS1062SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1).

For R01_AS1062SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1).

DISPLAY: For R01_AS1062SU: Current users and Experimental Current users of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "be"; For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "have been".

For R01_AS1062SM: Current users and Experimental Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1), display "be"; For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "have been".

NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1075SU**; R01_AS1075SM**
[It I They] might [be I have been] less harmful to people around me than cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1075SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1). For R01_AS1075SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1). DISPLAY: If smokeless tobacco (SMKLSSTYPE[1]=1), display 'It'; If snus pouches (SMKLSSTYPE[2]=2, display "They". For R01_AS1075SU: Current users and Experimental Current users of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "be"; For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "have been". For R01_AS1075SM: Current users and Experimental Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1), display "be"; For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "have been". NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1063SU**; R01_AS1063SM**
[[Smokeless tobacco [comes I came]] [[Snus pouches [come I came]] in flavors I [like I liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1063SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1). For R01_AS1063SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1). DISPLAY: For R01_AS1063SU: if SMKLSSTYPE[2]=2, display "Snus pouches". If Current user or Experimental Current user of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "come" and "like"; if Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "came" and "liked". For R01_AS1063SM: if SMKLSSTYPE[1]=1, display "Smokeless tobacco". If Current user or Current Experimental user of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1), display "comes" and "like"; if Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "came" and "liked". NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

Variable(s):	R01_AS1064SU**; R01_AS1064SM**
Using [SMKLSSFILL] helps people to quit smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1064SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1). For R01_AS1064SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1). NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1065SU**; R01_AS1065SM**

[Smokeless tobacco doesn't I Snus pouches don't] smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AS1065SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1).

For R01_AS1065SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1).

DISPLAY: If SMKLSSTYPE[1]=1, display "Smokeless tobacco doesn't"; If SMKLSSTYPE[2]=2, display "Snus pouches don't".

NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1067SU**; R01_AS1067SM**
[[Smokeless tobacco] [is I was]] [[Snus pouches] [are I were]] more acceptable to non-tobacco users. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1067SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1). For R01_AS1067SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1). DISPLAY: For R01_AS1067SU: if SMKLSSTYPE[2]=2, display "Snus pouches". If Current user or Current Experimental user of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "are", if Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "were". For R01_AS1067SM: if SMKLSSTYPE[1]=1, display "Smokeless tobacco". If Current user or Current Experimental user of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1), display "is", if Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "was". NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1068SU**; R01_AS1068SM**
People who are important to me [use I used] [SMKLSSFILL]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1068SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1). For R01_AS1068SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1). DISPLAY: For R01_AS1068SU: Current users and Experimental Current users of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "use"; For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "used". For R01_AS1068SM: Current users and Experimental Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1), display "use"; For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "used". GOTO Specification: From R01_AS1068SU, go to R01_AU1076. From R01_AS1068SM, go to R01_AS1072SM. NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AU1076**
No one can tell when I [am I was] using a snus pouch. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1). DISPLAY: This is only asked of snus pouch users where SMKLSSTYPE[2]=2; This is not asked of smokeless tobacco users where SMKLSSTYPE[1]=1. If Current user or Current Experimental user of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "am", if Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "was". GOTO Specification: If Current user or Former user 12 Month of cigarettes (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1), go to R01_AU1070. Else, go to R01_AS1072SU. NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS was not correctly set to 1 for respondents if they reported last using snus pouches exactly one year ago (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3). The incorrect setting of that data collection variable also caused this item to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

Variable(s):	R01_AU1070**
The sensations [are I were] stronger or more pleasurable than cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Current users, Experimental Current users, and Former users 12 Month of snus pouches who are also Current users or Former users 12 Month of cigarettes ((R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1) AND (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1)). DISPLAY: This is only asked of snus pouch users where SMKLSSTYPE[2]=2 AND dual users of cigarettes; This is not asked of smokeless tobacco users where SMKLSSTYPE[1]=1. If Current user or Current Experimental user (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "are", if Former users 12 Month (R01_FORMER_USER_12MONTH_SNUS = 1), display "were". NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS was not correctly set to 1 for respondents if they reported last using snus pouches exactly one year ago (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3). The incorrect setting of that data collection variable also caused this item to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1072SU**; R01_AS1072SM**
The advertising for [SMKLSSFILL] [appeals I appealed] to me. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1072SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1). For R01_AS1072SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1). DISPLAY: For R01_AS1072SU: Current users and Experimental Current users of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display “appeals”; for Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display “appealed”. For R01_AS1072SM: Current users and Experimental Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1), display “appeals”; for Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display “appealed”. GOTO: From R01_AS1072SU: if Current user OR Experimental Current user of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1) AND Current user of cigarettes (R01_CURRENT_USER_CIGS = 1), go to R01_AS1086SU. Else, if (Current user OR Experimental Current user of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1) AND Former user 12 month CIG (R01_FORMER_USER_12MONTH_CIGS = 1)) OR (Former user 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1) AND Current user or Former user 12 Month of cigarettes (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1)), go to R01_AS1080SU. Else, go to the next section (see note on pg. v). From R01_AS1072SM: if Current user OR Experimental Current user of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1) AND Current user of cigarettes (R01_CURRENT_USER_CIGS = 1), go to R01_AS1086SM. Else, if (Current user OR Experimental Current user of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1) AND Former user 12 month of cigarettes (R01_FORMER_USER_12MONTH_CIGS = 1)) OR (Former user 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1) AND Current user of cigarettes or Former user 12 Month of cigarettes (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1)), go to R01_AS1080SM. Else, go to the next section (see note on pg. v). NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1086SU; R01_AS1086SM

In the past 30 days have you used [SMKLSSFILL] at times when or in places where you could not smoke regular cigarettes?

- | | | |
|----|------------|-------------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AS1080[SU/SM] |
| -8 | DON'T KNOW | GO TO R01_AS1080[SU/SM] |
| -7 | REFUSED | GO TO R01_AS1080[SU/SM] |

ASK: For R01_AS1086SU: Current users and Experimental Current users of snus pouches who are also Current users of cigarettes ((R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1) AND R01_CURRENT_USER_CIGS = 1).

For R01_AS1086SM: Current users and Experimental Current users of smokeless tobacco who are also Current users of cigarettes ((R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1) AND R01_CURRENT_USER_CIGS = 1).

Variable(s): R01_AS1087SU**; R01_AS1087SM**

How often do you use [SMKLSSFILL] at times when or in places where you could not smoke regular cigarettes?

- | | |
|----|------------|
| 1 | Every day |
| 2 | Some days |
| 3 | Rarely |
| 4 | Not at all |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: For R01_AS1087SU: Current users and Experimental Current users of snus pouches who used snus pouches when they could not smoke regular cigarettes ((R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1) AND R01_AS1086SU = 1).

For R01_AS1087SM: Current users and Experimental Current users of smokeless tobacco who used smokeless tobacco when they could not smoke regular cigarettes ((R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1) AND R01_AS1086SM = 1).

NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

These items were skipped incorrectly by respondents who were current users of smokeless tobacco or snus (for each respective variable).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AS1080SU**; R01_AS1080SM**
[Do Did] you use [SMKLSSFILL] as a way of cutting down on your cigarette smoking? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AS1080SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches who are also Current users or Former users 12 Month of cigarettes ((R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1) AND (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1)). For R01_AS1080SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco who are also Current users or Former users 12 Month of cigarettes ((R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1) AND (R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1)). DISPLAY: For R01_AS1080SU: Current users and Experimental Current users of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "do"; For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "did". For R01_AS1080SM: Current users and Experimental Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1), display "do"; For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "did". NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AS1081SU**; R01_AS1081SM**

[Do | Did] you use [SMKLSSFILL] as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AS1081SU: Current users, Experimental Current users, and Former users 12 Month of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1).

For R01_AS1081SM: Current users, Experimental Current users, and Former users 12 Month of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1).

DISPLAY: For R01_AS1081SU: Current users and Experimental Current users of snus pouches (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1), display "do"; For Former users 12 Month of snus pouches (R01_FORMER_USER_12MONTH_SNUS = 1), display "did".

For R01_AS1081SM: Current users and Experimental Current users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1), display "do"; For Former users 12 Month of smokeless tobacco (R01_FORMER_USER_12MONTH_SMKLS = 1), display "did".

NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

DISSOLVABLE TOBACCO**BOX ID: R01_ADT02**

The next questions ask about **dissolvable tobacco**. You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth.

Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, or Camel Orbs, Sticks or Strips.

SHOW GENERIC IMAGES OF DISSOLVABLES

Bold "dissolvable tobacco".

Variable(s): R01_AD1005

How many pieces of dissolvable tobacco have you used in your entire life?

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used dissolvable tobacco (R01_AD1002=1).

Variable(s): R01_AD1006

How old were you when you first used dissolvable tobacco, even one or two times?

- I__I__I
- 8 DON'T KNOW
- 7 REFUSED

GO TO R01_AD1100

ASK: Respondents who have ever used dissolvable tobacco (R01_AD1002=1).

DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1120

When you first used dissolvable tobacco, even one or two times, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age when they first used dissolvable tobacco (R01_AD1006 = -8, -7).

Variable(s): R01_AD1100

Have you ever used dissolvable tobacco fairly regularly?

- 1 Yes
- 2 No GO TO R01_AD1008
- 8 DON'T KNOW GO TO R01_AD1008
- 7 REFUSED GO TO R01_AD1008

ASK: Respondents who have ever used dissolvable tobacco (R01_AD1002=1).

Variable(s): R01_AD1007

How old were you when you first started using dissolvable tobacco fairly regularly?

- I__|__|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents that have ever used dissolvable tobacco fairly regularly (R01_AD1100=1).

DISPLAY: Display "Years old" as a title.

GOTO: If R01_AD1007 = -8 or -7, go to R01_AD1121.

Else if R01_AD1003 = 1, go to R01_AD1020. Else, go to R01_AD1008.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AD1121**

When you first started using dissolvable tobacco fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age when they first started using dissolvable tobacco regularly (R01_AD1007 = -8, -7).

GOTO: If R01_AD1003 = 1, go to R01_AD1020. Else, go to R01_AD1008.

Variable(s): **R01_AD1020**

How old were you when you first started using dissolvable tobacco every day?

I__I__I

GO TO R01_AD1008

- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who use dissolvable tobacco everyday (R01_AD1003=1) and have ever used fairly regularly (R01_AD1100 = 1).

DISPLAY: Display "Years old" as a title.

Variable(s): **R01_AD1122**

When you first started using dissolvable tobacco every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age they first started using dissolvable tobacco every day (R01_AD1020 = -8, -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1008

When you first started using dissolvable tobacco, did you use dissolvable tobacco flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used dissolvable tobacco (R01_AD1002=1).

GOTO: If R01_AD1003 = 3, go to R01_AD1009.

Else, go to BOX R01_AD2.

Variable(s): R01_AD1009_NN; R01_AD1009_UN

About how long has it been since you last used dissolvable tobacco? (If it was earlier today, enter 1 day)

- 1 I__I__I DAYS
- 2 I__I__I MONTHS
- 3 I__I__I YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used dissolvable tobacco (R01_AD1002=1) AND currently use not at all (R01_AD1003=3).

PROGRAM: Display as Quantity/Units

NOTES: The value "1" refers to R01_AD1009_UN = Days, the value "2" refers to R01_AD1009_UN = Months, and the value "3" refers to R01_AD1009_UN = Years.

Variable(s): R01_AD1010

Have you completely quit using dissolvable tobacco?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used dissolvable tobacco (R01_AD1002=1) AND currently use not at all (R01_AD1003=3).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID:	R01_AD2
PROGRAM - CREATE VARIABLES: (SEE APPENDIX)	
R01_EVER_USER_DISSBL (Ever users): Has ever used dissolvable tobacco, even once or twice (IF R01_AD1002 = 1, THEN R01_EVER_USER_DISSBL = 1 (YES). ELSE, R01_EVER_USER_DISSBL = 2 (NO).).	
R01_CURRENT_USER_DISSBL (Current users): Has ever used dissolvable tobacco, is a regular user, and uses every day or some days (IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 1 OR 2, THEN R01_CURRENT_USER_DISSBL = 1 (YES). ELSE, R01_CURRENT_USER_DISSBL = 2 (NO).).	
R01 EVERYDAY_USER_DISSBL (Everyday users): Has ever used dissolvable tobacco, is a regular user, and uses every day (IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 1, THEN R01 EVERYDAY_USER_DISSBL = 1 (YES). ELSE, R01 EVERYDAY_USER_DISSBL = 2 (NO).).	
R01_SOME_DAY_USER_DISSBL (Some day users): Has ever used dissolvable tobacco, is a regular user, and uses some days (IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 2, THEN R01_SOME_DAY_USER_DISSBL = 1 (YES). ELSE, R01_SOME_DAY_USER_DISSBL = 2 (NO).).	
R01_EXPERIMENTAL_CURRENT_DISSBL (Experimental Current users): Has ever used dissolvable tobacco, has never been a regular user, and now uses dissolvable tobacco every day or some days (IF R01_AD1002 = 1 AND R01_AD1100 = 2 AND R01_AD1003 = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_DISSBL = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_DISSBL = 2 (NO).).	
R01_EXPERIMENTAL_FORMER_DISSBL (Experimental Former users): Has ever used dissolvable tobacco, has never been a regular user, and now does not use dissolvable tobacco at all (IF R01_AD1002 = 1 AND R01_AD1100 = 2 AND R01_AD1003 = 3, THEN R01_EXPERIMENTAL_FORMER_DISSBL = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_DISSBL = 2 (NO).). Note: might currently use other products.	
R01_FORMER_USER_DISSBL (Former users): Has ever used dissolvable tobacco, has been a regular user and now does not use dissolvable tobacco at all (IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 3, THEN R01_FORMER_USER_DISSBL = 1 (YES). ELSE, R01_FORMER_USER_DISSBL = 2 (NO).). Note: might currently use other products.	
R01_FORMER_USER_12MONTH_DISSBL (Former users 12 Month): Has ever used dissolvable tobacco, has been a regular user, now does not use dissolvable tobacco at all and quit using dissolvable tobacco within the past 12 months (IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 3 AND ((R01_AD1009_NN <= 365 AND R01_AD1009_UN = 1) OR (R01_AD1009_NN <= 12 AND R01_AD1009_UN = 2) OR (R01_AD1009_NN = 1 AND R01_AD1009_UN = 3)), THEN R01_FORMER_USER_12MONTH_DISSBL = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_DISSBL = 2 (NO).). Note: might currently use other products.	
R01_FORMER_12MONTHPLUS_DISSBL (Former users 12 Month Plus): Has ever used dissolvable tobacco, has been a regular user, now does not use dissolvable tobacco at all, and quit using dissolvable tobacco longer than 12 months ago (IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 3 AND ((R01_AD1009_NN > 365 AND R01_AD1009_UN = 1) OR (R01_AD1009_NN > 12 AND R01_AD1009_UN = 2) OR (R01_AD1009_NN > 1 AND R01_AD1009_UN = 3)), THEN R01_FORMER_12MONTHPLUS_DISSBL = 1 (YES). ELSE, R01_FORMER_12MONTHPLUS_DISSBL = 2 (NO).). Note: might currently use other products.	
R01_UNDETERMINED_DISSBL (Undetermined): Has ever used dissolvable tobacco, but cannot be identified as a particular type of dissolvable tobacco user (IF R01_AD1003 = -8, -7 OR R01_AD1100 = -8, -7 THEN R01_UNDETERMINED_DISSBL = 1 (YES).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

ELSE, IF R01_AD1003 = -1, 1, 2, OR 3 AND R01_AD1100 = -1, 1 OR 2 THEN
R01_UNDETERMINED_DISSBL = 2 (NO).).

AFTER CREATING NEW VARIABLES, DO THE FOLLOWING:

IF R01_EVERYDAY_USER_DISSBL = 1, GO TO R01_AD1021.

IF R01_SOME_DAY_USER_DISSBL = 1 OR R01_EXPERIMENTAL_CURRENT_DISSBL = 1, GO TO
R01_AD1022.

IF R01_FORMER_USER_12MONTH_DISSBL, GO TO R01_AD1025.

R01_FORMER_12MONTHPLUS_DISSBL = 1 OR R01_EXPERIMENTAL_FORMER_DISSBL = 1,
GO TO THE NEXT SECTION (see note on pg. v).

IF R01_UNDETERMINED_DISSBL = 1, GO TO THE NEXT SECTION (see note on pg. v).

Variable(s): R01_AD1021

On average, about how many pieces of dissolvable tobacco do you now use each day?

____|

GO TO R01_AD1024

-8 DON'T KNOW

GO TO R01_AD1024

-7 REFUSED

GO TO R01_AD1024

ASK: Everyday users (R01_EVERYDAY_USER_DISSBL = 1).

Variable(s): R01_AD1022

On how many of the past 30 days did you use dissolvable tobacco?

____|

-8 DON'T KNOW

-7 REFUSED

ASK: Some day users and Experimental Current users (R01_SOME_DAY_USER_DISSBL = 1 or
R01_EXPERIMENTAL_CURRENT_DISSBL = 1).

PROGRAM: Soft range check: 0-30 days.

GOTO: If R01_AD1022 = 0, go to R01_AD9029. Else, if R01_AD1022 !=0, go to R01_AD1023.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD9029_NN; R01_AD9029_UN About how long has it been since you last used dissolvable tobacco? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Some day users and Experimental Current users (R01_SOME_DAY_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1) that have used 0 days in the past 30 days (R01_AD1022=0). PROGRAM: Display as Quantity/Units. GOTO: Current users (R01_CURRENT_USER_DISSBL = 1), go to R01_AD1024. Else, go to R01_AD1025. NOTES: The value "1" refers to R01_AD9029_UN = Days, the value "2" refers to R01_AD9029_UN = Months, and the value "3" refers to R01_AD9029_UN = Years.

Variable(s): R01_AD1023 On average, on those [FILL NUMBER OF DAYS FROM R01_AD1022 days I days you used], how many pieces of dissolvable tobacco did you usually use each day? __ __ -8 DON'T KNOW -7 REFUSED ASK: Some day users and Experimental Current users (R01_SOME_DAY_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1) who have used dissolvable tobacco at least one day in the past 30 days or did not provide the number of days used in the past 30 days (R01_AD1022>0 OR R01_AD1022 IN (-8, -7)). DISPLAY: DISPLAY: If R01_AD1022=1, -8, -7, display "days you used"; else display "# days" where # = number of days reported in R01_AD1022. GOTO: GO TO: Experimental Current users (R01_EXPERIMENTAL_CURRENT_DISSBL = 1), go to R01_AD1025.
--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1024_NN; R01_AD1024_UN

(On the days that you use dissolvable tobacco,) {how/How} soon after you wake up do you typically have your first piece of dissolvable tobacco of the day? Please enter the number of minutes or hours.

- | | | |
|----|---------------------------------|------------------|
| 1 | I__I__I__I MINUTES AFTER WAKING | GO TO R01_AD1025 |
| 2 | I__I__I__I HOURS AFTER WAKING | GO TO R01_AD1025 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Current users (R01_CURRENT_USER_DISSBL = 1).

DISPLAY: For Everyday users (R01_EVERYDAY_USER_DISSBL = 1) display "How"; For Some day users (R01_SOME_DAY_USER_DISSBL = 1) display 'On the days that you use dissolvable tobacco, how'.

PROGRAM: Display as Quantity/Units

NOTES: The value "1" refers to R01_AD1024_UN = minutes after waking, the value "2" refers to R01_AD1024_UN = hours after waking.

Variable(s): R01_AD1092

(On the days that you use dissolvable tobacco, would | Would) you say you have your first piece of dissolvable tobacco within the first 30 minutes after you wake up?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| 3 | It varies |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Current users (R01_CURRENT_USER_DISSBL = 1) who don't know or refuse to answer how soon after waking up (R01_AD1024=-8,-7).

DISPLAY: For Everyday users (R01_EVERYDAY_USER_DISSBL = 1), display "Would". For Some day users (R01_SOME_DAY_USER_DISSBL = 1) , display "On the days that you use dissolvable tobacco, would".

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1025**

Around this time 12 months ago, were you using dissolvable tobacco every day, some days, or not at all?

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or
R01_FORMER_USER_12MONTH_DISSBL = 1).

GOTO: If Experimental Current user (R01_EXPERIMENTAL_CURRENT_DISSBL = 1), go to BOX
R01_AD3.

If Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), go to R01_AD1030.

Else, go to R01_AD1097.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AD1097

The next questions ask about your experience buying dissolvable tobacco.

In the past 30 days, did you use a coupon when buying dissolvable tobacco?

- 1 Yes
- 2 No GO TO R01_AD1030
- 8 DON'T KNOW GO TO R01_AD1030
- 7 REFUSED GO TO R01_AD1030

ASK: Current users (R01_CURRENT_USER_DISSBL = 1).

Variable(s): R01_AD1098

How many times in the past 30 days have you used a coupon to buy dissolvable tobacco?

- I _ I _ I
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users (R01_CURRENT_USER_DISSBL = 1) who have used a coupon to buy dissolvable
tobacco in the past 30 days (R01_AD1097=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1030**	
How [do/did] you usually buy dissolvable tobacco for yourself? Is it...	
1 In person	
2 From the internet	GO TO R01_AD1047
3 By telephone	GO TO R01_AD1047
4 I [do I did] not buy my own dissolvable tobacco	GO TO R01_AD1047
-8 DON'T KNOW	GO TO R01_AD1047
-7 REFUSED	GO TO R01_AD1047
ASK: Current users and Former users 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1). DISPLAY: Display instruction for question and response option 4 fill: for Current users (R01_CURRENT_USER_DISSBL = 1) display "do"; For Former users 12 month (R01_FORMER_USER_12MONTH_DISSBL = 1) , display "did".. NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.	

Variable(s): R01_AD1032	
[Do/Did] you usually buy dissolvable tobacco...?	
1 In your own state	
2 In another state	
3 Outside the US	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Current users or Former users 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1) who usually buy dissolvable tobacco in person (R01_AD1030=1). DISPLAY: For Current users (R01_CURRENT_USER_DISSBL = 1), display "Do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), display "Did".	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1033; R01_AD1033_OS Where [do / did] you buy your dissolvable tobacco most of the time? 1 A convenience store or gas station 2 A supermarket, grocery store, or drug store 3 A warehouse club, such as Sam's or Costco 4 A smoke shop, tobacco specialty store or tobacco outlet store 5 A duty free shop or military commissary 6 A bar, pub, restaurant or casino 7 A friend or relative 8 A swap meet or flea market 9 A liquor store 10 Or from somewhere else SPECIFY: _____ -8 DON'T KNOW -7 REFUSED ASK: Current users or Former users 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1) who usually buy dissolvable tobacco in person (R01_AD1030=1). DISPLAY: For Current users (R01_CURRENT_USER_DISSBL = 1), display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), display "did". If OS field selected and additional OS screen is shown, display question text and add the following text: "Please type your answer using the computer keyboard."
--

Variable(s): R01_AD1047** [Do I Did] you have a regular brand of dissolvable tobacco that you usually [use I used]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1). DISPLAY: For Current users (R01_CURRENT_USER_DISSBL = 1), display "Do" and "use"; for Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), display "Did" and "used". NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AD1048_BRAND****

What brand of dissolvable tobacco [do I did] you [usually I last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else".]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Current users and Former users 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: For Current users (R01_CURRENT_USER_DISSBL = 1) who have regular brand (R01_AD1047=1), display "do" and "usually"; For Current users (R01_CURRENT_USER_DISSBL = 1) who do not have a regular brand (R01_AD1047=2, -8, -7), display "did" and "last". For Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1) who had a regular brand (R01_AD1047=1), display "did" and "usually"; For Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1) who did not have a regular brand (R01_AD1047=2, -8, -7), display "did" and "last".

PROGRAM: [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT".

[If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else".

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. WHEN A RESPONDENT SELECTS A BRAND, GO TO R01_AD1070_PRODUCT]

GOTO: If R01_AD1048_BRAND != 9995, -8, -7, go to R01_AD1070_PRODUCT.

Else, if R01_AD1048_BRAND = 9995, go to R01_AD1049.

Else, go to R01_AD1050.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1070_PRODUCT
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do I did] you [usually I last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1) who selected a brand image in R01_AD1048_BRAND (R01_AD1048_BRAND != 9995, -8, -7). DISPLAY: For Current users (R01_CURRENT_USER_DISSBL = 1) who have regular brand (R01_AD1047=1), display "do" and "usually"; For Current users (R01_CURRENT_USER_DISSBL = 1) who do not have a regular brand (R01_AD1047=2, -8, -7), display "did" and "last". For Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1) who had a regular brand (R01_AD1047=1), display "did" and "usually"; For Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1) who did not have a regular brand (R01_AD1047=2, -8, -7), display "did" and "last". PROGRAM: [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else". [SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R01_AD1048] GOTO: If R01_AD1048_BRAND = 9995, go to R01_AD1071. Else, go to R01_AD1050.

Variable(s): R01_AD1049						
You said that your brand was not pictured. What is it? <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; text-align: center;">_____</td> <td style="width: 40%; text-align: right;">GO TO R01_AD1050</td> </tr> <tr> <td style="text-align: center;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R01_AD1050</td> </tr> <tr> <td style="text-align: center;">-7 REFUSED</td> <td style="text-align: right;">GO TO R01_AD1050</td> </tr> </table> ASK: Current users and Former users 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1) who did not select an image of their brand (R01_AD1048_BRAND=9995).	_____	GO TO R01_AD1050	-8 DON'T KNOW	GO TO R01_AD1050	-7 REFUSED	GO TO R01_AD1050
_____	GO TO R01_AD1050					
-8 DON'T KNOW	GO TO R01_AD1050					
-7 REFUSED	GO TO R01_AD1050					

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AD1071**

You said that the type of [BRANDFILL]s that you [use I used] is not pictured. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Current users and Former users 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1) who did not select the type of product they use (R01_AD1070_PRODUCT=99995) but who DID select a brand (R01_AD1048_BRAND!=9995, -8, -7). Do not ask of respondents who wrote a brand into R01_AD1049.

DISPLAY: For Current users (R01_CURRENT_USER_DISSBL = 1), display "use"; for Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1),, display "used".

Variable(s): **R01_AD1050****

[Is / was] [your regular brand I the last brand] you [use I used] flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, alcohol (such as wine or cognac), or other sweets?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Current users and Former users 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1).

GOTO: If Current user or Former user 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1) AND R01_AD1047 = 1, go to R01_AD1051.

Else, go to R01_AD0104.

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AD1051_NN; R01_AD1051_UN
About how long (did you use/have you been using) your regular brand of dissolvable tobacco? 1 I ___ I ___ DAYS 2 I ___ I ___ MONTHS 3 I ___ I ___ YEARS -8 DON'T KNOW -7 REFUSED ASK: Current users and Former users 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1) who have a regular brand (R01_AD1047=1). DISPLAY: For Current users (R01_CURRENT_USER_DISSBL = 1), display "have you been using" and "you've been using." For Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), display "did you use" and "you used." PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R01_AD1051_UN = Days, the value "2" refers to R01_AD1051_UN = Months, and the value "3" refers to R01_AD1051_UN = Years.	

Variable(s):	R01_AD0104
You said earlier that you last used dissolvable tobacco [TIME OF LAST USE]. Think about the very last piece you used. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Respondents who have used dissolvable tobacco today, yesterday or the day before yesterday (R01_AD0100=1, 2 or 3 or 4) AND who selected a valid brand (R01_AD1048_BRAND!=9995, -8, -7) AND valid sub brand (R01_AD1070_PRODUCT!=9995, -8, -7). DISPLAY: For 'TIME OF LAST USE', If R01_AD0100=1, display "in the past hour". If R01_AD0100=2, display "sometime today". If R01_AD0100=3, display "yesterday". If R01_AD0100=4, display "the day before yesterday". For 'NEQBRAND', fill with selection stored in R01_AD1070_PRODUCT.	

BOX ID:	R01_AD3
Display question R01_AD1060, R01_AD1061, R01_AD1085, R01_AD1062, R01_AD1075, R01_AD1063, R01_AD1064, R01_AD1065, R01_AD1067, R01_AD1068, R01_AD1076, R01_AD1072 on one screen. Show the intro/transition text from R01_AD1060 first, then show each item with responses. As each item is answered, show the next one. PROGRAM: Randomize order of R01_AD1060 through R01_AD1072.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1060**

The next questions are about the reasons people use dissolvable tobacco. Please select which reasons [apply to you I applied to you when you used to use dissolvable tobacco].

I [use I used] dissolvable tobacco because...

It [is I was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or
R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: For Current users and Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or
R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "apply to you", "use" and "is"; for Former users
12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), display "applied to you when you used to
use dissolvable tobacco", "used" and "was".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AD1061**

People in the media or other public figures [use I used] dissolvable tobacco.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or
R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: For Current users and Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or
R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "use"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_DISSBL = 1), display "used".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1085**

I [can I could] use dissolvable tobacco at times when or in places where smoking cigarettes [isn't I wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: For Current users and Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "can" and "isn't"; for Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), display "could" and "wasn't".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AD1062**

It might [be I have been] less harmful to me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: For Current users and Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "be"; for Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), display "have been".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1075**

It might [be I have been] less harmful to people around me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or
R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: For Current users and Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or
R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "be"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_DISSBL = 1), display "have been".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AD9062**

Dissolvable tobacco might [be I have been] less harmful than smokeless tobacco, such as snus
pouches, loose snus, moist snuff, dip, spit, or chew.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or
R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: DISPLAY: For Current users and Experimental Current users
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "be";
for Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), display "have been".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1063**

Dissolvable tobacco [comes I came] in flavors I [like I liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or
R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: For Current users and Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or
R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "come" and "like"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_DISSBL = 1), display "came" and "liked".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AD1064**

Using dissolvable tobacco helps people to quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or
R01_FORMER_USER_12MONTH_DISSBL = 1).

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AD1065**

Dissolvable tobacco doesn't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or
R01_FORMER_USER_12MONTH_DISSBL = 1).

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1067**

Dissolvable tobacco [is I was] more acceptable to non-tobacco users.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or
R01_FORMER_USER_12MONTH_DISSBL = 1) .

DISPLAY: For Current users and Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or
R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "is"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_DISSBL = 1), display "was".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): R01_AD1068**

People who are important to me [use I used] dissolvable tobacco.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or
R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: For Current users and Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or
R01_EXPERIMENTAL_CURRENT_DISSBL = 1) , display "use"; for Former users 12 Month
(R01_FORMER_USER_12MONTH_DISSBL = 1), display "used".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AD1076****

No one can tell when I [am I was] using dissolvable tobacco.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12

Month(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: For Current users and Current Experimental users (R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "am"; for Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), display "was".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

Variable(s): **R01_AD1072****

The advertising for dissolvable tobacco [appeals I appealed] to me.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month

(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: For Current users and Experimental Current users(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "appeals"; for Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), display "appealed".

GOTO: If (Current user OR Experimental Current user (R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1)) AND Current user CIG (R01_CURRENT_USER_CIGS = 1), go to R01_AD1086.

Else, If ((Current user OR Experimental Current user (R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1)) AND Former user 12 Month CIG (R01_FORMER_USER_12MONTH_CIGS = 1)) OR (Former user 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1) AND (Current user CIG (R01_CURRENT_USER_CIGS = 1) or Former user 12 Month CIG (R01_FORMER_USER_12MONTH_CIGS = 1))), go to R01_AD1080.

Else, go to the next section (see note on pg. v).

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AD1086**

In the past 30 days, have you used dissolvable tobacco at times when or in places where you could not smoke regular cigarettes?

- 1 Yes
- 2 No GO TO R01_AD1080
- 8 DON'T KNOW GO TO R01_AD1080
- 7 REFUSED GO TO R01_AD1080

ASK: Current users and Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1) who are also Current users of cigarettes (R01_CURRENT_USER_CIGS = 1).

Variable(s): **R01_AD1087**

How often do you use dissolvable tobacco at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users and Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 and respondents who used dissolvable tobacco when they could not smoke regular cigarettes (R01_AD1086=1).

Variable(s): **R01_AD1080****

[Do | Did] you use dissolvable tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month (R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or R01_FORMER_USER_12MONTH_DISSBL = 1) who are also Current users or Former users 12 Month of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_FORMER_USER_12MONTH_CIGS = 1).

DISPLAY: For Current users or Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "do"; For Former users 12 Month (R01_FORMER_USER_12MONTH_DISSBL = 1), display "did".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AD1081****

[Do | Did] you use dissolvable tobacco as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, and Former users 12 Month
(R01_CURRENT_USER_DISSBL = 1 or R01_EXPERIMENTAL_CURRENT_DISSBL = 1 or
R01_FORMER_USER_12MONTH_DISSBL = 1).

DISPLAY: For Current users or Experimental Current users (R01_CURRENT_USER_DISSBL = 1 or
R01_EXPERIMENTAL_CURRENT_DISSBL = 1), display "do"; For Former users 12 Month
(R01_FORMER_USER_12MONTH_DISSBL = 1) , display "did".

NOTES: INSTRUMENT ERROR: Values for R01_FORMER_USER_12MONTH_DISSBL were not
correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago.
The incorrect setting of the data collection variable also caused this item to be skipped incorrectly.

POLYUSE**BOX ID: R01_AN1**

PROGRAM: DEFINE THE FOLLOWING VARIABLES:

R01_CURRENT_PRODUCT_COUNT = 0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERYDAY OR SOME DAYS [R01_EVERYDAY_USER_CIGS = 1, R01_EVERYDAY_USER_ECIG = 1, R01_EVERYDAY_USER_GTRAD = 1, R01_EVERYDAY_USER_GRILLO = 1, R01_EVERYDAY_USER_GFILTR = 1, R01_EVERYDAY_USER_PIPE = 1, R01_EVERYDAY_USER_HOOK = 1, R01_EVERYDAY_USER_SMKLS = 1, R01_EVERYDAY_USER_SNUS = 1, R01_EVERYDAY_USER_DISSBL = 1, R01_SOME_DAY_USER_CIGS = 1, R01_SOME_DAY_USER_ECIG = 1, R01_SOME_DAY_USER_GTRAD = 1, R01_SOME_DAY_USER_GRILLO = 1, R01_SOME_DAY_USER_GFILTR = 1, R01_SOME_DAY_USER_PIPE = 1, R01_SOME_DAY_USER_HOOK = 1, R01_SOME_DAY_USER_SMKLS = 1, R01_SOME_DAY_USER_SNUS = 1, R01_SOME_DAY_USER_DISSBL = 1]. Range 0 to 10.

R01_SOME_DAY_PRODUCT_COUNT = 0 +1 FOR EVERY PRODUCT THE RESPONDENT USES SOME DAYS [R01_SOME_DAY_USER_CIGS = 1, R01_SOME_DAY_USER_ECIG = 1, R01_SOME_DAY_USER_GTRAD = 1, R01_SOME_DAY_USER_GRILLO = 1, R01_SOME_DAY_USER_GFILTR = 1, R01_SOME_DAY_USER_PIPE = 1, R01_SOME_DAY_USER_HOOK = 1, R01_SOME_DAY_USER_SMKLS = 1, R01_SOME_DAY_USER_SNUS = 1, R01_SOME_DAY_USER_DISSBL = 1]. Range 0 to 10.

R01_CURRENT_COMBUSTIBLE_USER = YES IF (R01_CURRENT_USER_CIGS = 1 or R01_CURRENT_USER_GTRAD = 1 or R01_CURRENT_USER_GRILLO = 1 or R01_CURRENT_USER_GFILTR = 1 or R01_CURRENT_USER_PIPE = 1 or R01_CURRENT_USER_HOOK = 1)

R01_CURRENT_NONCOMBUSTIBLE_USER = YES IF (R01_CURRENT_USER_SMKLS = 1 or R01_CURRENT_USER_SNUS = 1 or R01_CURRENT_USER_DISSBL = 1)

R01_TOBACCO_PRODUCT_LIST = [A LIST OF ALL TOBACCO PRODUCTS THE RESPONDENT USES]

Format the list with commas between each product name, with “, and” before the last item in the list.

If R01_CURRENT_USER_CIGS=1 (Yes) or R01_EXPERIMENTAL_CURRENT_CIGS= 1 (Yes) then include “cigarettes” in the TOBACCO PRODUCT LIST

If R01_CURRENT_USER_ECIG=1 (Yes) or R01_EXPERIMENTAL_CURRENT_ECIG= 1 (Yes) then include “e-cigarettes” in the TOBACCO PRODUCT LIST

If R01_CURRENT_USER_GTRAD=1 (Yes) or R01_EXPERIMENTAL_CURRENT_GTRAD=1 (Yes) then include “cigars” in the TOBACCO PRODUCT LIST

If R01_CURRENT_USER_GRILLO=1 (Yes) or R01_EXPERIMENTAL_CURRENT_GRILLO=1 (Yes) then include “cigarillos” in the TOBACCO PRODUCT LIST

If R01_CURRENT_USER_GFILTR=1 (Yes) or R01_EXPERIMENTAL_CURRENT_GFILTR=1 (Yes) then include “filtered cigars” in the TOBACCO PRODUCT LIST

If R01_CURRENT_USER_PIPE=1 (Yes) or R01_EXPERIMENTAL_CURRENT_PIPE=1 (Yes) then include “pipe” in the TOBACCO PRODUCT LIST

If R01_CURRENT_USER_HOOK=1 (Yes) or R01_EXPERIMENTAL_CURRENT_HOOK=1 (Yes) then include “hookah” in the TOBACCO PRODUCT LIST

If R01_CURRENT_USER_SNUS=1 (Yes) or R01_EXPERIMENTAL_CURRENT_SNUS=1 (Yes) then include “snus” in the TOBACCO PRODUCT LIST

If R01_CURRENT_USER_SMKLS=1 (Yes) OR R01_EXPERIMENTAL_CURRENT_SMKLS=1 (Yes) then include “smokeless tobacco” in the TOBACCO PRODUCT LIST

PATH Study Wave 1 Adult Public Use File Annotated Instrument

If R01_CURRENT_USER_DISSBL=1 (Yes) OR R01_EXPERIMENTAL_CURRENT_DISSBL=1 (Yes) then include "dissolvable tobacco" in the TOBACCO PRODUCT LIST

DEFINE THE FOLLOWING VARIABLES (SEE APPENDIX):

R01_EVER_USER_TOBACCO: Has ever used any tobacco product. (IF R01_EVER_USER_CIGS = 1 OR R01_EVER_USER_ECIG = 1 OR R01_EVER_USER_GTRAD = 1 OR R01_EVER_USER_GRILLO = 1 OR R01_EVER_USER_GFILTR = 1 OR R01_EVER_USER_PIPE = 1 OR R01_EVER_USER_HOOK = 1 OR R01_EVER_USER_SNUS = 1 OR R01_EVER_USER_SMKLS = 1 OR R01_EVER_USER_DISSBL = 1, THEN R01_EVER_USER_TOBACCO = 1 (YES). ELSE, R01_EVER_USER_TOBACCO = 2 (NO).)

R01_CURRENT_USER_TOBACCO: Has ever used any tobacco product, and is a current user of at least one tobacco product. (IF R01_CURRENT_USER_CIGS = 1 OR R01_CURRENT_USER_ECIG = 1 OR R01_CURRENT_USER_GTRAD = 1 OR R01_CURRENT_USER_GRILLO = 1 OR R01_CURRENT_USER_GFILTR = 1 OR R01_CURRENT_USER_PIPE = 1 OR R01_CURRENT_USER_HOOK = 1 OR R01_CURRENT_USER_SNUS = 1 OR R01_CURRENT_USER_SMKLS = 1 OR R01_CURRENT_USER_DISSBL = 1, THEN R01_CURRENT_USER_TOBACCO = 1 (YES). ELSE, R01_CURRENT_USER_TOBACCO = 2 (NO).)

R01_SOME_DAY_USER_TOBACCO: Has ever used any tobacco product, and is not an everyday user of any tobacco product and is a some day user of at least one tobacco product OR a some day poly user. (IF (R01 Everyday_USER_CIGS = 2 AND R01 Everyday_USER_ECIG = 2 AND R01 Everyday_USER_GTRAD = 2 R01 Everyday_USER_GRILLO = 2 AND R01 Everyday_USER_GFILTR = 2 AND R01 Everyday_USER_PIPE = 2 AND R01 Everyday_USER_HOOK = 2 AND R01 Everyday_USER_SNUS = 2 AND R01 Everyday_USER_SMKLS = 2 AND R01 Everyday_USER_DISSBL = 2) AND (R01_SOME_DAY_USER_CIGS = 1 OR R01_SOME_DAY_USER_ECIG = 1 OR R01_SOME_DAY_USER_GTRAD = 1 R01_SOME_DAY_USER_GRILLO = 1 OR R01_SOME_DAY_USER_GFILTR = 1 OR R01_SOME_DAY_USER_PIPE = 1 OR R01_SOME_DAY_USER_HOOK = 1 OR R01_SOME_DAY_USER_SNUS = 1 OR R01_SOME_DAY_USER_SMKLS = 1 OR R01_SOME_DAY_USER_DISSBL = 1 OR R01_AY0005 = 2), THEN R01_SOME_DAY_USER_TOBACCO = 1 (YES). ELSE, R01_SOME_DAY_USER_TOBACCO = 2 (NO).)

R01_EXPERIMENTAL_CURRENT_TOBACCO: Has ever used any tobacco product and is NOT a current user of any product, and is an experimental current user of at least one tobacco product. (IF (R01_CURRENT_USER_CIGS = 2 AND R01_CURRENT_USER_ECIG = 2 AND R01_CURRENT_USER_GTRAD = 2 R01_CURRENT_USER_GRILLO = 2 AND R01_CURRENT_USER_GFILTR = 2 AND R01_CURRENT_USER_PIPE = 2 AND R01_CURRENT_USER_HOOK = 2 AND R01_CURRENT_USER_SNUS = 2 AND R01_CURRENT_USER_SMKLS = 2 AND R01_CURRENT_USER_DISSBL = 2) AND (R01_EXPERIMENTAL_CURRENT_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_ECIG = 1 OR R01_EXPERIMENTAL_CURRENT_GTRAD = 1 R01_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R01_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_HOOK = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_DISSBL = 1), THEN R01_EXPERIMENTAL_CURRENT_TOBACCO = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_TOBACCO = 2 (NO).)

R01_EXPERIMENTAL_FORMER_TOBACCO: Has ever used any tobacco product and is NOT a current user of any product, and is an experimental former user of at least one tobacco product. Note: These users may not be totally abstinent. They may include experimental users of one or more products. (IF (R01_CURRENT_USER_CIGS = 2 AND R01_CURRENT_USER_ECIG = 2 AND R01_CURRENT_USER_GTRAD = 2 R01_CURRENT_USER_GRILLO = 2 AND R01_CURRENT_USER_GFILTR = 2 AND R01_CURRENT_USER_PIPE = 2 AND

R01_CURRENT_USER_HOOK = 2 AND R01_CURRENT_USER_SNUS = 2 AND
R01_CURRENT_USER_SMKLS = 2 AND R01_CURRENT_USER_DISSBL = 2) AND
(R01_EXPERIMENTAL_FORMER_CIGS = 1 OR R01_EXPERIMENTAL_FORMER_ECIG = 1 OR
R01_EXPERIMENTAL_FORMER_GTRAD = 1 R01_EXPERIMENTAL_FORMER_GRILLO = 1 OR
R01_EXPERIMENTAL_FORMER_GFILTR = 1 OR R01_EXPERIMENTAL_FORMER_PIPE = 1 OR
R01_EXPERIMENTAL_FORMER_HOOK = 1 OR R01_EXPERIMENTAL_FORMER_SNUS = 1 OR
R01_EXPERIMENTAL_FORMER_SMKLS = 1 OR R01_EXPERIMENTAL_FORMER_DISSBL = 1),
THEN R01_EXPERIMENTAL_FORMER_TOBACCO = 1 (YES).

ELSE, R01_EXPERIMENTAL_FORMER_TOBACCO = 2 (NO).)

R01_FORMER_USER_TOBACCO: Has ever used a tobacco product, has been a regular user of a tobacco product, and does not now use ANY tobacco product. (IF (R01_CURRENT_USER_CIGS = 2 AND R01_CURRENT_USER_ECIG = 2 AND R01_CURRENT_USER_GTRAD = 2 AND R01_CURRENT_USER_GRILLO = 2 AND R01_CURRENT_USER_GFILTR = 2 AND R01_CURRENT_USER_PIPE = 2 AND R01_CURRENT_USER_HOOK = 2 AND R01_CURRENT_USER_SNUS = 2 AND R01_CURRENT_USER_SMKLS = 2 AND R01_CURRENT_USER_DISSBL = 2) AND (R01_FORMER_USER_CIGS = 1 OR R01_FORMER_USER_ECIG = 1 OR R01_FORMER_USER_GTRAD = 1 OR R01_FORMER_USER_GRILLO = 1 OR R01_FORMER_USER_GFILTR = 1 OR R01_FORMER_USER_PIPE = 1 OR R01_FORMER_USER_HOOK = 1 OR R01_FORMER_USER_SNUS = 1 OR R01_FORMER_USER_SMKLS = 1 OR R01_FORMER_USER_DISSBL = 1), THEN R01_FORMER_USER_TOBACCO = 1 (YES).

ELSE, R01_FORMER_USER_TOBACCO = 2 (NO).) Note: These users may not be totally abstinent. They may include experimental users of one or more products.

R01_FORMER_USER_12MONTH_TOBACCO: Has ever used a tobacco product, has been a regular user of a tobacco product, and does not now use ANY tobacco product, and quit in the past 12 months. (IF (R01_CURRENT_USER_CIGS = 2 AND R01_CURRENT_USER_ECIG = 2 AND R01_CURRENT_USER_GTRAD = 2 R01_CURRENT_USER_GRILLO = 2 AND R01_CURRENT_USER_GFILTR = 2 AND R01_CURRENT_USER_PIPE = 2 AND R01_CURRENT_USER_HOOK = 2 AND R01_CURRENT_USER_SNUS = 2 AND R01_CURRENT_USER_SMKLS = 2 AND R01_CURRENT_USER_DISSBL = 2) AND (R01_FORMER_USER_12MONTH_CIGS = 1 OR R01_FORMER_USER_12MONTH_ECIG = 1 OR R01_FORMER_USER_12MONTH_GTRAD = 1 R01_FORMER_USER_12MONTH_GRILLO = 1 OR R01_FORMER_USER_12MONTH_GFILTR = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1 OR R01_FORMER_USER_12MONTH_HOOK = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1 OR R01_FORMER_USER_12MONTH_DISSBL = 1), THEN R01_FORMER_USER_12MONTH_TOBACCO = 1 (YES).

ELSE, R01_FORMER_USER_12MONTH_TOBACCO = 2 (NO).) Note: These users may not be totally abstinent. They may include experimental users of one or more products.

GO TO:

If R01_FORMER_USER_12MONTH_TOBACCO = 1, go to the next section (see note on pg. v).

Else, If R01_CURRENT_USER_TOBACCO = 2, go to the next section (see note on pg. v).

If R01_SOME_DAY_PRODUCT_COUNT > 1 and R01 EVERYDAY_USER_TOBACCO = 2, go to R01_AY0005.

Else, go to BOX R01_AN2.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AY0005****

You mentioned that you use [TOBACCO PRODUCT LIST] on some days.

Thinking about [both/all] of these products, do you now use at least one of them every day or are there some days you do not use [either/any] of these products?

- 1 I use at least one of these products every day
- 2 There are some days I don't use [either/any] of these products
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who are Some day users of more than one tobacco product (R01_SOME_DAY_PRODUCT_COUNT>1) and are not Everyday Users of any products (R01_EVERY_DAY_USER_CIGS = 2 AND R01_EVERY_DAY_USER_ECIG = 2 AND R01_EVERY_DAY_USER_GTRAD = 2 AND R01_EVERY_DAY_USER_GRILLO = 2 AND R01_EVERY_DAY_USER_GFILTR = 2 AND R01_EVERY_DAY_USER_PIPE = 2 AND R01_EVERY_DAY_USER_HOOK = 2 AND R01_EVERY_DAY_USER_SNUS = 2 AND R01_EVERY_DAY_USER_SMKLS = 2 AND R01_EVERY_DAY_USER_DISSBL = 2). PROGRAM: If R01_CURRENT_PRODUCT_COUNT = 2, display "both" and "either".

DISPLAY: If R01_CURRENT_PRODUCT_COUNT = 2, display "both" and "either". If R01_CURRENT_PRODUCT_COUNT > 2, display "all" and "any".

NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by some respondents who were some day users of more than one tobacco product and not every day users of any products.

BOX ID: **R01_AN2**

PROGRAM: Define the following variables (see Appendix):

R01_EVERYDAY_USER_TOBACCO: Has ever used any tobacco product, and is an everyday user of at least one tobacco product OR an everyday poly user (IF R01_EVERYDAY_USER_CIGS = 1 OR R01_EVERYDAY_USER_ECIG = 1 OR R01_EVERYDAY_USER_GTRAD = 1 OR R01_EVERYDAY_USER_GRILLO = 1 OR R01_EVERYDAY_USER_GFILTR = 1 OR R01_EVERYDAY_USER_PIPE = 1 OR R01_EVERYDAY_USER_HOOK = 1 OR R01_EVERYDAY_USER_SNUS = 1 OR R01_EVERYDAY_USER_SMKLS = 1 OR R01_EVERYDAY_USER_DISSBL = 1 OR R01_AY0005 = 1, THEN R01_EVERYDAY_USER_TOBACCO = 1 (YES). ELSE, R01_EVERYDAY_USER_TOBACCO = 2 (NO).).

AFTER CREATING NEW VARIABLES, DO THE FOLLOWING:

GO TO: If R01_EVERYDAY_USER_TOBACCO = 1 AND R01_CURRENT_PRODUCT_COUNT > 1, go to R01_AY0010.

Else, go to BOX R01_AN3.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AY0010_NN; R01_AY0010_UN
You mentioned that you use [TOBACCO PRODUCT LIST]. How soon after waking do you usually first use any one of these products? 1 __ __ Minutes GO TO BOX R01_AN3 2 __ __ Hours GO TO BOX R01_AN3 -8 DON'T KNOW -7 REFUSED ASK: Everyday tobacco users who use more than one tobacco product (R01_CURRENT_PRODUCT_COUNT>1). NOTE: The value "1" refers to R01_AY0010_UN = minutes, the value "2" refers to R01_AY0010_UN = hours.

Variable(s): R01_AY0015
Would you say you have your first tobacco product within the first 30 minutes after you wake up? 1 Yes 2 No 3 It varies -8 DON'T KNOW -7 REFUSED ASK: Everyday tobacco users who don't know or refuse to answer how soon after waking up (R01_EVERYDAY_USER_TOBACCO = 1 AND R01_AY0010_NN=-8,-7).

BOX ID: R01_AN3
DEFINE: CREATE AN ARRAY <u>USEPROD</u> WITH 10 ELEMENTS - ONE FOR EACH TOBACCO TYPE THAT IDENTIFIES WHETHER THE RESPONDENT IS A CURRENT OR SOME DAY USER OF THE SPECIFIC TOBACCO TYPE. USEPROD(1-10): Current users of: (1) cigarettes; (2) e-cigarettes; (3) Traditional cigars; (4) Cigarillos; (5) Filtered cigars; (6) Pipes; (7) Hookahs; (8) Snus pouches; (9) Smokeless tobacco (10) Dissolvable tobacco; CREATE AN ARRAY <u>HNUPROD</u> WITH 9 ELEMENTS – ONE FOR EACH TOBACCO TYPE (EXCLUDING CIGARETTES) – THAT IDENTIFIES WHETHER THE RESPONDENT HAS HEARD OF BUT NEVER USED THE SPECIFIC TOBACCO TYPE. HNUPROD(1-9): Heard of but have never used: (1) e-cigarettes; (2) Traditional cigars; (3) Cigarillos; (4) Filtered cigars; (5) Pipes; (6) Hookahs; (7) Snus pouches; (8) Dissolvable tobacco; (9) Smokeless tobacco. R01_AX0307 and R01_AX0306 are not asked if respondent has never heard of any other tobacco products.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0307#_01 through R01_AX0307#_10 Where # = E (E-cigarettes) T (Traditional cigars) G (Cigarillos) F (Filtered cigars) P (Pipes) H (Hookah) U (Snus) D (Dissolvable tobacco) S (Smokeless tobacco) C (Cigarettes)

Have you considered switching from [USEPROD(1-10)] to any of the following products? Choose all that apply.

- 1 I have not considered switching to another product
- 2 [FILL RESPONSE OPTIONS WITH HNUPROD(1-9)]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users of [USEPROD(1-10)] (R01_CURRENT_USER_CIGS = 1, R01_CURRENT_USER_ECIG = 1, R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1, R01_CURRENT_USER_PIPE = 1, R01_CURRENT_USER_HOOK = 1, R01_CURRENT_USER_SMKLS = 1, R01_CURRENT_USER_SNUS = 1, R01_CURRENT_USER_DISSBL = 1). Ask the question one time for each product in USEPROD(1-10). Each time the question is asked, fill response options with HNUPROD(1-9).

PROGRAM: Note - This question will ask about switching from each product the respondent uses to all products they have heard of but never used. This is not asked if respondent has never heard of any other tobacco products.

Variable(s): R01_AX0306#_01 through R01_AX0306#_10 Where # = E (E-cigarettes) T (Traditional cigars) G (Cigarillos) F (Filtered cigars) P (Pipes) H (Hookah) U (Snus) D (Dissolvable tobacco) S (Smokeless tobacco) C (Cigarettes)

Have you considered using any of the following products in addition to [USEPROD(1-10)]? Choose all that apply.

- 1 I have not considered using additional products
- 2 [FILL RESPONSE OPTIONS WITH HNUPROD(1-9)]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Some day users of [USEPROD(1-10)] (R01_CURRENT_USER_CIGS = 1, R01_CURRENT_USER_ECIG = 1, R01_CURRENT_USER_GTRAD = 1, R01_CURRENT_USER_GRILLO = 1, R01_CURRENT_USER_GFILTR = 1, R01_CURRENT_USER_PIPE = 1, R01_CURRENT_USER_HOOK = 1, R01_CURRENT_USER_SMKLS = 1, R01_CURRENT_USER_SNUS = 1, R01_CURRENT_USER_DISSBL = 1, R01_SOME_DAY_USER_CIGS = 1, R01_SOME_DAY_USER_ECIG = 1, R01_SOME_DAY_USER_GTRAD = 1, R01_SOME_DAY_USER_GRILLO = 1, R01_SOME_DAY_USER_GFILTR = 1, R01_SOME_DAY_USER_PIPE = 1, R01_SOME_DAY_USER_HOOK = 1, R01_SOME_DAY_USER_SMKLS = 1, R01_SOME_DAY_USER_SNUS = 1, R01_SOME_DAY_USER_DISSBL = 1). Ask the question one time for all products in USEPROD(1-10). The question is asked once, fill response options with HNUPROD(1-9).

PROGRAM: Note - This question will ask about using products they've heard of in addition to products they use. This is not asked if respondent has never heard of any other tobacco products.

NICOTINE DEPENDENCE

BOX ID: R01_AN5

DEFINE THE FOLLOWING VARIABLES:

R01_EXPERIMENTAL_PRODUCT_COUNT: = 0 +1 FOR EVERY PRODUCT THE RESPONDENT IS AN EXPERIMENTAL CURRENT USER OF [CIGARETTES, E-CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS POUCHES, DISSOLVABLE]. Range 0 to 10.

R01_FORMER_12M_PRODUCT_COUNT: = 0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A FORMER USER 12 MONTH OF [CIGARETTES, E-CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS POUCHES, DISSOLVABLE]. Range 0 to 10.

R01_NDSKIP: IF $[(R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT \geq 2) \text{ AND } (R01_CURRENT_USER_ECIG = 2 \text{ AND } R01_FORMER_USER_12MONTH_ECIG = 2)]$ THEN $R01_NDSKIP = 1$; ELSE IF $[(R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT \geq 3) \text{ AND } (R01_CURRENT_USER_ECIG = 1 \text{ OR } R01_FORMER_USER_12MONTH_ECIG = 1)]$ THEN $R01_NDSKIP = 2$; ELSE IF $[(R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 2) \text{ AND } (R01_CURRENT_USER_ECIG = 1 \text{ OR } R01_FORMER_USER_12MONTH_ECIG = 1)]$ THEN $R01_NDSKIP = 3$; ELSE $R01_NDSKIP = 0$.

ROUTE INSTRUCTIONS:

For Current users and former users that have quit using tobacco in the past 12 months (note these are established tobacco users, determined by the variable $R01_CURRENT_USER_TOBACCO = 1$ and $R01_FORMER_USER_12_MONTH_TOBACCO = 1$ in Appendix). Respondents will be asked the questions in the NDSKIP LOOP #1, NDSKIP LOOP #2, NDSKIP LOOP #3 and NDSKIP LOOP #4 sections up to two times, according to the following conditions:

Condition a) Respondents who currently use or formerly used in the past 12 months only one product. Condition a will be asked the questions in the loop one time, with fills tailored to their specific product.

Condition b) Respondents who currently use or formerly used in the past 12 months more than one product, where one of those products is/was an e-cigarette. Condition b will respond to the questions in the loop twice. The first time they will respond to questions with fills tailored to their e-cigarettes. The second time they will respond to questions with fills tailored to either:

(b1) their other specific product, if they use two products total (e-cigarettes + one other product),
or

(b2) their tobacco use overall, if they use more than two products total (e-cigarettes + tobacco).

There are a few questions for Condition b that are asked only 1 time, and not repeated in each loop.

Condition c) Respondents who currently use or formerly used in the past 12 months more than one product, where none of those products is an e-cigarette. Condition c will respond to the questions in the loop one time, with fills tailored to their tobacco use overall.

For experimental users who are experimenting with more than 1 product (note these are not established tobacco users, determined by the variable $R01_CURRENT_USER_TOBACCO = 0$ in Appendix). Experimental tobacco users who are not current tobacco users and who are experimenting with just one product will be asked the NRT/Rx NEQ questions but will skip the withdrawal/dependence

PATH Study Wave 1 Adult Public Use File Annotated Instrument

and quitting questions. Experimental tobacco users who are not current tobacco users and who are experimenting with more than one product will be asked the NRT/Rx NEQ questions and the withdrawal/dependence questions but will skip the quitting questions. Experimental users will furthermore be routed according to condition b, b1, b2 and c as described for Current users.

All other respondents will go to the NRT/Rx NEQ questions and will skip the withdrawal/dependence and quitting questions.

Condition	# Of Products Used (Currently or in past 12 months)	E-Cigarette User	Number of Times Through Section	Loop Order	NDSKIP value
a	1	n/a	1	n/a	0
b / b1	2	Yes	2	E-Cig / Product	3
c	2 or more	No	1	Overall tobacco	1
b / b2	3 or more	Yes	2	E-Cig / Overall tobacco	2

IF R01_CURRENT_USER_TOBACCO=1 OR R01_FORMER_USER_12_MONTH_TOBACCO = 1
ROUTE AS FOLLOWS:

IF [(R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 1)] GO TO R01_AN0005 and loop through the NDSKIP LOOP #1, NDSKIP LOOP #2, NDSKIP LOOP #3 and NDSKIP LOOP #4 sections ONCE using appropriate product specific fill as defined by the groups and fill specs below (condition a).

IF [(R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 2) AND (R01_CURRENT_USER_ECIG = 1 OR R01_FORMER_USER_12MONTH_ECIG = 1)] GO TO R01_AN0005 and loop through the NDSKIP LOOP #1, NDSKIP LOOP #2, NDSKIP LOOP #3 and NDSKIP LOOP #4 sections TWICE using appropriate product specific fills for each iteration (condition b / b1). Ask about their "other product" on the first loop and their e-cigarettes on the second loop.

IF [(R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT >= 2) AND (R01_CURRENT_USER_ECIG = 2 AND R01_FORMER_USER_12MONTH_ECIG = 2)] GO TO R01_AN0005 and loop through the NDSKIP LOOP #1, NDSKIP LOOP #2, NDSKIP LOOP #3 and NDSKIP LOOP #4 sections ONCE using the tobacco use fill (condition c).

IF [(R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT >= 3) AND (R01_CURRENT_USER_ECIG = 1 OR R01_FORMER_USER_12MONTH_ECIG = 1)] GO TO R01_AN0005 and loop through the NDSKIP LOOP #1, NDSKIP LOOP #2, NDSKIP LOOP #3 and NDSKIP LOOP #4 sections TWICE using the e-cigarette fill for one iteration and the tobacco use fill for the other iteration (condition b / b2). Ask about tobacco in general on the first loop and e-cigarettes on the second loop.

ELSE, IF (R01_CURRENT_USER_TOBACCO = 2 (NO) AND

PATH Study Wave 1 Adult Public Use File Annotated Instrument

R01_FORMER_USER_12_MONTH_TOBACCO = 0 AND R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) ROUTE AS FOLLOWS:

IF R01_EXPERIMENTAL_PRODUCT_COUNT = 1 GO TO R01_AN0005 and loop through the NDSKIP LOOP #1, NDSKIP LOOP #2, NDSKIP LOOP #3 and NDSKIP LOOP #4 sections ONCE using appropriate product specific fills as defined by the groups and fill specs below (condition a).

IF (R01_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R01_EXPERIMENTAL_CURRENT_ECIG = 1) GO TO R01_AN0005 and loop through the NDSKIP LOOP #1, NDSKIP LOOP #2, NDSKIP LOOP #3 and NDSKIP LOOP #4 sections TWICE, using appropriate product-specific fills as defined by the groups and fill specs below for each iteration (condition b / b1). Ask about their "other product" on the first loop and their e-cigarettes on the second loop.

IF (R01_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R01_EXPERIMENTAL_CURRENT_ECIG = 0) GO TO R01_AN0005 and loop through the NDSKIP LOOP #1, NDSKIP LOOP #2, NDSKIP LOOP #3 and NDSKIP LOOP #4 sections ONCE using the tobacco use fill (condition c).

IF (R01_EXPERIMENTAL_PRODUCT_COUNT >= 3 AND R01_EXPERIMENTAL_CURRENT_ECIG = 1) GO TO R01_AN0005 and ask all questions in the NDSKIP LOOP #1, NDSKIP LOOP #2, NDSKIP LOOP #3 and NDSKIP LOOP #4 sections TWICE, using the e-cigarette fill for one iteration and the tobacco use fill for the other iteration (condition b / b2). Ask about tobacco in general on the first loop and e-cigarettes on the second loop.

After completing the NDSKIP LOOP #1, NDSKIP LOOP #2, NDSKIP LOOP #3 and NDSKIP LOOP #4 sections the specified number of times, continue with the remainder of the nicotine dependence section, following appropriate skips.

ELSE, GO TO R01_AN0330 and follow appropriate skip patterns for all respondents.

DEFINE THE FOLLOWING RESPONSE GROUPS. IF R01_NDSKIP = 0 OR 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS.

IF R01_NDSKIP = 0, any one of the values in the table can be assigned to the GROUP variable. IF R01_NDSKIP = 3 any value **except** NE can be assigned to the GROUP variable.

Group and Definitions**NC = Cigarette smoker**

(R01_CURRENT_USER_CIGS = 1 OR R01_FORMER_USER_12MONTH_CIGS = 1) AND
 R01_CURRENT_USER_ECIG = 2 AND R01_FORMER_USER_12MONTH_ECIG = 2 AND
 R01_CURRENT_USER_GTRAD = 2 AND R01_FORMER_USER_12MONTH_GTRAD = 2 AND
 R01_CURRENT_USER_GRILLO = 2 AND R01_FORMER_USER_12MONTH_GRILLO = 2 AND
 R01_CURRENT_USER_GFILTR = 2 AND R01_FORMER_USER_12MONTH_GFILTR = 2 AND
 R01_CURRENT_USER_PIPE = 2 AND R01_FORMER_USER_12MONTH_PIPE = 2 AND
 R01_CURRENT_USER_HOOK = 2 AND R01_FORMER_USER_12MONTH_HOOK = 2 AND
 R01_CURRENT_USER_SNUS = 2 AND R01_FORMER_USER_12MONTH_SNUS = 2 AND
 R01_CURRENT_USER_SMKLS = 2 AND R01_FORMER_USER_12MONTH_SMKLS = 2 AND
 R01_CURRENT_USER_DISSBL = 2 AND R01_FORMER_USER_12MONTH_DISSBL = 2.

NE = E-cigarette user

R01_NDSKIP = 0 AND (R01_CURRENT_USER_ECIG = 1 OR
 R01_FORMER_USER_12MONTH_ECIG = 1) AND R01_CURRENT_USER_CIGS = 2 AND
 R01_FORMER_USER_12MONTH_CIGS = 2 AND R01_CURRENT_USER_GTRAD = 2 AND
 R01_FORMER_USER_12MONTH_GTRAD = 2 AND R01_CURRENT_USER_GRILLO = 2 AND
 R01_FORMER_USER_12MONTH_GRILLO = 2 AND R01_CURRENT_USER_GFILTR = 2 AND
 R01_FORMER_USER_12MONTH_GFILTR = 2 AND R01_CURRENT_USER_PIPE = 2 AND
 R01_FORMER_USER_12MONTH_PIPE = 2 AND R01_CURRENT_USER_HOOK = 2 AND
 R01_FORMER_USER_12MONTH_HOOK = 2 AND R01_CURRENT_USER_SNUS = 2 AND
 R01_FORMER_USER_12MONTH_SNUS = 2 AND R01_CURRENT_USER_SMKLS = 2 AND
 R01_FORMER_USER_12MONTH_SMKLS = 2 AND R01_CURRENT_USER_DISSBL = 2 AND
 R01_FORMER_USER_12MONTH_DISSBL = 2.

NG = Traditional cigar smoker

(R01_CURRENT_USER_GTRAD = 1 OR R01_FORMER_USER_12MONTH_GTRAD = 1) AND
 R01_CURRENT_USER_CIGS = 2 AND R01_FORMER_USER_12MONTH_CIGS = 2 AND
 R01_CURRENT_USER_ECIG = 2 AND R01_FORMER_USER_12MONTH_ECIG = 2 AND
 R01_CURRENT_USER_GRILLO = 2 AND R01_FORMER_USER_12MONTH_GRILLO = 2 AND
 R01_CURRENT_USER_GFILTR = 2 AND R01_FORMER_USER_12MONTH_GFILTR = 2 AND
 R01_CURRENT_USER_PIPE = 2 AND R01_FORMER_USER_12MONTH_PIPE = 2 AND
 R01_CURRENT_USER_HOOK = 2 AND R01_FORMER_USER_12MONTH_HOOK = 2 AND
 R01_CURRENT_USER_SNUS = 2 AND R01_FORMER_USER_12MONTH_SNUS = 2 AND
 R01_CURRENT_USER_SMKLS = 2 AND R01_FORMER_USER_12MONTH_SMKLS = 2 AND
 R01_CURRENT_USER_DISSBL = 2 AND R01_FORMER_USER_12MONTH_DISSBL = 2.

NL = Cigarillo smoker

(R01_CURRENT_USER_GRILLO = 1 OR R01_FORMER_USER_12MONTH_GRILLO = 1) AND
 R01_CURRENT_USER_CIGS = 2 AND R01_FORMER_USER_12MONTH_CIGS = 2 AND
 R01_CURRENT_USER_ECIG = 2 AND R01_FORMER_USER_12MONTH_ECIG = 2 AND
 R01_CURRENT_USER_GTRAD = 2 AND R01_FORMER_USER_12MONTH_GTRAD = 2 AND
 R01_CURRENT_USER_GFILTR = 2 AND R01_FORMER_USER_12MONTH_GFILTR = 2 AND
 R01_CURRENT_USER_PIPE = 2 AND R01_FORMER_USER_12MONTH_PIPE = 2 AND
 R01_CURRENT_USER_HOOK = 2 AND R01_FORMER_USER_12MONTH_HOOK = 2 AND
 R01_CURRENT_USER_SNUS = 2 AND R01_FORMER_USER_12MONTH_SNUS = 2 AND
 R01_CURRENT_USER_SMKLS = 2 AND R01_FORMER_USER_12MONTH_SMKLS = 2 AND
 R01_CURRENT_USER_DISSBL = 2 AND R01_FORMER_USER_12MONTH_DISSBL = 2.

NF = Filtered cigar smoker

PATH Study Wave 1 Adult Public Use File Annotated Instrument

(R01_CURRENT_USER_GFILTR = 1 OR R01_FORMER_USER_12MONTH_GFILTR = 1) AND
R01_CURRENT_USER_CIGS = 2 AND R01_FORMER_USER_12MONTH_CIGS = 2 AND
R01_CURRENT_USER_ECIG = 2 AND R01_FORMER_USER_12MONTH_ECIG = 2 AND
R01_CURRENT_USER_GTRAD = 2 AND R01_FORMER_USER_12MONTH_GTRAD = 2 AND
R01_CURRENT_USER_GRILLO = 2 AND R01_FORMER_USER_12MONTH_GRILLO = 2 AND
R01_CURRENT_USER_PIPE = 2 AND R01_FORMER_USER_12MONTH_PIPE = 2 AND
R01_CURRENT_USER_HOOK = 2 AND R01_FORMER_USER_12MONTH_HOOK = 2 AND
R01_CURRENT_USER_SNUS = 2 AND R01_FORMER_USER_12MONTH_SNUS = 2 AND
R01_CURRENT_USER_SMKLS = 2 AND R01_FORMER_USER_12MONTH_SMKLS = 2 AND
R01_CURRENT_USER_DISSBL = 2 AND R01_FORMER_USER_12MONTH_DISSBL = 2.

NP = Pipe smoker

(R01_CURRENT_USER_PIPE = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1) AND
R01_CURRENT_USER_CIGS = 2 AND R01_FORMER_USER_12MONTH_CIGS = 2 AND
R01_CURRENT_USER_ECIG = 2 AND R01_FORMER_USER_12MONTH_ECIG = 2 AND
R01_CURRENT_USER_GTRAD = 2 AND R01_FORMER_USER_12MONTH_GTRAD = 2 AND
R01_CURRENT_USER_GRILLO = 2 AND R01_FORMER_USER_12MONTH_GRILLO = 2 AND
R01_CURRENT_USER_GFILTR = 2 AND R01_FORMER_USER_12MONTH_GFILTR = 2 AND
R01_CURRENT_USER_HOOK = 2 AND R01_FORMER_USER_12MONTH_HOOK = 2 AND
R01_CURRENT_USER_SNUS = 2 AND R01_FORMER_USER_12MONTH_SNUS = 2 AND
R01_CURRENT_USER_SMKLS = 2 AND R01_FORMER_USER_12MONTH_SMKLS = 2 AND
R01_CURRENT_USER_DISSBL = 2 AND R01_FORMER_USER_12MONTH_DISSBL = 2.

NH = Hookah smoker

(R01_CURRENT_USER_HOOK = 1 OR R01_FORMER_USER_12MONTH_HOOK = 1) AND
R01_CURRENT_USER_CIGS = 2 AND R01_FORMER_USER_12MONTH_CIGS = 2 AND
R01_CURRENT_USER_ECIG = 2 AND R01_FORMER_USER_12MONTH_ECIG = 2 AND
R01_CURRENT_USER_GTRAD = 2 AND R01_FORMER_USER_12MONTH_GTRAD = 2 AND
R01_CURRENT_USER_GRILLO = 2 AND R01_FORMER_USER_12MONTH_GRILLO = 2 AND
R01_CURRENT_USER_GFILTR = 2 AND R01_FORMER_USER_12MONTH_GFILTR = 2 AND
R01_CURRENT_USER_PIPE = 2 AND R01_FORMER_USER_12MONTH_PIPE = 2 AND
R01_CURRENT_USER_SNUS = 2 AND R01_FORMER_USER_12MONTH_SNUS = 2 AND
R01_CURRENT_USER_SMKLS = 2 AND R01_FORMER_USER_12MONTH_SMKLS = 2 AND
R01_CURRENT_USER_DISSBL = 2 AND R01_FORMER_USER_12MONTH_DISSBL = 2.

NU = Snus pouch user

(R01_CURRENT_USER_SNUS = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1) AND
R01_CURRENT_USER_CIGS = 2 AND R01_FORMER_USER_12MONTH_CIGS = 2 AND
R01_CURRENT_USER_ECIG = 2 AND R01_FORMER_USER_12MONTH_ECIG = 2 AND
R01_CURRENT_USER_GTRAD = 2 AND R01_FORMER_USER_12MONTH_GTRAD = 2 AND
R01_CURRENT_USER_GRILLO = 2 AND R01_FORMER_USER_12MONTH_GRILLO = 2 AND
R01_CURRENT_USER_GFILTR = 2 AND R01_FORMER_USER_12MONTH_GFILTR = 2 AND
R01_CURRENT_USER_PIPE = 2 AND R01_FORMER_USER_12MONTH_PIPE = 2 AND
R01_CURRENT_USER_HOOK = 2 AND R01_FORMER_USER_12MONTH_HOOK = 2 AND
R01_CURRENT_USER_SMKLS = 2 AND R01_FORMER_USER_12MONTH_SMKLS = 2 AND
R01_CURRENT_USER_DISSBL = 2 AND R01_FORMER_USER_12MONTH_DISSBL = 2.

NS = Smokeless user

(R01_CURRENT_USER_SMKLS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1) AND
R01_CURRENT_USER_CIGS = 2 AND R01_FORMER_USER_12MONTH_CIGS = 2 AND
R01_CURRENT_USER_ECIG = 2 AND R01_FORMER_USER_12MONTH_ECIG = 2 AND
R01_CURRENT_USER_GTRAD = 2 AND R01_FORMER_USER_12MONTH_GTRAD = 2 AND

PATH Study Wave 1 Adult Public Use File Annotated Instrument

R01_CURRENT_USER_GRILLO = 2 AND R01_FORMER_USER_12MONTH_GRILLO = 2 AND
R01_CURRENT_USER_GFILTR = 2 AND R01_FORMER_USER_12MONTH_GFILTR = 2 AND
R01_CURRENT_USER_PIPE = 2 AND R01_FORMER_USER_12MONTH_PIPE = 2 AND
R01_CURRENT_USER_HOOK = 2 AND R01_FORMER_USER_12MONTH_HOOK = 2 AND
R01_CURRENT_USER_SNUS = 2 AND R01_FORMER_USER_12MONTH_SNUS = 2 AND
R01_CURRENT_USER_DISSBL = 2 AND R01_FORMER_USER_12MONTH_DISSBL = 2.

ND = Dissolvable user

(R01_CURRENT_USER_DISSBL = 1 OR R01_FORMER_USER_12MONTH_DISSBL = 1) AND
R01_CURRENT_USER_CIGS = 2 AND R01_FORMER_USER_12MONTH_CIGS = 2 AND
R01_CURRENT_USER_ECIG = 2 AND R01_FORMER_USER_12MONTH_ECIG = 2 AND
R01_CURRENT_USER_GTRAD = 2 AND R01_FORMER_USER_12MONTH_GTRAD = 2 AND
R01_CURRENT_USER_GRILLO = 2 AND R01_FORMER_USER_12MONTH_GRILLO = 2 AND
R01_CURRENT_USER_GFILTR = 2 AND R01_FORMER_USER_12MONTH_GFILTR = 2 AND
R01_CURRENT_USER_PIPE = 2 AND R01_FORMER_USER_12MONTH_PIPE = 2 AND
R01_CURRENT_USER_HOOK = 2 AND R01_FORMER_USER_12MONTH_HOOK = 2 AND
R01_CURRENT_USER_SNUS = 2 AND R01_FORMER_USER_12MONTH_SNUS = 2 AND
R01_CURRENT_USER_SMKLS = 2 AND R01_FORMER_USER_12MONTH_SMKLS = 2.

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL1:**

IF R01_NDSKIP = 0 OR 3:

IF NC=YES, FILL WITH "smoke cigarettes"

IF R01_NDSKIP = 0 AND NE=YES, FILL WITH "use e-cigarettes"

IF NG=YES, FILL WITH "smoke cigars"

IF NL=YES, FILL WITH "smoke cigarillos"

IF NF=YES, FILL WITH "smoke filtered cigars"

IF NP=YES, FILL WITH "smoke a pipe"

IF NH=YES, FILL WITH "smoke hookah"

IF NU=YES, FILL WITH "use snus pouches"

IF NS=YES, FILL WITH "use smokeless tobacco"

IF ND=YES, FILL WITH "use dissolvable tobacco"

IF R01_NDSKIP = 1 FILL WITH "use tobacco"

IF R01_NDSKIP = 2 FILL WITH "use tobacco" the first time through the loop, and with "use e-cigarettes" the second time through the loop.

IF R01_NDSKIP = 3 AND NC = YES, FILL WITH "smoke cigarettes" the first time through the loop and "use e-cigarettes" the second time through the loop.

IF R01_NDSKIP = 3 AND (one-of NG, NL, NF, NP, NH, NU, NS, ND) = YES, FILL WITH appropriate fill as described above for each product the first time through the loop and "use e-cigarettes" the second time through the loop.

INSTRUMENT ERROR: Values for this fill were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, the following items were skipped incorrectly in each respective loop in the Nicotine Dependence section:

PATH Study Wave 1 Adult Public Use File Annotated Instrument

R01_AN0010, R01_AN0015, R01_AN0020, R01_AN0055, R01_AN0025, R01_AN0030, R01_AN0035, R01_AN0045, R01_AN0060, R01_AN0065, R01_AN0050, R01_AN0070, R01_AN0075, R01_AN0255, R01_AN0080, R01_AN0085, R01_AN0090, R01_AN0095, R01_AN0100, R01_AN0110, R01_AN0812, R01_AN0813, R01_AN0115, R01_AN0257, R01_AN0170, R01_AN0175_NN, R01_AN0180, R01_AN0205_NN, R01_AN0804, R01_AN0805, R01_AN0806, R01_AN0807, R01_AN0808, R01_AN0809, R01_AN0810, R01_AX0006, R01_AN0010E, R01_AN0015E, R01_AN0020E, R01_AN0055E, R01_AN0025E, R01_AN0030E, R01_AN0035E, R01_AN0045E, R01_AN0060E, R01_AN0065E, R01_AN0050E, R01_AN0070E, R01_AN0075E, R01_AN0080E, R01_AN0085E, R01_AN0090E, R01_AN0095E, R01_AN0100E, R01_AN0110E, R01_AN0812E, R01_AN0813E, R01_AN0115E, R01_AN0257E, R01_AN0150E, R01_AN0811E, R01_AN0180E, R01_AN0804E, R01_AN0805E, R01_AN0806E, R01_AN0807E, R01_AN0808E, R01_AN0809E, R01_AN0810E.

ND FILL2**:

IF R01_NDSKIP = 0 OR 3:

IF NC=YES FILL WITH "cigarettes"

IF R01_NDSKIP = 0 AND NE=YES FILL WITH "e-cigarettes"

IF NG=YES FILL WITH "cigars"

IF NL=YES FILL WITH "cigarillos"

IF NF=YES FILL WITH "filtered cigars"

IF NP=YES FILL WITH "pipe tobacco"

IF NH=YES FILL WITH "hookah"

IF NU=YES FILL WITH "snus pouches"

IF NS=YES FILL WITH "smokeless tobacco"

IF ND=YES FILL WITH "dissolvable tobacco"

IF R01_NDSKIP = 1 FILL WITH "tobacco"

IF R01_NDSKIP = 2 FILL WITH "tobacco" the first time through the loop, and with "e-cigarettes" the second time through the loop.

IF R01_NDSKIP = 3 AND NC = YES, FILL WITH "cigarettes" the first time through the loop and "e-cigarettes" the second time through the loop.

IF R01_NDSKIP = 3 AND (one-of NG, NL, NF, NP, NH, NU, NS, ND) = YES, FILL WITH appropriate fill as described above for each product the first time through the loop and "e-cigarettes" the second time through the loop.

INSTRUMENT ERROR: Values for this fill were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, the following items were skipped incorrectly in each respective loop in the Nicotine Dependence section:

R01_AN0010, R01_AN0015, R01_AN0020, R01_AN0055, R01_AN0025, R01_AN0030, R01_AN0035, R01_AN0045, R01_AN0060, R01_AN0065, R01_AN0050, R01_AN0070, R01_AN0075, R01_AN0255, R01_AN0080, R01_AN0085, R01_AN0090, R01_AN0095, R01_AN0100, R01_AN0110, R01_AN0812, R01_AN0813, R01_AN0115, R01_AN0257, R01_AN0170, R01_AN0175_NN, R01_AN0180, R01_AN0205_NN, R01_AN0804, R01_AN0805, R01_AN0806, R01_AN0807, R01_AN0808, R01_AN0809, R01_AN0810, R01_AX0006, R01_AN0010E, R01_AN0015E, R01_AN0020E, R01_AN0055E, R01_AN0025E, R01_AN0030E, R01_AN0035E, R01_AN0045E, R01_AN0060E, R01_AN0065E, R01_AN0050E, R01_AN0070E, R01_AN0075E, R01_AN0080E, R01_AN0085E, R01_AN0090E, R01_AN0095E, R01_AN0100E, R01_AN0110E, R01_AN0812E, R01_AN0813E, R01_AN0115E, R01_AN0257E, R01_AN0150E, R01_AN0811E, R01_AN0180E, R01_AN0804E,

PATH Study Wave 1 Adult Public Use File Annotated Instrument

R01_AN0805E, R01_AN0806E, R01_AN0807E, R01_AN0808E, R01_AN0809E, R01_AN0810E.

ND FILL3:**

IF R01_NDSKIP = 0 OR 3:

IF NC=YES FILL WITH "smoking cigarettes"

IF R01_NDSKIP = 0 AND NE=YES FILL WITH "using e-cigarettes"

IF NG=YES FILL WITH "smoking cigars"

IF NL=YES FILL WITH "smoking cigarillos"

IF NF=YES FILL WITH "smoking filtered cigars"

IF NP=YES FILL WITH "smoking a pipe"

IF NH=YES FILL WITH "smoking hookah"

IF NU=YES FILL WITH "using snus pouches"

IF NS=YES FILL WITH "using smokeless tobacco"

IF ND=YES FILL WITH "using dissolvable tobacco"

IF R01_NDSKIP = 1 FILL WITH "using tobacco"

IF R01_NDSKIP = 2 FILL WITH "using tobacco" the first time through the loop, and with "using e-cigarettes" the second time through the loop.

IF R01_NDSKIP = 3 AND NC = YES, FILL WITH "smoking cigarettes" the first time through the loop and "using e-cigarettes" the second time through the loop.

IF R01_NDSKIP = 3 AND (one-of NG, NL, NF, NP, NH, NU, NS, ND) = YES, FILL WITH appropriate fill as described above for each product the first time through the loop and "using e-cigarettes" the second time through the loop.

INSTRUMENT ERROR: Values for this fill were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, the following items were skipped incorrectly in each respective loop in the Nicotine Dependence section:

R01_AN0010, R01_AN0015, R01_AN0020, R01_AN0055, R01_AN0025, R01_AN0030, R01_AN0035, R01_AN0045, R01_AN0060, R01_AN0065, R01_AN0050, R01_AN0070, R01_AN0075, R01_AN0255, R01_AN0080, R01_AN0085, R01_AN0090, R01_AN0095, R01_AN0100, R01_AN0110, R01_AN0812, R01_AN0813, R01_AN0115, R01_AN0257, R01_AN0170, R01_AN0175_NN, R01_AN0180, R01_AN0205_NN, R01_AN0804, R01_AN0805, R01_AN0806, R01_AN0807, R01_AN0808, R01_AN0809, R01_AN0810, R01_AX0006, R01_AN0010E, R01_AN0015E, R01_AN0020E, R01_AN0055E, R01_AN0025E, R01_AN0030E, R01_AN0035E, R01_AN0045E, R01_AN0060E, R01_AN0065E, R01_AN0050E, R01_AN0070E, R01_AN0075E, R01_AN0080E, R01_AN0085E, R01_AN0090E, R01_AN0095E, R01_AN0100E, R01_AN0110E, R01_AN0812E, R01_AN0813E, R01_AN0115E, R01_AN0257E, R01_AN0150E, R01_AN0811E, R01_AN0180E, R01_AN0804E, R01_AN0805E, R01_AN0806E, R01_AN0807E, R01_AN0808E, R01_AN0809E, R01_AN0810E.

ND FILL4:**

IF R01_NDSKIP = 0 OR 3:

IF NC=YES FILL WITH "cigarette smoking"

IF R01_NDSKIP = 0 AND NE=YES FILL WITH "e-cigarette use"

IF NG=YES FILL WITH "cigar smoking"

IF NL=YES FILL WITH "cigarillo smoking"

PATH Study Wave 1 Adult Public Use File Annotated Instrument

IF NF=YES FILL WITH “filtered cigar smoking”

IF NP=YES FILL WITH “pipe smoking”

IF NH=YES FILL WITH “hookah smoking”

IF NU=YES FILL WITH “snus pouch use”

IF NS=YES FILL WITH “smokeless tobacco use”

IF ND=YES FILL WITH “dissolvable tobacco use”

IF R01_NDSKIP = 1 FILL WITH “tobacco use”

IF R01_NDSKIP = 2 FILL WITH “tobacco use” the first time through the loop, and with “e-cigarette use” the second time through the loop.

IF R01_NDSKIP = 3 AND NC = YES, FILL WITH “cigarette smoking” the first time through the loop and “e-cigarette use” the second time through the loop.

IF R01_NDSKIP = 3 AND (one-of NG, NL, NF, NP, NH, NU, NS, ND) = YES, FILL WITH appropriate fill as described above for each product the first time through the loop and “e-cigarette use” the second time through the loop.

INSTRUMENT ERROR: Values for this fill were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, the following items were skipped incorrectly in each respective loop in the Nicotine Dependence section:

R01_AN0010, R01_AN0015, R01_AN0020, R01_AN0055, R01_AN0025, R01_AN0030, R01_AN0035, R01_AN0045, R01_AN0060, R01_AN0065, R01_AN0050, R01_AN0070, R01_AN0075, R01_AN0255, R01_AN0080, R01_AN0085, R01_AN0090, R01_AN0095, R01_AN0100, R01_AN0110, R01_AN0812, R01_AN0813, R01_AN0115, R01_AN0257, R01_AN0170, R01_AN0175_NN, R01_AN0180, R01_AN0205_NN, R01_AN0804, R01_AN0805, R01_AN0806, R01_AN0807, R01_AN0808, R01_AN0809, R01_AN0810, R01_AX0006, R01_AN0010E, R01_AN0015E, R01_AN0020E, R01_AN0055E, R01_AN0025E, R01_AN0030E, R01_AN0035E, R01_AN0045E, R01_AN0060E, R01_AN0065E, R01_AN0050E, R01_AN0070E, R01_AN0075E, R01_AN0080E, R01_AN0085E, R01_AN0090E, R01_AN0095E, R01_AN0100E, R01_AN0110E, R01_AN0812E, R01_AN0813E, R01_AN0115E, R01_AN0257E, R01_AN0150E, R01_AN0811E, R01_AN0180E, R01_AN0804E, R01_AN0805E, R01_AN0806E, R01_AN0807E, R01_AN0808E, R01_AN0809E, R01_AN0810E.

PROGRAM:

START ND SKIP LOOP #1

ND SKIP LOOP #1 includes R01_AN0005 through R01_AN0225/R01_AN0005E through R01_AN0225E. Question R01_AN0255 is only asked once – include in first loop; do not include “R01_AN0255E” in second loop.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0005
IF R01_NDSKIP = 0, NO TRANSITION TEXT SHOWN; GO DIRECTLY TO R01_AN0010. IF R01_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT: FIRST LOOP THROUGH SERIES DISPLAY: The next questions ask about your experience with [NDFILL2]. Please think only about [NDFILL2] as you answer these questions. We will ask you questions about e-cigarettes later. SECOND LOOP THROUGH SERIES DISPLAY: Now we would like to ask about your experience with e-cigarettes. Please think only about e-cigarettes as you answer these questions. IF R01_NDSKIP = 1, DISPLAY THE FOLLOWING TEXT: The next questions ask about your experience with tobacco products. You said that you have used the following tobacco products: [LIST ALL PRODUCTS RESPONDENT CURRENTLY USES OR HAS USED IN THE PAST 12 MONTHS, UP TO 9 TOTAL, USING NDFILL2 TEXT. IF ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 2) OR ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 0) AND R01_EXPERIMENTAL_PRODUCT_COUNT = 2)], SEPARATE WITH 'and'. IF ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT > 2) OR ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 0) AND R01_EXPERIMENTAL_PRODUCT_COUNT > 2)], SEPARATE WITH COMMAS WITH “, and” PRECEEDING LAST PRODUCT]. Please think about [both I all] of these products together as you answer the next series of questions. [If ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 2) OR ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 0) AND R01_EXPERIMENTAL_PRODUCT_COUNT = 2)], display “both”; if ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT > 2) OR ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 0) AND R01_EXPERIMENTAL_PRODUCT_COUNT > 2)], display “all”]. IF R01_NDSKIP = 2, DISPLAY THE FOLLOWING TEXT: FIRST LOOP THROUGH SERIES DISPLAY: The next questions ask about your experience with tobacco products and e-cigarettes. You said that you have used the following tobacco products, in addition to e-cigarettes: [LIST ALL PRODUCTS RESPONDENT CURRENTLY USES OR HAS USED IN THE PAST 12 MONTHS, UP TO 9 TOTAL, USING NDFILL2 TEXT. IF ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 2) OR ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 0) AND R01_EXPERIMENTAL_PRODUCT_COUNT = 2)], SEPARATE WITH 'and'. IF ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT > 2) OR ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 0) AND R01_EXPERIMENTAL_PRODUCT_COUNT > 2)], SEPARATE WITH COMMAS WITH “, and” PRECEEDING LAST PRODUCT]. We will first ask you questions about [LIST ALL PRODUCTS RESPONDENT CURRENTLY USES, UP TO 9 TOTAL, USING NDFILL2 TEXT. IF ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 2) OR ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 0) AND R01_EXPERIMENTAL_PRODUCT_COUNT = 2)], SEPARATE WITH 'and'. IF ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT > 2) OR ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 0) AND R01_EXPERIMENTAL_PRODUCT_COUNT > 2)], SEPARATE WITH COMMAS WITH “, and” PRECEEDING LAST PRODUCT]. Please think about [both I all] of these products together as you answer the next series of questions. We will ask you questions about e-cigarettes later. [If ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 2) OR ((R01_CURRENT_PRODUCT_COUNT +	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

R01_FORMER_12M_PRODUCT_COUNT = 0) AND R01_EXPERIMENTAL_PRODUCT_COUNT = 2)], display "both"; if [(R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT > 2) OR ((R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 0) AND R01_EXPERIMENTAL_PRODUCT_COUNT > 2)], display "all"].

SECOND LOOP THROUGH SERIES DISPLAY: Now we would like to ask about your experience with e-cigarettes. Please think only about e-cigarettes as you answer these questions.

ASK: Based on NDSKIP value.

Variable(s): R01_AN0010**; R01_AN0010E**

Do you consider yourself addicted to [ND FILL2]?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0010: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0010E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0015**; R01_AN0015E**

Do you ever have strong cravings to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0015: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0015E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

Variable(s): R01_AN0020**; R01_AN0020E**

Have you ever felt like you really needed to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0020: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0020E: If R01_NDSKIP=2 or 3: All Current tobacco, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0055**; R01_AN0055E**

Please rate your level of agreement for each statement using the following scale: 1= not true of me at all to 5=extremely true of me.

I find myself reaching for [ND FILL2] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0055: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0055E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

BOX ID: R01_AND02

Randomize order of items R01_AN0025-R01_AN0100/R01_AN0025E-R01_AN0100E.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AN0025**/**; R01_AN0025E****

I frequently crave [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0025: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0025E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.
DATA ERROR: Some respondents have missing data (-9) for R01_AN0025.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AN0030**/**; R01_AN0030E****

[My urges keep getting stronger if I don't I I still have urges to] [ND FILL1].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0030: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0030E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: DISPLAY: If Current or Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display "My urges keep getting stronger if I don't"; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display "I still have urges to".

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

DATA ERROR: Some respondents have missing data (-9) for R01_AN0030.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0035**/**; R01_AN0035E**

[FILL AS SHOWN BELOW] me.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0035: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0035E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: For R01_AN0035: IF R01_NDSKIP = 0, 3:

IF NC=YES FILL WITH "Cigarettes control"

IF NE=YES FILL WITH "E-cigarettes control"

IF NG=YES FILL WITH "Cigars control"

IF NL=YES FILL WITH "Cigarillos control"

IF NF=YES FILL WITH "Filtered cigars control"

IF NP=YES FILL WITH "Pipe smoking controls"

IF NH=YES FILL WITH "Hookah smoking controls"

IF NU=YES FILL WITH "Snus pouches control"

IF NS=YES FILL WITH "Smokeless tobacco controls"

IF ND=YES FILL WITH "Dissolvable tobacco controls"

IF R01_NDSKIP = 1, 2, fill with "Tobacco controls"

For R01_AN0035E: IF R01_NDSKIP = 2, 3 fill with "E-cigarettes control".

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

DATA ERROR: Some respondents have missing data (-9) for R01_AN0035.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0045**/**; R01_AN0045E**

[[My [ND FILL4] is out of control. I My urge to [ND FILL1] is out of control.]]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0045: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0045E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: If Current or Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display "My [ND FILL4] is out of control."; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display "My urge to [ND FILL1] is out of control."

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

DATA ERROR: Some respondents have missing data (-9) for R01_AN0045.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0060**/**; R01_AN0060E**

I usually want to [ND FILL1] right after I wake up.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0060: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0060E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.
DATA ERROR: Some respondents have missing data (-9) for R01_AN0060.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0065**/**; R01_AN0065E**
I can only go a couple of hours without [[ND FILL3] I wanting to [ND FILL1]]. 1 Not true of me at all 2 3 4 5 Extremely true of me -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0065: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1). For R01_AN0065E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1). DISPLAY: If Current or Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display "[ND FILL3]."; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display "wanting to [ND FILL1]." NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop. DATA ERROR: Some respondents have missing data (-9) for R01_AN0065.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0050**/**; R01_AN0050E**
[I frequently [ND FILL1] I find myself almost [ND FILL3]] without thinking about it.	
	1 Not true of me at all
	2
	3
	4
	5 Extremely true of me
	-8 DON'T KNOW
	-7 REFUSED
ASK: For R01_AN0050: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).	
For R01_AN0050E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).	
DISPLAY: If Current or Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display "I frequently [ND FILL1]"; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display "I find myself almost [ND FILL3]".	
NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.	
DATA ERROR: Some respondents have missing data (-9) for R01_AN0050.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0070**/**; R01_AN0070E**
[ND FILL3] [really helps I would really help] me feel better if I've been feeling down. 1 Not true of me at all 2 3 4 5 Extremely true of me -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0070: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1). For R01_AN0070E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1). DISPLAY: Make ND FILL3 titlecase. If Current or Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display "really helps"; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display "would really help". NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop. DATA ERROR: Some respondents have missing data (-9) for R01_AN0070.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AN0075**/**; R01_AN0075E****

[ND FILL3] helps me think better.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0075: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0075E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

GOTO: From R01_AN0075: If R01_NDSKIP=0, 1, 2 or 3, go to R01_AN0255.

From R01_AN0075E: If R01_NDSKIP=2 or 3, go to R01_AN0080E.

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.
DATA ERROR: Some respondents have missing data (-9) for R01_AN0075.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AN0255**/****

Most of the people I spend time with are tobacco users.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: All Current tobacco users, Former users 12 Month, and Current Experimental users
(R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or
R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

PROGRAM: If R01_NDSKIP=2 OR 3, only ask this question once; do not repeat in second loop.

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, this items was skipped incorrectly.

DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AN0080**/**; R01_AN0080E****

I [would]feel alone without my [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0080: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0080E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: If Current or Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display "would"; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), no display.

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

DATA ERROR: Some respondents have missing data (-9) for R01_AN0080.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0085**/**; R01_AN0085E**

[I would find it really hard to stop [ND FILL3]. I find it really hard to not [ND FILL 1].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0085: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0085E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: If Current or Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display 'I would find it really hard to stop [ND FILL3].'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display "I find it really hard to not [ND FILL 1].".

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

DATA ERROR: Some respondents have missing data (-9) for R01_AN0085.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AN0090**/**; R01_AN0090E****

[[I would find it hard to stop [ND FILL3] for a week. I would find it hard to not [ND FILL1] for another week.]]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0090: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0090E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: If Current or Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display 'I would find it hard to stop [ND FILL3] for a week.'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display "I would find it hard to not [ND FILL1] for another week."

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.
DATA ERROR: Some respondents have missing data (-9) for R01_AN0090.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AN0095**/**; R01_AN0095E****

[After not [ND FILL3] for a while, I need I I would like] to [ND FILL1] in order to feel less restless and irritable.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0095: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0095E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: If Current or Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display 'After not [ND FILL3] for a while, I need'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display "I would like".

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.
DATA ERROR: Some respondents have missing data (-9) for R01_AN0095.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0100**/**; R01_AN0100E**

[[After not [ND FILL3] for a while, I need I I feel like I need] to [ND FILL1] in order to keep myself from experiencing any discomfort.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0100: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0100E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: If Current or Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display 'After not [ND FILL3] for a while, I need; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display "I feel like I need".

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

DATA ERROR: Some respondents have missing data (-9) for R01_AN0100.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0110**; R01_AN0110E**

Do you believe that [ND FILL3] [is causing I caused] a health problem or [making I made] it worse?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0110: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0110E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: If Current or Current Experimental user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display "causing" and "making"; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display "caused" and "made".

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AN0812**; R01_AN0812E****

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because [ND FILL4] was not permitted at the activity?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0812: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

For R01_AN0812E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0813**; R01_AN0813E**
In the past 12 months, did you find it difficult to keep from [ND FILL3] in places where it was prohibited? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0813: If R01_NDSKIP=0, 1, 2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1). For R01_AN0813E: If R01_NDSKIP=2 or 3: All Current tobacco users, Former users 12 Month, and Current Experimental users (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1). GOTO: From R01_AN0813: If R01_NDSKIP=0 or 1: If R01_CURRENT_USER_TOBACCO = 1, go to R01_AN0105. Else, if R01_FORMER_USER_12MONTH_TOBACCO = 1, go to BOX R01_4. Else, if R01_EXPERIMENTAL_CURRENT_TOBACCO = 1, go to R01_AN0330. Else, if R01_NDSKIP=2 or 3: If R01_CURRENT_USER_TOBACCO = 1, go to R01_AN0105. Else, if R01_FORMER_USER_12MONTH_TOBACCO = 1, go to BOX R01_4. Else, if R01_EXPERIMENTAL_CURRENT_TOBACCO = 1, go back to R01_AN0005 to start the second time through loop #1. From R01_AN0813E: If R01_NDSKIP=2 or 3: If R01_CURRENT_USER_TOBACCO = 1, go to R01_AN0105E. Else, if R01_FORMER_USER_12MONTH_TOBACCO = 1, go to BOX R01_4. Else, if R01_EXPERIMENTAL_CURRENT_TOBACCO = 1, go to R01_AN0330. NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
In the past 12 months, have you tried to quit [ND FILL3]? Choose all that apply.	
R01_AN0105_01***; R01_AN0105E_01	1 Yes, I have tried to quit completely
R01_AN0105_02***; R01_AN0105E_02	2 Yes, I have tried to quit by reducing or cutting back
R01_AN0105_03***; R01_AN0105E_03	3 No, I have reduced or cut back instead of trying to quit
R01_AN0105_04***; R01_AN0105E_04	4 No, I have not tried to quit at all
	-8 DON'T KNOW
	-7 REFUSED
ASK: For R01_AN0105[_01../_04]: If R01_NDSKIP=0, 1, 2 or 3: Current tobacco users (R01_CURRENT_USER_TOBACCO = 1).	
For R01_AN0105E[_01../_04]: If R01_NDSKIP=2 or 3: Current tobacco users (R01_CURRENT_USER_TOBACCO = 1).	
PROGRAM: Options 1 or 2 cannot be selected if options 3 or 4 are selected.	
NOTES: DATA ERROR: Some respondents have missing data (-9) for R01_AN0105[_01../_04].	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_4

PROGRAM: Create new variables

Past year quitters and attempters. R01_12MoQuitAttempt=1, [IF (R01_AN0105_01 = 1 OR R01_AN0105_02 = 1) OR R01_FORMER_USER_12MONTH_TOBACCO=1]. ELSE, R01_12MoQuitAttempt=2.

Past year reducers. R01_12MoQuitCutdown=1, if R01_AN0105_03=1. ELSE, R01_12MoQuitCutdown=2.

GO TO: If R01_NDSKIP=0 or 1:

If Past year quitters and attempters (R01_12MoQuitAttempt = 1), go to R01_AN0115.

Else, go to R01_AN0330.

If R01_NDSKIP=2 or 3:

If Past year quitters and attempters (R01_12MoQuitAttempt = 1), go to R01_AN0115.

Else, go back to R01_AN0005 to start the second time through loop #1.

PROGRAM: Create new variables (e-cigarette loop)

Past year quitters and attempters (e-cigarette loop). R01_12MoQuitAttemptE=1, [IF (R01_AN0105E_01 = 1 OR R01_AN0105E_02 = 1) OR R01_FORMER_USER_12MONTH_ECIG=1]. ELSE, R01_12MoQuitAttemptE=2.

Past year reducers (e-cigarette loop). R01_12MoQuitCutdownE=1, if R01_AN0105E_03=1. ELSE, R01_12MoQuitCutdownE=2.

GO TO: If R01_NDSKIP=2 or 3: If Past year quitters and attempters (R01_12MoQuitAttemptE = 1), go to R01_AN0115E.

Else, go to R01_AN0330.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0115**; R01_AN0115E**
In total, how many times in the past 12 months have you tried to quit [ND FILL2] completely? 0 I did not try to quit in the past 12 months I__ __ __ -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0115: If R01_NDSKIP=0, 1, 2 or 3: Past year quitters and attempters (R01_12MoQuitAttempt=1). For R01_AN0115E: If R01_NDSKIP=2 or 3: Past year quitters and attempters (R01_12MoQuitAttemptE=1). GOTO: From R01_AN0115: If R01_NDSKIP=0 or 1: If Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who provided a valid response in (R01_AC1009_NN OR R01_AE1009_NN OR R01_AG1009TC_NN OR R01_AG1009CG_NN OR R01_AG1009FC_NN OR R01_AP1009_NN OR R01_AH1009_NN OR R01_AS1009SU_NN OR R01_AS1009SM_NN OR R01_AD1009_NN), go to R01_AN0257. Else, if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who did not provide a valid response in (R01_AC1009_NN AND R01_AE1009_NN AND R01_AG1009TC_NN AND R01_AG1009CG_NN AND R01_AG1009FC_NN AND R01_AP1009_NN AND R01_AH1009_NN AND R01_AS1009SU_NN AND R01_AS1009SM_NN AND R01_AD1009_NN), go to R01_AN0145. Else, If R01_AN0115=0, go to R01_AN0330. Else, go to R01_AN0120. If R01_NDSKIP=2 or 3: If Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who provided a valid response in (R01_AC1009_NN OR R01_AG1009TC_NN OR R01_AG1009CG_NN OR R01_AG1009FC_NN OR R01_AP1009_NN OR R01_AH1009_NN OR R01_AS1009SU_NN OR R01_AS1009SM_NN OR R01_AD1009_NN), go to R01_AN0257. Else, if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who did not provide a valid response in (R01_AC1009_NN AND R01_AG1009TC_NN AND R01_AG1009CG_NN AND R01_AG1009FC_NN AND R01_AP1009_NN AND R01_AH1009_NN AND R01_AS1009SU_NN AND R01_AS1009SM_NN AND R01_AD1009_NN), go to R01_AN0145. Else, If R01_AN0115=0, go back to R01_AN0005 to start the second time through loop #1. Else, go to R01_AN0120. From R01_AN0115E: If R01_NDSKIP=2 or 3: If Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who provided a valid response in R01_AE1009_NN, go to R01_AN0257E. Else, if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who did not provide a valid response in R01_AE1009_NN, go to R01_AN0145E. Else, If R01_AN0115E=0, go to R01_AN0330. Else, go to R01_AN0120E. Note: A valid response in R01_A*1009 means the respondent provided an answer, excluding -8 (DON'T KNOW) and -7 (REFUSED). NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0120; R01_AN0120E

In the past 12 months, have you stopped [ND FILL3] for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0120: If R01_NDSKIP=0, 1, 2 or 3: Current users

(R01_CURRENT_USER_TOBACCO = 1) who have tried to quit completely in the past 12 months ((R01_AN0105_01=1 OR R01_AN0105_02=1) AND R01_AN0115 >=1).

For R01_AN0120E: If R01_NDSKIP=2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to quit completely in the past 12 months ((R01_AN0105E_01=1 OR R01_AN0105E_02=1) AND R01_AN0115E >=1).

GOTO: From R01_AN0120: If R01_NDSKIP=0, 1, 2 or 3: IF R01_AN0120=1, GO TO R01_AN0125. Else, go to R01_AN0130.

From R01_AN0120E: If R01_NDSKIP=2 or 3: IF R01_AN0120E=1, GO TO R01_AN0125E. Else, go to R01_AN0130.

Variable(s): R01_AN0125; R01_AN0125E

In the past 12 months, how many times have you stopped [ND FILL3] for one day or longer because you were trying to quit?

- 1 1 time
- 2 2-3 times
- 3 4 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0125: If R01_NDSKIP=0, 1, 2 or 3: Current users

(R01_CURRENT_USER_TOBACCO = 1) who have tried to stop for one day or longer (R01_AN0120=1).

For R01_AN0125E: If R01_NDSKIP=2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to stop for one day or longer (R01_AN0120E=1).

GOTO: From R01_AN0125: If R01_NDSKIP=0, 1, 2 or 3: IF R01_AN0125=-8 OR -7, GO TO R01_AN0256.

ELSE, GO TO R01_AN0130.

From R01_AN0125E: If R01_NDSKIP=2 or 3: IF R01_AN0125E=-8 OR -7, GO TO R01_AN0256E. ELSE, GO TO R01_AN0130E.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0256; R01_AN0256E

Would you say that in the past 12 months it was more than 3 times that you have stopped [NDFILL3] for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0256: If R01_NDSKIP=0, 1, 2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who did not provide number of quit attempt times (R01_AN0125 = -8, -7).

For R01_AN0256E: If R01_NDSKIP=2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who did not provide number of quit attempt times (R01_AN0125E = -8, -7).

Variable(s): R01_AN0130_NN; R01_AN0130_UN; R01_AN0130E_NN; R01_AN0130E_UN

The last time you stopped [ND FILL3] in the past 12 months because you were trying to quit, how long did you stop for?

- 1 |__|__|__| Minutes
- 2 |__|__|__| Hours
- 3 |__|__|__| Days
- 4 |__|__|__| Weeks
- 5 |__|__|__| Months
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0130[NN/_ UN]: If R01_NDSKIP=0, 1, 2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to quit completely in the past 12 months ((R01_AN0105_01=1 OR R01_AN0105_02=1) AND R01_AN0115 >=1).

For R01_AN0130E[NN/_ UN]: If R01_NDSKIP=0, 1, 2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to quit completely in the past 12 months ((R01_AN0105E_01=1 OR R01_AN0105E_02=1) AND R01_AN0115E >=1).

PROGRAM: Display as Quantity/Units

NOTES: The value "1" refers to R01_AN0130_UN/R01_AN0130E_UN = minutes, the value "2" refers to R01_AN0130_UN/R01_AN0130E_UN = Hours, and the value "3" refers to R01_AN0130_UN/R01_AN0130E_UN = Days, the value "4" refers to R01_AN0130_UN/R01_AN0130E_UN = Weeks, the value "5" refers to R01_AN0130_UN/R01_AN0130E_UN = Months.GO TO: From R01_AN0130[NN/_ UN]: If R01_NDSKIP=0, 1, 2 or 3: IF R01_AN0130_NN = -8 OR -7, GO TO R01_AN0300.

ELSE, GO TO R01_AN0135.

From R01_AN0130E[NN/_ UN]: If R01_NDSKIP=2 or 3: IF R01_AN0130E_NN = -8 OR -7, GO TO R01_AN0300E.

ELSE, GO TO R01_AN0135E.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0300; R01_AN0300E

Was it more than a week, a week, or less than a week?

- 1 More than one week
- 2 One week
- 3 Less than one week
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0300: If R01_NDSKIP=0, 1, 2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who did not provide a duration for the last quit attempt (R01_AN0130_NN = -8, -7).

For R01_AN0300E: If R01_NDSKIP=2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who did not provide a duration for the last quit attempt (R01_AN0130E_NN = -8, -7).

Variable(s): R01_AN0135; R01_AN0135E

When was the approximate end date of this last quit attempt that lasted [enter duration from (R01_AN0130_NN/R01_AN0130E_NN) OR enter "more than a week" "less than a week" or "a week" from (R01_AN0300/R01_AN0300E)]?

- I__|__| MONTH I__|__| DAY I__|__|__|__| YEAR
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0135: If R01_NDSKIP=0, 1, 2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who provided a duration for the last quit attempt (R01_AN0130_NN != -8,-7).

For R01_AN0135E: If R01_NDSKIP=2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who provided a duration for the last quit attempt (R01_AN0130E_NN != -8,-7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0140**; R01_AN0140E**

In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without [ND FILL3] because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0140: If R01_NDSKIP=0, 1, 2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who provided a duration for the last quit attempt (R01_AN0130_NN != -8, -7).

For R01_AN0140E: If R01_NDSKIP=2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who provided a duration for the last quit attempt (R01_AN0130E_NN != -8, -7).

DISPLAY: For R01_AN0140: Fill "DURATION OF LAST QUIT ATTEMPT" with the duration from R01_AN0130_NN and R01_AN0130_UN (ex. "45 days").

For R01_AN0140E: Fill "DURATION OF LAST QUIT ATTEMPT" with the duration from R01_AN0130E_NN and R01_AN0130E_UN (ex. "45 days").

GOTO: From R01_AN0140: If R01_NDSKIP=0, 1, 2 or 3: If R01_CURRENT_USER_TOBACCO = 1 and R01_AN0140=1, -8 or -7, go to R01_AN0210.

Else, if R01_CURRENT_USER_TOBACCO = 1 and R01_AN0140=2, go to R01_AN0145.

Else, go to R01_AN0210.

From R01_AN0140E: If R01_NDSKIP=2 or 3: If R01_CURRENT_USER_TOBACCO = 1 and R01_AN0140E=1, -8 or -7, go to R01_AN0210E.

Else, if R01_CURRENT_USER_TOBACCO = 1 and R01_AN0140E=2, go to R01_AN0145E.

Else, go to R01_AN0210E.

NOTES: INSTRUMENT ERROR: These items were skipped incorrectly by respondents who reported an approximate end date of last quit attempt (R01_AN0135 or R01_AN0135E, respectively for each loop) as more than 12 months prior to the date of the interview.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0257**; R01_AN0257E**
You previously mentioned that you stopped [ND FILL3] [ENTER LENGTH OF TIME SINCE LAST USE IN R01_A*1009] ago. Is this the longest you have gone without [ND FILL3] in the past 12 months? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0257: If R01_NDSKIP=0 or 1: Former users 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who provided a valid response in (R01_AC1009_NN OR R01_AE1009_NN OR R01_AG1009TC_NN OR R01_AG1009CG_NN OR R01_AG1009FC_NN OR R01_AP1009_NN OR R01_AH1009_NN OR R01_AS1009SU_NN OR R01_AS1009SM_NN OR R01_AD1009_NN). If R01_NDSKIP=2 or 3: Former users 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who provided a valid response in (R01_AC1009_NN OR R01_AG1009TC_NN OR R01_AG1009CG_NN OR R01_AG1009FC_NN OR R01_AP1009_NN OR R01_AH1009_NN OR R01_AS1009SU_NN OR R01_AS1009SM_NN OR R01_AD1009_NN). For R01_AN0257E: If R01_NDSKIP=2 or 3: Former users 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who provided a valid response in R01_AE1009_NN. DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R01_A*1009] with time entered (ex. "45 days") in corresponding R01_A*1009 item by product: For R01_AN0257: IF R01_NDSKIP=0, 3: NC=R01_AC1009_NN NE=R01_AE1009_NN NG=R01_AG1009TC_NN NL=R01_AG1009CG_NN NF=R01_AG1009FC_NN NP=R01_AP1009_NN NH=R01_AH1009_NN NU=R01_AS1009SU_NN NS=R01_AS1009SM_NN ND=R01_AD1009_NN IF R01_NDSKIP = 1, 2: Use longest time period among R01_AC1009_NN, R01_AG1009TC_NN, R01_AG1009CG_NN, R01_AG1009FC_NN, R01_AP1009_NN, R01_AH1009_NN, R01_AS1009SU_NN, R01_AS1009SM_NN, R01_AD1009_NN. For R01_AN0257E: IF R01_NDSKIP = 2, 3: Use R01_AE1009. GOTO: From R01_AN0257: If R01_NDSKIP=0, 1, 2 or 3: IF R01_AN0257=2, GO TO R01_AN0145. ELSE, GO TO R01_AN0210. From R01_AN0257E: If R01_NDSKIP=2 or 3: IF R01_AN0257E=2, GO TO R01_AN0145E. ELSE, GO TO R01_AN0210E. NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE,	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop. R01_AN0257E was skipped incorrectly by respondents who answered R01_AE1009_NN and R01_AE1009_UN but were not former users in past 12 months of overall tobacco. A valid response in R01_A*1009 means the respondent provided an answer, excluding -8 (DON'T KNOW) and -7 (REFUSED).

Variable(s): **R01_AN0145_NN; R01_AN0145_UN; R01_AN0145E_NN; R01_AN0145E_UN**

In the past 12 months, what was the longest time you stopped [ND FILL3] because you were trying to quit?

- | | |
|-------------------------|------------------|
| 1 __ __ __ Minutes | GO TO R01_AN0210 |
| 2 __ __ __ Hours | GO TO R01_AN0210 |
| 3 __ __ __ Days | GO TO R01_AN0210 |
| 4 __ __ __ Weeks | GO TO R01_AN0210 |
| 5 __ __ __ Months | GO TO R01_AN0210 |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: For R01_AN0145[_NN/_UN]: If R01_NDSKIP=0 or 1: Current users and Former users 12 Month (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1) who said their last quit attempt was not their longest in the past 12 months (R01_AN0140=2 or R01_AN0257=2) or Former users 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who did not provide a valid response in (R01_AC1009_NN OR R01_AE1009_NN OR R01_AG1009TC_NN OR R01_AG1009CG_NN OR R01_AG1009FC_NN OR R01_AP1009_NN OR R01_AH1009_NN OR R01_AS1009SU_NN OR R01_AS1009SM_NN OR R01_AD1009_NN).

If R01_NDSKIP=2 or 3: Current users and Former users 12 Month (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1) who said their last quit attempt was not their longest in the past 12 months (R01_AN0140=2 or R01_AN0257=2) or Former users 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who did not provide a valid response in (R01_AC1009_NN OR R01_AG1009TC_NN OR R01_AG1009CG_NN OR R01_AG1009FC_NN OR R01_AP1009_NN OR R01_AH1009_NN OR R01_AS1009SU_NN OR R01_AS1009SM_NN OR R01_AD1009_NN).

For R01_AN0145E[_NN/_UN]: If R01_NDSKIP=2 or 3: Current users and Former users 12 Month (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1) who said their last quit attempt was not their longest in the past 12 months (R01_AN0140E=2 or R01_AN0257E=2) or Former users 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1) who did not provide a valid response in R01_AE1009_NN.

PROGRAM: Display as Quantity/Units

NOTES: NOTE: The value "1" refers to R01_AN0145_UN/R01_AN0145E_UN = minutes, the value "2" refers to R01_AN0145_UN/R01_AN0145E_UN = Hours, and the value "3" refers

R01_AN0145_UN/R01_AN0145E_UN = Days, the value "4" refers to

R01_AN0145_UN/R01_AN0145E_UN = Weeks, the value "5" refers to

R01_AN0145_UN/R01_AN0145E_UN = Months.GO TO: From R01_AN0145[_NN/_UN]: If R01_NDSKIP=0, 1, 2 or 3: IF R01_AN0145_NN=-8 OR -7, GO TO R01_AN0305.

Else, go to R01_AN0210.

From R01_AN0145E[_NN/_UN]: If R01_NDSKIP=2 or 3: IF R01_AN0145E_NN=-8 OR -7, GO TO R01_AN0305E.

Else, go to R01_AN0210E.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0305; R01_AN0305E

Was it more than a week, a week, or less than a week?

- 1 More than one week
- 2 One week
- 3 Less than one week
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0305: If R01_NDSKIP=0, 1, 2 or 3: Current users and Former users 12 Month (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1) who did not give a duration for their longest quit in the past 12 months (R01_AN0145_NN=-8 or -7).

For R01_AN0305E: If R01_NDSKIP=2 or 3: Current users and Former users 12 Month (R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1) who did not give a duration for their longest quit in the past 12 months (R01_AN0145E_NN=-8 or -7).

GOTO: From R01_AN0305: If R01_NDSKIP=0 or 1: IF R01_12MoQuitAttempt=1, GO TO R01_AN0210.

Else, go to R01_AN0330.

If R01_NDSKIP=2 or 3: IF R01_12MoQuitAttempt=1, GO TO R01_AN0210.

Else, go back to R01_AN0005 to start the second time through loop #1.

From R01_AN0305E: If R01_NDSKIP=2 or 3: IF R01_12MoQuitAttemptE=1, GO TO R01_AN0210E.

Else, go to R01_AN0330.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0210***; R01_AN0210E***

[Now we have some questions about different ways that can help people to stop using tobacco. I Now we have some questions about how you went about completely quitting using tobacco.]

Thinking back to [the time you tried to quit I the last time you tried to quit I when you quit] [ND FILL3] in the past 12 months, did you rely on the support of friends and family to help you?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0210: If R01_NDSKIP=0, 1, 2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttempt=1 AND (R01_AN0115 >= 1 OR R01_AN0115 = -8 OR -7)).

For R01_AN0210E: If R01_NDSKIP=2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttemptE=1 AND (R01_AN0115E >= 1 OR R01_AN0115E = -8 OR -7)).

DISPLAY: For R01_AN0210: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125>1 OR R01_AN0256=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'.

For R01_AN0210E: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125E=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125E>1 OR R01_AN0256E=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'.

PROGRAM: If R01_NDSKIP=2 or 3, only display introduction text in R01_AN0210; do not display introduction text in R01_AN0210E. If Current user of tobacco (R01_CURRENT_USER_TOBACCO = 1), display 'Now we have some questions about different ways that can help people to stop using tobacco.' If Former user 12 Month of tobacco (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'Now we have some questions about how you went about completely quitting using tobacco.' Else, no display text shown.

NOTES: DATA ERROR: Some respondents have missing data (-9) for these variables

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AN0215***; R01_AN0215E*****

Thinking back to [the time you tried to quit | the last time you tried to quit | when you quit] [ND FILL3] in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0215: If R01_NDSKIP=0, 1, 2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttempt=1 AND (R01_AN0115 >= 1 OR R01_AN0115 = -8 OR -7)).

For R01_AN0215E: If R01_NDSKIP=2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttemptE=1 AND (R01_AN0115E >= 1 OR R01_AN0115E = -8 OR -7)).

DISPLAY: For R01_AN0215: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125>1 OR R01_AN0256=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'.

For R01_AN0215E: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125E=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125E>1 OR R01_AN0256E=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'.

NOTES: DATA ERROR: Some respondents have missing data (-9) for these variables.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Thinking back to [the time you tried to quit I the last time you tried to quit I when you quit] [ND FILL3] in the past 12 months, did you use any different tobacco product to help you quit? Choose all that apply.	
R01_AN0225_01***; R01_AN0225E_01***	1 I did not use any different tobacco products to help me quit
R01_AN0225_02***; R01_AN0225E_02***	2 Cigarettes
R01_AN0225_03***; R01_AN0225E_03***	3 E-cigarettes
R01_AN0225_04***; R01_AN0225E_04***	4 Traditional cigars
R01_AN0225_05***; R01_AN0225E_05***	5 Cigarillos
R01_AN0225_06***; R01_AN0225E_06***	6 Filtered cigars
R01_AN0225_07***; R01_AN0225E_07***	7 Pipe tobacco
R01_AN0225_08***; R01_AN0225E_08***	8 Hookah
R01_AN0225_09***; R01_AN0225E_09***	9 Snus pouches
R01_AN0225_10***; R01_AN0225E_10***	10 Smokeless tobacco, like dip, chew, or snuff
R01_AN0225_11***; R01_AN0225E_11***	11 Dissolvable tobacco
	-8 DON'T KNOW
	-7 REFUSED
ASK: For R01_AN0225[_01/.../_11]: If R01_NDSKIP=0, 1, 2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttempt=1 AND (R01_AN0115 >= 1 OR R01_AN0115 = -8 OR -7)).	
For R01_AN0225E[_01/.../_11]: If R01_NDSKIP=2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttemptE=1 AND (R01_AN0115E >= 1 OR R01_AN0115E = -8 OR -7)).	
DISPLAY: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125>1 OR R01_AN0256=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'.	
PROGRAM: For respondents where R01_CURRENT_PRODUCT_COUNT = 1 (R01_NDSKIP=0), omit the single product they currently use from the list of response options.	
GOTO: From R01_AN0225[_01/.../_11]: If R01_NDSKIP=0 or 1, go to R01_AN0330.	
Else, if R01_NDSKIP=2 or 3, go back to R01_AN0005 to start the second time through loop #1.	
From R01_AN0225E[_01/.../_11]: If R01_NDSKIP=2 or 3, go to R01_AN0330.	
NOTES: DATA ERROR: Some respondents have missing data (-9) for these variables.	

BOX ID:	R01_NDSkipLoop1End
END NDSKIP LOOP#1	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0330

Have you ever used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents

GOTO: If R01_NDSKIP=0 or 1: If R01_12MoQuitAttempt=1 AND R01_AN0330=1, go to R01_AN0150.

Else, if R01_12MoQuitCutdown=1 and R01_AN0330=1, go to R01_AN0811.

If R01_Experimental_Current_TOBACCO=1 and R01_AN0330=1, go to R01_AN0811.

Else, if R01_AN0330=1, go to R01_AN0307.

Else, go to R01_AN0331.

If R01_NDSKIP=2 or 3: If R01_12MoQuitAttempt=1 AND R01_AN0330=1, go to R01_AN0150.

Else, if R01_12MoQuitCutdown=1 and R01_AN0330=1, go to R01_AN0811.

If R01_Experimental_Current_TOBACCO=1 and R01_AN0330=1, go to R01_AN0811.

Else, if R01_12MoQuitAttemptE=1 AND R01_AN0330=1, go to R01_AN0150E.

Else, if R01_12MoQuitCutdownE=1 and R01_AN0330=1, go to R01_AN0811E.

Else, if R01_AN0330=1, go to R01_AN0307.

Else, go to R01_AN0331.

BOX ID: R01_NDSkipLoop2Strt

PROGRAM:

START NDSKIP LOOP#2

ND SKIP LOOP #2 includes questions R01_AN0150 through R01_AN0165/R01_AN0150E through R01_AN0165E.

IF R01_NDSKIP = 0 OR 1, ASK THESE QUESTIONS 1 TIME FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED AT THE START OF THIS SECTION.

IF R01_NDSKIP = 2 OR 3 ASK THESE QUESTIONS 2 TIMES FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED AT THE START OF THIS SECTION.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0150; R01_AN0150E**
Thinking back to [the time you tried to quit I the last time you tried to quit I when you quit] [ND FILL3] in the <u>past 12 months</u> , did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: For R01_AN0150: If R01_NDSKIP=0, 1, 2 or 3: Past year quitters and attempters (R01_12MoQuitAttempt=1) who have ever used NRT (R01_AN0330=1).	
For R01_AN0150E: If R01_NDSKIP=2 or 3: Past year quitters and attempters (R01_12MoQuitAttemptE=1) who have ever used NRT (R01_AN0330=1).	
DISPLAY: For R01_AN0150: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125>1 OR R01_AN0256=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'. Else, display 'the last time you tried to quit'.	
For R01_AN0150E: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125E=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125E>1 OR R01_AN0256E=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'. Else, display 'the last time you tried to quit'.	
GOTO: From R01_AN0150: If R01_NDSKIP=0 or 1: IF R01_AN0150=1, GO TO R01_AN0155.	
ELSE, GO TO R01_AN0331.	
If R01_NDSKIP=2 or 3: IF R01_AN0150=1, GO TO R01_AN0155.	
ELSE, GO TO R01_AN0150E AND START THE SECOND TIME THROUGH LOOP #2.	
From R01_AN0150E: If R01_NDSKIP=2 or 3: IF R01_AN0150E=1, GO TO R01_AN0155E.	
ELSE, GO TO R01_AN0331.	
NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, R01_AN0150E was skipped incorrectly.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0155; R01_AN0155E

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit [ND FILL3] completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0155: If R01_NDSKIP=0, 1, 2 or 3: Past year quitters and attempters (R01_12MoQuitAttempt=1) who used NRT to help them (R01_AN0150=1).

For R01_AN0155E: If R01_NDSKIP=2 or 3: Past year quitters and attempters (R01_12MoQuitAttemptE=1) who used NRT to help them (R01_AN0150E=1).

Variable(s): R01_AN0811; R01_AN0811E**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your [ND FILL4]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0811: If R01_NDSKIP=0, 1, 2 or 3: Past year quitters and attempters (R01_12MoQuitAttempt=1) who used NRT to help them quit (R01_AN0150=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdown=1) and Experimental Current users (R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who have ever used NRT (R01_AN0330=1).

For R01_AN0811E: If R01_NDSKIP=2 or 3: Past year quitters and attempters (R01_12MoQuitAttemptE=1) who used NRT to help them quit (R01_AN0150E=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdownE=1) and Experimental Current users (R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who have ever used NRT (R01_AN0330=1).

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, R01_AN0811E was skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_NDSkipLoop2GOTO

From R01_AN0811: IF R01_NDSKIP=0 OR 1: If Past year quitters and attempters (R01_12MoQuitAttempt=1), go to R01_AN0160.

Else, go to R01_AN0307.

IF R01_NDSKIP=2 OR 3: If Past year quitters and attempters (R01_12MoQuitAttempt=1), go to R01_AN0160.

Else, GO BACK TO R01_AN0150E TO START THE SECOND TIME THROUGH LOOP #2.

From R01_AN0811E: IF R01_NDSKIP=2 OR 3: If Past year quitters and attempters (R01_12MoQuitAttemptE=1), go to R01_AN0160E.

Else, go to R01_AN0307.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which medication did you use [the time you tried to quit [ND FILL3] I the last time you tried to quit [ND FILL3] I when you quit [ND FILL3]]? Choose all that apply.	
R01_AN0160_01***; R01_AN0160E_01	1 Nicotine patch
R01_AN0160_02***; R01_AN0160E_02	2 Nicotine gum
R01_AN0160_03***; R01_AN0160E_03	3 Nicotine inhaler
R01_AN0160_04***; R01_AN0160E_04	4 Nicotine nasal spray
R01_AN0160_05***; R01_AN0160E_05	5 Nicotine lozenge or pill
R01_AN0160_06***; R01_AN0160E_06	6 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: For R01_AN0160[_01/.../_06]: If R01_NDSKIP=0, 1, 2 or 3: Past year quitters and attempters (R01_12MoQuitAttempt=1) who used NRT to help them (R01_AN0150=1).	
For R01_AN0160[_01/.../_06]E: If R01_NDSKIP=2 or 3: Past year quitters and attempters (R01_12MoQuitAttemptE=1) who used NRT to help them (R01_AN0150E=1).	
DISPLAY: For R01_AN0160[_01/.../_06]: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125>1 OR R01_AN0256=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'.	
For R01_AN0160E[_01/.../_06]: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125E=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125E>1 OR R01_AN0256E=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'.	
GOTO: From R01_AN0160[_01/.../_06]: If R01_NDSKIP=0 or 1: IF R01_AN0160_06=1, GO TO R01_AN0170.	
ELSE, GO TO R01_AN0165.	
If R01_NDSKIP=2 or 3: IF R01_AN0160_06=1, GO BACK TO R01_AN0150E TO START THE SECOND TIME THROUGH LOOP #2.	
ELSE, GO TO R01_AN0165.	
From R01_AN0160E[_01/.../_06]: If R01_NDSKIP=2 or 3: IF R01_AN0160E_06=1, GO TO R01_AN0170.	
ELSE, GO TO R01_AN0165E.	
NOTES: DATA ERROR: Some respondents have missing data (-9) for R01_AN0160[_01/.../_06].	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0165_NN; R01_AN0165_UN; R01_AN0165E_NN; R01_AN0165E_UN
In total, [during the time you tried to quit I during the last time you tried to quit I during your last quit attempt when you stopped] [ND FILL3] [completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill? 1 I__I__I DAYS 2 I__I__I MONTHS 3 I__I__I YEARS -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0165[_NN/_UN]: If R01_NDSKIP=0, 1, 2 or 3: Past year quitters and attempters (R01_12MoQuitAttempt=1) who used NRT to help them (R01_AN0150=1 and R01_AN0160_06!=1). For R01_AN0165E[_NN/_UN]: If R01_NDSKIP=2 or 3: Past year quitters and attempters (R01_12MoQuitAttemptE=1) who used NRT to help them (R01_AN0150E=1 and R01_AN0160E_06!=1). DISPLAY: For R01_AN0165[_NN/_UN]: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125=1), display 'during the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125>1 OR R01_AN0256=1), display 'during the last time you tried to quit'; if Former user 12 Month (R01_FÖRMER_USER_12MONTH_TOBACCO = 1), display 'during your last quit attempt when you stopped' and 'completely'. For R01_AN0165E[_NN/_UN]: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125E=1), display 'during the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125E>1 OR R01_AN0256E=1), display 'during the last time you tried to quit'; if Former user 12 Month (R01_FÖRMER_USER_12MONTH_TOBACCO = 1), display 'during your last quit attempt when you stopped' and 'completely'. PROGRAM: Display as Quantity/Units NOTES: The value "1" refers to R01_AN0165_UN/R01_AN0165E_UN = Days, the value "2" refers to R01_AN0165_UN/R01_AN0165E_UN = Months, and the value "3" refers R01_AN0165_UN/R01_AN0165E_UN = Years. GO TO: From R01_AN0165[_NN/_UN]: If R01_NDSKIP=0 or 1: Go to R01_AN0170. If R01_NDSKIP=2 or 3: Go back to R01_AN0150E to start the second time through loop #2. From R01_AN0165E[_NN/_UN]: If R01_NDSKIP=0 or 1: Go to R01_AN0170.	

BOX ID:	R01_NDSKIPLoop2End
END NDSKIP LOOP#2	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AN0170****

Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AN0307 |
| -8 | DON'T KNOW | GO TO R01_AN0307 |
| -7 | REFUSED | GO TO R01_AN0307 |

ASK: Past year quitters and attempters who used NRT to help them ((R01_12MoQuitAttempt=1 AND R01_AN0150=1) OR (R01_12MoQuitAttemptE=1 AND R01_AN0150E=1)).

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, this item was skipped incorrectly.

Variable(s): **R01_AN0251_NN; R01_AN0251_UN**

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | |
|----|--------------------|
| 1 | I ___ I ___ DAYS |
| 2 | I ___ I ___ MONTHS |
| 3 | I ___ I ___ YEARS |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Past year quitters and attempters (R01_12MoQuitAttempt= OR R01_12MoQuitAttemptE=1) who are currently using NRT (R01_AN0170=1).

PROGRAM: Display as Quantity/Units

NOTES: The value "1" refers to R01_AN0251_UN = Days, the value "2" refers to R01_AN0251_UN = Months, and the value "3" refers R01_AN0251_UN = Years.

Variable(s): **R01_AN0307**

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------------------|------------------|
| 1 | In the past hour | GO TO R01_AN0309 |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R01_AN0175 |
| -8 | DON'T KNOW | GO TO R01_AN0331 |
| -7 | REFUSED | GO TO R01_AN0331 |

ASK: Respondents who have ever used NRT (R01_AN0330=1)

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0308
When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R01_AN0307], was it in the...
1 Morning
2 Afternoon
3 Evening
-8 DON'T KNOW
-7 REFUSED
ASK: Respondents who have used NRT sometime today, yesterday or the day before yesterday (R01_AN0307=2 or 3 or 4).
DISPLAY: [FILL BASED ON R01_AN0307] If R01_AN0307=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AN0307, making first letter lowercase.

Variable(s): R01_AN0309
When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R01_AN0307], how many did you use?
1 1
2 2
3 3
-8 DON'T KNOW
-7 REFUSED
ASK: Respondents who have used NRT in past hour, sometime today, yesterday or the day before yesterday (R01_AN0307=1 or 2 or 3 or 4).
DISPLAY: [FILL BASED ON R01_AN0307]
If R01_AN0307=1 OR 2, display "today".
If R01_AN0307=4, display "the day before yesterday".
Else, display text as shown in options selected in R01_AN0307, making first letter lowercase.
GOTO: Past year quitters and attempters (R01_12MoQuitAttempt=1 OR R01_12MoQuitAttemptE=1) who used NRT three or more days ago (R01_AN0307 > 4), go to R01_AN0175.
Else, go to R01_AN0331.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0175_NN**;
R01_AN0175_UN

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 I__I__I DAYS
- 2 I__I__I MONTHS
- 3 I__I__I YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Past year quitters and attempters (R01_12MoQuitAttempt=1 OR R01_12MoQuitAttemptE=1) who used NRT three or more days ago (R01_AN0307 > 4).

PROGRAM: Display as Quantity/Units

NOTES: The value "1" refers to R01_AN0175_UN = Days, the value "2" refers to R01_AN0175_UN = Months, and the value "3" refers R01_AN0175_UN = Years.

INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, this item was skipped incorrectly.

Variable(s): R01_AN0331

Have you ever used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

GOTO: If R01_NDSKIP=0 or 1: If R01_12MoQuitAttempt=1 AND R01_AN0331=1, go to R01_AN0180.

Else, if R01_12MoQuitAttempt=1 AND R01_AN0331=2, -8 or -7, go to BOX R01_AN4.

Else, if R01_AN0331=1, go to R01_AN0327.

Else, if Current user, go to R01_AN0230.

Else, go to R01_AR0141.

If R01_NDSKIP=2 or 3: If R01_12MoQuitAttempt=1 AND R01_AN0331=1, go to R01_AN0180.

Else, R01_12MoQuitAttemptE=1 AND R01_AN0331=1, go to R01_AN0180E.

Else, if (R01_12MoQuitAttempt=1 OR R01_12MoQuitAttemptE=1) AND R01_AN0331=2, -8 or -7, go to BOX R01_AN4.

Else, if R01_AN0331=1, go to R01_AN0327.

Else, if Current user, go to R01_AN0230.

Else, go to R01_AR0141.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID:	R01_NDSKIPLoop3Strt
START NDSKIP LOOP#3 ND SKIP LOOP #3 includes questions R01_AN0180 through R01_AN0195/R01_AN0180E through R01_AN0195E. IF R01_NDSKIP = 0 OR 1, ASK THESE QUESTIONS 1 TIME FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED AT THE START OF THIS SECTION. IF R01_NDSKIP = 2 OR 3 ASK THESE QUESTIONS 2 TIMES FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED AT THE START OF THIS SECTION.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0180**, R01_AN0180E**

Thinking back to [the time you tried to quit | the last time you tried to quit | when you quit] [ND FILL3] in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0180: If R01_NDSKIP=0, 1, 2 or 3: Past year quitters and attempters (R01_12MoQuitAttempt=1) who have ever used a prescription drug to stop smoking (R01_AN0331=1).

For R01_AN0180E: If R01_NDSKIP=2 or 3: Past year quitters and attempters (R01_12MoQuitAttemptE=1) who have ever used a prescription drug to stop smoking (R01_AN0331=1).

DISPLAY: For R01_AN0180: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125>1 OR R01_AN0256=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'. Else, display 'the last time you tried to quit'.

For R01_AN0180E: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125E=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125E>1 OR R01_AN0256E=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'. Else, display 'the last time you tried to quit'.

GOTO: From R01_AN0180: If R01_NDSKIP=0 or 1: IF R01_AN0180=1, GO TO R01_AN0185.

ELSE, GO TO BOX R01_AN4.

If R01_NDSKIP=2 or 3: IF R01_AN0180=1, GO TO R01_AN0185.

ELSE, GO TO R01_AN0180E TO START THE SECOND TIME THROUGH LOOP #3.

From R01_AN0180E: If R01_NDSKIP=2 or 3: IF R01_AN0180E=1, GO TO R01_AN0185E.

ELSE, GO TO BOX R01_AN4.

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0185; R01_AN0185E
Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit [ND FILL3] <u>completely</u> ?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: For R01_AN0185: If R01_NDSKIP=0, 1, 2 or 3: Past year quitters and attempters (R01_12MoQuitAttempt=1) who used a prescription drug to help them (R01_AN0180=1).	
For R01_AN0185E: If R01_NDSKIP=2 or 3: Past year quitters and attempters (R01_12MoQuitAttemptE=1) who used a prescription drug to help them (R01_AN0180E=1).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which prescription drug did you use [the time you tried to quit [ND FILL 3] I the last time you tried to quit [ND FILL 3] I when you quit [ND FILL 3]]? Choose all that apply.	
R01_AN0190_01; R01_AN0190E_01	1 Chantix or varenicline
R01_AN0190_02; R01_AN0190E_02	2 Wellbutrin, Zyban, or bupropion
R01_AN0190_03; R01_AN0190E_03	3 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: For R01_AN0190[_01/_02/_03]: If R01_NDSKIP=0, 1, 2 or 3: Past year quitters and attempters (R01_12MoQuitAttempt=1) who used a prescription drug to help them (R01_AN0180=1).	
For R01_AN0190E[_01/_02/_03]: If R01_NDSKIP=2 or 3: Past year quitters and attempters (R01_12MoQuitAttemptE=1) who used a prescription drug to help them (R01_AN0180E=1).	
DISPLAY: For R01_AN0190[_01/_02/_03]: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125>1 OR R01_AN0256=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'.	
For R01_AN0190E[_01/_02/_03]: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125E=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125E>1 OR R01_AN0256E=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'.	
PROGRAM: Option 3 cannot be selected if options 1 or 2 are selected.	
GOTO: From R01_AN0190[_01/_02/_03]: If R01_NDSKIP=0 or 1: IF R01_AN0190_03=1, GO TO R01_AN0200.	
ELSE, GO TO R01_AN0195.	
If R01_NDSKIP=2 or 3: IF R01_AN0190_03=1, GO BACK TO R01_AN0180E TO START THE SECOND TIME THROUGH LOOP #3.	
ELSE, GO TO R01_AN0195.	
From R01_AN0190E[_01/_02/_03]: If R01_NDSKIP=2 or 3: IF R01_AN0190E_03=1, GO TO R01_AN0200.	
ELSE, GO TO R01_AN0195E.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0195_NN; R01_AN0195_UN; R01_AN0195E_NN; R01_AN0195E_UN
In total, [during the time you tried to quit I during the last time you tried to quit I during your last quit attempt when you stopped] [ND FILL3] [completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion]? 1 I__I__I DAYS 2 I__I__I MONTHS 3 I__I__I YEARS -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0195[_NN/_UN]: If R01_NDSKIP=0, 1, 2 or 3: Past year quitters and attempters (R01_12MoQuitAttempt=1) who used a prescription drug to help them (R01_AN0180=1 and R01_AN0190_03!=1). For R01_AN0195E[_NN/_UN]: If R01_NDSKIP=2 or 3: Past year quitters and attempters (R01_12MoQuitAttemptE=1) who used a prescription drug to help them (R01_AN0180E=1 and R01_AN0190E_03!=1). DISPLAY: For R01_AN0195[_NN/_UN]: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125=1), display 'during the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125>1 OR R01_AN0256=1), display 'during the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'during your last quit attempt when you stopped' and 'completely'. For R01_AN0195E[_NN/_UN]: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125E=1), display 'during the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125E>1 OR R01_AN0256E=1), display 'during the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'during your last quit attempt when you stopped' and 'completely'. PROGRAM: Display as Quantity/Units NOTES: The value "1" refers to R01_AN0195_UN/R01_AN0195E_UN = Days, the value "2" refers to R01_AN0195_UN/R01_AN0195E_UN = Months, and the value "3" refers R01_AN0195_UN/R01_AN0195E_UN = Years.GO TO: From R01_AN0195[_NN/_UN]: If R01_NDSKIP=0 or 1: GO TO R01_AN0200. If R01_NDSKIP=2 or 3: GO BACK TO R01_AN0180E TO START THE SECOND TIME THROUGH LOOP #3. From R01_AN0195E[_NN/_UN]: If R01_NDSKIP=2 or 3: GO TO R01_AN0200.	

BOX ID:	R01_NDSkipLoop3End
NDSKIP LOOP#3 ENDS HERE	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AN0200**

Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AN0327 |
| -8 | DON'T KNOW | GO TO R01_AN0327 |
| -7 | REFUSED | GO TO R01_AN0327 |

ASK: Past year quitters and attempters (R01_12MoQuitAttempt=1 OR R01_12MoQuitAttemptE=1) who used a prescription drug to help them (R01_AN0180=1 OR R01_AN0180E=1).

Variable(s): **R01_AN0252_NN; R01_AN0252_UN**

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | |
|----|--------------------|
| 1 | I ___ I ___ DAYS |
| 2 | I ___ I ___ MONTHS |
| 3 | I ___ I ___ YEARS |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Past year quitters and attempters (R01_12MoQuitAttempt=1 OR R01_12MoQuitAttemptE=1) who used a prescription drug to help them (R01_AN0180=1 OR R01_AN0180E=1) and are currently using a prescription drug (R01_AN0200=1).

PROGRAM: Display as Quantity/Units

NOTES: The value "1" refers to R01_AN0252_UN = Days, the value "2" refers to R01_AN0252_UN = Months, and the value "3" refers R01_AN0252_UN = Years.

Variable(s): **R01_AN0327**

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------------------|-------------------|
| 1 | In the past hour | GO TO R01_AN0329 |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R01_AN0205 |
| -8 | DON'T KNOW | GO TO BOX R01_AN4 |
| -7 | REFUSED | GO TO BOX R01_AN4 |

ASK: Respondents who have ever used a stop smoking prescription drug (R01_AN0331=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0328

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R01_AN0327], was it in the...

- 1 Morning
- 2 Afternoon
- 3 Evening
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have taken a prescription drug to stop smoking sometime today, yesterday or the day before yesterday (R01_AN0327=2 or 3 or 4).

DISPLAY: [FILL BASED ON R01_AN0327] If R01_AN0327=4, display "the day before yesterday". Else, display text as shown in options selected in R01_AN0327, making first letter lowercase.

Variable(s): R01_AN0329

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R01_AN0327], how many did you take?

- I _ I _ I
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have used a prescription drug to stop smoking in past hour, sometime today, yesterday or the day before yesterday (R01_AN0327=1 or 2 or 3 or 4).

PROGRAM: [FILL BASED ON R01_AN0327] If R01_AN0327=1 OR 2, display "today".

If R01_AN0327=4, display "the day before yesterday".

Else, display text as shown in options selected in R01_AN0327, making first letter lowercase.

GOTO: If R01_EXPERIMENTAL_CURRENT_TOBACCO = 1, go to R01_AX0006.

Else, if Past Year Quitters and Attempters (R01_12MoQuitAttempt=1 OR R01_12MoQuitAttemptE=1) who used a prescription drug three or more days ago (R01_AN0327=5), go to R01_AN0205.

Else, if Past Year Quitters and Attempters (R01_12MoQuitAttempt=1 OR R01_12MoQuitAttemptE=1) who did not use a prescription drug to help them (R01_AN0180=2 OR R01_AN0180E=2), go to Box R01_AN4.

Else, go to R01_AR0141.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0205_NN**; R01_AN0205_UN
How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion? 1 I ___ I ___ DAYS 2 I ___ I ___ MONTHS 3 I ___ I ___ YEARS -8 DON'T KNOW -7 REFUSED ASK: Past Year Quitters and Attempters (R01_12MoQuitAttempt=1 OR R01_12MoQuitAttemptE=1) who used a prescription drug three or more days ago (R01_AN0327=5). PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R01_AN0205_UN = Days, the value "2" refers to R01_AN0205_UN = Months, and the value "3" refers R01_AN0205_UN = Years. INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, this item was skipped incorrectly.	

BOX ID:	R01_AN4
ND SKIP LOOP 4 STARTS HERE. Questions include R01_AN0804 through R01_AN0245/R01_AN0804E through R01_AN0245E. Display question R01_AN0804, R01_AN0805, R01_AN0806, R01_AN0807, R01_AN0808, R01_AN0809, R01_AN0810/R01_AN0804E, R01_AN0805E, R01_AN0806E, R01_AN0807E, R01_AN0808E, R01_AN0809E, R01_AN0810E, on one screen. Show the transition text and question stem from R01_AN0804/R01_AN0804E first, then show each item with the yes/no responses. As each item is answered, show the next one.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0804**; R01_AN0804E**
The next questions ask about how you felt within days after [the time you tried to quit the last time you tried to quit when you quit] [ND FILL3] in the past 12 months. Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you.... Feel depressed? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0804: If R01_NDSKIP=0, 1, 2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttempt=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdown=1). For R01_AN0804E: If R01_NDSKIP=2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttemptE=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdownE=1). DISPLAY: For R01_AN0804: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125>1 OR R01_AN0256=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'. For R01_AN0804E: If Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit one time (R01_AN0125E=1), display 'the time you tried to quit'; if Current user (R01_CURRENT_USER_TOBACCO = 1) that has tried to quit more than one time (R01_AN0125E>1 OR R01_AN0256E=1), display 'the last time you tried to quit'; if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), display 'when you quit'. NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.	

BOX ID:	R01_NDSkipLoop4Inst
Randomize order of R01_AN0805-R01_AN0809/R01_AN0805E-R01_AN0809E.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0805**; R01_AN0805E**
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you.... Have difficulty falling asleep or staying asleep? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0805: If R01_NDSKIP=0, 1, 2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttempt=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdown=1). For R01_AN0805E: If R01_NDSKIP=2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttemptE=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdownE=1). NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.	

Variable(s):	R01_AN0806**; R01_AN0806E**
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you.... Have difficulty concentrating? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0806: If R01_NDSKIP=0, 1, 2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttempt=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdown=1). For R01_AN0806E: If R01_NDSKIP=2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttemptE=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdownE=1). NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AN0807**; R01_AN0807E**
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you.... Eat more than usual or gain weight? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0807: If R01_NDSKIP=0, 1, 2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttempt=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdown=1). For R01_AN0807E: If R01_NDSKIP=2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttemptE=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdownE=1). NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.	

Variable(s):	R01_AN0808**; R01_AN0808E**
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you.... Become easily irritated, angry, or frustrated? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: For R01_AN0808: If R01_NDSKIP=0, 1, 2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttempt=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdown=1). For R01_AN0808E: If R01_NDSKIP=2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttemptE=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdownE=1). NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0809**; R01_AN0809E**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you....

Feel anxious or nervous?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0809: If R01_NDSKIP=0, 1, 2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttempt=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdown=1).

For R01_AN0809E: If R01_NDSKIP=2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttemptE=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdownE=1).

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0810**; R01_AN0810E**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you....

Feel more restless than usual?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0810: If R01_NDSKIP=0, 1, 2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttempt=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdown=1).

For R01_AN0810E: If R01_NDSKIP=2 or 3: Past Year Quitters and Attempters (R01_12MoQuitAttemptE=1) and Current users (R01_CURRENT_USER_TOBACCO = 1) who have tried to cut down (R01_12MoQuitCutdownE=1).

GOTO: From R01_AN0810: If R01_NDSKIP=0 or 1: If Current user (R01_CURRENT_USER_TOBACCO = 1), go to R01_AN0230.

Else, if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), go to R01_AX0006.

If R01_NDSKIP=2 or 3: If Current user (R01_CURRENT_USER_TOBACCO = 1), go to R01_AN0230.

Else, if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), go back to R01_AN0804E to start second time through loop #4.

From R01_AN0810E: If R01_NDSKIP=2 or 3: If Current user (R01_CURRENT_USER_TOBACCO = 1), go to R01_AN0230E.

Else, if Former user 12 Month (R01_FORMER_USER_12MONTH_TOBACCO = 1), go to R01_AX0006.

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0230**; R01_AN0230E**

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting [ND FILL 4]? Please enter a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely Interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0230: If R01_NDSKIP=0, 1, 2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1).

For R01_AN0230E: If R01_NDSKIP=2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1).

NOTES: INSTRUMENT ERROR: These items were skipped incorrectly by respondents who were current tobacco users that had not attempted to quit or cut down tobacco use in the past 12 months (R01_CURRENT_USER_TOBACCO = 1 AND (R01_12MoQuitAttempt != 1 AND R01_12MoQuitCutdown != 1)). The error was not corrected during Wave 1 Data Collection.

Variable(s): R01_AN0235**; R01_AN0235E**

Do you plan to ever quit [ND FILL3] for good?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0235: If R01_NDSKIP=0, 1, 2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1).

For R01_AN0235E: If R01_NDSKIP=2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1).

GOTO: From R01_AN0235: If R01_NDSKIP=0 or 1: IF R01_AN0235=1, GO TO R01_AN0240.

ELSE, GO TO R01_AX0006.

If R01_NDSKIP=2 or 3: IF R01_AN0235=1, GO TO R01_AN0240.

ELSE, GO BACK TO R01_AN0804E TO START THE SECOND TIME THROUGH LOOP #4.

From R01_AN0235E: If R01_NDSKIP=2 or 3: IF R01_AN0235E=1, GO TO R01_AN0240E.

ELSE, GO TO R01_AX0006.

NOTES: INSTRUMENT ERROR: These items were skipped incorrectly by respondents who were current tobacco users that had not attempted to quit or cut down tobacco use in the past 12 months (R01_CURRENT_USER_TOBACCO = 1 AND (R01_12MoQuitAttempt != 1 AND R01_12MoQuitCutdown != 1)). The error was not corrected during Wave 1 Data Collection.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0240; R01_AN0240E

When do you plan to quit [ND FILL3] for good?

- 1 In the next 7 days
- 2 In the next 30 days
- 3 In the next 6 months
- 4 In the next year
- 5 More than one year from now
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0240: If R01_NDSKIP=0, 1, 2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who say they plan to quit for good (R01_AN0235=1).

For R01_AN0240E: If R01_NDSKIP=2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who say they plan to quit for good (R01_AN0235E=1).

GOTO: From R01_AN0240: If R01_NDSKIP=0 or 1: IF R01_AN0240=1, 2 OR 3, GO TO R01_AN0245. ELSE, GO TO R01_AX0006.

If R01_NDSKIP=2 or 3: IF R01_AN0240=1, 2 OR 3, GO TO R01_AN0245.

ELSE, GO BACK TO R01_AN0804E TO START THE SECOND TIME THROUGH LOOP #4.

From R01_AN0240E: If R01_NDSKIP=2 or 3: IF R01_AN0240E=1, 2 OR 3, GO TO R01_AN0245E.

ELSE, GO TO R01_AX0006.

NOTES: INSTRUMENT ERROR: R01_AN0235 and R01_AN0235E were skipped incorrectly by respondents who were current tobacco users that had not attempted to quit or cut down tobacco use in the past 12 months (R01_CURRENT_USER_TOBACCO = 1 AND (R01_12MoQuitAttempt != 1 AND R01_12MoQuitCutdown != 1)). Skipping those items also caused these follow-up items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AN0245; R01_AN0245E

If you did try to quit [ND FILL3] altogether in the next 6 months, how likely do you think you would be to succeed?

- 1 Not at all likely
- 2 A little likely
- 3 Somewhat likely
- 4 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AN0245: If R01_NDSKIP=0, 1, 2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who have some interest in quitting in the next 6 months (R01_AN0240<=3 and R01_AN0240 != -8 or -7).

For R01_AN0245E: If R01_NDSKIP=2 or 3: Current users (R01_CURRENT_USER_TOBACCO = 1) who have some interest in quitting in the next 6 months (R01_AN0240E<=3 and R01_AN0240E != -8 or -7).

GOTO: From R01_AN0245: If R01_NDSKIP=0 or 1: Go to R01_AX0006.

If R01_NDSKIP=2 or 3: Go back to R01_AN0804E to start the second time through loop #4.

From R01_AN0245E: If R01_NDSKIP=2 or 3: Go to R01_AX0006.

NOTES: INSTRUMENT ERROR: R01_AN0235 and R01_AN0235E were skipped incorrectly by respondents who were current tobacco users that had not attempted to quit or cut down tobacco use in the past 12 months (R01_CURRENT_USER_TOBACCO = 1 AND (R01_12MoQuitAttempt != 1 AND R01_12MoQuitCutdown != 1)). Skipping those items also caused these follow-up items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

BOX ID: R01_NDSkipLoop4End

NDSKIP LOOP#4 ENDS HERE.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0006****

If you had to do it over again, would you have ever started using tobacco?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Former users 12 Month, and Experimental Current users
(R01_CURRENT_USER_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or
R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: INSTRUMENT ERROR: Values for ND FILL1, ND FILL2, ND FILL3, and ND FILL4 were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified in the Annotated Instrument Summary (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, these items were skipped incorrectly in each respective loop.

PACKAGING AND HEALTH WARNINGS

Variable(s): R01_AR0141

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AR0142

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AR0005**

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packages?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

GOTO: If Current or Experimental Current user CIGS (R01_CURRENT_USER_CIGS = 1 or R01_EXPERIMENTAL_CURRENT_CIGS = 1) and R01_AR0005>=2, go to R01_AR0202.

Else, if Former user CIGS OR Experimental Former user CIGS (R01_FORMER_USER_CIGS = 1 or R01_EXPERIMENTAL_FORMER_CIGS = 1), go to R01_AR0040.

Else, if R01_AC1002=2, -8 or -7, go to R01_AR0055.

Else, go to R01_AR0060.

Variable(s): **R01_AR0202**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packages?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current users of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_EXPERIMENTAL_CURRENT_CIGS = 1) who have noticed the health warnings in the past month (R01_AR0005>=2).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AR0010

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current users of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_EXPERIMENTAL_CURRENT_CIGS = 1) who have seen health warnings in the past month (R01_AR0005>=2).

Variable(s): R01_AR0015

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current users of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_EXPERIMENTAL_CURRENT_CIGS = 1) who have seen health warnings in the past month (R01_AR0005>=2).

Variable(s): R01_AR0025

How believable do you consider the health warnings on cigarette packs to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current users of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_EXPERIMENTAL_CURRENT_CIGS = 1) who have seen health warnings in the past month (R01_AR0005>=2).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AR0030

How do the health warnings on cigarette packs make you feel about smoking?

- 1 Very concerned
- 2 Somewhat concerned
- 3 Neither concerned nor unconcerned
- 4 Somewhat unconcerned
- 5 Very unconcerned
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current users of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_EXPERIMENTAL_CURRENT_CIGS = 1) who have seen health warnings in the past month (R01_AR0005>=2).

Variable(s): R01_AR0035

To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current users of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_EXPERIMENTAL_CURRENT_CIGS = 1) who have seen health warnings in the past month (R01_AR0005>=2).

Variable(s): R01_AR0040

To what extent, if at all, do the health warnings on cigarette packs make you more likely to [stay] quit [from] smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users and Experimental Former users of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_EXPERIMENTAL_CURRENT_CIGS = 1 or R01_FORMER_USER_CIGS = 1 or R01_EXPERIMENTAL_FORMER_CIGS = 1) who have seen health warnings in the past month (R01_AR0005>=2).

DISPLAY: For Former and Experimental Former users only (R01_FORMER_USER_CIGS = 1 or R01_EXPERIMENTAL_FORMER_CIGS = 1), display "stay" and "from".

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AR0055

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have never used cigarettes (R01_AC1002=2, -8 or -7) who have seen health warnings in the past month (R01_AR0005>=2).

Variable(s): R01_AR0060

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of smokeless tobacco products like snus, moist snuff, dip, spit and chew?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have seen or heard of smokeless tobacco (R01_AS1001=1).

GOTO: If Current or Experimental Current user SMKLS (R01_CURRENT_USER_SMKLS = 1 or R01_EXPERIMENTAL_CURRENT_SMKLS = 1) AND R01_AR0060>=2, go to R01_AR0205.

If Former or Experimental Former user SMKLS (R01_FORMER_USER_SMKLS = 1 or R01_EXPERIMENTAL_FORMER_SMKLS = 1) AND R01_AR0060>=2, go to R01_AR0090.

Else, go to BOX R01_AR1.

Variable(s): R01_AR0205

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current smokeless tobacco users (R01_CURRENT_USER_SMKLS = 1 or R01_EXPERIMENTAL_CURRENT_SMKLS = 1) who have noticed health warnings on packages (R01_AR0060>=2).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AR0065

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current smokeless tobacco users (R01_CURRENT_USER_SMKLS = 1 or R01_EXPERIMENTAL_CURRENT_SMKLS = 1) who have noticed health warnings on packages (R01_AR0060>=2).

Variable(s): R01_AR0070

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current smokeless tobacco users (R01_CURRENT_USER_SMKLS = 1 or R01_EXPERIMENTAL_CURRENT_SMKLS = 1) who have noticed health warnings on packages (R01_AR0060>=2).

Variable(s): R01_AR0075

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current smokeless tobacco users (R01_CURRENT_USER_SMKLS = 1 or R01_EXPERIMENTAL_CURRENT_SMKLS = 1) who have noticed health warnings on packages (R01_AR0060>=2).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AR0080

How do the health warnings on packages of smokeless tobacco products make you feel about using it?

- 1 Very concerned
- 2 Somewhat concerned
- 3 Neither concerned nor unconcerned
- 4 Somewhat unconcerned
- 5 Very unconcerned
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current smokeless tobacco users (R01_CURRENT_USER_SMKLS = 1 or R01_EXPERIMENTAL_CURRENT_SMKLS = 1) who have noticed health warnings on packages (R01_AR0060>=2).

Variable(s): R01_AR0085

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current smokeless tobacco users (R01_CURRENT_USER_SMKLS = 1 or R01_EXPERIMENTAL_CURRENT_SMKLS = 1) who have noticed health warnings on packages (R01_AR0060>=2).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AR0090****

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you more likely to [stay] quit [from] using smokeless tobacco products?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users and Experimental Former users of smokeless tobacco (R01_CURRENT_USER_SMKLS = 1 or R01_EXPERIMENTAL_CURRENT_SMKLS = 1 or R01_FORMER_USER_SMKLS = 1 or R01_EXPERIMENTAL_FORMER_SMKLS = 1) who have noticed health warnings on packages (R01_AR0060 >= 2).

DISPLAY: For Former and Experimental Former users only (R01_FORMER_USER_SMKLS = 1 or R01_EXPERIMENTAL_FORMER_SMKLS = 1), display "stay" and "from".

NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who were former or experimental former users of smokeless tobacco who had noticed health warnings on packages ((R01_FORMER_USER_SMKLS = 1 OR R01_EXPERIMENTAL_FORMER_SMKLS = 1) AND R01_AR0060 >= 2). The error was not corrected during Wave 1 Data Collection.

BOX ID: **R01_AR1**

If Current user OR Experimental Current user OR Former user OR Experimental Former user of roll-your-own cigarettes ((R01_CURRENT_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1 OR R01_FORMER_USER_CIGS = 1 OR R01_EXPERIMENTAL_FORMER_CIGS = 1) AND R01_AC9007_02 = 1), go to R01_AR0095.

Else, go to Box R01_AR2.

Variable(s): **R01_AR0095**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of roll-your-own tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users and Experimental Former users of roll-your-own cigarettes ((R01_CURRENT_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1 OR R01_FORMER_USER_CIGS = 1 OR R01_EXPERIMENTAL_FORMER_CIGS = 1) AND R01_AC9007_02=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_AR2

If Current user OR Experimental Current user OR Former user OR Experimental Former user ECIG (R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or R01_FORMER_USER_ECIG =1 or R01_EXPERIMENTAL_FORMER_ECIG =1), go to R01_AR0110. Else, go to Box R01_AR3.

Variable(s): R01_AR0110

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users and Experimental Former users of e-cigarettes (R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG =1 or R01_FORMER_USER_ECIG =1 or R01_EXPERIMENTAL_FORMER_ECIG =1).

BOX ID: R01_AR3

If Current user OR Experimental Current user OR Former user OR Experimental Former user GTRAD (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_GTRAD =1 or R01_EXPERIMENTAL_FORMER_GTRAD = 1), go to R01_AR0115. Else, go to Box R01_AR4.

Variable(s): R01_AR0115

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users and Experimental Former users of traditional cigars (R01_CURRENT_USER_GTRAD = 1 or R01_EXPERIMENTAL_CURRENT_GTRAD = 1 or R01_FORMER_USER_GTRAD =1 or R01_EXPERIMENTAL_FORMER_GTRAD = 1) .

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_AR4

If Current user OR Experimental Current user OR Former user OR Experimental Former user GRILLO (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_GRILLO = 1 or R01_EXPERIMENTAL_FORMER_GRILLO = 1), go to R01_AR0120.

Else, go to Box R01_AR5.

Variable(s): R01_AR0120

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users and Experimental Former users of cigarillos (R01_CURRENT_USER_GRILLO = 1 or R01_EXPERIMENTAL_CURRENT_GRILLO = 1 or R01_FORMER_USER_GRILLO = 1 or R01_EXPERIMENTAL_FORMER_GRILLO = 1).

BOX ID: R01_AR5

If Current user OR Experimental Current user OR Former user OR Experimental Former user LFC (R01_CURRENT_USER_GFILTR =1 or R01_EXPERIMENTAL_CURRENT_GFILTR =1 or R01_FORMER_USER_GFILTR = 1 or R01_EXPERIMENTAL_FORMER_GFILTR =1), go to R01_AR0125.

Else, go to Box R01_AR6.

Variable(s): R01_AR0125

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users and Experimental Former users of filtered cigars (R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_FORMER_USER_GFILTR = 1 or R01_EXPERIMENTAL_FORMER_GFILTR = 1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_AR6

If Current user OR Experimental Current user OR Former user OR Experimental Former user PIPE
(R01_CURRENT_USER_PIPE = 1 or R01_EXPERIMENTAL_CURRENT_PIPE = 1 or
R01_FORMER_USER_PIPE = 1 or R01_EXPERIMENTAL_FORMER_PIPE = 1), go to R01_AR0130.
Else, go to Box R01_AR7

Variable(s): R01_AR0130

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users and Experimental Former users of pipes
(R01_CURRENT_USER_PIPE = 1 or R01_EXPERIMENTAL_CURRENT_PIPE = 1 or
R01_FORMER_USER_PIPE = 1 or R01_EXPERIMENTAL_FORMER_PIPE = 1) .

BOX ID: R01_AR7

If Current user OR Experimental Current user OR Former user OR Experimental Former user HOOK
(R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or
R01_FORMER_USER_HOOK = 1 or R01_EXPERIMENTAL_FORMER_HOOK = 1), go to
R01_AR0135.
Else, go to Box R01_AR8.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AR0135**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users and Experimental Former users of hookah (R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1 or R01_FORMER_USER_HOOK = 1 or R01_EXPERIMENTAL_FORMER_HOOK = 1) .

NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by experimental former users of hookah (R01_EXPERIMENTAL_FORMER_HOOK = 1). The error was not corrected during Wave 1 Data Collection.

BOX ID: R01_AR8

If Current user OR Experimental Current user OR Former user OR Experimental Former user DISSBL (R01_CURRENT_USER DISSBL = 1 or R01_EXPERIMENTAL_CURRENT DISSBL = 1 or R01_FORMER_USER DISSBL = 1 or R01_EXPERIMENTAL_FORMER DISSBL = 1), go to R01_AR0140.

Variable(s): R01_AR0140

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of dissolvable tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users and Experimental Former users of dissolvable tobacco (R01_CURRENT_USER DISSBL = 1 or R01_EXPERIMENTAL_CURRENT DISSBL = 1 or R01_FORMER_USER DISSBL = 1 or R01_EXPERIMENTAL_FORMER DISSBL = 1).

PRODUCT REGULATION - MODIFIED RISK TOBACCO PRODUCTS

BOX ID: R01_AXT03

DISPLAY TRANSITION TEXT: The next questions ask about your opinions on tobacco use.

Variable(s): R01_AX0005

How would you describe your overall opinion of using tobacco?

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AN0250

To what extent, if at all, do you believe nicotine to be the main substance in tobacco that makes people want to use tobacco products?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 Very much
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AR0143

If a tobacco product made a claim that it was less harmful to health than other tobacco products, how likely would you be to use that product?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

GOTO: If Current or Experimental Current user tobacco (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), go to R01_AX0004.

Else, go to R01_AC9050.

Variable(s): R01_AX0004

In the past 30 days, how often did you think about the harm your tobacco use might be doing to you?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current users of tobacco (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).

GOTO: If Current user CIGS (R01_CURRENT_USER_CIGS = 1), go to R01_AC9055.

Else, go to R01_AC9050.

Variable(s): R01_AC9055

In the past 30 days, have you stubbed out a cigarette before you finished it because you thought about the harm of smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current and Experimental Current users of cigarettes (R01_CURRENT_USER_CIGS = 1 or R01_EXPERIMENTAL_CURRENT_CIGS = 1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC9050

How harmful do you think cigarettes are to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

BOX ID: R01_AR9

If R01_AE1001 = 1, go to R01_AE1099.
Else, go to BOX R01_AR10.

Variable(s): R01_AE1099

Is using e-cigarettes less harmful, about the same, or more harmful than smoking cigarettes? [SHOW IMAGE OF E-CIGARETTES]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have seen or heard of e-cigarettes (R01_AE1001=1).

BOX ID: R01_AR10

If R01_AG9002_01 = 1, go to R01_AG1099.
Else, go to BOX R01_AR11.

Variable(s): R01_AG1099

Is smoking traditional cigars less harmful, about the same, or more harmful than smoking cigarettes? [SHOW IMAGE OF TRADITIONAL CIGARS]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have seen or heard of traditional cigars (R01_AG9002_01=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_ARR11

If R01_AG9002_02 = 1, go to R01_AG1106.
Else, go to BOX R01_AR12.

Variable(s): R01_AG1106

Is smoking cigarillos less harmful, about the same, or more harmful than smoking cigarettes? [SHOW IMAGE OF CIGARILLOS]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have seen or heard of cigarillos or filtered cigars (R01_AG9002_02=1).

Variable(s): R01_AG1107

Is smoking filtered cigars less harmful, about the same, or more harmful than smoking cigarettes? [SHOW IMAGE OF FILTERED CIGARS]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have seen or heard of cigarillos or filtered cigars (R01_AG9002_02=1).

BOX ID: R01_AR12

If R01_AP1001 = 1, go to R01_AP1099.
Else go to BOX R01_AR13.

Variable(s): R01_AP1099

Is smoking pipes filled with tobacco less harmful, about the same, or more harmful than smoking cigarettes? [SHOW IMAGE OF PIPES]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have seen or heard of pipe tobacco (R01_AP1001=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

BOX ID: R01_AR13

If R01_AH1001 = 1, go to R01_AH1099.
Else, go to BOX R01_AR14.

Variable(s): R01_AH1099

Is smoking tobacco in a hookah less harmful, about the same, or more harmful than smoking cigarettes? [SHOW IMAGE OF HOOKAH]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have seen or heard of a hookah (R01_AH1001=1).

BOX ID: R01_AR14

If R01_AS1001 = 1, go to R01_AS1105.
Else go to BOX R01_AR15.

Variable(s): R01_AS1105

Is using smokeless tobacco less harmful, about the same, or more harmful than smoking cigarettes? [SHOW IMAGE OF SMOKELESS/SNUS]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have seen or heard of smokeless tobacco (R01_AS1001=1).

BOX ID: R01_AR15

If R01_AD1001 = 1, go to R01_AD1099.
Else go to R01_AC1110.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AD1099

Is using dissolvable tobacco less harmful, about the same, or more harmful than smoking cigarettes?
[SHOW IMAGE OF DISSOLVABLE TOBACCO]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have seen or heard of dissolvable tobacco (R01_AD1001=1).

Variable(s): R01_AC1110

How harmful do you think today's cigarettes are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AS1110

How harmful do you think today's smokeless tobacco products are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have seen or heard of smokeless tobacco (R01_AS1001=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AG1110

How harmful do you think today's cigars, cigarillos or filtered cigars are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have seen or heard of cigars (R01_AG1001=1).

BOX ID: R01_AC4

Display question R01_AC9060, R01_AC9065, R01_AC9070, R01_AC9075, R01_AC9080, R01_AC9085, R01_AC9090, R01_AC9100, R01_AC9105, R01_AC9110, R01_AC9115 on one screen. Show the intro/transition text from R01_AC9060 first, then show each item with a Y/N response. As each item is answered, show the next one.

Variable(s): R01_AC9060***

I am going to read you a list of diseases that may or may not be caused by smoking cigarettes. Based on what you know or believe, does smoking cause...

Stroke in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PROGRAM: Note - The list of health effects should include the diseases that are featured on the new health warnings if/when they come on cigarette packs, thus these current questions are subject to change based on this future information.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC9065***

Lung cancer in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R01_AC9070***

Heart disease in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R01_AC9075***

Blindness in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R01_AC9080***

Poor circulation (also called peripheral vascular disease) in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC9085***

Bladder cancer in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R01_AC9090***

Mouth cancer in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R01_AC9100***

Lung disease such as emphysema in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R01_AC9105***

Lung disease in non-smokers from second-hand smoke?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AC9110***

Heart attack in non-smokers from second-hand smoke?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R01_AC9115***

Harm to fetuses (or unborn children) during pregnancy from second-hand smoke?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R01_AC9120

To what extent, if at all, do you believe the nicotine in cigarettes to be the chemical that causes most of the cancer caused by smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 Very much
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

MEDIA USE**Variable(s):** **R01_AX0494**

The next questions ask about your TV, radio, internet and cell phone use.

About how long do you spend watching TV on a typical day?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 More than 4 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): **R01_AX0060**

About how long do you listen to the radio on a typical day?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 More than 4 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): **R01_AX0486**

Overall, how often do you use the internet?

- 1 Several times a day
- 2 About once a day
- 3 3-5 days a week
- 4 1-2 days a week
- 5 Every few weeks
- 6 Less often
- 7 Don't have regular internet access
- 8 DON'T KNOW
- 7 REFUSED

GO TO R01_AX0055

GO TO R01_AX0055

GO TO R01_AX0055

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0062	
Do you have a Facebook, Google Plus, MySpace, Twitter, or other social networking account?	
1 Yes	
2 No	GO TO R01_AX0487
-8 DON'T KNOW	GO TO R01_AX0487
-7 REFUSED	GO TO R01_AX0487
ASK: Respondents who have access to the internet (R01_AX0486 != 7, -8 OR -7).	

Variable(s): R01_AX0063	
How often do you visit your Facebook, Google Plus, MySpace, Twitter, or other social networking account?	
1 Several times a day	
2 Daily	
3 Weekly	
4 Monthly or less	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have a Facebook or other social networking account (R01_AX0062 = 1).	

Variable(s): R01_AX0487	
In the past 6 months, have you ever signed up for email alerts about tobacco products, read articles online about tobacco products, or watched a video online about tobacco products?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have access to the internet (R01_AX0486 != 7, -8 OR -7).	

Variable(s): R01_AX0055	
Do you have a cell phone for personal use?	
1 Yes	
2 No	GO TO BOX R01_AXD03
-8 DON'T KNOW	GO TO BOX R01_AXD03
-7 REFUSED	GO TO BOX R01_AXD03
ASK: All respondents.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0495
Is your cell phone a smart phone?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Respondents who have a cell phone for personal use (R01_AX0055=1).

Variable(s): R01_AX0056
Do you send or receive text messages on your cell phone?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO R01_AX0058
GO TO R01_AX0058
GO TO R01_AX0058
ASK: Respondents who have a cell phone for personal use (R01_AX0055=1).

Variable(s): R01_AX0057
On average, about how many text messages do you send and receive on a normal day?
1 1
2 2
3 3
4 4
-8 DON'T KNOW
-7 REFUSED
ASK: Respondents who send and receive text messages (R01_AX0056=1).
GOTO: If R01_AX0495 = 1, go to R01_AX0058.
Else, go to Box R01_AXD03.

Variable(s): R01_AX0058
Have you ever downloaded an app (or application) using your cell phone?
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Respondents who have a smart phone (R01_AX0495=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0496**

A Quick Response code is a white square with black dots in it, sometimes called a QR code.

[INSERT IMAGE OF QR CODE FOR PATH WEBSITE]

Have you ever used a smart phone to scan a QR code for a tobacco product or to enter a sweepstakes or drawing from a tobacco company?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R01_AXD03

GO TO BOX R01_AXD03

GO TO BOX R01_AXD03

ASK: Respondents who have a smart phone (R01_AX0495=1).

Variable(s): **R01_AX0497**

Did this code take you to a tobacco company web site?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Respondents who have scanned a QR code (R01_AX0496 = 1).

SECONDHAND SMOKE EXPOSURE**BOX ID:** R01_AXD03

DISPLAY TRANSITION TEXT: The next questions ask about tobacco use at your workplace and your home.

Variable(s): R01_AM0014

Which best describes your current job or paid employment status?

- | | | |
|----|--|------------------|
| 1 | Work full-time at least 35 hours per week | |
| 2 | Work part-time 15 to 34 hours per week | |
| 3 | Work part-time less than 15 hours per week | |
| 4 | I don't currently work for pay | GO TO R01_AR0144 |
| -8 | DON'T KNOW | GO TO R01_AR0144 |
| -7 | REFUSED | GO TO R01_AR0144 |

ASK: All respondents.

Variable(s): SEE BELOW:

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

- | | | |
|---------------|----|--------------|
| R01_AX0064_01 | 1 | Indoors |
| R01_AX0064_02 | 2 | Outdoors |
| R01_AX0064_03 | 3 | In a vehicle |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Respondents who work full time or part time (R01_AM0014=1,2,3).

Variable(s): R01_AX0065

How recently did someone smoke around you while you were at work?

- | | |
|----|--|
| 1 | Never |
| 2 | Today |
| 3 | In the past week |
| 4 | In the past two weeks |
| 5 | In the past month |
| 6 | Longer than a month ago but within the past year |
| 7 | More than a year ago |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Respondents who work full time or part time (R01_AM0014=1,2,3).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AR0144**

In your childhood, did you live with a regular smoker who smoked inside your home? Please think about anyone who smoked cigarettes, cigars, a pipe or hookah.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who reported that they do not work full time or part time (R01_AM0014 = 4). The error was corrected during Wave 1 Data Collection on 02/27/2014.

Variable(s): SEE BELOW:

Does anyone who lives with you now do any of the following? Choose all that apply.

- R01_AX0066_01 1 Smoke cigarettes
- R01_AX0066_02 2 Use smokeless tobacco, such as chewing tobacco, snuff, dip, or snus
- R01_AX0066_03 3 Smoke cigars, cigarillos, or filtered cigars
- R01_AX0066_04 4 Use any other form of tobacco
- R01_AX0066_05 5 No one who lives with me now uses any form of tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents that do not live alone where other household members are reported (PL.HHSIZE > 1).

PROGRAM: Option 5 cannot be selected if options 1 through 4 are also selected.

Variable(s): R01_AR1045***

These next few questions ask about rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah, which statement best describes the rules about smoking a tobacco product inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AR1050

Now think about other tobacco products that are not burned, like smokeless tobacco, dissolvable tobacco, and electronic cigarettes. Which statement best describes the rules about using these products inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0068

During the past seven days, about how many hours were you around others who were smoking[, whether or not you were smoking yourself]? Include time in your home, in a car, at work, or outdoors.

- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

DISPLAY: If Current or Experimental Current users of cigarettes, traditional cigars, cigarillos, filtered cigars, pipe, or hookah (R01_CURRENT_USER_CIGS = 1 or R01_EXPERIMENTAL_CURRENT_CIGS = 1 or R01_CURRENT_USER_GFILTR = 1 or R01_EXPERIMENTAL_CURRENT_GFILTR = 1 or R01_CURRENT_USER_PIPE = 1 or R01_EXPERIMENTAL_CURRENT_PIPE = 1 or R01_CURRENT_USER_HOOK = 1 or R01_EXPERIMENTAL_CURRENT_HOOK = 1), display ' , whether or not you were smoking yourself'.

PEER AND FAMILY INFLUENCES

BOX ID: R01_PeerIntro

GO TO: If Current user TOB OR Experimental Current user TOB OR Former user 12 Month TOB OR Experimental Former user TOB, go to R01_AX0070.
Else, go to R01_AX0007.

Variable(s): R01_AX0070**

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family of your smoking [led/lead] you to think about quitting?

- 1 Not at all
- 2 Somewhat
- 3 Very much
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users 12 Month, and Experimental Former tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_FORMER_TOBACCO = 1).

DISPLAY: For Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display "has", "led"; For Former users 12 Month and Experimental Former tobacco users (R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_FORMER_TOBACCO = 1), display "did", "lead".

NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0071**

Thinking about the people who are important to you, how would you describe their opinion on using tobacco?

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current users, Experimental Current users, Former users 12 Month, and Experimental Former tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1 or R01_EXPERIMENTAL_FORMER_TOBACCO = 1).

NOTES: INSTRUMENT ERROR: R01_FORMER_USER_12MONTH_SNUS and R01_FORMER_USER_12MONTH_SMKLS were not correctly set to 1 for respondents if they reported last using the product exactly one year ago (Snus: (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3); Smokeless Tobacco: (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)). The incorrect setting of those data collection variables also caused these items to be skipped incorrectly. The error was not corrected during Wave 1 Data Collection.

Variable(s): R01_AX0007

How would you describe most people's opinion of using tobacco?

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

HEALTH EFFECTS OUTCOME**BOX ID:** R01_AXT01

DISPLAY TRANSITION TEXT: The next questions ask about some basic medical information that is important for the study.

Variable(s): R01_AX0090

In general, how would you rate your physical health?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0091

In general, how would you rate your mental health, which includes stress, depression, and problems with emotions?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0088

In general, would you say your overall health is...

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0185

In general, would you say your quality of life is...

- 1 Excellent
2 Very good
3 Good
4 Fair
5 Poor
-8 DON'T KNOW
-7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0092

In general, how satisfied are you with your social activities and relationships?

- 1 Extremely satisfied
2 Very satisfied
3 Moderately satisfied
4 A little satisfied
5 Not at all satisfied
-8 DON'T KNOW
-7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0310

The next questions ask about your height and weight. Do you want to answer these questions in...

- 1 Feet and pounds, or
2 Meters and kilograms? GO TO R01_AX0311
-8 DON'T KNOW
-7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0108_FT; R01_AX0108_IN

About how tall are you without shoes?

I__I Feet

I__I__I Inches

-8 DON'T KNOW

-7 REFUSED

ASK: Respondents who prefer to answer in feet (R01_AX0310=1, -8 or -7).

DISPLAY: Display "Feet" and "Inches" as titles.

PROGRAM: Soft range check: Feet (3 to 8) and Inches (0-11). Display as Quantity/Quantity.

Variable(s): R01_AX0311

About how tall are you without shoes?

I__I__I.I__I__I Meters

-8 DON'T KNOW

-7 REFUSED

ASK: Respondents who prefer to answer in meters (R01_AX0310=2).

DISPLAY: Display "Meters" as a title.

PROGRAM: Soft range check: Meters (0.9 to 2.7).

Variable(s): R01_AX0109

About how much do you weigh without clothes or shoes?

I__I__I__I Pounds

-8 DON'T KNOW

-7 REFUSED

ASK: Respondents who prefer to answer in pounds (R01_AX0310=1, -8 or -7).

DISPLAY: Display "Pounds" as a title.

PROGRAM: Soft range check: Pounds (75 to 450).

Variable(s): R01_AX0312

About how much do you weigh without clothes or shoes?

I__I__I__I Kilograms

-8 DON'T KNOW

-7 REFUSED

ASK: Respondents who prefer to answer in kilograms (R01_AX0310=2).

DISPLAY: Display "Kilograms" as a title.

PROGRAM: Soft range check: Kilograms (34 to 205).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0001

In the past 12 months, have you seen a medical doctor?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0002

In the past 12 months, have you seen a dentist?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0302**

In the past 12 months, have you visited an emergency room or urgent care center for a health problem of your own?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

GOTO: If R01_AX0302=1, go to R01_AX0155.

If Experimental Former users (R01_EXPERIMENTAL_FORMER_TOBACCO = 1) that have quit in the past 12 months ((R01_AC1009_NN<=365 AND R01_AC1009_UN=1) OR (R01_AC1009_NN<=12 AND R01_AC1009_UN=2) OR (R01_AC1009_NN=1 AND R01_AC1009_UN=3) OR (R01_AE1009_NN<=365 AND R01_AE1009_UN=1) OR (R01_AE1009_NN<=12 AND R01_AE1009_UN=2) OR (R01_AE1009_NN=1 AND R01_AE1009_UN=3) OR (R01_AG1009TC_NN<=365 AND R01_AG1009TC_UN=1) OR (R01_AG1009TC_NN<=12 AND R01_AG1009TC_UN=2) OR (R01_AG1009TC_NN=1 AND R01_AG1009TC_UN=3) OR (R01_AG1009CG_NN<=365 AND R01_AG1009CG_UN=1) OR (R01_AG1009CG_NN<=12 AND R01_AG1009CG_UN=2) OR (R01_AG1009CG_NN=1 AND R01_AG1009CG_UN=3) OR (R01_AG1009FC_NN<=365 AND R01_AG1009FC_UN=1) OR (R01_AG1009FC_NN<=12 AND R01_AG1009FC_UN=2) OR (R01_AG1009FC_NN=1 AND R01_AG1009FC_UN=3) OR (R01_AP1009_NN<=365 AND R01_AP1009_UN=1) OR (R01_AP1009_NN<=12 AND R01_AP1009_UN=2) OR (R01_AP1009_NN=1 AND R01_AP1009_UN=3) OR (R01_AH1009_NN<=365 AND R01_AH1009_UN=1) OR (R01_AH1009_NN<=12 AND R01_AH1009_UN=2) OR (R01_AH1009_NN=1 AND R01_AH1009_UN=3) OR (R01_AS1009SU_NN<=365 AND R01_AS1009SU_UN=1) OR (R01_AS1009SU_NN<=12 AND R01_AS1009SU_UN=2) OR (R01_AS1009SM_NN=1 AND R01_AS1009SM_UN=3) OR (R01_AS1009SM_NN<=365 AND R01_AS1009SM_UN=1) OR (R01_AS1009SM_NN<=12 AND R01_AS1009SM_UN=2) OR (R01_AS1009SM_NN=1 AND R01_AS1009SM_UN=3) OR (R01_AD1009_NN<=365 AND R01_AD1009_UN=1) OR (R01_AD1009_NN<=12 AND R01_AD1009_UN=2) OR (R01_AD1009_NN=1 AND R01_AD1009_UN=3)), or Current user, Experimental Current user, Former user 12 Month (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1), who have seen a medical doctor (R01_AX0001=1) or dentist (R01_AX0002=1) and R01_AX0302!=1 , go to R01_AX0003.

Else, if Ever tobacco user (R01_EVER_USER_TOBACCO = 1) and R01_AX0302!=1, go to R01_AX0104.

Else, go to R01_AX0186.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AX0155
In the past 12 months, how many times have you visited an emergency room or urgent care center for a health problem of your own? _ _ -8 DON'T KNOW -7 REFUSED ASK: If R01_AX0302=1. GOTO: If Experimental Former users (R01_EXPERIMENTAL_FORMER_TOBACCO = 1) that have quit in the past 12 months ((R01_AC1009_NN<=365 AND R01_AC1009_UN=1) OR (R01_AC1009_NN<=12 AND R01_AC1009_UN=2) OR (R01_AC1009_NN=1 AND R01_AC1009_UN=3) OR (R01_AE1009_NN<=365 AND R01_AE1009_UN=1) OR (R01_AE1009_NN<=12 AND R01_AE1009_UN=2) OR (R01_AE1009_NN=1 AND R01_AE1009_UN=3) OR (R01_AG1009TC_NN<=365 AND R01_AG1009TC_UN=1) OR (R01_AG1009TC_NN<=12 AND R01_AG1009TC_UN=2) OR (R01_AG1009TC_NN=1 AND R01_AG1009TC_UN=3) OR (R01_AG1009CG_NN<=365 AND R01_AG1009CG_UN=1) OR (R01_AG1009CG_NN<=12 AND R01_AG1009CG_UN=2) OR (R01_AG1009CG_NN=1 AND R01_AG1009CG_UN=3) OR (R01_AG1009FC_NN<=365 AND R01_AG1009FC_UN=1) OR (R01_AG1009FC_NN<=12 AND R01_AG1009FC_UN=2) OR (R01_AG1009FC_NN=1 AND R01_AG1009FC_UN=3) OR (R01_AP1009_NN<=365 AND R01_AP1009_UN=1) OR (R01_AP1009_NN<=12 AND R01_AP1009_UN=2) OR (R01_AP1009_NN=1 AND R01_AP1009_UN=3) OR (R01_AH1009_NN<=365 AND R01_AH1009_UN=1) OR (R01_AH1009_NN<=12 AND R01_AH1009_UN=2) OR (R01_AH1009_NN=1 AND R01_AH1009_UN=3) OR (R01_AS1009SU_NN<=365 AND R01_AS1009SU_UN=1) OR (R01_AS1009SU_NN<=12 AND R01_AS1009SU_UN=2) OR (R01_AS1009SM_NN=1 AND R01_AS1009SM_UN=3) OR (R01_AS1009SM_NN<=365 AND R01_AS1009SM_UN=1) OR (R01_AS1009SM_NN<=12 AND R01_AS1009SM_UN=2) OR (R01_AS1009SM_NN=1 AND R01_AS1009SM_UN=3) OR (R01_AD1009_NN<=365 AND R01_AD1009_UN=1) OR (R01_AD1009_NN<=12 AND R01_AD1009_UN=2) OR (R01_AD1009_NN=1 AND R01_AD1009_UN=3)), or Current user, Experimental Current user, Former user 12 Month (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1), who have seen a medical doctor (R01_AX0001=1) or dentist (R01_AX0002=1), go to R01_AX0003. Else, if Ever tobacco user (R01_EVER_USER_TOBACCO = 1), go to R01_AX0104. Else, go to R01_AX0186.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AX0003**
In the past 12 months, did any medical doctor, dentist or other health professional advise you to stop using tobacco[or e-cigarettes]?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Experimental Former users (R01_EXPERIMENTAL_FORMER_TOBACCO = 1) that have quit in the past 12 months ((R01_AC1009_NN<=365 AND R01_AC1009_UN=1) OR (R01_AC1009_NN<=12 AND R01_AC1009_UN=2) OR (R01_AC1009_NN=1 AND R01_AC1009_UN=3) OR (R01_AE1009_NN<=365 AND R01_AE1009_UN=1) OR (R01_AE1009_NN<=12 AND R01_AE1009_UN=2) OR (R01_AE1009_NN=1 AND R01_AE1009_UN=3) OR (R01_AG1009TC_NN<=365 AND R01_AG1009TC_UN=1) OR (R01_AG1009TC_NN<=12 AND R01_AG1009TC_UN=2) OR (R01_AG1009TC_NN=1 AND R01_AG1009TC_UN=3) OR (R01_AG1009CG_NN<=365 AND R01_AG1009CG_UN=1) OR (R01_AG1009CG_NN<=12 AND R01_AG1009CG_UN=2) OR (R01_AG1009CG_NN=1 AND R01_AG1009CG_UN=3) OR (R01_AG1009FC_NN<=365 AND R01_AG1009FC_UN=1) OR (R01_AG1009FC_NN<=12 AND R01_AG1009FC_UN=2) OR (R01_AG1009FC_NN=1 AND R01_AG1009FC_UN=3) OR (R01_AP1009_NN<=365 AND R01_AP1009_UN=1) OR (R01_AP1009_NN<=12 AND R01_AP1009_UN=2) OR (R01_AP1009_NN=1 AND R01_AP1009_UN=3) OR (R01_AH1009_NN<=365 AND R01_AH1009_UN=1) OR (R01_AH1009_NN<=12 AND R01_AH1009_UN=2) OR (R01_AH1009_NN=1 AND R01_AH1009_UN=3) OR (R01_AS1009SU_NN<=365 AND R01_AS1009SU_UN=1) OR (R01_AS1009SU_NN<=12 AND R01_AS1009SU_UN=2) OR (R01_AS1009SM_NN=1 AND R01_AS1009SM_UN=3) OR (R01_AS1009SM_NN<=365 AND R01_AS1009SM_UN=1) OR (R01_AS1009SM_NN<=12 AND R01_AS1009SM_UN=2) OR (R01_AS1009SM_NN=1 AND R01_AS1009SM_UN=3) OR (R01_AD1009_NN<=365 AND R01_AD1009_UN=1) OR (R01_AD1009_NN<=12 AND R01_AD1009_UN=2) OR (R01_AD1009_NN=1 AND R01_AD1009_UN=3)), or Current users, Experimental Current users, and Former users 12 Month of tobacco (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1 or R01_FORMER_USER_12MONTH_TOBACCO = 1) , who have seen a medical doctor (R01_AX0001=1) or dentist (R01_AX0002=1). DISPLAY: For respondents who use e-cigarettes (Current user ECIG or Experimental Current user ECIG or Former user 12 Month ECIG) (R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1 or R01_FORMER_USER_12MONTH_ECIG = 1), display "or e-cigarettes". NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who had seen a doctor or a dentist in the past 12 months and were current users of tobacco, experimental current users or tobacco, or experimental former users of tobacco who had quit in the past 12 months (((R01_AX0001 = 1 OR R01_AX0002 = 1) AND (R01_CURRENT_USER_TOBACCO = 1 OR R01_EXPERIMENTAL_CURRENT_TOBACCO = 1 OR (R01_EXPERIMENTAL_FORMER_TOBACCO = 1 AND ((R01_AC1009_NN < 12 AND R01_AC1009_UN = 2) OR (R01_AE1009_NN < 12 AND R01_AE1009_UN = 2) OR (R01_AG1009TC_NN < 12 AND R01_AG1009TC_UN = 2) OR (R01_AG1009CG_NN < 12 AND R01_AG1009CG_UN = 2) OR (R01_AG1009FC_NN < 12 AND R01_AG1009FC_UN = 2) OR (R01_AP1009_NN < 12 AND R01_AP1009_UN = 2) OR (R01_AH1009_NN < 12 AND R01_AH1009_UN = 2) OR (R01_AS1009SU_NN < 12 AND R01_AS1009SU_UN = 2) OR (R01_AS1009SM_NN < 12 AND R01_AS1009SM_UN = 2) OR (R01_AD1009_NN < 12 AND R01_AD1009_UN = 2) OR (R01_AC1009_NN < 365 AND R01_AC1009_UN = 1) OR (R01_AE1009_NN < 365 AND R01_AE1009_UN = 1) OR (R01_AG1009TC_NN < 365 AND R01_AG1009TC_UN = 1) OR (R01_AG1009CG_NN < 365 AND R01_AG1009CG_UN = 1) OR (R01_AG1009FC_NN < 365 AND R01_AG1009FC_UN = 1) OR (R01_AP1009_NN < 365 AND R01_AP1009_UN = 1) OR (R01_AH1009_NN < 365 AND	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

R01_AH1009_UN = 1) OR (R01_AS1009SU_NN < 365 AND R01_AS1009SU_UN = 1) OR (R01_AS1009SM_NN < 365 AND R01_AS1009SM_UN = 1) OR (R01_AD1009_NN < 365 AND R01_AD1009_UN = 1))))). The error was not corrected during Wave 1 Data Collection.

Variable(s): R01_AX0104

To what extent, if at all, has [using / your past use of] tobacco products damaged your health?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used any tobacco in their lifetime (R01_EVER_USER_TOBACCO = 1).

DISPLAY: For Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display "using"; For Former and Experimental Former tobacco users (R01_FORMER_USER_TOBACCO = 1 or R01_EXPERIMENTAL_FORMER_TOBACCO = 1), display "your past use of".

Variable(s): R01_AX0105

To what extent, if at all, are you worried that [using / your past use of] tobacco products will damage your health in the future?

- 1 Not at all worried
- 2 A little worried
- 3 Moderately worried
- 4 Very worried
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used any tobacco in their lifetime (R01_EVER_USER_TOBACCO = 1).

DISPLAY: For Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1), display "using"; For Former and Experimental Former tobacco users (R01_FORMER_USER_TOBACCO = 1 or R01_EXPERIMENTAL_FORMER_TOBACCO = 1), display "your past use of".

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0186

The next set of questions is about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy].

Do you have serious difficulty walking or climbing stairs?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AX0094 |
| -8 | DON'T KNOW | GO TO R01_AX0094 |
| -7 | REFUSED | GO TO R01_AX0094 |

ASK: All respondents.

DISPLAY: If female or if gender is unknown (R01R_A_SEX=2 OR SYSTEM MISSING), display “, or pregnancy”. If male (R01R_A_SEX=1), display “or “ (and do not display “, or pregnancy”).

Variable(s): R01_AX0093

To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have serious difficulty walking (R01_AX0186=1).

Variable(s): R01_AX0094

To what extent are you able to carry out your everyday activities such as using a telephone, paying bills, taking medications, preparing light meals, doing laundry, or going shopping?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0188		
Do you have difficulty dressing or bathing?		
1	Yes	
2	No	GO TO R01_AX0097
-8	DON'T KNOW	GO TO R01_AX0097
-7	REFUSED	GO TO R01_AX0097
ASK: All respondents.		

Variable(s): R01_AX0095		
To what extent are you able to carry out your everyday activities such as bathing, dressing, or getting around the house?		
1	Completely	
2	Mostly	
3	Moderately	
4	A little	
5	Not at all	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Respondents who have difficulty dressing/bathing (R01_AX0188=1).		

Variable(s): SEE BELOW:		
Does your health limit you in any of the following activities? Choose all that apply.		
R01_AX0097_01	1	Lifting 10 pounds
R01_AX0097_02	2	Walking up 10 steps
R01_AX0097_03	3	Walking 3 blocks
R01_AX0097_04	4	Walking 1 mile
R01_AX0097_05	5	Standing 20 minutes
R01_AX0097_06	6	Bending or stooping
R01_AX0097_07	7	Reaching overhead
R01_AX0097_08	8	Using fingers to grasp
R01_AX0097_09	9	None of the above
	-8	DON'T KNOW
	-7	REFUSED
ASK: All respondents.		
PROGRAM: Option 9 cannot be selected if any options 1 through 8 are selected.		

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0187

Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0189

Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0190

Are you deaf or do you have serious difficulty hearing?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0100

In the past 7 days, how would you rate your pain on average on a scale from 0 to 10 where 0 is no pain and 10 is the worst pain imaginable?

- 0 No pain
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10 Worst pain imaginable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0101

In the past 7 days, how would you rate your fatigue on average? By fatigue, we mean feeling unrested or overly tired during the day, no matter how many hours of sleep you've had.

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Very severe
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0102

In general, please rate how well you carry out your usual social activities and roles. This includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.

- 1 Excellent
- 2 Very Good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0103

In the past 7 days, how often have you been bothered by emotional problems such as feeling anxious, depressed, or irritable?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Has a doctor or other health professional ever told you that you had any of the following heart conditions? Choose all that apply. R01_AX0111_01 1 High blood pressure R01_AX0111_02 2 High cholesterol R01_AX0111_03 3 Congestive heart failure R01_AX0111_04 4 A stroke R01_AX0111_05 5 A heart attack (also called myocardial infarction) or needed bypass surgery R01_AX0111_06 6 Some other heart condition R01_AX0111_07 7 None of the above -8 DON'T KNOW -7 REFUSED ASK: All respondents. PROGRAM: Option 7 cannot be selected if any option 1 through 6 is selected. GOTO: IF R01_AX0111_01 = 1, GO TO R01_AX0114. ELSE, IF R01_AX0111_02 = 1, GO TO R01_AX0115. ELSE, IF R01_AX0111_03 = 1, GO TO R01_AX0116. ELSE, IF R01_AX0111_04 = 1, GO TO R01_AX0117. ELSE, IF R01_AX0111_05 = 1, GO TO R01_AX0112. ELSE, IF R01_AX0111_06 = 1, GO TO R01_AX0219. ELSE, IF R01_AX0111_07 = 7, -8 OR -7, GO TO R01_AX0119.	

Variable(s):	R01_AX0114
How old were you when you were first told you had high blood pressure? __ __ __ -8 DON'T KNOW -7 REFUSED ASK: Respondents who have ever had high blood pressure (R01_AX0111_01=1). DISPLAY: Display "Years old" as a title. GOTO: IF R01_AX0114 = -8 OR -7, GO TO R01_AX0253. ELSE, IF R01_AX0111_02 = 1, GO TO R01_AX0115. ELSE, IF R01_AX0111_03 = 1, GO TO R01_AX0116. ELSE, IF R01_AX0111_04 = 1, GO TO R01_AX0117. ELSE, IF R01_AX0111_05 = 1, GO TO R01_AX0112. ELSE, GO TO R01_AX0219.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0253

When you were first told you had high blood pressure, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0114 = -8, -7).

GOTO: IF R01_AX0111_02 = 1, GO TO R01_AX0115.

ELSE, IF R01_AX0111_03 = 1, GO TO R01_AX0116.

ELSE, IF R01_AX0111_04 = 1, GO TO R01_AX0117.

ELSE, IF R01_AX0111_05 = 1, GO TO R01_AX0112.

ELSE, GO TO R01_AX0219.

Variable(s): R01_AX0115

How old were you when you were first told you had high cholesterol?

____|____|____|

GO TO R01_AX0160

- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever had high cholesterol (R01_AX0111_02=1).

DISPLAY: Display "Years old" as a title.

Variable(s): R01_AX0254

When you were first told you had high cholesterol, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0115 = -8, -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0160

Have you ever taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever had high cholesterol (R01_AX0111_02=1).

GOTO: IF R01_AX0111_03 = 1, GO TO R01_AX0116.

ELSE, IF R01_AX0111_04 = 1, GO TO R01_AX0117.

ELSE, IF R01_AX0111_05 = 1, GO TO R01_AX0112.

ELSE, GO TO R01_AX0219.

Variable(s): R01_AX0116

How old were you when you were first told you had congestive heart failure?

- ____|____|____|
- 8 DON'T KNOW
 - 7 REFUSED

ASK: Respondents who have ever had congestive heart failure (R01_AX0111_03=1).

DISPLAY: Display "Years old" as a title.

GOTO: IF R01_AX0116 = -8 OR -7, GO TO R01_AX0255.

ELSE, IF R01_AX0111_04 = 1, GO TO R01_AX0117.

ELSE, IF R01_AX0111_05 = 1, GO TO R01_AX0112.

ELSE, GO TO R01_AX0219.

Variable(s): R01_AX0255

When you were first told you had congestive heart failure, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0116 = -8, -7).

GOTO: IF R01_AX0111_04 = 1, GO TO R01_AX0117.

ELSE, IF R01_AX0111_05 = 1, GO TO R01_AX0112.

ELSE, GO TO R01_AX0219.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0117

How old were you when you were first told you had a stroke?

____|____|____|

-8 DON'T KNOW

-7 REFUSED

ASK: Respondents who have ever had a stroke (R01_AX0111_04=1).

DISPLAY: Display "Years old" as a title.

GOTO: IF R01_AX0117 = -8 OR -7, GO TO R01_AX0256.

ELSE, IF R01_AX0111_05 = 1, GO TO R01_AX0112.

ELSE, GO TO R01_AX0219.

Variable(s): R01_AX0256

When you were first told you had a stroke, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0117 = -8, -7).

GOTO: IF R01_AX0111_05 = 1, GO TO R01_AX0112.

ELSE, GO TO R01_AX0219.

Variable(s): R01_AX0112

How old were you when you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery?

____|____|____|

GO TO R01_AX0219

-8 DON'T KNOW

-7 REFUSED

ASK: Respondents who have ever had a heart attack (R01_AX0111_05=1).

DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0252**

When you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0112 = -8, -7).

Variable(s): **R01_AX0219**

In the past 12 months, did you take any heart or blood pressure medications regularly? (Taken regularly means according to a health care provider's instructions.)

- 1 Yes
- 2 No GO TO R01_AX0119
- 8 DON'T KNOW GO TO R01_AX0119
- 7 REFUSED GO TO R01_AX0119

ASK: Respondents who have ever been told they had a heart condition (R01_AX0111_01 = 1 OR R01_AX0111_02 = 1 OR R01_AX0111_03 = 1 OR R01_AX0111_04 = 1 OR R01_AX0111_05 = 1 OR R01_AX0111_06 = 1).

BOX ID: **R01_AXD04**

BOX – DISPLAY INSTRUCTIONS

For R01_AX0159, display a “Yes” and “No” column with options for each response category.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
What type of heart or blood pressure medications do you regularly take?	
R01_AX0159_01	1 Calcium Channel Blocker – for example: nifedipine (Procardia, Adalat), diltiazem (Cardizem), amlodipine (Norvasc), verapamil (Calan), nisoldipine (Sular)
R01_AX0159_02	2 Beta Blocker – for example: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal)
R01_AX0159_03	3 Angiotensin Receptor Blocker – for example: losartan (Cozaar), irbesartan (Avapro), valsartan (Diovan), candesartan (Atacand), telmisartan (Micardis), olmesartan (Benicar)
R01_AX0159_04	4 Ace Inhibitor – for example: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril)
R01_AX0159_05	5 Diuretic – for example: furosemide (Lasix), indapamide (Lozol), triamterene (Dyrenium), thiazides (HCTZ), triamterene/HCTZ (Dyazide)
R01_AX0159_06	6 Digoxin (Lanoxin)
R01_AX0159_07	7 Methyldopa (Aldomet) or Hydralazine (Apresoline)
R01_AX0159_08	8 Other antiarrhythmics
R01_AX0159_09	9 Some other heart or blood pressure medication
	-8 DON'T KNOW
	-7 REFUSED
ASK: Respondents with a heart condition (R01_AX0111_01 = 1 OR R01_AX0111_02 = 1 OR R01_AX0111_03 = 1 OR R01_AX0111_04 = 1 OR R01_AX0111_05 = 1 OR R01_AX0111_06 = 1) who took heart or blood pressure medications in the past 12 months (R01_AX0219=1).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Has a doctor or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.	
R01_AX0119_01	1 COPD
R01_AX0119_02	2 Chronic bronchitis
R01_AX0119_03	3 Emphysema
R01_AX0119_04	4 Asthma
R01_AX0119_05	5 Some other lung or respiratory condition
R01_AX0119_06	6 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: All respondents.	
PROGRAM: Option 6 cannot be selected if any option 1 through 5 is selected.	
GOTO: IF R01_AX0119_01 = 1, GO TO R01_AX0120.	
ELSE, IF R01_AX0119_02 = 1, GO TO R01_AX0121.	
ELSE, IF R01_AX0119_03 = 1, GO TO R01_AX0123.	
ELSE, IF R01_AX0119_04 = 1, GO TO R01_AX0124.	
ELSE, IF R01_AX0119_05 = 1 OR R01_AX0119_06 = 1, -8 OR -7, GO TO R01_AX0129.	

Variable(s):	R01_AX0120
How old were you when you were first told you had COPD?	
_ _ _ _	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have ever had COPD (R01_AX0119_01=1).	
DISPLAY: Display "Years old" as a title.	
GOTO: IF R01_AX0120 = -8 OR -7, GO TO R01_AX0257.	
ELSE, IF R01_AX0119_02 = 1, GO TO R01_AX0121.	
ELSE, IF R01_AX0119_03 = 1, GO TO R01_AX0123.	
ELSE, IF R01_AX0119_04 = 1, GO TO R01_AX0124.	
ELSE, GO TO R01_AX0283.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0257

When you were first told you had COPD, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0120 = -8, -7).

GOTO: IF R01_AX0119_02 = 1, GO TO R01_AX0121.

ELSE, IF R01_AX0119_03 = 1, GO TO R01_AX0123.

ELSE, IF R01_AX0119_04 = 1, GO TO R01_AX0124.

ELSE, GO TO R01_AX0283.

Variable(s): R01_AX0121

How old were you when you were first told you had chronic bronchitis?

- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever had chronic bronchitis (R01_AX0119_02=1).

DISPLAY: Display "Years old" as a title.

GOTO: IF R01_AX0121 = -8 OR -7, GO TO R01_AX0258.

ELSE, IF R01_AX0119_03 = 1, GO TO R01_AX0123.

ELSE, IF R01_AX0119_04 = 1, GO TO R01_AX0124.

ELSE, IF R01_AX0119_01 = 1, GO TO R01_AX0283.

ELSE, GO TO R01_AX0129.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0258

When you were first told you had chronic bronchitis, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0121 = -8, -7).

GOTO: IF R01_AX0119_03 = 1, GO TO R01_AX0123.

ELSE, IF R01_AX0119_04 = 1, GO TO R01_AX0124.

ELSE, IF R01_AX0119_01 = 1, GO TO R01_AX0283.

ELSE, GO TO R01_AX0129.

Variable(s): R01_AX0123

How old were you when you were first told you had emphysema?

- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever had emphysema (R01_AX0119_03=1).

DISPLAY: Display "Years old" as a title.

GOTO: IF R01_AX0123 = -8 OR -7, GO TO R01_AX0259.

ELSE, IF R01_AX0119_04 = 1, GO TO R01_AX0124.

ELSE, IF R01_AX0119_01 = 1, GO TO R01_AX0283.

ELSE, GO TO R01_AX0129.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0259

When you were first told you had emphysema, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0123 = -8, -7).

GOTO: IF R01_AX0119_04 = 1, GO TO R01_AX0124.

ELSE, IF R01_AX0119_01 = 1, GO TO R01_AX0283.

ELSE, GO TO R01_AX0129.

Variable(s): R01_AX0124

How old were you when you were first told you had asthma?

- ____|____|____|
- 8 DON'T KNOW
 - 7 REFUSED

GO TO R01_AX0283

ASK: Respondents who have ever had asthma (R01_AX0119_04=1).

DISPLAY: Display "Years old" as a title.

Variable(s): R01_AX0260

When you were first told you had asthma, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0124 = -8, -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0283
In the past 12 months, did you take medication regularly for COPD or asthma? (Taken regularly means according to a health care provider's instructions.) 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R01_AX0125 GO TO R01_AX0125 GO TO R01_AX0125 ASK: Respondents who have ever been told they had COPD or asthma (R01_AX0119_01 = 1 OR R01_AX0119_04 = 1). GOTO: If the respondent has taken medication regularly for COPD or asthma in the past 12 months (R01_AX0283=1), go to R01_AX0128. Else, if the respondent has ever been told they had asthma (R01_AX0119_04=1), go to R01_AX0125. Else, go to R01_AX0129.

BOX ID: R01_AXD05
DISPLAY INSTRUCTION: For R01_AX0128, display as a stem and leaf question. For each leaf, display a yes/no response.

Variable(s): SEE BELOW:
In the past 12 months, which of the following medications did you regularly take for COPD or asthma? R01_AX0128_01 1 Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent) R01_AX0128_02 2 Controller or long-acting inhaler including steroid inhaler – for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair) R01_AX0128_03 3 Other controlling medication – for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp) R01_AX0128_04 4 Oral or injected steroid medication – for example: prednisone, prednisolone (Orapred), dexamethasone (Decadron) R01_AX0128_05 5 Oxygen therapy R01_AX0128_06** 6 Some other lung or respiratory medication -8 DON'T KNOW -7 REFUSED ASK: Respondents with COPD or asthma (R01_AX0119_01 = 1 OR R01_AX0119_04 = 1) who took medication regularly for COPD or asthma in the past 12 months (R01_AX0283=1). GOTO: If respondent has had COPD (R01_AX0119_01 = 1), go to R01_AX0129. Else, go to R01_AX0125. NOTES: INSTRUMENT ERROR: R01_AX0128_06 was skipped incorrectly by respondents who took medication regularly for COPD or asthma (R01_AX0283 = 1). The error was corrected during Wave 1 Data Collection on 02/27/2014.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0125	
In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack? Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).	
1 Yes	
2 No	GO TO R01_AX0127
-8 DON'T KNOW	GO TO R01_AX0127
-7 REFUSED	GO TO R01_AX0127
ASK: Respondents who have ever had asthma (R01_AX0119_04=1).	

Variable(s): R01_AX0126					
In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?					
	<table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table>				
-8 DON'T KNOW					
-7 REFUSED					
ASK: Respondents who have had an asthma attack in the past 12 months (R01_AX0125=1).					

Variable(s): R01_AX0127	
In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?	
1 Yes	
2 No	GO TO R01_AX0129
-8 DON'T KNOW	GO TO R01_AX0129
-7 REFUSED	GO TO R01_AX0129
ASK: Respondents who have ever had asthma (R01_AX0119_04=1).	

Variable(s): R01_AX0282					
In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?					
	<table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table>				
-8 DON'T KNOW					
-7 REFUSED					
ASK: Respondents who have gone to emergency room for asthma in the past 12 months (R01_AX0127=1).					

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0129	
Have you ever been told by a dentist, hygienist, or other health professional that you have gum disease?	
1 Yes	
2 No	GO TO R01_AX0130
-8 DON'T KNOW	GO TO R01_AX0130
-7 REFUSED	GO TO R01_AX0130
ASK: All respondents.	

Variable(s): R01_AX0131					
How old were you when you were first told you had gum disease?					
<table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table>					GO TO R01_AX0130
-8 DON'T KNOW					
-7 REFUSED					
ASK: Respondents who have ever had gum disease (R01_AX0129=1).					
DISPLAY: Display "Years old" as a title.					

Variable(s): R01_AX0261	
When you were first told you had gum disease, were you...	
1 Less than 18 years old,	
2 18 to 24 years old,	
3 25 to 34 years old,	
4 35 to 44 years old,	
5 45 to 54 years old, or	
6 55 years old or older?	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who refused to give or did not know age (R01_AX0131 = -8, -7).	

Variable(s): R01_AX0130	
Have you ever had treatment for [gum disease I your gums] such as scaling and root planing, sometimes called deep cleaning?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: All respondents.	
DISPLAY: If respondent has ever had gum disease (R01_AX0129=1), display 'gum disease'. If not (R01_AX0129=2, -8 or -7), display 'your gums'.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0132**

Have you ever been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AX0281 |
| -8 | DON'T KNOW | GO TO R01_AX0281 |
| -7 | REFUSED | GO TO R01_AX0281 |

ASK: All respondents.

Variable(s): **R01_AX0133**

How old were you when you were first told you had pre-cancerous oral lesions?

- | | | |
|----|---|------------------|
| | <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> | GO TO R01_AX0281 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Respondents who have ever had pre-cancerous oral lesions (R01_AX0132=1).

DISPLAY: Display "Years old" as a title.

Variable(s): **R01_AX0262**

When you were first told you had pre-cancerous oral lesions, were you...

- | | |
|----|-------------------------|
| 1 | Less than 18 years old, |
| 2 | 18 to 24 years old, |
| 3 | 25 to 34 years old, |
| 4 | 35 to 44 years old, |
| 5 | 45 to 54 years old, or |
| 6 | 55 years old or older? |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Respondents who refused to give or did not know age (R01_AX0133 = -8, -7).

Variable(s): **R01_AX0281**

Have you ever been told by a doctor or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AX0141 |
| -8 | DON'T KNOW | GO TO R01_AX0141 |
| -7 | REFUSED | GO TO R01_AX0141 |

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0280
How old were you when you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes? GO TO R01_AX0141 -8 DON'T KNOW -7 REFUSED ASK: Respondents who have ever had diabetes or raised glucose levels (R01_AX0281=1). DISPLAY: Display "Years old" as a title.

Variable(s): R01_AX0263
When you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: Respondents who refused to give or did not know age (R01_AX0280 = -8, -7).

Variable(s): R01_AX0141
Have you ever been told by a doctor or other health professional that you had an ulcer? Include stomach, duodenal or peptic ulcers. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R01_AX0147 GO TO R01_AX0147 GO TO R01_AX0147 ASK: All respondents.

Variable(s): R01_AX0143
How old were you when you were first told you had an ulcer? GO TO R01_AX0147 -8 DON'T KNOW -7 REFUSED ASK: Respondent who have ever had an ulcer (R01_AX0141=1). DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0264**

When you were first told you had an ulcer, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0143 = -8, -7).

Variable(s): **R01_AX0147**

Have you ever been told by a doctor or other health professional that you had stomach or other gastro-intestinal bleeding?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R01_AX0149
GO TO R01_AX0149
GO TO R01_AX0149

ASK: All respondents.

Variable(s): **R01_AX0148**

How old were you when you were first told you had stomach or other gastro-intestinal bleeding?

- _____
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R01_AX0149

ASK: Respondent who have ever had stomach or other GI bleeding (R01_AX0147=1).

DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0266**

When you were first told you had stomach or other gastro-intestinal bleeding, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0148 = -8, -7).

Variable(s): **R01_AX0149**

Have you ever been told by a doctor or other health professional that you have osteoporosis, sometimes called thin or brittle bones?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R01_AX0196
GO TO R01_AX0196
GO TO R01_AX0196

ASK: All respondents.

Variable(s): **R01_AX0150**

How old were you when you were first told you had osteoporosis, sometimes called thin or brittle bones?

- |_|_|_|
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R01_AX0196

ASK: Respondent who have ever had osteoporosis (R01_AX0149=1).

DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0267**

When you were first told you had osteoporosis, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0150 = -8, -7).

Variable(s): **R01_AX0196**

Have you ever been told by a doctor or health professional that you had a bone fracture because you have fragile bones?

- 1 Yes
- 2 No GO TO R01_AX0191
- 8 DON'T KNOW GO TO R01_AX0191
- 7 REFUSED GO TO R01_AX0191

ASK: All respondents.

Variable(s): **R01_AX0198**

How old were you when you were first told you had a bone fracture because you have fragile bones?

- |_|_|_|_| GO TO R01_AX0191
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondent who have ever had a bone fracture due to fragile bones (R01_AX0196=1).

DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0268
When you were first told you had a bone fracture because of fragile bones, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: Respondents who refused to give or did not know age (R01_AX0198 = -8, -7).

Variable(s): R01_AX0191
Are you blind or do you have serious difficulty seeing, even when wearing glasses? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: All respondents.

Variable(s): R01_AX0151
Have you ever been told by a doctor or other health professional that you have a cataract or glaucoma? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R01_AX0144 GO TO R01_AX0144 GO TO R01_AX0144 ASK: All respondents.

Variable(s): R01_AX0152
How old were you when you were first told you had a cataract or glaucoma? -8 DON'T KNOW -7 REFUSED GO TO R01_AX0144 ASK: Respondents who have ever had a cataract or glaucoma (R01_AX0151=1). DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0269**

When you were first told you had a cataract or glaucoma, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0152 = -8, -7).

Variable(s): **R01_AX0144**

Have you ever been told by a doctor or other health professional that you had cancer?

- 1 Yes
- 2 No GO TO R01_AX0158
- 8 DON'T KNOW GO TO R01_AX0158
- 7 REFUSED GO TO R01_AX0158

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
What kind of cancer? Choose all that apply. [If you do not see the kind below, touch the button marked "NEXT".] If you do not see the kind below, touch the box marked "OTHER".]	
R01_AX0145_01	1 BLADDER
R01_AX0145_02	2 BLOOD
R01_AX0145_03	3 BONE
R01_AX0145_04	4 BRAIN
R01_AX0145_05	5 BREAST
R01_AX0145_06	6 CERVIX (CERVICAL)
R01_AX0145_07	7 COLON
R01_AX0145_08	8 ESOPHAGUS (ESOPHAGEAL)
R01_AX0145_09	9 GALLBLADDER
R01_AX0145_10	10 KIDNEY
R01_AX0145_11	11 LARYNX/WINDPIPE
R01_AX0145_12	12 LEUKEMIA
R01_AX0145_13	13 LIVER
R01_AX0145_14	14 LUNG
R01_AX0145_15	15 LYMPHOMA/HODGKIN'S DISEASE
R01_AX0145_16	16 MELANOMA
R01_AX0145_17	17 MOUTH/TONGUE/LIP
R01_AX0145_18	18 NERVOUS SYSTEM
R01_AX0145_19	19 OVARY (OVARIAN)
R01_AX0145_20	20 PANCREAS (PANCREATIC)
R01_AX0145_21	21 PROSTATE
R01_AX0145_22	22 RECTUM (RECTAL)
R01_AX0145_23	23 SKIN (NON-MELANOMA)
R01_AX0145_24	24 SKIN (DON'T KNOW WHAT KIND)
R01_AX0145_25	25 SOFT TISSUE (MUSCLE OR FAT)
R01_AX0145_26	26 STOMACH
R01_AX0145_27	27 TESTIS (TESTICULAR)
R01_AX0145_28	28 THROAT
R01_AX0145_29	29 THYROID
R01_AX0145_30	30 UTERUS (UTERINE)
R01_AX0145_31	31 OTHER
	-8 DON'T KNOW
	-7 REFUSED
ASK: Respondents who have ever had cancer (R01_AX0144=1). PROGRAM: [If screens 1-3] Display: If you do not see the kind below, touch the button marked "NEXT". [If last screen] Display: If you do not see the kind below, touch the box marked "OTHER".	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0146_01 through R01_AX0146_31

At what age were you first diagnosed with [TYPE OF CANCER/cancer]?

GO TO R01_AX0158

-8 DON'T KNOW

-7 REFUSED

ASK: Respondent who have ever had cancer (R01_AX0144=1).

DISPLAY: Fill [TYPE OF CANCER] with R01_AX0145. Repeat for each type.

If R01_AX0145_31=1, -8 or -7, display 'cancer'. If R01_AX0145_12=1 or R01_AX0145_15=1, only display text in response option and do not display 'cancer'. If R01_AX0145_06=1 or R01_AX0145_08=1 or R01_AX0145_19=1 or R01_AX0145_20=1 or R01_AX0145_22=1 or R01_AX0145_27=1 or R01_AX0145_30=1, only display the text that is shown in parentheses in the response option and 'cancer' (ex. "cervical cancer" instead of "cervix (cervical) cancer"). Else, display text as shown in option and 'cancer'.

DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AX0265_01 through R01_AX0265_31**
When you were first diagnosed with [TYPE OF CANCER/cancer], were you...	
	1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED
ASK: Respondents who refused to give or did not know age (R01_AX0146[_01]/.../_31] = -8, -7).	
DISPLAY: Fill [TYPE OF CANCER] with R01_AX0145.	
If R01_AX0145_31=1, -8 or -7, display 'cancer'. If R01_AX0145_12=1 or R01_AX0145_15=1, only display text in response option and do not display 'cancer'. If R01_AX0145_06=1 or R01_AX0145_08=1 or R01_AX0145_19=1 or R01_AX0145_20=1 or R01_AX0145_22=1 or R01_AX0145_27=1 or R01_AX0145_30=1, only display the text that is shown in parentheses in the response option and 'cancer' (ex. "cervical cancer" instead of "cervix (cervical) cancer"). Else, display text as shown in option and 'cancer'.	
For Spanish: If R01_AX0145_31=1, -8 or -7, display 'cáncer'. If R01_AX0145_11=1 or R01_AX0145_12=1, only display text in response option and do not display 'cáncer'. If R01_AX0145_04=1 or R01_AX0145_05=1 or R01_AX0145_14=1 or R01_AX0145_15=1 or R01_AX0145_20=1 or R01_AX0145_26=1 or R01_AX0145_28=1, only display the text that is shown in parentheses in the response option and 'cáncer' (ex. "cervical cáncer" instead of "de cuello uterino (cervical) cáncer"). Else, display text as shown in option and 'cáncer'.	
NOTES: INSTRUMENT ERROR: These items (R01_AX0265_05, R01_AX0265_06, R01_AX0265_07, R01_AX0265_09, R01_AX0265_10, R01_AX0265_11, R01_AX0265_13, R01_AX0265_15, R01_AX0265_16, R01_AX0265_21, R01_AX0265_23, R01_AX0265_24, R01_AX0265_31) were skipped incorrectly by respondents who answered don't know or refused in each respective corresponding item in R01_AX0146_05, R01_AX0146_06, R01_AX0146_07, R01_AX0146_09, R01_AX0146_10, R01_AX0146_11, R01_AX0146_13, R01_AX0146_15, R01_AX0146_16, R01_AX0146_21, R01_AX0146_23, R01_AX0146_24, R01_AX0146_31.	

BOX ID:	R01_AXD06
For R01_AX0158, display a 'Yes' and 'No' column with options for each response category.	

Variable(s):	SEE BELOW:
Do you take any of the following medications? Choose all that apply.	
R01_AX0158_01	1 Aspirin
R01_AX0158_02	2 Tylenol (acetaminophen) GO TO R01_AX0154
R01_AX0158_03	3 Cox-2 inhibitors, for example: Celebrex GO TO R01_AX0154
R01_AX0158_04	4 Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve GO TO R01_AX0154
	-8 DON'T KNOW GO TO R01_AX0154
	-7 REFUSED GO TO R01_AX0154
ASK: All respondents.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0156		
On average, in the past 12 months, how frequently do you take <u>aspirin</u> ? Please <u>do not</u> count other pain relievers such as Ibuprofen and Tylenol.		
1	Never	GO TO R01_AX0154
2	Less than once a month	
3	1-3 days per month	
4	1-2 days per week	
5	3-4 days per week	
6	5-6 days per week	
7	Daily	
-8	DON'T KNOW	GO TO R01_AX0154
-7	REFUSED	GO TO R01_AX0154
ASK: Respondents who report taking aspirin (R01_AX0158_01=1).		

Variable(s): R01_AX0157		
What type of aspirin do you usually take?		
1	Baby aspirin (162 mg or less)	
2	Regular or extra strength aspirin	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Respondents who have taken aspirin in the past 12 months (R01_AX0158_01=1 AND R01_AX0156>1).		

Variable(s): R01_AX0154		
The next questions ask about your close biological or blood relatives, including your father, mother, sisters or brothers, both living and deceased.		
Were any of your close biological or blood relatives ever told by a health professional that they had asthma?		
1	Yes	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: All respondents.		

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0153

Were any of your close biological or blood relatives ever told by a health professional that they had a heart attack or needed bypass surgery?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AX0488 |
| -8 | DON'T KNOW | GO TO R01_AX0488 |
| -7 | REFUSED | GO TO R01_AX0488 |

ASK: All respondents.

Variable(s): R01_AX0195

Were they told they had a heart attack or needed bypass surgery before the age of 50?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Respondents who have a close relative that have ever had a heart attack or needed bypass surgery (R01_AX0153=1).

Variable(s): R01_AX0488

The following questions are about common psychological, behavioral, and personal problems. These problems are considered significant when you have them for two or more weeks, when they keep coming back, when they keep you from meeting your responsibilities, or when they make you feel like you can't go on.

After each of the following questions, please tell us the last time, if ever, you had the problem, by answering whether it was in the past month, 2-12 months ago, over a year ago, or never.

ASK: All respondents.

Variable(s): R01_AX0161

When was the last time that you had significant problems with...

Feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

- | | |
|----|--------------------|
| 1 | Past month |
| 2 | 2 to 12 months ago |
| 3 | Over a year ago |
| 4 | Never |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0162

When was the last time that you had significant problems with...

Sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0163

When was the last time that you had significant problems with...

Feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0164

When was the last time that you had significant problems with...

Becoming very distressed and upset when something reminded you of the past?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0165

When was the last time that you did the following things two or more times...
Lied or conned to get things you wanted or to avoid having to do something?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0166

When was the last time that you did the following things two or more times...
Had a hard time paying attention at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0167

When was the last time that you did the following things two or more times...
Had a hard time listening to instructions at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0168

When was the last time that you did the following things two or more times...
Were a bully or threatened other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0169

When was the last time that you did the following things two or more times...
Started physical fights with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0250

When was the last time that you did the following things two or more times...
Felt restless or the need to run around or climb on things?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0251

When was the last time that you did the following things two or more times...

Gave answers before the other person finished asking the question?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AX0084

The next questions ask about your use of alcohol and other drugs. Remember all the information you give to the PATH Study will be kept private.

Have you ever used alcohol at all, including sips of someone's drink or your own drink?

- 1 Yes
- 2 No GO TO R01_AX0085
- 8 DON'T KNOW GO TO R01_AX0085
- 7 REFUSED GO TO R01_AX0085

ASK: All respondents.

Variable(s): R01_AX0086

About how old were you when you first drank alcohol at all, counting small tastes or sips?

- |_|_| GO TO R01_AX0074
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used alcohol (R01_AX0084=1).

DISPLAY: Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0087**

When you first drank alcohol at all, counting small tastes or sips, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0086 = -8, -7).

Variable(s): **R01_AX0074**

About how old were you when you had your first alcoholic drink, other than small tastes or sips?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 2 I have never had an alcoholic drink other than small tastes or sips GO TO R01_AX0085

|_|_|_|
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used alcohol (R01_AX0084=1).

DISPLAY: Display as numeric quantity field, with button "I have never had an alcoholic drink other than small tastes or sips" on right. Display "Years old" as a title.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0270**

When you had your first alcoholic drink, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who refused to give or did not know age (R01_AX0074 = -8, -7).

GOTO: Ever tobacco users (R01_EVER_USER_TOBACCO = 1) that have ever had alcohol (R01_AX0084 = 1) if onset of tobacco use precedes onset of alcohol use (age in R01_AC1006 or R01_AE1006 or R01_AG1006TC or R01_AG1006CG or R01_AG1006FC or R01_AP1006 or R01_AH1006 or R01_AS1006SU or R01_AS1006SM or R01_AD1006 < age in R01_AX0074), go to R01_AX0077.

Else, go to R01_AX0073.

Variable(s): **R01_AX0077****

[At the age that you first started drinking | When you were AGE OF ALCOHOL USE years old], did you also [smoke cigarettes | use tobacco products | smoke cigarettes or use other tobacco products]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Ever tobacco users (R01_EVER_USER_TOBACCO = 1) if onset of tobacco use precedes onset of alcohol use (age in R01_AC1006 or R01_AE1006 or R01_AG1006TC or R01_AG1006CG or R01_AG1006FC or R01_AP1006 or R01_AH1006 or R01_AS1006SU or R01_AS1006SM or R01_AD1006 < age in R01_AX0074).

DISPLAY: If R01_AX0074=-8 or -7, display "At the age that you first started drinking". If R01_AX0074 != -8 or -7, display "When you were AGE OF ALCOHOL USE years old" and fill with age reported in R01_AX0074.

If cigarette-only user (R01_EVER_USER_CIGS=1 ONLY), display "smoke cigarettes".

If non-cigarette tobacco user (R01_EVER_USER_CIGS=2 AND R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), display "use tobacco products".

If cigarette+tobacco user (R01_EVER_USER_CIGS=1 AND R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), display "smoke cigarettes or use other tobacco products".

NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who answered R01_AX0074 as don't know or refused.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0073

How long has it been since you last used alcohol?

- 1 Within the past 30 days
- 2 More than 30 days ago, but within the past year
- 3 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have ever used alcohol (R01_AX0084 = 1 AND (VALID AGE IN R01_AX0074 OR R01_AX0270>0)).

GOTO: If respondents used alcohol within the past 30 days, go to R01_AX0075.

Else, if respondent already reported using marijuana (R01_AG9105=1), go to R01_AX0079.

Else, go to R01_AX0085.

Variable(s): R01_AX0075

In the past 30 days, on how many days did you have one or more alcoholic drinks?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- |_|_| [SOFT RANGE CHECK: 0 - 30]
- 8 DON'T KNOW
 - 7 REFUSED

ASK: Respondents who have ever used alcohol (R01_AX0084 = 1 AND (VALID AGE IN R01_AX0074 OR R01_AX0270>0)) and have used alcohol in the past 30 days (R01_AX0073=1).

Variable(s): R01_AX0076

On average, on those [days that you drank in the past 30 days I NUMBER OF DAYS FROM R01_AX0075 days], how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- |_|_| [SOFT RANGE CHECK: 1 - 90]
- 8 DON'T KNOW
 - 7 REFUSED

ASK: Respondents who have ever used alcohol (R01_AX0084 = 1 AND (VALID AGE IN R01_AX0074 OR R01_AX0270>0)) and have used alcohol in the past 30 days (R01_AX0073=1), who drank alcohol one or more days (R01_AX0075 != 0).

DISPLAY: If R01_AX0075=-8 or -7, FILL=[days that you drank in the past 30 days].

If R01_AX0075 > 0, fill NUMBER OF DAYS FROM R01_AX0075 with the number reported.

GOTO: If respondent reported using cigars as blunts (R01_AG9105 = 1), go to, R01_AX0079.

Else, go to R01_AX0085.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0085	
Have you ever used marijuana, hash, THC, grass, pot or weed?	
1 Yes	
2 No	GO TO R01_AX0089
-8 DON'T KNOW	GO TO R01_AX0089
-7 REFUSED	GO TO R01_AX0089
ASK: All respondents who did not already report using marijuana (IF R01_AG9105 != 1).	
PROGRAM: If R01_AG9105=1, do not ask this question.	

Variable(s): R01_AX0079	
How old were you when you first used marijuana, hash, THC, grass, pot, or weed?	
	GO TO R01_AX0080
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have ever used marijuana (R01_AX0085=1 OR R01_AG9105=1).	
DISPLAY: Display "Years old" as a title.	

Variable(s): R01_AX0271	
When you first used marijuana, hash, THC, grass, pot, or weed, were you...	
1 Less than 18 years old,	
2 18 to 24 years old,	
3 25 to 34 years old,	
4 35 to 44 years old,	
5 45 to 54 years old, or	
6 55 years old or older?	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who refused to give or did not know age (R01_AX0079 = -8, -7).	
GOTO: Ever tobacco users (R01_EVER_USER_TOBACCO = 1) if onset of tobacco use precedes onset of marijuana use (age in R01_AC1006 or R01_AE1006 or R01_AG1006TC or R01_AG1006CG or R01_AG1006FC or R01_AP1006 or R01_AH1006 or R01_AS1006SU or R01_AS1006SM or R01_AD1006 < age in R01_AX0079), go to R01_AX0080.	
Else, go to R01_AX0078.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AX0080**
[At the age that you first started using marijuana, hash, THC, grass, pot, or weed When you were AGE OF MARIJUANA USE years old], did you also [smoke cigarettes use tobacco products smoke cigarettes or use other tobacco products]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Respondents who have ever used marijuana (R01_AX0085 = 1 OR R01_AG9105 = 1) and are ever tobacco users (R01_EVER_USER_TOBACCO = 1) if onset of tobacco use precedes onset of marijuana use (age in R01_AC1006 or R01_AE1006 or R01_AG1006TC or R01_AG1006CG or R01_AG1006FC or R01_AP1006 or R01_AH1006 or R01_AS1006SU or R01_AS1006SM or R01_AD1006 < age in R01_AX0079). DISPLAY: If R01_AX0079=-8 or -7, display "At the age that you first started using marijuana, hash, THC, grass, pot, or weed". If R01_AX0079 != -8 or -7, display "When you were AGE OF MARIJUANA USE years old" and fill with age reported in R01_AX0079. If cigarette-only user (R01_EVER_USER_CIGS=1 ONLY), display "smoke cigarettes". If non-cigarette tobacco user (R01_EVER_USER_CIGS=2 AND R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), display "use tobacco products". If cigarette+tobacco user (R01_EVER_USER_CIGS=1 AND R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), display "smoke cigarettes or use other tobacco products". NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who answered R01_AX0079 as don't know or refused.	

Variable(s):	R01_AX0078
How long has it been since you last used marijuana, hash, THC, grass, pot, or weed? Was it ... 1 Within the past 30 days 2 More than 30 days ago, but within the past year 3 More than a year ago -8 DON'T KNOW -7 REFUSED ASK: Respondents who have ever used marijuana (R01_AX0085=1 OR R01_AG9105=1).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Have you ever used any of the following prescription drugs that were <u>not</u> prescribed for you or that you took <u>only</u> for the experience or feeling they caused?	
R01_AX0089_01	1 Ritalin® or Adderall®
R01_AX0089_02	2 Painkillers, sedatives, or tranquilizers
	-8 DON'T KNOW
	-7 REFUSED
ASK: All respondents.	
DISPLAY: For R01_AX0089, display a "Yes" and "No" column with options for each response category.	

Variable(s):	SEE BELOW:
Have you ever used any of the following substances?	
R01_AX0220_01***	1 Cocaine or crack
R01_AX0220_02***	2 Stimulants like methamphetamine or speed
R01_AX0220_03***	3 Any other drugs like heroin, inhalants, solvents, or hallucinogens
	-8 DON'T KNOW
	-7 REFUSED
ASK: All respondents.	
DISPLAY: For R01_AX0220, display a "Yes" and "No" column with options for each response category.	
NOTES: DATA ERROR: Some respondents have missing data (-9) for these variables.	

BOX ID:	R01_SubstanceFill
CREATE [SUBSTANCEFILL] Display: If R01_AX0089_01=1, display 'Ritalin® or Adderall®' If R01_AX0089_02=1, display 'painkillers, sedatives, or tranquilizers' If R01_AX0220_01=1, display 'cocaine or crack' If R01_AX0220_02=1, display 'stimulants like methamphetamine or speed' If R01_AX0220_03=1, display 'any other drugs like heroin, inhalants, solvents, or hallucinogens' Repeat R01_AX0081- R01_AX0082 for each group of substances respondent reports ever using in R01_AX0089 and R01_AX0220 in a loop. Ask R01_AX0089 first, then loop through R01_AX0081-R01_AX0082 appropriately. Then ask R01_AX0220, then loop through R01_AX0081-R01_AX0082 appropriately. Else, go to BOX R01_SA.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0082_01 through R01_AX0082_05

How old were you when you first used [SUBSTANCEFILL]?

I _ _ | _ _ | _ _ |

-8 DON'T KNOW

-7 REFUSED

ASK: For R01_AX0082_01: Respondents who have ever used Ritalin® or Adderall® (R01_AX0089_01=1).

For R01_AX0082_02: Respondents who have ever used painkillers, sedatives, or tranquilizers (R01_AX0089_02=1).

For R01_AX0082_03: Respondents who have ever used cocaine or crack (R01_AX0220_01=1).

For R01_AX0082_04: Respondents who have ever used stimulants like methamphetamine or speed (R01_AX0220_02=1).

For R01_AX0082_05: Respondents who have ever used any other drugs (R01_AX0220_03=1).

DISPLAY: Display "Years old" as a title.

GOTO: If respondents does not know or refuses to answer the age when they first used [SUBSTANCEFILL], go to R01_AX0272[_01/.../_05].

Else, if respondent is an ever user of tobacco (R01_EVER_USER_TOBACCO = 1) and onset of tobacco use precedes onset of substance use ((age in R01_AC1006 or R01_AE1006 or R01_AG1006TC or R01_AG1006CG or R01_AG1006FC or R01_AP1006 or R01_AH1006 or R01_AS1006SU or R01_AS1006SM or R01_AD1006) < age in R01_AX0082[_01/.../_05]), go to R01_AX0083[_01/.../_05].

Else, respondents that have ever used [SUBSTANCEFILL] (R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1), go to R01_AX0081[_01/.../_05].

Else, go to Box R01_SA.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0272_01 through R01_AX0272_05

When you first used [SUBSTANCEFILL], were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AX0272_01: Respondents who refused to give or did not know age they first used used Ritalin® or Adderall® (R01_AX0082_01 = -8 OR -7).

For R01_AX0272_02: Respondents who refused to give or did not know age they first used painkillers, sedatives, or tranquilizers(R01_AX0082_02 = -8 OR -7).

For R01_AX0272_03: Respondents who refused to give or did not know age they first used cocaine or crack (R01_AX0082_03 = -8 OR -7).

For R01_AX0272_04: Respondents who refused to give or did not know age they first used stimulants like methamphetamine or speed (R01_AX0082_04 = -8 OR -7).

For R01_AX0272_05: Respondents who refused to give or did not know age they first used any other drugs (R01_AX0082_05 = -8 OR -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AX0083_01** through R01_AX0083_05**
[At the age that you first started using [SUBSTANCEFILL] When you were AGE OF SUBSTANCE USE years old], did you also [smoke cigarettes use tobacco products smoke cigarettes or use other tobacco products]?	
	1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: For R01_AX0083_01: Ever tobacco users (R01_EVER_USER_TOBACCO = 1) if onset of tobacco use precedes onset of use of Ritalin® or Adderall® ((age in R01_AC1006 or R01_AE1006 or R01_AG1006TC or R01_AG1006CG or R01_AG1006FC or R01_AP1006 or R01_AH1006 or R01_AS1006SU or R01_AS1006SM or R01_AD1006) < age in R01_AX0082_01).	
For R01_AX0083_02: Ever tobacco users (R01_EVER_USER_TOBACCO = 1) if onset of tobacco use precedes onset of use of painkillers, sedatives, or tranquilizers ((age in R01_AC1006 or R01_AE1006 or R01_AG1006TC or R01_AG1006CG or R01_AG1006FC or R01_AP1006 or R01_AH1006 or R01_AS1006SU or R01_AS1006SM or R01_AD1006) < age in R01_AX0082_02).	
For R01_AX0083_03: Ever tobacco users (R01_EVER_USER_TOBACCO = 1) if onset of tobacco use precedes onset of use of cocaine or crack ((age in R01_AC1006 or R01_AE1006 or R01_AG1006TC or R01_AG1006CG or R01_AG1006FC or R01_AP1006 or R01_AH1006 or R01_AS1006SU or R01_AS1006SM or R01_AD1006) < age in R01_AX0082_03).	
For R01_AX0083_04: Ever tobacco users (R01_EVER_USER_TOBACCO = 1) if onset of tobacco use precedes onset of use of methamphetamine or speed ((age in R01_AC1006 or R01_AE1006 or R01_AG1006TC or R01_AG1006CG or R01_AG1006FC or R01_AP1006 or R01_AH1006 or R01_AS1006SU or R01_AS1006SM or R01_AD1006) < age in R01_AX0082_04).	
For R01_AX0083_05: Ever tobacco users (R01_EVER_USER_TOBACCO = 1) if onset of tobacco use precedes onset of use of any other drugs like heroin, inhalants, solvents, or hallucinogens ((age in R01_AC1006 or R01_AE1006 or R01_AG1006TC or R01_AG1006CG or R01_AG1006FC or R01_AP1006 or R01_AH1006 or R01_AS1006SU or R01_AS1006SM or R01_AD1006) < age in R01_AX0082_05).	
DISPLAY: If cigarette-only user (R01_EVER_USER_CIGS=1 ONLY), display "smoke cigarettes".	
If non-cigarette tobacco user (R01_EVER_USER_CIGS=2 AND R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), display "use tobacco products".	
If cigarette+tobacco user (R01_EVER_USER_CIGS=1 AND R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), display "smoke cigarettes or use other tobacco products".	
For R01_AX0083_01: If R01_AX0082_01 = -8 OR -7, display "At the age that you first started using Ritalin® or Adderall®". If R01_AX0082_01 != -8 OR -7, display "When you were AGE OF SUBSTANCE USE years old" and fill with age reported in R01_AX0082_01.	
For R01_AX0083_02: If R01_AX0082_02 = -8 OR -7, display "At the age that you first started using painkillers, sedatives, or tranquilizers". If R01_AX0082_02 != -8 OR -7, display "When you were AGE OF SUBSTANCE USE years old" and fill with age reported in R01_AX0082_02.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

For R01_AX0083_03: If R01_AX0082_03 = -8 OR -7, display "At the age that you first started using cocaine or crack". If R01_AX0082_03 != -8 OR -7, display "When you were AGE OF SUBSTANCE USE years old" and fill with age reported in R01_AX0082_03.

For R01_AX0083_04: If R01_AX0082_04 = -8 OR -7, display "At the age that you first started using stimulants like methamphetamine or speed". If R01_AX0082_04 != -8 OR -7, display "When you were AGE OF SUBSTANCE USE years old" and fill with age reported in R01_AX0082_04.

For R01_AX0083_05: If R01_AX0082_05 = -8 OR -7, display "At the age that you first started using any other drugs like heroin, inhalants, solvents, or hallucinogens ". If R01_AX0082_05 != -8 OR -7, display "When you were AGE OF SUBSTANCE USE years old" and fill with age reported in R01_AX0082_05

NOTES: INSTRUMENT ERROR: These items (R01_AX0083_01, R01_AX0083_02, R01_AX0083_03, R01_AX0083_04, R01_AX0083_05) were skipped incorrectly by respondents who answered don't know or refused in each respective corresponding item in R01_AX0082_01, R01_AX0082_02, R01_AX0082_03, R01_AX0082_04, R01_AX0082_05.

Variable(s): R01_AX0081_01 through R01_AX0081_05

How long has it been since you last used [SUBSTANCEFILL]? Was it ...

- 1 Within the past 30 days
- 2 More than 30 days ago, but within the past year
- 3 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: For R01_AX0081_01: Respondents that have ever used Ritalin® or Adderall® (R01_AX0089_01=1).

For R01_AX0081_02: Respondents who have ever used painkillers, sedatives, or tranquilizers (R01_AX0089_02=1).

For R01_AX0081_03: Respondents who have ever used cocaine or crack (R01_AX0220_01=1).

For R01_AX0081_04: Respondents who have ever used stimulants like methamphetamine or speed (R01_AX0220_02=1).

For R01_AX0081_05: Respondents who have ever used any other drugs (R01_AX0220_03=1).

NOTES: ASK statement for this item utilizes iteration indicators to enhance precision

BOX ID: R01_SA

PROGRAM:

If at least one substance was selected in [VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0] OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1, GO TO R01_AX0170.

If no substances were selected in [R01_AX0084=2, -8 or -7 OR R01_AX0074=1, -8 or -7] AND R01_AX0085=2, -8 or -7 AND R01_AG9105=2, -8 or -7 AND R01_AX0089_01=2, -8 or -7 AND R01_AX0089_02=2, -8 or -7 AND R01_AX0220_01=2, -8 or -7 AND R01_AX0220_02=2, -8 or -7 AND R01_AX0220_03=2, -8 or -7, AND FEMALE RESPONDENT (R01R_A_SEX=2), GO TO R01_AX0134; IF MALE RESPONDENT (R01R_A_SEX=1 OR SYSTEM MISSING). GO TO R01_AX0177.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0170

When was the last time that...

You used alcohol or other drugs weekly or more often?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who report ever using alcohol or ever using drugs ((VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0) OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1)).

BOX ID: R01_SA2

If respondent reports ever using only one substance (ONE SELECTED IN [VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0] OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1), go to R01_AX0171.

If respondent reports ever using two or more substances (TWO OR MORE SELECTED IN (VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0) OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1), go to R01_AX0175.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.	
R01_AX0175_01**	1 Alcohol
R01_AX0175_02**	2 Marijuana, hash, THC, or grass, pot, or weed
R01_AX0175_03**	3 Ritalin® or Adderall®
R01_AX0175_04**	4 Painkillers, sedatives, or tranquilizers
R01_AX0175_05**	5 Cocaine or crack
R01_AX0175_06**	6 Stimulants like methamphetamine or speed
R01_AX0175_07**	7 Any other drugs like heroin, inhalants, solvents, or hallucinogens
	-8 DON'T KNOW
	-7 REFUSED
ASK: Respondents who used alcohol or other drugs weekly or more often (R01_AX0170 IN (1,2,3)) AND report ever using two or more substances (TWO OR MORE IN (VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0) OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1).	
DISPLAY: List only those substances a respondent previously indicated he/she has ever used. Display option 1 if VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0; display option 2 if R01_AX0085=1 OR R01_AG9105=1; display option 3 if R01_AX0089_01=1; display option 4 if R01_AX0089_02=1; display option 5 if R01_AX0220_01=1; display option 6 if R01_AX0220_02=1; display option 7 if R01_AX0220_03=1.	
NOTES: INSTRUMENT ERROR: These items were skipped incorrectly for respondents who used alcohol or other drugs weekly or more often and reported ever using two or more substances ((R01_AX0170 = 1, 2, OR 3) AND (TWO OR MORE IN ((R01_AX0074>0 OR R01_AX0270>0) OR (R01_AX0085=1 OR R01_AG9105=1) OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1))). The error was corrected during Wave 1 Data Collection on 01/31/2014.	

Variable(s):	R01_AX0171
When was the last time that...	
You spent a lot of time getting alcohol or other drugs?	
	1 Past month
	2 2 to 12 months ago
	3 Over a year ago
	4 Never
	-8 DON'T KNOW
	-7 REFUSED
ASK: Respondents who report ever using alcohol or ever using drugs ((VALID AGE REPORTED IN R01_AX0074_NB OR R01_AX0270_NB>0) OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1)).	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0193
When was the last time that... You spent a lot of time using or recovering from alcohol or other drugs? 1 Past month 2 2 to 12 months ago 3 Over a year ago 4 Never -8 DON'T KNOW -7 REFUSED ASK: Respondents who report ever using alcohol or ever using drugs ((VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0) OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1).

Variable(s): R01_AX0172
When was the last time that... You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people? 1 Past month 2 2 to 12 months ago 3 Over a year ago 4 Never -8 DON'T KNOW -7 REFUSED ASK: Respondents who report ever using alcohol or ever using drugs ((VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0) OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1).

Variable(s): R01_AX0173
When was the last time that... Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events? 1 Past month 2 2 to 12 months ago 3 Over a year ago 4 Never -8 DON'T KNOW -7 REFUSED ASK: Respondents who report ever using alcohol or ever using drugs ((VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0) OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1)).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0174

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who report ever using alcohol or ever using drugs ((VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0) OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1)).

Variable(s): R01_AX0194

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who report ever using alcohol or ever using drugs ((VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0) OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1)).

GOTO: If R01_AX0193 IN (1,2,3) OR R01_AX0172 IN (1,2,3) OR R01_AX0173 IN (1,2,3) OR R01_AX0174 IN (1,2,3) OR R01_AX0194 IN (1,2,3), AND ever used two or more substances (TWO OR MORE SELECTED IN (VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0) OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1), go to R01_AX0176.

Else, if R01R_A_SEX=2, go to R01_AX0134.

Else, go to R01_AX0177.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.	
R01_AX0176_01	1 Alcohol
R01_AX0176_02	2 Marijuana, hash, THC, grass, pot, or weed
R01_AX0176_03	3 Ritalin® or Adderall®
R01_AX0176_04	4 Painkillers, sedatives, or tranquilizers
R01_AX0176_05	5 Cocaine or crack
R01_AX0176_06	6 Stimulants like methamphetamine or speed
R01_AX0176_07	7 Any other drugs like heroin, inhalants, solvents, or hallucinogens
	-8 DON'T KNOW
	-7 REFUSED
ASK: Respondents who indicated alcohol or drugs caused problems for them (R01_AX0193 IN (1,2,3) OR R01_AX0172 IN (1,2,3) OR R01_AX0173 IN (1,2,3) OR R01_AX0174 IN (1,2,3) OR R01_AX0194 IN (1,2,3) AND ever used two or more substances (TWO OR MORE SELECTED IN (VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0) OR R01_AX0085=1 OR R01_AG9105=1 OR R01_AX0089_01=1 OR R01_AX0089_02=1 OR R01_AX0220_01=1 OR R01_AX0220_02=1 OR R01_AX0220_03=1).	
PROGRAM: List only those substances a respondent previously indicated he/she has ever used. Display option 1 if VALID AGE REPORTED IN R01_AX0074 OR R01_AX0270>0; display option 2 if R01_AX0085=1 OR R01_AG9105=1; display option 3 if R01_AX0089_01=1; display option 4 if R01_AX0089_02=1; display option 5 if R01_AX0220_01=1; display option 6 if R01_AX0220_02=1; display option 7 if R01_AX0220_03=1.	
GOTO: If R01R_A_SEX= 2, go to R01_AX0134.	
Else, go to R01_AX0177.	

Variable(s):	R01_AX0134***
The next questions are about your pregnancy history.	
Have you ever been pregnant? Please include current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies and stillbirths.	
1 Yes	
2 No	GO TO BOX R01_AXT02
-8 DON'T KNOW	GO TO BOX R01_AXT02
-7 REFUSED	GO TO BOX R01_AXT02
ASK: Female respondents (R01R_A_SEX=2).	
NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Have any of your pregnancies ended in the following? Choose all that apply.	
R01_AX0135_01	1 Miscarriage
R01_AX0135_02	2 Abortion
R01_AX0135_03	3 Ectopic or tubal pregnancy
R01_AX0135_04	4 Stillbirth
R01_AX0135_05	5 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: Female respondents who have ever been pregnant (R01_AX0134=1).	

Variable(s):	R01_AX0308
How many of your pregnancies have resulted in a live birth?	
	-8 DON'T KNOW
	-7 REFUSED
ASK: Female respondents who have ever been pregnant (R01_AX0134=1).	
GOTO: If R01_AX0308 > 0, go to R01_AX0300.	
Else, if R01R_A_AGE < 50, go to R01_AX0136.	
Else, if R01R_A_AGE >= 50, go to R01_AX0309.	
Else, go to the Box R01_AXT02.	

Variable(s):	SEE BELOW:
For [that birth \ those FILL## births], did any of the following occur? Choose all that apply.	
R01_AX0300_01	1 Preterm birth (birth of baby less than 37 weeks gestational age)
R01_AX0300_02	2 Baby with low birth weight (less than 5 pounds 8 ounces)
R01_AX0300_03	3 Baby with birth defects
R01_AX0300_04	4 Placenta Previa
R01_AX0300_05	5 Placenta Abruptio
R01_AX0300_06	6 Pre-eclampsia
R01_AX0300_07	7 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: Female respondents who have had a live birth (R01_AX0308 > 0).	
DISPLAY: If R01_AX0308=1, display "that birth". If R01_AX0308>1, display: 'those ## births', FILL## with number of births in R01_AX0308.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0136	
Are you pregnant now?	
1	Yes
2	No
	GO TO R01_AX0309
-8	DON'T KNOW
	GO TO R01_AX0309
-7	REFUSED
	GO TO R01_AX0309
ASK: Female respondents who are <50 years old (R01R_A_AGE < 50) AND have ever been pregnant (R01_AX0134=1).	

Variable(s): R01_AX0137_NN; R01_AX0137_UN	
How many months or weeks pregnant are you? Please enter the number of months or weeks.	
1	____ ____ Months
2	____ ____ Weeks
-8	DON'T KNOW
-7	REFUSED
ASK: Female respondents who are currently pregnant (R01_AX0136=1).	
PROGRAM: Display as Quantity/Units.	
GOTO: If female respondent has ever been pregnant (R01_AX0134 = 1) and ever used alcohol (R01_AX0084 = 1), go to R01_AX0303.	
Else, if female respondent has ever been pregnant (R01_AX0134 = 1) and has ever smoked cigarettes (R01_EVER_USER_CIGS = 1), go to R01_AX0304.	
Else, if female respondent has ever been pregnant (R01_AX0134=1) and has ever used any other tobacco in their lifetime (R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), go to R01_AX0305.	
Else, go to R01_AX0177.	
NOTES: The value "1" refers to R01_AX0137_UN = Months, and the value "2" refers to R01_AX0137_UN = Weeks.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0309****

In thinking of your most recent pregnancy, in what year did you become pregnant?

____|____|____|____|

-8 DON'T KNOW

-7 REFUSED

ASK: Female respondents that report ever being pregnant (R01_AX0134=1) who are <50 years old but are not currently pregnant (R01_AX0136=2) or are aged 50 years or older (R01R_A_AGE >= 50).

GOTO: If female respondent has ever been pregnant (R01_AX0134 = 1) and ever used alcohol (R01_AX0084 = 1), go to R01_AX0303.

Else, if female respondent has ever been pregnant (R01_AX0134 = 1) and has ever smoked cigarettes (R01_EVER_USER_CIGS = 1), go to R01_AX0304.

Else, if female respondent has ever been pregnant (R01_AX0134=1) and has ever used any other tobacco in their lifetime (R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), go to R01_AX0305.

Else, go to R01_AX0177.

NOTES: INSTRUMENT ERROR: This item was skipped incorrectly by respondents who were younger than 50 years old (R01R_A_AGE < 50). The error was not corrected during Wave 1 Data Collection.

Variable(s): **R01_AX0303**

During your [most recent / current] pregnancy, [did you consume / have you consumed] any alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Female respondents who have been pregnant (R01_AX0134=1) and who have ever used alcohol (R01_AX0084=1).

DISPLAY: If currently pregnant (R01_AX0136=1), display "current" and "have you consumed". Else, display "most recent" and "did you consume".

GOTO: If respondent had alcohol during pregnancy (R01_AX0303=1), go to R01_AX0138.

Else, if female respondent has ever been pregnant (R01_AX0134 = 1) and has ever smoked cigarettes (R01_EVER_USER_CIGS = 1), go to R01_AX0304.

Else, if female respondent has ever been pregnant (R01_AX0134=1) and has ever used any other tobacco in their lifetime (R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), go to R01_AX0305.

Else, go to R01_AX0177.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0138**

During your [most recent / current] pregnancy, how many alcoholic drinks [did/have] you [have/had] in an average week?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 Less than 1 drink a week
- 2 1 to 3 drinks a week
- 3 4 to 6 drinks a week
- 4 7 to 13 drinks a week
- 5 14 drinks or more a week
- 8 DON'T KNOW
- 7 REFUSED

ASK: Female respondents who have ever been pregnant (R01_AX0134=1) and consumed alcoholic drinks during their most recent pregnancy (R01_AX0303 = 1).

DISPLAY: If currently pregnant (R01_AX0136=1), display "current", "have" and "had". Else, display "most recent", "did" and "have".

GOTO: If female respondent has ever been pregnant (R01_AX0134 = 1) and has ever smoked cigarettes (R01_EVER_USER_CIGS = 1), go to R01_AX0304.

Else, if female respondent has ever been pregnant (R01_AX0134=1) and has ever used any other tobacco in their lifetime (R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), go to R01_AX0305.

Else, go to R01_AX0177.

Variable(s): **R01_AX0304**

During your [most recent / current] pregnancy, [did you smoke / have you smoked] any cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Female respondents who have ever been pregnant (R01_AX0134=1) and have ever smoked cigarettes (R01_EVER_USER_CIGS = 1).

DISPLAY: If currently pregnant (R01_AX0136=1), display "current", "have you smoked". Else, display "most recent" and "did you smoke".

GOTO: If respondent smoked cigarettes during pregnancy (R01_AC0304=1), go to R01_AX0139.

Else, if female respondent has ever been pregnant (R01_AX0134=1) and has ever used any other tobacco in their lifetime (R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), go to R01_AX0305.

Else, go to R01_AX0177.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0139**

During your [most recent / current] pregnancy, how many cigarettes [did you smoke/have you smoked] on an average day?

A pack usually has 20 cigarettes in it.

- 1 Less than 1 cigarette a day
- 2 1 to 5 cigarettes a day
- 3 6 to 10 cigarettes a day
- 4 11 to 20 cigarettes a day
- 5 21 to 40 cigarettes a day
- 6 41 cigarettes or more a day
- 8 DON'T KNOW
- 7 REFUSED

ASK: Female respondents who have ever been pregnant (R01_AX0134=1) and smoked cigarettes during their most recent pregnancy (R01_AX0304=1).

DISPLAY: If currently pregnant (R01_AX0136=1), display "current", "have you smoked". Else, display "most recent" and "did you smoke".

GOTO: If female respondent has ever been pregnant (R01_AX0134=1) and has ever used any other tobacco in their lifetime (R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1), go to R01_AX0305.

Else, go to R01_AX0177.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AX0305
During your [most recent/ current] pregnancy, [did/have] you [TOBACCO PRODUCT LIST]?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
	GO TO R01_AX0141
	GO TO R01_AX0141
	GO TO R01_AX0141
ASK: Female respondents who have ever been pregnant (R01_AX0134=1) and have ever used any tobacco in their lifetime (R01_EVER_USER_ECIG=1 OR R01_EVER_USER_GTRAD=1 OR R01_EVER_USER_GRILLO=1 OR R01_EVER_USER_GFILTR=1 OR R01_EVER_USER_PIPE=1 OR R01_EVER_USER_HOOK=1 OR R01_EVER_USER_SNUS=1 OR R01_EVER_USER_SMKLS=1 OR R01_EVER_USER_DISSBL=1).	
DISPLAY: If currently pregnant (R01_AX0136=1), display "current" and "have". Else, display "most recent" and "did".	
PROGRAM: [TOBACCO PRODUCT LIST] = A list of all tobacco products the respondent has ever used, excluding cigarettes.	
If R01_EVER_USER_ECIG=1 then include "use any e-cigarettes". If R01_AX0136=1, include "used any e-cigarettes".	
If R01_EVER_USER_GTRAD=1 then include "smoke any cigars". If R01_AX0136=1, include "smoked any cigars".	
If R01_EVER_USER_GRILLO=1 then include "smoke any cigarillos". If R01_AX0136=1, include "smoked any cigarillos".	
If R01_EVER_USER_GFILTR=1 then include "smoke any filtered cigars". If R01_AX0136=1, include "smoked any filtered cigars".	
If R01_EVER_USER_PIPE=1 then include "smoke a pipe at all". If R01_AX0136=1, include "smoked a pipe at all".	
If R01_EVER_USER_HOOK=1 then include "smoke hookah at all". If R01_AX0136=1, include "smoked hookah at all".	
If R01_EVER_USER_SNUS=1 then include "use any snus". If R01_AX0136=1, include "used any snus".	
If R01_EVER_USER_SMKLS=1 then include "use any smokeless tobacco". If R01_AX0136=1, include "used any smokeless tobacco".	
If R01_EVER_USER_DISSBL=1 then include "use any dissolvable tobacco". If R01_AX0136=1, include "used any dissolvable tobacco".	
If EVER USER of one product, then display as shown.	
If EVER USER of two products, use "or" to connect the two displays.	
If EVER USER of three or more products, format the list with commas between each display, and with " , or" before the last item in the list.	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s):	R01_AX0140
During your [most recent/ current] pregnancy, how many times [did/have] you [TOBACCO PRODUCT LIST] on an average day? 1 Less than 1 time a day 2 1 to 5 times a day 3 6 to 10 times a day 4 11 to 20 times a day 5 21 to 40 times a day 6 41 times or more a day -8 DON'T KNOW -7 REFUSED ASK: Female respondents who have ever been pregnant (R01_AX0134=1) and have used tobacco products other than cigarettes during their most recent pregnancy (R01_AX0305=1). DISPLAY: Same fill as R01_AX0305. [TOBACCO PRODUCT LIST] = A list of all tobacco products the respondent has ever used, excluding cigarettes. If R01_EVER_USER_ECIG=1 then include "use any e-cigarettes". If R01_AX0136=1, include "used any e-cigarettes". If R01_EVER_USER_GTRAD=1 then include "smoke any cigars". If R01_AX0136=1, include "smoked any cigars". If R01_EVER_USER_GRILLO=1 then include "smoke any cigarillos". If R01_AX0136=1, include "smoked any cigarillos". If R01_EVER_USER_GFILTR=1 then include "smoke any filtered cigars". If R01_AX0136=1, include "smoked any filtered cigars". If R01_EVER_USER_PIPE=1 then include "smoke a pipe at all". If R01_AX0136=1, include "smoked a pipe at all". If R01_EVER_USER_HOOK=1 then include "smoke hookah at all". If R01_AX0136=1, include "smoked hookah at all". If R01_EVER_USER_SNUS=1 then include "use any snus". If R01_AX0136=1, include "used any snus". If R01_EVER_USER_SMKLS=1 then include "use any smokeless tobacco". If R01_AX0136=1, include "used any smokeless tobacco". If R01_EVER_USER_DISSBL=1 then include "use any dissolvable tobacco". If R01_AX0136=1, include "used any dissolvable tobacco". PROGRAM: If currently pregnant (R01_AX0136=1), display "current" and "have". Else, display "most recent" and "did". If EVER USER of one product, then display as shown. If EVER USER of two products, use "or" to connect the two displays. If EVER USER of three or more products, format the list with commas between each display, and with ", or" before the last item in the list.	

INDUSTRY ADVERTISING AND PROMOTION**BOX ID:** R01_AXT02

DISPLAY TRANSITION TEXT: The following questions ask about tobacco advertising that you may have seen.

Variable(s): R01_AX0177

Thinking about everything that happened around you in the past 6 months, since [6 month anchor], how often have you noticed things that promote tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PROGRAM: Display 6 month anchor as "Month Year" (ex. "...in the past 6 months, since May 2013, how often...")

Variable(s): R01_AX0178

In the past 6 months, since [6 month anchor], have you noticed tobacco ads or promotions on store windows or inside stores where tobacco is sold?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PROGRAM: Display 6 month anchor as "Month Year"

Variable(s): R01_AX0179

In the past 6 months, since [6 month anchor], have you received an e-mail message with promotions or coupons for cigarettes or tobacco products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PROGRAM: Display 6 month anchor as "Month Year"

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0180

In the past 6 months, since [6 month anchor], have you received promotions or coupons for cigarettes or tobacco products in the mail?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PROGRAM: Display 6 month anchor as "Month Year"

Variable(s): R01_AX0205

The next questions are about things you may have seen inside or outside shops or stores where people can buy tobacco products.

In the past 30 days, have you seen cigarette or other tobacco packages being displayed, including on shelves or on the counter?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

GOTO: If Current tobacco user (R01_CURRENT_USER_TOBACCO = 1) AND has a regular brand (R01_AC1047MC = 1 OR R01_AC1047RY = 1 OR R01_AE1047 = 1 OR R01_AG1047TC = 1 OR R01_AG1047CG = 1 OR R01_AG1047FC = 1 OR R01_AP1047 = 1 OR R01_AH1047 = 1 OR R01_AS1047SM = 1 OR R01_AS1047SU = 1 OR R01_AD1047 = 1), go to R01_AX0206.

If Current or Experimental Current tobacco user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND does not have a regular brand (R01_AC1047MC = 2 OR R01_AC1047RY = 2 OR R01_AE1047 = 2 OR R01_AG1047TC = 2 OR R01_AG1047CG = 2 OR R01_AG1047FC = 2 OR R01_AP1047 = 2 OR R01_AH1047 = 2 OR R01_AS1047SM = 2 OR R01_AS1047SU = 2 OR R01_AD1047 = 2), go to R01_AX0209.

If Former tobacco user (R01_FORMER_USER_TOBACCO = 1), go to R01_AX0212.

Else, if Experimental Current user or Never user (R01_EXPERIMENTAL_CURRENT_TOBACCO = 1 or R01_EVER_USER_TOBACCO = 2) and aged 18-24, go to R01_AX0197.

Else, go to BOX R01_AX7.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0206

In the past 30 days, when you were in a store that sells tobacco, did you buy a brand of tobacco product other than your usual brand because you noticed a special price offer?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AX0208 |
| -8 | DON'T KNOW | GO TO R01_AX0208 |
| -7 | REFUSED | GO TO R01_AX0208 |

ASK: Current tobacco users (R01_CURRENT_USER_TOBACCO = 1) who have a regular brand (R01_AC1047MC = 1 OR R01_AC1047RY = 1 OR R01_AE1047 = 1 OR R01_AG1047TC = 1 OR R01_AG1047CG = 1 OR R01_AG1047FC = 1 OR R01_AP1047 = 1 OR R01_AH1047 = 1 OR R01_AS1047SM = 1 OR R01_AS1047SU = 1 OR R01_AD1047 = 1).

Variable(s): R01_AX0207

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- | | |
|----|-----------------|
| 1 | Once or twice |
| 2 | A few times |
| 3 | Quite regularly |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Respondents who bought a brand other than their usual brand because it was on sale (R01_AX0206=1).

Variable(s): R01_AX0208

In the past 30 days, have you bought a brand of tobacco product other than your usual brand because of a promotion?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Current tobacco users (R01_CURRENT_USER_TOBACCO = 1) who have a regular brand (R01_AC1047MC = 1 OR R01_AC1047RY = 1 OR R01_AE1047 = 1 OR R01_AG1047TC = 1 OR R01_AG1047CG = 1 OR R01_AG1047FC = 1 OR R01_AP1047 = 1 OR R01_AH1047 = 1 OR R01_AS1047SM = 1 OR R01_AS1047SU = 1 OR R01_AD1047 = 1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0209**

In the past 30 days, have you ever bought a brand of tobacco product because you noticed a promotion for it?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current or Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who do not have a regular brand (R01_AC1047MC = 2 OR R01_AC1047RY = 2 OR R01_AE1047 = 2 OR R01_AG1047TC = 2 OR R01_AG1047CG = 2 OR R01_AG1047FC = 2 OR R01_AP1047 = 2 OR R01_AH1047 = 2 OR R01_AS1047SM = 2 OR R01_AS1047SU = 2 OR R01_AD1047 = 2).

GOTO: If Current or Experimental Current tobacco user (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) and doesn't have a regular brand (R01_AC1047MC = 2 OR R01_AC1047RY = 2 OR R01_AE1047 = 2 OR R01_AG1047TC = 2 OR R01_AG1047CG = 2 OR R01_AG1047FC = 2 OR R01_AP1047 = 2 OR R01_AH1047 = 2 OR R01_AS1047SM = 2 OR R01_AS1047SU = 2 OR R01_AD1047 = 2) and aged 18 to 24, go to R01_AX0197.

Else, go to BOX R01_AX7.

Variable(s): **R01_AX0210**

In the past 30 days, have you bought a brand of tobacco product other than your usual brand because you noticed it displayed in the store or on signs?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R01_AM0016
GO TO R01_AM0016
GO TO R01_AM0016

ASK: Current tobacco users (R01_CURRENT_USER_TOBACCO = 1) who have a regular brand (R01_AC1047MC = 1 OR R01_AC1047RY = 1 OR R01_AE1047 = 1 OR R01_AG1047TC = 1 OR R01_AG1047CG = 1 OR R01_AG1047FC = 1 OR R01_AP1047 = 1 OR R01_AH1047 = 1 OR R01_AS1047SM = 1 OR R01_AS1047SU = 1 OR R01_AD1047 = 1).

Variable(s): **R01_AX0211**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Current tobacco users (R01_CURRENT_USER_TOBACCO = 1) who bought a brand other than their usual brand because it was on display (R01_AX0210=1).

GOTO: If aged 18 to 24, go to R01_AX0197.

Else, go to Box R01_AX7.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0212

Since you quit using tobacco, has there been a time when seeing a tobacco product display or other signs that tobacco is sold there, has given you an urge to buy tobacco?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AX0197 |
| -8 | DON'T KNOW | GO TO R01_AX0197 |
| -7 | REFUSED | GO TO R01_AX0197 |

ASK: Former tobacco users who are not Experimental Current users of tobacco
(R01_FORMER_USER_TOBACCO = 1 and R01_EXPERIMENTAL_CURRENT_TOBACCO = 2).

GOTO: If R01_AX0212 = 1, go to R01_AX0213

Variable(s): R01_AX0213

In the past 30 days, since you quit using tobacco, has this happened just once or twice, a few times, or quite regularly?

- | | |
|----|-----------------|
| 1 | Once or twice |
| 2 | A few times |
| 3 | Quite regularly |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Respondents who had the urge to buy tobacco when seeing a display (R01_AX0212=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0197; R01_AX0197_OS**

What is the brand of your favorite tobacco advertisement? If you do not see the brand listed below, select "Something else".

- 1 I do not have a favorite tobacco advertisement
- 2 American Spirit
- 3 Basic
- 4 Beechnut
- 5 Benson & Hedges
- 6 Black & Mild
- 7 Blu
- 8 Camel
- 9 Capri
- 10 Copenhagen
- 11 Doral
- 12 Dutch Masters
- 13 Grizzly
- 14 Kool
- 15 Levi Garrett
- 16 Liggett Select
- 17 Marlboro
- 18 Maverick
- 19 Misty
- 20 Newport
- 21 NJOY
- 22 Pall Mall
- 23 Parliament
- 24 Phillies Blunts
- 25 Prime Time
- 26 Redman
- 27 Salem
- 28 Skoal
- 29 Smoking Everywhere
- 30 Sonoma
- 31 Swisher Sweets
- 32 USA Gold
- 33 Virginia Slims
- 34 Winchester
- 35 Winston
- 36 Something else SPECIFY: _____
- 8 DON'T KNOW
- 7 REFUSED

PATH Study Wave 1 Adult Public Use File Annotated Instrument

ASK: Respondents aged 18 to 24.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0181_01_AD*** through R01_AX0181_20_AD*** R01_AX0181_01*** through R01_AX0181_20***

In the past 12 months, have you seen this advertisement before this study?

DISPLAY 20 RANDOMLY SELECTED TOBACCO ADS HERE, ONE AT A TIME. THE SELECTION OF SPECIFIC ADS WILL BE MADE JUST PRIOR TO LAUNCH OF FIELD OPERATIONS BASED ON THE MOST CURRENT INFORMATION.

EACH PICTURE SHOWS A TOBACCO ADVERTISEMENT

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents aged 18 to 24.

NOTES: DATA ERROR: Some respondents have missing data (-9) for these variables.

Each young adult was shown 20 tobacco product advertisements. The 20 ads shown to a given respondent were sampled at random from a large pool of actual ads that had appeared in various media (print, television, web). For sampling purposes, each ad was uniquely assigned to one of 11 strata defined by several combinations of brand, product, product type, and media channel (see table below). For each ad, the respondent was asked two questions: whether he or she had seen the ad (R01_AX0181_01 through R01_AX0181_20) and whether he or she likes the ad (R01_AX0184_01 through R01_AX0184_20). The ads that each young adult respondent was asked about are captured in the data files by an Ad ID variable, which uniquely identifies the ad that was asked about in each ad question. The 20 variables for the Ad IDs are R01_AX0181_01_AD through R01_AX0181_20_AD. Thus, there are 20 sets of ad variables: the Ad ID variable that identifies the ad that was shown and the two variables for the responses to the questions about the ad (seen the ad/like the ad). Since there were 20 questions but only 11 strata, more than one ad was sampled in some strata. Accordingly, such strata had more than one question set associated with the specific stratum (see table below). Each of the ad question sets was uniquely assigned to a specific stratum; all the ads for a given question set were ads for the combination of brand/product/product type/medium that defined the stratum, as detailed in the table below:

Stratum	Brand/Product/ Product Type/ Medium	Number of ads sampled per interview	Ad ID variables
1	Marlboro cigarette	1	R01_AX0181_01_AD
2	Camel cigarette	1	R01_AX0181_02_AD
3	Newport cigarette	1	R01_AX0181_03_AD
4	Other cigarettes	2	R01_AX0181_04_AD, R01_AX0181_05_AD
5	Snus	2	R01_AX0181_06_AD, R01_AX0181_07_AD
6	Oral dip	2	R01_AX0181_08_AD, R01_AX0181_09_AD
7	Chew	1	R01_AX0181_10_AD
8	Large cigar	1	R01_AX0181_11_AD
9	Non-large cigars	4	R01_AX0181_12_AD, R01_AX0181_13_AD, R01_AX0181_14_AD, R01_AX0181_15_AD
10	E-Cigarette TV ad	2	R01_AX0181_16_AD, R01_AX0181_17_AD

PATH Study Wave 1 Adult Public Use File Annotated Instrument

11	E-Cigarette non-TV ad	3	R01_AX0181_18_AD, R01_AX0181_19_AD, R01_AX0181_20_AD
----	-----------------------	---	--

The brand/product/product type/medium associated with each question set is also identified in the label for each Ad ID variable. Most question sets were assigned to a stratum by product type, but a few were assigned by brand and product type (e.g., Marlboro cigarettes, Camel cigarettes) or by product type and ad medium (television e-cigarette ads). The number of ads assigned to each stratum varied, depending on the number of ads found in the marketplace for the brand/product/product type/medium that defined the stratum. The random selection of an ad to display to the respondent for a given question set occurred within the pool of ads assigned to that question set's stratum, i.e., it was a stratified systematic sample of the ads in that stratum. Ads were randomly selected within each stratum during the administration of the interview. At the start of Wave 1, there was a total of 698 ads. Midway through the wave, the ad pool was updated by adding 261 new ads, retaining 198 of the original ads, and retiring the other 500 original ads. This resulted in was a total of 959 unique ads, ranging between 5 ads for Stratum 7 (the chew tobacco stratum) and 277 ads for Stratum 8 (the large cigar stratum).

As noted, there were different numbers of ads assigned to the different strata. There was only one probability of selection in a given stratum in each half of Wave 1. Because of the update to the pool of ads, dropping some original ads and adding others, the probabilities of selection are different between the first half and the second half within the same stratum; for any ad that appeared in both halves, the probability of selection changed from the first half to the second. Each time an ad was selected during the interview, the systematic sampling used a newly generated random number to start the selection process; this standard technique produced a small amount of variation in the numbers of times each ad in a given stratum in a given half of the data collection period was selected. Consequently, the stratification of the ads, the different number of ads per stratum, the different number of ads in each stratum in each half of Wave 1, the carryover of some ads from the first half to the second half, and varying numbers of questions associated with different strata all combined to produce a wide range of probabilities of selection across all the ads and therefore a wide range in the number of times each ad was asked about.

The individual ads that a given respondent was asked about are described by the values contained in R01_AX0181_01_AD through R01_AX0181_20_AD. Like all categorical values, the meaning of each value in these variables is contained in the value list that is assigned to the variable. For example, when the value 100001 appears in the Ad ID variable, it means that the respondent was shown an American Spirit cigarette ad, and the responses to the two questions associated with that instance of the Ad ID (seen the ad/liked the ad) are in reference to that ad. Full descriptions of each of the 20 sets of ad variables are available in the Adult codebook.

Variable(s):	R01_AX0184_01*** through R01_AX0184_20***
---------------------	--

How much do you like this advertisement? Do you...

- 1 Like this ad
- 2 Have no opinion about this ad
- 3 Dislike this ad
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents aged 18 to 24.

NOTES: DATA ERROR: Some respondents have missing data (-9) for these variables.

ADDITIONAL DEMOGRAPHICS**BOX ID:** R01_AX7

GO TO: If R01_AM0014 IN (1,2,3), go to R01_AM0016.
 Else if R01_AM0014 = 4, go to R01_AM0017.
 Else go to R01_AM0018.

BOX ID: R01_AMD01

DISPLAY TRANSITION TEXT: Finally, we have a few additional questions about you, your work, education and health insurance.

Variable(s): R01_AM0016

What is your main job title or occupation?

ASK: Respondents who currently work for pay (R01_AM0014=1,2,3)

GOTO: Go to R01_AM0018

Variable(s): R01_AM0017

Are you currently:

- 1 Looking for paid work
- 2 A student not looking for paid work
- 3 A homemaker or caregiver not looking for paid work
- 4 Retired
- 5 Unable to work for physical or mental health reasons
- 6 Unable to work due to other reasons
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who don't currently work for pay (R01_AM0014=4).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AM0018

What is the highest grade or level of school you completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate—diploma
- 5 Some college but no degree
- 6 Associate degree—occupational/vocational
- 7 Associate degree—academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, Med, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AM0019

Are you currently enrolled in a degree program?

- 1 Yes
- 2 No GO TO R01_AM0015
- 8 DON'T KNOW GO TO R01_AM0015
- 7 REFUSED GO TO R01_AM0015

ASK: All respondents.

Variable(s): R01_AM0020

Which type of degree program are you currently enrolled in?

- 1 Technical/vocational program
- 2 2-year degree program
- 3 4-year degree program
- 4 Graduate/professional program
- 5 Other type of degree program
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who are currently enrolled in a degree program (R01_AM0019=1).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AM0015

In the past 30 days, because of a shortage of money, were you unable to pay any important bills on time, such as rent, electricity or telephone bills?

- 1 Yes
- 2 No
- 7 Not applicable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

Variable(s): R01_AM0030

Which of the following categories best describes your total household income in the past 12 months?

This is the total income before taxes of all persons in your household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- | | | |
|----|------------------------|------------------|
| 1 | Less than \$10,000 | GO TO R01_AM0021 |
| 2 | \$10,000 to \$14,999 | GO TO R01_AM0021 |
| 3 | \$15,000 to \$24,999 | GO TO R01_AM0021 |
| 4 | \$25,000 to \$34,999 | GO TO R01_AM0021 |
| 5 | \$35,000 to \$49,999 | GO TO R01_AM0021 |
| 6 | \$50,000 to \$74,999 | GO TO R01_AM0021 |
| 7 | \$75,000 to \$99,999 | GO TO R01_AM0021 |
| 8 | \$100,000 to \$149,999 | GO TO R01_AM0021 |
| 9 | \$150,000 to \$199,999 | GO TO R01_AM0021 |
| 10 | \$200,000 or more | GO TO R01_AM0021 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: All respondents.

Variable(s): R01_AM0031

Is your total household income during the past 12 months above or below \$50,000?

- 1 Above \$50,000
- 2 Below \$50,000
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who did not know or refused to give their household income (R01_AM0030=-8, -7).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AM0021**

The next question asks about your level of sexual attraction to BOTH males and females. Please consider the response choices carefully, as it is important that you understand them and are as honest as you can be in your answer.

To whom have you felt sexually attracted, even if you did not take any action based on feeling attracted?

- 1 Only to females, never to males
- 2 Mostly to females, and at least once to a male
- 3 About equally often to females and to males
- 4 Mostly to males, and at least once to a female
- 5 Only to males, never to females
- 6 I have never felt sexually attracted to anyone at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All respondents.

PROGRAM: Order shown is for male respondents. Reverse the order of categories 1 to 5 for female respondents. If sex is unknown (R01R_A_SEX=SYSTEM MISSING), default to order shown for male respondents.

Variable(s): **R01_AM0022**

Do you think of yourself as:

- | | |
|---|------------------|
| 1 [Gay Lesbian or gay] | GO TO R01_AM0026 |
| 2 [Straight, that is not gay Straight, that is, not Lesbian or gay] | GO TO R01_AM0026 |
| 3 Bisexual | GO TO R01_AM0026 |
| 4 Something else | |

ASK: All respondents.

PROGRAM: Do not display the standard DK/RF probe if this item is left blank. Instead, when this item is left blank, go to R01_AM0024.

For male respondents, display the first option for response categories 1 and 2. For female respondents, display the second option.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AM0023**

By something else, do you mean that...

- | | | |
|----|--|------------------|
| 1 | You are not straight, but identify with another label such as queer, trisexual, omnisexual or pan-sexual | GO TO R01_AM0026 |
| 2 | You are transgender, transsexual, or gender variant | GO TO R01_AM0026 |
| 3 | You have not figured out your sexuality or are in the process of figuring it out | GO TO R01_AM0026 |
| 4 | You do not think of yourself as having a sexuality | GO TO R01_AM0026 |
| 5 | You do not use labels to identify yourself | GO TO R01_AM0026 |
| 6 | You made a mistake and did not mean to pick this answer | |
| 7 | You mean something else | GO TO R01_AM0025 |
| -8 | DON'T KNOW | GO TO R01_AM0024 |
| -7 | REFUSED | GO TO R01_AM0026 |

ASK: Respondents who selected "something else" (R01_AM0022=4).

Variable(s): **R01_AM0028**

Do you think of yourself as:

- | | | |
|----|---|------------------|
| 1 | [Gay Lesbian or gay] | GO TO R01_AM0026 |
| 2 | [Straight, that is not gay Straight, that is, not Lesbian or gay] | GO TO R01_AM0026 |
| 3 | Bisexual | GO TO R01_AM0026 |
| 4 | Something else | GO TO R01_AM0026 |
| -8 | DON'T KNOW | GO TO R01_AM0026 |
| -7 | REFUSED | GO TO R01_AM0026 |

ASK: Respondents who selected 'You made a mistake and did not mean to pick this answer' (R01_AM0023=6).

PROGRAM: For male respondents, display the first option for response categories 1 and 2. For female respondents, display the second option.

Variable(s): **R01_AM0024**

You did not enter an answer for the question. Is that because:

- | | | |
|---|--|------------------|
| 1 | You don't understand the words | GO TO R01_AM0026 |
| 2 | You understand the words, but you have not figured out your sexuality or are in the process of figuring it out | GO TO R01_AM0026 |
| 7 | You mean something else | |
| 8 | You don't want to answer the question | GO TO R01_AM0026 |

ASK: Respondents who selected "don't know" (R01_AM0023=-8).

PROGRAM: If a respondent leaves this question unanswered, do not display the standard DK/RF probe. Instead, go to R01_AM0026.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AM0025
What do you mean by something else? Please type in your answer: [OPEN TEXT FIELD] -8 DON'T KNOW -7 REFUSED ASK: Respondents who selected "something else" (R01_AM0023=7 or R01_AM0024=7).

BOX ID: R01_AMD02
BOX – DISPLAY INSTRUCTIONS For R01_AM0026, display a "Yes" and "No" column with options for each response category.

Variable(s): SEE BELOW:																														
Are you currently covered by any of the following types of health insurance or health coverage plans? <table> <tr> <td>R01_AM0026_01</td> <td>1</td> <td>Insurance through a current or former employer or union (of yourself or a family member)</td> </tr> <tr> <td>R01_AM0026_02</td> <td>2</td> <td>Insurance purchased directly from an insurance company (by yourself or a family member)</td> </tr> <tr> <td>R01_AM0026_03</td> <td>3</td> <td>Medicare, for people 65 and older, or people with certain disabilities</td> </tr> <tr> <td>R01_AM0026_04</td> <td>4</td> <td>Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability</td> </tr> <tr> <td>R01_AM0026_05</td> <td>5</td> <td>TRICARE or other military health care</td> </tr> <tr> <td>R01_AM0026_06</td> <td>6</td> <td>VA (including those who have ever enrolled for or used VA health care)</td> </tr> <tr> <td>R01_AM0026_07</td> <td>7</td> <td>Indian Health Service</td> </tr> <tr> <td>R01_AM0026_08</td> <td>8</td> <td>Any other type of health insurance or health coverage plan</td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: All respondents. GOTO: If Current tobacco user (R01_CURRENT_USER_TOBACCO=1) OR Experimental Current tobacco user (R01_EXPERIMENTAL_CURRENT_TOBACCO=1), go to R01_AM0029. Else, go to R01_AL3000.	R01_AM0026_01	1	Insurance through a current or former employer or union (of yourself or a family member)	R01_AM0026_02	2	Insurance purchased directly from an insurance company (by yourself or a family member)	R01_AM0026_03	3	Medicare, for people 65 and older, or people with certain disabilities	R01_AM0026_04	4	Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability	R01_AM0026_05	5	TRICARE or other military health care	R01_AM0026_06	6	VA (including those who have ever enrolled for or used VA health care)	R01_AM0026_07	7	Indian Health Service	R01_AM0026_08	8	Any other type of health insurance or health coverage plan		-8	DON'T KNOW		-7	REFUSED
R01_AM0026_01	1	Insurance through a current or former employer or union (of yourself or a family member)																												
R01_AM0026_02	2	Insurance purchased directly from an insurance company (by yourself or a family member)																												
R01_AM0026_03	3	Medicare, for people 65 and older, or people with certain disabilities																												
R01_AM0026_04	4	Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability																												
R01_AM0026_05	5	TRICARE or other military health care																												
R01_AM0026_06	6	VA (including those who have ever enrolled for or used VA health care)																												
R01_AM0026_07	7	Indian Health Service																												
R01_AM0026_08	8	Any other type of health insurance or health coverage plan																												
	-8	DON'T KNOW																												
	-7	REFUSED																												

Variable(s): R01_AM0029												
To your knowledge, compared to people who don't use tobacco, do you pay more for your health insurance coverage because of your tobacco use? <table> <tr> <td></td> <td>1</td> <td>Yes</td> </tr> <tr> <td></td> <td>2</td> <td>No</td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1).		1	Yes		2	No		-8	DON'T KNOW		-7	REFUSED
	1	Yes										
	2	No										
	-8	DON'T KNOW										
	-7	REFUSED										

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0214

We would like to scan the bar code on any tobacco products you have right now for your own use[, including your [ECIGFILLS]]. Our interviewer will do the scanning for you. Other people in your home might see the products as you hand them to the interviewer.

Is it OK to scan your tobacco products now?

- | | | |
|----|---------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R01_AL3000 |
| -7 | REFUSED | GO TO R01_AL3000 |

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) .

DISPLAY: If Current or Experimental Current e-cigarette user (R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1), display “, including your [ECIGFILLS]”. Else, do not display this text.

PATH ID: R01_AX0215

Thank you. Please hand the computer to the interviewer. Then get any tobacco products you have right now for your own use[including your ECIGFILLS] and give them to the interviewer. The interviewer will give them right back to you.

-7 REFUSED

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1).

DISPLAY: If Current or Experimental Current e-cigarette user (R01_CURRENT_USER_ECIG = 1 or R01_EXPERIMENTAL_CURRENT_ECIG = 1), display “, including your [ECIGFILLS]”. Else, do not display this text.

PATH ID: R01_AL3004

The interviewer must now enter the Monitor Password into the computer.

Monitor Password: _____

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1).

PROGRAM: THE MONITOR PASSWORD IS 8954. AFTER THE INTERVIEWER ENTERS THE PASSWORD, SWITCH TO CAPI MODE.

PRODUCT BARCODE SCANNING MODULE

Variable(s): R01_AX0218
HOW MANY PRODUCTS DID THE RESPONDENT GIVE YOU TO SCAN? ENTER A NUMBER BETWEEN ZERO AND 10. _ _ ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1). DISPLAY: Display Interviewer instruction in blue font. GOTO: IF R01_AX0218 = 0, go to R01_AL3009. Else, go to R01_AX0217_1.

Variable(s): R01_AL3009
THE RESPONDENT GAVE YOU ZERO PRODUCTS TO SCAN. IF THIS IS CORRECT, PRESS 1 TO CONTINUE. IF THIS IS INCORRECT, GO BACK AND MAKE A CORRECTION. ASK: If the interviewer entered zero products (R01_AX0218=0). DISPLAY: Display Interviewer instruction in blue font. PROGRAM: If 1 is pressed, go to R01_AL3006.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0217_1A; R01_AX0217_1B**

THIS IS PRODUCT BAR CODE SCAN #1. YOU CAN SCAN UP TO 10 PRODUCTS TOTAL.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, JUST SCAN ONE OF THE ITEMS.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1) and did not refuse to get products for scanning (R01_AX0215!=-7) and gave at least one product (R01_AX0218>0).

DISPLAY: Display Interviewer instruction in blue font.

GOTO: If blank, go to R01_AL3006.

Else, go to next bar code.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0217_2A; R01_AX0217_2B**

THIS IS PRODUCT BAR CODE SCAN #2.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, JUST SCAN ONE OF THE ITEMS.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1) and did not refuse to get products for scanning (R01_AX0215 != -7) and gave at least one product (R01_AX0218>0) and R01_AX0217_1B is not blank.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: If blank, go to R01_AL3006.

Else, go to next bar code.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0217_3A; R01_AX0217_3B**

THIS IS PRODUCT BAR CODE SCAN #3.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, JUST SCAN ONE OF THE ITEMS.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1) and did not refuse to get products for scanning (R01_AX0215 != -7) and gave at least one product (R01_AX0218>0) and R01_AX0217_2B is not blank.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: If blank, go to R01_AL3006.

Else, go to next bar code.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0217_4A; R01_AX0217_4B**

THIS IS PRODUCT BAR CODE SCAN #4.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, JUST SCAN ONE OF THE ITEMS.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1) and did not refuse to get products for scanning (R01_AX0215 != -7) and gave at least one product (R01_AX0218>0) and R01_AX0217_3B is not blank.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: If blank, go to R01_AL3006.

Else, go to next bar code.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0217_5A; R01_AX0217_5B**

THIS IS PRODUCT BAR CODE SCAN #5.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, JUST SCAN ONE OF THE ITEMS.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1) and did not refuse to get products for scanning (R01_AX0215 != -7) and gave at least one product (R01_AX0218>0) and R01_AX0217_4B is not blank.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: If blank, go to R01_AL3006.

Else, go to next bar code.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0217_6A; R01_AX0217_6B**

THIS IS PRODUCT BAR CODE SCAN #6.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, JUST SCAN ONE OF THE ITEMS.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1) and did not refuse to get products for scanning (R01_AX0215 != -7) and gave at least one product (R01_AX0218>0) and R01_AX0217_5B is not blank.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: If blank, go to R01_AL3006.

Else, go to next bar code.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0217_7A; R01_AX0217_7B**

THIS IS PRODUCT BAR CODE SCAN #7.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, JUST SCAN ONE OF THE ITEMS.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1) and did not refuse to get products for scanning (R01_AX0215 != -7) and gave at least one product (R01_AX0218>0) and R01_AX0217_6B is not blank.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: If blank, go to R01_AL3006.

Else, go to next bar code.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0217_8A; R01_AX0217_8B**

THIS IS PRODUCT BAR CODE SCAN #8.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, JUST SCAN ONE OF THE ITEMS.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1) and did not refuse to get products for scanning (R01_AX0215 != -7) and gave at least one product (R01_AX0218>0) and R01_AX0217_7B is not blank.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: If blank, go to R01_AL3006.

Else, go to next bar code.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): **R01_AX0217_9A; R01_AX0217_9B**

THIS IS PRODUCT BAR CODE SCAN #9.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, JUST SCAN ONE OF THE ITEMS.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1) and did not refuse to get products for scanning (R01_AX0215 != -7) and gave at least one product (R01_AX0218>0) and R01_AX0217_8B is not blank.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: If blank, go to R01_AL3006.

Else, go to next bar code.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Variable(s): R01_AX0217_10A; R01_AX0217_10B
THIS IS PRODUCT BAR CODE SCAN #10. SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, JUST SCAN ONE OF THE ITEMS. SCAN EACH BARCODE TWICE. IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS. IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS. WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT. ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who agreed to scanning (R01_AX0214=1) and did not refuse to get products for scanning (R01_AX0215 != -7) and gave at least one product (R01_AX0218>0) and R01_AX0217_9B is not blank. DISPLAY: Display Interviewer instruction in blue font. GOTO: Go to R01_AL3006.

PATH ID: R01_AL3000
You have finished this part of the questionnaire. Please hand the computer to the interviewer. ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who DID NOT agree to scanning (R01_AX0214=2, -8, or -7) AND respondents who are not Current or Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO=2 or R01_EXPERIMENTAL_CURRENT_TOBACCO=2).

PATH ID: R01_AL3003
Monitor Password: _____ The interviewer must now enter the Monitor Password into the computer. ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who DID NOT agree to scanning (R01_AX0214=2, -8 or -7) AND respondents who are not Current or Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO=2 or R01_EXPERIMENTAL_CURRENT_TOBACCO=2). PROGRAM: THE MONITOR PASSWORD IS 8954. AFTER THE INTERVIEWER ENTERS THE PASSWORD, SWITCH TO CAPI MODE.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

PATH ID: R01_AL3007

DO NOT SCAN BAR CODES FOR THIS RESPONDENT.

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

PRESS 1 TO CONTINUE

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who DID NOT agree to scanning (R01_AX0214=2, -8 or -7) AND respondents who are not Current or Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO=2 or R01_EXPERIMENTAL_CURRENT_TOBACCO=2).

DISPLAY: Display Interviewer instruction in blue font.

PROGRAM: If this respondent has completed a parent interview, display "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION" and DO NOT go to the contact information section, and GO TO R01_LCAD01. If this respondent has NOT completed a parent interview, display "COLLECT CONTACT INFORMATION FOR THIS RESPONDENT" and GO TO the contact information section.

Variable(s): R01_AL3006

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

PRESS 1 TO CONTINUE

ASK: Current and Experimental Current tobacco users (R01_CURRENT_USER_TOBACCO = 1 or R01_EXPERIMENTAL_CURRENT_TOBACCO = 1) who DID agree to scanning (R01_AX0214=1) and for whom scanning is complete.

DISPLAY: Display Interviewer instruction in blue font.

PROGRAM: If this respondent has completed a parent interview, display "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION" and DO NOT go to the contact information section, and GO TO R01_LCAD01. If this respondent has NOT completed a parent interview, display "COLLECT CONTACT INFORMATION FOR THIS RESPONDENT" and GO TO the contact information section.

CLOSING ADMINISTRATIVE DATA

Variable(s): R01_LCAD01***

INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW IN?

1 ENGLISH

2 SPANISH

ASK: All respondents (asked of Interviewer).

DATA ERROR: Some respondents have missing data (-9) for this variable.

*** = Denotes a skip error. For additional information, see Appendix - Adult Instrument Skip Error Summary. This appendix summarizes skip errors in the data collection instrument that resulted in missing data on these items for some respondents.

*** = Denotes a data error. For additional information, see Appendix – Adult Instrument Data Error Summary. This appendix summarizes the items with missing data for some respondents.

APPENDIX – ADULT GENERIC IMAGES

Section	PATH ID	Generic Image
Tobacco Use	BOX R01_AE1	 Electronic Cigarettes
Tobacco Use	R01_AE1001	
Tobacco Use	R01_AE1002	
Product Regulation	R01_AE1099	
Tobacco Use	BOX R01_AG1A	 Traditional Cigars
Tobacco Use	R01_AG9003	
Tobacco Use	BOX R01_CreateCigarVars	
Cigar	BOX R01_AGT03	
Product Regulation	R01_AG1099	 Cigarillos Filtered Cigars
Tobacco Use	BOX R01_AG1B	
Tobacco Use	R01_AG9004	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R01_AG1001	 Traditional Cigars Cigarillos Filtered Cigars
Tobacco Use	R01_AG9009	 With a tip With a filter Without a tip or filter
Tobacco Use	BOX R01_CreateCigarVars	 Cigarillos
Cigar	BOX R01_AGT03	
Product Regulation	R01_AG1106	
Tobacco Use	BOX R01_CreateCigarVars	 Filtered Cigars
Cigar	BOX R01_AGT03	
Product Regulation	R01_AG1107	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	BOX R01_APH1	 Pipe
Tobacco Use	R01_AP1001	
Tobacco Use	R01_AP1002	
Product Regulation	R01_AP1099	
Tobacco Use	BOX R01_AHH2	 Hookah
Tobacco Use	R01_AH1001	
Tobacco Use	R01_AH1002	
Hookah	BOX R01_AHT02 [AHINTRO_1]	
Product Regulation	R01_AH1099	 Hookah Shisha Tobacco
Hookah	BOX R01_AHT02 [AHINTRO_2]	
Tobacco Use	BOX R01_ASU1	 Smokeless Tobacco
Tobacco Use	R01_AS1001	
Product Regulation	R01_AS1105	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R01_AS1002	 Snus Pouches Loose Snus, Moist Snuff, Dip, Spit or Chew
Tobacco Use	BOX R01_AS6	 Snus
Smokeless Tobacco	BOX R01_AST02	
Tobacco Use	BOX R01_AS6	 Smokeless Tobacco
Smokeless Tobacco	BOX R01_AST02	
Tobacco Use	BOX R01_AD1	 Dissolvable Tobacco
Tobacco Use	R01_AD1001	
Tobacco Use	R01_AD1002	
Dissolvable Tobacco	BOX R01_ADT02	
Product Regulation	R01_AD1099	

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
E-Cigarette	BOX R01_AET02	 E-cigarettes E-cigarette Cartridges E-liquid
Cigar	R01_AG1095[TC/CG/FC]	 Group 1 Group 2 Group 3 Group 4
Pipe	BOX R01_APT02	 Pipe and Pipe Tobacco
Media Use	R01_AX0496	

APPENDIX – ADULT USER GROUP DEFINITIONS

NOTE: The User Group Variable specifications defined in this appendix are for questionnaire routing purposes only and are included in this document for reference. These variables are excluded from the data file. It is not recommended to use these definitions for analytical purposes.

USER GROUPS		
CIGARETTES		
User Group and Variable Name	User Group Description	User Group Definition
Ever users - Cigarettes R01_EVER_USER_CIGS	Has ever smoked a cigarette, even one or two puffs (R01_AC1002).	IF R01_AC1002 = 1, THEN R01_EVER_USER_CIGS = 1 (YES). ELSE, R01_EVER_USER_CIGS = 2 (NO).
Current users - Cigarettes R01_CURRENT_USER_CIGS	Has ever smoked a cigarette (R01_AC1002), has smoked 100 cigarettes (lifetime) (R01_AC1005), and now smokes every day or some days (R01_AC1003).	IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 1 OR 2, THEN R01_CURRENT_USER_CIGS = 1 (YES). ELSE, R01_CURRENT_USER_CIGS = 2 (NO).
Everyday users - Cigarettes R01_EVERYDAY_USER_CIGS	Has ever smoked a cigarette (R01_AC1002), has smoked 100 cigarettes (lifetime) (R01_AC1005), and now smokes every day (R01_AC1003).	IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 1, THEN R01_EVERYDAY_USER_CIGS = 1 (YES). ELSE, R01_EVERYDAY_USER_CIGS = 2 (NO).
Some day users - Cigarettes R01_SOME_DAY_USER_CIGS	Has ever smoked a cigarette (R01_AC1002), has smoked 100 cigarettes (lifetime) (R01_AC1005) and now smokes some days (R01_AC1003).	IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 2, THEN R01_SOME_DAY_USER_CIGS = 1 (YES). ELSE, R01_SOME_DAY_USER_CIGS = 2 (NO).
Experimental Current users - Cigarettes R01_EXPERIMENTAL_CURRENT_CIGS	Has ever smoked a cigarette (R01_AC1002), has NOT smoked 100 cigarettes (lifetime) (R01_AC1005) and now smokes every day or some days (R01_AC1003).	IF R01_AC1002 = 1 AND R01_AC1005 = 1, 2, 3, 4, OR 5 AND R01_AC1003 = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_CIGS = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_CIGS = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Experimental Former users - Cigarettes R01_EXPERIMENTAL_FORMER_CIGS	Has ever smoked a cigarette (R01_AC1002), has NOT smoked 100 cigarettes (lifetime) (R01_AC1005) and now does not smoke at all (R01_AC1003). Note: might currently use other products.	IF R01_AC1002 = 1 AND R01_AC1005 = 1, 2, 3, 4, OR 5 AND R01_AC1003 = 3, THEN R01_EXPERIMENTAL_FORMER_CIGS = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_CIGS = 2 (NO).
Former users - Cigarettes R01_FORMER_USER_CIGS	Has ever smoked a cigarette (R01_AC1002), has smoked 100 cigarettes (lifetime) (R01_AC1005) and now does not smoke at all (R01_AC1003). Note: might currently use other products.	IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 3, THEN R01_FORMER_USER_CIGS = 1 (YES). ELSE, R01_FORMER_USER_CIGS = 2 (NO).
Former users 12 Month - Cigarettes R01_FORMER_USER_12MONTH_CIGS	Has ever smoked a cigarette (R01_AC1002), has smoked 100 cigarettes (lifetime) (R01_AC1005), now does not smoke at all (R01_AC1003), and quit smoking within the past 12 months (R01_AC1009). Note: might currently use other products.	IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 3 AND ((R01_AC1009_NN <= 365 AND R01_AC1009_UN = 1) OR (R01_AC1009_NN <= 12 AND R01_AC1009_UN = 2) OR (R01_AC1009_NN = 1 AND R01_AC1009_UN = 3)), THEN R01_FORMER_USER_12MONTH_CIGS = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_CIGS = 2 (NO).
Former users 12 Month Plus - Cigarettes R01_FORMER_USER_12MONTHPLUS_CIGS	Has ever smoked a cigarette (R01_AC1002), has smoked 100 cigarettes (lifetime) (R01_AC1005), now does not smoke at all (R01_AC1003), and quit smoking longer than 12 months ago (R01_AC1009). Note: might currently use other products.	IF R01_AC1002 = 1 AND R01_AC1005 = 6 AND R01_AC1003 = 3 AND ((R01_AC1009_NN > 365 AND R01_AC1009_UN = 1) OR (R01_AC1009_NN > 12 AND R01_AC1009_UN = 2) OR (R01_AC1009_NN > 1 AND R01_AC1009_UN = 3)), THEN R01_FORMER_USER_12_MONTHPLUSCIGS = 1 (YES). ELSE, R01_FORMER_USER_12_MONTHPLUSCIGS = 2 (NO).
Undetermined – Cigarettes R01_UNDETERMINED_CIGS	Has ever smoked a cigarette, but cannot be identified as a particular type of cigarette user (R01_AC1005, R01_AC1003).	IF R01_AC1003 = -8, -7 OR R01_AC1005 = -8, -7 THEN R01_UNDETERMINED_CIGS = 1 (YES). ELSE, IF R01_AC1003 = -1, 1, 2, OR 3 AND R01_AC1005 = -1, 1, 2, 3, 4, OR 5 THEN R01_UNDETERMINED_CIGS = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

E-CIGARETTES		
User Group and Variable Name	User Group Description	User Group Definition
Ever users - E-Cigarettes R01_EVER_USER_ECIG	Has ever used e-cigarettes, even once or twice (R01_AE1002).	IF R01_AE1002 = 1, THEN R01_EVER_USER_ECIG = 1 (YES). ELSE, R01_EVER_USER_ECIG = 2 (NO).
Current users - E-Cigarettes R01_CURRENT_USER_ECIG	Has ever used e-cigarettes (R01_AE1002), is a regular user (R01_AE1100), and uses every day or some days (R01_AE1003).	IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 1 OR 2, THEN R01_CURRENT_USER_ECIG = 1 (YES). ELSE, R01_CURRENT_USER_ECIG = 2 (NO).
Everyday users - E-Cigarettes R01_EVERYDAY_USER_ECIG	Has ever used e-cigarettes (R01_AE1002), is a regular user (R01_AE1100), and uses every day (R01_AE1003).	IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 1, THEN R01_EVERYDAY_USER_ECIG = 1 (YES). ELSE, R01_EVERYDAY_USER_ECIG = 2 (NO).
Some day users - E-Cigarettes R01_SOME_DAY_USER_ECIG	Has ever used e-cigarettes (R01_AE1002), is a regular user (R01_AE1100), and uses some days (R01_AE1003).	IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 2, THEN R01_SOME_DAY_USER_ECIG = 1 (YES). ELSE, R01_SOME_DAY_USER_ECIG = 2 (NO).
Experimental Current users - E-Cigarettes R01_EXPERIMENTAL_CURRENT_ECIG	Has ever used e-cigarettes (R01_AE1002), has never been a regular user (R01_AE1100), and now uses e-cigarettes every day or some days (R01_AE1003).	IF R01_AE1002 = 1 AND R01_AE1100 = 2 AND R01_AE1003 = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_ECIG = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_ECIG = 2 (NO).
Experimental Former users - E-Cigarettes R01_EXPERIMENTAL_FORMER_ECIG	Has ever used e-cigarettes (R01_AE1002), has never been a regular user (R01_AE1100), and now does not use e-cigarettes at all (R01_AE1003). Note: might currently use other products.	IF R01_AE1002 = 1 AND R01_AE1100 = 2 AND R01_AE1003 = 3, THEN R01_EXPERIMENTAL_FORMER_ECIG = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_ECIG = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users - E-Cigarettes R01_FORMER_USER_ECIG	Has ever used e-cigarettes (R01_AE1002), has been a regular user (R01_AE1100) and now does not use e-cigarettes at all (R01_AE1003). Note: might currently use other products.	IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 3, THEN R01_FORMER_USER_ECIG = 1 (YES). ELSE, R01_FORMER_USER_ECIG = 2 (NO).
Former users 12 Month - E-Cigarettes R01_FORMER_USER_12MONTH_ECIG**	Has ever used e-cigarettes (R01_AE1002), has been a regular user (R01_AE1100), now does not use e-cigarettes at all (R01_AE1003) and quit using e-cigarettes within the past 12 months (R01_AE1009). Note: might currently use other products.	IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 3 AND ((R01_AE1009_NN <= 365 AND R01_AE1009_UN = 1) OR (R01_AE1009_NN <= 12 AND R01_AE1009_UN = 2) OR (R01_AE1009_NN = 1 AND R01_AE1009_UN = 3)), THEN R01_FORMER_USER_12MONTH_ECIG = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_ECIG = 2 (NO). INSTRUMENT ERROR: Values for the data collection variable were not correctly set to “1 = Yes” for respondents if they reported last using product exactly one year ago. The incorrect setting of the data collection variable also caused the following items to be skipped incorrectly: R01_AE9005, R01_AE9009, R01_AE1025, R01_AE1030, R01_AE1047, R01_AE1048_BRAND, R01_AE1050, R01_AE1060, R01_AE1061, R01_AE1085, R01_AE1062, R01_AE1075, R01_AE1063, R01_AE1064, R01_AE1065, R01_AE1066, R01_AE1067, R01_AE1068, R01_AE1069, R01_AE1072, R01_AE1080, R01_AE1081.
Former users 12 Month Plus -E-Cigarettes R01_FORMER_USER_12MONTHPLUS_ECIG	Has ever used e-cigarettes (R01_AE1002), has been a regular user (R01_AE1100), now does not use e-cigarettes at all (R01_AE1003), and quit using e-cigarettes longer than 12 months ago (R01_AE1009). Note: might currently use other products.	IF R01_AE1002 = 1 AND R01_AE1100 = 1 AND R01_AE1003 = 3 AND ((R01_AE1009_NN > 365 AND R01_AE1009_UN = 1) OR (R01_AE1009_NN > 12 AND R01_AE1009_UN = 2) OR (R01_AE1009_NN > 1 AND R01_AE1009_UN = 3)), THEN R01_FORMER_USER_12MONTHPLUS_ECIG = 1 (YES). ELSE, R01_FORMER_USER_12MONTHPLUS_ECIG = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Undetermined – E-Cigarettes R01_UNDETERMINED_ECIG	Has ever used an e-cigarette, but cannot be identified as a particular type of e-cigarette user (R01_AE1005, R01_AE1100).	IF R01_AE1003 = -8, -7 OR R01_AE1100 = -8, -7 THEN R01_UNDETERMINED_ECIG = 1 (YES). ELSE, IF R01_AE1003 = -1, 1, 2, OR 3 AND R01_AE1100 = -1, 1 OR 2 THEN R01_UNDETERMINED_ECIG = 2 (NO).
--	---	--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

CIGARS		
User Group and Variable Name	User Group Description	User Group Definition
Ever users - Traditional Cigars R01_EVER_USER_GTRAD	Has ever smoked a traditional cigar, even once or twice (R01_AG9003).	IF R01_AG9003 = 1 THEN R01_EVER_USER_GTRAD = 1 (YES). ELSE, R01_EVER_USER_GTRAD = 2 (NO).
Current users - Traditional Cigars R01_CURRENT_USER_GTRAD	Has ever smoked traditional cigars (R01_AG9003), is a regular smoker (R01_AG1100TC), and smokes every day or some days (R01_AG1003TC).	IF R01_AG9003 = 1 AND R01_AG1100TC = 1 AND R01_AG1003TC = 1 OR 2, THEN R01_CURRENT_USER_GTRAD = 1 (YES). ELSE, R01_CURRENT_USER_GTRAD = 2 (NO).
Everyday users - Traditional Cigar R01_EVERYDAY_USER_GTRAD	Has ever smoked traditional cigars (R01_AG9003), is a regular smoker (R01_AG1100TC), and smokes every day (R01_AG1003TC).	IF R01_AG1100TC = 1 AND R01_AG1003TC = 1, THEN R01_EVERYDAY_USER_GTRAD = 1 (YES). ELSE, R01_EVERYDAY_USER_GTRAD = 2 (NO).
Some day users - Traditional Cigar R01_SOME_DAY_USER_GTRAD	Has ever smoked traditional cigars (R01_AG9003), is a regular smoker (R01_AG1100TC), and smokes some days (R01_AG1003TC).	IF R01_AG1100TC = 1 AND R01_AG1003TC = 2, THEN R01_SOME_DAY_USER_GTRAD = 1 (YES). ELSE, R01_SOME_DAY_USER_GTRAD = 2 (NO).
Experimental Current users - Traditional Cigar R01_EXPERIMENTAL_CURRENT_GTRAD	Has ever smoked traditional cigars (R01_AG9003), has never been a regular smoker (R01_AG1100TC), and now smokes traditional cigars every day or some days (R01_AG1003TC).	IF R01_AG9003 = 1 AND R01_AG1100TC = 2 AND R01_AG1003TC = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_GTRAD = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_GTRAD = 2 (NO).
Experimental Former users - Traditional Cigar R01_EXPERIMENTAL_FORMER_GTRAD	Has ever smoked traditional cigars (R01_AG9003), has never been a regular smoker (R01_AG1100TC), and now does not smoke traditional cigars not at all (R01_AG1003TC). Note: might currently use other products.	IF R01_AG9003 = 1 AND R01_AG1100TC = 2 AND R01_AG1003 = 3, THEN R01_EXPERIMENTAL_FORMER_GTRAD = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_GTRAD = 2 (NO).
Former users - Traditional Cigar R01_FORMER_USER_GTRAD	Has ever smoked traditional cigars (R01_AG9003), has been a regular smoker (R01_AG1100TC) and now does not smoke traditional cigars at all (R01_AG1003TC). Note: might currently use other products.	IF R01_AG9003 = 1 AND R01_AG1100TC = 1 AND R01_AG1003TC = 3, THEN R01_FORMER_USER_GTRAD = 1 (YES). ELSE, R01_FORMER_USER_GTRAD = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users 12 Month - Traditional Cigar R01_FORMER_USER_12MONTH_GTRAD	Has ever smoked traditional cigars (R01_AG9003), has been a regular smoker (R01_AG1100TC), now does not smoke traditional cigars at all (R01_AG1003TC) and quit smoking traditional cigars within the past 12 months (R01_AG1009TC). Note: might currently use other products.	IF R01_AG9003 = 1 AND R01_AG1100TC = 1 AND R01_AG1003TC = 3 AND ((R01_AG1009TC_NN <= 365 AND R01_AG1009TC_UN = 1) OR (R01_AG1009TC_NN <= 12 AND R01_AG1009TC_UN = 2) OR (R01_AG1009TC_NN = 1 AND R01_AG1009TC_UN = 3)), THEN R01_FORMER_USER_12MONTH_GTRAD = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_GTRAD = 2 (NO).
Former users 12 Month Plus - Traditional Cigar R01_FORMER_12MONTHPLUS_GTRAD	Has ever smoked traditional cigars (R01_AG9003), has been a regular smoker (R01_AG1100TC), now does not smoke traditional cigars at all (R01_AG1003TC), and quit smoking longer than 12 months ago (R01_AG1009TC). Note: might currently use other products.	IF R01_AG9003 = 1 AND R01_AG1100TC = 1 AND R01_AG1003TC = 3 AND ((R01_AG1009TC_NN > 365 AND R01_AG1009TC_UN = 1) OR (R01_AG1009TC_NN > 12 AND R01_AG1009TC_UN = 2) OR (R01_AG1009TC_NN > 1 AND R01_AG1009TC_UN = 3)), THEN R01_FORMER_12MONTHPLUS_GTRAD = 1 (YES). ELSE, R01_FORMER_12MONTHPLUS_GTRAD = 2 (NO).
Undetermined – Traditional Cigar R01_UNDETERMINED_GTRAD	Has ever smoked a traditional cigar, but cannot be identified as a particular type of traditional cigar user (R01_AG1005TC, R01_AG1100TC).	IF R01_AG1003TC = -8, -7 OR R01_AG1100TC = -8, -7 THEN R01_UNDETERMINED_GTRAD = 1 (YES). ELSE, IF R01_AG1003TC = -1, 1, 2, OR 3 AND R01_AG1100TC = -1, 1 OR 2 THEN R01_UNDETERMINED_GTRAD = 2 (NO).
Ever users - Cigarillos R01_EVER_USER_GRILLO	Has ever smoked cigarillos or filtered cigars (R01_AG9004) AND has smoked a cigarillo with a tip or without a filter (R01_AG9009[_01/_03]), even once or twice.	IF R01_AG9004 = 1 AND (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1), THEN R01_EVER_USER_GRILLO = 1 (YES). ELSE, R01_EVER_USER_GRILLO = 2 (NO).
Current users - Cigarillos R01_CURRENT_USER_GRILLO	Has ever smoked cigarillos (R01_AG9004, R01_AG9009[_01/_03]), is a regular smoker (R01_AG1100CG), and smokes every day or some days (R01_AG1003CG).	IF R01_AG9004 = 1 AND (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1) AND R01_AG1100CG = 1 AND R01_AG1003CG = 1 OR 2, THEN R01_CURRENT_USER_GRILLO = 1 (YES). ELSE, R01_CURRENT_USER_GRILLO = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Everyday users - Cigarillos R01_EVERYDAY_USER_GRILLO	Has ever smoked cigarillos (R01_AG9004, R01_AG9009[_01/_03]), is a regular smoker (R01_AG1100CG), and smokes every day (R01_AG1003CG).	IF R01_AG1100CG = 1 AND R01_AG1003CG = 1, THEN R01_EVERYDAY_USER_GRILLO = 1 (YES). ELSE, R01_EVERYDAY_USER_GRILLO = 2 (NO).
Some day users - Cigarillos R01_SOME_DAY_USER_GRILLO	Has ever smoked cigarillos (R01_AG9004, R01_AG9009[_01/_03]), is a regular smoker (R01_AG1100CG), and smokes some days (R01_AG1003CG).	IF R01_AG1100CG = 1 AND R01_AG1003CG = 2, THEN R01_SOME_DAY_USER_GRILLO = 1 (YES). ELSE, R01_SOME_DAY_USER_GRILLO = 2 (NO).
Experimental Current users - Cigarillos R01_EXPERIMENTAL_CURRENT_GRILLO	Has ever smoked cigarillos (R01_AG9004, R01_AG9009[_01/_03]), has never been a regular smoker (R01_AG1100CG), and now smokes cigarillos every day or some days (R01_AG1003CG).	IF R01_AG1100CG = 2 and R01_AG1003CG = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_GRILLO = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_GRILLO = 2 (NO).
Experimental Former users - Cigarillos R01_EXPERIMENTAL_FORMER_GRILLO	Has ever smoked cigarillos (R01_AG9004, R01_AG9009[_01/_03]), has never been a regular smoker (R01_AG1100CG), and now does not smoke cigarillos at all (R01_AG1003CG). Note: might currently use other products.	IF (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1) AND R01_AG1100CG = 2 AND R01_AG1003 = 3, THEN R01_EXPERIMENTAL_FORMER_GRILLO = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_GRILLO = 2 (NO).
Former users - Cigarillos R01_FORMER_USER_GRILLO	Has ever smoked cigarillos (R01_AG9004, R01_AG9009[_01/_03]), has been a regular smoker (R01_AG1100CG) and now does not smoke cigarillos at all (R01_AG1003CG). Note: might currently use other products.	IF (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1) AND R01_AG1100CG = 1 AND R01_AG1003CG = 3, THEN R01_FORMER_USER_GRILLO = 1 (YES). ELSE, R01_FORMER_USER_GRILLO = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users 12 Month - Cigarillos R01_FORMER_USER_12MONTH_GRILLO**	Has ever smoked cigarillos (R01_AG9004, R01_AG9009[_01/_03]), has been a regular smoker (R01_AG1100CG), now does not smoke cigarillos at all (R01_AG1003CG) and quit smoking cigarillos within the past 12 months (R01_AG1009CG). Note: might currently use other products.	IF (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1) AND R01_AG1100CG = 1 AND R01_AG1003CG = 3 AND ((R01_AG1009CG_NN <= 365 AND R01_AG1009CG_UN = 1) OR (R01_AG1009CG_NN <= 12 AND R01_AG1009CG_UN = 2) OR (R01_AG1009CG_NN = 1 AND R01_AG1009CG_UN = 3)), THEN R01_FORMER_USER_12MONTH_GRILLO = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_GRILLO = 2 (NO). INSTRUMENT ERROR: Values for the data collection variable were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of the data collection variable also caused the following items to be skipped incorrectly: R01_AG1025CG, R01_AG1030CG, R01_AG1047CG, R01_AG1048CG_BRAND, R01_AG1050CG, R01_AG1060CG, R01_AG1061CG, R01_AG1085CG, R01_AG1062CG, R01_AG1063CG, R01_AG1064CG, R01_AG1066CG, R01_AG1068CG, R01_AG1069CG, R01_AG1072CG, R01_AG1080CG, R01_AG1081CG.
Former users 12 Month Plus - Cigarillos R01_FORMER_12MONTHPLUS_GRILLO	Has ever smoked cigarillos (R01_AG9004, R01_AG9009[_01/_03]), has been a regular smoker (R01_AG1100CG), now does not smoke cigarillos at all (R01_AG1003CG), and quit smoking cigarillos longer than 12 months ago (R01_AG1009CG). Note: might currently use other products.	IF (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1) AND R01_AG1100CG = 1 AND R01_AG1003CG = 3 AND ((R01_AG1009CG_NN > 365 AND R01_AG1009CG_UN = 1) OR (R01_AG1009CG_NN > 12 AND R01_AG1009CG_UN = 2) OR (R01_AG1009CG_NN > 1 AND R01_AG1009CG_UN = 3)), THEN R01_FORMER_12MONTHPLUS_GRILLO = 1 (YES). ELSE, R01_FORMER_12MONTHPLUS_GRILLO = 2 (NO).
Undetermined – Cigarillos R01_UNDETERMINED_GRILLO	Has ever smoked a cigarillo, but cannot be identified as a particular type of cigarillo user (R01_AG1005CG, R01_AG1100CG).	IF R01_AG1003CG = -8, -7 OR R01_AG1100CG = -8, -7 THEN R01_UNDETERMINED_GRILLO = 1 (YES). ELSE, IF R01_AG1003CG = -1, 1, 2, OR 3 AND R01_AG1100CG = -1, 1 OR 2 THEN R01_UNDETERMINED_GRILLO = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Ever users - Filtered Cigars R01_EVER_USER_GFILTR	Has ever smoked a cigarillo or filtered cigar (R01_AG9004) AND has smoked a filtered cigar with a filter (R01_AG9009_02), even once or twice.	IF R01_AG9004 = 1 AND R01_AG9009_02 = 1, THEN R01_EVER_USER_GFILTR = 1 (YES). ELSE, R01_EVER_USER_GFILTR = 2 (NO).
Current users - Filtered Cigars R01_CURRENT_USER_GFILTR	Has ever smoked filtered cigars (R01_AG9004, R01_AG9009_02), is a regular smoker (R01_AG1100FC), and smokes every day or some days (R01_AG1003FC).	IF R01_AG9004 = 1 AND R01_AG9009_02 = 1 AND R01_AG1100FC = 1 AND R01_AG1003FC = 1 OR 2, THEN R01_CURRENT_USER_GFILTR = 1 (YES). ELSE, R01_CURRENT_USER_GFILTR = 2 (NO).
Everyday users - Filtered Cigars R01_EVERYDAY_USER_GFILTR	Has ever smoked filtered cigars (R01_AG9004, R01_AG9009_02), is a regular smoker (R01_AG1100FC), and smokes every day (R01_AG1003FC).	IF R01_AG1100FC = 1 AND R01_AG1003FC = 1, THEN R01_EVERYDAY_USER_GFILTR = 1 (YES). ELSE, R01_EVERYDAY_USER_GFILTR = 2 (NO).
Some day users - Filtered Cigars R01_SOME_DAY_USER_GFILTR	Has ever smoked filtered cigars (R01_AG9004, R01_AG9009_02), is a regular smoker (R01_AG1100FC), and smokes some days (R01_AG1003FC).	IF R01_AG1100FC = 1 AND R01_AG1003FC = 2, THEN R01_SOME_DAY_USER_GFILTR = 1 (YES). ELSE, R01_SOME_DAY_USER_GFILTR = 2 (NO).
Experimental Current users - Filtered Cigars R01_EXPERIMENTAL_CURRENT_GFILTR	Has ever smoked filtered cigars (R01_AG9004, R01_AG9009_02), has never been a regular smoker (R01_AG1100FC), and now smokes filtered cigars every day or some days (R01_AG1003FC).	IF R01_AG9009_02 = 1 AND R01_AG1100FC = 2 AND R01_AG1003FC = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_GFILTR = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_GFILTR = 2 (NO).
Experimental Former users - Filtered Cigars R01_EXPERIMENTAL_FORMER_GFILTR	Has ever smoked filtered cigars (R01_AG9004, R01_AG9009_02), has never been a regular smoker (R01_AG1100FC), and now does not smoke filtered cigars at all (R01_AG1003FC). Note: might currently use other products.	IF R01_AG9009_02 = 1 AND R01_AG1100FC = 2 AND R01_AG1003 = 3, THEN R01_EXPERIMENTAL_FORMER_GFILTR = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_GFILTR = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users - Filtered Cigars R01_FORMER_USER_GFILTR	Has ever smoked filtered cigars (R01_AG9004, R01_AG9009_02), has been a regular smoker (R01_AG1100FC) and now does not smoke filtered cigars at all (R01_AG1003FC). Note: might currently use other products.	IF R01_AG9009_02 = 1 AND R01_AG1100FC = 1 AND R01_AG1003FC = 3, THEN R01_FORMER_USER_GFILTR = 1 (YES). ELSE, R01_FORMER_USER_GFILTR = 2 (NO).
Former users 12 Month - Filtered Cigars R01_FORMER_USER_12MONTH_GFILTR**	Has ever smoked filtered cigars (R01_AG9004, R01_AG9009_02), has been a regular smoker (R01_AG1100FC), now does not smoke filtered cigars at all (R01_AG1003FC) and quit smoking filtered cigars within the past 12 months (R01_AG1009FC). Note: might currently use other products.	IF R01_AG9009_02 = 1 AND R01_AG1100FC = 1 AND R01_AG1003FC = 3 AND ((R01_AG1009FC_NN <= 365 AND R01_AG1009FC_UN = 1) OR (R01_AG1009FC_NN <= 12 AND R01_AG1009FC_UN = 2) OR (R01_AG1009FC_NN = 1 AND R01_AG1009FC_UN = 3)), THEN R01_FORMER_USER_12MONTH_GFILTR = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_GFILTR = 2 (NO). INSTRUMENT ERROR: Values for the data collection variable were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of the data collection variable also caused the following items to be skipped incorrectly: R01_AG1025FC, R01_AG1030FC, R01_AG1047FC, R01_AG1048FC_BRAND, R01_AG1050FC, R01_AG1060FC, R01_AG1061FC, R01_AG1085FC, R01_AG1062FC, R01_AG1063FC, R01_AG1064FC, R01_AG1066FC, R01_AG1068FC, R01_AG1069FC, R01_AG1072FC, R01_AG1080FC, R01_AG1081FC.
Former users 12 Month Plus – Filtered Cigars R01_FORMER_12MONTHPLUS_GFILTR	Has ever smoked filtered cigars (R01_AG9004, R01_AG9009_02), has been a regular smoker (R01_AG1100FC), now does not smoke filtered cigars at all (R01_AG1003FC), and quit smoking filtered cigars longer than 12 months ago (R01_AG1009FC). Note: might currently use other products.	IF R01_AG9009_02 = 1 AND R01_AG1100FC = 1 AND R01_AG1003FC = 3 AND ((R01_AG1009FC_NN > 365 AND R01_AG1009FC_UN = 1) OR (R01_AG1009FC_NN > 12 AND R01_AG1009FC_UN = 2) OR (R01_AG1009FC_NN > 1 AND R01_AG1009FC_UN = 3)), THEN R01_FORMER_12MONTHPLUS_GFILTR = 1 (YES). ELSE, R01_FORMER_12MONTHPLUS_GFILTR = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Undetermined – Filtered Cigars R01_UNDETERMINED_GFILTR	Has ever smoked a filtered cigar, but cannot be identified as a particular type of filtered cigar user (R01_AG1005FC, R01_AG1100FC).	IF R01_AG1003FC = -8, -7 OR R01_AG1100FC = -8, -7 THEN R01_UNDETERMINED_GFILTR = 1 (YES). ELSE, IF R01_AG1003FC = -1, 1, 2, OR 3 AND R01_AG1100FC = -1, 1 OR 2 THEN R01_UNDETERMINED_GFILTR = 2 (NO).
Blunt Only - Cigarillo R01_BLUNT_ONLY_GRILLO	Reported never smoking a cigar, but reported smoking cigarillos as blunts in the past 12 months.	IF R01_AG9003 = 2, -8, -7 AND R01_AG9004 = 2, -8, -7 AND R01_AG9107 = 1 AND (R01_AG9009_01 = 1 OR R01_AG9009_03 = 1), THEN R01_BLUNT_ONLY_GRILLO = 1 (YES). ELSE, R01_BLUNT_ONLY_GRILLO = 2 (NO).
Blunt Only - Filtered Cigar R01_BLUNT_ONLY_GFC	Reported never smoking a cigar, but reported smoking filtered cigars as blunts in the past 12 months.	IF R01_AG9003 = 2, -8, -7 AND R01_AG9004 = 2, -8, -7 AND R01_AG9107 = 1 AND R01_AG9009_02 = 1, THEN R01_BLUNT_ONLY_GFC = 1 (YES). ELSE, R01_BLUNT_ONLY_GFC = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

PIPES		
User Group and Variable Name	User Group Description	User Group Definition
Ever users -Pipe R01_EVER_USER_PIPE	Has ever smoked a pipe, even once or twice (R01_AP1002).	IF R01_AP1002 = 1, THEN R01_EVER_USER_PIPE = 1 (YES). ELSE, R01_EVER_USER_PIPE = 2 (NO).
Current users - Pipe R01_CURRENT_USER_PIPE	Has ever smoked a pipe (R01_AP1002), is a regular smoker (R01_AP1100), and smokes a pipe every day or some days (R01_AP1003).	IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 1 OR 2 THEN R01_CURRENT_USER_PIPE = 1 (YES). ELSE, R01_CURRENT_USER_PIPE = 2 (NO).
Everyday users - Pipe R01_EVERYDAY_USER_PIPE	Has ever smoked a pipe (R01_AP1002), is a regular smoker (R01_AP1100), and smokes a pipe every day (R01_AP1003).	IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 1, THEN R01_EVERYDAY_USER_PIPE = 1 (YES). ELSE, R01_EVERYDAY_USER_PIPE = 2 (NO).
Some day users - Pipe R01_SOME_DAY_USER_PIPE	Has ever smoked a pipe (R01_AP1002), is a regular smoker (R01_AP1100), and smokes a pipe some days (R01_AP1003).	IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 2, THEN R01_SOME_DAY_USER_PIPE = 1 (YES). ELSE, R01_SOME_DAY_USER_PIPE = 2 (NO).
Experimental Current users - Pipe R01_EXPERIMENTAL_CURRENT_PIPE	Has ever smoked a pipe (R01_AP1002), has never been a regular smoker (R01_AP1100), and now smokes a pipe every day or some days (R01_AP1003).	IF R01_AP1002 = 1 AND R01_AP1100 = 2 AND R01_AP1003 = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_PIPE = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_PIPE = 2 (NO).
Experimental Former users - Pipe R01_EXPERIMENTAL_FORMER_PIPE	Has ever smoked a pipe (R01_AP1002), has never been a regular smoker (R01_AP1100), and now does not smoke a pipe at all (R01_AP1003). Note: might currently use other products.	IF R01_AP1002 = 1 AND R01_AP1100 = 2 AND R01_AP1003 = 3, THEN R01_EXPERIMENTAL_FORMER_PIPE = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_PIPE = 2 (NO).
Former users - Pipe R01_FORMER_USER_PIPE	Has ever smoked a pipe (R01_AP1002), has been a regular smoker (R01_AP1100) and now does not smoke a pipe at all (R01_AP1003). Note: might currently use other products.	IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 3, THEN R01_FORMER_USER_PIPE = 1 (YES). ELSE, R01_FORMER_USER_PIPE = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users 12 Month - Pipe R01_FORMER_USER_12MONTH_PIPE**	Has ever smoked a pipe (R01_AP1002), has been a regular smoker (R01_AP1100), now does not smoke a pipe at all (R01_AP1003) and quit smoking a pipe within the past 12 months (R01_AP1009). Note: might currently use other products.	IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 3 AND ((R01_AP1009_NN <= 365 AND R01_AP1009_UN = 1) OR (R01_AP1009_NN <= 12 AND R01_AP1009_UN = 2) OR (R01_AP1009_NN = 1 AND R01_AP1009_UN = 3)), THEN R01_FORMER_USER_12MONTH_PIPE = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_PIPE = 2 (NO). INSTRUMENT ERROR: Values for the data collection variable were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of the data collection variable also caused the following items to be skipped incorrectly: R01_AP1025, R01_AP1030, R01_AP1047, R01_AP1048_BRAND, R01_AP1050, R01_AP1060, R01_AP1061, R01_AP1085, R01_AP1062, R01_AP1063, R01_AP1064, R01_AP1068, R01_AP1069, R01_AP1072, R01_AP1080, R01_AP1081.
Former users 12 Month Plus - Pipe R01_FORMER_USER_12MONTHPLUS_PIPE	Has ever smoked a pipe (R01_AP1002), has been a regular smoker (R01_AP1100), now does not smoke a pipe at all (R01_AP1003), and quit smoking a pipe longer than 12 months ago (R01_AP1009). Note: might currently use other products.	IF R01_AP1002 = 1 AND R01_AP1100 = 1 AND R01_AP1003 = 3 AND ((R01_AP1009_NN > 365 AND R01_AP1009_UN = 1) OR (R01_AP1009_NN > 12 AND R01_AP1009_UN = 2) OR (R01_AP1009_NN > 1 AND R01_AP1009_UN = 3)), THEN R01_FORMER_USER_12MONTHPLUS_PIPE = 1 (YES). ELSE, R01_FORMER_USER_12MONTHPLUS_PIPE = 2 (NO).
Undetermined – Pipe R01_UNDETERMINED_PIPE	Has ever smoked a pipe, but cannot be identified as a particular type of pipe user (R01_AP1003, R01_AP1100).	IF R01_AP1003 = -8, -7 OR R01_AP1100 = -8, -7 THEN R01_UNDETERMINED_PIPE = 1 (YES). ELSE, IF R01_AP1003 = -1, 1, 2, OR 3 AND R01_AP1100 = -1, 1 OR 2 THEN R01_UNDETERMINED_PIPE = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

HOOKAH		
User Group and Variable Name	User Group Description	User Group Definition
Ever users - Hookah R01_EVER_USER_HOOK	Has ever smoked hookah, even one or two puffs (R01_AH1002).	IF R01_AH1002 = 1, THEN R01_EVER_USER_HOOK = 1 (YES). ELSE, R01_EVER_USER_HOOK = 2 (NO).
Current users - Hookah R01_CURRENT_USER_HOOK	Has ever smoked hookah (R01_AH1002), is a regular smoker (R01_AH1100), and smokes hookah every day, some days, or monthly.	IF R01_AH1002 = 1 AND R01_AH1100 = 1 AND (R01_AH1003 = 1 OR 2 OR R01_AH9003 = 1, 2 OR 3), THEN R01_CURRENT_USER_HOOK = 1 (YES). ELSE, R01_CURRENT_USER_HOOK = 2 (NO).
Everyday users - Hookah R01_EVERYDAY_USER_HOOK	Has ever smoked hookah (R01_AH1002), is regular smoker (R01_AH1100), and smokes hookah every day.	IF R01_AH1002 = 1 AND R01_AH1100 = 1 AND (R01_AH1003 = 1 OR R01_AH9003 = 1), THEN R01_EVERYDAY_USER_HOOK = 1 (YES). ELSE, R01_EVERYDAY_USER_HOOK = 2 (NO).
Some day users - Hookah R01_SOME_DAY_USER_HOOK	Has ever smoked hookah (R01_AH1002), is a regular smoker (R01_AH1100), and smokes hookah some days.	IF R01_AH1002 = 1 AND R01_AH1100 = 1 AND (R01_AH1003 = 2 OR R01_AH9003 = 2 OR 3), THEN R01_SOME_DAY_USER_HOOK = 1 (YES). ELSE, R01_SOME_DAY_USER_HOOK = 2 (NO).
30 Day users - Hookah R01_THIRTY_DAY_USER_HOOK	Has ever smoked a hookah (R01_AH1002) and has smoked hookah within the past 30 days.	IF R01_AH1002 = 1 AND ((R01_AH1009_NN <= 30 AND R01_AH1009_UN = 1) OR R01_AH9001 = 1), THEN R01_THIRTY_DAY_USER_HOOK = 1 (YES). ELSE, R01_THIRTY_DAY_USER_HOOK = 2 (NO).
Experimental Current users - Hookah R01_EXPERIMENTAL_CURRENT_HOOK	Has ever smoked hookah (R01_AH1002), has never been a regular smoker (R01_AH1100), and now smokes every day or some days or weekly or monthly or in the past 30 days.	IF R01_AH1002 = 1 AND R01_AH1100 = 2 AND (R01_AH1003 = 1 OR 2 OR R01_AH9003 = 1, 2 OR 3 OR (R01_AH1009_NN <= 30 AND R01_AH1009_UN = 1) OR R01_AH9001 = 1), THEN R01_EXPERIMENTAL_CURRENT_HOOK = 1 (YES). ELSE R01_EXPERIMENTAL_CURRENT_HOOK = 2 (NO).
Experimental Former users - Hookah R01_EXPERIMENTAL_FORMER_HOOK	Has ever smoked a hookah (R01_AH1002), has never been a regular smoker (R01_AH1100), and now does not smoke hookah at all (R01_AH1003). Note: might currently use other products.	IF R01_AH1002 = 1 AND R01_AH1100 = 2 AND R01_AH1003 = 3, THEN R01_EXPERIMENTAL_FORMER_HOOK = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_HOOK = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users - Hookah R01_FORMER_USER_HOOK	Has ever smoked hookah (R01_AH1002), has been a regular smoker (R01_AH1100), and now does not smoke hookah at all (R01_AH1003). Note: might currently use other products.	IF R01_AH1002 = 1 AND R01_AH1003 = 3 AND R01_AH1100 = 1, THEN R01_FORMER_USER_HOOK = 1 (YES). ELSE, R01_FORMER_USER_HOOK = 2 (NO).
Former users 12 Month - Hookah R01_FORMER_USER_12MONTH_HOOK**	Has ever smoked hookah (R01_AH1002), has been a regular smoker (R01_AH1100), now does not smoke hookah at all (R01_AH1003) and quit smoking hookah within the past 12 months. Note: might currently use other products.	IF R01_AH1002 = 1 AND R01_AH1003 = 3 AND R01_AH1100 = 1 AND (((R01_AH1009_NN <= 365 AND R01_AH1009_UN = 1) OR (R01_AH1009_NN <= 12 AND R01_AH1009_UN = 2) OR (R01_AH1009_NN = 1 AND R01_AH1009_UN = 3)) OR R01_AH9002 = 1 OR R01_AH9001 = 1 OR R01_AH9010 = 1), THEN R01_FORMER_USER_12MONTH_HOOK = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_HOOK = 2 (NO). INSTRUMENT ERROR: Values for the data collection variable were not correctly set to "1 = Yes" for respondents if they reported last using the product exactly one year ago. The incorrect setting of the data collection variable also caused the following items to be skipped incorrectly: R01_AH1025, R01_AH1090, R01_AH9011_01, R01_AH9011_02, R01_AH9011_03, R01_AH9011_04, R01_AH9012, R01_AH1030, R01_AH1047, R01_AH1048_BRAND, R01_AH1050, R01_AH1060, R01_AH1061, R01_AH1085, R01_AH1062, R01_AH1063, R01_AH1064, R01_AH1068, R01_AH1069, R01_AH1072, R01_AH1073, R01_AH1080, R01_AH1081.
Former users 12 Month Plus - Hookah R01_FORMER_USER_12MONTHPLUS_HOOK	Has ever smoked hookah (R01_AH1002), has been a regular smoker (R01_AH1100), now does not smoke hookah at all (R01_AH1003) and quit smoking hookah longer than 12 months ago. Note: might currently use other products.	IF R01_AH1002 = 1 AND R01_AH1003 = 3 AND R01_AH1100 = 1 AND (((R01_AH1009_NN > 365 AND R01_AH1009_UN = 1) OR (R01_AH1009_NN > 12 AND R01_AH1009_UN = 2) OR (R01_AH1009_NN > 1 AND R01_AH1009_UN = 3)) OR R01_AH9010 = 2), THEN R01_FORMER_USER_12MONTHPLUS_HOOK = 1 (YES). ELSE, R01_FORMER_USER_12MONTHPLUS_HOOK = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Undetermined – Hookah R01_UNDETERMINED_HOOK	Has ever smoked hookah, but cannot be identified as a particular type of hookah user (R01_AH1003, R01_AH1100).	IF (R01_AH1003 = -8, -7 OR R01_AH9003 = -8, -7) OR R01_AH1100 = -8, -7 THEN R01_UNDETERMINED_HOOK = 1 (YES). ELSE, IF (R01_AH1003 = -1, 1, 2, OR 3 OR R01_AH9003 = -1, -9, 1, 2, 3, 4, OR 5) AND R01_AH1100 = -1, 1 OR 2 THEN R01_UNDETERMINED_HOOK = 2 (NO).
--	--	--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

SNUS		
User Group and Variable Name	User Group Description	User Group Definition
Ever users - Snus R01_EVER_USER_SNUS	Has ever used snus pouches, even once or twice.	IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3, THEN R01_EVER_USER_SNUS = 1 (YES). ELSE, R01_EVER_USER_SNUS = 2 (NO)
Current users - Snus R01_CURRENT_USER_SNUS	Has ever used snus pouches, is a regular user (R01_AS1100SU), and uses every day or some days (R01_AS1003SU).	IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 1 OR 2, THEN R01_CURRENT_USER_SNUS = 1 (YES). ELSE, R01_CURRENT_USER_SNUS = 2 (NO)
Everyday users - Snus R01_EVERYDAY_USER_SNUS	Has ever used snus pouches, is a regular user (R01_AS1100SU), and uses every day (R01_AS1003SU).	IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 1, THEN R01_EVERYDAY_USER_SNUS = 1 (YES). ELSE, R01_EVERYDAY_USER_SNUS = 2 (NO)
Some day users - Snus R01_SOME_DAY_USER_SNUS	Has ever used snus pouches, is a regular user (R01_AS1100SU), and uses some days (R01_AS1003SU).	IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 2, THEN R01_SOME_DAY_USER_SNUS = 1 (YES). ELSE, R01_SOME_DAY_USER_SNUS = 2 (NO)
Experimental Current users - Snus R01_EXPERIMENTAL_CURRENT_SNUS	Has ever used snus pouches, has never been a regular user (R01_AS1100SU), and now uses snus pouches every day or some days (R01_AS1003SU).	IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 2 AND R01_AS1003SU = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_SNUS = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_SNUS = 2 (NO)
Experimental Former users - Snus R01_EXPERIMENTAL_FORMER_SNUS	Has ever used snus pouches, has never been a regular user (R01_AS1100SU), and now does not use snus pouches at all (R01_AS1003SU). Note: might currently use other products.	IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 2 AND R01_AS1003SU = 3, THEN R01_EXPERIMENTAL_FORMER_SNUS = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_SNUS = 2 (NO)
Former users - Snus R01_FORMER_USER_SNUS	Has ever used snus pouches, has been a regular user (R01_AS1100SU) and now does not use snus pouches at all (R01_AS1003SU). Note: might currently use other products.	IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 3, THEN R01_FORMER_USER_SNUS = 1 (YES). ELSE, R01_FORMER_USER_SNUS = 2 (NO)

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users 12 Month - Snus R01_FORMER_USER_12MONTH_SNUS**	Has ever used snus pouches, has been a regular user (R01_AS1100SU), now does not use snus pouches at all (R01_AS1003SU) and quit using snus pouches within the past 12 months (R01_AS1009SU). Note: might currently use other products.	IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 3 AND ((R01_AS1009SU_NN <= 365 AND R01_AS1009SU_UN = 1) OR (R01_AS1009SU_NN <= 12 AND R01_AS1009SU_UN = 2) OR (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3)), THEN R01_FORMER_USER_12MONTH_SNUS = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_SNUS = 2 (NO) INSTRUMENT ERROR: THIS VARIABLE WAS NOT CORRECTLY SET TO 1 FOR RESPONDENTS IF THEY REPORTED LAST USING SNUS POUCHES EXACTLY ONE YEAR AGO (R01_AS1009SU_NN = 1 AND R01_AS1009SU_UN = 3).
Former users 12 Month Plus - Snus R01_FORMER_USER_12MONTHPLUS_SNUS	Has ever used snus pouches, has been a regular user (R01_AS1100SU), now does not use snus pouches at all (R01_AS1003SU), and quit using snus pouches longer than 12 months ago (R01_AS1009SU). Note: might currently use other products.	IF R01_AS1002_01 = 1 AND R01_AU1003 = 2 OR 3 AND R01_AS1100SU = 1 AND R01_AS1003SU = 3 AND ((R01_AS1009SU_NN > 365 AND R01_AS1009SU_UN = 1) OR (R01_AS1009SU_NN > 12 AND R01_AS1009SU_UN = 2) OR (R01_AS1009SU_NN > 1 AND R01_AS1009SU_UN = 3)), THEN R01_FORMER_USER_12MONTHPLUS_SNUS = 1 (YES). ELSE, R01_FORMER_USER_12MONTHPLUS_SNUS = 2 (NO)
Undetermined – Snus R01_UNDETERMINED_SNUS	Has ever used snus pouches, but cannot be identified as a particular type of snus pouch user (R01_AS1003SU, R01_AS1100SU).	IF R01_AS1003SU = -8, -7 OR R01_AS1100SU = -8, -7 THEN R01_UNDETERMINED_SNUS = 1 (YES). ELSE, IF R01_AS1003SU = -1, 1, 2, OR 3 AND R01_AS1100SU = -1, 1 OR 2 THEN R01_UNDETERMINED_SNUS = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

SMOKELESS TOBACCO		
User Group and Variable Name	User Group Description	User Group Definition
Ever users - Smokeless Tobacco R01_EVER_USER_SMKLS	Has ever used smokeless tobacco, even once or twice.	IF R01_AS1002_02 = 1 OR R01_AU1003 = 1 OR 2, THEN R01_EVER_USER_SMKLS = 1 (YES). ELSE, R01_EVER_USER_SMKLS = 2 (NO)
Current users - Smokeless Tobacco R01_CURRENT_USER_SMKLS	Has ever used smokeless tobacco, is a regular user (R01_AS1100SM), and uses every day or some days (R01_AS1003SM).	IF R01_AS1100SM = 1 AND R01_AS1003SM = 1 OR 2, THEN R01_CURRENT_USER_SMKLS = 1 (YES). ELSE, R01_CURRENT_USER_SMKLS = 2 (NO)
Everyday users - Smokeless Tobacco R01_EVERYDAY_USER_SMKLS	Has ever used smokeless tobacco, is a regular user (R01_AS1100SM), and uses every day (R01_AS1003SM).	IF R01_AS1100SM = 1 AND R01_AS1003SM = 1, THEN R01_EVERYDAY_USER_SMKLS = 1 (YES). ELSE, R01_EVERYDAY_USER_SMKLS = 2 (NO)
Some day users - Smokeless Tobacco R01_SOME_DAY_USER_SMKLS	Has ever used smokeless tobacco, is a regular user (R01_AS1100SM), and uses some days (R01_AS1003SM).	IF R01_AS1100SM = 1 AND R01_AS1003SM = 2, THEN R01_SOME_DAY_USER_SMKLS = 1 (YES). ELSE, R01_SOME_DAY_USER_SMKLS = 2 (NO)
Experimental Current users - Smokeless Tobacco R01_EXPERIMENTAL_CURRENT_SMKLS	Has ever used smokeless tobacco, has never been a regular user (R01_AS1100SM), and now uses smokeless tobacco every day or some days (R01_AS1003SM).	IF R01_AS1100SM = 2 AND R01_AS1003SM = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_SMKLS = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_SMKLS = 2 (NO)
Experimental Former users - Smokeless Tobacco R01_EXPERIMENTAL_FORMER_SMKLS	Has ever used smokeless tobacco, has never been a regular user (R01_AS1100SM), and now does not use smokeless tobacco at all (R01_AS1003SM). Note: might currently use other products.	IF R01_AS1100SM = 2 AND R01_AS1003SM = 3, THEN R01_EXPERIMENTAL_FORMER_SMKLS = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_SMKLS = 2 (NO)
Former users - Smokeless Tobacco R01_FORMER_USER_SMKLS	Has ever used smokeless tobacco, has been a regular user (R01_AS1100SM) and now does not use smokeless tobacco at all (R01_AS1003SM). Note: might currently use other products.	IF R01_AS1100SM = 1 AND R01_AS1003SM = 3, THEN R01_FORMER_USER_SMKLS = 1 (YES). ELSE, R01_FORMER_USER_SMKLS = 2 (NO)

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users 12 Month - Smokeless Tobacco R01_FORMER_USER_12MONTH_SMKLS**	Has ever used smokeless tobacco, has been a regular user (R01_AS1100SM), now does not use smokeless tobacco at all (R01_AS1003SM) and quit using smokeless tobacco within the past 12 months (R01_AS1009SM). Note: might currently use other products.	IF R01_AS1100SM = 1 AND R01_AS1003SM = 3 AND ((R01_AS1009SM_NN <= 365 AND R01_AS1009SM_UN = 1) OR (R01_AS1009SM_NN <= 12 AND R01_AS1009SM_UN = 2) OR (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3)), THEN R01_FORMER_USER_12MONTH_SMKLS = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_SMKLS = 2 (NO) INSTRUMENT ERROR: THIS VARIABLE WAS NOT CORRECTLY SET TO 1 FOR RESPONDENTS IF THEY REPORTED LAST USING SMOKELESS TOBACCO EXACTLY ONE YEAR AGO (R01_AS1009SM_NN = 1 AND R01_AS1009SM_UN = 3).
Former users 12 Month Plus - Smokeless Tobacco R01_FORMER_12MONTHPLUS_SMKLS	Has ever used smokeless tobacco, has been a regular user (R01_AS1100SM), now does not use smokeless tobacco at all (R01_AS1003SM), and quit using smokeless tobacco longer than 12 months ago (R01_AS1009SM). Note: might currently use other products.	IF R01_AS1100SM = 1 OR R01_AS1003SM = 3 AND ((R01_AS1009SM_NN > 365 AND R01_AS1009SM_UN = 1) OR (R01_AS1009SM_NN > 12 AND R01_AS1009SM_UN = 2) OR (R01_AS1009SM_NN > 1 AND R01_AS1009SM_UN = 3)), THEN R01_FORMER_12MONTHPLUS_SMKLS = 1 (YES). ELSE, R01_FORMER_12MONTHPLUS_SMKLS = 2 (NO)
Undetermined – Smokeless Tobacco R01_UNDETERMINED_SMKLS	Has ever used smokeless tobacco, but cannot be identified as a particular type of smokeless tobacco user (R01_AS1003SM, R01_AS1003_SU)	IF R01_AS1003SM = -8, -7 OR R01_AS1100SM = -8, -7 THEN R01_UNDETERMINED_SMKLS = 1 (YES). ELSE, IF R01_AS1003SM = -1, 1, 2, OR 3 AND R01_AS1100SM = -1, 1 OR 2 THEN R01_UNDETERMINED_SMKLS = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

DISSOLVABLE TOBACCO		
User Group and Variable Name	User Group Description	User Group Definition
Ever users - Dissolvable Tobacco R01_EVER_USER_DISSBL	Has ever used dissolvable tobacco, even once or twice (R01_AD1002).	IF R01_AD1002 = 1, THEN R01_EVER_USER_DISSBL = 1 (YES). ELSE, R01_EVER_USER_DISSBL = 2 (NO).
Current users - Dissolvable Tobacco R01_CURRENT_USER_DISSBL	Has ever used dissolvable tobacco (R01_AD1002), is a regular user (R01_AD1100), and uses every day or some days (R01_AD1003).	IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 1 OR 2, THEN R01_CURRENT_USER_DISSBL = 1 (YES). ELSE, R01_CURRENT_USER_DISSBL = 2 (NO).
Everyday users - Dissolvable Tobacco R01_EVERYDAY_USER_DISSBL	Has ever used dissolvable tobacco (R01_AD1002), is a regular user (R01_AD1100), and uses every day (R01_AD1003).	IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 1, THEN R01_EVERYDAY_USER_DISSBL = 1 (YES). ELSE, R01_EVERYDAY_USER_DISSBL = 2 (NO).
Some day users - Dissolvable Tobacco R01_SOME_DAY_USER_DISSBL	Has ever used dissolvable tobacco (R01_AD1002), is a regular user (R01_AD1100), and uses some days (R01_AD1003).	IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 2, THEN R01_SOME_DAY_USER_DISSBL = 1 (YES). ELSE, R01_SOME_DAY_USER_DISSBL = 2 (NO).
Experimental Current users - Dissolvable Tobacco R01_EXPERIMENTAL_CURRENT_DISSBL	Has ever used dissolvable tobacco (R01_AD1002), has never been a regular user (R01_AD1100), and now uses dissolvable tobacco every day or some days (R01_AD1003).	IF R01_AD1002 = 1 AND R01_AD1100 = 2 AND R01_AD1003 = 1 OR 2, THEN R01_EXPERIMENTAL_CURRENT_DISSBL = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_DISSBL = 2 (NO).
Experimental Former users - Dissolvable Tobacco R01_EXPERIMENTAL_FORMER_DISSBL	Has ever used dissolvable tobacco (R01_AD1002), has never been a regular user (R01_AD1100), and now does not use dissolvable tobacco at all (R01_AD1003). Note: might currently use other products.	IF R01_AD1002 = 1 AND R01_AD1100 = 2 AND R01_AD1003 = 3, THEN R01_EXPERIMENTAL_FORMER_DISSBL = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_DISSBL = 2 (NO).
Former users - Dissolvable Tobacco R01_FORMER_USER_DISSBL	Has ever used dissolvable tobacco (R01_AD1002), has been a regular user (R01_AD1100) and now does not use dissolvable tobacco at all (R01_AD1003). Note: might currently use other products.	IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 3, THEN R01_FORMER_USER_DISSBL = 1 (YES). ELSE, R01_FORMER_USER_DISSBL = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users 12 Month - Dissolvable Tobacco R01_FORMER_USER_12MONTH DISSBL**	Has ever used dissolvable tobacco (R01_AD1002), has been a regular user (R01_AD1100), now does not use dissolvable tobacco at all (R01_AD1003) and quit using dissolvable tobacco within the past 12 months (R01_AD1009). Note: might currently use other products.	IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 3 AND ((R01_AD1009_NN <= 365 AND R01_AD1009_UN = 1) OR (R01_AD1009_NN <= 12 AND R01_AD1009_UN = 2) OR (R01_AD1009_NN = 1 AND R01_AD1009_UN = 3)), THEN R01_FORMER_USER_12MONTH DISSBL = 1 (YES). ELSE, R01_FORMER_USER_12MONTH DISSBL = 2 (NO). INSTRUMENT ERROR: Values for the data collection variable were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of the data collection variable also caused the following items to be skipped incorrectly: R01_AD1025, R01_AD1030, R01_AD1047, R01_AD1048_BRAND, R01_AD1050, R01_AD1060, R01_AD1061, R01_AD1085, R01_AD1062, R01_AD1075, R01_AD9062, R01_AD1063, R01_AD1064, R01_AD1065, R01_AD1067, R01_AD1068, R01_AD1076, R01_AD1072, R01_AD1080, R01_AD1081.
Former users 12 Month Plus - Dissolvable Tobacco R01_FORMER_12MONTHPLUS DISSBL	Has ever used dissolvable tobacco (R01_AD1002), has been a regular user (R01_AD1100), now does not use dissolvable tobacco at all (R01_AD1003), and quit using dissolvable tobacco longer than 12 months ago (R01_AD1009). Note: might currently use other products.	IF R01_AD1002 = 1 AND R01_AD1100 = 1 AND R01_AD1003 = 3 AND ((R01_AD1009_NN > 365 AND R01_AD1009_UN = 1) OR (R01_AD1009_NN > 12 AND R01_AD1009_UN = 2) OR (R01_AD1009_NN > 1 AND R01_AD1009_UN = 3)), THEN R01_FORMER_12MONTHPLUS DISSBL = 1 (YES). ELSE, R01_FORMER_12MONTHPLUS DISSBL = 2 (NO).
Undetermined – Dissolvable Tobacco R01_UNDETERMINED DISSBL	Has ever used dissolvable tobacco, but cannot be identified as a particular type of dissolvable tobacco user (R01_AD1003, R01_AD1100).	IF R01_AD1003 = -8, -7 OR R01_AD1100 = -8, -7 THEN R01_UNDETERMINED DISSBL = 1 (YES). ELSE, IF R01_AD1003 = -1, 1, 2, OR 3 AND R01_AD1100 = -1, 1 OR 2 THEN R01_UNDETERMINED DISSBL = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

TOBACCO (GENERAL)		
User Group and Variable Name	User Group Description	User Group Definition
Ever users - Tobacco R01_EVER_USER_TOBACCO	Has ever used any tobacco product.	IF R01_EVER_USER_CIGS = 1 OR R01_EVER_USER_ECIG = 1 OR R01_EVER_USER_GTRAD = 1 R01_EVER_USER_GRILLO = 1 OR R01_EVER_USER_GFILTR = 1 OR R01_EVER_USER_PIPE = 1 OR R01_EVER_USER_HOOK = 1 OR R01_EVER_USER_SNUS = 1 OR R01_EVER_USER_SMKLS = 1 OR R01_EVER_USER_DISSBL = 1, THEN R01_EVER_USER_TOBACCO = 1 (YES). ELSE, R01_EVER_USER_TOBACCO = 2 (NO).
Current users - Tobacco R01_CURRENT_USER_TOBACCO	Has ever used any tobacco product, and is a current user of at least one tobacco product.	IF R01_CURRENT_USER_CIGS = 1 OR R01_CURRENT_USER_ECIG = 1 OR R01_CURRENT_USER_GTRAD = 1 OR R01_CURRENT_USER_GRILLO = 1 OR R01_CURRENT_USER_GFILTR = 1 OR R01_CURRENT_USER_PIPE = 1 OR R01_CURRENT_USER_HOOK = 1 OR R01_CURRENT_USER_SNUS = 1 OR R01_CURRENT_USER_SMKLS = 1 OR R01_CURRENT_USER_DISSBL = 1, THEN R01_CURRENT_USER_TOBACCO = 1 (YES). ELSE, R01_CURRENT_USER_TOBACCO = 2 (NO).
Everyday users - Tobacco R01 EVERYDAY_USER_TOBACCO	Has ever used any tobacco product, and is an everyday user of at least one tobacco product OR an everyday poly user (R01_AY0005).	IF R01 EVERYDAY_USER_CIGS = 1 OR R01 EVERYDAY_USER_ECIG = 1 OR R01 EVERYDAY_USER_GTRAD = 1 R01 EVERYDAY_USER_GRILLO = 1 OR R01 EVERYDAY_USER_GFILTR = 1 OR R01 EVERYDAY_USER_PIPE = 1 OR R01 EVERYDAY_USER_HOOK = 1 OR R01 EVERYDAY_USER_SNUS = 1 OR R01 EVERYDAY_USER_SMKLS = 1 OR R01 EVERYDAY_USER_DISSBL = 1 OR R01_AY0005 = 1, THEN R01 EVERYDAY_USER_TOBACCO = 1 (YES). ELSE, R01 EVERYDAY_USER_TOBACCO = 2 (NO).

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Some day users - Tobacco R01_SOME_DAY_USER_TOBACCO	Has ever used any tobacco product, and is not an everyday user of any tobacco product and is a some day user of at least one tobacco product OR a some day poly user.	IF (R01_EVERYDAY_USER_CIGS = 2 AND R01_EVERYDAY_USER_ECIG = 2 AND R01_EVERYDAY_USER_GTRAD = 2 R01_EVERYDAY_USER_GRILLO = 2 AND R01_EVERYDAY_USER_GFILTR = 2 AND R01_EVERYDAY_USER_PIPE = 2 AND R01_EVERYDAY_USER_HOOK = 2 AND R01_EVERYDAY_USER_SNUS = 2 AND R01_EVERYDAY_USER_SMKLS = 2 AND R01_EVERYDAY_USER_DISSBL = 2) AND (R01_SOME_DAY_USER_CIGS = 1 OR R01_SOME_DAY_USER_ECIG = 1 OR R01_SOME_DAY_USER_GTRAD = 1 R01_SOME_DAY_USER_GRILLO = 1 OR R01_SOME_DAY_USER_GFILTR = 1 OR R01_SOME_DAY_USER_PIPE = 1 OR R01_SOME_DAY_USER_HOOK = 1 OR R01_SOME_DAY_USER_SNUS = 1 OR R01_SOME_DAY_USER_SMKLS = 1 OR R01_SOME_DAY_USER_DISSBL = 1 OR R01_AY0005 = 2), THEN R01_SOME_DAY_USER_TOBACCO = 1 (YES). ELSE, R01_SOME_DAY_USER_TOBACCO = 2 (NO).
---	--	--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Experimental Current users - Tobacco R01_EXPERIMENTAL_CURRENT_TOBACCO	Has ever used any tobacco product and is NOT a current user of any product, and is an experimental current user of at least one tobacco product.	IF (R01_CURRENT_USER_CIGS = 2 AND R01_CURRENT_USER_ECIG = 2 AND R01_CURRENT_USER_GTRAD = 2 R01_CURRENT_USER_GRILLO = 2 AND R01_CURRENT_USER_GFILTR = 2 AND R01_CURRENT_USER_PIPE = 2 AND R01_CURRENT_USER_HOOK = 2 AND R01_CURRENT_USER_SNUS = 2 AND R01_CURRENT_USER_SMKLS = 2 AND R01_CURRENT_USER_DISSBL = 2) AND (R01_EXPERIMENTAL_CURRENT_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_ECIG = 1 OR R01_EXPERIMENTAL_CURRENT_GTRAD = 1 R01_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R01_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_HOOK = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_DISSBL = 1), THEN R01_EXPERIMENTAL_CURRENT_TOBACCO = 1 (YES). ELSE, R01_EXPERIMENTAL_CURRENT_TOBACCO = 2 (NO).
--	--	--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Experimental Former users - Tobacco R01_EXPERIMENTAL_FORMER_TOBACCO	Has ever used any tobacco product and is NOT a current user of any product, and is an experimental former user of at least one tobacco product. Note: These users may not be totally abstinent. They may include experimental users of one or more products. Questions that require total abstinence need to also exclude experimental users in the spec.	IF (R01_CURRENT_USER_CIGS = 2 AND R01_CURRENT_USER_ECIG = 2 AND R01_CURRENT_USER_GTRAD = 2 R01_CURRENT_USER_GRILLO = 2 AND R01_CURRENT_USER_GFILTR = 2 AND R01_CURRENT_USER_PIPE = 2 AND R01_CURRENT_USER_HOOK = 2 AND R01_CURRENT_USER_SNUS = 2 AND R01_CURRENT_USER_SMKLS = 2 AND R01_CURRENT_USER_DISSBL = 2) AND (R01_EXPERIMENTAL_FORMER_CIGS = 1 OR R01_EXPERIMENTAL_FORMER_ECIG = 1 OR R01_EXPERIMENTAL_FORMER_GTRAD = 1 R01_EXPERIMENTAL_FORMER_GRILLO = 1 OR R01_EXPERIMENTAL_FORMER_GFILTR = 1 OR R01_EXPERIMENTAL_FORMER_PIPE = 1 OR R01_EXPERIMENTAL_FORMER_HOOK = 1 OR R01_EXPERIMENTAL_FORMER_SNUS = 1 OR R01_EXPERIMENTAL_FORMER_SMKLS = 1 OR R01_EXPERIMENTAL_FORMER_DISSBL = 1), THEN R01_EXPERIMENTAL_FORMER_TOBACCO = 1 (YES). ELSE, R01_EXPERIMENTAL_FORMER_TOBACCO = 2 (NO).
--	--	--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users - Tobacco R01_FORMER_USER_TOBACCO	Has ever used a tobacco product, has been a regular user of a tobacco product, and does not now use ANY tobacco product. Note: These users may not be totally abstinent. They may include experimental users of one or more products. Questions that require total abstinence need to also exclude experimental users in the spec.	IF (R01_CURRENT_USER_CIGS = 2 AND R01_CURRENT_USER_ECIG = 2 AND R01_CURRENT_USER_GTRAD = 2 R01_CURRENT_USER_GRILLO = 2 AND R01_CURRENT_USER_GFILTR = 2 AND R01_CURRENT_USER_PIPE = 2 AND R01_CURRENT_USER_HOOK = 2 AND R01_CURRENT_USER_SNUS = 2 AND R01_CURRENT_USER_SMKLS = 2 AND R01_CURRENT_USER_DISSBL = 2) AND (R01_FORMER_USER_CIGS = 1 OR R01_FORMER_USER_ECIG = 1 OR R01_FORMER_USER_GTRAD = 1 R01_FORMER_USER_GRILLO = 1 OR R01_FORMER_USER_GFILTR = 1 OR R01_FORMER_USER_PIPE = 1 OR R01_FORMER_USER_HOOK = 1 OR R01_FORMER_USER_SNUS = 1 OR R01_FORMER_USER_SMKLS = 1 OR R01_FORMER_USER_DISSBL = 1), THEN R01_FORMER_USER_TOBACCO = 1 (YES). ELSE, R01_FORMER_USER_TOBACCO = 2 (NO).
---	--	--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users 12 Month - Tobacco R01_FORMER_USER_12MONTH_TOBACCO	Has ever used a tobacco product, has been a regular user of a tobacco product, and does not now use ANY tobacco product, and quit in the past 12 months. Note: These users may not be totally abstinent. They may include experimental users of one or more products. Questions or analyses that require total abstinence need to also exclude experimental users in the spec.	IF (R01_CURRENT_USER_CIGS = 2 AND R01_CURRENT_USER_ECIG = 2 AND R01_CURRENT_USER_GTRAD = 2 R01_CURRENT_USER_GRILLO = 2 AND R01_CURRENT_USER_GFILTR = 2 AND R01_CURRENT_USER_PIPE = 2 AND R01_CURRENT_USER_HOOK = 2 AND R01_CURRENT_USER_SNUS = 2 AND R01_CURRENT_USER_SMKLS = 2 AND R01_CURRENT_USER_DISSBL = 2) AND (R01_FORMER_USER_12MONTH_CIGS = 1 OR R01_FORMER_USER_12MONTH_ECIG = 1 OR R01_FORMER_USER_12MONTH_GTRAD = 1 R01_FORMER_USER_12MONTH_GRILLO = 1 OR R01_FORMER_USER_12MONTH_GFILTR = 1 OR R01_FORMER_USER_12MONTH_PIPE = 1 OR R01_FORMER_USER_12MONTH_HOOK = 1 OR R01_FORMER_USER_12MONTH_SNUS = 1 OR R01_FORMER_USER_12MONTH_SMKLS = 1 OR R01_FORMER_USER_12MONTH_DISSBL = 1), THEN R01_FORMER_USER_12MONTH_TOBACCO = 1 (YES). ELSE, R01_FORMER_USER_12MONTH_TOBACCO = 2 (NO).
--	---	--

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Former users 12 Month Plus - Tobacco R01_FORMER_12MONTHPLUS_TOBACCO	Has ever used a tobacco product, has been a regular user of a tobacco product, and does not now use ANY tobacco product, and quit more than 12 months ago. Note: These users may not be totally abstinent. They may include experimental users of one or more products. Questions or analyses that require total abstinence need to also exclude experimental users in the spec.	IF (R01_CURRENT_USER_CIGS = 2 AND R01_CURRENT_USER_ECIG = 2 AND R01_CURRENT_USER_GTRAD = 2 R01_CURRENT_USER_GRILLO = 2 AND R01_CURRENT_USER_GFILTR = 2 AND R01_CURRENT_USER_PIPE = 2 AND R01_CURRENT_USER_HOOK = 2 AND R01_CURRENT_USER_SNUS = 2 AND R01_CURRENT_USER_SMKLS = 2 AND R01_CURRENT_USER_DISSBL = 2) AND (R01_FORMER_USER_12MONTHPLUS_CIGS = 1 OR R01_FORMER_USER_12MONTHPLUS_ECIG = 1 OR R01_FORMER_12MONTHPLUS_GTRAD = 1 R01_FORMER_12MONTHPLUS_GRILLO = 1 OR R01_FORMER_12MONTHPLUS_GFILTR = 1 OR R01_FORMER_USER_12MONTHPLUS_PIPE = 1 OR R01_FORMER_USER_12MONTHPLUS_HOOK = 1 OR R01_FORMER_USER_12MONTHPLUS_SNUS = 1 OR R01_FORMER_12MONTHPLUS_SMKLS = 1 OR R01_FORMER_12MONTHPLUS_DISSBL = 1), THEN R01_FORMER_12MONTHPLUS_TOBACCO = 1 (YES). ELSE, R01_FORMER_12MONTHPLUS_TOBACCO = 2 (NO).
--	---	---

PATH Study Wave 1 Adult Public Use File Annotated Instrument

DERIVED VARIABLES (CREATED IN THE INSTRUMENT FOR DATA COLLECTION, BUT NOT INCLUDED IN THE DATABASE)		
User Group and Variable Name	User Group Description	User Group Definition
Past year quitters and attempters – General Loop R01_12MoQuitAttempt	Current users of tobacco who have attempted to quit in the past 12 months and Former users 12 Month of tobacco.	IF R01_AN0105_01 = 1 OR R01_AN0105_02 = 1 OR R01_FORMER_USER_12MONTH_TOBACCO=1, THEN R01_12MoQuitAttempt = 1 (YES). ELSE, R01_12MoQuitAttempt = 2 (NO).
Past year quitters and attempters – E-cigarette Loop R01_12MoQuitAttemptE	Current users of multiple products, including e-cigarettes, who have attempted to quit e-cigarettes in the past 12 months and Former users 12 Month of e-cigarettes.	IF R01_AN0105E_01 = 1 OR R01_AN0105E_02 = 1 OR R01_FORMER_USER_12MONTH_ECIG=1, THEN R01_12MoQuitAttemptE = 1 (YES). ELSE, R01_12MoQuitAttemptE = 2 (NO).
Past year reducers – General Loop R01_12MoQuitCutdown	Current users of tobacco who have not attempted to quit in the past 12 months, but have tried to cut down.	IF R01_AN0105_03 = 1, THEN R01_12MoQuitCutdown = 1 (YES). ELSE, R01_12MoQuitCutdown = 2 (NO).
Past year reducers – E-cigarette Loop R01_12MoQuitCutdownE	Current users of multiple products, including e-cigarettes, who have not attempted to quit e-cigarettes in the past 12 months, but have tried to cut down.	IF R01_AN0105E_03=1, THEN R01_12MoQuitCutdownE = 1 (YES). ELSE, R01_12MoQuitCutdownE = 2 (NO).
R01_EXPERIMENTAL_PRODUCT_COUNT	Count of all products for which the respondent is an Experimental Current user.	R01_EXPERIMENTAL_PRODUCT_COUNT: = 0 +1 FOR EVERY PRODUCT THE RESPONDENT IS AN EXPERIMENTAL CURRENT USER OF [CIGARETTES, E-CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS POUCHES, DISSOLVABLE]. Range 0 to 10.
R01_FORMER_12M_PRODUCT_COUNT	Count of all products for which the respondent is a Former user 12 Month.	R01_FORMER_12M_PRODUCT_COUNT: = 0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A FORMER USER 12 MONTH OF [CIGARETTES, E-CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS POUCHES, DISSOLVABLE]. Range 0 to 10.

PATH Study Wave 1 Adult Public Use File Annotated Instrument

R01_NDSKIP	Pattern the respondent follows through the Nicotine Dependence section. R01_NDSKIP=0: Respondent is a single product user. R goes through the section once and is asked about their product. R01_NDSKIP=1: Respondent is a multiple product user and is not an e-cigarette user. R goes through the section once and is asked about tobacco in general. R01_NDSKIP=2: Respondent is an e-cigarette user and a user of multiple other products. R goes through the section twice; first they are asked about tobacco in general, then they are asked about e-cigarettes. R01_NSKIP=3: Respondent is an e-cigarette user and a user of one other product. R goes through the section twice; first they are asked about their single tobacco product, then they are asked about e-cigarettes.	IF [(R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT >= 2) AND (R01_CURRENT_USER_ECIG = 2 AND R01_FORMER_USER_12MONTH_ECIG = 2)] THEN R01_NDSKIP = 1. ELSE IF [(R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT >= 3) AND (R01_CURRENT_USER_ECIG = 1 OR R01_FORMER_USER_12MONTH_ECIG = 1)] THEN R01_NDSKIP = 2. ELSE IF [(R01_CURRENT_PRODUCT_COUNT + R01_FORMER_12M_PRODUCT_COUNT = 2) AND (R01_CURRENT_USER_ECIG = 1 OR R01_FORMER_USER_12MONTH_ECIG = 1)] THEN R01_NDSKIP = 3. ELSE R01_NDSKIP = 0.
------------	---	--

APPENDIX – ADULT INSTRUMENT SKIP ERROR SUMMARY

This table summarizes skip errors in the data collection instruments that resulted in missing data on these items for some respondents. Items that were fixed during data collection will have some missing data and some non-missing data.

Item(s)**	Description of Issue	Issue Fixed during Wave 1 Data Collection?	Date Issue was Fixed
R01_AR0135	This item was skipped incorrectly by experimental former users of Hookah.	No	n/a
R01_AX0309	This item was skipped incorrectly by respondents who were younger than 50 years old.	No	n/a
R01_AX0003	This item was skipped incorrectly by respondents who had seen a doctor and dentist in the past 12 months and were current users of tobacco, experimental current users of tobacco, or experimental former users of tobacco who had quit in the past 12 months.	No	n/a
R01_AN0230, R01_AN0230E, R01_AN0235, R01_AN0235E	These items were skipped incorrectly by respondents who were current tobacco users that had not attempted to quit or cut down tobacco use in the last 12 months. Since R01_AN0235 / R01_AN0235E was skipped incorrectly, the follow-up items R01_AN0240/R01_AN0240E and R01_AN0245 / R01_AN0245E were also skipped incorrectly.	No	n/a
R01_AX0175_01, R01_AX0175_02, R01_AX0175_03, R01_AX0175_04, R01_AX0175_05, R01_AX0175_06, R01_AX0175_07	These items were skipped incorrectly for respondents who used alcohol or other drugs weekly or more often and reported ever using two or more substances.	Yes	01/31/2014
R01_AH9003	This item was skipped incorrectly by respondents who last smoked hookah exactly 1 year ago.	No	n/a
R01_AR0090	This item was skipped incorrectly by respondents who were former and experimental former users of smokeless tobacco who had noticed health warnings on packages.	No	n/a
R01_AH1050	This item was skipped incorrectly by respondents who did not provide a hookah brand or product. Note: Respondents who provided a response to R01_AH1049 that was later upcoded to -8 (don't know) were asked	No	n/a

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 1 Data Collection?	Date Issue was Fixed
	R01_AH1050 correctly.		
R01_AE1081	This item was skipped incorrectly by respondents who were current, experimental current or former 12 month user.	No	n/a
R01_FORMER_USER_12MONTH_SMKLS	Values for the data collection variables and were not correctly set to “1 = Yes” for respondents if they reported last using product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AS1025SM, R01_AS1030SM, R01_AS1047SM, R01_AS1048SM_BRAND, R01_AS1050SM, R01_AS1060SM, R01_AS1061SM, R01_AS1085SM, R01_AS1062SM, R01_AS1075SM, R01_AS1063SM, R01_AS1064SM, R01_AS1065SM, R01_AS1067SM, R01_AS1068SM, R01_AS1072SM, R01_AS1087SM, R01_AS1080SM, R01_AS1081SM, R01_AX0070, R01_AX0071.	No	n/a
R01_FORMER_USER_12MONTH_SNUS	Values for the data collection variables and were not correctly set to “1 = Yes” for respondents if they reported last using product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AS1025SU, R01_AS1030SU, R01_AS1047SU, R01_AS1048SU_BRAND, R01_AS1050SU, R01_AS1060SU, R01_AS1061SU, R01_AS1085SU, R01_AS1062SU, R01_AS1075SU, R01_AS1063SU, R01_AS1064SU, R01_AS1065SU, R01_AS1067SU, R01_AS1068SU, R01_AU1076, R01_AU1070, R01_AS1072SU, R01_AS1087SU, R01_AS1080SU, R01_AS1081SU, R01_AX0070, R01_AX0071.	No	n/a
R01_AX0128_06	This item was skipped incorrectly by respondents who took medication regularly for COPD or asthma in the past 12 months.	Yes	02/27/2014
R01_AR0144	This item was skipped incorrectly by respondents who reported that they do not work full time or part time.	Yes	02/27/2014
R01_AH0100	This item was skipped incorrectly by respondents who answered R01_AH1003 as don’t know or refused.	No	n/a
R01_AS0100SU	This item was skipped incorrectly by respondents who answered R01_AS1003SU as don’t know or refused.	No	n/a
R01_AS0100SM	This item was skipped incorrectly by respondents who answered R01_AS1003SM as don’t know or refused.	No	n/a
R01_AC1023_NN	This item was skipped incorrectly by respondents who answered R01_AC1022	No	n/a

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 1 Data Collection?	Date Issue was Fixed
	as don't know or refused.		
R01_AC1039	This item was skipped incorrectly by respondents who answered R01_AC9007_01 and R01_AC9007_02 as don't know or refused. Since this item was skipped incorrectly, the follow-up items R01_AC1040, R01_AC1041_D, R01_AC1041_C, R01_AC1042_D, R01_AC1042_C, R01_AC1043_D and R01_AC1043_C were also skipped incorrectly.	No	n/a
R01_AC9019	This item was skipped incorrectly by respondents who answered R01_AC9007_01 and R01_AC9007_02 as don't know or refused.	No	n/a
R01_AE1023	This item was skipped incorrectly by respondents who answered R01_AE1022 as don't know or refused.	No	n/a
R01_FORMER_USER_12MONTH_ECIG	Values for the data collection variables and were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AE9005, R01_AE9009, R01_AE1025, R01_AE1030, R01_AE1047, R01_AE1048_BRAND, R01_AE1050, R01_AE1060, R01_AE1061, R01_AE1085, R01_AE1062, R01_AE1075, R01_AE1063, R01_AE1064, R01_AE1065, R01_AE1066, R01_AE1067, R01_AE1068, R01_AE1069, R01_AE1072, R01_AE1080, R01_AE1081.	No	n/a
R01_AE0104	This item was skipped incorrectly by respondents who answered that they used e-cigarettes today, yesterday, or the day before yesterday and selected brand response R01_AE1048_BRAND = 1245.	No	n/a
R01_AG1023TC	This item was skipped incorrectly by respondents who answered R01_AG1022TC as don't know or refused.	No	n/a
R01_AG1023CG	This item was skipped incorrectly by respondents who answered R01_AG1022CG as don't know or refused.	No	n/a
R01_FORMER_USER_12MONTH_GRILLO	Values for the data collection variables and were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1025CG, R01_AG1030CG, R01_AG1047CG, R01_AG1048CG_BRAND, R01_AG1050CG, R01_AG1060CG, R01_AG1061CG, R01_AG1085CG, R01_AG1062CG, R01_AG1063CG, R01_AG1064CG, R01_AG1066CG, R01_AG1068CG, R01_AG1069CG,	No	n/a

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 1 Data Collection?	Date Issue was Fixed
	R01_AG1072CG, R01_AG1080CG, R01_AG1081CG.		
R01_AG1023FC	This item was skipped incorrectly by respondents who answered R01_AG1022FC as don't know or refused.	No	n/a
R01_FORMER_USER_12MONTH_GFILTR	Values for the data collection variables and were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AG1025FC, R01_AG1030FC, R01_AG1047FC, R01_AG1048FC_BRAND, R01_AG1050FC, R01_AG1060FC, R01_AG1061FC, R01_AG1085FC, R01_AG1062FC, R01_AG1063FC, R01_AG1064FC, R01_AG1066FC, R01_AG1068FC, R01_AG1069FC, R01_AG1072FC, R01_AG1080FC, R01_AG1081FC.	No	n/a
R01_FORMER_USER_12MONTH_PIPE	Values for the data collection variables and were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AP1025, R01_AP1030, R01_AP1047, R01_AP1048_BRAND, R01_AP1050, R01_AP1060, R01_AP1061, R01_AP1085, R01_AP1062, R01_AP1063, R01_AP1064, R01_AP1068, R01_AP1069, R01_AP1072, R01_AP1080, R01_AP1081	No	n/a
R01_FORMER_USER_12MONTH_HOOK	Values for the data collection variables and were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AH1025, R01_AH1090, R01_AH9011_01, R01_AH9011_02, R01_AH9011_03, R01_AH9011_04, R01_AH9012, R01_AH1030, R01_AH1047, R01_AH1048_BRAND, R01_AH1050, R01_AH1060, R01_AH1061, R01_AH1085, R01_AH1062, R01_AH1063, R01_AH1064, R01_AH1068, R01_AH1069, R01_AH1072, R01_AH1073, R01_AH1080, R01_AH1081.	No	n/a
R01_AH9108	This item was skipped incorrectly by respondents who selected a brand in R01_AH1048_BRAND and answered R01_AH1070_PRODUCT as don't know, refused or other with a don't know or refused answer for R01_AH1071.	No	n/a
R01_AH1051_NN	This item was skipped incorrectly by respondents who selected a brand in R01_AH1048_BRAND and answered R01_AH1070_PRODUCT as don't know,	No	n/a

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 1 Data Collection?	Date Issue was Fixed
	refused or other with a don't know or refused answer for R01_AH1071.		
R01_AS1023SM	This item was skipped incorrectly by respondents who answered R01_AS1022SM as don't know or refused.	No	n/a
R01_AS0104	This item was skipped incorrectly by respondents who answered that they used smokeless tobacco today, yesterday, or the day before yesterday.	No	n/a
R01_FORMER_USER_12MONTH_DISSBL	Values for the data collection variables and were not correctly set to "1 = Yes" for respondents if they reported last using product exactly one year ago. The incorrect setting of these data collection variables also caused the following items to be skipped incorrectly: R01_AD1025, R01_AD1030, R01_AD1047, R01_AD1048_BRAND, R01_AD1050, R01_AD1060, R01_AD1061, R01_AD1085, R01_AD1062, R01_AD1075, R01_AD9062, R01_AD1063, R01_AD1064, R01_AD1065, R01_AD1067, R01_AD1068, R01_AD1076, R01_AD1072, R01_AD1080, R01_AD1081.	No	n/a
R01_AS1087SM, R01_AS1087SU	This item was skipped incorrectly by respondents who were current users of smokeless tobacco or snus (for each respective variable).	No	n/a
R01_AY0005	This item was skipped incorrectly by some respondents who were some day users of more than one tobacco product and not every day users of any products.	No	n/a
ND FILL1, ND FILL2, ND FILL3, ND FILL4	Values for these fills were not set correctly for some respondents in the Nicotine Dependence section. In addition, corrections to the former 12-Month user data collection variables identified above (R01_FORMER_USER_12MONTH_SMKLS, R01_FORMER_USER_12MONTH_SNUS, R01_FORMER_USER_12MONTH_ECIG, R01_FORMER_USER_12MONTH_GRILLO, R01_FORMER_USER_12MONTH_GFILTR, R01_FORMER_USER_12MONTH_PIPE, R01_FORMER_USER_12MONTH_HOOK, R01_FORMER_USER_12MONTH_DISSBL) resulted in inconsistent values for the fills. As a result, the following items were skipped incorrectly in each respective loop in the Nicotine Dependence section: R01_AN0010, R01_AN0015, R01_AN0020, R01_AN0055, R01_AN0025, R01_AN0030, R01_AN0035, R01_AN0045, R01_AN0060, R01_AN0065, R01_AN0050, R01_AN0070, R01_AN0075, R01_AN0255, R01_AN0080, R01_AN0085,	No	n/a

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 1 Data Collection?	Date Issue was Fixed
	R01_AN0090, R01_AN0095, R01_AN0100, R01_AN0110, R01_AN0812, R01_AN0813, R01_AN0115, R01_AN0257, R01_AN0170, R01_AN0175_NN, R01_AN0180, R01_AN0205_NN, R01_AN0804, R01_AN0805, R01_AN0806, R01_AN0807, R01_AN0808, R01_AN0809, R01_AN0810, R01_AX0006, R01_AN0010E, R01_AN0015E, R01_AN0020E, R01_AN0055E, R01_AN0025E, R01_AN0030E, R01_AN0035E, R01_AN0045E, R01_AN0060E, R01_AN0065E, R01_AN0050E, R01_AN0070E, R01_AN0075E, R01_AN0080E, R01_AN0085E, R01_AN0090E, R01_AN0095E, R01_AN0100E, R01_AN0110E, R01_AN0812E, R01_AN0813E, R01_AN0115E, R01_AN0257E, R01_AN0150E, R01_AN0811E, R01_AN0180E, R01_AN0804E, R01_AN0805E, R01_AN0806E, R01_AN0807E, R01_AN0808E, R01_AN0809E, R01_AN0810E.		
R01_AN0140, R01_AN0140E	This item was skipped incorrectly by respondents who reported an approximate end date of last quit attempt (R01_AN0135 or R01_AN0135E, respectively for each loop in Nicotine Dependence section) as more than 12 months prior to the date of the interview.	No	n/a
R01_AN0257E	This item was skipped incorrectly by respondents who answered R01_AE1009_NN and R01_AE1009_UN but were not former users in past 12 months of overall tobacco.	No	n/a
R01_AX0265_05, R01_AX0265_06, R01_AX0265_07, R01_AX0265_09, R01_AX0265_10, R01_AX0265_11, R01_AX0265_13, R01_AX0265_15, R01_AX0265_16, R01_AX0265_21, R01_AX0265_23, R01_AX0265_24, R01_AX0265_31	These items were skipped incorrectly by respondents who answered don't know or refused in each respective corresponding item in R01_AX0146_05, R01_AX0146_06, R01_AX0146_07, R01_AX0146_09, R01_AX0146_10, R01_AX0146_11, R01_AX0146_13, R01_AX0146_15, R01_AX0146_16, R01_AX0146_21, R01_AX0146_23, R01_AX0146_24, R01_AX0146_31.	No	n/a
R01_AX0077	This item was skipped incorrectly by respondents who answered R01_AX0074	No	n/a

PATH Study Wave 1 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 1 Data Collection?	Date Issue was Fixed
	as don't know or refused.		
R01_AX0080	This item was skipped incorrectly by respondents who answered R01_AX0079 as don't know or refused.	No	n/a
R01_AX0083_01, R01_AX0083_02, R01_AX0083_03, R01_AX0083_04, R01_AX0083_05	These items were skipped incorrectly by respondents who answered don't know or refused in each respective corresponding item in R01_AX0082_01, R01_AX0082_02, R01_AX0082_03, R01_AX0082_04, R01_AX0082_05.	No	n/a

APPENDIX – ADULT INSTRUMENT DATA ERROR SUMMARY

This table summarizes variables with data errors that are not attributed to any skip errors in the data collection instruments. For some respondents, these variables have missing data. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.)

Section	Items***
Cigarette	R01_AC9004, R01_AC9010, R01_AC9011, R01_AC9012, R01_AC9013, R01_AC9014, R01_AC9015, R01_AC9016, R01_AC9017, R01_AC9019, R01_AC0104
Cigar	R01_AG1060TC, R01_AG1061TC, R01_AG1085TC, R01_AG1062TC, R01_AG1063TC, R01_AG1064TC, R01_AG1066TC, R01_AG1068TC, R01_AG1069TC, R01_AG1072TC
Smokeless	R01_AU0104
Nicotine Dependence	R01_AN0105_01, R01_AN0105_02, R01_AN0105_03, R01_AN0105_04, R01_AN0160_01, R01_AN0160_02, R01_AN0160_03, R01_AN0160_04, R01_AN0160_05, R01_AN0160_06, R01_AN0210, R01_AN0215, R01_AN0225_01, R01_AN0225_02, R01_AN0225_03, R01_AN0225_04, R01_AN0225_05, R01_AN0225_06, R01_AN0225_07, R01_AN0225_08, R01_AN0225_09, R01_AN0225_10, R01_AN0225_11, R01_AN0210E, R01_AN0215E, R01_AN0225E_01, R01_AN0225E_02, R01_AN0225E_03, R01_AN0225E_04, R01_AN0225E_05, R01_AN0225E_06, R01_AN0225E_07, R01_AN0225E_08, R01_AN0225E_09, R01_AN0225E_10, R01_AN0225E_11, R01_AN0025, R01_AN0030, R01_AN0035, R01_AN0045, R01_AN0060, R01_AN0065, R01_AN0050, R01_AN0070, R01_AN0075, R01_AN0255, R01_AN0080, R01_AN0085, R01_AN0090, R01_AN0095, R01_AN0100
Product Regulation	R01_AC9060, R01_AC9065, R01_AC9070, R01_AC9075, R01_AC9080, R01_AC9085, R01_AC9090, R01_AC9100, R01_AC9105, R01_AC9110, R01_AC9115
Secondhand Smoke Exposure	R01_AR1045
Health Effects Outcome	R01_AX0220_01, R01_AX0220_02, R01_AX0220_03, R01_AX0134
Industry Advertising and Promotion	R01_AX0181_01_AD, R01_AX0181_02_AD, R01_AX0181_03_AD, R01_AX0184_03, R01_AX0181_04_AD, R01_AX0184_04, R01_AX0181_05_AD, R01_AX0184_05, R01_AX0181_06_AD, R01_AX0181_07_AD, R01_AX0184_07, R01_AX0181_08_AD, R01_AX0184_08, R01_AX0181_09_AD, R01_AX0184_09, R01_AX0181_10_AD, R01_AX0184_10, R01_AX0181_11_AD, R01_AX0184_11, R01_AX0181_12_AD, R01_AX0184_12, R01_AX0181_13_AD, R01_AX0184_13, R01_AX0181_14_AD, R01_AX0181_15_AD, R01_AX0181_16_AD, R01_AX0181_17_AD, R01_AX0181_18_AD, R01_AX0184_18, R01_AX0181_19_AD, R01_AX0184_19, R01_AX0181_20_AD, R01_AX0184_20
Closing Administrative Data	R01_LCAD01