

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

Wave 2: Adult Questionnaire Data with Weights

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

Contract #: HHSN271201100027C

PATH Study Wave 2 Adult Public Use File Annotated Instrument



Updated: February 14, 2018
Updated: November 30, 2017
Updated: August 29, 2017
Updated: May 25, 2017
Date: May 01, 2017

Prepared by:
Westat
An Employee-Owned Research Corporation
1600 Research Boulevard
Rockville, Maryland 20850-3129
(301) 251-1500

Table of Contents

PATH Study Wave 2 Annotated Instrument – Explanatory Notes.....	ii
ADULT AGE CONFIRMATION.....	1
INITIAL ADMINISTRATIVE DATA.....	4
INTRODUCTORY DEMOGRAPHICS	5
TOBACCO USE.....	7
CIGARETTE	96
E-CIGARETTE.....	135
ENDS	172
CIGAR.....	176
PIPE	236
HOOKAH.....	262
SMOKELESS TOBACCO AND SNUS	294
DISSOLVABLE TOBACCO	342
POLYUSE	371
NICOTINE DEPENDENCE.....	381
PACKAGING AND HEALTH WARNINGS.....	461
PRODUCT REGULATION - MODIFIED RISK TOBACCO PRODUCTS	473
MEDIA USE	484
SECONDHAND SMOKE EXPOSURE	490
PEER AND FAMILY INFLUENCES.....	494
HEALTH.....	496
MARKETING, ADVERTISING AND PROMOTION	590
ADDITIONAL DEMOGRAPHICS.....	605
PRODUCT BARCODE SCANNING MODULE.....	618
CLOSING ADMINISTRATIVE DATA.....	631
APPENDIX – ADULT GENERIC IMAGES	632
APPENDIX – ADULT USER GROUP DEFINITIONS.....	642
APPENDIX – ADULT INSTRUMENT SKIP ERROR SUMMARY	705
APPENDIX – ADULT INSTRUMENT DATA ERROR SUMMARY	711

02142018

PATH Study Wave 2 Annotated Instrument – Explanatory Notes

BOX ID: R02_AMD03

(1) Structure of Question Boxes. Each question in the annotated instrument is presented in a box. Within the box, the top row usually indicates the name of the variable(s) in which data collected by that question are stored. However, for questions with a “choose all that apply” structure, the top row states “SEE BELOW:” and the variable names are displayed next to the corresponding response options. All variable names are displayed in red italic font. The second row includes the question text, including any instructions for the respondent (for example, “Choose all that apply”). The next several rows display the response options. The last rows specify which respondents were asked the question, followed in many instances by special instructions used in programming. The rows that specify which respondents were asked the question are split into two parts: The first part (the “ASK Description”) provides a general description of which respondents were asked; the second part (the “ASK Specification”) identifies which respondents were asked as a logic statement using specific variables.

(2) Non-Question Boxes. Some boxes in the instrument do not include questions. These boxes include introductory text, display instructions, or more complex programming instructions, such as those used to create derived variables.

(3) Question Routing. The instrument was designed with the assumption that all respondents to a question would be asked the next question, unless there are specific instructions routing a subgroup of respondents to a different question. The phrase “GOTO” precedes such routing instructions. Complex routing instructions are split into two parts: The first part (the “GOTO Description”) provides a general description of the routing instructions; the second part (the “GOTO Specification”) reiterates the instructions as a set of logic statements, using specific variables. Non-response values (“DON’T KNOW” and “REFUSED”) are treated the same as response values for routing; if they are not mentioned in specific routing instructions, then the routing follows other criteria. Many routing instructions consist of multiple statements. The first statement describes a set of conditions and indicates the next question to be asked if those conditions are met. (“IF ____, GO TO ____.”) Subsequent statements use the word “else” to indicate that the conditions given in previous statements have not been met. (“ELSE, IF ____, GO TO ____.”) This means that the first statement fulfilled by the respondent always indicates the next question asked.

(4) Randomized Question Order. Some series of questions were presented to respondents in a randomized order. In such instances, a non-question box precedes the series and specifies which questions are part of the randomized series. Routing within these series indicates which questions were asked of different respondents and reflects the static order of the questions in this document. It does not reflect the actual order in which the questions were displayed for respondents.

(5) Iterative Loops. There are several questions, series of questions, and entire sections that are specified as being asked in a loop. In such instances, questions were iteratively asked of the respondent to collect similar information on two or more topics. For example, the questions about cigars are asked iteratively regarding traditional cigars, cigarillos, and filtered cigars. These items are specified a single time, with programming instructions identifying the beginning and ending of the loop, how it is to be changed for each iteration, and the order in which each iteration should be presented. Looped items utilize iteration indicators to provide precise ASK Specifications and GOTO Specifications for each iteration of the item. Additionally, ASK Specifications and program boxes use logical statements to indicate the relevant iteration of the loop. For example, “IF LOOP = GTRAD AND R02_INIT_GTRAD_ADULT = 1” indicates an item should be asked if the instrument is in the traditional cigar iteration of the cigar loop and the respondent has been identified as an initiator of traditional cigars. The responses for each iteration are captured in different variables, which have different suffixes to indicate which iteration each variable applies to. For example, the variables for smokeless tobacco end in SM and the variables for snus pouches end in SU. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) However, when variables within loops are referenced in the instrument, the root variable is referenced a single time and the iteration indicator suffixes are combined in brackets. This is done to simplify the presentation. Unless explicitly stated otherwise, variables for one iteration have no impact on a

different iteration. For example, if a question about smokeless tobacco or snus pouches refers to a variable that ends in [SU/SM], only the SM variable applies to the smokeless tobacco iteration, and only the SU variable applies to the snus pouch iteration.

(6) Variables For Multiple Components. Some questions contain separate variables for multiple components. Examples of such items include “choose all that apply” questions, where there is a separate variable for each response category; questions that ask about duration, where data are recorded in separate variables as number and unit (days, months, years) combinations (number variables are indicated by the suffix `_NN` and unit variables are indicated by `_UN`); and questions that ask for a price, where data are recorded in separate variables as dollar (`_D`) and cent (`_C`) combinations. (Variables with the suffix `_D`, `_C` or `_NN` are open-field variables that allow respondents to enter any numeric value. As such, no discrete values are indicated for these variables. However, variables with the suffix `_UN` have values corresponding to set options from which the respondent must choose. Because `_NN/_UN` questions combine these two variable types, item-level notes are utilized to clarify that the discrete values presented in the instrument refer only to the `_UN` variable.) Each component variable in such items is differentiated using an appropriate suffix. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) However, when variables with multiple components are referenced in routing instructions that precede the question, the component suffix is omitted. This is done to simplify the presentation, since before the question is asked, the respondent’s answer is not known. Unless explicitly stated otherwise, the reference to the root variable name (without the component suffix) in the logic means that the logic applies to the entire item, not just to a specific component variable. In routing instructions that come after the question, the specific variable with the component suffix is included, so that the routing instructions are clear and specific.

(7) Images. All generic images used to display examples during interview administration are included in an appendix. Images used to display tobacco brands, products, or advertisements are not included in this instrument.

(8) Range Checks. Some questions include a soft range check for responses. This means that respondents were not prevented from entering responses that were outside of the range. However, if a respondent entered a response that was out of range, they received a prompt noting their answer. They were asked to change their answer if it was incorrect or confirm their answer by proceeding to the next question.

(9) Section routing. Respondents are assumed to be routed through every section in the instrument in turn, unless otherwise noted. For the sections that ask questions about specific tobacco products (cigarettes, e-cigarettes, cigars, pipe, hookah, smokeless tobacco and dissolvable tobacco), respondents are only routed to the section if they are ever users of the product, then to the Polyuse section. All respondents are routed to the Nicotine Dependence section. This routing is not explicitly defined in each section, but is driven by `BOX R02_AXR01`, which specifies:

(a) For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes (`R02_EVER_USER_CIGS = 1`), go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.

(b) For respondents that have never used any tobacco products, go to the Nicotine Dependence Section. Complete remaining sections in order.

(c) In some cases, a respondent is skipped from the middle of one section to the next section on the route that is applicable to them. This is noted by stating “GO TO THE NEXT SECTION.” For simplicity, the specific logic for routing from one section to another is not described in these cases. Rather, it is assumed that respondents are routed through the specific tobacco product sections for every tobacco product they have ever used, and that all respondents are routed to the Nicotine Dependence section. After the Nicotine Dependence section, all remaining sections are completed in order.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

(10) Never Users. The instrument refers to a respondent not reporting use of a product as having never used the product. As such, never usage includes respondents reporting that they have never used a product, or that they don't know whether they have ever used the product, or refusing to answer whether they have ever used the product. This design reflects programming and data collection necessities, rather than an analytic definition.

(11) Ever Users. The instrument refers to a respondent as an ever user of a product if the respondent reports having ever used the product in the current interview or in the previous interview. For almost all products, this includes use reported at Wave 1 or Wave 2. However, ever use of e-cigarettes is based solely on use reported at Wave 2 due to design differences between the waves. At Wave 1, respondents were asked whether they had ever used an e-cigarette. At Wave 2, to address the evolving understanding of electronic nicotine products, respondents were asked whether they had ever used electronic nicotine products and then asked which types they had used. Because e-cigarette use reported at Wave 1 may have actually been referring to a different electronic nicotine product, it could not be used to accurately inform ever use in the Wave 2 design.

(12) Snus Pouch Use. Respondents who report using snus pouches are asked if the product they are reporting is Skoal Bandits, a type of pouched smokeless tobacco that might be mistaken for snus pouches. The instrument refers to a respondent who reports snus pouch use as a snus user, unless they indicate Skoal Bandits as the only pouched product they have used. As such, snus usage includes respondents reporting that they have used brands other than Skoal Bandits, or that they don't know whether they have used other brands, or refusing to answer whether they have used other brands. This design reflects programming and data collection necessities, rather than an analytic definition.

(13) References to Preload Data. Beginning with Wave 2, as Westat prepares continuing respondent cases for data collection, data from prior waves are preloaded into the instruments for the current wave for longitudinal reference. For example, in the Wave 2 adult instrument, identification of adults who have ever smoked a cigarette is based on the tobacco user groups and item responses from Wave 1 as well as responses to the Wave 2 instrument. When referencing previous waves' data, the Wave 2 instrument will describe it as respondents' answers as of "their last completed interview".

(14) Missing Preload Data. During the PATH Study Wave 2 data collection period, cases were released to the field every month based on their data collection anniversary month.

(a) On 10/22/2014, Westat released 1,787 continuing adult cases. These cases had management preload data present (such as participant identifier, contact information and anniversary month) but were missing all Wave 1 interview preload data. This error resulted from the special handling process that some cases received prior to their release. When it was discovered, the process was changed to prevent similar errors from occurring in the future. This error did not occur in any subsequent release.

(b) The effect of the error was that the Wave 2 instruments treated these respondents as if they were Wave 1 never tobacco users. Of the 1,787 affected cases, data collection was completed for 1,176 Wave 1 ever tobacco users before the error could be corrected. This means that the routing at the start of the instrument incorrectly assumed these 1,176 respondents had never used tobacco before. They were still asked all the Wave 2 questions about their current tobacco use behaviors, which minimized the data loss.

(c) For the 1,176 affected respondents who were Wave 1 users of one or more tobacco products, the impact on data quality varies, but is generally limited. The effect for tobacco use in general is less focused than when examining a single product, due to the interaction of tobacco use statuses for multiple products. Only 386 affected respondents missed any general tobacco user questions. The impact is greater when examining a single product, however, the scope is still limited. For example, only 64 affected respondents missed five or more cigarette user questions.

(d) Implications for Analysis. The data collected for the affected respondents is not wrong. The sample size will be smaller for analyses on certain measures, because more data are missing for certain types of users. However, there are valid data for all variables.

(15) **//^^ Notation.** The **/** notation on some item IDs is indicative of a Wave 2 instrument error. The "***" represents an instrument SKIP ERROR which resulted in missing data for some respondents. See Appendix - Adult Instrument Skip Error Summary for more information. The "****" notation on some item IDs is indicative of a Wave 2 instrument DATA ERROR which are not attributed to any skip errors. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.). See Appendix - Adult Instrument Data Error Summary for more information. The "^^" notation on some item IDs is indicative of a Wave 2 instrument data skip error where an item was asked of respondents when it should not have been asked, resulting in extra data. In instances where variables include extra data for some respondents, please carefully review the ASK Specifications to determine if the extra data can be used in a particular analysis or not.

(16) Nicotine Dependence Section. Respondents routed to this section were asked the questions up to two times, as part of an iterative loop. For this reason, the nicotine dependence data are stored in two sets of variables: one that ends with an "E" suffix (for example, R02_AN0030E, R02_AN0035E, R02_AN0045E) and one that does not (for example, R02_AN0030, R02_AN0035, R02_AN0045). This note describes the variables in which the data are stored and how use is defined.

Polyuse means use of two or more tobacco products. The variables with the "E" suffix only include data about e-cigarettes for polyusers who use e-cigarettes. E-cigarette data for single product users and data for all other tobacco products are found in the variables without the suffix. The note describes the variables the data are stored in and then describes how use is defined. There are no differences between Wave 1 and Wave 2 in how this section was handled.

Variables that store nicotine dependence data

- Data for single product e-cigarette users are stored in the variables without the "E" suffix.
- Data for single product users of other tobacco products are stored in the variables without the "E" suffix.
- Data for polyusers who use e-cigarettes are stored in the variables with the "E" suffix for responses specific to their e-cigarettes and in the variables without the "E" suffix for responses about their other product or products.
- Data for polyusers who do not use e-cigarettes are stored in the variables without the "E" suffix.

It is important to note that the first and third bullets indicate that data for respondents who use e-cigarettes are stored in one or the other of the two sets of variables; which set depends on whether they used e-cigarettes exclusively or in combination with other tobacco products. **Therefore, analysts interested in dependence among e-cigarette users should consider both sets of variables.**

The variable R02_ND_DATA_ROUTE in the data file identifies the set of variables in which a respondent has dependence data. Please refer to the codebook for more information regarding this variable.

Description of respondents who are asked questions in the nicotine dependence section.

Respondents were routed to the nicotine dependence section based on the count of tobacco products used, which is itself dependent on how use is defined.

The count of tobacco products used to determine if a respondent was a single product user or a polyuser depended on three types of use: current established use (CS), new former established use (NF) and current experimental use (CX).

The rules for counting products used are shown in the table below.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

- To determine the count, the products in the use category(ies) shown in the “basis of product count” column were summed. Each of the three types of cigars (traditional cigars, cigarillos and filtered cigars) were counted separately, as were smokeless tobacco and snus.
- Based on that sum, users were categorized as single product users or polyusers.
- If one of the use categories was missing, it was considered to be no.
- The questions asked in the nicotine dependence section were about the products in the use category(ies) shown in the last column.

Current experimental user (CX)	Current established user (CS)	New former established user (NF)	Basis of product count
YES	NO	NO	CX
NO	YES	NO	CS
NO	NO	YES	NF
NO	YES	YES	CS and NF combined
YES	YES	YES	CS and NF combined
YES	YES	NO	CS
YES	NO	YES	NF
NO	NO	NO	Not applicable

Note that as shown in the table above, the only circumstance where a respondent answered nicotine dependence questions about their current experimental use is when that respondent was neither a current established user nor a new former established user. Current established users or new former established users of a single product who were experimental users of a second product were considered single product users. Once the respondent was categorized as a single product user or a polyuser, their responses to questions were stored in the data file as described in the variables section above.

(17) Questionnaire variables excluded from the data file. Several questionnaire variables are excluded from the PATH Study Wave 2 Public Use File (PUF) in order to protect the identity of the PATH Study participants. Some of the information in these variables will be retained and presented in new derived variables while other information will be entirely excluded from the file. Table 1 below contains a list of variables that are entirely excluded from the data file; Table 2 below contains a list of variables that are replaced with a new derived variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF

Questionnaire Variable	Questionnaire Variable Description
R02_CAD10	Confirm respondent DOB
R02_LAD01	Respondent's preferred language to complete ACASI interview
R02_AM0007	Ever served on active duty in the U.S. Armed Forces, Military Reserves or National Guard
R02_AM0011_01	Branch served when on active duty: Army
R02_AM0011_02	Branch served when on active duty: Navy
R02_AM0011_03	Branch served when on active duty: Air Force
R02_AM0011_04	Branch served when on active duty: Marine Corps
R02_AM0011_05	Branch served when on active duty: Coast Guard
R02_AO9035_OS	Ever used the following electronic nicotine product: Something else - Specify
R02_AC1033RY_OS	Retail location where your roll-your-own cigarette tobacco is purchased most of the time - Specify
R02_AC1049RY	Brand of roll-your-own cigarette tobacco usually/last smoked - Specify
R02_AC1071RY	Sub-brand of roll-your-own cigarette tobacco product usually/last smoked - Specify
R02_AC1033MC_OS	Retail location where your cigarette is purchased most of the time - Specify
R02_AC1049MC	Brand of cigarettes usually/last smoked - Specify
R02_AC1071MC	Sub-brand of cigarette product usually/last smoked - Specify
R02_AE9003	Brand of e-cigarette owned - Specify
R02_AE1033_OS	Retail location where your e-cigarettes/e-cigarette cartridges/e-liquid is purchased most of the time - Specify
R02_AE1049	Brand of e-cigarettes usually/last used - Specify
R02_AG1033TC_OS	Retail location where your traditional cigars is purchased most of the time - Specify
R02_AG1049TC	Brand of traditional cigars usually/last smoked - Specify
R02_AG1071TC	Sub-brand of traditional cigar product usually/last smoked - Specify
R02_AG1033CG_OS	Retail location where your cigarillos is purchased most of the time - Specify
R02_AG1049CG	Brand of cigarillos usually/last smoked - Specify
R02_AG1071CG	Sub-brand of cigarillo product usually/last smoked - Specify
R02_AG1033FC_OS	Retail location where your filtered cigars is purchased most of the time - Specify
R02_AG1049FC	Brand of filtered cigars usually/last smoked - Specify
R02_AG1071FC	Sub-brand of filtered cigar product usually/last smoked - Specify
R02_AG1033TJ_OS	Retail location where your traditional cigars for blunts is purchased most of the time - Specify
R02_AG1049TJ	Brand of traditional cigars for blunts usually/last smoked - Specify
R02_AG1071TJ	Sub-brand of traditional cigar as a blunt product usually/last smoked - Specify

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF (continued)

Questionnaire Variable	Questionnaire Variable Description
R02_AG1033GJ_OS	Retail location where your cigarillos for blunts is purchased most of the time – Specify
R02_AG1049GJ	Brand of cigarillos for blunts usually/last smoked - Specify
R02_AG1071GJ	Sub-brand of cigarillo as a blunt product usually/last smoked - Specify
R02_AG1033FJ_OS	Retail location where your filtered cigars for blunts is purchased most of the time - Specify
R02_AG1049FJ	Brand of filtered cigars for blunts usually/last smoked - Specify
R02_AG1071FJ	Sub-brand of filtered cigar as a blunt product usually/last smoked - Specify
R02_AP1033_OS	Retail location where your pipe tobacco is purchased most of the time - Specify
R02_AP1049	Brand of pipe tobacco usually/last smoked - Specify
R02_AP1071	Sub-brand of pipe tobacco product usually/last smoked - Specify
R02_AH9011_OS	Place where usually smoke/smoked hookah: Somewhere else - Specify
R02_AH1033_OS	Retail location where your shisha or hookah tobacco is purchased most of the time - Specify
R02_AH1049	Brand of shisha or hookah tobacco usually/last smoked - Specify
R02_AH1071	Sub-brand of hookah tobacco product usually/last smoked - Specify
R02_AS1033SU_OS	Retail location where your snus pouches is purchased most of the time - Specify
R02_AS1049SU	Brand of snus pouch usually/last used - Specify
R02_AS1071SU	Sub-brand of snus pouch product usually/last used - Specify
R02_AS1033SM_OS	Retail location where your smokeless tobacco is purchased most of the time - Specify
R02_AS1049SM	Brand of smokeless tobacco usually/last used - Specify
R02_AS1071SM	Sub-brand of smokeless tobacco product usually/last used - Specify
R02_AD1033_OS	Retail location where your dissolvable tobacco is purchased most of the time - Specify
R02_AD1049	Brand of dissolvable tobacco usually/last used - Specify
R02_AD1071	Sub-brand of dissolvable tobacco usually/last smoked - Specify
R02_AX0190_NB	Is deaf or has serious difficulty hearing
R02_AX0191_NB	Is blind or has serious difficulty seeing, even when wearing glasses
R02_AX0297_OS	Brand of your favorite e-cigarette advertisement - Something else - Specify
R02_AX0197_OS	Brand of favorite tobacco advertisement - Specify
R02_AM0012	Ever been enrolled in VA Health Care
R02_AM0021	Sexual attraction to gender
R02_AM0061	Consider yourself to be transgender
R02_AM0062	Consider self to be male-to-female, female-to-male, or non-conforming
R02_LCAD01	Language in which CAPI portions of adult interview were conducted

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF (continued)

Questionnaire Variable	Questionnaire Variable Description
R02_AX0217_1A	Tobacco Product 1, bar code scan
R02_AX0217_2A	Tobacco Product 2, bar code scan
R02_AX0217_3A	Tobacco Product 3, bar code scan
R02_AX0217_4A	Tobacco Product 4, bar code scan
R02_AX0217_5A	Tobacco Product 5, bar code scan
R02_AX0217_6A	Tobacco Product 6, bar code scan
R02_AX0217_7A	Tobacco Product 7, bar code scan
R02_AX0217_8A	Tobacco Product 8, bar code scan
R02_AX0217_9A	Tobacco Product 9, bar code scan
R02_AX0217_10A	Tobacco Product 10, bar code scan

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R02_AM0001 R02_AM0002 R02_AM0003	R02R_A_AGECA7	Age range when interviewed (7 levels)
R02_AC1007_NB R02_AC1121_NB	R02R_A_AC1007_NB	Age range when first started smoking cigarettes fairly regularly (6 levels)
R02_AC1020_NB R02_AC1122_NB	R02R_A_AC1020_NB	Age range when first started smoking cigarettes every day (6 levels)
R02_AE1007_NB R02_AE1121_NB	R02R_A_AE1007_NB	Age range when first started using e-cigarettes fairly regularly (6 levels)
R02_AE1020_NB R02_AE1122_NB	R02R_A_AE1020_NB	Age range when first started using e-cigarettes every day (6 levels)
R02_AG1007TC_NB R02_AG1121TC_NB	R02R_A_AG1007TC_NB	Age range when first started smoking traditional cigars fairly regularly (6 levels)
R02_AG1020TC_NB R02_AG1122TC_NB	R02R_A_AG1020TC_NB	Age range when first started smoking cigarillos every day (6 levels)
R02_AG1007CG_NB R02_AG1121CG_NB	R02R_A_AG1007CG_NB	Age range when first started smoking filtered cigars fairly regularly (6 levels)
R02_AG1020CG_NB R02_AG1122CG_NB	R02R_A_AG1020CG_NB	Age range when first started smoking cigarillos every day (6 levels)
R02_AG1007FC_NB R02_AG1121FC_NB	R02R_A_AG1007FC_NB	Age range when first started smoking filtered cigars fairly regularly (6 levels)
R02_AG1020FC_NB R02_AG1122FC_NB	R02R_A_AG1020FC_NB	Age range when first started smoking filtered cigars every day (6 levels)
R02_AP1007_NB R02_AP1121_NB	R02R_A_AP1007_NB	Age range when first started smoking a pipe filled with tobacco fairly regularly (6 levels)
R02_AP1020_NB R02_AP1122_NB	R02R_A_AP1020_NB	Age range when first started smoking a pipe filled with tobacco every day (6 levels)
R02_AH1007_NB R02_AH1121_NB	R02R_A_AH1007_NB	Age range when first started smoking hookah fairly regularly (6 levels)
R02_AH1020_NB R02_AH1122_NB	R02R_A_AH1020_NB	Age range when first started smoking hookah every day (6 levels)
R02_AS1007SU_NB R02_AS1121SU_NB	R02R_A_AS1007SU_NB	Age range when first started using snus pouches fairly regularly (6 levels)
R02_AS1020SU_NB R02_AS1122SU_NB	R02R_A_AS1020SU_NB	Age range when first started using snus pouches every day (6 levels)
R02_AS1007SM_NB R02_AS1121SM_NB	R02R_A_AS1007SM_NB	Age range when first started using smokeless tobacco fairly regularly (6 levels)

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R02_AS1020SM_NB R02_AS1122SM_NB	R02R_A_AS1020SM_NB	Age range when first started using smokeless tobacco every day (6 levels)
R02_AD1007_NB R02_AD1121_NB	R02R_A_AD1007_NB	Age range when first started using dissolvable tobacco fairly regularly (6 levels)
R02_AD1020_NB R02_AD1122_NB	R02R_A_AD1020_NB	Age range when first started using dissolvable tobacco every day (6 levels)
R02_AX0114_NB R02_AX0253_NB	R02R_A_AX0114_NB	Age range when you were first told you had high blood pressure (6 levels)
R02_AX0115_NB R02_AX0254_NB	R02R_A_AX0115_NB	Age range when you were first told you had high cholesterol (6 levels)
R02_AX0116_NB R02_AX0255_NB	R02R_A_AX0116_NB	Age range when you were first told you had congestive heart failure (6 levels)
R02_AX0117_NB R02_AX0256_NB	R02R_A_AX0117_NB	Age range when you were first told you had a stroke (6 levels)
R02_AX0112_NB R02_AX0252_NB	R02R_A_AX0112_NB	Age range when you were first told you had a heart attack (6 levels)
R02_AX0120_NB R02_AX0257_NB	R02R_A_AX0120_NB	Age range when you were first told you had COPD (6 levels)
R02_AX0121_NB R02_AX0258_NB	R02R_A_AX0121_NB	Age range when you were first told you had chronic bronchitis (6 levels)
R02_AX0123_NB R02_AX0259_NB	R02R_A_AX0123_NB	Age range when you were first told you had emphysema (6 levels)
R02_AX0124_NB R02_AX0260_NB	R02R_A_AX0124_NB	Age range when you were first told you had asthma (6 levels)
R02_AX0131_NB R02_AX0261_NB	R02R_A_AX0131_NB	Age range when you were first told you had gum disease (6 levels)
R02_AX0133_NB R02_AX0262_NB	R02R_A_AX0133_NB	Age range when you were first told you had pre-cancerous oral lesions (6 levels)
R02_AX0280_NB R02_AX0263_NB	R02R_A_AX0280_NB	Age range when you were first told you had diabetes, sugar diabetes, high blood sugar or borderline diabetes (6 levels)
R02_AX0143_NB R02_AX0264_NB	R02R_A_AX0143_NB	Age range when you were first told you had an ulcer (6 levels)
R02_AX0148_NB R02_AX0266_NB	R02R_A_AX0148_NB	Age range when you were first told you had stomach or gastro-intestinal bleeding (6 levels)
R02_AX0150_NB R02_AX0267_NB	R02R_A_AX0150_NB	Age range when you were first told you had osteoporosis (6 levels)

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R02_AX0198_NB R02_AX0268_NB	R02R_A_AX0198_NB	Age range when you were first told you had a bone fracture because you have fragile bones (6 levels)
R02_AX0152_NB R02_AX0269_NB	R02R_A_AX0152_NB	Age range when you were first told you had a cataract or glaucoma (6 levels)
R02_AX0145_02 R02_AX0145_03 R02_AX0145_04 R02_AX0145_05 R02_AX0145_09 R02_AX0145_12 R02_AX0145_15 R02_AX0145_18 R02_AX0145_19 R02_AX0145_21 R02_AX0145_16 R02_AX0145_23 R02_AX0145_24 R02_AX0145_25 R02_AX0145_27 R02_AX0145_29 R02_AX0145_30 R02_AX0145_31	R02R_A_AX0145_NONTOB	Type of cancer is a non-tobacco related cancer (2 levels)
R02_AX0145_01 R02_AX0145_06 R02_AX0145_07 R02_AX0145_08 R02_AX0145_10 R02_AX0145_11 R02_AX0145_13 R02_AX0145_14 R02_AX0145_17 R02_AX0145_20 R02_AX0145_22 R02_AX0145_26 R02_AX0145_28	R02R_A_AX0145_TOB	Type of cancer is a tobacco related cancer (2 levels)

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R02_AX0146_NB_02	R02R_A_AX0146_NONTOB	Age range when nontobacco related cancer was diagnosed (6 levels)
R02_AX0265_NB_02		
R02_AX0146_NB_03		
R02_AX0265_NB_03		
R02_AX0146_NB_04		
R02_AX0265_NB_04		
R02_AX0146_NB_05		
R02_AX0265_NB_05		
R02_AX0146_NB_09		
R02_AX0265_NB_09		
R02_AX0146_NB_12		
R02_AX0265_NB_12		
R02_AX0146_NB_15		
R02_AX0265_NB_15		
R02_AX0146_NB_18		
R02_AX0265_NB_18		
R02_AX0146_NB_19		
R02_AX0265_NB_19		
R02_AX0146_NB_21		
R02_AX0265_NB_21		
R02_AX0146_NB_16		
R02_AX0265_NB_16		
R02_AX0146_NB_23		
R02_AX0265_NB_23		
R02_AX0146_NB_24		
R02_AX0265_NB_24		
R02_AX0146_NB_25		
R02_AX0265_NB_25		
R02_AX0146_NB_27		
R02_AX0265_NB_27		
R02_AX0146_NB_29		
R02_AX0265_NB_29		
R02_AX0146_NB_30		
R02_AX0265_NB_30		
R02_AX0146_NB_31		
R02_AX0265_NB_31		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R02_AX0146_NB_01 R02_AX0265_NB_01 R02_AX0146_NB_06 R02_AX0265_NB_06 R02_AX0146_NB_07 R02_AX0265_NB_07 R02_AX0146_NB_08 R02_AX0265_NB_08 R02_AX0146_NB_10 R02_AX0265_NB_10 R02_AX0146_NB_11 R02_AX0265_NB_11 R02_AX0146_NB_13 R02_AX0265_NB_13 R02_AX0146_NB_14 R02_AX0265_NB_14 R02_AX0146_NB_17 R02_AX0265_NB_17 R02_AX0146_NB_20 R02_AX0265_NB_20 R02_AX0146_NB_22 R02_AX0265_NB_22 R02_AX0146_NB_26 R02_AX0265_NB_26 R02_AX0146_NB_28 R02_AX0265_NB_28	R02R_A_AX0146_TOB	Age range when tobacco related cancer was diagnosed (6 levels)
R02_AX0135_12M	R02R_A_AX0135_12M	Outcome of last pregnancy was miscarriage, induced abortion, ectopic or tubal pregnancy or stillbirth (2 levels)
R02_AX0300_12M_01 R02_AX0300_12M_02 R02_AX0300_12M_03 R02_AX0300_12M_04 R02_AX0300_12M_05 R02_AX0300_12M_06 R02_AX0300_12M_07	R02R_A_AX0300_12M	Outcome for live birth was preterm birth, low birth weight, birth defects, placenta previa, placenta abruption, or preeclampsia (2 levels)
R02_AM0018	R02R_A_AM0018	Highest grade or level of school completed (6 levels)
R02_AM0030	R02R_A_AM0030	Total household income in the past 12 months (5 levels)

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R02_AM0038	R02R_A_AM0038	Type of current residence (7 levels)
R02_AM0033	R02R_A_AM0033	Highest grade or year of school completed by mother, step-mother or mother-figure (6 levels)
R02_AM0034	R02R_A_AM0034	Highest grade or year of school completed by father, step-father or father-figure (6 levels)
R02_AM0036	R02R_A_AM0036	In past 12 months, parents' total household income (5 levels)
R02_AM0026_01 R02_AM0026_02 R02_AM0026_03 R02_AM0026_04 R02_AM0026_05 R02_AM0026_06 R02_AM0026_07 R02_AM0026_08	R02R_A_AM0026	Currently covered by health insurance or health coverage plan (5 levels)
R02_AM0063	R02R_A_SEXORIENT2	Adult sexual orientation (2 levels)
R02_AX0313 R02_AX0679_FT R02_AX0679_IN R02_AX0316 R02_AX0314 R02_AX0109 R02_AX0312	R02R_A_BMI	Body mass index

ADULT AGE CONFIRMATION**BOX ID: R02_CAD BOX 2**

IF WAVE 1 DOB AVAILABLE, GO TO R02_CAD10.
 IF WAVE 1 DOB NOT AVAILABLE, GO TO R02_AM0001.

Variable(s): R02_CAD10

I have that your date of birth is {DOB}. Is that correct?

- | | | |
|----|------------|---------------------|
| 1 | YES | GO TO R02_CAD BOX 3 |
| 2 | NO | |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Adult respondents who provided a date of birth as of their last completed interview.

ASK Specification: IF DateOfBirth != NULL.

PROGRAM: Fill {DOB} with Wave 1 DOB (DateOfBirth).

Variable(s): R02_AM0001 (R02R_A_AGE)

What is your date of birth?

- | | | |
|----|------------|------------------|
| __ | MM/DD/YYYY | |
| -8 | DON'T KNOW | GO TO R02_AM0002 |
| -7 | REFUSED | GO TO R02_AM0002 |

ASK: Adult respondents who did not provide a date of birth as of their last completed interview, or adult respondents who did provide a date of birth as of their last completed interview but did not confirm the date of birth.

ASK Specification: IF DateOfBirth = NULL OR R02_CAD10 != 1.

Note: R02R_A_AGE was created after data collection. It is the age variable that is included in the dataset. The variable R02_AM0001 is not included in the dataset, but the question included in this questionnaire for reference.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_CAD BOX 2A

I recorded that your date of birth is {R02_AM0001}. Is that correct?

PRESS S IF YES.

PRESS G TO GO BACK AND EDIT ENTRY.

S SUPPRESS

GO TO R02_CAD BOX 3

G GO BACK

GO BACK TO R02_AM0001

ASK: Adult respondents who provided a date of birth in R02_AM0001.

ASK Specification: IF (DateOfBirth = NULL OR R02_CAD10 != 1) AND R02_AM0001 != -8, -7.

PROGRAM: Fill {R02_AM0001} with response given in R02_AM0001.

Variable(s): R02_AM0002 (R02R_A_AGE)

What is your age?

— AGE

GO TO R02_CAD BOX 3

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who did not know or refused to report date of birth.

ASK Specification: IF (DateOfBirth = NULL OR R02_CAD10 != 1) AND R02_AM0001 = -8, -7.

Note: R02R_A_AGE was created after data collection. It is the age variable that is included in the dataset. The variable R02_AM0002 is not included in the dataset, but the question included in this questionnaire for reference.

Variable(s): R02_AM0003

Are you...

Less than 18 years old,

18 to 24 years old,

25 to 29 years old, or

30 years old or older?

1 Less than 18 years old

GO TO R02_CAD28

2 18 to 24 years old

3 25 to 29 years old

4 30 years old or older

ASK: Adult respondents who did not know or refused to report their age.

ASK Specification: IF (DateOfBirth = NULL OR R02_CAD10 != 1) AND R02_AM0001 = -8, -7 AND R02_AM0002 = -8, -7.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_CAD BOX 3**PROGRAM:**

Create a derived variable, called R02_ACHIEVEDAGE (R02R_A_AGE), as follows:

IF R02_AM0001 != -8, -7, use a standard algorithm to determine SP year of age on the date that the consent is being administered, using DOB entered in R02_AM0001.

IF R02_AM0001 = -8, -7 AND R02_AM0002 != -8, -7, then use age entered in R02_AM0002.

IF R02_AM0002 = -8, -7 AND R02_AM0003 != -8, -7, then use age range entered in R02_AM0003.

IF (R02R_A_AGE >= 18 OR R02_AM0003 >= 1) AND R01_Scrn112_AssignmentStatus = CPE (Wave 1 Adult Interview Status = Complete), SET R02_CONTINUING_ADULT_LD = 1.

IF (R02R_A_AGE >= 18 OR R02_AM0003 = 1) AND R01_Int133_AssignmentStatus = CYE (Wave 1 Youth Interview Status = Complete), SET R02_NEW_BASELINE_ADULT_LD = 1.

INITIAL ADMINISTRATIVE DATA

Variable(s): **R02_LAD01**

I'm going to give you the computer to complete the survey. Do you want to answer questions in English or Spanish?

- 1 ENGLISH
- 2 SPANISH
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who signed the consent.

ASK Specification: IF R02_CONTINUING_ADULT_LD = 1 OR R02_NEW_BASELINE_ADULT_LD = 1.

INTRODUCTORY DEMOGRAPHICS

BOX ID:	R02_AMV01
PROGRAM - DEFINE THE FOLLOWING LOAD VARIABLES (SEE APPENDIX):	
R02_CONTINUING_ADULT_LD = Continuing Adult respondents (W1 Adult = W2 Adult) R02_NEW_BASELINE_ADULT_LD = New Baseline Adult respondents (W1 Youth = W2 Adult) R02_ADULT_SP_LD = Adult respondents who are also Parent respondents (W2 Parent = W2 Adult) R02_YOUNG_ADULT = Young adult respondents (aged 18-24)	
Program Note: In the following specifications, "!=" represents "not equal to".	
R02_CONTINUING_ADULT_LD: IF W1 Adult = W2 Adult, THEN R02_CONTINUING_ADULT_LD = 1. ELSE, IF W1 Adult != W2 Adult, THEN R02_CONTINUING_ADULT_LD = 2. R02_NEW_BASELINE_ADULT_LD: IF R01_YOUTHTYPE = 1 AND R02R_A_AGE >= 18, THEN R02_NEW_BASELINE_ADULT_LD = 1. ELSE, R02_NEW_BASELINE_ADULT_LD = 2. R02_ADULT_SP_LD: IF W2 parent respondent is also a W2 adult respondent, THEN R02_ADULT_SP_LD = 1. ELSE, R02_ADULT_SP_LD = 2. R02_YOUNG_ADULT: IF R02R_A_AGE = 18, 19, 20, 21, 22, 23, OR 24, THEN R02_YOUNG_ADULT = 1. ELSE, R02_YOUNG_ADULT = 2.	

Variable(s):	R02_AT0047***
What is your marital status?	
1 Now married 2 Widowed 3 Divorced 4 Separated 5 Never married -8 DON'T KNOW -7 REFUSED	
ASK: All adult respondents.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AM0007**

Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?

Note: Active duty for the Reserves or National Guard does not include the regular training for the Reserves or Guard. It does include being activated for deployment, such as for the Iraq War.

- | | | |
|----|--|------------------|
| 1 | Yes, now on active duty | |
| 2 | Yes, on active duty in the past, but not now | |
| 3 | No, training for Reserves or National Guard only | GO TO R02_AC1004 |
| 4 | No, never served in the military | GO TO R02_AC1004 |
| -8 | DON'T KNOW | GO TO R02_AC1004 |
| -7 | REFUSED | GO TO R02_AC1004 |

ASK: All adult respondents.

Variable(s): **SEE BELOW:**

In which branch or branches [do/did] you serve on active duty? Choose all that apply.

- | | | |
|----------------------|----|--------------|
| R02_AM0011_01 | 1 | Army |
| R02_AM0011_02 | 2 | Navy |
| R02_AM0011_03 | 3 | Air Force |
| R02_AM0011_04 | 4 | Marine Corps |
| R02_AM0011_05 | 5 | Coast Guard |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are now on active duty or have been on active duty in the past.

ASK Specification: IF R02_AM0007 = 1, 2.

DISPLAY: If respondent is currently on active duty (R02_AM0007 = 1), display "do"; if on active duty in the past (R02_AM0007 = 2), display "did".

PROGRAM: Allow respondent to choose all that apply.

TOBACCO USE**Variable(s):** **R02_AC1004**

In the past 30 days, have you smoked a cigarette, even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

GO TO R02_AC1003

ASK: All adult respondents.

Variable(s): **R02_AC1002_12M**

In the past 12 months, have you smoked a cigarette, even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not smoked a cigarette in the past 30 days or did not know or refused to report if they have smoked a cigarette in the past 30 days.

ASK Specification: IF R02_AC1004 = 2, -8, -7.

GOTO: Adult respondents who smoked a cigarette in the past 30 days or past 12 months, go to R02_AC1003.

Else, adult respondents who did not smoke a cigarette in the past 12 months, who had ever smoked a cigarette and were not former established or former experimental cigarette smokers as of their last completed interview, go to R02_AC1009.

Else, adult respondents who did not smoke a cigarette in the past 12 months, who had ever smoked a cigarette as of their last completed interview, go to R02_AC1010.

Else, go to Box R02_ACV04.

GOTO Specification: IF R02_AC1004 = 1 OR R02_AC1002_12M = 1, GO TO R02_AC1003.

ELSE, IF R02_AC1002_12M = 2 AND (R01_EVER_USER_CIGS = 1 OR R01_YC1002 = 1) AND R01_FORMER_USER_CIGS != 1 AND R01_EXPERIMENTAL_FORMER_CIGS !=1, GO TO R02_AC1009.

ELSE, IF R02_AC1002_12M = 2 AND (R01_EVER_USER_CIGS = 1 OR R01_YC1002 = 1), GO TO R02_AC1010.

ELSE, GO TO BOX R02_ACV04.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AC1003
Do you now smoke cigarettes...	
1	Every day
2	Some days
3	Not at all
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months.	
ASK Specification: IF R02_AC1004 = 1 OR R02_AC1002_12M = 1.	
GOTO: Adult respondents who smoked a cigarette in the past 30 days or did not know or refused to report if they smoked a cigarette in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke cigarettes, go to R02_AC0100.	
Else, adult respondents who now smoke cigarettes not at all, go to R02_AC1009.	
Else, go to Box R02_ACV04.	
GOTO Specification: IF R02_AC1004 = 1, -8, -7 AND R02_AC1003 = 1, 2, -8, -7, GO TO R02_AC0100.	
ELSE, IF R02_AC1003 = 3, GO TO R02_AC1009.	
ELSE, GO TO BOX R02_ACV04.	

Variable(s):	R02_AC0100	
When did you last smoke a cigarette?		
1	In the past hour	GO TO R02_AC0103
2	Sometime today	
3	Yesterday	
4	Day before yesterday	
5	Three or more days ago	GO TO BOX R02_ACV04
-8	DON'T KNOW	GO TO BOX R02_ACV04
-7	REFUSED	GO TO BOX R02_ACV04
ASK: Adult respondents who have smoked a cigarette in the past 30 days or did not know or refused to report if they have smoked a cigarette in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke cigarettes.		
ASK Specification: IF R02_AC1004 = 1, -8, -7 AND R02_AC1003 = 1, 2, -8, -7.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC0102**

When you last smoked a cigarette [FILL BASED ON R02_AC0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarette in the past 30 days or did not know or refused to report if they have smoked a cigarette in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke cigarettes and have smoked a cigarette sometime today, yesterday or the day before yesterday.

ASK Specification: IF R02_AC1004 = 1, -8, -7 AND R02_AC1003 = 1, 2, -8, -7 AND R02_AC0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R02_AC0100] IF R02_AC0100 = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AC0100, MAKING FIRST LETTER LOWERCASE.

Variable(s): **R02_AC0103**

How many cigarettes [have/did] you [smoked/smoke] [FILL BASED ON R02_AC0100]? A pack usually has 20 cigarettes in it.

- | | |
|-----------------------------|---------------------|
| _ _ _ Number of cigarettes | GO TO BOX R02_ACV04 |
| -8 DON'T KNOW | GO TO BOX R02_ACV04 |
| -7 REFUSED | GO TO BOX R02_ACV04 |

ASK: Adult respondents who have smoked a cigarette in the past 30 days or did not know or refused to report if they have smoked a cigarette in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke cigarettes and have smoked a cigarette in past hour, today, yesterday or the day before yesterday.

ASK Specification: IF R02_AC1004 = 1, -8, -7 AND R02_AC1003 = 1, 2, -8, -7 AND R02_AC0100 = 1, 2, 3, 4.

DISPLAY: Display "Number of cigarettes" as a title.

IF R02_AC0100 = 1 OR R02_AC0100 = 2, DISPLAY "have" AND "smoked". IF R02_AC0100 = 3 OR R02_AC0100 = 4, DISPLAY, "did" AND "smoke".

FOR [FILL BASED ON R02_AC0100]: If R02_AC0100 = 1 OR 2, DISPLAY "today". IF R02_AC0100 = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AC0100, MAKING FIRST LETTER LOWERCASE.

PROGRAM: Allow only 3 digits

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC1009_NN**/**; R02_AC1009_UN**

About how long has it been since you last smoked a cigarette? (If it was earlier today, enter 1 day)

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who now smoke cigarettes not at all or adult respondents who did not smoke a cigarette in the past 12 months and have ever smoked a cigarette and were not former established or former experimental cigarette smokers as of their last completed interview.

ASK Specification: IF R02_AC1003 = 3 OR (R02_AC1002_12M = 2 AND (R01_EVER_USER_CIGS = 1 OR R01_YC1002 = 1) AND R01_FORMER_USER_CIGS != 1 AND R01_EXPERIMENTAL_FORMER_CIGS !=1).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: The value "1" refers to R02_AC1009_UN = Days; the value "2" refers to R02_AC1009_UN = Months.

**SKIP ERROR: This item was skipped incorrectly by some respondents who were former or experimental former cigarette smokers in Wave 1 and answered "not at all" in item R02_AC1003 (R02_AC1003 = 3). The error was corrected during Wave 2 Data Collection on 1/29/2015.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AC1010*****

Have you completely quit smoking cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who now smoke cigarettes not at all or did not smoke a cigarette in the past 12 months, who have ever smoked a cigarette as of their last completed interview.

ASK Specification: IF R02_AC1003 = 3 OR (R02_AC1002_12M = 2 AND (R01_EVER_USER_CIGS = 1 OR R01_YC1002 = 1)).

PROGRAM: Do not display the standard DK/R probe if this item is left blank; instead, when this item is left blank, go to R02_AC1132.

GOTO: Adult respondents who now smoke cigarettes not at all or did not smoke a cigarette in the past 12 months, who have ever smoked a cigarette as of their last completed interview and leave R02_AC1010 blank, go to R02_AC1132.

Else, go to Box R02_ACV04.

GOTO Specification: IF (R02_AC1003 = 3 OR (R02_AC1002_12M = 2 AND (R01_EVER_USER_CIGS = 1 OR R01_YC1002 = 1))) AND R02_AC1010 IS BLANK, GO TO R02_AC1132.

ELSE, GO TO BOX R02_ACV04.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC1132	
You did not answer the previous question. Is that because...	
1 You have never smoked a cigarette	GO TO BOX R02_ACV04
2 You really meant to answer	
3 You don't know the answer	GO TO BOX R02_ACV04
4 You'd rather not answer	GO TO BOX R02_ACV04
ASK: Adult respondents who now smoke cigarettes not at all or did not smoke a cigarette in the past 12 months, who have ever smoked a cigarette as of their last completed interview and leave R02_AC1010 blank.	
ASK Specification: IF (R02_AC1003 = 3 OR (R02_AC1002_12M = 2 AND (R01_EVER_USER_CIGS = 1 OR R01_YC1002 = 1))) AND R02_AC1010 IS BLANK.	

Variable(s): R02_AC1134	
Have you completely quit smoking cigarettes?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who now smoke cigarettes not at all or did not smoke a cigarette in the past 12 months, who have ever smoked a cigarette as of their last completed interview and left R02_AC1010 blank in error.	
ASK Specification: IF (R02_AC1003 = 3 OR (R02_AC1002_12M = 2 AND (R01_EVER_USER_CIGS = 1 OR R01_YC1002 = 1))) AND R02_AC1010 IS BLANK AND R02_AC1132 = 2.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ACV04
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R02_EVER_USER_CIGS = Adult respondents who have ever smoked a cigarette. R02_NEVER_USER_CIGS = Adult respondents who have never smoked a cigarette. R02_INIT_CIGS_ADULT = Adult respondents who initiated cigarette smoking since their last completed interview.	
R02_EVER_USER_CIGS: IF (R01_EVER_USER_CIGS = 1 OR R01_YC1002 = 1 OR R02_AC1004 = 1 OR R02_AC1002_12M=1) AND (R02_AC1132 != 1), THEN R02_EVER_USER_CIGS = 1. ELSE, R02_EVER_USER_CIGS = 2. R02_NEVER_USER_CIGS: IF ((R01_EVER_USER_CIGS != 1 AND R01_YC1002 != 1) AND R02_AC1002_12M = 2, -8, -7) OR R02_AC1132 = 1, THEN R02_NEVER_USER_CIGS = 1. ELSE, R02_NEVER_USER_CIGS = 2. R02_INIT_CIGS_ADULT: IF (R01_EVER_USER_CIGS != 1 AND R01_YC1002 != 1) AND R02_EVER_USER_CIGS = 1, THEN R02_INIT_CIGS_ADULT = 1. ELSE, R02_INIT_CIGS_ADULT = 2.	

BOX ID:	R02_ACR10
Young adult respondents who have never smoked a cigarette, go to R02_AC1103. Else, young adult respondents who have not smoked a cigarette in the past 12 months or did not know or refused to report if they smoked a cigarette in the past 12 months, go to R02_AC1206. Else, go to Box R02_AET01.	
IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_CIGS = 1, GO TO R02_AC1103. ELSE, IF R02_YOUNG_ADULT = 1 AND R02_AC1002_12M = 2, -8, -7, GO TO R02_AC1206. ELSE, GO TO BOX R02_AET01.	

Variable(s):	R02_AC1103
Have you ever been curious about smoking a cigarette? 1 Very curious 2 Somewhat curious 3 A little curious 4 Not at all curious -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who have never smoked a cigarette. ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_CIGS = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC1206**

Do you think you will smoke a cigarette in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette or have not smoked a cigarette in the past 12 months or did not know or refused to report if they had smoked a cigarette in the past 12 months.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_CIGS = 1 OR R02_AC1002_12M = 2, -8, -7).

GOTO: Young adult respondents who have never smoked a cigarette and will definitely or probably smoke a cigarette in the next year, go to R02_AC1104.

Else, young adult respondents who never smoked a cigarette, go to R02_AC1205.

Else, go to Box R02_AET01.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_CIGS = 1 AND R02_AC1206 = 1, 2, GO TO R02_AC1104.

ELSE, IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_CIGS = 1, GO TO R02_AC1205.

ELSE, GO TO BOX R02_AET01.

Variable(s): **R02_AC1104**

Do you think that you will try a cigarette soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette and will definitely or probably smoke a cigarette in the next year.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_CIGS = 1 AND R02_AC1206 = 1, 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC1205**

If one of your best friends were to offer you a cigarette, would you smoke it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_CIGS = 1.

BOX ID: **R02_AET01**

The next questions are about **electronic nicotine products**, such as e-cigarettes, e-cigars, e-pipes, e-hookahs, personal vaporizers, vape pens and hookah pens. These products are battery-powered, use nicotine fluid rather than tobacco leaves, and produce vapor instead of smoke. Some common brands include Fin, NJOY, Blu, e-Go and Vuse.

SHOW GENERIC IMAGE OF E-PRODUCTS

Bold "electronic nicotine products".

Variable(s): **R02_A01002**

Have you ever used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, e-cigars, e-pipes, e-hookahs, personal vaporizers, vape pens and hookah pens.)

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R02_AEV02
GO TO R02_AEV02
GO TO R02_AEV02

ASK: All adult respondents.

DISPLAY: SHOW GENERIC IMAGE OF E-PRODUCTS

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which of the following electronic nicotine products have you ever used? Choose all that apply.	
R02_AO9035_01	1 E-cigarette (including vape pens and personal vaporizers)
R02_AO9035_02	2 E-cigar
R02_AO9035_03	3 E-pipe
R02_AO9035_04	4 E-hookah (including hookah pens)
R02_AO9035_05; R02_AO9035_OS	5 Something else (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have ever used an electronic nicotine product.	
ASK Specification: IF R02_AO1002 = 1.	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	
IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AEV02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R02_NEVER_USER_EPRODS = Adult respondents who have never used any electronic nicotine products.

R02_NEVER_USER_ECIG = Adult respondents who have never used an e-cigarette.

R02_EVER_USER_EPRODS = Adult respondents who have ever used any electronic nicotine products.

R02_EVER_USER_ECIG = Adult respondents who have ever used an e-cigarette.

R02_EVER_USER_ECIGAR = Adult respondents who have ever used an e-cigar.

R02_EVER_USER_EHOOK = Adult respondents who have ever used an e-hookah.

R02_EVER_USER_EPIPE = Adult respondents who have ever used an e-pipe.

R02_INIT_ECIG_ADULT = Adult respondents who initiated e-cigarette use since their last completed interview.

R02_NEVER_USER_EPRODS:

IF R02_AO1002 != 1, THEN R02_NEVER_USER_EPRODS = 1.

ELSE, R02_NEVER_USER_EPRODS = 2.

R02_NEVER_USER_ECIG:

IF R02_AO1002 !=1 OR R02_AO9035_01 !=1, THEN R02_NEVER_USER_ECIG = 1.

ELSE, R02_NEVER_USER_ECIG = 2.

R02_EVER_USER_EPRODS:

IF R02_AO1002 = 1, THEN R02_EVER_USER_EPRODS = 1.

ELSE, R02_EVER_USER_EPRODS = 2.

R02_EVER_USER_ECIG:

IF R02_AO9035_01 = 1, THEN R02_EVER_USER_ECIG = 1.

ELSE, R02_EVER_USER_ECIG = 2.

R02_EVER_USER_ECIGAR:

IF R02_AO9035_02 = 1, THEN R02_EVER_USER_ECIGAR = 1.

ELSE, R02_EVER_USER_ECIGAR = 2.

R02_EVER_USER_EHOOK:

IF R02_AO9035_04 = 1, THEN R02_EVER_USER_EHOOK = 1.

ELSE, R02_EVER_USER_EHOOK = 2.

R02_EVER_USER_EPIPE:

IF R02_AO9035_03 = 1, THEN R02_EVER_USER_EPIPE = 1.

ELSE, R02_EVER_USER_EPIPE = 2.

R02_INIT_ECIG_ADULT:

IF (R01_EVER_USER_ECIG !=1 AND R01_YE1002 !=1) AND R02_EVER_USER_ECIG = 1, THEN R02_INIT_ECIG_ADULT = 1.

ELSE, R02_INIT_ECIG_ADULT = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_AER04
Adult respondents who have ever used an e-cigarette, e-cigar, e-pipe, or e-hookah, go to R02_AO1003[C/.../H]. Else, young adult respondents who have never used any electronic nicotine products, go to R02_AO1103. Else, go to Box R02_AGT01.	
IF LOOP = E-CIGARETTE AND R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIG = 1, GO TO R02_AO1003C. ELSE, IF LOOP = E-CIGAR AND R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIGAR = 1, GO TO R02_AO1003G. ELSE, IF LOOP = E-PIPE AND R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EPIPE = 1, GO TO R02_AO1003P. ELSE, IF LOOP = E-HOOK AND R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EHOOK = 1, GO TO R02_AO1003H. ELSE, IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_EPRODS = 1, GO TO R02_AO1103. ELSE, IF R02_NEVER_USER_EPRODS = 1, GO TO R02_AGT01.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AO1003C***; R02_AO1003G***; R02_AO1003H***; R02_AO1003P***

Do you now use [ELECTRONICFILL]s...

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product.

ASK Specification: FOR R02_AO1003C: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIG = 1.

FOR R02_AO1003G: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIGAR = 1.

FOR R02_AO1003H: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EHOOK = 1.

FOR R02_AO1003P: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EPIPE = 1.

DISPLAY: FOR R02_AO1003C: IF R02_EVER_USER_ECIG = 1, DISPLAY "e-cigarette".

FOR R02_AO1003G: IF R02_EVER_USER_ECIGAR = 1, DISPLAY "e-cigar".

FOR R02_AO1003H: IF R02_EVER_USER_EHOOK = 1, DISPLAY "e-hookah".

FOR R02_AO1003P: IF R02_EVER_USER_EPIPE = 1, DISPLAY "e-pipe".

GOTO: Adult respondents who use e-cigarettes/e-cigars/e-pipes/e-hookahs every day, some days, or did not know or refused to report the how often they now use e-cigarettes/e-cigars/e-pipes/e-hookahs, go to R02_AO0100[C/.../H].

Else, adult respondents who now use e-cigarettes not at all, go to R02_AE1009.

Else, go to Box R02_AER06.

GOTO Specification: FROM R02_AO1003C: R02_AO1003C = 1, 2, -8, -7, GO TO R02_AO0100C.

ELSE, IF R02_AO1003C = 3, GO TO R02_AE1009.

FROM R02_AO1003G IF R02_AO1003G = 1, 2, -8, -7, GO TO R02_AO0100G.

ELSE, GO TO BOX R02_AER06.

FROM R02_AO1003P: IF R02_AO1003P = 1, 2, -8, -7, GO TO R02_AO0100P.

ELSE, GO TO BOX R02_AER06.

FROM R02_AO1003H: IF R02_AO1003H = 1, 2, -8, -7, GO TO R02_AO0100H.

ELSE, GO TO BOX R02_AER06.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AO0100C***; R02_AO0100G***; R02_AO0100H***; R02_AO0100P***

When did you last use an [ELECTRONICFILL]?

- | | | |
|----|------------------------|---------------------------|
| 1 | In the past hour | GO TO R02_AO0103[C/.../H] |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO BOX R02_AER06 |
| -8 | DON'T KNOW | GO TO BOX R02_AER06 |
| -7 | REFUSED | GO TO BOX R02_AER06 |

ASK: Adult respondents who have ever used an electronic nicotine product and now use electronic nicotine products every day or some days or did not know or refused to report how often they now use electronic nicotine products.

ASK Specification: FOR R02_AO0100C: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIG = 1 AND R02_AO1003C = 1, 2, -8, -7.

FOR R02_AO0100G: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIGAR = 1 AND R02_AO1003G = 1, 2, -8, -7.

FOR R02_AO0100P: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EPIPE = 1 AND R02_AO1003P = 1, 2, -8, -7.

FOR R02_AO0100H: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EHOOK = 1 AND R02_AO1003H = 1, 2, -8, -7.

DISPLAY: FOR R02_AO0100C: IF R02_EVER_USER_ECIG = 1, DISPLAY "e-cigarette".

FOR R02_AO0100G: IF R02_EVER_USER_ECIGAR = 1, DISPLAY "e-cigar".

FOR R02_AO0100H: IF R02_EVER_USER_EHOOK = 1, DISPLAY "e-hookah".

FOR R02_AO0100P: IF R02_EVER_USER_EPIPE = 1, DISPLAY "e-pipe".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AO0102C; R02_AO0102G; R02_AO0102H; R02_AO0102P
When you last used an [ELECTRONICFILL] [FILL BASED ON R02_AO0100], was it... 1 Between midnight and 6AM 2 After 6AM but before noon 3 Between noon and 6PM 4 After 6PM but before midnight -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever used an electronic nicotine product and now use electronic nicotine products every day or some days or did not know or refused to report how often they now use electronic nicotine products and have used an electronic nicotine product today, yesterday or the day before yesterday. ASK Specification: FOR R02_AO0102C: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIG = 1 AND R02_AO1003C = 1, 2, -8, -7 AND R02_AO0100C = 2, 3, 4. FOR R02_AO0102G: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIGAR = 1 AND R02_AO1003G = 1, 2, -8, -7 AND R02_AO0100G = 2, 3, 4. FOR R02_AO0102P: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EPIPE = 1 AND R02_AO1003P = 1, 2, -8, -7 AND R02_AO0100P = 2, 3, 4. FOR R02_AO0102H: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EHOOK = 1 AND R02_AO1003H = 1, 2, -8, -7 AND R02_AO0100H = 2, 3, 4. DISPLAY: FOR R02_AO0102C: IF R02_EVER_USER_ECIG = 1, DISPLAY "e-cigarette". FOR [FILL BASED ON R02_AO0100], IF R02_AO0100C = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AO0100C, MAKING FIRST LETTER LOWERCASE. FOR R02_AO0102G: IF R02_EVER_USER_ECIGAR = 1, DISPLAY "e-cigar". FOR [FILL BASED ON R02_AO0100], IF R02_AO0100G = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AO0100G, MAKING FIRST LETTER LOWERCASE. FOR R02_AO0102H: IF R02_EVER_USER_EHOOK = 1, DISPLAY "e-hookah". FOR [FILL BASED ON R02_AO0100], IF R02_AO0100H = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AO0100H, MAKING FIRST LETTER LOWERCASE. FOR R02_AO0102P: IF R02_EVER_USER_EPIPE = 1, DISPLAY "e-pipe". FOR [FILL BASED ON R02_AO0100], IF R02_AO0100P = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AO0100P, MAKING FIRST LETTER LOWERCASE.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AO0103C; R02_AO0103G; R02_AO0103H; R02_AO0103P
How many puffs from an [ELECTRONICFILL] [have/did] you [taken/take] [FILL BASED ON R02_AO0100]?	
	GO TO BOX R02_AER06
-8 DON'T KNOW	GO TO BOX R02_AER06
-7 REFUSED	GO TO BOX R02_AER06
ASK: Adult respondents who have ever used an electronic nicotine product and now use electronic nicotine products every day or some days or did not know or refused to report how often they now use electronic nicotine products and have used an electronic nicotine product in the past hour, today, yesterday or the day before yesterday. ASK Specification: FOR R02_AO0103C: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIG = 1 AND R02_AO1003C = 1, 2, -8, -7 AND R02_AO0100C = 1, 2, 3, 4. FOR R02_AO0103G: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIGAR = 1 AND R02_AO1003G = 1, 2, -8, -7 AND R02_AO0100G = 1, 2, 3, 4. FOR R02_AO0103P: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EPIPE = 1 AND R02_AO1003P = 1, 2, -8, -7 AND R02_AO0100P = 1, 2, 3, 4. FOR R02_AO0103H: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EHOOK = 1 AND R02_AO1003H = 1, 2, -8, -7 AND R02_AO0100H = 1, 2, 3, 4. DISPLAY: FOR R02_AO0103C: IF R02_EVER_USER_ECIG = 1, DISPLAY "e-cigarette". IF R02_AO0100C = 1 OR R02_AO0100C = 2, DISPLAY "have" AND "taken". IF R02_AO0100C = 3 OR R02_AO0100C = 4, DISPLAY "did" AND "take". FOR [FILL BASED ON R02_AO0100], IF R02_AO0100C = 1 OR 2, DISPLAY "today"; IF R02_AO0100C = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AO0100C, MAKING FIRST LETTER LOWERCASE. FOR R02_AO0103G: IF R02_EVER_USER_ECIGAR = 1, DISPLAY "e-cigar". IF R02_AO0100G = 1 OR R02_AO0100G = 2, DISPLAY "have" AND "taken". IF R02_AO0100G = 3 OR R02_AO0100G = 4, DISPLAY "did" AND "take". FOR [FILL BASED ON R02_AO0100], IF R02_AO0100G = 1 OR 2, DISPLAY "today"; IF R02_AO0100G = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AO0100G, MAKING FIRST LETTER LOWERCASE. FOR R02_AO0103H: IF R02_EVER_USER_EHOOK = 1, DISPLAY "e-hookah". IF R02_AO0100H = 1 OR R02_AO0100H = 2, DISPLAY "have" AND "taken". IF R02_AO0100H = 3 OR R02_AO0100H = 4, DISPLAY "did" AND "take". FOR [FILL BASED ON R02_AO0100], IF R02_AO0100H = 1 OR 2, DISPLAY "today"; IF R02_AO0100H = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AO0100H, MAKING FIRST LETTER LOWERCASE. FOR R02_AO0103P: IF R02_EVER_USER_EPIPE = 1, DISPLAY "e-pipe". IF R02_AO0100P = 1 OR R02_AO0100P = 2, DISPLAY "have" AND "taken". IF R02_AO0100P = 3 OR R02_AO0100P = 4, DISPLAY "did" AND "take". FOR [FILL BASED ON R02_AO0100], IF R02_AO0100P = 1 OR 2, DISPLAY "today"; IF R02_AO0100P = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AO0100P, MAKING FIRST LETTER LOWERCASE. PROGRAM: Allow only 3 digits.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1009_NN**/**; R02_AE1009_UN**

About how long has it been since you last took a puff from an e-cigarette? (If it was earlier today, enter 1 day).

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 3 |__|__| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used e-cigarettes and currently use them not at all.

ASK Specification: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIG = 1 AND R02_AO1003C = 3.

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months and 2 digits for years.

GOTO: Adult respondents who did not know or refused to report how long it has been since they last used an e-cigarette or who last used an e-cigarette more than 30 days or 1 month ago, go to R02_AE1004.

Else, go to R02_AE1010.

GOTO Specification: IF R02_AE1009_NN = -8, -7 OR (R02_AE1009_NN > 30 AND R02_AE1009_UN = 1) OR (R02_AE1009_NN > 1 AND R02_AE1009_UN = 2), GO TO R02_AE1004.

ELSE, GO TO R02_AE1010.

NOTES: The value "1" refers to R02_AE1009_UN = Days; the value "2" refers to R02_AE1009_UN = Months; the value "3" refers to R02_AE1009_UN = Years.

**SKIP ERROR: This item was skipped incorrectly by respondents who reported they don't currently use e-cigarettes in R02_AO1003C (R02_AO1003C = 3). This item was also skipped incorrectly by some respondents who specified a unit in R02_AE1009_UN. The error was corrected during Wave 2 Data Collection on 1/29/2015.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AE1004****

In the past 30 days, have you used an e-cigarette, even one or two times?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not know or refused to report how long it has been since they last used an e-cigarette or who last used an e-cigarette more than 30 days or 1 month ago.

ASK Specification: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIG = 1 AND R02_AO1003C = 3 AND (R02_AE1009_NN = -8, -7 OR (R02_AE1009_NN > 30 AND R02_AE1009_UN = 1) OR (R02_AE1009_NN > 1 AND R02_AE1009_UN = 2) OR (R02_AE1009_NN >= 1 AND R02_AE1009_UN = 3)).

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who answered that they last used e-cigarettes in years in item R02_AE1009 (R02_AE1009_UN = 3). The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1010**

Have you completely quit using e-cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used e-cigarettes and currently use them not at all.

ASK Specification: IF R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIG = 1 AND R02_AO1003C = 3.

BOX ID: **R02_AER06**

If LOOP = E-CIGARETTE: Adult respondents who have ever used an e-cigar, e-pipe, or e-hookah, go back to Box R02_AER04 and complete for the next product.

Else, if LOOP = E-CIGAR: Adult respondents who have ever used an e-pipe or e-hookah, go back to Box R02_AER04 and complete for the next product.

Else, if LOOP = E-PIPE: Adult respondents who have ever used an e-hookah, go back to Box R02_AER04 and complete for the next product.

Else, if all loops complete, go to Box R02_AGT01.

IF LOOP = E-CIGARETTE AND R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_ECIGAR = 1, GO BACK TO BOX R02_AER04.

ELSE, IF LOOP = E-CIGAR AND R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EPIPE = 1, GO BACK TO BOX R02_AER04.

ELSE, IF LOOP = E-PIPE AND R02_EVER_USER_EPRODS = 1 AND R02_EVER_USER_EHOOK = 1, GO BACK TO BOX R02_AER04.

ELSE, IF ALL LOOPS COMPLETE, GO TO R02_AGT01.

Variable(s): **R02_A01103**

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, e-cigars, e-pipes, e-hookahs, personal vaporizers, vape pens and hookah pens.)

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used any electronic nicotine products.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_EPRODS = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_A01206

Do you think you will try an electronic nicotine product in the next year?

- | | | |
|----|----------------|------------------|
| 1 | Definitely yes | |
| 2 | Probably yes | |
| 3 | Probably not | GO TO R02_AO1105 |
| 4 | Definitely not | GO TO R02_AO1105 |
| -8 | DON'T KNOW | GO TO R02_AO1105 |
| -7 | REFUSED | GO TO R02_AO1105 |

ASK: Young adult respondents who have never used any electronic nicotine products.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_EPRODS = 1.

Variable(s): R02_A01104

Do you think that you will try an electronic nicotine product soon?

- | | |
|----|----------------|
| 1 | Definitely yes |
| 2 | Probably yes |
| 3 | Probably not |
| 4 | Definitely not |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Young adult respondents who have never used any electronic nicotine products and will definitely or probably try an electronic nicotine product in the next year.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_EPRODS = 1 AND R02_AO1206 = 1, 2.

Variable(s): R02_A01105

If one of your best friends were to offer you an electronic nicotine product, would you try it?

- | | |
|----|----------------|
| 1 | Definitely yes |
| 2 | Probably yes |
| 3 | Probably not |
| 4 | Definitely not |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Young adult respondents who have never used any electronic nicotine products.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_EPRODS = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AGT01

The next questions are about **traditional cigars**, **cigarillos**, and **filtered cigars**. These products go by lots of different names, so please use these descriptions and photos to understand what they are.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, and Arturo Fuente, but there are many others.

SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

Variable(s): R02_AG9030

In the past 30 days, have you smoked a traditional cigar, even one or two puffs?

1 Yes

GO TO BOX R02_AGT02

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

Variable(s): R02_AG9003_12M

In the past 12 months, have you smoked a traditional cigar, even one or two puffs?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have not smoked a traditional cigar in the past 30 days or did not know or refused to report if they have smoked a traditional cigar in the past 30 days.

ASK Specification: IF R02_AG9030 = 2, -8, -7.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

BOX ID: R02_AGT02

Cigarillos and **filtered cigars** are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with filters or with plastic or wooden tips. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Prime Time, and Winchester.

SHOW GENERIC IMAGES OF CIGARILLOS AND FILTERED CIGARS

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG9031		
In the past 30 days, have you smoked a cigarillo or filtered cigar, even one or two puffs?			
1	Yes		
2	No		GO TO R02_AG9004_12M
-8	DON'T KNOW		GO TO R02_AG9004_12M
-7	REFUSED		GO TO R02_AG9004_12M
ASK: All adult respondents.			
IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS			

Variable(s):	SEE BELOW:		
Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days? Choose all that apply.			
The kind...			
R02_AG9049_01	1	With a plastic or wooden tip	
R02_AG9049_02	2	With a filter (like a cigarette filter)	
R02_AG9049_03	3	Without a tip or filter	
	-8	DON'T KNOW	
	-7	REFUSED	
ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days.			
ASK Specification: IF R02_AG9031 = 1.			
PROGRAM: Allow respondent to choose all that apply.			
GOTO: Adult respondents who smoked cigarillos or filtered cigars in the past 30 days, but did not smoke the kind with a tip or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R02_AG9051.			
Else, adult respondents who smoked cigarillos or filtered cigars in the past 30 days, but did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R02_AG9052.			
Else, adult respondents who smoked cigarillos or filtered cigars in the past 30 days, but did not smoke the kind without a tip or filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R02_AG9053.			
Else, go R02_AGV04.			
GOTO Specification: IF R02_AG9031 = 1 AND R02_AG9049_01 = 2, -8, -7, GO TO R02_AG9051.			
ELSE, IF R02_AG9031 = 1 AND R02_AG9049_02 = 2, -8, -7, GO TO R02_AG9052.			
ELSE, IF R02_AG9031 = 1 AND R02_AG9049_03 = 2, -8, -7, GO TO R02_AG9053.			
ELSE, GO TO R02_AGV04.			
IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS			

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AG9051**

In the past 12 months, have you smoked the kind with a plastic or wooden tip, even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind with a tip or did not know or refused to report which kind of cigarillo or filtered cigar they smoked.

ASK Specification: IF R02_AG9031 = 1 AND R02_AG9049_01 = 2, -8, -7.

GOTO: Adult respondents who smoked cigarillos or filtered cigars in the past 30 days, but did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R02_AG9052.

Else, adult respondents who smoked cigarillos or filtered cigars in the past 30 days, but did not smoke the kind without a tip or filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R02_AG9053.

Else, go R02_AGV04.

GOTO Specification: IF R02_AG9031 = 1 AND R02_AG9049_02 = 2, -8, -7, GO TO R02_AG9052.

ELSE, IF R02_AG9031 = 1 AND R02_AG9049_03 = 2, -8, -7, GO TO R02_AG9053.

ELSE, GO TO R02_AGV04.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS

Variable(s): **R02_AG9052**

In the past 12 months, have you smoked the kind with a filter (like a cigarette filter), even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked.

ASK Specification: IF R02_AG9031 = 1 AND R02_AG9049_02 = 2, -8, -7.

GOTO: Adult respondents who smoked cigarillos or filtered cigars in the past 30 days, but did not smoke the kind without a tip or filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R02_AG9053.

Else, go R02_AGV04.

GOTO Specification: IF R02_AG9031 = 1 AND R02_AG9049_03 = 2, -8, -7, GO TO R02_AG9053.

ELSE, GO TO R02_AGV04.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG9053													
In the past 12 months, have you smoked the kind without a tip or filter, even one or two puffs? <table style="width: 100%; border: none;"> <tr> <td style="width: 30%; text-align: center;">1</td> <td style="width: 40%;">Yes</td> <td style="width: 30%; text-align: right;">GO TO BOX R02_AGV04</td> </tr> <tr> <td style="text-align: center;">2</td> <td>No</td> <td style="text-align: right;">GO TO BOX R02_AGV04</td> </tr> <tr> <td style="text-align: center;">-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R02_AGV04</td> </tr> <tr> <td style="text-align: center;">-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO BOX R02_AGV04</td> </tr> </table> ASK: Adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind without a tip or filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked. ASK Specification: IF R02_AG9031 = 1 AND R02_AG9049_03 = 2, -8, -7. IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS			1	Yes	GO TO BOX R02_AGV04	2	No	GO TO BOX R02_AGV04	-8	DON'T KNOW	GO TO BOX R02_AGV04	-7	REFUSED	GO TO BOX R02_AGV04
1	Yes	GO TO BOX R02_AGV04												
2	No	GO TO BOX R02_AGV04												
-8	DON'T KNOW	GO TO BOX R02_AGV04												
-7	REFUSED	GO TO BOX R02_AGV04												

Variable(s):	R02_AG9004_12M													
In the past 12 months, have you smoked a cigarillo or filtered cigar, even one or two puffs? <table style="width: 100%; border: none;"> <tr> <td style="width: 30%; text-align: center;">1</td> <td style="width: 40%;">Yes</td> <td style="width: 30%;"></td> </tr> <tr> <td style="text-align: center;">2</td> <td>No</td> <td style="text-align: right;">GO TO R02_AGV04</td> </tr> <tr> <td style="text-align: center;">-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO R02_AGV04</td> </tr> <tr> <td style="text-align: center;">-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO R02_AGV04</td> </tr> </table> ASK: Adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days. ASK Specification: IF R02_AG9031 = 2, -8, -7. IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS			1	Yes		2	No	GO TO R02_AGV04	-8	DON'T KNOW	GO TO R02_AGV04	-7	REFUSED	GO TO R02_AGV04
1	Yes													
2	No	GO TO R02_AGV04												
-8	DON'T KNOW	GO TO R02_AGV04												
-7	REFUSED	GO TO R02_AGV04												

Variable(s):	SEE BELOW:																					
Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply. The kind... <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">R02_AG9009_12M_01</td> <td style="width: 5%;">1</td> <td style="width: 60%;">With a plastic or wooden tip</td> <td style="width: 10%;"></td> </tr> <tr> <td>R02_AG9009_12M_02</td> <td>2</td> <td>With a filter (like a cigarette filter)</td> <td></td> </tr> <tr> <td>R02_AG9009_12M_03</td> <td>3</td> <td>Without a tip or filter</td> <td></td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> <td></td> </tr> </table> ASK: Adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days, and have smoked a cigarillo or filtered cigar in the past 12 months. ASK Specification: IF R02_AG9031 = 2, -8, -7 AND R02_AG9004_12M = 1. PROGRAM: Allow respondent to choose all that apply. IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS			R02_AG9009_12M_01	1	With a plastic or wooden tip		R02_AG9009_12M_02	2	With a filter (like a cigarette filter)		R02_AG9009_12M_03	3	Without a tip or filter			-8	DON'T KNOW			-7	REFUSED	
R02_AG9009_12M_01	1	With a plastic or wooden tip																				
R02_AG9009_12M_02	2	With a filter (like a cigarette filter)																				
R02_AG9009_12M_03	3	Without a tip or filter																				
	-8	DON'T KNOW																				
	-7	REFUSED																				

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_AGV04
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R02_EVER_USER_GTRAD = Adult respondents who have ever smoked a traditional cigar. R02_EVER_USER_GRILLO = Adult respondents who have ever smoked a cigarillo. R02_EVER_USER_GFILTR = Adult respondents who have ever smoked a filtered cigar. R02_NEVER_USER_GTRAD = Adult respondents who have never smoked a traditional cigar. R02_NEVER_USER_GRILLO = Adult respondents who have never smoked a cigarillo. R02_NEVER_USER_GFILTR = Adult respondents who have never smoked a filtered cigar. R02_INIT_GTRAD_ADULT = Adult respondents who initiated traditional cigar smoking since their last completed interview. R02_INIT_GRILLO_ADULT = Adult respondents who initiated cigarillo smoking since their last completed interview. R02_INIT_GFILTR_ADULT = Adult respondents who initiated filtered cigar smoking since their last completed interview.	
R02_EVER_USER_GTRAD: IF (R01_EVER_USER_GTRAD = 1 OR R01_YG9104_01 = 1 OR R02_AG9030 = 1 OR R02_AG9003_12M = 1), THEN R02_EVER_USER_GTRAD= 1. ELSE, R02_EVER_USER_GTRAD = 2. R02_EVER_USER_GRILLO: IF R01_EVER_USER_GRILLO = 1 OR (R01_YG9104_02 = 1 AND (R01_YG9009_01 = 1 OR R01_YG9009_03 = 1)) OR R02_AG9049_01 = 1 OR R02_AG9049_03 = 1 OR R02_AG9051 = 1 OR R02_AG9053 = 1 OR R02_AG9009_12M_01 = 1 OR R02_AG9009_12M_03 = 1, THEN R02_EVER_USER_GRILLO = 1. ELSE, R02_EVER_USER_GRILLO = 2. R02_EVER_USER_GFILTR: IF R01_EVER_USER_GFILTR = 1 OR (R01_YG9104_02 = 1 AND R01_YG9009_02 = 1) OR R02_AG9049_02 = 1 OR R02_AG9052 = 1 OR R02_AG9009_12M_02 = 1, THEN R02_EVER_USER_GFILTR = 1. ELSE, R02_EVER_USER_GFILTR = 2. R02_NEVER_USER_GTRAD: IF (R01_EVER_USER_GTRAD != 1 AND R01_YG9104_01 != 1) AND R02_AG9003_12M = 2, -8, -7, THEN R02_NEVER_USER_GTRAD = 1. ELSE, R02_NEVER_USER_GTRAD = 2. R02_NEVER_USER_GRILLO: IF R01_EVER_USER_GRILLO != 1 AND (R01_YG9104_02 != 1 OR (R01_YG9009_01 != 1 AND R01_YG9009_03 != 1)) AND (R02_AG9031 != 1 OR (R02_AG9049_01 != 1 AND R02_AG9049_03 != 1)) AND R02_AG9051 != 1 AND R02_AG9053 != 1 AND R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1, THEN R02_NEVER_USER_GRILLO = 1. ELSE, R02_NEVER_USER_GRILLO = 2. R02_NEVER_USER_GFILTR: IF R01_EVER_USER_GFILTR != 1 AND (R01_YG9104_02 != 1 OR R01_YG9009_02 != 1) AND (R02_AG9031 != 1 OR R02_AG9049_02 != 1) AND R02_AG9052 != 1 AND R02_AG9009_12M_02 != 1, THEN R02_NEVER_USER_GFILTR = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

ELSE, R02_NEVER_USER_GFILTR = 2.

R02_INIT_GTRAD_ADULT:

IF (R01_EVER_USER_GTRAD != 1 AND R01_YG9104_01 != 1) AND R02_EVER_USER_GTRAD = 1, THEN R02_INIT_GTRAD_ADULT = 1.

ELSE, R02_INIT_GTRAD_ADULT = 2.

R02_INIT_GRILLO_ADULT:

IF (R01_EVER_USER_GRILLO != 1 AND (R01_YG9104_02 != 1 OR (R01_YG9009_01 != 1 AND R01_YG9009_03 != 1))) AND R02_EVER_USER_GRILLO = 1, THEN R02_INIT_GRILLO_ADULT = 1.

ELSE, R02_INIT_GRILLO_ADULT = 2.

R02_INIT_GFILTR_ADULT:

IF (R01_EVER_USER_GFILTR != 1 AND (R01_YG9104_02 != 1 OR R01_YG9009_02 != 1)) AND R02_EVER_USER_GFILTR = 1, THEN R02_INIT_GFILTR_ADULT = 1.

ELSE, R02_INIT_GFILTR_ADULT = 2.

Variable(s): R02_AG9107

Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R02_AGV01 |
| -8 DON'T KNOW | GO TO BOX R02_AGV01 |
| -7 REFUSED | GO TO BOX R02_AGV01 |

ASK: All adult respondents.

Variable(s): SEE BELOW:

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

- | | | |
|----------------------|---------------|-----------------|
| R02_AG1095_01 | 1 Group 1 | |
| R02_AG1095_02 | 2 Group 2 | |
| R02_AG1095_03 | 3 Group 3 | |
| R02_AG1095_04 | 4 Group 4 | |
| | -8 DON'T KNOW | GO TO R02_AGV01 |
| | -7 REFUSED | GO TO R02_AGV01 |

ASK: Adult respondents who have smoked part or all of a traditional cigar/cigarillo/filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF R02_AG9107 = 1.

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF 4 CIGAR GROUPS

NOTES: Group 1 corresponds to traditional cigars, group 2 corresponds to cigarillos with tips, group 3 corresponds to cigarillos without tips and group 4 corresponds to filtered cigars.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG9106CT; R02_AG9106CX; R02_AG9106FC; R02_AG9106TC

Now think about the past 12 months when you smoke the type of cigar shown below.

In the past 12 months, how often is any of the tobacco replaced with marijuana?

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo (with tip), cigarillo (without tip), or filtered cigar with marijuana in it in the past 12 months. This question is repeated for every cigar type identified in R02_AG1095[_01/.../_04].

ASK Specification: FOR R02_AG9106TC: IF R02_AG9107 = 1 AND R02_AG1095_01 = 1.

FOR R02_AG9106CT: IF R02_AG9107 = 1 AND R02_AG1095_02 = 1.

FOR R02_AG9106CX: IF R02_AG9107 = 1 AND R02_AG1095_03 = 1.

FOR R02_AG9106FC: IF R02_AG9107 = 1 AND R02_AG1095_04 = 1.

PROGRAM: Repeat this question for every cigar type identified in R02_AG1095[_01/.../_04].

If R02_AG1095_01 = 1, show image of traditional cigars.

If R02_AG1095_02 = 1, show image of cigarillos with tips.

If R02_AG1095_03 = 1, show image of cigarillos without tips.

If R02_AG1095_04 = 1, show image of filtered cigars.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AGV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R02_12MBLUNT_ONLY_BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

R02_12MBLUNT_ONLY_BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

R02_12MBLUNT_ONLY_BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

R02_INIT_BLUNT_BTRAD_ADULT = Adult respondents who initiated smoking traditional cigars as blunts since their last completed interview.

R02_INIT_BLUNT_BRILLO_ADULT = Adult respondents who initiated smoking cigarillos as blunts since their last completed interview.

R02_INIT_BLUNT_BFILTR_ADULT = Adult respondents who initiated smoking filtered cigars as blunts since their last completed interview.

R02_12MBLUNT_ONLY_BTRAD:

IF R02_AG1095_01 = 1 AND R02_AG9106TC = 1, THEN R02_12MBLUNT_ONLY_BTRAD = 1.
ELSE, R02_12MBLUNT_ONLY_BTRAD = 2.

R02_12MBLUNT_ONLY_BRILLO:

IF (R02_AG1095_02 = 1 OR R02_AG1095_03 = 1) AND (R02_AG9106CT = 1 OR R02_AG9106CX = 1), THEN R02_12MBLUNT_ONLY_BRILLO = 1.
ELSE, R02_12MBLUNT_ONLY_BRILLO = 2.

R02_12MBLUNT_ONLY_BFILTR:

IF R02_AG1095_04 = 1 AND R02_AG9106FC = 1, THEN R02_12MBLUNT_ONLY_BFILTR = 1.
ELSE, R02_12MBLUNT_ONLY_BFILTR = 2.

R02_INIT_BLUNT_BTRAD_ADULT:

IF (R01_AG9105 != 1 OR R01_YG9105 != 1) AND R02_AG1095_01 = 1 AND R02_AG9107 = 1, THEN R02_INIT_BLUNT_BTRAD_ADULT = 1.
ELSE, R02_INIT_BLUNT_BTRAD_ADULT = 2.

R02_INIT_BLUNT_BRILLO_ADULT:

IF (R01_AG9105 != 1 OR R01_YG9105 != 1) AND (R02_AG1095_02 = 1 OR R02_AG1095_03 = 1) AND R02_AG9107 = 1, THEN R02_INIT_BLUNT_BRILLO_ADULT = 1.
ELSE, R02_INIT_BLUNT_BRILLO_ADULT = 2.

R02_INIT_BLUNT_BFILTR_ADULT:

IF (R01_AG9105 != 1 OR R01_YG9105 != 1) AND R02_AG1095_04 = 1 AND R02_AG9107 = 1, THEN R02_INIT_BLUNT_BFILTR_ADULT = 1.
ELSE, R02_INIT_BLUNT_BFILTR_ADULT = 2.

BOX ID:	R02_AGD02
[CIGARFILL] SERIES Create [CIGARFILL]. If respondent has ever smoked traditional cigars, including when smoked as blunt-only, [CIGARFILL] = "traditional cigar". If respondent has ever smoked cigarillos, including when smoked as blunt-only, [CIGARFILL] = "cigarillo". If respondent has ever smoked filtered cigars, including when smoked as blunt-only, [CIGARFILL] = "filtered cigar".	
If R02_EVER_USER_GTRAD = 1 OR R02_12MBLUNT_ONLY_BTRAD = 1 OR R02_INIT_BLUNT_BTRAD_ADULT = 1, [CIGARFILL] = "traditional cigar". If R02_EVER_USER_GRILLO = 1 OR R02_12MBLUNT_ONLY_BRILLO = 1 OR R02_INIT_BLUNT_BRILLO_ADULT = 1, [CIGARFILL] = "cigarillo". If R02_EVER_USER_GFILTR = 1 OR R02_12MBLUNT_ONLY_BFILTR = 1 OR R02_INIT_BLUNT_BFILTR_ADULT = 1, [CIGARFILL] = "filtered cigar".	

BOX ID:	R02_AGR09
PROGRAM: CREATE CIGARLOOP1 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES: For Cigars (non-blunt): Repeat Box R02_AGR05 through Box R02_AGR06 in a loop for each type of cigar the respondent has used in the following order: traditional cigars, cigarillos, filtered cigars. For Cigars as Blunt-Only: Blunt-only cigar smokers will be asked Box R02_AGR05 through Box R02_AGR06 (but not R02_AG1010) in a loop for each type of cigar the respondents has used as blunt-only in the following order: traditional cigars, cigarillos, filtered cigars. The purpose is to assess for recent nicotine exposure via blunt usage to inform the biospecimen analysis. Display text instructions in addition to [CIGARFILL] text will be specified in the question DISPLAY statement.	
PROGRAM: SEE DERIVED VARIABLES IN APPENDIX FOR DEFINITION OF CIGARLOOP1. Cigar Loops (non-blunt): CIGARLOOP1 = BOX R02_AGR05 THROUGH BOX_R02_AGR06. IF R02_EVER_USER_GTRAD = 1 AND R02_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. IF R02_EVER_USER_GRILLO = 1 AND R02_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. IF R02_EVER_USER_GFILTR = 1 AND R02_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR.	

IF LOOP = GTRAD, REPEAT BOX R02_AGR05 THROUGH BOX R02_AGR06 ONCE FOR TRADITIONAL CIGARS WITH [CIGARFILL] = "traditional cigar". DO NOT DISPLAY ANY BLUNT-RELATED FILLS.

IF LOOP = GRILLO, REPEAT BOX R02_AGR05 THROUGH BOX R02_AGR06 ONCE FOR CIGARILLOS WITH [CIGARFILL] = "cigarillo". DO NOT DISPLAY ANY BLUNT-RELATED FILLS.

IF LOOP = GFILTR, REPEAT BOX R02_AGR05 THROUGH BOX R02_AGR06 ONCE FOR FILTERED CIGARS WITH [CIGARFILL] = "filtered cigar". DO NOT DISPLAY ANY BLUNT-RELATED FILLS.

COMPLETE ANY/ALL LOOPS FOR NON-BLUNT CIGAR TYPES FIRST.

Cigar Loops (blunt-only): CIGARLOOP1 = BOX R02_AGR05 THROUGH BOX R02_AGR06. DO NOT ASK ITEM R02_AG1010[TC/CG/FC].

IF R02_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD.

IF R02_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO.

IF R02_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.

IF LOOP = BTRAD, REPEAT BOX R02_AGR05 THROUGH BOX R02_AGR06 ONCE FOR TRADITIONAL CIGARS AS BLUNTS. [CIGARFILL] = "traditional cigar". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY.

IF LOOP = BRILLO, REPEAT BOX R02_AGR05 THROUGH BOX R02_AGR06 ONCE FOR CIGARILLOS AS BLUNTS.

[CIGARFILL] = "cigarillo". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY.

IF LOOP = BFILTR, REPEAT BOX R02_AGR05 THROUGH BOX R02_AGR06 ONCE FOR FILTERED CIGARS AS BLUNTS. [CIGARFILL] = "filtered cigar". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY.

COMPLETE ANY/ALL LOOPS FOR BLUNT-ONLY CIGAR TYPES SECOND.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AGT04

DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT A LOOP. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT.

The next questions are about [[CIGARFILL]]s, like those shown below.

As you answer these questions, please think ONLY about your use of [[**CIGARFILL**]]s/ when smoked as blunts.

[ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION, DISPLAY THE FOLLOWING:]
There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE FOR CIGARFILL].

IF CIGARLOOP = BTRAD, BRILLO OR BFILTR, DISPLAY " when smoked as blunts". ELSE, DISPLAY [[CIGARFILL]]s AS SPECIFIED.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_AGR05
Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months or adult respondents who smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 12 months, go to R02_AG1003[TC/.../FJ]. Else, adult respondents who did not smoke a traditional cigar/cigarillo/filtered cigar in the past 12 months, who were not former established or former experimental traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, go to R02_AG1009[TC/CG/FC]. Else, adult respondents who did not smoke a traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R02_AG1010[TC/CG/FC]. Else, go to Box R02_AGR06.	
IF LOOP = GTRAD AND (R02_AG9030 = 1 OR R02_AG9003_12M = 1), GO TO R02_AG1003TC. ELSE, IF LOOP = GTRAD AND ((R02_AG1003TC = 3 OR (R02_AG9003_12M = 2 AND R01_FORMER_USER_GTRAD !=1 AND R01_EXPERIMENTAL_FORMER_GTRAD !=1))), GO TO R02_AG1009TC. ELSE, IF LOOP = GTRAD AND ((R02_AG1003TC = 3 OR R02_AG9003_12M = 2)), GO TO R02_AG1010TC. ELSE, GO TO BOX R02_AGR06.	
IF LOOP = GRILLO AND (R02_AG9049_01 = 1 OR R02_AG9049_03 = 1 OR R02_AG9051 = 1 OR R02_AG9053 = 1 OR R02_AG9009_12M_01 = 1 OR R02_AG9009_12M_03 = 1), GO TO R02_AG1003CG. ELSE, IF LOOP = GRILLO AND ((R02_AG9049_01 != 1 AND R02_AG9049_03 != 1 AND R02_AG9051 != 1 AND R02_AG9053 != 1 AND R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1 AND R01_FORMER_USER_GRILLO != 1 AND R01_EXPERIMENTAL_FORMER_GRILLO != 1)), GO TO R02_AG1009CG. ELSE, IF LOOP = GRILLO AND ((R02_AG9049_01 != 1 AND R02_AG9049_03 != 1 AND R02_AG9051 != 1 AND R02_AG9053 != 1 AND R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1)), GO TO R02_AG1010CG. ELSE, GO TO BOX R02_AGR06.	
IF LOOP = GFILTR AND (R02_AG9049_02 = 1 OR R02_AG9052 = 1 R02_AG9009_12M_02 = 1, GO TO R02_AG1003FC. FOR R02_AG1009FC: IF LOOP = GFILTR AND ((R02_AG9049_02 != 1 AND R02_AG9052 != 1 AND R02_AG9009_12M_02 != 1 AND R01_FORMER_USER_GFILTR != 1 AND R01_EXPERIMENTAL_FORMER_GFILTR != 1)), GO TO R02_AG1009FC. FOR R02_AG1010FC: IF LOOP = GFILTR AND ((R02_AG9049_02 != 1 AND R02_AG9052 != 1 AND R02_AG9009_12M_02 != 1)), GO TO R02_AG1010FC. ELSE, GO TO BOX R02_AGR06.	
IF LOOP = BTRAD, GO TO R02_AG1003TJ. IF LOOP = BRILLO, GO TO R02_AG1003GJ. IF LOOP = BFILTR, GO TO R02_AG1003FJ.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1003TC; R02_AG1003CG; R02_AG1003FC; R02_AG1003TJ; R02_AG1003GJ; R02_AG1003FJ
Do you now smoke [[CIGARFILL]s/ as blunts]... 1 Every day 2 Some days 3 Not at all -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or adult respondents who smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 12 months. ASK Specification: FOR R02_AG1003TC: IF LOOP = GTRAD AND (R02_AG9030 = 1 OR R02_AG9003_12M = 1). FOR R02_AG1003CG: IF LOOP = GRILLO AND (R02_AG9049_01 = 1 OR R02_AG9049_03 = 1 OR R02_AG9051 = 1 OR R02_AG9053 = 1 OR R02_AG9009_12M_01 = 1 OR R02_AG9009_12M_03 = 1. FOR R02_AG1003FC: IF LOOP = GFILTR AND (R02_AG9049_02 = 1 OR R02_AG9052 = 1 OR R02_AG9009_12M_02 = 1. FOR R02_AG1003TJ: IF LOOP = BTRAD. FOR R02_AG1003GJ: IF LOOP = BRILLO. FOR R02_AG1003FJ: IF LOOP = BFILTR. DISPLAY: If LOOP = BTRAD, BRILLO or BFILTR, DISPLAY " as blunts". ELSE, DO NOT DISPLAY THIS TEXT. GOTO: Adult respondents who smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report if they smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke traditional cigars/cigarillos/filtered cigars, or adult respondents who are blunt-only traditional cigar/cigarillo/filtered cigar smokers who now smoke every day or some days or did not know or refused to report how often they now smoke traditional cigars/cigarillos/filtered cigars as blunts, go to R02_AG0100[TC/.../FJ]. Else, adult respondents who now smoke traditional cigars/cigarillos/filtered cigars not at all or adult respondents who are blunt-only traditional cigar/cigarillo/filtered cigar smokers who now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all, go to R02_AG1009[TC/.../FJ]. Else, go to Box R02_AGR06. GOTO Specification: FROM R02_AG1003TC: R02_AG9030 = 1, -8, -7 AND R02_AG9003_12M != 2, -8, -7 AND R02_AG1003TC = 1, 2, -8, -7, GO TO R02_AG0100TC. ELSE, IF R02_AG1003TC = 3, GO TO R02_AG1009TC. ELSE, GO TO BOX R02_AGR06. FROM R02_AG1003CG: IF R02_AG9031 = 1, -8, -7 AND (R02_AG9049_01 = 1, -8, -7 OR R02_AG9049_03 = 1, -8, -7) AND (R02_AG9051 != 2, -8, -7 OR R02_AG9053 != 2, -8, -7) AND R02_AG1003CG = 1, 2, -8, -7, GO TO R02_AG0100CG. ELSE, IF R02_AG1003CG = 3, GO TO R02_AG1009CG. ELSE, GO TO BOX R02_AGR06. FROM R02_AG1003FC: IF R02_AG9031 = 1, -8, -7 AND R02_AG9049_02 = 1, -8, -7 AND R02_AG9052 != 2, -8, -7 AND R02_AG1003FC = 1, 2, -8, -7 AND R02_EVER_USER_GFILTR = 1, GO TO R02_AG0100FC. ELSE, IF R02_AG1003FC = 3, GO TO R02_AG1009FC. ELSE, GO TO BOX R02_AGR06.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

FROM R02_AG1003TJ: IF R02_AG1003TJ = 1, 2, -8, -7, GO TO R02_AG0100TJ.
ELSE, IF R02_AG1003TJ = 3, GO TO R02_AG1009TJ.
ELSE, GO TO BOX R02_AGR06.
FROM R02_AG1003GJ: IF R02_AG1003GJ = 1, 2, -8, -7, GO TO R02_AG0100GJ.
ELSE, IF R02_AG1003GJ = 3, GO TO R02_AG1009GJ.
ELSE, GO TO BOX R02_AGR06.
FROM R02_AG1003FJ: IF R02_AG1003FJ = 1, 2, -8, -7, GO TO R02_AG0100FJ.
ELSE, IF R02_AG1003FJ = 3, GO TO R02_AG1009FJ.
ELSE, GO TO BOX R02_AGR06.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG0100TC; R02_AG0100CG^^; R02_AG0100FC^^; R02_AG0100TJ**;
R02_AG0100GJ**; R02_AG0100FJ**

When did you last smoke a [[CIGARFILL]/ as a blunt]?

- | | |
|--------------------------|-----------------------------|
| 1 In the past hour | GO TO R02_AG0103[TC/.../FJ] |
| 2 Sometime today | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO BOX R02_AGR06 |
| -8 DON'T KNOW | GO TO BOX R02_AGR06 |
| -7 REFUSED | GO TO BOX R02_AGR06 |

ASK: Adult respondents who smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report if they smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke traditional cigars/cigarillos/filtered cigars, or adult respondents who are blunt-only traditional cigar/cigarillo/filtered cigar smokers who now smoke every day or some days or did not know or refused to report how often they now smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: FOR R02_AG0100TC: IF LOOP = GTRAD AND R02_AG9030 = 1, -8, -7 AND R02_AG9003_12M != 2, -8, -7 AND R02_AG1003TC = 1, 2, -8, -7.

FOR R02_AG0100CG: IF LOOP = GRILLO AND R02_AG9031 = 1, -8, -7 AND (R02_AG9049_01 = 1, -8, -7 OR R02_AG9049_03 = 1, -8, -7) AND (R02_AG9051 != 2, -8, -7 OR R02_AG9053 != 2, -8, -7) AND R02_AG1003CG = 1, 2, -8, -7.

FOR R02_AG0100FC: IF LOOP = GFILTR AND R02_AG9031 = 1, -8, -7 AND R02_AG9049_02 = 1, -8, -7 AND R02_AG9052 != 2, -8, -7 AND R02_AG1003FC = 1, 2, -8, -7 AND R02_EVER_USER_GFILTR = 1.

FOR R02_AG0100TJ: IF LOOP = BTRAD AND R02_AG1003TJ = 1, 2, -8, -7.

FOR R02_AG0100GJ: IF LOOP = BRILLO AND R02_AG1003GJ = 1, 2, -8, -7.

FOR R02_AG0100FJ: IF LOOP = BFILTR AND R02_AG1003FJ = 1, 2, -8, -7.

DISPLAY: If LOOP = BTRAD, BRILLO or BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: **SKIP ERROR: R02_AG0100[TJ/GJ/FJ]: This item was skipped incorrectly by respondents who smoked traditional cigars / cigarillos / filtered cigars as blunts every day or some days (R02_AG1003[TJ/GJ/FJ] = 1 or 2) but did not smoke cigars / cigarillos / filtered cigars in the past 30 days (R02_AG9030 != 1/R02_AG9031 != 1). The error was not corrected during Wave 2 Data Collection.

^^R02_AG0100CG: This item was asked incorrectly of respondents who did not specify the type of cigar they smoked in the past 30 days in items R02_AG9049_01 or R02_AG9049_03, but indicated past 12 month use of: cigars with tips in R02_AG9051 or cigars without tips or filters in R02_AG9053. However, the data for these additional respondents that answered this question can be used to identify recent cigarillo use. The error was not corrected during Wave 2 Data Collection. The respondents who have additional data in this item can be identified through a cross-tabulation of the variables in the ASK specification, filtering for instances where R02_AG9049_01 != 1 AND R02_AG9049_03 != 1.

Please carefully review the ASK Specification to determine if the extra data can be used in a particular analysis or not.

^^R02_AG0100FC: This item was asked incorrectly of respondents who did not specify the type of cigar they smoked in the past 30 days in item R02_AG9049_02, but indicated past 12 month use of cigars with a filter in R02_AG9052. However, the data for these additional respondents that answered this question can be used to identify recent filtered cigar use. The error was not corrected during Wave 2 Data Collection. The respondents who have additional data in this item can be identified through a

PATH Study Wave 2 Adult Public Use File Annotated Instrument

cross-tabulation of the variables in the ASK specification, filtering for instances where R02_AG9049_02 != 1.

Please carefully review the ASK Specification to determine if the extra data can be used in a particular analysis or not.

Variable(s): R02_AG0102TC; R02_AG0102CG; R02_AG0102FC; R02_AG0102TJ; R02_AG0102GJ; R02_AG0102FJ

When you last smoked a [[CIGARFILL]/ as a blunt] [FILL BASED ON R02_AG0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report if they smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke traditional cigars/cigarillos/filtered cigars and smoked a traditional cigar/cigarillo/filtered cigar today, yesterday or the day before yesterday, or adult respondents who are blunt-only traditional cigar/cigarillo/filtered cigar smokers who now smoke every day or some days or did not know or refused to report how often they now smoke traditional cigars/cigarillos/filtered cigars as blunts and smoked a traditional cigar/cigarillo/filtered cigar as a blunt today, yesterday, or the day before yesterday.

ASK Specification: FOR R02_AG0102TC: IF LOOP = GTRAD AND R02_AG9030 = 1, -8, -7 AND R02_AG9003_12M != 2, -8, -7 AND R02_AG1003TC = 1, 2, -8, -7 AND R02_AG0100TC = 2, 3, 4.

FOR R02_AG0102CG: IF LOOP = GRILLO AND R02_AG9031 = 1, -8, -7 AND (R02_AG9049_01 = 1, -8, -7 OR R02_AG9049_03 = 1, -8, -7) AND (R02_AG9051 != 2, -8, -7 OR R02_AG9053 != 2, -8, -7) AND R02_AG1003CG = 1, 2, -8, -7 AND R02_AG0100CG = 2, 3, 4.

FOR R02_AG0102FC: IF LOOP = GFILTR AND R02_AG9031 = 1, -8, -7 AND R02_AG9049_02 = 1, -8, -7 AND R02_AG9052 != 2, -8, -7 AND R02_AG1003FC = 1, 2, -8, -7 AND R02_AG0100FC = 2, 3, 4.

FOR R02_AG0102TJ: IF LOOP = BTRAD AND R02_AG1003TJ = 1, 2, -8, -7 AND R02_AG0100TJ = 2, 3, 4.

FOR R02_AG0102GJ: IF LOOP = BRILLO AND R02_AG1003GJ = 1, 2, -8, -7 AND R02_AG0100GJ = 2, 3, 4.

FOR R02_AG0102FJ: IF LOOP = BFILTR AND R02_AG1003FJ = 1, 2, -8, -7 AND R02_AG0100FJ = 2, 3, 4.

DISPLAY: If LOOP = BTRAD, BRILLO or BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT. FOR [FILL BASED ON R02_AG0100] IF R02_AG0100[TC/.../FJ] = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AG0100[TC/.../FJ], MAKING FIRST LETTER LOWERCASE.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG0103TC; R02_AG0103CG; R02_AG0103FC; R02_AG0103TJ; R02_AG0103GJ; R02_AG0103FJ
How many [CIGARFILL]s [have/did] you [smoked/smoke][as a blunt] [FILL BASED ON R02_AG0100]? (If less than 1, enter 1.)	
I__I__I__I__	GO TO BOX R02_AGR06
-8 DON'T KNOW	GO TO BOX R02_AGR06
-7 REFUSED	GO TO BOX R02_AGR06
ASK: Adult respondents who smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report if they smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke traditional cigars/cigarillos/filtered cigars and smoked a traditional cigar/cigarillo/filtered cigar in the past hour, today, yesterday or the day before yesterday, or adult respondents who are blunt-only traditional cigar/cigarillo/filtered cigar smokers who now smoke every day or some days or did not know or refused to report how often they now smoke traditional cigars/cigarillos/filtered cigars as blunts and smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past hour, today, yesterday, or the day before yesterday. ASK Specification: FOR R02_AG0103TC: IF LOOP = GTRAD AND R02_AG9030 = 1, -8, -7 AND R02_AG9003_12M != 2, -8, -7 AND R02_AG1003TC = 1, 2, -8, -7 AND R02_AG0100TC = 1, 2, 3, 4. FOR R02_AG0103CG: IF LOOP = GRILLO AND R02_AG9031 = 1, -8, -7 AND (R02_AG9049_01 = 1, -8, -7 OR R02_AG9049_03 = 1, -8, -7) AND (R02_AG9051 != 2, -8, -7 OR R02_AG9053 != 2, -8, -7) AND R02_AG1003CG = 1, 2, -8, -7 AND R02_AG0100CG = 1, 2, 3, 4. FOR R02_AG0103FC: IF LOOP = GFILTR AND R02_AG9031 = 1, -8, -7 AND R02_AG9049_02 = 1, -8, -7 AND R02_AG9052 != 2, -8, -7 AND R02_AG1003FC = 1, 2, -8, -7 AND R02_AG0100FC = 1, 2, 3, 4. FOR R02_AG0103TJ: IF LOOP = BTRAD AND R02_AG1003TJ = 1, 2, -8, -7 AND R02_AG0100TJ = 1, 2, 3, 4. FOR R02_AG0103GJ: IF LOOP = BRILLO AND R02_AG1003GJ = 1, 2, -8, -7 AND R02_AG0100GJ = 1, 2, 3, 4. FOR R02_AG0103FJ: IF LOOP = BFILTR AND R02_AG1003FJ = 1, 2, -8, -7 AND R02_AG0100FJ = 1, 2, 3, 4. DISPLAY: If LOOP = BTRAD, BRILLO or BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT. IF R02_AG0100[TC/.../FJ] = 1 OR R02_AG0100[TC/.../FJ] = 2), DISPLAY "have" AND "smoked". IF R02_AG0100[TC/.../FJ] = 3 OR R02_AG0100[TC/.../FJ] = 4), DISPLAY "did" AND "smoke". FOR [FILL BASED ON R02_AG0100], IF R02_AG0100[TC/.../FJ] = 1 OR 2, DISPLAY "today"; IF R02_AG0100[TC/.../FJ] = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AG0100[TC/.../FJ], MAKING FIRST LETTER LOWERCASE. PROGRAM: Allow only 3 digits.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1009TC_NN**/**; R02_AG1009TC_UN; R02_AG1009CG_NN**/**; R02_AG1009CG_UN; R02_AG1009FC_NN**/**; R02_AG1009FC_UN; R02_AG1009TJ_NN; R02_AG1009TJ_UN; R02_AG1009GJ_NN**/**; R02_AG1009GJ_UN; R02_AG1009FJ_NN; R02_AG1009FJ_UN
About how long has it been since you last smoked a [[CIGARFILL]]/ as a blunt]? (If it was earlier today, enter 1 day) 1 __ __ DAYS 2 __ __ MONTHS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who now smoke traditional cigars/cigarillos/filtered cigars not at all, or adult respondents who did not smoke a traditional cigar/cigarillo/filtered cigar in the past 12 months, who were not former established or former experimental traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or adult respondents who are blunt-only traditional cigar/cigarillo/filtered cigar smokers who now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all. ASK Specification: FOR R02_AG1009TC: IF LOOP = GTRAD AND ((R02_AG1003TC = 3 OR (R02_AG9003_12M = 2 AND R01_FORMER_USER_GTRAD !=1 AND R01_EXPERIMENTAL_FORMER_GTRAD !=1))). FOR R02_AG1009CG: IF LOOP = GRILLO AND ((R02_AG1003CG = 3 OR (R02_AG9049_01 != 1 AND R02_AG9049_03 != 1 AND R02_AG9051 != 1 AND R02_AG9053 != 1 AND R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1 AND R01_FORMER_USER_GRILLO != 1 AND R01_EXPERIMENTAL_FORMER_GRILLO != 1))). FOR R02_AG1009FC: IF LOOP = GFILTR AND ((R02_AG1003FC = 3 OR (R02_AG9049_02 != 1 AND R02_AG9052 != 1 AND R02_AG9009_12M_02 != 1 AND R01_FORMER_USER_GFILTR != 1 AND R01_EXPERIMENTAL_FORMER_GFILTR != 1))). FOR R02_AG1009TJ: IF LOOP = BTRAD AND R02_AG1003TJ = 3. FOR R02_AG1009GJ: IF LOOP = BRILLO AND R02_AG1003GJ = 3. FOR R02_AG1009FJ: IF LOOP = BFILTR AND R02_AG1003FJ = 3. DISPLAY: If LOOP = BTRAD, BRILLO or BFILTR, DISPLAY " as a blunt". ELSE, DO NOT DISPLAY THIS TEXT. PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. GOTO: Adult respondents who now smoke traditional cigars/cigarillos/filtered cigars not at all or did not smoke a traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R02_AG1010[TC/CG/FC]. Else, go to Box R02_AGR06. GOTO Specification: FROM R02_AG1009TC: GO TO R02_AG1010TC. FROM R02_AG1009CG: GO TO R02_AG1010CG. FROM R02_AG1009FC: GO TO R02_AG1010FC. FROM R02_AG1009TJ: GO TO BOX R02_AGR06. FROM R02_AG1009GJ: GO TO BOX R02_AGR06. FROM R02_AG1009FJ: GO TO BOX R02_AGR06. NOTES: The value "1" refers to R02_AG1009[TC/.../FJ]_UN = Days; the value "2" refers to R02_AG1009[TC/.../FJ]_UN = Months. **SKIP ERROR: R02_AG1009[TC/CG/FC]:These items were skipped incorrectly by some respondents who were former or experimental former users (of traditional cigars, cigarillos, filtered cigars) in Wave 1 and answered "not at all" in item R02_AG1003[TC/CG/FC] respectively (R02_AG1003TC = 3, R02_AG1003CG = 3, R02_AG1003FC = 3). The error was corrected during Wave 2 Data Collection on 1/29/2015.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_AG1009GJ_NN: This item was skipped incorrectly by some respondents who answered “not at all” in item R02_AG1003GJ (R02_AG1003GJ = 3). The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AG1010TC***; R02_AG1010CG***; R02_AG1010FC*****

Have you completely quit smoking [CIGARFILL]s?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who now smoke traditional cigars/cigarillos/filtered cigars not at all or did not smoke a traditional cigar/cigarillo/filtered cigar in the past 12 months.

ASK Specification: FOR R02_AG1010TC: IF LOOP = GTRAD AND ((R02_AG1003TC = 3 OR R02_AG9003_12M = 2)).

FOR R02_AG1010CG: IF LOOP = GRILLO AND ((R02_AG1003CG = 3 OR (R02_AG9049_01 != 1 AND R02_AG9049_03 != 1 AND R02_AG9051 != 1 AND R02_AG9053 != 1 AND R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1))).

FOR R02_AG1010FC: IF LOOP = GFILTR AND ((R02_AG1003FC = 3 OR (R02_AG9049_02 != 1 AND R02_AG9052 != 1 AND R02_AG9009_12M_02 != 1))).

PROGRAM: Do not display the standard DK/R probe if this item is left blank; instead, when this item is left blank, go to R02_AG1132[TC/CG/FC].

GOTO: Adult respondents who now smoke traditional cigars/cigarillos/filtered cigars not at all or did not smoke a traditional cigar/cigarillo/filtered cigar in the past 12 months and leave R02_AG1010[TC/CG/FC] blank, go to R02_AG1132[TC/CG/FC].

Else, go to Box R02_AGR06.

GOTO Specification: FROM R02_AG1010TC: IF ((R02_AG1003TC = 3 OR R02_AG9003_12M = 2) AND R02_AG1010TC IS BLANK), GO TO R02_AG1132TC.

ELSE, GO TO BOX R02_AGR06.

FROM R02_AG1010CG: IF ((R02_AG1003CG = 3 OR (R02_AG9049_01 != 1 AND R02_AG9049_03 != 1 AND R02_AG9051 != 1 AND R02_AG9053 != 1 AND R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1)) AND R02_AG1010CG IS BLANK), GO TO R02_AG1132CG.

ELSE, GO TO BOX R02_AGR06.

FROM R02_AG1010FC: IF ((R02_AG1003FC = 3 OR (R02_AG9049_02 != 1 AND R02_AG9052 != 1 AND R02_AG9009_12M_02 != 1) AND R02_AG1010FC IS BLANK), GO TO R02_AG1132FC.

ELSE, GO TO BOX R02_AGR06.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1132TC; R02_AG1132CG; R02_AG1132FC	
You did not answer the previous question. Is that because...	
1 You have never smoked a [CIGARFILL]	GO TO BOX R02_AGR06
2 You really meant to answer	
3 You don't know the answer	GO TO BOX R02_AGR06
4 You'd rather not answer	GO TO BOX R02_AGR06
ASK: Adult respondents who now smoke traditional cigars/cigarillos/filtered cigars not at all or did not smoke a traditional cigar/cigarillo/filtered cigar in the past 12 months and leave R02_AG1010[TC/CG/FC] blank.	
ASK Specification: FOR R02_AG1132TC: IF LOOP = GTRAD AND ((R02_AG1003TC = 3 OR R02_AG9003_12M = 2) AND R02_AG1010TC IS BLANK).	
FOR R02_AG1132CG: IF LOOP = GRILLO AND ((R02_AG1003CG = 3 OR (R02_AG9049_01 != 1 AND R02_AG9049_03 != 1 AND R02_AG9051 != 1 AND R02_AG9053 != 1 AND R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1)) AND R02_AG1010CG IS BLANK).	
FOR R02_AG1132FC: IF LOOP = GFILTR AND ((R02_AG1003FC = 3 OR (R02_AG9049_02 != 1 AND R02_AG9052 != 1 AND R02_AG9009_12M_02 != 1) AND R02_AG1010FC IS BLANK).	

Variable(s): R02_AG1134TC; R02_AG1134CG; R02_AG1134FC	
Have you completely quit smoking [CIGARFILL]s?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who now smoke traditional cigars/cigarillos/filtered cigars not at all or did not smoke a traditional cigar/cigarillo/filtered cigar in the past 12 months and left R02_AG1010[TC/CG/FC] blank in error.	
ASK Specification: FOR R02_AG1134TC: IF LOOP = GTRAD AND ((R02_AG1003TC = 3 OR R02_AG9003_12M = 2) AND R02_AG1010TC IS BLANK AND R02_AG1132TC = 2).	
FOR R02_AG1134CG: IF LOOP = GRILLO AND ((R02_AG1003CG = 3 OR (R02_AG9049_01 != 1 AND R02_AG9049_03 != 1 AND R02_AG9051 != 1 AND R02_AG9053 != 1 AND R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1)) AND R02_AG1010CG IS BLANK AND R02_AG1132CG = 2).	
FOR R02_AG1134FC: IF LOOP = GFILTR AND ((R02_AG1003FC = 3 OR (R02_AG9049_02 != 1 AND R02_AG9052 != 1 AND R02_AG9009_12M_02 != 1) AND R02_AG1010FC IS BLANK AND R02_AG1132FC = 2).	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_AGR06
If LOOP = GTRAD and adult respondent has ever smoked cigarillos or filtered cigars or smoked cigarillos or filtered cigars as blunts in the past 12 months, go back to Box R02_AGR05 and complete for the next product. Else, if LOOP = GRILLO and adult respondent has ever smoked filtered cigars or smoked traditional cigars or filtered cigars as blunts in the past 12 months, go back to Box R02_AGR05 and complete for the next product. Else, if LOOP = GFILTR and adult respondent ever smoked traditional cigars or cigarillos as blunts in the past 12 months, go back to Box R02_AGR05 and complete for the next product. If LOOP = BTRAD and adult respondent smoked cigarillos as blunts or filtered cigars as blunts in the past 12 months, go back to Box R02_AGR05 and complete for the next product. Else, if LOOP = BRILLO and adult respondent smoked filtered cigars as blunts in the past 12 months, go back to Box R02_AGR05 and complete for the next product. Else, if all loops complete: Young adult respondents who have never smoked a traditional cigar or recanted previous use, go to R02_AG9010. Else, young adult respondents who have not smoked a traditional cigar in the past 12 months or did not know or refused to report if they smoked a traditional cigar in the past 12 months, go to R02_AG9020. Else, young adult respondents, go to Box R02_AGR07. Else, go to Box R02_APT01.	
IF LOOP = GTRAD AND (R02_EVER_USER_GRILLO = 1 OR R02_EVER_USER_GFILTR = 1 OR R02_12MBLUNT_ONLY_BRILLO = 1 OR R02_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R02_AGR05. ELSE, IF LOOP = GRILLO AND (R02_EVER_USER_GFILTR = 1 OR R02_12MBLUNT_ONLY_BTRAD = 1 OR R02_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R02_AGR05. ELSE, IF LOOP = GFILTR AND (R02_12MBLUNT_ONLY_BTRAD = 1 OR R02_12MBLUNT_ONLY_BRILLO = 1), GO BACK TO BOX R02_AGR05. IF LOOP = BTRAD AND (R02_12MBLUNT_ONLY_BRILLO = 1 OR R02_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R02_AGR05. ELSE, IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BFILTR = 1, GO BACK TO BOX R02_AGR05. ELSE, IF ALL LOOPS COMPLETE: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1), GO TO R02_AG9010. ELSE, IF R02_YOUNG_ADULT = 1 AND R02_AG9003_12M = 2, -8, -7, GO TO R02_AG9020. ELSE, IF R02_YOUNG_ADULT = 1, GO TO BOX R02_AGR07. ELSE, GO TO BOX R02_APT01.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AG9010**

The next questions are about traditional cigars.

Have you ever been curious about smoking a traditional cigar?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a traditional cigar or recanted previous use.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AG9020**

[The next question is about traditional cigars.

]Do you think you will smoke a traditional cigar in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a traditional cigar or recanted previous use or have not smoked a traditional cigar in the past 12 months or did not know or refused to report if they have smoked a traditional cigar in the past 12 months.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GTRAD = 1 OR R02_AG9003_12M = 2, -8, -7 OR R02_AG1132TC = 1).

DISPLAY: IF R02_NEVER_USER_GTRAD = 1, DO NOT DISPLAY CONDITIONAL TEXT. IF R02_EVER_USER_GTRAD = 1 AND R02_AG9003_12M != 1, DISPLAY "The next question is about traditional cigars."

GOTO: Young adult respondents who have never smoked a traditional cigar or recanted previous use and will definitely or probably smoke a traditional cigar in the next year, go to R02_AG9013.

Else, young adult respondents who have never smoked a traditional cigar or recanted previous use, go to R02_AG9016.

Else, go to Box R02_AGR07.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1) AND R02_AG9020 = 1, 2, GO TO R02_AG9013.

ELSE, IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1), GO TO R02_AG9016.

ELSE, GO TO BOX R02_AGR07.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

Variable(s): **R02_AG9013**

Do you think that you will try a traditional cigar soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a traditional cigar or recanted previous use and will definitely or probably smoke a traditional cigar in the next year.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1) AND R02_AG9020 = 1, 2.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG9016

If one of your best friends were to offer you a traditional cigar, would you smoke it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a traditional cigar or recanted previous use.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

BOX ID: R02_AGR07

Young adult respondents who have never smoked a cigarillo or recanted previous use, go to R02_AG9011.

Else, young adult respondents who have not smoked a cigarillo in the past 12 months or did not know or refused to report if they smoked a cigarillo in the past 12 months, go to R02_AG9021.

Else, go to Box R02_AGR08.

IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1), GO TO R02_AG9011.

ELSE, IF (R02_AG9004_12M = 2, -8, -7 OR (R02_AG9004_12M = 1 AND R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1), GO TO R02_AG9021.

ELSE, GO TO BOX R02_AGR08.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AG9011****

The next questions are about cigarillos.

Have you ever been curious about smoking a cigarillo?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarillo or recanted previous use.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLO

NOTES: **SKIP ERROR: R02_NEVER_USER_GRILLO was not correctly set to "1 = Yes" for new baseline respondents who used cigarillos only as blunts in Wave 1. The incorrect setting of R02_NEVER_USER_GRILLO also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AG9021**

[The next question is about cigarillos.

]Do you think you will smoke a cigarillo in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarillo or recanted previous use or have not smoked a cigarillo in the past 12 months or did not know or refused to report if they have smoked a cigarillo in the past 12 months.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_AG9004_12M = 2, -8, -7 OR (R02_AG9004_12M = 1 AND R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1) OR R02_AG1132CG = 1).

DISPLAY: IF R02_NEVER_USER_GRILLO = 1, DO NOT DISPLAY CONDITIONAL TEXT. IF R02_EVER_USER_GRILLO = 1 AND (R02_AG9004_12M = 2 OR (R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1)), DISPLAY "The next question is about cigarillos."

GOTO: Young adult respondents who have never smoked a cigarillo or recanted previous use and will definitely or probably smoke a cigarillo in the next year, go to R02_AG9014.

Else, young adult respondents who have never smoked a cigarillo or recanted previous use, go to R02_AG9017.

Else, go to Box R02_AGR08.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1) AND R02_AG9021 = 1, 2, GO TO R02_AG9014.

ELSE, IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1), GO TO R02_AG9017.

ELSE, GO TO BOX R02_AGR08.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLO

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AG9014*****

Do you think that you will try a cigarillo soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarillo or recanted previous use and will definitely or probably smoke a cigarillo in the next year.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1) AND R02_AG9021 = 1, 2.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AG9017****

If one of your best friends were to offer you a cigarillo, would you smoke it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarillo or recanted previous use.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

NOTES: **SKIP ERROR: R02_NEVER_USER_GRILLO was not correctly set to "1 = Yes" for new baseline respondents who used cigarillos only as blunts in Wave 1. The incorrect setting of R02_NEVER_USER_GRILLO also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

BOX ID: **R02_AGR08**

Young adult respondents who have never smoked a filtered cigar or recanted previous use, go to R02_AG9012.

Else, young adult respondents who have not smoked a filtered cigar in the past 12 months or did not know or refused to report if they smoked a filtered cigar in the past 12 months, go to R02_AG9022.

Else, go to Box R02_APT01.

IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1), GO TO R02_AG9012.

ELSE, IF R02_AG9004_12M = 2, -8, -7 OR (R02_AG9004_12M = 1 AND R02_AG9009_12M_02 != 1), GO TO R02_AG9022.

ELSE, GO TO BOX R02_APT01.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AG9012*****

The next questions are about filtered cigars.

Have you ever been curious about smoking a filtered cigar?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a filtered cigar or recanted previous use.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1).

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AG9022****

[The next question is about filtered cigars.

]Do you think you will smoke a filtered cigar in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a filtered cigar or recanted previous use or have not smoked a filtered cigar in the past 12 months or did not know or refused to report if they have smoked a filtered cigar in the past 12 months.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_AG9004_12M = 2, -8, -7 OR (R02_AG9004_12M = 1 AND R02_AG9009_12M_02 != 1) OR R02_AG1132FC = 1).

DISPLAY: IF R02_NEVER_USER_GFILTR = 1, DO NOT DISPLAY CONDITIONAL TEXT. IF R02_EVER_USER_GFILTR = 1 AND (R02_AG9004_12M = 2 OR R02_AG9009_12M_02 != 1), DISPLAY "The next question is about filtered cigars."

GOTO: Young adult respondents who have never smoked a filtered cigar or recanted previous use and will definitely or probably smoke a filtered cigar in the next year, go to R02_AG9015.

Else, young adult respondents who have never smoked a filtered cigar or recanted previous use, go to R02_AG9018.

Else, go to Box R02_APT01.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1) AND R02_AG9022 = 1, 2, GO TO R02_AG9015.

ELSE, IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1), GO TO R02_AG9018.

ELSE, GO TO BOX R02_APT01.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

NOTES: **SKIP ERROR: This item was skipped incorrectly by young adult respondents who were ever users of filtered cigars but reported that they never used filtered cigars in item R02_AG1132FC (R02_AG1132FC = 1). The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG9015

Do you think that you will try a filtered cigar soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a filtered cigar or recanted previous use and will definitely or probably smoke a filtered cigar in the next year.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1) AND R02_AG9022 = 1, 2.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

Variable(s): R02_AG9018***

If one of your best friends were to offer you a filtered cigar, would you smoke it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a filtered cigar or recanted previous use.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1).

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R02_APT01

The next questions are about smoking tobacco in **pipes**.

There are many different types of pipes. They all have a bowl that holds the tobacco and a stem. The picture below shows a typical pipe.

SHOW GENERIC IMAGE OF PIPE

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AP1004**

In the past 30 days, have you smoked a pipe filled with tobacco, even one or two puffs?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R02_AP1003 |
| 2 | No | |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF PIPES

Variable(s): **R02_AP1002_12M**

In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have not smoked a pipe filled with tobacco in the past 30 days or did not know or refused to report if they have smoked a pipe filled with tobacco in the past 30 days.

ASK Specification: IF R02_AP1004 = 2, -8, -7.

GOTO: Adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or did not know or refused to report if they smoked pipe tobacco in the past 12 months, go to R02_AP1003.

Else, adult respondents who did not smoke pipe tobacco in the past 12 months, who had ever smoked pipe tobacco and were not former established or former experimental pipe smokers as of their last completed interview, go to R02_AP1009.

Else, adult respondents who did not smoke pipe tobacco in the past 12 months, who had ever smoked pipe tobacco as of their last completed interview, go to R02_AP1010.

Else, go to Box R02_APV02.

GOTO Specification: IF R02_AP1004 = 1 OR R02_AP1002_12M = 1, -8, -7, GO TO R02_AP1003.

ELSE, IF R02_AP1002_12M = 2 AND (R01_EVER_USER_PIPE = 1 OR R01_YP1002 = 1) AND R01_FORMER_USER_PIPE != 1 AND R01_EXPERIMENTAL_FORMER_PIPE != 1, GO TO R02_AP1009.

ELSE, IF R02_AP1002_12M = 2 AND (R01_EVER_USER_PIPE = 1 OR R01_YP1002 = 1), GO TO R02_AP1010.

ELSE, GO TO BOX R02_APV02.

IMAGE: SHOW GENERIC IMAGE OF PIPES

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1003**
Do you now smoke a pipe filled with tobacco... 1 Every day 2 Some days 3 Not at all -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months. ASK Specification: IF R02_AP1004 = 1 OR R02_AP1002_12M = 1, -8, -7. GOTO: Adult respondents who smoked pipe tobacco in the past 30 days or did not know or refused to report if they smoked pipe tobacco in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke pipe tobacco, go to R02_AP0100. Else, adult respondents who now smoke pipe tobacco not at all, go to R02_AP1009. Else, go to Box R02_APV02. GOTO Specification: IF R02_AP1004 = 1, -8, -7 AND R02_AP1003 = 1, 2, -8, -7, GO TO R02_AP0100. ELSE, IF R02_AP1003 = 3, GO TO R02_AP1009. ELSE, GO TO BOX R02_APV02. NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who answered don't know or refused in items R02_AP1004 or R02_AP1002_12M. The error was not corrected during Wave 2 Data Collection.

Variable(s): R02_AP0100
When did you last smoke a pipe filled with tobacco? 1 In the past hour 2 Sometime today 3 Yesterday 4 Day before yesterday 5 Three or more days ago -8 DON'T KNOW -7 REFUSED GO TO R02_AP0103 GO TO BOX R02_APV02 GO TO BOX R02_APV02 GO TO BOX R02_APV02 ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or did not know or refused to report if they have smoked a pipe filled with tobacco in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke a pipe filled with tobacco. ASK Specification: IF R02_AP1004 = 1, -8, -7 AND R02_AP1003 = 1, 2, -8, -7.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AP0102**

When you last smoked a pipe filled with tobacco [FILL BASED ON R02_AP0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or did not know or refused to report if they have smoked a pipe filled with tobacco in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke a pipe filled with tobacco and have smoked a pipe filled with tobacco today, yesterday or the day before yesterday.

ASK Specification: IF R02_AP1004 = 1, -8, -7 AND R02_AP1003 = 1, 2, -8, -7 AND R02_AP0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R02_AP0100] IF R02_AP0100 = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AP0100, MAKING FIRST LETTER LOWERCASE.

Variable(s): **R02_AP0103**

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke] [FILL BASED ON R02_AP0100]? (If less than 1, enter 1.)

- | | |
|-----------------|---------------------|
| _ _ _ | GO TO BOX R02_APV02 |
| -8 DON'T KNOW | GO TO BOX R02_APV02 |
| -7 REFUSED | GO TO BOX R02_APV02 |

ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or did not know or refused to report if they have smoked a pipe filled with tobacco in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke a pipe filled with tobacco and have smoked a pipe filled with tobacco in past hour, today, yesterday or the day before yesterday.

ASK Specification: IF R02_AP1004 = 1, -8, -7 AND R02_AP1003 = 1, 2, -8, -7 AND R02_AP0100 = 1, 2, 3, 4.

DISPLAY: IF R02_AP0100 = 1 OR R02_AP0100 = 2, DISPLAY "have" AND "smoked". IF R02_AP0100 = 3 OR R02_AP0100 = 4, DISPLAY "did" AND "smoke". FOR [FILL BASED ON R02_AP0100], IF R02_AP0100 = 1 OR 2, DISPLAY "today"; IF R02_AP0100 = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AP0100, MAKING FIRST LETTER LOWERCASE.

PROGRAM: Allow only 3 digits.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1009_NN**/**; R02_AP1009_UN
About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day) 1 __ __ DAYS 2 __ __ MONTHS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who now smoke pipe tobacco not at all or adult respondents who did not smoke pipe tobacco in the past 12 months, and have ever smoked pipe tobacco and were not former established or former experimental pipe tobacco smokers as of their last completed interview. ASK Specification: IF R02_AP1003 = 3 OR (R02_AP1002_12M =2 AND (R01_EVER_USER_PIPE = 1 OR R01_YP1002 = 1) AND R01_FORMER_USER_PIPE !=1 AND R01_EXPERIMENTAL_FORMER_PIPE !=1). PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. NOTES: The value "1" refers to R02_AP1009_UN = Days; the value "2" refers to R02_AP1009_UN = Months. **SKIP ERROR: This item was skipped incorrectly by some respondents who were former or experimental former pipe tobacco smokers in Wave 1 and answered "not at all" in item R02_AP1003 (R02_AP1003 = 3). The error was corrected during Wave 2 Data Collection on 1/29/2015. ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AP1010***
Have you completely quit smoking pipes filled with tobacco? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who now smoke pipe tobacco not at all or who did not smoke pipe tobacco in the past 12 months, who have ever smoked pipe tobacco as of their last completed interview. ASK Specification: IF R02_AP1003 = 3 OR (R02_AP1002_12M = 2 (R01_EVER_USER_PIPE = 1 OR R01_YP1002 = 1)). PROGRAM: Do not display the standard DK/R probe if this item is left blank; instead, when this item is left blank, go to R02_AP1132. GOTO: Adult respondents who now smoke pipe tobacco not at all or who did not smoke pipe tobacco in the past 12 months, who have ever smoked pipe tobacco as of their last completed interview and leave R02_AP1010 blank, go to R02_AP1132. Else, go to Box R02_APV02. GOTO Specification: IF R02_AP1003 = 3 OR (R02_AP1002_12M = 2 (R01_EVER_USER_PIPE = 1 OR R01_YP1002 = 1)) AND R02_AP1010 IS BLANK, GO TO R02_AP1132. ELSE, GO TO BOX R02_APV02. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1132		
You did not answer the previous question. Is that because...		
1	You have never smoked a pipe filled with tobacco	GO TO BOX R02_APV02
2	You really meant to answer	
3	You don't know the answer	GO TO BOX R02_APV02
4	You'd rather not answer	GO TO BOX R02_APV02
ASK: Adult respondents who now smoke pipe tobacco not at all or who did not smoke pipe tobacco in the past 12 months, who have ever smoked pipe tobacco as of their last completed interview and leave R02_AP1010 blank.		
ASK Specification: IF R02_AP1003 = 3 OR (R02_AP1002_12M = 2 (R01_EVER_USER_PIPE = 1 OR R01_YP1002 = 1)) AND R02_AP1010 IS BLANK.		

Variable(s): R02_AP1134		
Have you completely quit smoking pipes filled with tobacco?		
1	Yes	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who now smoke pipe tobacco not at all or who did not smoke pipe tobacco in the past 12 months, who have ever smoked pipe tobacco as of their last completed interview and left R02_AP1010 blank in error.		
ASK Specification: IF R02_AP1003 = 3 OR (R02_AP1002_12M = 2 (R01_EVER_USER_PIPE = 1 OR R01_YP1002 = 1)) AND R02_AP1010 IS BLANK AND R02_AP1132 = 2.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_APV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R02_EVER_USER_PIPE = Adult respondents who have ever smoked a pipe. R02_NEVER_USER_PIPE = Adult respondents who have never smoked a pipe. R02_INIT_PIPE_ADULT = Adult respondents who initiated pipe smoking since their last completed interview.	
R02_EVER_USER_PIPE: IF (R01_EVER_USER_PIPE = 1 OR R01_YP1002 = 1 OR R02_AP1004 = 1 OR R02_AP1002_12M = 1) AND R02_AP1132 != 1, THEN R02_EVER_USER_PIPE = 1. ELSE, R02_EVER_USER_PIPE = 2.	
R02_NEVER_USER_PIPE: IF ((R01_EVER_USER_PIPE != 1 AND R01_YP1002 != 1) AND R02_AP1002_12M = 2, -8, -7) OR R02_AP1132 = 1, THEN R02_NEVER_USER_PIPE = 1. ELSE, R02_NEVER_USER_PIPE = 2.	
R02_INIT_PIPE_ADULT: IF (R01_EVER_USER_PIPE != 1 AND R01_YP1002 != 1) AND R02_EVER_USER_PIPE = 1, THEN R02_INIT_PIPE_ADULT = 1. ELSE, R02_INIT_PIPE_ADULT = 2.	

BOX ID:	R02_APR02
Young adult respondents who have never smoked a pipe, go to R02_AP1103. Else, young adult respondents who did not smoke in the past 12 months or did not know or refused to report if they smoked pipe tobacco in the past 12 months, go to R02_AP1206. Else, go to Box R02_AHT01.	
IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_PIPE = 1, GO TO R02_AP1103. ELSE, IF R02_YOUNG_ADULT = 1 AND R02_AP1002_12M = 2, -8, -7, GO TO R02_AP1206. ELSE, GO TO R02_AHT01.	

Variable(s):	R02_AP1103
Have you ever been curious about smoking a pipe filled with tobacco? 1 Very curious 2 Somewhat curious 3 A little curious 4 Not at all curious -8 DON'T KNOW -7 REFUSED	
ASK: Young adult respondents who have never smoked pipe tobacco. ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_PIPE = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1206

Do you think you will smoke a pipe filled with tobacco in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked pipe tobacco or young adult respondents who did not smoke pipe tobacco in the past 12 months or did not know or refused to report if they smoked pipe tobacco in the past 12 months.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_PIPE = 1 OR R02_AP1002_12M = 2, -8, -7).

GOTO: Young adult respondents who have never smoked pipe tobacco and will definitely or probably smoke pipe tobacco in the next year, go to R02_AP1104.

Else, young adult respondents who have never smoked pipe tobacco, go to R02_AP1205.

Else, go to Box R02_AHT01.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_PIPE = 1 AND R02_AP1206 = 1, 2, GO TO R02_AP1104.

ELSE, IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_PIPE = 1, GO TO R02_AP1205.

ELSE, GO TO BOX R02_AHT01.

Variable(s): R02_AP1104

Do you think you will try smoking a pipe filled with tobacco soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked pipe tobacco and will definitely or probably smoke pipe tobacco in the next year.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_PIPE = 1 AND R02_AP1206 = 1, 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1205

If one of your best friends were to offer you a pipe filled with tobacco, would you smoke it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked pipe tobacco.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_PIPE = 1.

BOX ID: R02_AHT01

We next ask about smoking tobacco in a **hookah**, which is a type of water pipe. It is sometimes also called a “narghile” pipe. From now on, we will use “hookah” to refer to a water pipe or narghile pipe.

There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafes or in hookah bars. The picture below shows a typical hookah.

SHOW GENERIC IMAGES OF HOOKAH

Variable(s): R02_AH1004

In the past 30 days, have you smoked hookah, even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

GO TO R02_AH1003

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1002_12M**

In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not smoked tobacco in a hookah in the past 30 days or did not know or refused to report if they have smoked tobacco in a hookah in the past 30 days.

ASK Specification: IF R02_AH1004 = 2, -8, -7.

GOTO: Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months or did not know or refused to report if they smoked tobacco in a hookah in the past 12 months, go to R02_AH1003.

Else, adult respondents who did not smoke tobacco in a hookah in the past 12 months, who have ever smoked tobacco in a hookah and were not former established or former experimental hookah smokers as of their last completed interview, go to R02_AH1009.

Else, adult respondents who did not smoke tobacco in a hookah in the past 12 months, who have ever smoked tobacco in a hookah as of their last completed interview, go to R02_AH1010.

Else, go to Box R02_AHV02.

GOTO Specification: IF R02_AH1004 = 1 OR R02_AH1002_12M = 1, -8, -7, GO TO R02_AH1003.

ELSE, IF (R02_AH1002_12M = 2 AND (R01_EVER_USER_HOOK = 1 OR R01_YH1002 = 1) AND R01_FORMER_USER_HOOK != 1 AND R01_EXPERIMENTAL_FORMER_HOOK != 1) OR (R02_AH1003 = 2 AND R02_AH0100 = 5, -8, -7), GO TO R02_AH1009.

ELSE, IF R02_AH1002_12M = 2 AND (R01_EVER_USER_HOOK = 1 OR R01_YH1002 = 1), GO TO R02_AH1010.

ELSE, GO TO BOX R02_AHV02.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1003****

Do you now smoke hookah...

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months or did not know or refused to report if they have smoked tobacco in a hookah in the past 12 months.

ASK Specification: IF R02_AH1004 = 1 OR R02_AH1002_12M = 1, -8, -7.

GOTO: Adult respondents who smoked tobacco in a hookah in the past 30 days or did not know or refused to report if they smoked tobacco in a hookah in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke tobacco in a hookah, go to R02_AH0100.

Else, adult respondents who now smoke tobacco in a hookah not at all, go to R02_AH1009.

Else, go to Box R02_AHV02.

GOTO Specification: IF R02_AH1004 = 1, -8, -7 AND R02_AH1003 = 1, 2, -8, -7, GO TO R02_AH0100.

ELSE, IF R02_AH1003 = 3, GO TO R02_AH1009.

ELSE, GO TO BOX R02_AHV02.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who answered don't know or refused in items R02_AH1004 or R02_AH1002_12M. The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH0100**

When did you last smoke hookah?

- 1 In the past hour
- 2 Sometime today
- 3 Yesterday
- 4 Day before yesterday
- 5 Three or more days ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or did not know or refused to report if they have smoked tobacco in a hookah in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke tobacco in a hookah.

ASK Specification: IF R02_AH1004 = 1, -8, -7 AND R02_AH1003 = 1, 2, -8, -7.

GOTO: Adult respondents who smoked tobacco in a hookah in the past 30 days or did not know or refused to report if they smoked tobacco in a hookah in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke tobacco in a hookah who have smoked tobacco in a hookah today, yesterday or the day before yesterday, go to R02_AH0102.

Else, adult respondents who smoked tobacco in a hookah in the past 30 days or did not know or refused to report if they smoked tobacco in a hookah in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke tobacco in a hookah who have smoked tobacco in a hookah in past hour, go to R02_AH0103.

Else, adult respondents who smoked tobacco in a hookah in the past 30 days or did not know or refused to report if they smoked tobacco in a hookah in the past 30 days and now smoke some days and last smoked tobacco in a hookah three or more days ago or did not know or refused to report when they last smoked tobacco in a hookah, go to R02_AH1009.

Else, go to Box R02_AHV02.

GOTO Specification: IF R02_AH1004 = 1, -8, -7 AND R02_AH1003 = 1, 2, -8, -7 AND R02_AH0100 = 2, 3, 4, GO TO R02_AH0102.

ELSE, IF R02_AH1004 = 1, -8, -7 AND R02_AH1003 = 1, 2, -8, -7 AND R02_AH0100 = 1, GO TO R02_AH0103.

ELSE, IF R02_AH1004 = 1, -8, -7 AND R02_AH1003 = 2 AND R02_AH0100 = 5, -8, -7, GO TO R02_AH1009.

ELSE, GO TO BOX R02_AHV02.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH0102**

When you last smoked hookah [FILL BASED ON R02_AH0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or did not know or refused to report if they have smoked tobacco in a hookah in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke tobacco in a hookah and have smoked tobacco in a hookah today, yesterday or the day before yesterday.

ASK Specification: IF R02_AH1004 = 1, -8, -7 AND R02_AH1003 = 1, 2, -8, -7 AND R02_AH0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R02_AH0100] IF R02_AH0100 = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AH0100, MAKING FIRST LETTER LOWERCASE.

Variable(s): **R02_AH0103**

How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R02_AH0100]?

- | | |
|-----------------|---------------------|
| _ _ _ | GO TO BOX R02_AHV02 |
| -8 DON'T KNOW | GO TO BOX R02_AHV02 |
| -7 REFUSED | GO TO BOX R02_AHV02 |

ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or did not know or refused to report if they have smoked tobacco in a hookah in the past 30 days and now smoke every day or some days or did not know or refused to report how often they now smoke tobacco in a hookah and have smoked tobacco in a hookah in past hour, today, yesterday or the day before yesterday.

ASK Specification: IF R02_AH1004 = 1, -8, -7 AND R02_AH1003 = 1, 2, -8, -7 AND R02_AH0100 = 1, 2, 3, 4.

DISPLAY: IF R02_AH0100 = 1 OR R02_AH0100 = 2, DISPLAY "have" AND "taken". IF R02_AH0100 = 3 OR R02_AH0100 = 4, DISPLAY "did" AND "take". FOR [FILL BASED ON R02_AH0100], IF R02_AH0100 = 1 OR 2, DISPLAY "today"; IF R02_AH0100 = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AH0100, MAKING FIRST LETTER LOWERCASE.

PROGRAM: Allow only 3 digits.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH1009_NN**/**; R02_AH1009_UN
About how long has it been since you last smoked hookah? (If it was earlier today, enter 1 day) 1 __ __ DAYS 2 __ __ MONTHS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who now smoke tobacco in a hookah not at all or adult respondents who did not smoke tobacco in a hookah in the past 12 months, who have ever smoked tobacco in a hookah and were not former established or former experimental hookah smokers as of their last completed interview or adult respondents who currently smoke tobacco in a hookah some days and last smoked tobacco in a hookah three or more days ago or did not know or refused to report when they last smoked tobacco in a hookah. ASK Specification: IF R02_AH1003 = 3 OR (R02_AH1002_12M = 2 AND (R01_EVER_USER_HOOK = 1 OR R01_YH1002 = 1) AND R01_FORMER_USER_HOOK != 1 AND R01_EXPERIMENTAL_FORMER_HOOK != 1) OR (R02_AH1003 = 2 AND R02_AH0100 = 5, -8,-7). PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. NOTES: The value "1" refers to R02_AH1009_UN = Days; the value "2" refers to R02_AH1009_UN = Months. **SKIP ERROR: This item was skipped incorrectly by some respondents who were former or experimental former hookah tobacco smokers in Wave 1 and answered "not at all" in item R02_AH1003 (R02_AH1003 = 3). The error was corrected during Wave 2 Data Collection on 1/29/2015. ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AH1010***
Have you completely quit smoking hookah? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who now smoke tobacco in a hookah not at all or did not smoke tobacco in a hookah in the past 12 months, who have ever smoked tobacco in a hookah as of their last completed interview. ASK Specification: IF R02_AH1003 = 3 OR (R02_AH1002_12M = 2 AND (R01_EVER_USER_HOOK = 1 OR R01_YH1002 = 1)). PROGRAM: Do not display the standard DK/R probe if this item is left blank; instead, when this item is left blank, go to R02_AH1132. GOTO: Adult respondents who now smoke tobacco in a hookah not at all or did not smoke tobacco in a hookah in the past 12 months, who have ever smoked tobacco in a hookah as of their last completed interview and leave R02_AH1010 blank, go to R02_AH1132. Else, go to Box R02_AHV02. GOTO Specification: IF R02_AH1003 = 3 OR (R02_AH1002_12M = 2 AND (R01_EVER_USER_HOOK = 1 OR R01_YH1002 = 1)), GO TO R02_AH1132. ELSE, GO TO BOX R02_AHV02. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH1132	
You did not answer the previous question. Is that because...	
1 You have never smoked hookah	GO TO BOX R02_AHV02
2 You really meant to answer	
3 You don't know the answer	GO TO BOX R02_AHV02
4 You'd rather not answer	GO TO BOX R02_AHV02
ASK: Adult respondents who now smoke tobacco in a hookah not at all or did not smoke tobacco in a hookah in the past 12 months, who have ever smoked tobacco in a hookah as of their last completed interview and leave R02_AH1010 blank.	
ASK Specification: IF R02_AH1003 = 3 OR (R02_AH1002_12M = 2 AND (R01_EVER_USER_HOOK = 1 OR R01_YH1002 = 1)) AND R02_AH1010 IS BLANK.	

Variable(s): R02_AH1134	
Have you completely quit smoking hookah?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who now smoke tobacco in a hookah not at all or did not smoke tobacco in a hookah in the past 12 months, who have ever smoked tobacco in a hookah as of their last completed interview and left R02_AH1010 blank in error.	
ASK Specification: IF R02_AH1003 = 3 OR (R02_AH1002_12M = 2 AND (R01_EVER_USER_HOOK = 1 OR R01_YH1002 = 1)) AND R02_AH1010 IS BLANK AND R02_AH1132 = 2.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_AHV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R02_EVER_USER_HOOK = Adult respondents who have ever smoked hookah. R02_NEVER_USER_HOOK = Adult respondents who have never smoked hookah. R02_INIT_HOOK_ADULT = Adult respondents who initiated hookah smoking since their last completed interview.	
R02_EVER_USER_HOOK: IF (R01_EVER_USER_HOOK = 1 OR R01_YH1002 = 1 OR R02_AH1004 = 1 OR R02_AH1002_12M = 1) AND R02_AH1132 != 1, THEN R02_EVER_USER_HOOK = 1. ELSE, R02_EVER_USER_HOOK = 2. R02_NEVER_USER_HOOK: IF ((R01_EVER_USER_HOOK != 1 AND R01_YH1002 != 1) AND R02_AH1002_12M = 2, -8, -7) OR R02_AH1132 = 1, THEN R02_NEVER_USER_HOOK = 1. ELSE, R02_NEVER_USER_HOOK = 2. R02_INIT_HOOK_ADULT: IF (R01_EVER_USER_HOOK != 1 AND R01_YH1002 != 1) AND R02_EVER_USER_HOOK = 1, THEN R02_INIT_HOOK_ADULT = 1. ELSE, R02_INIT_HOOK_ADULT = 2.	

BOX ID:	R02_AHR03
Young adult respondents who have never smoked tobacco in a hookah, go to R02_AH1103. Else, young adult respondents who did not smoke in the past 12 months or did not know or refused to report if they smoked tobacco in a hookah in the past 12 months, go to R02_AH1206. Else, go to Box R02_AST01.	
IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_HOOK = 1, GO TO R02_AH1103. ELSE, IF R02_YOUNG_ADULT = 1 AND R02_AH1002_12M = 2,-8, -7 GO TO R02_AH1206. ELSE, GO TO R02_AST01.	

Variable(s):	R02_AH1103
Have you ever been curious about smoking tobacco in a hookah? 1 Very curious 2 Somewhat curious 3 A little curious 4 Not at all curious -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who have never smoked tobacco in a hookah. ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_HOOK = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH1206

Do you think you will smoke tobacco in a hookah in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked tobacco in a hookah or have not smoked tobacco in a hookah in the past 12 months or did not know or refused to report if they have smoked tobacco in a hookah in the past 12 months.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_HOOK = 1 OR R02_AH1002_12M = 2, -8, -7).

GOTO: Young adult respondents who have never smoked tobacco in a hookah and will definitely or probably smoke tobacco in a hookah in the next year, go to R02_AH1104.

Else, young adult respondents who have never smoked tobacco in a hookah, go to R02_AH1205.

Else, go to Box R02_AST01.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_HOOK = 1 AND R02_AH1206 = 1, 2, GO TO R02_AH1104.

ELSE, IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_HOOK = 1, GO TO R02_AH1205.

ELSE, GO TO BOX R02_AST01.

Variable(s): R02_AH1104

Do you think you will try smoking tobacco in a hookah soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked tobacco in a hookah and will definitely or probably smoke tobacco in a hookah in the next year.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_HOOK = 1 AND R02_AH1206 = 1, 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH1205
If one of your best friends were to offer you a hookah, would you try it? 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who have never smoked tobacco in a hookah. ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_HOOK = 1.

BOX ID: R02_AST01
The next questions ask about smokeless tobacco which you put in your mouth. Frequently you chew, suck or spit while using smokeless tobacco, although there is no need to do so for some types. Snus, for instance, is a type of smokeless tobacco that comes in a small pouch that you put inside your lip. There are many kinds of smokeless tobacco, such as snus pouches, loose snus, moist snuff, dip, spit, and chewing tobacco. Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly, Nordic Ice and Copenhagen. SHOW GENERIC IMAGES OF SMOKELESS TOBACCO

BOX ID: R02_AUV01
DEFINE VARIABLE [OTHPOUCH] to capture names of types of smokeless tobacco pouches other than snus pouches. OTHPOUCH="Skoal Bandits"

Variable(s): R02_AU1004
In the past 30 days, have you used snus pouches, even one or two times? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R02_AU1002_12M GO TO R02_AU1002_12M GO TO R02_AU1002_12M ASK: All adult respondents. IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AU9003**

There are many brands of snus pouches. In the past 30 days, have you used the brand called "[OTHPOUCH]"?

- 1 Yes, I have used only [OTHPOUCH]
- 2 Yes, I have used both [OTHPOUCH] and other brands of snus pouches
- 3 No, I have not used [OTHPOUCH]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used snus pouches in the past 30 days.

ASK Specification: IF R02_AU1004 = 1.

DISPLAY: Bold "only" in response code 1. Bold "both" in response code 2.

GOTO: Adult respondents who have used snus pouches in the past 30 days and only used Skoal Bandits, go to R02_AU9005.

Else, go to R02_AS1004.

GOTO Specification: IF R02_AU1004 = 1 AND R02_AU9003 = 1, GO TO R02_AU9005.

ELSE, GO TO R02_AS1004.

Variable(s): **R02_AU9005**

In the past 12 months, have you used any other brand of snus pouches, even one or two times?

- | | |
|---------------|------------------|
| 1 Yes | GO TO R02_AS1004 |
| 2 No | GO TO R02_AS1004 |
| -8 DON'T KNOW | GO TO R02_AS1004 |
| -7 REFUSED | GO TO R02_AS1004 |

ASK: Adult respondents who have used snus pouches in the past 30 days and only used Skoal Bandits.

ASK Specification: IF R02_AU1004 = 1 AND R02_AU9003 = 1.

Variable(s): **R02_AU1002_12M**

In the past 12 months, have you used snus pouches, even one or two times?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R02_AS1004 |
| -8 DON'T KNOW | GO TO R02_AS1004 |
| -7 REFUSED | GO TO R02_AS1004 |

ASK: Adult respondents who have not used snus pouches in the past 30 days or did not know or refused to report if they have used snus pouches in the past 30 days.

ASK Specification: IF R02_AU1004 = 2, -8, -7.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AU9004

There are many brands of snus pouches. In the past 12 months, have you used the brand called "[OTHPOUCH]"?

- 1 Yes, I have used only [OTHPOUCH]
- 2 Yes, I have used both [OTHPOUCH] and other brands of snus pouches
- 3 No, I have not used [OTHPOUCH]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not used snus pouches in the past 30 days or did not know or refused to report if they have used snus pouches in the past 30 days and have used snus pouches in the past 12 months.

ASK Specification: IF R02_AU1004 = 2, -8, -7 AND R02_AU1002_12M = 1.

DISPLAY: Bold "only" in response code 1. Bold "both" in response code 2.

Variable(s): R02_AS1004

In the past 30 days, have you used other smokeless tobacco products, such as loose snus, moist snuff, dip, spit, or chewing tobacco, even one or two times?

- 1 Yes GO TO R02_ASV01
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGES OF SMOKELESS TOBACCO EXCLUDING SNUS TINS AND POUCHES

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS1002_12M
In the past 12 months, have you used other smokeless tobacco products, such as loose snus, moist snuff, dip, spit, or chewing tobacco, even one or two times? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have not used smokeless tobacco in the past 30 days or did not know or refused to report if they have used smokeless tobacco in the past 30 days. ASK Specification: IF R02_AS1004 = 2, -8, -7. GOTO: Adult respondents who have used smokeless tobacco in the past 30 days or past 12 months or used snus pouches or smokeless tobacco as of their last interview, go to Box R02_ASV01. Else, go to Box R02_ASV03. GOTO Specification: IF R02_AU1004 = 1 OR R02_AU1002_12M = 1 OR R02_AS1004 = 1 OR R02_AS1002_12M = 1 OR R01_EVER_USER_SNUS = 1 OR R01_YS1002_01 = 1 OR R01_EVER_USER_SMKLS = 1 OR R01_YS1002_02 = 1, GO TO BOX R02_ASV01. ELSE, GO TO BOX R02_ASV03. IMAGE: SHOW GENERIC IMAGES OF SMOKELESS TOBACCO EXCLUDING SNUS TINS AND POUCHES	

BOX ID:	R02_ASV01
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX): (A) SMKLSSTYPE[1] = Adult respondent uses smokeless tobacco, but not snus pouches. (B) SMKLSSTYPE[2] = Adult respondent uses snus pouches but not other forms of smokeless tobacco. (C) SMKLSSTYPE[3] = Adult respondent uses both snus pouches and other forms of smokeless tobacco. SMKLSSTYPE[1]: IF R02_EVER_USER_SMKLS = 1 AND R02_NEVER_USER_SNUS = 1, SMKLSSTYPE[1] = 1, ELSE SMKLSSTYPE[1] = 2. SMKLSSTYPE[2]: IF R02_EVER_USER_SNUS = 1 AND R02_NEVER_USER_SMKLS = 1, SMKLSSTYPE[2] = 1, ELSE SMKLSSTYPE[2] = 2. SMKLSSTYPE[3]: IF R02_EVER_USER_SMKLS = 1 AND R02_EVER_USER_SNUS = 1, SMKLSSTYPE[3] = 1, ELSE SMKLSSTYPE[3] = 2.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ASD01
PROGRAM – Loop through section once for each type of smokeless tobacco the respondent uses, filling [SMKLSSFILL] appropriately. (A) SMKLSSTYPE[1]=1; Fill with 'smokeless tobacco'. If respondent only uses smokeless tobacco and not snus pouches, complete section one time, filling [SMKLSSFILL] with “smokeless tobacco”. (B) SMKLSSTYPE[2]=1; Fill with 'snus pouches'. If respondent only uses snus pouches and not other smokeless tobacco, complete section one time, filling [SMKLSSFILL] with “snus pouches”. (C) SMKLSSTYPE[3]=1; Fill with 'smokeless tobacco' and 'snus pouches'. If respondent uses both snus pouches and smokeless tobacco, complete section twice. The first time, fill [SMKLSSFILL] with “snus pouches”. The second time, fill [SMKLSSFILL] with “smokeless tobacco”.	
LOOP through section once for each type of smokeless tobacco the respondent uses. (A) SMKLSSTYPE[1]=1 IF SMKLSSTYPE[1] = 1, LOOP = SMKLS and SMKLSSFILL = “smokeless tobacco”. (B) SMKLSSTYPE[2]=1 IF SMKLSSTYPE[2] = 1, LOOP = SNUS and SMKLSSFILL = “snus pouches”. (C) SMKLSSTYPE[3]=1 IF SMKLSSTYPE[3] = 1, LOOP = SNUS and SMKLSSFILL = “snus pouches”, THEN LOOP = SMKLS and SMKLSSFILL = “smokeless tobacco”.	

BOX ID: R02_AUT01

(A) SMKLSSTYPE[1]=1

No transition text shown. GO DIRECTLY TO R02_AS1003SM.

(B) SMKLSSTYPE[2]=1

Display the following transition text:

The next questions ask about **snus pouches**. Common brands of snus pouches include Camel snus, General snus, Marlboro snus, and Nordic Ice, but there are many others.

Please think about your use of snus pouches as you answer these questions.

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

(C) SMKLSSTYPE[3]=1

Display the following transition text for the first loop for snus pouches:

The next questions ask about **snus pouches**, a type of smokeless tobacco that comes in a small pouch that you put under your lip. Common brands of snus pouches include Camel snus, General snus, Marlboro snus, and Nordic Ice, but there are many others.

Please think about your use of snus pouches as you answer these questions. There will be a separate section later about other kinds of smokeless tobacco.

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

Display the following transition text for the second loop for smokeless tobacco:

You just answered questions about snus pouches. The next questions are about your use of **other kinds of smokeless tobacco**, such as loose snus, moist snuff, dip, spit, and chewing tobacco. Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly and Copenhagen, but there are many others.

The questions will use the phrase “smokeless tobacco” to refer to these products. Please think about your use of smokeless tobacco products, not including snus pouches, as you answer these questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS TIN AND POUCHES]

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ASR09
Adult respondents who used snus pouches/smokeless tobacco in the past 30 days or past 12 months, go to R02_AS1003[SU/SM]. Else, adult respondents who did not use snus pouches/smokeless tobacco in the past 12 months, who had ever used snus pouches/smokeless tobacco and were not former established or former experimental snus pouch/smokeless tobacco users as of their last completed interview, go to R02_AS1009[SU/SM]. Else, adult respondents who did not use snus pouches/smokeless tobacco in the past 12 months, who had ever used snus pouches/smokeless tobacco as of their last completed interview, go to R02_AS1010[SU/SM]. Else, go to Box R02_ASV03.	
IF LOOP = SNUS AND ((R02_AU1004 = 1 AND (R02_AU9003 = 2, 3 OR R02_AU9005 = 1)) OR (R02_AU1002_12M = 1 AND R02_AU9004 = 2, 3)), GO TO R02_AS1003SU. ELSE, IF LOOP = SNUS AND ((R02_AU9005 = 2 OR R02_AU1002_12M = 2 OR R02_AU9004 = 1) AND (R01_EVER_USER_SNUS = 1 OR R01_YU1003 = 2, 3) AND R01_FORMER_USER_SNUS != 1 AND R01_EXPERIMENTAL_FORMER_SNUS != 1), GO TO R02_AS1009SU. ELSE, IF LOOP = SNUS AND ((R02_AS1003SU = 3 OR ((R02_AU9005 = 2 OR R02_AU1002_12M = 2 OR R02_AU9004 = 1) AND (R01_EVER_USER_SNUS = 1 OR R01_YU1003 = 2, 3))), GO TO R02_AS1010SU. ELSE, GO TO BOX R02_ASV03.	
IF LOOP = SMKLS AND (R02_AS1004 = 1 OR R02_AS1002_12M = 1 OR R02_AU9003 = 1 OR 2 OR R02_AU9004 = 1, 2), GO TO R02_AS1003SM. ELSE, IF LOOP = SMKLS AND (R02_AS1002_12M = 2 AND (R02_AU9003 != 1 AND R02_AU9003 != 2) AND (R02_AU9004 != 1 AND R02_AU9004 != 2) AND (R01_EVER_USER_SMKLS = 1 OR R01_YS1002_02 = 1 OR R01_YU1003 = 1, 2) AND (R01_FORMER_USER_SMKLS != 1 AND R01_EXPERIMENTAL_FORMER_SMKLS != 1)), GO TO R02_AS1009SM. ELSE, IF LOOP = SMKLS AND (R02_AS1002_12M = 2 AND (R02_AU9003 != 1 AND R02_AU9003 != 2) AND (R02_AU9004 != 1 AND R02_AU9004 != 2) AND (R01_EVER_USER_SMKLS = 1 OR R01_YS1002_02 = 1 OR R01_YU1003 = 1, 2)), GO TO R02_AS1010SM. ELSE, GO TO BOX R02_ASV03.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1003SU**; R02_AS1003SM**

Do you now use [SMKLSSFILL]...

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used snus pouches/smokeless tobacco in the past 30 days or in the past 12 months.

ASK Specification: FOR R02_AS1003SU: IF LOOP = SNUS AND ((R02_AU1004 = 1 AND (R02_AU9003 = 2, 3 OR R02_AU9005 = 1)) OR (R02_AU1002_12M = 1 AND R02_AU9004 = 2, 3)).

FOR R02_AS1003SM: IF LOOP = SMKLS AND (R02_AS1004 = 1 OR R02_AS1002_12M = 1 OR R02_AU9003 = 1 OR 2 OR R02_AU9004 = 1, 2).

GOTO: Adult respondents who used snus pouches/smokeless tobacco in the past 30 days or did not know or refused to report if they used snus pouches/smokeless tobacco in the past 30 days and now use every day or some days or did not know or refused to report how often they now use snus pouches/smokeless tobacco, go to R02_AS0100[SU/SM].

Else, adult respondents who now use snus pouches/smokeless tobacco not at all or all, go to R02_AS1009[SU/SM].

Else, go to Box R02_ASR05.

GOTO Specification: FROM R02_AS1003SU: IF R02_AU1004 = 1, -8, -7 AND R02_AU9003 = 2, 3, -8, -7 AND R02_AS1003SU = 1, 2, -8, -7, GO TO R02_AS0100SU.

ELSE, IF R02_AS1003SU = 3, GO TO R02_AS1009SU.

ELSE, GO TO BOX R02_ASR05.

FROM R02_AS1003SM: IF (R02_AS1004 = 1, -8, -7 OR R02_AU9003 = 1, 2) AND R02_AS1003SM = 1, 2, -8, -7, GO TO R02_AS0100SM.

ELSE, IF R02_AS1003SM = 3, GO TO R02_AS1009SM.

ELSE, GO TO BOX R02_ASR05.

NOTES: **SKIP ERROR: R02_AS1003SU: This item was skipped incorrectly by respondents who indicated that they used only Skoal bandits in the past 30 days (R02_AU9003 = 1), but used other brands of snus pouches in the past year (R02_AU9005 = 1) or used Skoal bandits and snus pouches in the past 12 months (R02_AU9004 = 2). The error was not corrected during Wave 2 Data Collection.

R02_AS1003SM: This item was skipped incorrectly by some respondents who used smokeless tobacco in the past 12 months (R02_AS1002_12M = 1). The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS0100SU; R02_AS0100SM**

When did you last use [SMKLSSFILL]?

- | | |
|--------------------------|-------------------------|
| 1 In the past hour | GO TO R02_AS0103[SU/SM] |
| 2 Sometime today | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO BOX R02_ASR05 |
| -8 DON'T KNOW | GO TO BOX R02_ASR05 |
| -7 REFUSED | GO TO BOX R02_ASR05 |

ASK: Adult respondents who used snus pouches/smokeless tobacco in the past 30 days or did not know or refused to report if they used snus pouches/smokeless tobacco in the past 30 days and now use every day or some days or did not know or refused to report how often they now use snus pouches/smokeless tobacco.

ASK Specification: FOR R02_AS0100SU: IF LOOP = SNUS AND R02_AU1004 = 1, -8, -7 AND R02_AU9003 = 2, 3, -8, -7 AND R02_AS1003SU = 1, 2, -8, -7.

FOR R02_AS0100SM: IF LOOP = SMKLS AND (R02_AS1004 = 1, -8, -7 OR R02_AU9003 = 1, 2) AND R02_AS1003SM = 1, 2, -8, -7.

Variable(s): **R02_AS0102SU; R02_AS0102SM**

When you last used [SMKLSSFILL] [FILL BASED ON R02_AS0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used snus pouches/smokeless tobacco in the past 30 days or did not know or refused to report if they snus pouches/smokeless tobacco in the past 30 days and now use every day or some days or did not know or refused to report how often they now use snus pouches/smokeless tobacco who have used snus pouches/smokeless tobacco sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R02_AS0102SU: IF LOOP = SNUS AND R02_AU1004 = 1, -8, -7 AND R02_AU9003 = 2, 3, -8, -7 AND R02_AS1003SU = 1, 2, -8, -7 AND R02_AS0100SU = 2, 3, 4.

FOR R02_AS0102SM: IF LOOP = SMKLS AND (R02_AS1004 = 1, -8, -7 OR R02_AU9003 = 1, 2) AND R02_AS1003SM = 1, 2, -8, -7 AND R02_AS0100SM = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R02_AS0100] IF R02_AS0100[SU/SM] = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AS0100[SU/SM], MAKING FIRST LETTER LOWERCASE.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS0103SU; R02_AS0103SM	
How many [times/snus pouches] [have/did] you [used/use] [smokeless tobacco] [FILL BASED ON R02_AS0100]? _ _ _ -8 DON'T KNOW -7 REFUSED GO TO BOX R02_ASR05 GO TO BOX R02_ASR05 GO TO BOX R02_ASR05	
ASK: Adult respondents who used snus pouches/smokeless tobacco in the past 30 days or did not know or refused to report if they snus pouches/smokeless tobacco in the past 30 days and now use every day or some days or did not know or refused to report how often they now use snus pouches/smokeless tobacco who have used snus pouches/smokeless tobacco sometime in the past hour, today, yesterday or the day before yesterday. ASK Specification: FOR R02_AS0103SU: IF LOOP = SNUS AND R02_AU1004 = 1, -8, -7 AND R02_AU9003 = 2, 3, -8, -7 AND R02_AS1003SU = 1, 2, -8, -7 AND R02_AS0100SU = 1, 2, 3, 4. FOR R02_AS0103SM: IF LOOP = SMKLS AND (R02_AS1004 = 1, -8, -7 OR R02_AU9003 = 1, 2) AND R02_AS1003SM = 1, 2, -8, -7 AND R02_AS0100SM = 1, 2, 3, 4. DISPLAY: FOR R02_AS0103SU: IF LOOP = SNUS, DISPLAY "snus pouches". IF R02_AS0100SU = 1 OR R02_AS0100SU = 2, DISPLAY "have" AND "used". IF R02_AS0100SU = 3 OR R02_AS0100SU = 4, DISPLAY "did" AND "use". FOR [FILL BASED ON R02_AS0100], IF R02_AS0100SU = 1 OR 2, DISPLAY "today"; IF R02_AS0100SU = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AS0100SU, MAKING FIRST LETTER LOWERCASE. FOR R02_AS0103SM: IF LOOP = SMKLS, DISPLAY "times" AND "smokeless tobacco". IF R02_AS0100SM = 1 OR R02_AS0100SM = 2, DISPLAY "have" AND "used". IF R02_AS0100SM = 3 OR R02_AS0100SM = 4, DISPLAY "did" AND "use". FOR [FILL BASED ON R02_AS0100], IF R02_AS0100SM = 1 OR 2, DISPLAY "today"; IF R02_AS0100SM = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AS0100SM, MAKING FIRST LETTER LOWERCASE. PROGRAM: Allow only 3 digits.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS1009SU_NN**/**; R02_AS1009SU_UN; R02_AS1009SM_NN**/**; R02_AS1009SM_UN
About how long has it been since you last used [SMKLSSFILL]? (If it was earlier today, enter 1 day) 1 __ __ DAYS 2 __ __ MONTHS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who now use snus pouches/smokeless tobacco not at all or adult respondents who did not use snus pouches/smokeless tobacco in the past 12 months, who have ever used snus pouches/smokeless tobacco and were not former established or former experimental snus pouch/smokeless tobacco users as of their last completed interview. ASK Specification: FOR R02_AS1009SU: IF LOOP = SNUS AND (R02_AS1003SU = 3 OR ((R02_AU9005 = 2 OR R02_AU1002_12M = 2 OR R02_AU9004 = 1) AND (R01_EVER_USER_SNUS = 1 OR R01_YU1003 = 2, 3) AND R01_FORMER_USER_SNUS != 1 AND R01_EXPERIMENTAL_FORMER_SNUS != 1)). FOR R02_AS1009SM: IF LOOP = SMKLS AND (R02_AS1003SM = 3 OR (R02_AS1002_12M = 2 AND (R02_AU9003 != 1 AND R02_AU9003 != 2) AND (R02_AU9004 != 1 AND R02_AU9004 != 2) AND (R01_EVER_USER_SMKLS = 1 OR R01_YS1002_02 = 1 OR R01_YU1003 = 1, 2) AND (R01_FORMER_USER_SMKLS != 1 AND R01_EXPERIMENTAL_FORMER_SMKLS != 1))). PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. NOTES: The value "1" refers to R02_AS1009[SU/SM]_UN = Days; the value "2" refers to R02_AS1009[SU/SM]_UN = Months. **SKIP ERROR: These items were skipped incorrectly by some respondents who were former or experimental former smokeless tobacco or snus pouches users in Wave 1 and answered "not at all" in item R02_AS1003[SU/SM] respectively (R02_AS1003SU = 3, R02_AS1003SM = 3). The error was corrected during Wave 2 Data Collection on 1/29/2015. In addition, R02_AS1009SM_NN was skipped incorrectly by some respondents who reported not using other smokeless tobacco products in the past 12 months (R02_AS1002_12M = 1). ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1010SU***; R02_AS1010SM***

Have you completely quit using [SMKLSSFILL]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who now use snus pouches/smokeless tobacco not at all or did not use snus pouches/smokeless tobacco in the past 12 months, who have ever used snus pouches/smokeless tobacco as of their last completed interview.

ASK Specification: FOR R02_AS1010SU: IF LOOP = SNUS AND ((R02_AS1003SU = 3 OR ((R02_AU9005 = 2 OR R02_AU1002_12M = 2 OR R02_AU9004 = 1) AND (R01_EVER_USER_SNUS = 1 OR R01_YU1003 = 2, 3))).

FOR R02_AS1010SM: IF LOOP = SMKLS AND (R02_AS1003SM = 3 OR (R02_AS1002_12M = 2 AND (R02_AU9003 != 1 AND R02_AU9003 != 2) AND (R02_AU9004 != 1 AND R02_AU9004 != 2) AND (R01_EVER_USER_SMKLS = 1 OR R01_YS1002_02 = 1 OR R01_YU1003 = 1, 2))).

PROGRAM: Do not display the standard DK/R probe if this item is left blank; instead, when this item is left blank, go to R02_AS1132[SU/SM].

GOTO: Adult respondents who now use snus pouches/smokeless tobacco not at all or did not use snus pouches/smokeless tobacco in the past 12 months, who have ever used snus pouches/smokeless tobacco as of their last completed interview and leave R02_AS1010[SU/SM] blank, go to R02_AS1132[SU/SM].

Else, go to Box R02_ASV03.

GOTO Specification: FROM R02_AS1010SU: IF ((R02_AS1003SU = 3 OR ((R02_AU9005 = 2 OR R02_AU1002_12M = 2 OR R02_AU9004 = 1) AND (R01_EVER_USER_SNUS = 1 OR R01_YU1003 = 2, 3)) AND R02_AS1010SU IS BLANK), GO TO R02_AS1132SU.

FROM R02_AS1010SM: IF R02_AS1003SM = 3 OR (R02_AS1002_12M = 2 AND (R02_AU9003 != 1 AND R02_AU9003 != 2) AND (R02_AU9004 != 1 AND R02_AU9004 != 2) AND (R01_EVER_USER_SMKLS = 1 OR R01_YS1002_02 = 1 OR R01_YU1003 = 1, 2)) AND R02_AS1010SM IS BLANK), GO TO R02_AS1132SM.

ELSE, GO TO BOX R02_ASV03.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1132SU; R02_AS1132SM												
You did not answer the previous question. Is that because... <table style="width: 100%; border: none;"> <tr> <td style="width: 20px; text-align: right;">1</td> <td style="width: 60%;">You have never used [SMKLSSFILL]</td> <td style="width: 20px; text-align: right;">GO TO BOX R02_ASR05</td> </tr> <tr> <td style="text-align: right;">2</td> <td>You really meant to answer</td> <td></td> </tr> <tr> <td style="text-align: right;">3</td> <td>You don't know the answer</td> <td style="text-align: right;">GO TO BOX R02_ASR05</td> </tr> <tr> <td style="text-align: right;">4</td> <td>You'd rather not answer</td> <td style="text-align: right;">GO TO BOX R02_ASR05</td> </tr> </table> ASK: Adult respondents who now use snus pouches/smokeless tobacco not at all or did not use snus pouches/smokeless tobacco in the past 12 months, who have ever used snus pouches/smokeless tobacco as of their last completed interview and leave R02_AS1010[SU/SM] blank. ASK Specification: FOR R02_AS1132SU: IF LOOP = SNUS AND ((R02_AS1003SU = 3 OR ((R02_AU9005 = 2 OR R02_AU1002_12M = 2 OR R02_AU9004 = 1) AND (R01_EVER_USER_SNUS = 1 OR R01_YU1003 = 2, 3)) AND R02_AS1010SU IS BLANK). FOR R02_AS1132SM: IF LOOP = SMKLS AND (R02_AS1003SM = 3 OR (R02_AS1002_12M = 2 AND (R02_AU9003 != 1 AND R02_AU9003 != 2) AND (R02_AU9004 != 1 AND R02_AU9004 != 2) AND (R01_EVER_USER_SMKLS = 1 OR R01_YS1002_02 = 1 OR R01_YU1003 = 1, 2)) AND R02_AS1010SM IS BLANK).	1	You have never used [SMKLSSFILL]	GO TO BOX R02_ASR05	2	You really meant to answer		3	You don't know the answer	GO TO BOX R02_ASR05	4	You'd rather not answer	GO TO BOX R02_ASR05
1	You have never used [SMKLSSFILL]	GO TO BOX R02_ASR05										
2	You really meant to answer											
3	You don't know the answer	GO TO BOX R02_ASR05										
4	You'd rather not answer	GO TO BOX R02_ASR05										

Variable(s): R02_AS1134SU; R02_AS1134SM												
Have you completely quit using [SMKLSSFILL]? <table style="width: 100%; border: none;"> <tr> <td style="width: 20px; text-align: right;">1</td> <td style="width: 60%;">Yes</td> <td style="width: 20px;"></td> </tr> <tr> <td style="text-align: right;">2</td> <td>No</td> <td></td> </tr> <tr> <td style="text-align: right;">-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td style="text-align: right;">-7</td> <td>REFUSED</td> <td></td> </tr> </table> ASK: Adult respondents who now use snus pouches/smokeless tobacco not at all or did not use snus pouches/smokeless tobacco in the past 12 months, who have ever used snus pouches/smokeless tobacco as of their last completed interview and left R02_AS1010[SU/SM] blank in error. ASK Specification: FOR R02_AS1134SU: IF LOOP = SNUS AND ((R02_AS1003SU = 3 OR ((R02_AU9005 = 2 OR R02_AU1002_12M = 2 OR R02_AU9004 = 1) AND (R01_EVER_USER_SNUS = 1 OR R01_YU1003 = 2, 3)) AND R02_AS1010SU IS BLANK AND R02_AS1132SU = 2). FOR R02_AS1134SM: IF LOOP = SMKLS AND (R02_AS1003SM = 3 OR (R02_AS1002_12M = 2 AND (R02_AU9003 != 1 AND R02_AU9003 != 2) AND (R02_AU9004 != 1 AND R02_AU9004 != 2) AND (R01_EVER_USER_SMKLS = 1 OR R01_YS1002_02 = 1 OR R01_YU1003 = 1, 2)) AND R02_AS1010SM IS BLANK AND R02_AS1132SM = 2).	1	Yes		2	No		-8	DON'T KNOW		-7	REFUSED	
1	Yes											
2	No											
-8	DON'T KNOW											
-7	REFUSED											

BOX ID: R02_ASR05
Adult respondents who answered about snus pouches who also use smokeless tobacco, go to Box R02_ASR09 and complete smokeless tobacco loop. Else, if respondent completed the smokeless tobacco loop, go to Box R02_ASV03.
IF LOOP = SNUS AND R02_SMKLSSTYPE[2] = 1, GO TO BOX R02_ASR09. ELSE, IF (LOOP = SNUS AND R02_SMKLSSTYPE[2] != 1) OR LOOP = SMKLS, GO TO BOX R02_ASV03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ASV03

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R02_EVER_USER_SNUS = Adult respondents who have ever used snus pouches.

R02_NEVER_USER_SNUS = Adult respondents who have never used snus pouches.

R02_INIT_USER_SNUS = Adult respondents who initiated snus pouch use since their last completed interview.

R02_EVER_USER_SMKLS = Adult respondents who have ever used smokeless tobacco.

R02_NEVER_USER_SMKLS = Adult respondents who have never used smokeless tobacco.

R02_INIT_USER_SMKLS = Adult respondents who initiated smokeless tobacco since their last completed interview.

R02_EVER_USER_SNUS:

IF (R01_EVER_USER_SNUS = 1 OR (R01_YU1003 = 2 OR 3) OR (R02_AU1004 = 1 AND (R02_AU9003 != 1 OR R02_AU9005 = 1)) OR (R02_AU1002_12M = 1 AND R02_AU9004 != 1)) AND R02_AS1132SU != 1, THEN R02_EVER_USER_SNUS = 1.

ELSE, R02_EVER_USER_SNUS = 2.

R02_NEVER_USER_SNUS:

IF (R01_EVER_USER_SNUS != 1 AND R01_YU1003 != 2 AND R01_YU1003 != 3 AND ((R02_AU1002_12M = 2 OR -8 OR -7) OR (R02_AU9003 = 1 AND R02_AU9005 != 1) OR R02_AU9004 = 1)) OR R02_AS1132SU = 1, THEN R02_NEVER_USER_SNUS = 1.

ELSE, R02_NEVER_USER_SNUS = 2.

R02_INIT_SNUS_ADULT:

IF R01_EVER_USER_SNUS != 1 AND R01_YU1003 != 2 OR 3 AND R02_EVER_USER_SNUS = 1, THEN R02_INIT_SNUS_ADULT = 1.

ELSE, R02_INIT_SNUS_ADULT = 2.

R02_EVER_USER_SMKLS:

IF (R01_EVER_USER_SMKLS = 1 OR (R01_YS1002_02 = 1 OR R01_YU1003 = 1 OR 2) OR R02_AU9003 = 1 OR 2 OR R02_AU9004 = 1 OR 2 OR R02_AS1004 = 1 OR R02_AS1002_12M = 1) AND R02_AS1132SM != 1, THEN R02_EVER_USER_SMKLS = 1.

ELSE, R02_EVER_USER_SMKLS = 2.

R02_NEVER_USER_SMKLS:

IF ((R01_EVER_USER_SMKLS != 1 AND R01_YS1002_02 != 1 AND R01_YU1003 != 1 OR 2) AND R02_AS1002_12M = 2, -8, -7 AND R02_AU9003 != 1 OR 2 AND R02_AU9004 != 1 OR 2)) OR R02_AS1132SM = 1, THEN R02_NEVER_USER_SMKLS = 1.

ELSE, R02_NEVER_USER_SMKLS = 2.

R02_INIT_SMKLS_ADULT:

IF (R01_EVER_USER_SMKLS != 1 AND (R01_YS1002_02 != 1 AND R01_YU1003 != 1 OR 2)) AND R02_EVER_USER_SMKLS = 1, THEN R02_INIT_SMKLS_ADULT = 1.

ELSE, R02_INIT_SMKLS_ADULT = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ASR06

Young adult respondents who have never used snus pouches and have never used smokeless tobacco, go to R02_AS1103.

Else, young adult respondents who have not used snus pouches or did not know or refused to report if they used snus pouches in the past 12 months and have not used smokeless tobacco or did not know or refused to report if they used smokeless tobacco in the past 12 months, go to R02_AS1206.

Else, go to Box R02_ADT01.

IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_SNUS = 1 AND R02_NEVER_USER_SMKLS = 1, GO TO R02_AS1103.

ELSE, IF R02_YOUNG_ADULT = 1 AND R02_AS1002_12M = 2, -8, -7, GO TO R02_AS1206.

ELSE, GO TO BOX R02_ADT01.

Variable(s): R02_AS1103

Have you ever been curious about using smokeless tobacco?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used snus pouches and have never used smokeless tobacco.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_SNUS = 1 AND R02_NEVER_USER_SMKLS = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1206**

Do you think you will try smokeless tobacco in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used snus pouches and have never used smokeless tobacco or have not used snus pouches in the past 12 months or did not know or refused to report if they have used snus pouches in the past 12 months and have not used smokeless tobacco in the past 12 months or did not know or refused to report if they have used smokeless tobacco in the past 12 months.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND ((R02_NEVER_USER_SNUS = 1 AND R02_NEVER_USER_SMKLS = 1) OR (R02_AU1002_12M = 2, -8, -7 AND R02_AS1002_12M = 2, -8, -7)).

GOTO: Young adult respondents who have never used snus pouches and have never used smokeless tobacco and will definitely or probably use smokeless tobacco in the next year, go to R02_AS1104.

Else, young adult respondents who have never used snus pouches and have never used smokeless tobacco, go to R02_AS1205.

Else, go to Box R02_ADT01.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_SNUS = 1 AND R02_NEVER_USER_SMKLS = 1 AND R02_AS1206 = 1, 2, GO TO R02_AS1104.

ELSE, IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_SNUS = 1 AND R02_NEVER_USER_SMKLS = 1, GO TO R02_AS1205.

ELSE, GO TO BOX R02_ADT01.

Variable(s): **R02_AS1104**

Do you think you will try smokeless tobacco soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used snus pouches and have never used smokeless tobacco and will definitely or probably use smokeless tobacco in the next year.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_SNUS = 1 AND R02_NEVER_USER_SMKLS = 1 AND R02_AS1206 = 1, 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1205**

If one of your best friends were to offer you smokeless tobacco, would you use it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used snus pouches and have never used smokeless tobacco.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_SNUS = 1 AND R02_NEVER_USER_SMKLS = 1.

BOX ID: **R02_ADT01**

The next questions ask about another type of tobacco called **dissolvable tobacco**. You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth.

Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, and Camel Orbs, Sticks or Strips.

SHOW GENERIC IMAGES OF DISSOLVABLES

Variable(s): **R02_AD1004**

In the past 30 days, have you used dissolvable tobacco, even one or two times?

- 1 Yes GO TO R02_AD1003
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1002_12M**

In the past 12 months, have you used dissolvable tobacco, even one or two times?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not used dissolvable tobacco in the past 30 days or did not know or refused to report if they have used dissolvable tobacco in the past 30 days.

ASK Specification: IF R02_AD1004 = 2, -8, -7.

GOTO: Adult respondents who used dissolvable tobacco in the past 30 days or past 12 months or did not know or refused to report if they used dissolvable tobacco in the past 12 months, go to R02_AD1003.

Else, adult respondents who did not use dissolvable tobacco in the past 12 months, who had ever used dissolvable tobacco and were not former established or former experimental dissolvable tobacco users as of their last completed interview, go to R02_AD1009.

Else, adult respondents who did not use dissolvable tobacco in the past 12 months, who had ever used dissolvable tobacco as of their last completed interview, go to R02_AD1010.

Else, go to Box R02_ADV02.

GOTO Specification: IF R02_AD1004 = 1 OR R02_AD1002_12M = 1, -8, -7, GO TO R02_AD1003.

ELSE, IF R02_AD1002_12M = 2 AND (R01_EVER_USER_DISSBL = 1 OR R01_YD1002 = 1) AND R01_FORMER_USER_DISSBL != 1 AND R01_EXPERIMENTAL_FORMER_DISSBL != 1, GO TO R02_AD1009.

ELSE, IF R02_AD1002_12M = 2 AND (R01_EVER_USER_DISSBL = 1 OR R01_YD1002 = 1), GO TO R02_AD1010.

ELSE, GO TO BOX R02_ADV02.

IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO

Variable(s): **R02_AD1003****

Do you now use dissolvable tobacco...

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used dissolvable tobacco in the past 30 days or in the past 12 months or did not know or refused to report if they have used dissolvable tobacco in the past 12 months.

ASK Specification: IF R02_AD1004 = 1 OR R02_AD1002_12M = 1, -8, -7.

GOTO: Adult respondents who used dissolvable tobacco in the past 30 days or did not know or refused to report if they used dissolvable tobacco in the past 30 days and now use every day or some days or did not know or refused to report how often they now use dissolvable tobacco, go to R02_AD0100.

Else, adult respondents who now use dissolvable tobacco not at all, go to R02_AD1009.

Else, go to Box R02_ADV02.

GOTO Specification: IF R02_AD1004 = 1, -8, -7 AND R02_AD1003 = 1, 2, -8, -7, GO TO R02_AD0100.

ELSE, IF R02_AD1003 = 3, GO TO R02_AD1009.

ELSE, GO TO BOX R02_ADV02.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who answered don't know or refused in items R02_AD1004 or R02_AD1002_12M. The error was not corrected during Wave 2 Data Collection.

PATH – Wave 2 Adult
Public Use File Annotated Instrument

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD0102**

When you last used dissolvable tobacco [FILL BASED ON R02_AD0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who used dissolvable tobacco in the past 30 days or did not know or refused to report if they dissolvable tobacco in the past 30 days and now use every day or some days or did not know or refused to report how often they now use dissolvable tobacco who have used dissolvable tobacco sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R02_AD1004 = 1, -8, -7 AND R02_AD1003 = 1, 2, -8, -7 AND R02_AD0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R02_AD0100] IF R02_AD0100 = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AD0100, MAKING FIRST LETTER LOWERCASE.

Variable(s): **R02_AD0103**

How many pieces of dissolvable tobacco [have/did] you [used/use] [FILL BASED ON R02_AD0100]?

- | | |
|---------------|---------------------|
| _ _ _ | GO TO BOX R02_ADV02 |
| -8 DON'T KNOW | GO TO BOX R02_ADV02 |
| -7 REFUSED | GO TO BOX R02_ADV02 |

ASK: Adult respondents who used dissolvable tobacco in the past 30 days or did not know or refused to report if they dissolvable tobacco in the past 30 days and now use every day or some days or did not know or refused to report how often they now use dissolvable tobacco and have used dissolvable tobacco sometime in the past hour, today, yesterday, or the day before yesterday.

ASK Specification: IF R02_AD1004 = 1, -8, -7 AND R02_AD1003 = 1, 2, -8, -7 AND R02_AD0100 = 1, 2, 3, 4.

DISPLAY: IF R02_AD0100 = 1 OR R02_AD0100 = 2, DISPLAY "have" AND "used". IF R02_AD0100 = 3 OR R02_AD0100 = 4, DISPLAY "did" AND "use". FOR [FILL BASED ON R02_AD0100], IF R02_AD0100 = 1 OR R02_AD0100= 2, DISPLAY "today". IF R02_AD0100 = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AD0100, MAKING FIRST LETTER LOWERCASE.

PROGRAM: Allow only 3 digits.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1009_NN***; R02_AD1009_UN**

About how long has it been since you last used dissolvable tobacco? (If it was earlier today, enter 1 day)

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who now use dissolvable tobacco not at all or adult respondents who did not use dissolvable tobacco in the past 12 months, who have ever used dissolvable tobacco and were not former established or former experimental dissolvable tobacco users as of their last completed interview.

ASK Specification: IF R02_AD1003 = 3 OR (R02_AD1002_12M = 2 AND (R01_EVER_USER_DISSBL = 1 OR R01_YD1002 = 1) AND R01_FORMER_USER_DISSBL != 1 AND R01_EXPERIMENTAL_FORMER_DISSBL != 1).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: The value "1" refers to R02_AD1009_UN = Days; the value "2" refers to R02_AD1009_UN = Months.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AD1010*****

Have you completely quit using dissolvable tobacco?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who now use dissolvable tobacco not at all or did not use dissolvable tobacco in the past 12 months, who have ever used dissolvable tobacco as of their last completed interview.

ASK Specification: IF R02_AD1003 = 3 OR (R02_AD1002_12M = 2 AND (R01_EVER_USER_DISSBL = 1 OR R01_YD1002 = 1)).

PROGRAM: Do not display the standard DK/R probe if this item is left blank; instead, when this item is left blank, go to R02_AD1132.

GOTO: Adult respondents who now use dissolvable tobacco not at all or who did not use dissolvable tobacco in the past 12 months, who have ever used dissolvable tobacco as of their last completed interview and leave R02_AD1010 blank, go to R02_AD1132.

Else, go to Box R02_ADV02.

GOTO Specification: IF R02_AD1003 = 3 OR (R02_AD1002_12M = 2 (R01_EVER_USER_DISSBL = 1 OR R01_YD1002 = 1)) AND R02_AD1010 IS BLANK, GO TO R02_AD1132.

ELSE, GO TO BOX R02_ADV02.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AD1132		
You did not answer the previous question. Is that because...		
1	You have never used dissolvable tobacco	GO TO BOX R02_ADV02
2	You really meant to answer	
3	You don't know the answer	GO TO BOX R02_ADV02
4	You'd rather not answer	GO TO BOX R02_ADV02
ASK: Adult respondents who now use dissolvable tobacco not at all or did not use dissolvable tobacco in the past 12 months, who have ever used dissolvable tobacco as of their last completed interview and leave R02_AD1010 blank.		
ASK Specification: IF (R02_AD1003 = 3 OR (R02_AD1002_12M = 2 AND (R01_EVER_USER_DISSBL = 1 OR R01_YD1002 = 1))) AND R02_AD1010 IS BLANK.		

Variable(s): R02_AD1134		
Have you completely quit using dissolvable tobacco?		
1	Yes	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who now use dissolvable tobacco not at all or did not use dissolvable tobacco in the past 12 months, who have ever used dissolvable tobacco as of their last completed interview and left R02_AD1010 blank in error.		
ASK Specification: IF (R02_AD1003 = 3 OR (R02_AD1002_12M = 2 AND (R01_EVER_USER_DISSBL = 1 OR R01_YD1002 = 1))) AND R02_AD1010 IS BLANK AND R02_AD1132 = 2.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ADV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R02_EVER_USER_DISSBL = Adult respondents who have ever used dissolvable tobacco. R02_NEVER_USER_DISSBL = Adult respondents who have never used dissolvable tobacco. R02_INIT_DISSBL_ADULT = Adult respondents who initiated dissolvable tobacco use since their last completed interview.	
R02_EVER_USER_DISSBL: IF (R01_EVER_USER_DISSBL = 1 OR R01_YD1002 = 1 OR R02_AD1004 = 1 OR R02_AD1002_12M = 1) AND R02_AD1132 != 1, THEN R02_EVER_USER_DISSBL = 1. ELSE, R02_EVER_USER_DISSBL = 2.	
R02_NEVER_USER_DISSBL: IF ((R01_EVER_USER_DISSBL != 1 AND R01_YD1002 != 1) AND R02_AD1002_12M = 2, -8, -7) OR R02_AD1132 = 1, THEN R02_NEVER_USER_DISSBL = 1. ELSE, R02_NEVER_USER_DISSBL = 2.	
R02_INIT_DISSBL_ADULT: IF (R01_EVER_USER_DISSBL != 1 AND R01_YD1002 != 1) AND R02_EVER_USER_DISSBL = 1, THEN R02_INIT_DISSBL_ADULT = 1. ELSE, R02_INIT_DISSBL_ADULT = 2.	

BOX ID:	R02_ADR02
Young adult respondents who have never used dissolvable tobacco, go to R02_AS1103. Else, young adult respondents who have ever used dissolvable tobacco and did not use dissolvable tobacco in the past 12 months or did not know or refused to report if they used dissolvable tobacco in the past 12 months, go to R02_AS1206. Else, go to Box R02_ADT01.	
IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_DISSBL = 1, GO TO R02_AD1103. ELSE, IF R02_YOUNG_ADULT = 1 AND R02_AD1002_12M = 2, -8, -7, GO TO R02_AD1206. ELSE, GO TO R02_AXR01.	

Variable(s):	R02_AD1103
Have you ever been curious about using dissolvable tobacco? 1 Very curious 2 Somewhat curious 3 A little curious 4 Not at all curious -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who have never used dissolvable tobacco. ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_DISSBL = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AD1206

Do you think you will try dissolvable tobacco in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used dissolvable tobacco or have not used dissolvable tobacco in the past 12 months or did not know or refused to report if they have used dissolvable tobacco in the past 12 months.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_NEVER_USER_DISSBL = 1 OR R02_AD1002_12M = 2, -8, -7).

GOTO: Young adult respondents who have never used dissolvable tobacco and will definitely or probably use dissolvable tobacco in the next year, go to R02_AD1104.

Else, young adult respondents who have never used dissolvable tobacco, go to R02_AD1205.

Else, go to Box R02_AXR01.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_DISSBL = 1 AND R02_AD1206 = 1, 2, GO TO R02_AD1104.

ELSE, IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_DISSBL = 1, GO TO R02_AD1205.

ELSE, GO TO BOX R02_AXR01.

Variable(s): R02_AD1104

Do you think you will try dissolvable tobacco soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used dissolvable tobacco and will definitely or probably try dissolvable tobacco in the next year.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_DISSBL = 1 AND R02_AD1206 = 1, 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1205**

If one of your best friends were to offer you dissolvable tobacco, would you use it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used dissolvable tobacco.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_NEVER_USER_DISSBL = 1.

BOX ID: **R02_AXR01**

For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes (R02_EVER_USER_CIGS = 1), go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.

For respondents that have never used any tobacco products, go to the Nicotine Dependence Section. Complete remaining sections in order.

CIGARETTE**BOX ID: R02_ACR13**

Adult respondents who were former established cigarette smokers and had smoked at least 100 cigarettes in their lifetime and had smoked fairly regularly as of their last completed interview and has not smoked in the past 12 months or now smokes not at all, go to R02_ACV01.

Else, go to R02_ACT01.

IF R01_FORMER_USER_CIGS = 1 AND R01_AC1005 = 6 AND R01_AC1100 = 1 AND (R02_AC1002_12M = 2 OR R02_AC1003 = 3), GO TO R02_ACV01.

ELSE, GO TO R02_ACT01.

BOX ID: R02_ACT01

DISPLAY TRANSITION TEXT: The next questions ask about your experience with **cigarettes**.

BOX ID: R02_ACR11

Adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes in their lifetime as of their last completed interview, go to R02_AC1005.

Else, new baseline adult respondents who have ever smoked a cigarette and have smoked 100 or more cigarettes in their lifetime, or continuing adult respondents who have ever smoked a cigarette and have smoked 100 or more cigarettes in their lifetime and had not smoked cigarettes fairly regularly as of their last completed interview, go to AC1100.

Else, go to Box R02_ACV01.

IF R02_EVER_USER_CIGS = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YC1005 != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AC1005 != 6)), GO TO R02_AC1005.

ELSE, IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R01_YC1005 = 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R01_AC1005 = 6 AND R01_AC1100 != 1), GO TO R02_AC1100.

ELSE, GO TO BOX R02_ACV01.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC1005***		
How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.		
1	1 or more puffs but never a whole cigarette	GO TO R02_ACV01
2	1 to 10 cigarettes (about ½ pack total)	GO TO R02_ACV01
3	11 to 20 cigarettes (about ½ pack to 1 pack)	GO TO R02_ACV01
4	21 to 50 cigarettes (more than 1 pack but less than 3 packs)	GO TO R02_ACV01
5	51 to 99 cigarettes (more than 2 ½ packs but less than 5 packs)	GO TO R02_ACV01
6	100 or more cigarettes (5 packs or more)	
-8	DON'T KNOW	GO TO R02_ACV01
-7	REFUSED	GO TO R02_ACV01
ASK: Adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes in their lifetime as of their last completed interview.		
ASK Specification: IF R02_EVER_USER_CIGS = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YC1005 != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AC1005 != 6)).		
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		

Variable(s): R02_AC1100***		
Have you ever smoked cigarettes fairly regularly?		
1	Yes	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: New baseline adult respondents who have ever smoked a cigarette and have smoked 100 or more cigarettes in their lifetime, or continuing adult respondents who have ever smoked a cigarette and have smoked 100 or more cigarettes in their lifetime and had not smoked cigarettes fairly regularly as of their last completed interview.		
ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_CIGS = 1 AND (R02_AC1005 = 6 OR R01_YC1005 = 7)) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_CIGS = 1 AND (R01_AC1005 = 6 OR R02_AC1005 = 6) AND R01_AC1100 != 1).		
GOTO: New baseline adult respondents who have ever smoked a cigarette and have smoked 100 or more cigarettes in their lifetime and have ever smoked cigarettes fairly regularly, go to R02_AC1007_NB.		
Else, go to Box R02_ACV01.		
GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_CIGS = 1 AND (R02_AC1005 = 6 OR R01_YC1005 = 7) AND R02_AC1100 = 1, GO TO R02_AC1007_NB.		
ELSE, GO TO BOX R02_ACV01.		
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC1007_NB
How old were you when you first started smoking cigarettes fairly regularly? I ___ I ___ Years old GO TO BOX R02_ACV01 -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever smoked a cigarette and have smoked 100 or more cigarettes in their lifetime and have ever smoked cigarettes fairly regularly. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_CIGS = 1 AND (R02_AC1005 = 6 OR R01_YC1005 = 7) AND R02_AC1100 = 1. DISPLAY: Display "Years old" as a title. PROGRAM: Allow 2 digits for age.

Variable(s): R02_AC1121_NB
When you first started smoking cigarettes fairly regularly, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever smoked a cigarette and have smoked 100 or more cigarettes in their lifetime and have ever smoked cigarettes fairly regularly and did not know or refused to report the age they started smoking cigarettes fairly regularly. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_CIGS = 1 AND (R02_AC1005 = 6 OR R01_YC1005 = 7) AND R02_AC1100 = 1 AND R02_AC1007_NB = -8, -7.

BOX ID: R02_ACV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R02_CURRENT_USER_CIGS = "Current established cigarette smokers" Adult respondents who have smoked at least 100 cigarettes their entire life, and currently smokes every day or some days. R02 EVERYDAY_USER_CIGS = "Every day established cigarettes smokers" Adult respondents who have smoked at least 100 cigarettes their entire life, and currently smokes every day. R02_SOME_DAY_USER_CIGS = "Some day established cigarette smokers" Adult respondents who have smoked at least 100 cigarettes their entire life, and currently smokes some days. R02_EXPERIMENTAL_CURRENT_CIGS = "Current experimental cigarette smokers" Adult respondents who have not smoked at least 100 cigarettes in their entire life, and currently smokes every day or some days.

R02_FORMER_THIRTYDAY_USER_CIGS = "Non-current 30-day cigarette smokers"

Adult respondents who are experimental former, new former, or still former smokers in Wave 2 who have smoked any cigarettes in the past 30 days.

R02_EXPERIMENTAL_FORMER_CIGS = "Former experimental cigarettes smokers"

Adult respondents who have not smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smokes not at all.

R02_NEW_FORMER_USER_CIGS = "New former established cigarette smokers"

Adult respondents who were current, experimental current, or experimental former cigarette smokers at Wave 1, or are initiators at Wave 2, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smokes not at all.

R02_STILL_FORMER_USER_CIGS = "Still former established cigarette smokers"

Adult respondents who were former cigarette smokers at Wave 1, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smokes not at all.

R02_CURRENT_USER_CIGS:

IF (R01_AC1005 = 6 OR R01_YC1005 = 7 OR R02_AC1005 = 6) AND R02_AC1003 = 1 OR 2, THEN R02_CURRENT_USER_CIGS = 1.

ELSE, R02_CURRENT_USER_CIGS = 2.

R02 EVERYDAY_USER_CIGS:

IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1003 = 1, THEN R02 EVERYDAY_USER_CIGS = 1.

ELSE, R02 EVERYDAY_USER_CIGS = 2.

R02_SOME_DAY_USER_CIGS:

IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1003 = 2, THEN R02_SOME_DAY_USER_CIGS = 1.

ELSE, R02_SOME_DAY_USER_CIGS = 2.

R02_EXPERIMENTAL_CURRENT_CIGS:

IF R02_EVER_USER_CIGS = 1 AND (R02_AC1005 != 6 AND R01_AC1005 != 6 AND R01_YC1005 != 7) AND R02_AC1003 = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_CIGS = 1.

ELSE, R02_EXPERIMENTAL_CURRENT_CIGS = 2.

R02_FORMER_THIRTYDAY_USER_CIGS:

IF (R02_CURRENT_USER_CIGS != 1 AND R02_EXPERIMENTAL_CURRENT_CIGS != 1) AND (R02_NEW_FORMER_USER_CIGS = 1 OR R02_STILL_FORMER_USER_CIGS = 1 OR R02_EXPERIMENTAL_FORMER_CIGS = 1) AND ((1 <= R02_AC1009_NN <= 30 AND R02_AC1009_UN = 1) OR (R02_AC1009_NN = 1 AND R02_AC1009_UN = 2) OR R02_AC1004 = 1), THEN R02_FORMER_THIRTYDAY_USER_CIGS = 1.

ELSE, R02_FORMER_THIRTYDAY_USER_CIGS = 2.

R02_EXPERIMENTAL_FORMER_CIGS:

IF R02_CURRENT_USER_CIGS != 1 AND R02_EXPERIMENTAL_CURRENT_CIGS != 1 AND R02_EVER_USER_CIGS = 1 AND (R02_AC1002_12M = 2 OR R02_AC1003 = 3) AND R02_AC1005 != 6 AND R01_AC1005 != 6 AND R01_YC1005 != 7, THEN R02_EXPERIMENTAL_FORMER_CIGS = 1.

ELSE, R02_EXPERIMENTAL_FORMER_CIGS = 2.

R02_NEW_FORMER_USER_CIGS:

IF R02_CURRENT_USER_CIGS != 1 AND R02_EXPERIMENTAL_CURRENT_CIGS != 1 AND R02_EVER_USER_CIGS = 1 AND (R01_CURRENT_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1 OR R01_EXPERIMENTAL_FORMER_CIGS = 1 OR R02_INIT_CIGS_ADULT = 1 OR R01_YC1002 = 1) AND (R01_AC1005 = 6 OR R01_YC1005 = 7 OR

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_AC1005 = 6) AND (R02_AC1002_12M = 2 OR R02_AC1003 = 3), THEN
R02_NEW_FORMER_USER_CIGS = 1.

ELSE, R02_NEW_FORMER_USER_CIGS = 2.

R02_STILL_FORMER_USER_CIGS:

IF R02_CURRENT_USER_CIGS != 1 AND R02_EXPERIMENTAL_CURRENT_CIGS != 1 AND
R02_EVER_USER_CIGS = 1 AND R01_FORMER_USER_CIGS = 1 AND (R02_AC1002_12M = 2 OR
R02_AC1003 = 3), THEN R02_STILL_FORMER_USER_CIGS = 1.

ELSE, R02_STILL_FORMER_USER_CIGS = 2.

BOX ID: R02_ACR01

New baseline adult respondents who are every day established cigarette smokers, go to
R02_AC1020_NB.

Else, adult respondents who initiated cigarette smoking since their last completed interview, go to
R02_AC1008.

Else, go to Box R02_ACR03.

IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_CIGS = 1, GO TO
R02_AC1020_NB.

ELSE, IF R02_INIT_CIGS_ADULT = 1, GO TO R02_AC1008.

ELSE, GO TO BOX R02_ACR03.

Variable(s): R02_AC1020_NB

How old were you when you first started smoking cigarettes every day?

I ___ | ___ | Years old

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who are every day established cigarette smokers.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_CIGS =
1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

GOTO: New baseline adult respondents who are every day established cigarette smokers and did not
know or refused to report the age they first started smoking cigarettes every day, go to
R02_AC1122_NB.

Else, adult respondents who initiated cigarette smoking since their last completed interview, go to
R02_AC1008.

Else, go to Box R02_ACR03.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_CIGS =
1 AND R02_AC1020_NB = -8, -7, GO TO R02_AC1122_NB.

ELSE, IF R02_INIT_CIGS_ADULT = 1, GO TO R02_AC1008.

ELSE, GO TO BOX R02_ACR03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC1122_NB

When you first started smoking cigarettes every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who are every day established cigarette smokers and did not know or refused to report the age they first started smoking cigarettes every day.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_CIGS = 1 AND R02_AC1020_NB = -8, -7.

GOTO: Adult respondents who initiated cigarette smoking since their last completed interview, go to R02_AC1008.

Else, go to Box R02_ACR03.

GOTO Specification: IF R02_INIT_CIGS_ADULT = 1, GO TO R02_AC1008.

ELSE, GO TO BOX R02_ACR03.

Variable(s): R02_AC1008

When you first started smoking cigarettes, did you start with cigarettes flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated cigarette smoking since their last completed interview.

ASK Specification: IF R02_INIT_CIGS_ADULT = 1.

GOTO: Adult respondents who initiated cigarette smoking since their last completed interview and initiated cigarette smoking with flavored tobacco, go to R02_AC1011.

Else, young adult respondents who initiated cigarette smoking since their last completed interview, go to R02_AC9904.

Else, go to Box R02_ACR03.

GOTO Specification: IF R02_INIT_CIGS_ADULT = 1 AND R02_AC1008 = 1, GO TO R02_AC1011.

ELSE, IF R02_YOUNG_ADULT = 1 AND R02_INIT_CIGS_ADULT = 1, GO TO R02_AC9904.

ELSE, GO TO BOX R02_ACR03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor did you first start smoking? If multiple flavors were mixed together, choose all that apply.	
R02_AC1011_01	1 Menthol or mint
R02_AC1011_02	2 Clove or spice
R02_AC1011_03	3 Fruit
R02_AC1011_04	4 Chocolate
R02_AC1011_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AC1011_06	6 Candy or other sweets
R02_AC1011_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who initiated cigarette smoking since their last completed interview and initiated cigarette smoking with flavored tobacco.	
ASK Specification: IF R02_INIT_CIGS_ADULT = 1 AND R02_AC1008 = 1.	
GOTO: Young adult respondents who initiated cigarette smoking since their last completed interview, go to R02_AC9904.	
Else, go to Box R02_ACR03.	
GOTO Specification: IF R02_YOUNG_ADULT = 1 AND R02_INIT_CIGS_ADULT = 1 , GO TO R02_AC9904.	
ELSE, GO TO BOX R02_ACR03.	

Variable(s):	R02_AC9904
How much did you experience <u>pleasant</u> sensations the first time you smoked a cigarette?	
	1 Not at all
	2 A little
	3 Somewhat
	4 A lot
	-8 DON'T KNOW
	-7 REFUSED
ASK: Young adult respondents who have initiated cigarette smoking since their last completed interview.	
ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_INIT_CIGS_ADULT = 1.	
DISPLAY: Underline "pleasant" in the question text.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC9905

How much did you experience unpleasant sensations the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_INIT_CIGS_ADULT = 1.

DISPLAY: Underline "unpleasant" in the question text.

Variable(s): R02_AC9906

How much did you feel sick to your stomach the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_INIT_CIGS_ADULT = 1.

BOX ID: R02_ACR03

Adult respondents who are current established or new former established cigarette smokers and have ever smoked cigarettes fairly regularly and had not smoked fairly regularly as of their last completed interview, go to R02_AC9002.

Else, go to Box R02_ACR04.

IF (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1) AND (R02_AC1100 = 1 AND R01_AC1100 != 1), GO TO R02_AC9002.

ELSE, GO TO BOX R02_ACR04.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC9002_NN; R02_AC9002_UN

About how long [have you been smoking/did you smoke] fairly regularly? Do not count any time you may have stayed off cigarettes.

1 |__|__| Months

2 |__|__| Years

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or new former established cigarette smokers and have ever smoked cigarettes fairly regularly and had not smoked fairly regularly as of their last completed interview.

ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1) AND (R02_AC1100 = 1 AND R01_AC1100 != 1).

DISPLAY: If R02_CURRENT_USER_CIGS, display "have you been smoking". Else, display "did you smoke".

PROGRAM: Display as Quantity/Units.

GOTO: Adult respondents who are new former established cigarette smokers and have ever smoked cigarettes fairly regularly and had not smoked fairly regularly as of their last completed interview, go to R02_AC9003.

Else, go to Box R02_ACR04.

GOTO Specification: IF R02_NEW_FORMER_USER_CIGS = 1 AND (R02_AC1100 = 1 AND R01_AC1100 != 1), GO TO R02_AC9003.

ELSE, GO TO BOX R02_ACR04.

NOTES: The value "1" refers to R02_AC9002_UN = Months; the value "2" refers to R02_AC9002_UN = Years.

Variable(s): R02_AC9003_NN; R02_AC9003_UN

On average, about how many cigarettes did you smoke per day while you were smoking fairly regularly? A pack usually has 20 cigarettes in it.

1 |__|__| Cigarettes per day

2 |__|__| Packs per day

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are new former established cigarette smokers and have ever smoked cigarettes fairly regularly and had not smoked fairly regularly as of their last completed interview.

ASK Specification: IF R02_NEW_FORMER_USER_CIGS = 1 AND (R02_AC1100 = 1 AND R01_AC1100 != 1).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R02_AC9003_UN = Cigarettes per day; the value "2" refers to R02_AC9003_UN = Packs per day.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ACR04
Adult respondents who are every day established cigarette smokers, go to R02_AC1021. Else, adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers, go to R02_AC1022. Else, adult respondents who are new former established cigarette smokers, go to R02_AC1047MC. Else, go to the next section.
IF R02_EVERYDAY_USER_CIGS = 1, GO TO R02_AC1021. ELSE, IF R02_SOME_DAY_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_FORMER_THIRTYDAY_USER_CIGS = 1, GO TO R02_AC1022. ELSE, IF R02_NEW_FORMER_USER_CIGS = 1, GO TO R02_AC1047MC. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

Variable(s): R02_AC1021_NN***; R02_AC1021_UN								
On average, about how many cigarettes do you now smoke each day? A pack usually has 20 cigarettes in it. <table style="width: 100%; margin-top: 10px;"> <tr> <td style="width: 60%;">1 __ __ Cigarettes per day</td> <td style="width: 40%; text-align: right;">GO TO R02_AC1130</td> </tr> <tr> <td>2 __ __ Packs per day</td> <td style="text-align: right;">GO TO R02_AC1130</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td></td> </tr> <tr> <td>-7 REFUSED</td> <td></td> </tr> </table> ASK: Adult respondents who are every day established cigarette smokers. ASK Specification: IF R02_EVERYDAY_USER_CIGS = 1. PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R02_AC1021_UN = Cigarettes per day; the value "2" refers to R02_AC1021_UN = Packs per day. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	1 __ __ Cigarettes per day	GO TO R02_AC1130	2 __ __ Packs per day	GO TO R02_AC1130	-8 DON'T KNOW		-7 REFUSED	
1 __ __ Cigarettes per day	GO TO R02_AC1130							
2 __ __ Packs per day	GO TO R02_AC1130							
-8 DON'T KNOW								
-7 REFUSED								

Variable(s): R02_AC1090										
Would you say that, on average, you now smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day? A pack usually has 20 cigarettes in it. <table style="width: 100%; margin-top: 10px;"> <tr> <td style="width: 60%;">1 More than 20 cigarettes each day</td> <td style="width: 40%; text-align: right;">GO TO R02_AC1130</td> </tr> <tr> <td>2 About 20 cigarettes each day</td> <td style="text-align: right;">GO TO R02_AC1130</td> </tr> <tr> <td>3 Less than 20 cigarettes each day</td> <td style="text-align: right;">GO TO R02_AC1130</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R02_AC1130</td> </tr> <tr> <td>-7 REFUSED</td> <td style="text-align: right;">GO TO R02_AC1130</td> </tr> </table> ASK: Adult respondents who are every day established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day. ASK Specification: IF R02_EVERYDAY_USER_CIGS = 1 AND R02_AC1021_NN = -8, -7.	1 More than 20 cigarettes each day	GO TO R02_AC1130	2 About 20 cigarettes each day	GO TO R02_AC1130	3 Less than 20 cigarettes each day	GO TO R02_AC1130	-8 DON'T KNOW	GO TO R02_AC1130	-7 REFUSED	GO TO R02_AC1130
1 More than 20 cigarettes each day	GO TO R02_AC1130									
2 About 20 cigarettes each day	GO TO R02_AC1130									
3 Less than 20 cigarettes each day	GO TO R02_AC1130									
-8 DON'T KNOW	GO TO R02_AC1130									
-7 REFUSED	GO TO R02_AC1130									

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC1022**

On how many of the past 30 days did you smoke cigarettes?

|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers.

ASK Specification: IF R02_SOME_DAY_USER_CIGS = 1 OR
R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_FORMER_THIRTYDAY_USER_CIGS = 1.

PROGRAM: Soft range check: 0-30 days

GOTO: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R02_AC1023.

Else, go to Box R02_ACV03.

GOTO Specification: IF (R02_SOME_DAY_USER_CIGS = 1 OR
R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_FORMER_THIRTYDAY_USER_CIGS = 1)
AND (R02_AC1022 > 0 OR R02_AC1022 = -8, -7), GO TO R02_AC1023.

ELSE, GO TO BOX R02_ACV03.

Variable(s): **R02_AC1023_NN**; R02_AC1023_UN**

On average, on those [FILL NUMBER OF DAYS FROM R02_AC1022 days/days you smoked], how many cigarettes did you usually smoke each day? A pack usually has 20 cigarettes in it.

1 |_|_|_| Cigarettes per day

2 |_|_|_| Packs per day

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R02_SOME_DAY_USER_CIGS = 1 OR
R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_FORMER_THIRTYDAY_USER_CIGS = 1)
AND (R02_AC1022 > 0 OR R02_AC1022 = -8, -7).

DISPLAY: If R02_AC1022 = 1 day, -8 or -7, display "days you smoked". Else, display the number of days reported in R02_AC1022 and "days" (ex. "2 days").

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R02_AC1023_UN = Cigarettes per day; the value "2" refers to R02_AC1023_UN = Packs per day.

**SKIP ERROR: This item was incorrectly skipped by respondents answered don't know or refused in item R02_AC1022. The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC1130**/**	
In the past 30 days, were any of the cigarettes you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1	Yes
2	No
3	I don't know
-8	DON'T KNOW
-7	REFUSED
	GO TO BOX R02_ACV03
	GO TO BOX R02_ACV03
	GO TO BOX R02_ACV03
	GO TO BOX R02_ACV03
ASK: Adult respondents who are every day established cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.	
ASK Specification: IF R02 Everyday User Cigs = 1 OR ((R02 Some Day User Cigs = 1 OR R02 Experimental Current Cigs = 1 OR R02 Former Thirtyday User Cigs = 1) AND (R02_AC1022 > 0 OR R02_AC1022 = -8, -7)).	
NOTES: **SKIP ERROR: This item was incorrectly skipped by respondents who answered don't know or refused in item R02_AC1022. The error was not corrected during Wave 2 Data Collection.	
***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s): SEE BELOW:	
Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.	
R02_AC1131_01	1 Menthol or mint
R02_AC1131_02	2 Clove or spice
R02_AC1131_03	3 Fruit
R02_AC1131_04	4 Chocolate
R02_AC1131_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AC1131_06	6 Candy or other sweets
R02_AC1131_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are every day established cigarette smokers and have smoked flavored cigarettes in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarettes in the past 30 days.	
ASK Specification: IF (R02 Everyday User Cigs = 1 AND R02_AC1130) OR ((R02 Some Day User Cigs = 1 OR R02 Experimental Current Cigs = 1 OR R02 Former Thirtyday User Cigs = 1) AND (R02_AC1022 > 0 OR R02_AC1022 = -8, -7) AND R02_AC1130 = 1).	
PROGRAM: Allow respondent to choose all that apply.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ACV03
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):	
R02_CIGSPERDAY = Number of cigarettes smoked per day. R02_PCKSPERDAY = Number of packs smoked per day. R02_CIGSPERDAY2 = Estimate of cigarettes smoked per day when actual number is DK/RF.	
R02_CIGSPERDAY: IF R02_EVERYDAY_USER_CIGS = 1 AND R02_AC1021_NN != -8, -7 AND R02_AC1021_UN = 1, CIGSPERDAY = R02_AC1021_NN. IF R02_SOME_DAY_USER_CIGS = 1 AND R02_AC1023_NN != -8, -7 AND R02_AC1023_UN = 1, CIGSPERDAY = R02_AC1023_NN. IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC9003_UN = 1, CIGSPERDAY = R02_AC9003_NN. R02_PCKSPERDAY: IF R02_EVERYDAY_USER_CIGS = 1 AND R02_AC1021_NN != -8, -7 AND R02_AC1021_UN = 2, PCKSPERDAY = R02_AC1021_NN. IF R02_SOME_DAY_USER_CIGS = 1 AND R02_AC1023_NN != -8, -7 AND R02_AC1023_UN = 2, PCKSPERDAY = R02_AC1023_NN. IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC9003_UN = 2, PCKSPERDAY = R02_AC9003_NN. R02_CIGSPERDAY2: IF R02_AC1090 = 1, R02_CIGSPERDAY2 = "more than 20 cigarettes each day". IF R02_AC1090 = 2, R02_CIGSPERDAY2 = "about 20 cigarettes each day". IF R02_AC1090 = 3, R02_CIGSPERDAY2 = "less than 20 cigarettes each day".	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ACR05
New baseline adult respondents who are current established cigarette smokers who have ever smoked fairly regularly and smoke at least 1 cigarette each day, or adult respondents who are current established cigarette smokers who initiated cigarette smoking since their last completed interview who have ever smoked fairly regularly and smoke at least 1 cigarette each day, go to R02_AC9004. Else, new baseline adult respondents who are every day established cigarette smokers who have ever smoked fairly regularly and on average smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day or adult respondents who initiated cigarette smoking since their last completed interview who are every day established cigarette smokers who have ever smoked fairly regularly and on average smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day, go to R02_AC9009. Else, adult respondents who are current established cigarette smokers, go to R02_AC1024. Else, young adult respondents who are current experimental cigarette smokers, go to R02_AC9022. Else, adult respondents who are new former established cigarette smokers, go to R02_AC1047MC. Else, go to the next section.	
IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_CURRENT_USER_CIGS = 1 AND R02_AC1100 = 1 AND (R02_AC1021_NN > 0 OR R02_AC1023_NN > 0)) OR (R02_INIT_CIGS_ADULT = 1 AND R02_CURRENT_USER_CIGS = 1 AND R02_AC1100 = 1 AND (R02_AC1021_NN > 0 OR R02_AC1023_NN > 0)), GO TO R02_AC9004. ELSE, IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_CIGS = 1 AND R02_AC1100 = 1 AND R02_AC1090 = 1, 2, 3) OR (R02_INIT_CIGS_ADULT = 1 AND R02 EVERYDAY_USER_CIGS = 1 AND R02_AC1100 = 1 AND R02_AC1090 = 1, 2, 3), GO TO R02_AC9009. ELSE, IF R02_CURRENT_USER_CIGS = 1, GO TO R02_AC1024. ELSE, IF R02_YOUNG_ADULT = 1 AND R02_EXPERIMENTAL_CURRENT_CIGS = 1, GO TO R02_AC9022. ELSE, IF R02_NEW_FORMER_USER_CIGS = 1, GO TO R02_AC1047MC. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC9004

You mentioned that you smoke [#] [[cigarette[s]/pack[s]] per day[on the days that you smoke]. Have you smoked about this many [cigarettes/packs] per day since you started smoking fairly regularly?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R02_AC1024 |
| 2 | No | GO TO R02_AC9005 |
| -8 | DON'T KNOW | GO TO R02_AC9005 |
| -7 | REFUSED | GO TO R02_AC9005 |

ASK: New baseline adult respondents who are current established cigarette smokers and have ever smoked fairly regularly and smoke at least 1 cigarette each day, or adult respondents who are current established cigarette smokers and initiated cigarette smoking since their last completed interview and have ever smoked fairly regularly and smoke at least 1 cigarette each day.

ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_CURRENT_USER_CIGS = 1 AND R02_AC1100 = 1 AND (R02_AC1021_NN > 0 OR R02_AC1023_NN > 0)) OR (R02_INIT_CIGS_ADULT = 1 AND R02_CURRENT_USER_CIGS = 1 AND R02_AC1100 = 1 AND (R02_AC1021_NN > 0 OR R02_AC1023_NN > 0)).

DISPLAY: AUTOFILL [#] WITH R02_CIGSPERDAY or R02_PCKSPERDAY. If R02_CIGSPERDAY = 1, DISPLAY "cigarette"; IF R02_CIGSPERDAY > 1, DISPLAY "cigarettes". If R02_PCKSPERDAY = 1, DISPLAY "pack"; IF R02_PCKSPERDAY > 1, DISPLAY "packs". IF R02_SOME_DAY_USER_CIGS = 1, DISPLAY " on the days that you smoke". Else, do not display this text.

Variable(s): R02_AC9009

You mentioned that you smoke [R02_CIGSPERDAY2]. Have you smoked about this many cigarettes per day since you started smoking fairly regularly?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R02_AC1024 |
| 2 | No | |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: New baseline adult respondents who are every day established cigarette smokers and have ever smoked fairly regularly and on average smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day, or adult respondents who initiated cigarette smoking since their last completed interview and are every day established cigarette smokers and have ever smoked fairly regularly and on average smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day.

ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_CIGS = 1 AND R02_AC1100 = 1 AND R02_AC1090 = 1, 2, 3) OR (R02_INIT_CIGS_ADULT = 1 AND R02 EVERYDAY_USER_CIGS = 1 AND R02_AC1100 = 1 AND R02_AC1090 = 1, 2, 3).

DISPLAY: IF R02_AC1090 = 1, FILL R02_CIGSPERDAY2 WITH "more than 20 cigarettes each day". IF R02_AC1090 = 2, FILL WITH "about 20 cigarettes each day". IF R02_AC1090 = 3, FILL WITH "less than 20 cigarettes each day".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AC9005_NN; R02_AC9005_UN
On average, about how many cigarettes did you smoke per day when you smoked fairly regularly in the past? A pack usually has 20 cigarettes in it. 1 __ __ Cigarettes per day 2 __ __ Packs per day -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who are current established cigarette smokers and smoke fairly regularly and report smoking a different amount now than in the past or adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and smoke fairly regularly and report smoking a different amount now than in the past. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_CURRENT_USER_CIGS = 1 AND R02_AC1100 = 1 AND (((R02_AC1021_NN > 0 OR R02_AC1023_NN > 0) AND R02_AC9004 != 1) OR (R02_AC1090 = 1, 2, 3 AND R02_AC9009 != 1)) OR R02_INIT_CIGS_ADULT = 1 AND R02_CURRENT_USER_CIGS = 1 AND R02_AC1100 = 1 AND (((R02_AC1021_NN > 0 OR R02_AC1023_NN > 0) AND R02_AC9004 != 1) OR (R02_AC1090 = 1, 2, 3 AND R02_AC9009 != 1)). PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R02_AC9005_UN = Cigarettes per day; the value "2" refers to R02_AC9005_UN = Packs per day.	

Variable(s):	R02_AC1024_NN***; R02_AC1024_UN
[On the days that you smoke, how/How] soon after you wake up do you typically smoke your first cigarette of the day? Please enter the number of minutes or hours. 1 __ __ Minutes after waking 2 __ __ Hours after waking -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established cigarette smokers. ASK Specification: IF R02_CURRENT_USER_CIGS = 1. DISPLAY: IF R02 EVERYDAY_USER_CIGS = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you smoke, how". PROGRAM: Display as Quantity/Units. GOTO: Adult respondents who are current established cigarette smokers and did not know or refused to report how soon after waking up they typically smoke their first cigarette, go to R02_AC1092. Else, young adult respondents who are current established cigarette smokers, go to R02_AC9022. Else, go to R02_AC1098. GOTO Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1024_NN = -8, -7, GO TO R02_AC1092. ELSE, IF R02_YOUNG_ADULT = 1 AND R02_CURRENT_USER_CIGS = 1, GO TO R02_AC9022. ELSE, GO TO R02_AC1098. NOTES: The value "1" refers to R02_AC1024_UN = Minutes after waking; the value "2" refers to R02_AC1024_UN = Hours after waking. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC1092

[On the days that you smoke, would/Would] you say you smoke your first cigarette of the day within the first 30 minutes after you wake up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and did not know or refused to report how soon after waking up they typically smoke their first cigarette.

ASK Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1024_NN = -8, -7.

DISPLAY: IF R02_EVERYDAY_USER_CIGS = 1, DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke, would".

GOTO: Young adult respondents who are current established cigarette smokers, go to R02_AC9022. Else, go to R02_AC1098.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND R02_CURRENT_USER_CIGS = 1, GO TO R02_AC9022.

ELSE, GO TO R02_AC1098.

Variable(s): R02_AC9022

Do you consider yourself a smoker?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1).

GOTO: Adult respondents who are current established cigarette smokers, go to R02_AC1098. Else, go to the next section.

GOTO Specification: IF R02_CURRENT_USER_CIGS = 1, GO TO R02_AC1098.

ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC1098*****

The next questions ask about your experience buying cigarettes.

In the past 30 days, how often have you used a coupon when buying cigarettes?

- 1 Always
- 2 Sometimes
- 3 Rarely
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers.

ASK Specification: IF R02_CURRENT_USER_CIGS = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **SEE BELOW:**

When you buy cigarettes for yourself, do you usually buy manufactured cigarettes or a pouch of tobacco to roll-your-own cigarettes? Choose all that apply.

- R02_AC9007_01***** 1 Manufactured cigarettes
- R02_AC9007_02***** 2 Roll-your-own tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers.

ASK Specification: IF R02_CURRENT_USER_CIGS = 1.

PROGRAM: Allow respondent to choose all that apply.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ACR06
If the adult respondent is a current established cigarette smoker who usually buys manufactured cigarettes and roll-your-own tobacco for cigarettes, create and repeat R02_AC1030[MC/Ry] TO R02_AC1051[MC/Ry] as a loop once for each cigarette type, following appropriate skip patterns. Loop manufactured cigarettes first, then roll-your-own tobacco for cigarettes second. If the adult respondent is a current established cigarette smoker who usually buys only manufactured cigarettes, loop through R02_AC1030MC to R02_AC1051MC only once. If the adult respondent is a current established cigarette smoker who usually buys only roll-your-own tobacco for cigarettes, loop through R02_AC1030RY to R02_AC1051RY only once. If the adult respondent is a current established cigarette smoker who did not know or refused to report whether they buy manufactured cigarettes or roll-your-own tobacco for cigarettes, loop through R02_AC1030MC to R02_AC1051MC only once, following the display instructions for manufactured cigarettes. [If the adult respondent is a new former established cigarette smoker, R02_AC1047MC to R02_AC1012MC will be asked only once, following skip patterns as indicated and following the display instructions for manufactured cigarettes.]	
IF R02_AC9007_01 = 1 AND R02_AC9007_02 = 1, LOOP R02_AC1030[MC/Ry] THROUGH R02_AC1051[MC/Ry] ONCE FOR EACH CIGARETTE TYPE, FOLLOWING APPROPRIATE SKIP PATTERNS. LOOP MANUFACTURED CIGARETTES FIRST, THEN ROLL-YOUR-OWN TOBACCO SECOND. IF R02_AC9007_01 = 1 AND R02_AC9007_02 = 2, LOOP THROUGH R02_AC1030MC THROUGH R02_AC1051MC ONLY ONCE. IF R02_AC9007_01 = 2 AND R02_AC9007_02 = 1, LOOP THROUGH R02_AC1030RY THROUGH R02_AC1051RY ONLY ONCE. IF R02_AC9007_01 = -8, -7, LOOP THROUGH R02_AC1030MC THROUGH R02_AC1051MC ONLY ONCE, FOLLOWING THE DISPLAY INSTRUCTIONS FOR MANUFACTURED CIGARETTES. [IF R02_AC9007_01 = -1 AND R02_NEW_FORMER_USER_CIGS = 1, LOOP THROUGH R02_AC1047MC THROUGH R02_AC1012MC ONLY ONCE, FOLLOWING THE DISPLAY INSTRUCTIONS FOR MANUFACTURED CIGARETTES.]	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC1030MC; R02_AC1030RY		
How do you usually buy [cigarettes/a pouch of roll-your-own cigarette tobacco] for yourself?		
1	In person	
2	From the internet	GO TO BOX R02_ACR07
3	By telephone	GO TO BOX R02_ACR07
4	I do not buy my own [cigarettes/cigarette tobacco]	GO TO BOX R02_ACR07
-8	DON'T KNOW	GO TO BOX R02_ACR07
-7	REFUSED	GO TO BOX R02_ACR07
ASK: Adult respondents who are current established manufactured/roll-your-own cigarette smokers and usually buy manufactured/roll-your-own cigarettes for themselves or did not know or refused to report the type they usually buy.		
ASK Specification: FOR R02_AC1030MC: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7.		
FOR R02_AC1030RY: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1.		
DISPLAY: For R02_AC1030MC: IF R02_AC9007_01 = 1, -8 or -7, DISPLAY "cigarettes" IN QUESTION TEXT AND RESPONSE OPTION 4.		
For R02_AC1030RY: IF R02_AC9007_02 = 1, DISPLAY "a pouch of roll-your-own cigarette tobacco" IN QUESTION TEXT, AND "cigarette tobacco" IN RESPONSE OPTION 4.		

Variable(s): R02_AC1032MC; R02_AC1032RY		
Do you usually buy [cigarettes/roll-your-own cigarette tobacco]...?		
1	In your own state	
2	In another state	
3	Outside the US	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are current established manufactured/roll-your-own cigarette smokers and usually buy manufactured/roll-your-own cigarettes for themselves or did not know or refused to report the type they usually buy, and usually buy them in person.		
ASK Specification: FOR R02_AC1032MC: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7 AND R02_AC1030MC = 1.		
FOR R02_AC1032RY: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC1030RY = 1.		
DISPLAY: FOR R02_AC1032MC: IF R02_AC9007_01 = 1, -8 or -7, DISPLAY "cigarettes".		
FOR R02_AC1032RY: IF R02_AC9007_02 = 1, DISPLAY "roll-your-own cigarette tobacco".		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AC1033MC; R02_AC1033MC_OS; R02_AC1033RY; R02_AC1033RY_OS
Where do you buy your [cigarettes/roll-your-own cigarette tobacco] most of the time? 1 A convenience store or gas station 2 A supermarket, grocery store, or drug store 3 A warehouse club, such as Sam's or Costco 4 A smoke shop, tobacco specialty store or tobacco outlet store 5 A duty free shop or military commissary 6 A bar, pub, restaurant or casino 7 A friend or relative 8 A swap meet or flea market 9 A store on an Indian reservation 10 A liquor store 11 Or from somewhere else (SPECIFY) -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established manufactured/roll-your-own cigarette smokers and usually buy manufactured/roll-your-own cigarettes for themselves or did not know or refused to report the type they usually buy, and usually buy them in person. ASK Specification: FOR R02_AC1032MC: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7 AND R02_AC1030MC = 1. FOR R02_AC1032RY: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC1030RY = 1. DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard." FOR R02_AC1033MC: IF R02_AC9007_01 = 1, -8 or -7, DISPLAY "cigarettes". FOR R02_AC1033RY: IF R02_AC9007_02 = 1 DISPLAY "roll-your-own cigarette tobacco".	

BOX ID:	R02_ACR07
Adult respondents who are current established cigarette smokers and usually buy manufactured cigarettes or did not know or refused to report whether they buy manufactured cigarettes or roll-your-own tobacco for cigarettes, go to R02_AC1039. Else, adult respondents who are current established roll-your-own cigarette smokers, go to R02_AC1047RY.	
IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7, GO TO R02_AC1039. ELSE, IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1, GO TO R02_AC1047RY.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC1039																	
Do you usually buy cigarettes by the carton, pack or as single cigarettes? <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">1 Carton</td> <td style="width: 30%;"></td> <td style="width: 40%;"></td> </tr> <tr> <td>2 Pack</td> <td></td> <td>GO TO R02_AC1042</td> </tr> <tr> <td>3 Single cigarettes</td> <td></td> <td>GO TO R02_AC1043</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td></td> <td>GO TO R02_AC1047MC</td> </tr> <tr> <td>-7 REFUSED</td> <td></td> <td>GO TO R02_AC1047MC</td> </tr> </table> ASK: Adult respondents who are current established cigarette smokers and usually buy manufactured cigarettes or did not know or refused to report the type they usually buy. ASK Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7.			1 Carton			2 Pack		GO TO R02_AC1042	3 Single cigarettes		GO TO R02_AC1043	-8 DON'T KNOW		GO TO R02_AC1047MC	-7 REFUSED		GO TO R02_AC1047MC
1 Carton																	
2 Pack		GO TO R02_AC1042															
3 Single cigarettes		GO TO R02_AC1043															
-8 DON'T KNOW		GO TO R02_AC1047MC															
-7 REFUSED		GO TO R02_AC1047MC															

Variable(s): R02_AC1040								
How many packs of cigarettes are in the carton you usually buy? _ _ _ <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">-8 DON'T KNOW</td> <td style="width: 30%;"></td> <td style="width: 40%;"></td> </tr> <tr> <td>-7 REFUSED</td> <td></td> <td></td> </tr> </table> ASK: Adult respondents who are current established cigarette smokers and usually buy manufactured cigarettes or did not know or refused to report the type they usually buy, and usually buy cigarettes by the carton. ASK Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7 AND R02_AC1039 = 1. PROGRAM: Allow 3 digits.			-8 DON'T KNOW			-7 REFUSED		
-8 DON'T KNOW								
-7 REFUSED								

Variable(s): R02_AC1041_D; R02_AC1041_C											
How much do you usually pay for a carton of cigarettes? <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">\$ _ _ _ _ Dollars . _ _ _ Cents</td> <td style="width: 30%;"></td> <td style="width: 40%;"></td> </tr> <tr> <td>-8 DON'T KNOW</td> <td></td> <td>GO TO R02_AC1047MC</td> </tr> <tr> <td>-7 REFUSED</td> <td></td> <td>GO TO R02_AC1047MC</td> </tr> </table> ASK: Adult respondents who are current established cigarette smokers and usually buy manufactured cigarettes or did not know or refused to report the type they usually buy, and usually buy cigarettes by the carton. ASK Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7 AND R02_AC1039 = 1. DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles. PROGRAM: Display as Quantity/Quantity.			\$ _ _ _ _ Dollars . _ _ _ Cents			-8 DON'T KNOW		GO TO R02_AC1047MC	-7 REFUSED		GO TO R02_AC1047MC
\$ _ _ _ _ Dollars . _ _ _ Cents											
-8 DON'T KNOW		GO TO R02_AC1047MC									
-7 REFUSED		GO TO R02_AC1047MC									

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC1042_D; R02_AC1042_C		
How much do you usually pay for a pack of cigarettes? \$ __ __ __ Dollars . __ __ Cents -8 DON'T KNOW -7 REFUSED GO TO R02_AC1047MC GO TO R02_AC1047MC GO TO R02_AC1047MC ASK: Adult respondents who are current established cigarette smokers and usually buy manufactured cigarettes or did not know or refused to report the type they usually buy, and usually buy cigarettes by the pack. ASK Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7 AND R02_AC1039 = 2. DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles. PROGRAM: Display as Quantity/Quantity.		

Variable(s): R02_AC1043_D; R02_AC1043_C		
How much do you usually pay for a single cigarette? \$ __ __ __ Dollars . __ __ Cents -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established cigarette smokers and usually buy manufactured cigarettes or did not know or refused to report the type they usually buy, and usually buy single cigarettes. ASK Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7 AND R02_AC1039 = 3. DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles. PROGRAM: Display as Quantity/Quantity.		

Variable(s): R02_AC1047MC; R02_AC1047RY		
[Do/Did] you have a regular brand of [cigarettes/roll-your-own cigarette tobacco] that you usually [smoke/ smoked]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established manufactured/roll-your-own cigarette smokers. ASK Specification: FOR R02_AC1047MC: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7) OR R02_NEW_FORMER_USER_CIGS = 1. FOR R02_AC1047RY: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1. DISPLAY: IF R02_CURRENT_USER_CIGS = 1, DISPLAY "Do" AND "smoke". IF R02_NEW_FORMER_USER_CIGS = 1, DISPLAY "Did", "cigarettes" AND "smoked". FOR R02_AC1047MC: IF R02_AC9007_01 = 1, -8, -7 OR -1, DISPLAY "cigarettes". FOR R02_AC1047RY: IF R02_AC9007_02 = 1, DISPLAY "roll-your-own cigarette tobacco".		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AC1048MC_BRAND***; R02_AC1048RY_BRAND
What brand of [cigarettes/roll-your-own cigarette tobacco] [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established manufactured/roll-your-own cigarette smokers. ASK Specification: FOR R02_AC1048MC_BRAND: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7) OR R02_NEW_FORMER_USER_CIGS = 1. FOR R02_AC1048RY_BRAND: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else". FOR R02_AC1048MC_BRAND: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1, DISPLAY "do" AND "usually". IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 2, -8, -7, DISPLAY "did" AND "last". IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1, DISPLAY "did" AND "usually". IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 2, -8, -7, DISPLAY "did" AND "last". IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8 or -7, DISPLAY "cigarettes" AND DISPLAY ONLY BRANDS OF MANUFACTURED CIGARETTES. IF R02_NEW_FORMER_USER_CIGS = 1, DISPLAY "cigarettes" AND DISPLAY ONLY BRANDS OF MANUFACTURED CIGARETTES. FOR R02_AC1048RY_BRAND: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047RY = 1, DISPLAY "do" AND "usually". IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047RY = 2, -8, -7, DISPLAY "did" AND "last". IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1, DISPLAY "roll-your-own cigarette tobacco" AND DISPLAY ONLY BRANDS OF ROLL-YOUR-OWN CIGARETTE TOBACCO. PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. GOTO: Adult respondents who are current established or new former established manufactured/roll-your-own cigarette smokers and selected a brand of cigarettes, go to R02_AC1070[MC/Ry]_PRODUCT. Else, adult respondents who are current established or new former established manufactured/roll-your-own cigarette smokers and selected "Something else" for their brand of cigarettes, go to R02_AC1049[MC/Ry]. Else, go to [R02_AC1050MC/R02_AC9150RY]. GOTO Specification: FROM R02_AC1048MC_BRAND: IF ((R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7) OR R02_NEW_FORMER_USER_CIGS = 1) AND R02_AC1048MC_BRAND != 9995, -8, -7, GO TO R02_AC1070MC_PRODUCT. ELSE, IF ((R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7) OR R02_NEW_FORMER_USER_CIGS = 1) AND R02_AC1048MC_BRAND = 9995, GO TO R02_AC1049MC. ELSE, GO TO R02_AC1050MC.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

FROM R02_AC1048RY_BRAND: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC1048RY_BRAND != 9995, -8, -7, GO TO R02_AC1070RY_PRODUCT.
ELSE, IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC1048RY_BRAND = 9995, GO TO R02_AC1049RY.
ELSE, GO TO R02_AC9150RY.
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AC1070MC_PRODUCT***; R02_AC1070RY_PRODUCT
You selected [CIGBRANDFILL/RYOBRANDFILL] as your brand. What kind of [CIGBRANDFILL/RYOBRANDFILL] [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established manufactured/roll-your-own cigarette smokers and selected a brand of cigarettes. ASK Specification: FOR R02_AC1070MC_PRODUCT: IF ((R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7) OR R02_NEW_FORMER_USER_CIGS = 1) AND R02_AC1048MC_BRAND != 9995, -8, -7. FOR R02_AC1070RY_PRODUCT: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC1048RY_BRAND != 9995, -8, -7. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else". FOR R02_AC1070MC_PRODUCT: IF R02_AC9007_01 = 1, -8, -7, FILL CIGBRANDFILL WITH BRAND CHOSEN IN R02_AC1048MC_BRAND. IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1, DISPLAY "do" AND "usually". IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 2, -8, -7, DISPLAY "did" AND "last". IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1, DISPLAY "did" AND "usually". IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 2, -8, -7, DISPLAY "did" AND "last". FOR R02_AC1070RY_PRODUCT: IF R02_AC9007_02 = 1, FILL RYOBRANDFILL WITH BRAND CHOSEN IN R02_AC1048RY_BRAND. IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047RY = 1, DISPLAY "do" AND "usually". IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047RY = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R02_AC1048[MC/RY]_BRAND. GOTO: Adult respondents who are current established or new former established manufactured/roll-your-own cigarette smokers and selected a brand of cigarettes and selected "Something else" for their subbrand of cigarettes, go to R02_AC1071[MC/RY]. Else, go to [R02_AC1050MC/R02_AC9150RY]. GOTO Specification: FROM R02_AC1070MC_PRODUCT: IF ((R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7) OR R02_NEW_FORMER_USER_CIGS = 1) AND R02_AC1048MC_BRAND != 9995, -8, -7 AND R02_AC1070MC_PRODUCT = 99995, GO TO R02_AC1071MC. ELSE, GO TO R02_AC1050MC. FROM R02_AC1070RY_PRODUCT: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC1048RY_BRAND != 9995, -8, -7 AND R02_AC1070RY_PRODUCT = 99995, GO TO R02_AC1071RY. ELSE, GO TO R02_AC9150RY. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC1049MC; R02_AC1049RY*****

You said that your brand was not pictured. What is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or new former established manufactured/roll-your-own cigarette smokers and selected "Something else" for their brand of cigarettes.

ASK Specification: FOR R02_AC1049MC: IF ((R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7) OR R02_NEW_FORMER_USER_CIGS = 1) AND R02_AC1048MC_BRAND = 9995.

FOR R02_AC1049RY: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC1048RY_BRAND = 9995.

GOTO: From R02_AC1049MC: Go to R02_AC1050MC.

From R02_AC1049RY: Go to R02_AC9150RY.

GOTO Specification: FROM R02_AC1049MC: GO TO R02_AC1050MC.

FROM R02_AC1049RY: GO TO R02_AC9150RY.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AC1071MC; R02_AC1071RY**

You said that the type of [CIGBRANDFILL/RYOBRANDFILL]s that you [smoke/smoked] is not pictured. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or new former established manufactured/roll-your-own cigarette smokers and selected a brand of cigarettes and selected "Something else" for their subbrand of cigarettes.

ASK Specification: FOR R02_AC1071MC: IF ((R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7) OR R02_NEW_FORMER_USER_CIGS = 1) AND R02_AC1048MC_BRAND != 9995, -8, -7 AND R02_AC1070MC_PRODUCT = 99995.

FOR R02_AC1071RY: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC1048RY_BRAND != 9995, -8, -7 AND R02_AC1070RY_PRODUCT = 99995.

DISPLAY: FOR R02_AC1071MC: IF R02_AC9007_01 = 1, -8, -7, FILL CIGBRANDFILL WITH BRAND CHOSEN IN R02_AC1048MC_BRAND. IF R02_CURRENT_USER_CIGS = 1, DISPLAY "smoke". IF R02_NEW_FORMER_USER_CIGS = 2, DISPLAY "smoked".

FOR R02_AC1071RY: IF R02_AC9007_02 = 1, FILL RYOBRANDFILL WITH BRAND CHOSEN IN R02_AC1048RY_BRAND. IF R02_CURRENT_USER_CIGS = 1, DISPLAY "smoke".

GOTO: From R02_AC1071MC: Go to R02_AC1050MC.

From R02_AC1071RY: Go to R02_AC9150RY.

GOTO Specification: FROM R02_AC1071MC: GO TO R02_AC1050MC.

FROM R02_AC1071RY: GO TO R02_AC9150RY.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AC1050MC***
[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established cigarette smokers and usually buy manufactured cigarettes or did not know or refused to report the type they usually buy, or adult respondents who are new former established cigarette smokers. ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7) OR R02_NEW_FORMER_USER_CIGS = 1. DISPLAY: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1, DISPLAY "Is" AND "your regular brand" AND "smoke". IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked". ELSE, IF R02_AC1047MC = 1, DISPLAY "Was" AND "your regular brand" AND "smoked". ELSE, IF R02_AC1047MC = 2, -8, -7, DISPLAY "Was" and "the last brand" and "smoked". GOTO: Adult respondents who are current established cigarette smokers and buy manufactured cigarettes, or who did not know or refused to report whether they buy manufactured cigarettes or roll-your-own tobacco for cigarettes and whose regular brand or last brand was flavored, or adult respondents who are new former established cigarette smokers and whose regular brand or last brand of manufactured cigarettes was flavored, go to R02_AC1012. Else, adult respondents who are current established manufactured cigarette smokers and have a regular brand of cigarettes, go to R02_AC1051MC. Else, adult respondents who are new former established cigarette smokers and have a regular brand, go to box R02_ACD01. Else, adult respondents who are new former established cigarette smokers, go to R02_AC9019. GOTO Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7 AND R02_AC1050MC = 1) OR (R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1050MC = 1), GO TO R02_AC1012. ELSE, IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7 AND R02_AC1047MC = 1, GO TO R02_AC1051MC. ELSE, IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1, GO TO BOX R02_ACD01. ELSE, IF R02_NEW_FORMER_USER_CIGS = 1, GO TO R02_AC9019. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor [is/was] it? If multiple flavors were mixed together, choose all that apply.	
R02_AC1012MC_01	1 Menthol or mint
R02_AC1012MC_02	2 Clove or spice
R02_AC1012MC_03	3 Fruit
R02_AC1012MC_04	4 Chocolate
R02_AC1012MC_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AC1012MC_06	6 Candy or other sweets
R02_AC1012MC_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established cigarette smokers and usually buy manufactured cigarettes or did not know or refused to report they type they buy and whose regular brand or last brand was flavored, or adult respondents who are new former established cigarette smokers and whose regular brand or last brand of manufactured cigarettes was flavored. ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7 AND R02_AC1050MC = 1) OR (R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1050MC = 1). DISPLAY: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1, DISPLAY "is". IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 2, -8, -7, DISPLAY "was". IF R02_NEW_FORMER_USER_CIGS = 1, DISPLAY "was". GOTO: Adult respondents who are current established manufactured cigarette smokers and have a regular brand of cigarettes, go to R02_AC1051MC. Else, adult respondents who are current established cigarette smokers, go to R02_ACR09. Else, adult respondents who are new former established cigarette smokers and have a regular brand, go to box R02_ACD01. Else, adult respondents who are new former established cigarette smokers, go to R02_AC9019. GOTO Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7 AND R02_AC1047MC = 1, GO TO R02_AC1051MC. ELSE, IF R02_CURRENT_USER_CIGS = 1, GO TO R02_ACR09. ELSE, IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1, GO TO BOX R02_ACD01. ELSE, IF R02_NEW_FORMER_USER_CIGS = 1, GO TO R02_AC9019.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC9150RY**

[Is/Was] [your regular brand/the last brand] of roll-your-own cigarette tobacco [you smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and usually buy roll-your-own tobacco for cigarettes.

ASK Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1.

DISPLAY: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047RY = 1, DISPLAY "Is" AND "your regular brand".

IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047RY = 2, -8, -7, DISPLAY, "Was", "the last brand" AND "you smoked".

GOTO: Adult respondents who are current established cigarette smokers and buy roll-your-own tobacco for cigarettes and whose regular brand or last brand smoked was flavored, go to R02_AC9112RY.

Else, adult respondents who are current established roll-your-own cigarette smokers and have a regular brand of cigarettes, go to R02_AC1051RY.

Else, go to box R02_ACR09.

GOTO Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC9150RY = 1, GO TO R02_AC9112RY.

ELSE, IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC1047RY = 1, GO TO R02_AC1051RY.

ELSE, GO TO BOX R02_ACR09.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor [is/was] it? If multiple flavors were mixed together, choose all that apply.	
R02_AC9112RY_01	1 Menthol or mint
R02_AC9112RY_02	2 Clove or spice
R02_AC9112RY_03	3 Fruit
R02_AC9112RY_04	4 Chocolate
R02_AC9112RY_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AC9112RY_06	6 Candy or other sweets
R02_AC9112RY_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established cigarette smokers and usually buy roll-your-own tobacco for cigarettes and whose regular brand or last brand smoked was flavored.	
ASK Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC9150RY = 1.	
DISPLAY: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047RY = 1, DISPLAY "is".	
IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047RY = 2, -8, -7, DISPLAY, "was".	
GOTO: Adult respondents who are current established roll-your-own cigarette smokers and have a regular brand of cigarettes, go to R02_AC1051RY.	
Else, go to box R02_ACR09.	
GOTO Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC1047RY = 1, GO TO R02_AC1051RY.	
ELSE, GO TO BOX R02_ACR09.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AC1051MC_NN; R02_AC1051MC_UN; R02_AC1051RY_NN; R02_AC1051RY_UN
About how long have you been smoking your regular brand of [cigarettes/roll-your-own cigarette tobacco]? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established manufactured/roll-your-own cigarette smokers and have a regular brand of cigarettes. ASK Specification: FOR R02_AC1051MC[_NN/_UN]: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7 AND R02_AC1047MC = 1. FOR R02_AC1051RY[_NN/_UN]: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1 AND R02_AC1047RY = 1. DISPLAY: FOR R02_AC1051MC[_NN/_UN]: IF R02_AC9007_01 = 1, -8 or -7, DISPLAY "cigarettes". FOR R02_AC1051RY[_NN/_UN]: IF R02_AC9007_02 = 1, DISPLAY "roll-your-own cigarette tobacco". PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. NOTES: The value "1" refers to R02_AC1051_UN = Days; the value "2" refers to R02_AC1051_UN = Months; the value "3" refers to R02_AC1051_UN = Years.	

BOX ID:	R02_ACR09
Adult respondents who are current established cigarette smokers and have smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, and buy manufactured cigarettes and roll-your-own tobacco for cigarettes, and selected a valid brand and subbrand for both manufactured and roll-your-own cigarettes, go to R02_AC0105. Else, adult respondents who are current established cigarette smokers and have a regular brand of manufactured cigarettes and usually buy manufactured cigarettes, or adult respondents who are new former established cigarette smokers who have a regular brand of manufactured cigarettes, go to Box R02_ACD01. Else, go to Box R02_ACR12.	
IF R02_CURRENT_USER_CIGS = 1 AND R02_AC0100 = 1, 2, 3, 4 AND R02_AC9007_01 = 1 AND R02_AC9007_02 = 1 AND R02_AC1048RY_BRAND != 9995, -8, -7 AND R02_AC1070RY_PRODUCT != 99990, 99995 AND R02_AC1048MC_BRAND != 9995, -8, -7 AND R02_AC1070MC_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AC0105. ELSE, IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1 AND R02_AC9007_01 = 1) OR (R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1), GO TO BOX R02_ACD01. ELSE, GO TO BOX R02_ACR12.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AC0105
You said earlier that you smoked a cigarette [TIME OF LAST USE]. Think about the very last cigarette you smoked. Was the brand... 1 [NEQBRAND] 2 [NEQBRAND] 3 Some other brand -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established cigarette smokers and have smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, and buy manufactured cigarettes and roll-your-own tobacco for cigarettes, and selected a valid brand and subbrand for both manufactured and roll-your-own cigarettes. ASK Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC0100 = 1, 2, 3, 4 AND R02_AC9007_01 = 1 AND R02_AC9007_02 = 1 AND R02_AC1048RY_BRAND != 9995, -8, -7 AND R02_AC1070RY_PRODUCT != 99990, 99995 AND R02_AC1048MC_BRAND != 9995, -8, -7 AND R02_AC1070MC_PRODUCT != 99990, 99995, -8, -7. DISPLAY: IF R02_AC0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour". IF R02_AC0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today". IF R02_AC0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday". IF R02_AC0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH R02_AC1070MC_PRODUCT FOR RESPONSE CODE 1. FILL [NEQBRAND] WITH R02_AC1070RY_PRODUCT FOR RESPONSE CODE 2. GOTO: Adult respondents who are current established cigarette smokers and have a regular brand of manufactured cigarettes and usually buy manufactured cigarettes, go to Box R02_ACD01. Else, go to the next section. GOTO Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1 AND R02_AC9007_01 = 1, GO TO BOX R02_ACD01. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).	

BOX ID:	R02_ACD01
Display question R02_AC9010, R02_AC9011, R02_AC9012, R02_AC9013, R02_AC9014, R02_AC9015, R02_AC9016, R02_AC9017, on one screen. Show the intro/transition text from R02_AC9010 first, then show each item with a Y/N response. As each item is answered, show the next one.	
Randomize order of R02_AC9010 through R02_AC9017.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC9010**

[The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes.]In choosing your regular brand of cigarettes[when you smoked], was part of your decision based on any of the following?

It [is/was] less expensive.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and have a regular brand of manufactured cigarettes and usually buy manufactured cigarettes, or adult respondents who are new former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1 AND R02_AC9007_01 = 1) OR (R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1).

DISPLAY: IF R02_CURRENT_USER_CIGS = 1, DISPLAY "is". IF R02_NEW_FORMER_USER_CIGS = 1, DISPLAY "when you smoked" AND "was". IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1 AND R02_AC9007_02 = 1, DISPLAY TRANSITION TEXT: "The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes." ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): **R02_AC9011**

The tar and nicotine levels.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and have a regular brand of manufactured cigarettes and usually buy manufactured cigarettes, or adult respondents who are new former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1 AND R02_AC9007_01 = 1) OR (R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC9012**

The design of the pack.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and have a regular brand of manufactured cigarettes and usually buy manufactured cigarettes, or adult respondents who are new former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1 AND R02_AC9007_01 = 1) OR (R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1).

Variable(s): **R02_AC9013**

It may not be as bad for your health.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and have a regular brand of manufactured cigarettes and usually buy manufactured cigarettes, or adult respondents who are new former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1 AND R02_AC9007_01 = 1) OR (R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1).

Variable(s): **R02_AC9014**

The taste.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and have a regular brand of manufactured cigarettes and usually buy manufactured cigarettes, or adult respondents who are new former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1 AND R02_AC9007_01 = 1) OR (R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC9015**

As a way to help you quit.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and have a regular brand of manufactured cigarettes and usually buy manufactured cigarettes, or adult respondents who are new former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1 AND R02_AC9007_01 = 1) OR (R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1).

Variable(s): **R02_AC9016**

The amount of satisfaction it [gives/gave] you.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and have a regular brand of manufactured cigarettes and usually buy manufactured cigarettes, or adult respondents who are new former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1 AND R02_AC9007_01 = 1) OR (R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1).

DISPLAY: IF R02_CURRENT_USER_CIGS = 1, DISPLAY "gives". ELSE, DISPLAY "gave".

Variable(s): **R02_AC9017**

People who are important to you [smoke/smoked] this brand.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and have a regular brand of manufactured cigarettes and usually buy manufactured cigarettes, or adult respondents who are new former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1 AND R02_AC9007_01 = 1) OR (R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1).

DISPLAY: IF R02_CURRENT_USER_CIGS = 1, DISPLAY "smoke". ELSE, DISPLAY "smoked".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ACR12

Adult respondents who are current established cigarette smokers who buy manufactured cigarettes or did not know or refused to report the type they usually buy, or adult respondents who are new former established cigarette smokers, go to R02_AC9019.

Else, adult respondents who are current established cigarette smokers and have smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, and who usually buy manufactured cigarettes and usually do not buy roll-your-own tobacco for cigarettes and selected a brand and subbrand of manufactured cigarettes or who usually do not buy manufactured cigarettes and usually buy roll-your-own-tobacco for cigarettes and selected a brand and subbrand of roll-your-own tobacco for cigarettes or who usually buy manufactured cigarettes and roll-your-own tobacco for cigarettes and selected a brand and subbrand of only manufactured cigarettes or only roll-your-own tobacco for cigarettes, but not both, go to R02_AC0104.

Else, go to the next section.

IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7) OR
R02_NEW_FORMER_USER_CIGS = 1, GO TO R02_AC9019.

ELSE, IF R02_CURRENT_USER_CIGS = 1 AND R02_AC0100 = 1, 2, 3, 4 AND ((R02_AC9007_01 = 1, -8, -7 AND R02_AC9007_02 != 1 AND R02_AC1048MC_BRAND != 9995, -8, -7 AND R02_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R02_AC9007_01 != 1 AND R02_AC9007_02 = 1 AND R02_AC1048RY_BRAND != 9995, -8, -7 AND R02_AC1070RY_PRODUCT != 99990, 99995, -8, -7) OR (R02_AC9007_01 = 1 AND R02_AC9007_02 = 1 AND (((R02_AC1048MC_BRAND = 9995, -8, -7 OR R02_AC1070MC_PRODUCT = 99990, 99995, -8, -7) AND R02_AC1048RY_BRAND != 9995, -8, -7 AND R02_AC1070RY_PRODUCT != 99990, 99995, -8, -7) OR (R02_AC1048MC_BRAND != 9995, -8, -7 AND R02_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND (R02_AC1048RY_BRAND = 9995, -8, -7 OR R02_AC1070RY_PRODUCT = 99990, 99995, -8, -7))))), GO TO R02_AC0104.

ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AC9019***
Do you think the brand of cigarettes you [usually smoke/usually smoked/last smoked] might be less harmful, no different, or more harmful, compared to other cigarette brands? 1 Less harmful 2 No different 3 More harmful -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established cigarette smokers and usually buy manufactured cigarettes or did not know or refused to report the type they usually buy, or adult respondents who are new former established cigarette smokers. ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_01 = 1, -8, -7) OR R02_NEW_FORMER_USER_CIGS = 1. DISPLAY: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 1, DISPLAY "usually smoke". IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1047MC = 2, -8, -7, DISPLAY "last smoked". IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 1, DISPLAY "usually smoked". IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC1047MC = 2, -8, -7, DISPLAY "last smoked". GOTO: Adult respondents who are current established cigarette smokers and have smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, and who usually buy manufactured cigarettes and usually do not buy roll-your-own tobacco for cigarettes and selected a brand and subbrand of manufactured cigarettes or who usually do not buy manufactured cigarettes and usually buy roll-your-own-tobacco for cigarettes and selected a brand and subbrand of roll-your-own tobacco for cigarettes or who usually buy manufactured cigarettes and roll-your-own tobacco for cigarettes and selected a brand and subbrand of only manufactured cigarettes or only roll-your-own tobacco for cigarettes, but not both, go to R02_AC0104. Else, go to the next section. GOTO Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC0100 = 1, 2, 3, 4 AND ((R02_AC9007_01 = 1, -8, -7 AND R02_AC9007_02 != 1 AND R02_AC1048MC_BRAND != 9995, -8, -7 AND R02_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R02_AC9007_01 != 1 AND R02_AC9007_02 = 1 AND R02_AC1048RY_BRAND != 9995, -8, -7 AND R02_AC1070RY_PRODUCT != 99990, 99995, -8, -7) OR (R02_AC9007_01 = 1 AND R02_AC9007_02 = 1 AND (((R02_AC1048MC_BRAND = 9995, -8, -7 OR R02_AC1070MC_PRODUCT = 99990, 99995, -8, -7) AND R02_AC1048RY_BRAND != 9995, -8, -7 AND R02_AC1070RY_PRODUCT != 99990, 99995, -8, -7) OR (R02_AC1048MC_BRAND != 9995, -8, -7 AND R02_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND (R02_AC1048RY_BRAND = 9995, -8, -7 OR R02_AC1070RY_PRODUCT = 99990, 99995, -8, -7))))), GO TO R02_AC0104. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AC0104****

We just have one more question about [your regular brand/the last brand] of cigarettes[you smoked]. You said earlier that you smoked a cigarette [TIME OF LAST USE]. Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and have smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, and who usually buy manufactured cigarettes and usually do not buy roll-your-own tobacco for cigarettes and selected a brand and subbrand of manufactured cigarettes or who usually do not buy manufactured cigarettes and usually buy roll-your-own-tobacco for cigarettes and selected a brand and subbrand of roll-your-own tobacco for cigarettes or who usually buy manufactured cigarettes and roll-your-own tobacco for cigarettes and selected a brand and subbrand of only manufactured cigarettes or only roll-your-own tobacco for cigarettes, but not both.

ASK Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC0100 = 1, 2, 3, 4 AND ((R02_AC9007_01 = 1, -8, -7 AND R02_AC9007_02 != 1 AND R02_AC1048MC_BRAND != 9995, -8, -7 AND R02_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R02_AC9007_01 != 1 AND R02_AC9007_02 = 1 AND R02_AC1048RY_BRAND != 9995, -8, -7 AND R02_AC1070RY_PRODUCT != 99990, 99995, -8, -7) OR (R02_AC9007_01 = 1 AND R02_AC9007_02 = 1 AND (((R02_AC1048MC_BRAND = 9995, -8, -7 OR R02_AC1070MC_PRODUCT = 99990, 99995, -8, -7) AND R02_AC1048RY_BRAND != 9995, -8, -7 AND R02_AC1070RY_PRODUCT != 99990, 99995, -8, -7) OR (R02_AC1048MC_BRAND != 9995, -8, -7 AND R02_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND (R02_AC1048RY_BRAND = 9995, -8, -7 OR R02_AC1070RY_PRODUCT = 99990, 99995, -8, -7))))).

DISPLAY: Underline "your regular brand" and "the last brand" in the question text. IF R02_CURRENT_USER_CIGS = 1 AND ((R02_AC9007_01 = 1 AND R02_AC1047MC = 1) OR (R02_AC9007_02 = 1 AND R02_AC1047RY = 1)), DISPLAY "your regular brand". IF R02_CURRENT_USER_CIGS = 1 AND ((R02_AC9007_01 = 1 AND R02_AC1047MC = 2, -8, -7) OR (R02_AC9007_02 = 1 AND R02_AC1047RY = 2, -8, -7)), DISPLAY "the last brand" AND "you smoked". IF R02_AC0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour". IF R02_AC0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today". IF R02_AC0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday". IF R02_AC0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH R02_AC1070[MC/Ry] RESPONSE.

NOTES: **SKIP ERROR: This item was incorrectly skipped by respondents who smoked both manufactured cigarettes and roll-your-own tobacco and selected a product for one type of cigarettes in R02_AC1070MC_PRODUCT or R02_AC1070RY_PRODUCT, but did not select a product for the other type.

E-CIGARETTE

BOX ID: R02_AET02

The next questions are about **e-cigarettes**.

Some e-cigarettes can be bought as one-time, disposable products, while others can be bought as re-usable kits with a cartridge or tank system. Some people refill their own e-cigarettes with nicotine fluid, sometimes called "e-liquid".

Disposable e-cigarettes, e-cigarette cartridges and e-liquid come in many different flavors and nicotine concentrations. Some common brands include Fin, NJOY, Blu, e-Go and Vuse.

Please think only about **e-cigarettes** as you answer these questions. [There will be a separate section later about other kinds of electronic nicotine products.]

SHOW GENERIC IMAGES OF E-CIGARETTES, CARTRIDGES AND E-LIQUID.

DISPLAY: Bold "e-cigarettes"; underline "only".

If respondent also uses other electronic nicotine products (IF R02_EVER_USER_ECIGAR = 1 OR R02_EVER_USER_EHOOK = 1 OR R02_EVER_USER_EPIPE = 1), display "There will be a separate section later about other kinds of electronic nicotine products." Else, do not display this text.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1090*****

Do you own an e-cigarette?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an e-cigarette.

ASK Specification: IF R02_EVER_USER_ECIG = 1.

GOTO: Adult respondents who have ever used an e-cigarette and own an e-cigarette, go to R02_AE9002_BRAND.

Else, young adult respondents who have ever used an e-cigarette, go to R02_AE9041.

Else, adult respondents who have ever used an e-cigarette and had not used 100 or more e-cigarettes as of their last completed interview, go to R02_AE1005.

Else, new baseline adult respondents who have ever used an e-cigarette, or continuing adult respondents who have ever used an e-cigarette and had not used an e-cigarette fairly regularly as of their last completed interview, go to R02_AE1100.

Else, go to Box R02_AEV01.

GOTO Specification: IF R02_EVER_USER_ECIG = 1 AND R02_AE1090 = 1, GO TO R02_AE9002_BRAND.

ELSE, IF R02_YOUNG_ADULT = 1 AND R02_EVER_USER_ECIG = 1, GO TO R02_AE9041.

ELSE, IF R02_EVER_USER_ECIG = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YE1005 != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AE1005 != 6)), GO TO R02_AE1005.

ELSE, IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R01_AE1100 != 1), GO TO R02_AE1100.

ELSE, GO TO BOX R02_AEV01.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AE9002_BRAND***
What brand of e-cigarette do you own? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 9995 Something else -8 DON'T KNOW -7 REFUSED GO TO R02_AE9004 GO TO R02_AE9004 ASK: Adult respondents who have ever used an e-cigarette and own an e-cigarette. ASK Specification: IF R02_EVER_USER_ECIG = 1 AND R02_AE1090 = 1. DISPLAY: [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else". [SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. WHEN A RESPONDENT SELECTS A BRAND, GO TO R02_AE9004] NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AE9003
You said that the brand of e-cigarette you own was not pictured. What brand is it? -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever used an e-cigarette and own an e-cigarette and selected "Something else" for their brand of e-cigarette. ASK Specification: IF R02_EVER_USER_ECIG = 1 AND R02_AE1090 = 1 AND R02_AE9002_BRAND = 9995.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AE9004

About how much did you pay for your e-cigarette? Do not include the cost of additional cartridges or accessories unless they were included in a starter kit.

- 1 Less than \$10
- 2 \$10 to \$20
- 3 \$21 to \$100
- 4 More than \$100
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an e-cigarette and own an e-cigarette.

ASK Specification: IF R02_EVER_USER_ECIG = 1 AND R02_AE1090 = 1.

GOTO: Young adult respondents who have ever used an e-cigarette, go to R02_AE9041.

Else, adult respondents who have ever used an e-cigarette and had not used 100 or more e-cigarettes as of their last completed interview, go to R02_AE1005.

Else, new baseline adult respondents who have ever used an e-cigarette, or continuing adult respondents who have ever used an e-cigarette and had not used an e-cigarette fairly regularly as of their last completed interview, go to R02_AE1100.

Else, go to Box R02_AEV01.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND R02_EVER_USER_ECIG = 1, GO TO R02_AE9041.

ELSE, IF R02_EVER_USER_ECIG = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YE1005 != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AE1005 != 6)), GO TO R02_AE1005.

ELSE, IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R01_AE1100 != 1), GO TO R02_AE1100.

ELSE, GO TO BOX R02_AEV01.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE9041*****

Does anyone else living in your home own an e-cigarette?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have ever used an e-cigarette.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_EVER_USER_ECIG = 1.

GOTO: Adult respondents who have ever used an e-cigarette and had not used 100 or more e-cigarettes as of their last completed interview, go to R02_AE1005.

Else, new baseline adult respondents who have ever used an e-cigarette, or continuing adult respondents who have ever used an e-cigarette and had not used an e-cigarette fairly regularly as of their last completed interview, go to R02_AE1100.

Else, go to Box R02_AEV01.

GOTO Specification: IF R02_EVER_USER_ECIG = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YE1005 != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AE1005 != 6)), GO TO R02_AE1005.

ELSE, IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R01_AE1100 != 1), GO TO R02_AE1100.

ELSE, GO TO BOX R02_AEV01.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1005*****

How many e-cigarettes have you used in your entire life? (If you refill your e-cigarette with e-liquid, count up the total milliliters you have used. Your best guess is fine.)

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an e-cigarette and had not used 100 or more e-cigarettes in their lifetime as of their last completed interview.

ASK Specification: IF R02_EVER_USER_ECIG = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YE1005 != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AE1005 != 6)).

GOTO: New baseline adult respondents who have ever used an e-cigarette, or continuing adult respondents who have ever used an e-cigarette and had not used an e-cigarette fairly regularly as of their last completed interview, go to R02_AE1100.

Else, go to Box R02_AEV01.

GOTO Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R01_AE1100 != 1), GO TO R02_AE1100.

ELSE, GO TO BOX R02_AEV01.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AE1100*****

Have you ever used e-cigarettes fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever used an e-cigarette, or continuing adult respondents who have ever used an e-cigarette and had not used an e-cigarette fairly regularly as of their last completed interview.

ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R01_AE1100 != 1).

GOTO: New baseline adult respondents who have ever used an e-cigarette and have ever used e-cigarettes fairly regularly, go to R02_AE1007_NB.

Else, go to Box R02_AEV01.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R02_AE1100 = 1, GO TO R02_AE1007_NB.

ELSE, GO TO BOX R02_AEV01.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AE1007_NB
How old were you when you first started using e-cigarettes fairly regularly? I ____ ____ Years old GO TO R02_AEV01 -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever used an e-cigarette and have ever used e-cigarettes fairly regularly. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R02_AE1100 = 1. DISPLAY: Display "Years old" as a title. PROGRAM: Allow 2 digits for age.

Variable(s): R02_AE1121_NB
When you first started using e-cigarettes fairly regularly, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever used an e-cigarette and have ever used e-cigarettes fairly regularly and did not know or refused to report the age they started using e-cigarettes fairly regularly. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R02_AE1100 = 1 AND R02_AE1007_NB = -8, -7.

BOX ID: R02_AEV01
PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX): R02_CURRENT_USER_ECIG = "Current established e-cigarette users" Adult respondents who have ever used e-cigarettes fairly regularly, and currently uses them every day or some days. R02 EVERYDAY_USER_ECIG = "Every day established e-cigarette users" Adult respondents who have ever used e-cigarettes fairly regularly, and currently uses them every day. R02_SOME_DAY_USER_ECIG = "Some day established e-cigarette users" Adult respondents who have ever used e-cigarettes fairly regularly, and currently uses them some days. R02_EXPERIMENTAL_CURRENT_ECIG = "Current experimental e-cigarette users" Adult respondents who have never used e-cigarettes fairly regularly, and currently uses them every day or some days. R02_FORMER_THIRTYDAY_USER_ECIG = "Non-current 30-day e-cigarette users"

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Adult respondents who are experimental former, new former, or still former users in Wave 2 who have used any e-cigarettes in the past 30 days.

R02_EXPERIMENTAL_FORMER_ECIG = "Former experimental e-cigarette users"

Adult respondents who have never used e-cigarettes fairly regularly, and did not use them in the past 12 months or currently uses them not at all.

R02_NEW_FORMER_USER_ECIG = "New former established e-cigarette users"

Adult respondents who were current, experimental current, or experimental former e-cigarette users at Wave 1, or are initiators at Wave 2, has ever used them fairly regularly, and did not use them in the past 12 months or currently uses them not at all.

R02_STILL_FORMER_USER_ECIG = "Still former established e-cigarette users"

Adult respondents who were former e-cigarette users at Wave 1, has ever used them fairly regularly, and did not use them in the past 12 months or currently uses them not at all.

R02_CURRENT_USER_ECIG:

IF R02_AO9035_01 = 1 AND (R01_AE1100 = 1 OR R02_AE1100=1) AND R02_AO1003C = 1 OR 2, THEN R02_CURRENT_USER_ECIG = 1.

ELSE, R02_CURRENT_USER_ECIG = 2.

R02 EVERYDAY_USER_ECIG:

IF R02_CURRENT_USER_ECIG = 1 AND R02_AO1003C = 1, THEN R02 EVERYDAY_USER_ECIG = 1.

ELSE, R02 EVERYDAY_USER_ECIG =2.

R02_SOME_DAY_USER_ECIG:

IF R02_CURRENT_USER_ECIG = 1 AND R02_AO1003C = 2, THEN R02_SOME_DAY_USER_ECIG = 1.

ELSE, R02_SOME_DAY_USER_ECIG =2.

R02_EXPERIMENTAL_CURRENT_ECIG:

IF R02_EVER_USER_ECIG = 1 AND R02_AE1100 != 1 AND R01_AE1100 != 1 AND R02_AO1003C = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_ECIG =1.

ELSE, R02_EXPERIMENTAL_CURRENT_ECIG = 2.

R02_FORMER_THIRTYDAY_USER_ECIG:

IF (R02_CURRENT_USER_ECIG != 1 AND R02_EXPERIMENTAL_CURRENT_ECIG != 1) AND (R02_NEW_FORMER_USER_ECIG = 1 OR R02_STILL_FORMER_USER_ECIG = 1 OR R02_EXPERIMENTAL_FORMER_ECIG = 1) AND ((1<= R02_AE1009_NN <= 30 AND R02_AE1009_UN = 1) OR (R02_AE1009_NN = 1 AND R02_AE1009_UN = 2) OR R02_AE1004 = 1), THEN R02_FORMER_THIRTYDAY_USER_ECIG = 1.

ELSE, R02_FORMER_THIRTYDAY_USER_ECIG = 2.

R02_EXPERIMENTAL_FORMER_ECIG:

IF R02_CURRENT_USER_ECIG != 1 AND R02_EXPERIMENTAL_CURRENT_ECIG != 1 AND R02_EVER_USER_ECIG = 1 AND R02_AO1003C = 3 AND R02_AE1100 != 1 AND R01_AE1100 != 1, THEN R02_EXPERIMENTAL_FORMER_ECIG = 1.

ELSE, R02_EXPERIMENTAL_FORMER_ECIG = 2.

R02_NEW_FORMER_USER_ECIG:

IF R02_CURRENT_USER_ECIG != 1 AND R02_EXPERIMENTAL_CURRENT_ECIG != 1 AND (R01_CURRENT_USER_ECIG = 1 OR R01_EXPERIMENTAL_CURRENT_ECIG = 1 OR R01_EXPERIMENTAL_FORMER_ECIG = 1 OR R02_INIT_ECIG_ADULT = 1 OR R01_YE1002 = 1) AND R02_AO1003C = 3 AND (R01_AE1100 = 1 OR R02_AE1100 = 1), THEN R02_NEW_FORMER_USER_ECIG = 1.

ELSE, R02_NEW_FORMER_USER_ECIG = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_STILL_FORMER_USER_ECIG:

IF R02_CURRENT_USER_ECIG != 1 AND R02_EXPERIMENTAL_CURRENT_ECIG != 1 AND R01_FORMER_USER_ECIG = 1 AND R02_AO1003C = 3, THEN R02_STILL_FORMER_USER_ECIG = 1.

ELSE, R02_STILL_FORMER_USER_ECIG = 2.

BOX ID: R02_AER01

New baseline adult respondents who are every day established e-cigarette users, go to R02_AE1020_NB.

Else, adult respondents who initiated e-cigarette use since their last completed interview, go to R02_AE1008.

Else, adult respondents who are current established, current experimental, or new former established e-cigarette users, go to R02_AE9005.

Else, adult respondents who are non-current 30-day e-cigarette users, go to R02_AE1022.

Else, go to the next section.

IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_ECIG = 1, GO TO R02_AE1020_NB.

ELSE, IF R02_INIT_ECIG_ADULT = 1, GO TO R02_AE1008.

ELSE, IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1, GO TO R02_AE9005.

ELSE, IF R02_FORMER_THIRTYDAY_USER_ECIG = 1, GO TO R02_AE1022.

ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

Variable(s): R02_AE1020_NB

How old were you when you first started using e-cigarettes every day?

|_|_|_| Years old

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who are every day established e-cigarette users.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_ECIG = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

GOTO: New baseline adult respondents who are every day established e-cigarette users and did not know or refused to report the age they started using e-cigarettes every day, go to R02_AE1122_NB.

Else, adult respondents who initiated e-cigarette use since their last completed interview, go to R02_AE1008.

Else, go to R02_AE9005.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_ECIG = 1 AND R02_AE1020_NB = -8, -7, GO TO R02_AE1122_NB.

ELSE, IF R02_INIT_ECIG_ADULT = 1, GO TO R02_AE1008.

ELSE, GO TO R02_AE9005.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1122_NB**

When you first started using e-cigarettes every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who are every day established e-cigarette users and did not know or refused to report the age they started using e-cigarettes every day.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_ECIG = 1 AND R02_AE1020_NB = -8, -7.

GOTO: Adult respondents who initiated e-cigarette use since their last completed interview, go to R02_AE1008.

Else, go to R02_AE9005.

GOTO Specification: IF R02_INIT_ECIG_ADULT = 1, GO TO R02_AE1008.

ELSE, GO TO R02_AE9005.

Variable(s): **R02_AE1008*****

When you first started using e-cigarettes, were they flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated e-cigarette use since their last completed interview.

ASK Specification: IF R02_INIT_ECIG_ADULT = 1.

GOTO: Adult respondents who initiated e-cigarette use since their last completed interview and initiated e-cigarette use with flavored e-cigarettes, go to R02_AE1011.

Else, adult respondents who are current established, current experimental, or new former established e-cigarette users, go to R02_AE9005.

Else, go to Box R02_AER02.

GOTO Specification: IF R02_INIT_ECIG_ADULT = 1 AND R02_AE1008 = 1, GO TO R02_AE1011.

ELSE, IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1, GO TO R02_AE9005.

ELSE, GO TO BOX R02_AER02.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:																											
Which flavor did you first start using? If multiple flavors were mixed together, choose all that apply. <table style="width: 100%; border: none;"> <tr> <td style="color: red; width: 20%;">R02_AE1011_01</td> <td style="width: 5%;">1</td> <td>Menthol or mint</td> </tr> <tr> <td style="color: red;">R02_AE1011_02</td> <td>2</td> <td>Clove or spice</td> </tr> <tr> <td style="color: red;">R02_AE1011_03</td> <td>3</td> <td>Fruit</td> </tr> <tr> <td style="color: red;">R02_AE1011_04</td> <td>4</td> <td>Chocolate</td> </tr> <tr> <td style="color: red;">R02_AE1011_05</td> <td>5</td> <td>An alcoholic drink (such as wine, cognac, margarita or other cocktails)</td> </tr> <tr> <td style="color: red;">R02_AE1011_06</td> <td>6</td> <td>Candy or other sweets</td> </tr> <tr> <td style="color: red;">R02_AE1011_07</td> <td>7</td> <td>Some other flavor</td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: Adult respondents who initiated e-cigarette use since their last completed interview and initiated e-cigarette use with flavored e-cigarettes. ASK Specification: IF R02_INIT_ECIG_ADULT = 1 AND R02_AE1008 = 1. PROGRAM: Allow respondent to choose all that apply. GOTO: Adult respondents who are current established, current experimental, or new former established e-cigarette users, go to R02_AE9005. Else, go to Box R02_AER02. GOTO Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1, GO TO R02_AE9005. ELSE, GO TO BOX R02_AER02.		R02_AE1011_01	1	Menthol or mint	R02_AE1011_02	2	Clove or spice	R02_AE1011_03	3	Fruit	R02_AE1011_04	4	Chocolate	R02_AE1011_05	5	An alcoholic drink (such as wine, cognac, margarita or other cocktails)	R02_AE1011_06	6	Candy or other sweets	R02_AE1011_07	7	Some other flavor		-8	DON'T KNOW		-7	REFUSED
R02_AE1011_01	1	Menthol or mint																										
R02_AE1011_02	2	Clove or spice																										
R02_AE1011_03	3	Fruit																										
R02_AE1011_04	4	Chocolate																										
R02_AE1011_05	5	An alcoholic drink (such as wine, cognac, margarita or other cocktails)																										
R02_AE1011_06	6	Candy or other sweets																										
R02_AE1011_07	7	Some other flavor																										
	-8	DON'T KNOW																										
	-7	REFUSED																										

Variable(s):	R02_AE9005***																
Please think about the e-cigarette you [use/used] most of the time. [Is/Was] your e-cigarette rechargeable? <table style="width: 100%; border: none;"> <tr> <td style="width: 20%;"></td> <td style="width: 5%;">1</td> <td>Yes</td> <td></td> </tr> <tr> <td></td> <td>2</td> <td>No</td> <td style="text-align: right;">GO TO R02_AE9009</td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> <td></td> </tr> </table> ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1. DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "use" AND "Is". ELSE, DISPLAY "used" AND "Was". IMAGE: DISPLAY GENERIC IMAGE OF RECHARGEABLE E-CIGARETTES NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.			1	Yes			2	No	GO TO R02_AE9009		-8	DON'T KNOW			-7	REFUSED	
	1	Yes															
	2	No	GO TO R02_AE9009														
	-8	DON'T KNOW															
	-7	REFUSED															

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AE9008													
[Does/Did] your e-cigarette use cartridges? <table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 10%;">1</td> <td style="text-align: center; width: 50%;">Yes</td> <td style="text-align: right; width: 40%;">GO TO R02_AE9009</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">No</td> <td></td> </tr> <tr> <td style="text-align: center;">-8</td> <td style="text-align: center;">DON'T KNOW</td> <td style="text-align: right;">GO TO R02_AE9009</td> </tr> <tr> <td style="text-align: center;">-7</td> <td style="text-align: center;">REFUSED</td> <td style="text-align: right;">GO TO R02_AE9009</td> </tr> </table> ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users, and use a rechargeable e-cigarette or did not know or refused to report if they use a rechargeable e-cigarette. ASK Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE9005 = 1, -8, -7. DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "Does". ELSE, DISPLAY "Did". IMAGE: DISPLAY GENERIC IMAGE OF E-CIGARETTE CARTRIDGES		1	Yes	GO TO R02_AE9009	2	No		-8	DON'T KNOW	GO TO R02_AE9009	-7	REFUSED	GO TO R02_AE9009
1	Yes	GO TO R02_AE9009											
2	No												
-8	DON'T KNOW	GO TO R02_AE9009											
-7	REFUSED	GO TO R02_AE9009											

Variable(s): R02_AE9038***																
[Does/Did] your e-cigarette use a tank system? <table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 10%;">1</td> <td style="text-align: center; width: 50%;">Yes</td> <td></td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">No</td> <td></td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">Not sure</td> <td></td> </tr> <tr> <td style="text-align: center;">-8</td> <td style="text-align: center;">DON'T KNOW</td> <td></td> </tr> <tr> <td style="text-align: center;">-7</td> <td style="text-align: center;">REFUSED</td> <td></td> </tr> </table> ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users, and use a rechargeable e-cigarette or did not know or refused to report if they use a rechargeable e-cigarette, and do not use e-cigarette cartridges. ASK Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE9005 = 1, -8, -7 AND R02_AE9008 = 2. DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "Does". ELSE, DISPLAY "Did". IMAGE: DISPLAY GENERIC IMAGE OF TANK SYSTEM E-CIGARETTES NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		1	Yes		2	No		3	Not sure		-8	DON'T KNOW		-7	REFUSED	
1	Yes															
2	No															
3	Not sure															
-8	DON'T KNOW															
-7	REFUSED															

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE9009*****

[Can/Could] you refill your [e-cigarette/e-cigarette cartridges] with “e-liquid”?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "Can"; ELSE, DISPLAY "Could". IF R02_AE9008 = 1, DISPLAY “e-cigarette cartridges”; ELSE, DISPLAY “e-cigarette”.

GOTO: Adult respondents who are current established, current experimental, or new former established e-cigarette users, and use refillable e-cigarettes, go to R02_AE9036.

Else, adult respondents who are current established, current experimental, or new former established e-cigarette users, and use rechargeable e-cigarettes, go to R02_AE9037.

Else, adult respondents who are current established e-cigarette users, go to R02_AE9032.

Else, go to Box R02_AEV03.

GOTO Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE9009 = 1, GO TO R02_AE9036.

ELSE, IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE9005 = 1, GO TO R02_AE9037.

ELSE, IF R02_CURRENT_USER_ECIG = 1, GO TO R02_AE9032.

ELSE, GO TO BOX R02_AEV03.

IMAGE: DISPLAY GENERIC IMAGE OF E-LIQUID

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE9036**

Who [refills/refilled] your [e-cigarette/e-cigarette cartridge] with e-liquid?

- 1 I refill it myself
- 2 I get it refilled at a vape shop or vapor lounge
- 3 I buy it already filled
- 4 I get it refilled some other way
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users, and use refillable e-cigarettes.

ASK Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE9009 = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "refills". ELSE, DISPLAY "refilled". IF R02_AE9008 = 1, DISPLAY "e-cigarette cartridge", ELSE, DISPLAY "e-cigarette".

GOTO: Adult respondents who are current established, current experimental, or new former established e-cigarette users, and use rechargeable e-cigarettes, go to R02_AE9037.

Else, adult respondents who are current established e-cigarette users, go to R02_AE9032.

Else, go to Box R02_AEV03.

GOTO Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE9005 = 1, GO TO R02_AE9037.

ELSE, IF R02_CURRENT_USER_ECIG = 1, GO TO R02_AE9032.

ELSE, GO TO BOX R02_AEV03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE9037**

[Can/Could] you change the voltage on your e-cigarette?

- 1 Yes
- 2 No
- 3 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users, and use rechargeable e-cigarettes.

ASK Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE9005 = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "Can". ELSE, DISPLAY "Could".

GOTO: Adult respondents who are current established e-cigarette users, go to R02_AE9032.

Else, go to Box R02_AEV03.

GOTO Specification: IF R02_CURRENT_USER_ECIG = 1, GO TO R02_AE9032.

ELSE, GO TO BOX R02_AEV03.

Variable(s): **R02_AE9032*****

Have you modified your e-cigarette at all?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AEV03

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R02_ECIGTYPE (E-Cigarette device type):

R02_ECIGTYPE = 1 (Disposable E-Cigarette Users).

R02_ECIGTYPE = 2 (Non-Refillable Cartridge E-Cigarette Users).

R02_ECIGTYPE = 3 (Refillable Cartridge E-Cigarette Users).

R02_ECIGTYPE = 4 (Refillable Tank System E-Cigarette Users).

R02_ECIGTYPE = 5 (Unknown E-Cigarette User Type).

R02_ECIGTYPE (E-Cigarette device type):

IF R02_AE9005 = 2 AND R02_AE9008 != 1, 2, -8 or -7 AND R02_AE9038 != 1, 2, 3, -8 or -7 AND R02_AE9009 = 2, THEN R02_ECIGTYPE = 1 (Disposable).

ELSE, IF R02_AE9005 = 1 AND R02_AE9008 = 1 AND R02_AE9038 != 1, 2, 3, -8 or -7 AND R02_AE9009 = 2, THEN R02_ECIGTYPE = 2 (Non-Refillable Cartridge).

ELSE, IF R02_AE9005 = 1 AND R02_AE9008 = 1 AND R02_AE9038 != 1, 2, 3, -8 or -7 AND R02_AE9009 = 1, THEN R02_ECIGTYPE = 3 (Refillable Cartridge).

ELSE, IF R02_AE9005 = 1 AND R02_AE9008 = 2 AND R02_AE9038 = 1 AND R02_AE9009 = 1, THEN R02_ECIGTYPE = 4 (Refillable Tank System).

ELSE, R02_ECIGTYPE = 5 (Unknown).

BOX ID: R02_AET04

PROGRAM - CREATE [ECIGFILL]:

ECIGFILL1:

IF R02_ECIGTYPE = 1 OR 5 (Disposable/Unknown), ECIGFILL1 = "e-cigarettes".

IF R02_ECIGTYPE = 2 (Non-refillable Cartridges), ECIGFILL1 = "e-cigarette cartridges".

IF R02_ECIGTYPE = 3 OR 4 (Refillable Cartridges/Tank), ECIGFILL1 = "milliliters of e-liquid".

ECIGFILL2:

IF R02_ECIGTYPE = 1 OR 5 (Disposable/Unknown), ECIGFILL2 = "e-cigarettes".

IF R02_ECIGTYPE = 2 (Non-refillable Cartridges), ECIGFILL2 = "e-cigarette cartridges".

IF R02_ECIGTYPE = 3 OR 4 (Refillable Cartridges/Tank), ECIGFILL2 = "e-liquid".

ECIGFILL3:

IF R02_ECIGTYPE = 1 OR 5 (Disposable/Unknown), ECIGFILL3 = "e-cigarette".

IF R02_ECIGTYPE = 2 (Non-refillable Cartridges), ECIGFILL3 = "e-cigarette cartridge".

IF R02_ECIGTYPE = 3 OR 4 (Refillable Cartridges/Tank), ECIGFILL3 = "e-liquid".

ECIGIFILL4:

IF R02_ECIGTYPE = 1 OR 5 (Disposable/Unknown), ECIGFILL4 = "e-cigarette".

IF R02_ECIGTYPE = 2 (Non-refillable Cartridges), ECIGFILL4 = "e-cigarette cartridge".

IF R02_ECIGTYPE = 3 OR 4 (Refillable Cartridges/Tank), ECIGFILL4 = "milliliter of e-liquid".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AER02
Adult respondents who are every day established e-cigarette users, go to R02_AE1021. Else, adult respondents who are some day established, current experimental, or non-current 30-day e-cigarette users, go to R02_AE1022. Else, adult respondents who are new former established e-cigarette users, go to R02_AE1047. Else, go to the next section.
IF R02_EVERYDAY_USER_ECIG = 1, GO TO R02_AE1021. ELSE, IF R02_SOME_DAY_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_FORMER_THIRTYDAY_USER_ECIG = 1, GO TO R02_AE1022. ELSE, IF R02_NEW_FORMER_USER_ECIG = 1, GO TO R02_AE1047. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

Variable(s): R02_AE1021***								
On average, about how many [ECIGFILL1] do you now use each day? <table style="width: 100%; margin-top: 10px;"> <tr> <td style="text-align: center;">-2 Less than 1 each day</td> <td style="text-align: right;">GO TO R02_AE1130</td> </tr> <tr> <td style="text-align: center;"> _ _ _ </td> <td style="text-align: right;">GO TO R02_AE1130</td> </tr> <tr> <td style="text-align: center;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R02_AE1130</td> </tr> <tr> <td style="text-align: center;">-7 REFUSED</td> <td style="text-align: right;">GO TO R02_AE1130</td> </tr> </table> ASK: Adult respondents who are every day established e-cigarette users. ASK Specification: IF R02_EVERYDAY_USER_ECIG = 1. DISPLAY: Display as numeric quantity field, with button "Less than 1 each day" on right. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	-2 Less than 1 each day	GO TO R02_AE1130	_ _ _	GO TO R02_AE1130	-8 DON'T KNOW	GO TO R02_AE1130	-7 REFUSED	GO TO R02_AE1130
-2 Less than 1 each day	GO TO R02_AE1130							
_ _ _	GO TO R02_AE1130							
-8 DON'T KNOW	GO TO R02_AE1130							
-7 REFUSED	GO TO R02_AE1130							

Variable(s): R02_AE1022***			
On how many of the past 30 days did you use an e-cigarette? <table style="width: 100%; margin-top: 10px;"> <tr> <td style="text-align: center;"> _ _ _ </td> </tr> <tr> <td style="text-align: center;">-8 DON'T KNOW</td> </tr> <tr> <td style="text-align: center;">-7 REFUSED</td> </tr> </table> ASK: Adult respondents who are some day established, current experimental, or non-current 30-day e-cigarette users. ASK Specification: IF R02_SOME_DAY_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_FORMER_THIRTYDAY_USER_ECIG = 1. PROGRAM: Soft range check: 0-30 days GOTO: Adult respondents who are some day established, current experimental, or non-current 30-day e-cigarette users, and used e-cigarettes on 0 days of the past 30 days, go to R02_AE9029. Else, go to R02_AE1023. GOTO Specification: IF (R02_SOME_DAY_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_FORMER_THIRTYDAY_USER_ECIG = 1) AND R02_AE1022 = 0, GO TO R02_AE9029. ELSE, GO TO R02_AE1023. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	_ _ _	-8 DON'T KNOW	-7 REFUSED
_ _ _			
-8 DON'T KNOW			
-7 REFUSED			

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AE9029_NN; R02_AE9029_UN
About how long has it been since you last took a puff from an e-cigarette? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are some day established, current experimental, or non-current 30-day e-cigarette users, and used e-cigarettes on 0 days of the past 30 days. ASK Specification: IF (R02_SOME_DAY_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_FORMER_THIRTYDAY_USER_ECIG = 1) AND R02_AE1022 = 0. PROGRAM: Display as Quantity/Units. GOTO: Adult respondents who are some day established e-cigarette users, go to R02_AE9010. Else, adult respondents who are experimental current e-cigarette users, go to Box R02_AED02. Else, adult respondents who are new former established e-cigarette users, go to R02_AE1047. Else, go to the next section. GOTO Specification: IF R02_SOME_DAY_USER_ECIG = 1, GO TO R02_AE9010. ELSE, IF R02_EXPERIMENTAL_CURRENT_ECIG = 1, GO TO BOX R02_AED02. ELSE, IF R02_NEW_FORMER_USER_ECIG = 1, GO TO R02_AE1047. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03). NOTES: The value "1" refers to R02_AE9029_UN = Days; the value "2" refers to R02_AE9029_UN = Months; the value "3" refers to R02_AE9029_UN = Years.

Variable(s): R02_AE1023**/**
On average, on those [FILL NUMBER OF DAYS FROM R02_AE1022 days/days you used], how many [ECIGFILL1] did you usually use each day? -2 Less than 1 each day __ __ __ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are some day established, current experimental, or non-current 30-day e-cigarette users, and used e-cigarettes on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used e-cigarettes. ASK Specification: IF (R02_SOME_DAY_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_FORMER_THIRTYDAY_USER_ECIG = 1) AND (R02_AE1022 > 0 OR R02_AE1022 = -8, -7). DISPLAY: Display as numeric quantity field, with button "Less than 1 each day" on right. IF AE1022 = 1 day, -8 OR -7, DISPLAY "days you used". ELSE, DISPLAY "# days" where # = NUMBER OF DAYS REPORTED IN R02_AE1022. NOTES: **SKIP ERROR: This item was incorrectly skipped by respondents answered don't know or refused in item R02_AE1022. The error was not corrected during Wave 2 Data Collection. ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1130****

In the past 30 days, [were/was] any of the [ECIGFILL2] you used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established e-cigarette users, or adult respondents who are some day established, current experimental, or non-current 30-day e-cigarette users who have used e-cigarettes on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used e-cigarettes.

ASK Specification: IF R02_EVERYDAY_USER_ECIG = 1 OR ((R02_SOME_DAY_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_FORMER_THIRTYDAY_USER_ECIG = 1) AND (R02_AE1022 > 0 OR R02_AE1022 = -8, -7)).

DISPLAY: IF R02_ECIGTYPE = 1, 2, OR 5, display "were". IF R02_ECIGTYPE = 3 OR 4, display "was".

GOTO: Adult respondents who are every day established e-cigarette users who have used flavored e-cigarettes in the past 30 days or adult respondents who are some day established, current experimental, or non-current 30-day e-cigarette users who have used e-cigarettes at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used e-cigarettes, and who have used flavored e-cigarettes in the past 30 days, go to R02_AE1131.

Else, adult respondents who are some day established e-cigarette users, go to R02_AE9010.

Else, adult respondents who are new former established e-cigarette users, go to R02_AE1047.

Else, adult respondents who are experimental current e-cigarette users, go to Box R02_AED02.

Else, go to the next section.

GOTO Specification: IF (R02_EVERYDAY_USER_ECIG = 1 AND R02_AE1130 = 1) OR (((R02_SOME_DAY_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_FORMER_THIRTYDAY_USER_ECIG = 1) AND (R02_AE1022 > 0 OR R02_AE1022 = -8, -7)) AND R02_AE1130 = 1), GO TO R02_AE1131.

ELSE, IF R02_CURRENT_USER_ECIG = 1, GO TO R02_AE9010.

ELSE, IF R02_NEW_FORMER_USER_ECIG = 1, GO TO R02_AE1047.

ELSE, IF R02_EXPERIMENTAL_CURRENT_ECIG = 1, GO TO BOX R02_AED02.

ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

NOTES: **SKIP ERROR: This item was incorrectly skipped by respondents who answered don't know or refused in item R02_AE1022. The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:																																						
Which flavors have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply. <table style="width: 100%; border: none;"> <tr> <td style="width: 20%; color: red;">R02_AE1131_01</td> <td style="width: 5%;">1</td> <td style="width: 60%;">Menthol or mint</td> <td style="width: 15%;"></td> </tr> <tr> <td style="color: red;">R02_AE1131_02</td> <td>2</td> <td>Clove or spice</td> <td></td> </tr> <tr> <td style="color: red;">R02_AE1131_03</td> <td>3</td> <td>Fruit</td> <td></td> </tr> <tr> <td style="color: red;">R02_AE1131_04</td> <td>4</td> <td>Chocolate</td> <td></td> </tr> <tr> <td style="color: red;">R02_AE1131_05</td> <td>5</td> <td>An alcoholic drink (such as wine, cognac, margarita or other cocktails)</td> <td></td> </tr> <tr> <td style="color: red;">R02_AE1131_06</td> <td>6</td> <td>Candy or other sweets</td> <td></td> </tr> <tr> <td style="color: red;">R02_AE1131_07</td> <td>7</td> <td>Some other flavor</td> <td></td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> <td></td> </tr> </table> ASK: Adult respondents who are every day established e-cigarette users who have used flavored e-cigarettes in the past 30 days or adult respondents who are some day established, current experimental, or non-current 30-day e-cigarette users who have used e-cigarettes at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used e-cigarettes, and who have used flavored e-cigarettes in the past 30 days. ASK Specification: IF (R02_EVERYDAY_USER_ECIG = 1 AND R02_AE1130 = 1) OR (((R02_SOME_DAY_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_FORMER_THIRTYDAY_USER_ECIG = 1) AND (R02_AE1022 > 0 OR R02_AE1022 = -8, -7)) AND R02_AE1130 = 1). PROGRAM: Allow respondent to choose all that apply. GOTO: Adult respondents who are some day established e-cigarette users, go to R02_AE9010. Else, adult respondents who are new former established e-cigarette users, go to R02_AE1047. Else, adult respondents who are experimental current e-cigarette users, go to Box R02_AED02. Else, go to the next section. GOTO Specification: IF R02_CURRENT_USER_ECIG = 1, GO TO R02_AE9010. ELSE, IF R02_NEW_FORMER_USER_ECIG = 1, GO TO R02_AE1047. ELSE, IF R02_EXPERIMENTAL_CURRENT_ECIG = 1, GO TO BOX R02_AED02. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).				R02_AE1131_01	1	Menthol or mint		R02_AE1131_02	2	Clove or spice		R02_AE1131_03	3	Fruit		R02_AE1131_04	4	Chocolate		R02_AE1131_05	5	An alcoholic drink (such as wine, cognac, margarita or other cocktails)		R02_AE1131_06	6	Candy or other sweets		R02_AE1131_07	7	Some other flavor			-8	DON'T KNOW			-7	REFUSED	
R02_AE1131_01	1	Menthol or mint																																					
R02_AE1131_02	2	Clove or spice																																					
R02_AE1131_03	3	Fruit																																					
R02_AE1131_04	4	Chocolate																																					
R02_AE1131_05	5	An alcoholic drink (such as wine, cognac, margarita or other cocktails)																																					
R02_AE1131_06	6	Candy or other sweets																																					
R02_AE1131_07	7	Some other flavor																																					
	-8	DON'T KNOW																																					
	-7	REFUSED																																					

Variable(s):	R02_AE9010***																		
Does the [ECIGFILL3] you usually use contain nicotine? <table style="width: 100%; border: none;"> <tr> <td style="width: 20%;"></td> <td style="width: 5%;">1</td> <td style="width: 60%;">Yes</td> <td style="width: 15%;"></td> </tr> <tr> <td></td> <td>2</td> <td>No</td> <td>GO TO R02_AE1024</td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO R02_AE1024</td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> <td>GO TO R02_AE1024</td> </tr> </table> ASK: Adult respondents who are current established e-cigarette users. ASK Specification: IF R02_CURRENT_USER_ECIG = 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.					1	Yes			2	No	GO TO R02_AE1024		-8	DON'T KNOW	GO TO R02_AE1024		-7	REFUSED	GO TO R02_AE1024
	1	Yes																	
	2	No	GO TO R02_AE1024																
	-8	DON'T KNOW	GO TO R02_AE1024																
	-7	REFUSED	GO TO R02_AE1024																

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE9006**

What concentration of nicotine do you usually use?

- 1 I don't know the concentration
- 2 0mg or 0%
- 3 1-12mg or 0.1-0.6%
- 4 13-17mg or 0.7-1.2%
- 5 18-24mg or 1.3-1.8%
- 6 25+mg or 1.9+%
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established e-cigarette users and whose e-cigarettes contain nicotine.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_AE9010 = 1.

Variable(s): **R02_AE1024_NN***; R02_AE1024_UN**

[On the days that you use e-cigarettes, how/How] soon after you wake up do you typically take your first puff of the day? Please enter the number of minutes or hours.

- 1 |__|__|__| Minutes after waking GO TO R02_AE1098
- 2 |__|__|__| Hours after waking GO TO R02_AE1098
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1.

DISPLAY: IF R02 EVERYDAY_USER_ECIG = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you use e-cigarettes, how".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R02_AE1024_UN = Minutes after waking; the value "2" refers to R02_AE1024_UN = Hours after waking.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AE1092

(On the days that you use e-cigarettes, would/Would) you say you take your first puff of the day within the first 30 minutes after you wake up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established e-cigarette users and did not know or refused to report how soon after they wake up they typically take their first puff from an e-cigarette.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_AE1024_NN = -8, -7.

DISPLAY: IF R02_EVERYDAY_USER_ECIG = 1, DISPLAY "Would". ELSE, DISPLAY "On the days that you use e-cigarettes, would".

Variable(s): R02_AE1098***

The next questions ask about your experience buying [ECIGFILL2].

In the past 30 days, how often have you used a coupon when buying [ECIGFILL2]?

- 1 Always
- 2 Sometimes
- 3 Rarely
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AE1030***

How do you usually buy [ECIGFILL2] for yourself?

- | | |
|-----------------------------------|---------------------|
| 1 In person | |
| 2 From the internet | GO TO BOX R02_AER05 |
| 3 By telephone | GO TO BOX R02_AER05 |
| 4 I do not buy my own [ECIGFILL2] | GO TO R02_AE1047 |
| -8 DON'T KNOW | GO TO R02_AE1047 |
| -7 REFUSED | GO TO R02_AE1047 |

ASK: Adult respondents who are current established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1032**

Do you usually buy [ECIGFILL2]...

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established e-cigarette users and usually buy e-cigarettes in person.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_AE1030 = 1.

Variable(s): **R02_AE1033; R02_AE1033_OS**

Where do you buy your [ECIGFILL2] most of the time?

- 12 A vape shop or vapor lounge
- 1 A mall kiosk
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established e-cigarette users and usually buy e-cigarettes in person.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_AE1030 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: **R02_AER05**

Adult respondents who are current established e-cigarette users and use disposable e-cigarettes or whose e-cigarette type is undetermined and usually buy e-cigarettes in person, from the internet, or by telephone, and do not own an e-cigarette or did not know or refused to report if they own an e-cigarette, go to R02_AE1034.

Else, adult respondents who are current established e-cigarette users and use e-cigarettes with refillable cartridges or tank systems and usually buy e-liquid in person, from the internet, or by telephone, go to R02_AE1041.

Else, adult respondents who are current established e-cigarette users and use e-cigarettes with non-refillable cartridges and usually buy e-cigarette cartridges in person, from the internet, or by telephone, go to R02_AE1039.

Else, go to R02_AE1047.

IF R02_CURRENT_USER_ECIG = 1 AND R02_ECIGTYPE = 1, 5 AND R02_AE1030 = 1, 2, 3 AND R02_AE1090 = 2, -8, -7, GO TO R02_AE1034.

ELSE, IF R02_CURRENT_USER_ECIG = 1 AND R02_ECIGTYPE = 3, 4 AND R02_AE1030 = 1, 2, 3, GO TO R02_AE1041.

ELSE, IF R02_CURRENT_USER_ECIG = 1 AND R02_ECIGTYPE = 2 AND R02_AE1030 = 1, 2, 3, GO TO R02_AE1039.

ELSE, GO TO R02_AE1047.

Variable(s): **R02_AE1034_D; R02_AE1034_C**

How much do you usually pay for an e-cigarette?

\$ |__|__|__| . |__|__| Dollars/Cents

GO TO R02_AE1047

-8 DON'T KNOW

GO TO R02_AE1047

-7 REFUSED

GO TO R02_AE1047

ASK: Adult respondents who are current established e-cigarette users and use disposable e-cigarettes or whose e-cigarette type is undetermined and usually buy e-cigarettes in person, from the internet, or by telephone, and do not own an e-cigarette or did not know or refused to report if they own an e-cigarette.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_ECIGTYPE = 1, 5 AND R02_AE1030 = 1, 2, 3 AND R02_AE1090 = 2, -8, -7.

DISPLAY: "\$" as left label; "Dollars" and "Cents" as titles.

PROGRAM: Display as Quantity/Quantity.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AE1041_D; R02_AE1041_C		
How much do you pay for a bottle or container of e-liquid? \$ __ __ __ . __ __ Dollars/Cents -8 DON'T KNOW -7 REFUSED GO TO R02_AE1047 GO TO R02_AE1047 GO TO R02_AE1047 ASK: Adult respondents who are current established e-cigarette users and use e-cigarettes with refillable cartridges or tank systems and usually buy e-liquid in person, from the internet, or by telephone. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_ECIGTYPE = 3, 4 AND R02_AE1030 = 1, 2, 3. DISPLAY: "\$" as left label; "Dollars" and "Cents" as titles. PROGRAM: Display as Quantity/Quantity.		

Variable(s): R02_AE1039		
Do you usually buy e-cigarette cartridges by the box or pack, or as single cartridges? 1 Box or pack 2 Single cartridges -8 DON'T KNOW -7 REFUSED GO TO R02_AE1043 GO TO R02_AE1043 GO TO R02_AE1043 ASK: Adult respondents who are current established e-cigarette users and use e-cigarettes with non-refillable cartridges and usually buy e-cigarette cartridges in person, from the internet, or by telephone. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_ECIGTYPE = 2 AND R02_AE1030 = 1, 2, 3.		

Variable(s): R02_AE1040		
How many e-cigarette cartridges come in the box or pack that you usually buy? __ __ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established e-cigarette users and use e-cigarettes with non-refillable cartridges and usually buy e-cigarette cartridges in person, from the internet, or by telephone, and usually buy e-cigarette cartridges by the box or pack. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_ECIGTYPE = 2 AND R02_AE1030 = 1, 2, 3 AND R02_AE1039 = 1. PROGRAM: Allow for 2 digits.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AE1042_D; R02_AE1042_C		
How much do you usually pay for a box or pack of e-cigarette cartridges?		
\$ __ __ __ . __ __ Dollars/Cents	GO TO R02_AE1047	
-8 DON'T KNOW	GO TO R02_AE1047	
-7 REFUSED	GO TO R02_AE1047	
ASK: Adult respondents who are current established e-cigarette users and use e-cigarettes with non-refillable cartridges and usually buy e-cigarette cartridges in person, from the internet, or by telephone, and usually buy e-cigarette cartridges by the box or pack. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_ECIGTYPE = 2 AND R02_AE1030 = 1, 2, 3 AND R02_AE1039 = 1. DISPLAY: "\$" as left label; "Dollars" and "Cents" as titles. PROGRAM: Display as Quantity/Quantity.		

Variable(s): R02_AE1043_D; R02_AE1043_C		
How much do you usually pay for a single e-cigarette cartridge?		
\$ __ __ __ . __ __ Dollars/Cents		
-8 DON'T KNOW		
-7 REFUSED		
ASK: Adult respondents who are current established e-cigarette users and use e-cigarettes with non-refillable cartridges and usually buy e-cigarette cartridges in person, from the internet, or by telephone, and usually buy e-cigarette cartridges as single cartridges or did not know or refused to report if they usually buy e-cigarette cartridges by the box or pack or as single cartridges. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_ECIGTYPE = 2 AND R02_AE1030 = 1, 2, 3 AND R02_AE1039 = 2, -8, -7. DISPLAY: "\$" as left label; "Dollars" and "Cents" as titles. PROGRAM: Display as Quantity/Quantity.		

Variable(s): R02_AE1047***		
[Do/Did] you have a regular brand of [ECIGFILL2] that you usually [use/used]?		
1 Yes		
2 No		
-8 DON'T KNOW		
-7 REFUSED		
ASK: Adult respondents who are current established or new former established e-cigarette users. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1. DISPLAY: IF R02_CURRENT_USER_ECIG = 1, DISPLAY "Do" AND "use". ELSE, DISPLAY "Did" AND "used". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1048_BRAND*****

What brand of [ECIGFILL2] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else".]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else".

IF R02_CURRENT_USER_ECIG = 1 AND R02_AE1047 = 1, DISPLAY "do" AND "usually". ELSE, IF R02_CURRENT_USER_ECIG = 1 AND R02_AE1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R02_AE1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R02_AE1047 = 2, -8, -7, DISPLAY "did" AND "last".

GOTO: Adult respondents who are current established or new former established e-cigarette users and selected "Something else" for their brand of e-cigarette, go to R02_AE1049.

Else, go to R02_AE1050.

GOTO Specification: IF R02_AE1048_BRAND = 9995, GO TO R02_AE1049.

ELSE, GO TO R02_AE1050.

IMAGE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AE1049**

You said that your brand was not pictured. What is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or new former established e-cigarette users and selected "Something else" for their brand of e-cigarette.

ASK Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE1048_BRAND = 9995.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AE1050***
[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established e-cigarette users. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1. DISPLAY: IF R02_CURRENT_USER_ECIG = 1 AND R02_AE1047 = 1, DISPLAY "Is" AND "your regular brand" AND "use". IF R02_CURRENT_USER_ECIG = 1 AND R02_AE1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used". ELSE, IF R02_AE1047 = 1, DISPLAY "Was" AND "your regular brand" AND "used". ELSE, IF R02_AE1047 = 2, -8, -7, DISPLAY "Was" and "the last brand" and "used". GOTO: Adult respondents who are current established or new former established e-cigarette users and whose current or last brand of e-cigarette was flavored, go to R02_AE1012. Else, adult respondents who are current established or new former established e-cigarette users and who have a regular brand of e-cigarettes, go to R02_AE1051. Else, adult respondents who are current established e-cigarette users and have used an e-cigarette in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand of e-cigarette they usually or last used, go to R02_AE0104. Else, go to Box R02_AED02. GOTO Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE1050 = 1, GO TO R02_AE1012. ELSE, IF (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE1047 = 1, GO TO R02_AE1051. ELSE, IF R02_CURRENT_USER_ECIG = 1 AND R02_AO0100C = 1, 2, 3, 4 AND R02_AE1048_BRAND != 9995, -8, -7, GO TO R02_AE0104. ELSE, GO TO BOX R02_AED02. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor [is/was] it? If multiple flavors were mixed together, choose all that apply.	
R02_AE1012_01	1 Menthol or mint
R02_AE1012_02	2 Clove or spice
R02_AE1012_03	3 Fruit
R02_AE1012_04	4 Chocolate
R02_AE1012_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AE1012_06	6 Candy or other sweets
R02_AE1012_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established or new former established e-cigarette users and whose current or last brand of e-cigarette was flavored.	
ASK Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE1050 = 1.	
DISPLAY: IF R02_CURRENT_USER_ECIG = 1, DISPLAY "is". ELSE, DISPLAY "was".	
GOTO: Adult respondents who are current established or new former established e-cigarette users and who have a regular brand of e-cigarettes, go to R02_AE1051.	
Else, adult respondents who are current established e-cigarette users and have used an e-cigarette in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand of e-cigarette they usually or last used, go to R02_AE0104.	
Else, go to Box R02_AED02.	
GOTO Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE1047 = 1, GO TO R02_AE1051.	
ELSE, IF R02_CURRENT_USER_ECIG = 1 AND R02_AO0100C = 1, 2, 3, 4 AND R02_AE1048_BRAND != 9995, -8, -7, GO TO R02_AE0104.	
ELSE, GO TO BOX R02_AED02.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AE1051_NN; R02_AE1051_UN
About how long [did you use/have you been using] your regular brand of [ECIGFILL3]? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established e-cigarette users and who have a regular brand of e-cigarettes. ASK Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND R02_AE1047 = 1. DISPLAY: IF R02_CURRENT_USER_ECIG = 1, DISPLAY "have you been using"; ELSE, DISPLAY "did you use". PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. GOTO: Adult respondents who are current established e-cigarette users and have used an e-cigarette in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand of e-cigarette they usually or last used, go to R02_AE0104. Else, go to Box R02_AED02. GOTO Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_AO0100C = 1, 2, 3, 4 AND R02_AE1048_BRAND != 9995, -8, -7, GO TO R02_AE0104. ELSE, GO TO BOX R02_AED02. NOTES: The value "1" refers to R02_AE1051_UN = Days; the value "2" refers to R02_AE1051_UN = Months; the value "3" refers to R02_AE1051_UN = Years.	

Variable(s):	R02_AE0104***
You said earlier that you last used an e-cigarette [TIME OF LAST USE]. Think about the very last puff you took. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established e-cigarette users and have used an e-cigarette in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand of e-cigarette they usually or last used. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 AND R02_AO0100C = 1, 2, 3, 4 AND R02_AE1048_BRAND != 9995, -8, -7. DISPLAY: IF R02_AO0100C = 1, FILL [TIME OF LAST USE] WITH "in the past hour". IF R02_AO0100C = 2, FILL [TIME OF LAST USE] WITH "sometime today". IF R02_AO0100C = 3, FILL [TIME OF LAST USE] WITH "yesterday". IF R02_AO0100C = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH SELECTION MADE IN R02_AE1048_BRAND. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AED02

Randomize order of R02_AE1060 through R02_AE1072.

Display question R02_AE1060, R02_AE1061, R02_AE1085, R02_AE1062, R02_AE1075, R02_AE1063, R02_AE1064, R02_AE1065, R02_AE1066, R02_AE1067, R02_AE1068, R02_AE1069, R02_AE1072 on one screen. Show the intro/transition text from R02_AE1060 first, then show each item with responses. As each item is answered, show the next one.

Variable(s): R02_AE1060***

The next questions are about the reasons people use e-cigarettes. Please select which reasons [apply to you/applied to you when you used to use e-cigarettes].

I [use/used] e-cigarettes because...

They [are/were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "apply to you", "use" AND "are", ELSE, DISPLAY "applied to you when you used to use e-cigarettes", "used" AND "were".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AE1061***

People in the media or other public figures [use/used] e-cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "use". ELSE, DISPLAY "used".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AE1085***
I [can/could] use e-cigarettes at times when or in places where smoking cigarettes [isn't/wasn't] allowed. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1. DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AE1062***
They might [be/have been] less harmful to me than cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1. DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "be". ELSE, DISPLAY "have been". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AE1075***
They might [be/have been] less harmful to people around me than cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users. ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1. DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "be". ELSE, DISPLAY "have been". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1063*****

[ECIGFILL2] [come/comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "like" AND IF R02_ECIGTYPE = 1, 2, OR 5 display "come". IF R02_ECIGTYPE = 3 OR 4, display "comes". IF R02_NEW_FORMER_USER_ECIG, DISPLAY "came" AND "liked".

PROGRAM: Make the first letter in ECIGFILL2 uppercase.

GOTO: Adult respondents who are current established, current experimental, or new former established e-cigarette users and are also current established, current experimental, or new former established cigarette smokers, go to R02_AE1064.

Else, go to R02_AE1065.

GOTO Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AE1064.

ELSE, GO TO R02_AE1065.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AE1064*****

Using e-cigarettes helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users and are also current established, current experimental, or new former established cigarette smokers.

ASK Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1065*****

E-cigarettes don't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AE1066*****

Using an e-cigarette [feels/felt] like smoking a regular cigarette.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "feel". ELSE, DISPLAY "felt".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AE1067*****

E-cigarettes [are/were] more acceptable to non-tobacco users.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "are". ELSE, DISPLAY "were".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1068*****

People who are important to me [use/used] e-cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "use". ELSE, DISPLAY "used".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AE1069*****

I [like/liked] socializing while using an e-cigarette.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "like". ELSE, DISPLAY "liked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1072*****

The advertising for e-cigarettes [appeals/appealed] to me.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "appeals". ELSE, DISPLAY "appealed".

GOTO: Adult respondents who are current established or current experimental e-cigarette users and are also current established cigarette smokers, go to R02_AE1086.

Else, adult respondents who are current established, current experimental, or new former established e-cigarette users and are also current established or new former established cigarette smokers, go to R02_AE1080.

Else, go to R02_AE1081.

GOTO Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1) AND R02_CURRENT_USER_CIGS = 1, GO TO R02_AE1086.

ELSE, IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1, GO TO R02_AE1080.

ELSE, GO TO R02_AE1081.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AE1086*****

In the past 30 days, have you used an e-cigarette at times when or in places where you could not smoke regular cigarettes?

- 1 Yes
- 2 No GO TO R02_AE1080
- 8 DON'T KNOW GO TO R02_AE1080
- 7 REFUSED GO TO R02_AE1080

ASK: Adult respondents who are current established or current experimental e-cigarette users and are also current established cigarette smokers.

ASK Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1) AND R02_CURRENT_USER_CIGS = 1 .

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AE1087**

How often do you use e-cigarettes at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental e-cigarette users and are also current established cigarette smokers and have used an e-cigarette at times when or in places where they could not smoke regular cigarettes in the past 30 days.

ASK Specification: IF ((R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1) AND R02_CURRENT_USER_CIGS = 1) AND R02_AE1086 = 1.

Variable(s): **R02_AE1080*****

[Do/Did] you use e-cigarettes as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users and are also current established or new former established cigarette smokers.

ASK Specification: IF (R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1).

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AE1081*****

[Do/Did] you use e-cigarettes as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

ENDS

BOX ID:	R02_AOR01
Adult respondents that have never used e-cigarettes but have used other electronic nicotine product(s), go to Box R02_AOT01. Else, adult respondents that have ever used both e-cigarettes and another electronic nicotine product(s), go to Box R02_AOT02. Else, go to next section.	
IF R02_NEVER_USER_ECIG = 1 AND (R02_EVER_USER_ECIGAR = 1 OR R02_EVER_USER_EHOOK = 1 OR R02_EVER_USER_EPIPE = 1), GO TO BOX R02_AOT01. ELSE, IF R02_EVER_USER_ECIG = 1 AND (R02_EVER_USER_ECIGAR = 1 OR R02_EVER_USER_EHOOK = 1 OR R02_EVER_USER_EPIPE = 1), GO TO BOX R02_AOT02. ELSE, GO TO NEXT SECTION (see note in Box R02_AMD03).	

BOX ID:	R02_AOT01
The next questions are about electronic nicotine products, such as e-cigarettes, e-cigars, e-pipes, e-hookahs, personal vaporizers, vape pens and hookah pens. These products are battery-powered, use nicotine fluid rather than tobacco leaves, and produce vapor instead of smoke. Some common brands include Fin, NJOY, Blu, e-Go and Vuse.	
DISPLAY GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS	
PROGRAM: Bold "electronic nicotine products". Display this transition text for non-e-cigarette ENDS users. IF (R02_NEVER_USER_ECIG = 1) AND (R02_EVER_USER_ECIGAR = 1 OR R02_EVER_USER_EHOOK = 1 OR R02_EVER_USER_EPIPE = 1), display transition text.	

BOX ID:	R02_AOT02
The next questions are about electronic nicotine products <u>other than e-cigarettes</u>. This includes e-cigars, e-pipes, and e-hookahs.	
Please think <u>only</u> about your use of these other electronic nicotine products as you answer these questions.	
SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS, EXCLUDING E-CIGS	
PROGRAM: Bold "electronic nicotine products"; underline "other than e-cigarettes" and "only". Display this transition text for e-cigarette users that also use another ENDS product(s). IF (R02_EVER_USER_ECIG = 1) AND (R02_EVER_USER_ECIGAR = 1 OR R02_EVER_USER_EHOOK = 1 OR R02_EVER_USER_EPIPE = 1), display transition text.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_A01005*****

How many times have you used electronic nicotine products[(other than e-cigarettes)] in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an e-cigar, e-hookah, or e-pipe.

ASK Specification: IF R02_EVER_USER_ECIGAR = 1 OR R02_EVER_USER_EHOOK = 1 OR R02_EVER_USER_EPIPE = 1.

DISPLAY: IF R02_EVER_USER_ECIG = 1, DISPLAY " (other than e-cigarettes)". ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_A01008*****

When you first started using electronic nicotine products[(other than e-cigarettes)], were they flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
 - 2 No
 - 3 I don't know
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R02_AO9029
GO TO R02_AO9029
GO TO R02_AO9029
GO TO R02_AO9029

ASK: Adult respondents who have ever used an e-cigar, e-hookah, or e-pipe.

ASK Specification: IF R02_EVER_USER_ECIGAR = 1 OR R02_EVER_USER_EHOOK = 1 OR R02_EVER_USER_EPIPE = 1.

DISPLAY: IF R02_EVER_USER_ECIG = 1, DISPLAY " (other than e-cigarettes)". ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor did you first start using? If multiple flavors were mixed together, choose all that apply.	
R02_AO1011_01	1 Menthol or mint
R02_AO1011_02	2 Clove or spice
R02_AO1011_03	3 Fruit
R02_AO1011_04	4 Chocolate
R02_AO1011_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AO1011_06	6 Candy or other sweets
R02_AO1011_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have ever used an e-cigar, e-hookah, or e-pipe and who first started using flavored e-products other than e-cigarettes.	
ASK Specification: IF (R02_EVER_USER_ECIGAR = 1 OR R02_EVER_USER_EHOOK = 1 OR R02_EVER_USER_EPIPE = 1) AND R02_AO1008 = 1.	

Variable(s):	R02_AO9029_NN***; R02_AO9029_UN
About how long has it been since you last took a puff from an electronic nicotine product[(other than an e-cigarette)]?	
	1 __ __ DAYS
	2 __ __ MONTHS
	3 __ __ YEARS
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have ever used an e-cigar, e-hookah, or e-pipe.	
ASK Specification: IF R02_EVER_USER_ECIGAR = 1 OR R02_EVER_USER_EHOOK = 1 OR R02_EVER_USER_EPIPE = 1.	
DISPLAY: IF R02_EVER_USER_ECIG = 1, DISPLAY " (other than an e-cigarette)". ELSE, DO NOT DISPLAY THIS TEXT.	
PROGRAM: Display as Quantity/Units.	
NOTES: The value "1" refers to R02_AO9029_UN = Days; the value "2" refers to R02_AO9029_UN = Months; the value "3" refers to R02_AO9029_UN = Years.	
***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_A09010***

Does the electronic nicotine product you usually use[(other than e-cigarettes)] contain nicotine?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an e-cigar, e-hookah, or e-pipe.

ASK Specification: IF R02_EVER_USER_ECIGAR = 1 OR R02_EVER_USER_EHOOK = 1 OR R02_EVER_USER_EPIPE = 1.

DISPLAY: IF R02_EVER_USER_ECIG = 1, DISPLAY " (other than e-cigarettes)". ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_A01100***

Have you ever used an electronic nicotine product[(other than e-cigarettes)] fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an e-cigar, e-hookah, or e-pipe.

ASK Specification: IF R02_EVER_USER_ECIGAR = 1 OR R02_EVER_USER_EHOOK = 1 OR R02_EVER_USER_EPIPE = 1.

DISPLAY: IF R02_EVER_USER_ECIG = 1, DISPLAY " (other than e-cigarettes)". ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

CIGAR

BOX ID:	R02_AGR03
PROGRAM: CREATE CIGARLOOP2 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES: Cigar Loops (non-blunt) Items from Box R02_AGT03 through R02_AG1081[TC/CG/FC] are repeated once for each type of cigar the respondent has ever smoked with tobacco (as non-blunts), following skips appropriately. If the respondent has smoked multiple cigar (as non-blunt) types, these items are repeated in a loop for each cigar type. All loops about non-blunt cigar types are completed first before any/all blunt-only cigar loops. See Box R02_AGT03 for transition text shown at the start of each loop. Cigar Loops (blunt-only) Given the definitions of the groups, a respondent cannot be a user of a cigar type as both a non-blunt and a blunt-only smoker; a respondent can only be one or the other or neither, but not both. When answering in the blunt-only loops, only a subset of items is asked about for cigar types smoked as blunt-only and include unique fills to be displayed only for these users (i.e., blunt-related fills). The blunt-only items include: R02_AGT03, R02_AGR01, R02_AG1008[TJ/GJ/FJ], R02_AG1011[TJ/GJ/FJ], R02_AG1030[TJ/GJ/FJ], R02_AG1032[TJ/GJ/FJ], R02_AG1033[TJ/GJ/FJ], R02_AG1039[TJ/GJ/FJ], R02_AG1040[TJ/GJ/FJ], R02_AG1042[TJ/GJ/FJ], R02_AG1043[TJ/GJ/FJ], R02_AG1047[TJ/GJ/FJ], R02_AG1048[TJ/GJ/FJ]_BRAND, R02_AG1070[TJ/GJ/FJ]_PRODUCT, R02_AG1049[TJ/GJ/FJ], R02_AG1071[TJ/GJ/FJ], R02_AG1050[TJ/GJ/FJ], R02_AG1012[TJ/GJ/FJ], and R02_AGR04. [CIGARFILL] If traditional cigar/blunt smoker, [CIGARFILL] = "traditional cigar". If cigarillo/blunt smoker, [CIGARFILL] = "cigarillo". If filtered cigar/blunt smoker, [CIGARFILL] = "filtered cigar". If blunt-only smoker, display blunt-only related fills in addition to [CIGARFILL]. Cigars as Non-Blunts: CIGARLOOP2 = BOX R02_AGT03 THROUGH R02_AG1081[TC/CG/FC]. IF R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1 AND R02_12MBLUNT_ONLY_BTRAD = 2, THEN CIGAR LOOP = GTRAD AND LOOP THROUGH SECTION FOR TRADITIONAL CIGARS. IF R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1 AND R02_12MBLUNT_ONLY_BRILLO = 2, THEN CIGAR LOOP = GRILLO AND LOOP THROUGH SECTION FOR CIGARILLOS. IF R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1 AND R02_12MBLUNT_ONLY_BFILTR = 2, THEN CIGAR LOOP = GFILTR AND LOOP THROUGH SECTION FOR FILTERED CIGARS. Cigars as Blunts-Only: CIGARLOOP2 = R02_AGT03, R02_AGR01, R02_AG1008[TJ/GJ/FJ], R02_AG1011[TJ/GJ/FJ], R02_AG1030[TJ/GJ/FJ], R02_AG1032[TJ/GJ/FJ], R02_AG1033[TJ/GJ/FJ], R02_AG1039[TJ/GJ/FJ], R02_AG1040[TJ/GJ/FJ], R02_AG1042[TJ/GJ/FJ], R02_AG1043[TJ/GJ/FJ], R02_AG1047[TJ/GJ/FJ], R02_AG1048[TJ/GJ/FJ]_BRAND, R02_AG1070[TJ/GJ/FJ]_PRODUCT, R02_AG1049[TJ/GJ/FJ], R02_AG1071[TJ/GJ/FJ], R02_AG1050[TJ/GJ/FJ], R02_AG1012[TJ/GJ/FJ], and R02_AGR04 IF R02_12MBLUNT_ONLY_BTRAD = 1, THEN CIGAR LOOP = BTRAD AND LOOP THROUGH SECTION FOR TRADITIONAL CIGARS AS BLUNTS. IF R02_12MBLUNT_ONLY_BRILLO = 1, THEN CIGAR LOOP = BRILLO AND LOOP THROUGH SECTION FOR CIGARILLOS AS BLUNTS.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

IF R02_12MBLUNT_ONLY_BFILTR = 1, THEN CIGAR LOOP = BFILTR AND LOOP THROUGH SECTION FOR FILTERED CIGARS AS BLUNTS.

BOX ID: R02_AGR10

Adult respondents who were former established traditional cigar/cigarillo/filtered cigar smokers and had smoked at least 100 traditional cigars/cigarillos/filtered cigars in their lifetime and had smoked traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and has not smoked traditional cigars/cigarillos/filtered cigars in the past 12 months or currently smokes not at all, go to R02_AGV02.

Else, continue with R02_AGT03.

IF LOOP = GTRAD AND (R01_FORMER_USER_GTRAD = 1 AND R01_AG1005TC = 6 AND R01_AG1100TC = 1 AND (R02_AG9003_12M = 2 OR R02_AG1003TC = 3)), GO TO R02_AGV02.
ELSE, IF R02_EVER_USER_GTRAD = 1, GO TO R02_AGT03.

IF LOOP = GRILLO AND (R01_FORMER_USER_GRILLO = 1 AND R01_AG1005CG = 6 AND R01_AG1100CG = 1 AND (((R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1) OR R02_AG1003CG = 3) OR (R02_AG9051 = 2 AND R02_AG9053 = 2)), GO TO R02_AGV02.
ELSE, IF R02_EVER_USER_GRILLO = 1, GO TO R02_AGT03.

IF LOOP = GFILTR AND (R01_FORMER_USER_GFILTR = 1 AND R01_AG1005FC = 6 AND R01_AG1100FC = 1 AND ((R02_AG9009_12M_02 != 1 OR R02_AG1003FC = 3) OR R02_AG9052 = 2), GO TO R02_AGV02.
ELSE, IF R02_EVER_USER_GFILTR = 1, GO TO R02_AGT03.

BOX ID: R02_AGT03

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=GTRAD (Traditional Cigars (non-blunts)):

The next questions are about traditional cigars.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf.

As you answer these questions, please think only about your use of traditional cigars like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE FOR TRADITIONAL CIGAR]

IF LOOP=GRILLO (Cigarillos (non-blunts)):

The next questions are about cigarillos.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips.

As you answer these questions, please think only about your use of cigarillos like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE FOR CIGARILLO].

IF LOOP=GFILTR (Filtered Cigars (non-blunts)):

The next questions are about filtered cigars.

Filtered cigars are usually brown and have a filter like a cigarette.

As you answer these questions, please think only about your use of filtered cigars like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE FOR FILTERED CIGAR].

IF LOOP=BTRAD (Traditional Cigars as blunts-only):

The next questions are about traditional cigars when smoked as blunts.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Sometimes people take tobacco out of a traditional cigar and replace it with marijuana. This is sometimes called a blunt.

As you answer these questions, please think only about your use of traditional cigars when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE FOR TRADITIONAL CIGAR]

IF LOOP=BRILLO (Cigarillos as blunts-only):

The next questions are about cigarillos when smoked as blunts.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips. Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt.

As you answer these questions, please think only about your use of cigarillos when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE FOR CIGARILLO]

IF LOOP=BFILTR (Filtered Cigars as blunts-only):

The next questions are about filtered cigars when smoked as blunts.

Filtered cigars are usually brown and have a filter like a cigarette. Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

As you answer these questions, please think only about your use of filtered cigars when smoked as blunts like those shown below.

[SHOW GENERIC IMAGE FOR FILTERED CIGAR]

ASK: IF LOOP = GTRAD AND NOT ((R01_FORMER_USER_GTRAD = 1 AND R01_AG1005TC = 6 AND R01_AG1100TC = 1) AND (R02_AG9003_12M = 2 OR R02_AG1003TC = 3)).

ASK: IF LOOP = GRILLO AND NOT ((R01_FORMER_USER_GRILLO = 1 AND R01_AG1005CG = 6 AND R01_AG1100CG = 1) AND (((R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1) OR R02_AG1003CG = 3) OR (R02_AG9051 = 2 AND R02_AG9053 = 2))).

ASK: IF LOOP = GFILTR AND NOT ((R01_FORMER_USER_GFILTR = 1 AND R01_AG1005FC = 6 AND R01_AG1100FC = 1) AND ((R02_AG9009_12M_02 != 1 OR R02_AG1003FC = 3) OR R02_AG9052 = 2))).

ASK: IF LOOP = BTRAD, BRILLO OR BFILTR

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AGR01

Adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_AG1005[TC/CG/FC].

Else, new baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, go to R02_AG1100[TC/CG/FC].

Else, go to Box R02_AGV02.

IF LOOP = GTRAD THEN:

IF R02_EVER_USER_GTRAD = 1 AND (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YG1005TC != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AG1005TC != 6), GO TO R02_AG1005TC.

ELSE, IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND R01_AG1100TC != 1), GO TO R02_AG1100TC.

ELSE, GO TO BOX R02_AGV02.

IF LOOP = GRILLO THEN:

IF R02_EVER_USER_GRILLO = 1 AND (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YG1005CL != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AG1005CG != 6), GO TO R02_AG1005CG.

ELSE, IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND R01_AG1100CG != 1), GO TO R02_AG1100CG.

ELSE, GO TO BOX R02_AGV02.

IF LOOP = GFILTR THEN:

IF R02_EVER_USER_GFILTR = 1 AND (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YG1005FC != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AG1005FC != 6), GO TO R02_AG1005TC.

ELSE, IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND R01_AG1100FC != 1), GO TO R02_AG1100FC.

ELSE, GO TO BOX R02_AGV02.

IF LOOP = BTRAD THEN:

IF R02_INIT_BLUNT_BTRAD_ADULT = 1, GO TO R02_AG1008TJ.

ELSE, GO TO R02_AG1030TJ.

IF LOOP = BRILLO THEN:

IF R02_INIT_BLUNT_BRILLO_ADULT = 1, GO TO R02_AG1008GJ.

ELSE, GO TO R02_AG1030GJ.

IF LOOP = BFILTR THEN:

IF R02_INIT_BLUNT_BFILTR_ADULT = 1, GO TO R02_AG1008FJ.

ELSE, GO TO R02_AG1030FJ.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1005TC***; R02_AG1005CG***; R02_AG1005FC***

How many [CIGARFILL]s have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview.

ASK Specification: FOR R02_AG1005TC: IF LOOP = GTRAD AND R02_EVER_USER_GTRAD = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YG1005TC != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AG1005TC != 6)).

FOR R02_AG1005CG: IF LOOP = GRILLO AND R02_EVER_USER_GRILLO = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YG1005CL != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AG1005CG != 6)).

FOR R02_AG1005FC: IF LOOP = GFILTR AND R02_EVER_USER_GFILTR = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YG1005FC != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AG1005FC != 6)).

GOTO: New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, go to R02_AG1100[TC/CG/FC].

Else, go to Box R02_AGV02.

GOTO Specification: FROM R02_AG1005TC: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND R01_AG1100TC != 1), GO TO R02_AG1100TC.

ELSE, GO TO BOX R02_AGV02.

FROM R02_AG1005CG: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND R01_AG1100CG != 1), GO TO R02_AG1100CG.

ELSE, GO TO BOX R02_AGV02.

FROM R02_AG1005FC: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND R01_AG1100FC != 1), GO TO R02_AG1100FC.

ELSE, GO TO BOX R02_AGV02.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AG1100TC***; R02_AG1100CG***; R02_AG1100FC*****

Have you ever smoked [CIGARFILL]s fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview.

ASK Specification: FOR R02_AG1100TC: IF LOOP = GTRAD AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND R01_AG1100TC != 1)).

FOR R02_AG1100CG: IF LOOP = GRILLO AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND R01_AG1100CG != 1)).

FOR R02_AG1100FC: IF LOOP = GFILTR AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND R01_AG1100FC != 1)).

GOTO: New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly, go to R02_AG1007[TC/CG/FC]_NB.

Else, go to Box R02_AGV02.

GOTO Specification: FROM R02_AG1100TC: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND R02_AG1100TC = 1, GO TO R02_AG1007TC_NB.

ELSE, GO TO BOX R02_AGV02.

FROM R02_AG1100CG: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND R02_AG1100CG = 1, GO TO R02_AG1007CG_NB.

ELSE, GO TO BOX R02_AGV02.

FROM R02_AG1100FC: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND R02_AG1100FC = 1, GO TO R02_AG1007FC_NB.

ELSE, GO TO BOX R02_AGV02.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1007TC_NB; R02_AG1007CG_NB; R02_AG1007FC_NB
How old were you when you first started smoking [CIGARFILL]s fairly regularly? I__I__I Years old GO TO BOX R02_AGV02 -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly. ASK Specification: FOR R02_AG1007TC_NB: IF LOOP = GTRAD AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AG1100TC = 1. FOR R02_AG1007CG_NB: IF LOOP = GRILLO AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AG1100CG = 1. FOR R02_AG1007FC_NB: IF LOOP = GFILTR AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AG1100FC = 1. DISPLAY: Display "Years old" as a title. PROGRAM: Allow 2 digits for age.

Variable(s): R02_AG1121TC_NB; R02_AG1121CG_NB; R02_AG1121FC_NB
When you first started smoking [CIGARFILL]s fairly regularly, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly and did not know or refused to report the age they started smoking traditional cigars/cigarillos/filtered cigars fairly regularly. ASK Specification: FOR R02_AG1121TC_NB: IF LOOP = GTRAD AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AG1100TC = 1 AND R02_AG1007TC_NB = -8, -7. FOR R02_AG1121CG_NB: IF LOOP = GRILLO AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AG1100CG = 1 AND R02_AG1007CG_NB = -8, -7. FOR R02_AG1121FC_NB: IF LOOP = GFILTR AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AG1100FC = 1 AND R02_AG1007FC_NB = -8, -7.

BOX ID: R02_AGV02
PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX): <u>IF LOOP = GTRAD, THEN DEFINE:</u> R02_CURRENT_USER_GTRAD = "Current established traditional cigar smokers" Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day or some days.

R02 EVERYDAY_USER_GTRAD = "Every day established traditional cigar smokers"

Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day.

R02_SOME_DAY_USER_GTRAD = "Some day established traditional cigar smokers"

Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes some days.

R02_EXPERIMENTAL_CURRENT_GTRAD = "Current experimental traditional cigar smokers"

Adult respondents who have never smoked traditional cigars fairly regularly, and currently smokes every day or some days.

R02_FORMER_THIRTYDAY_USER_GTRAD = "Non-current 30-day traditional cigar smokers"

Adult respondents who are experimental former, new former, or still former traditional cigar smokers in Wave 2 who have smoked any traditional cigars in the past 30 days.

R02_EXPERIMENTAL_FORMER_GTRAD = "Former experimental traditional cigar smokers"

Adult respondents who have never smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

R02_NEW_FORMER_USER_GTRAD = "New former established traditional cigar smokers"

Adult respondents who were current, experimental current, or experimental former traditional cigar smokers at Wave 1, or are initiators at Wave 2, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

R02_STILL_FORMER_USER_GTRAD = "Still former established traditional cigar smokers"

Adult respondents who were former traditional cigar smokers at Wave 1, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

IF LOOP = GRILLO, THEN DEFINE:

R02_CURRENT_USER_GRILLO = "Current established cigarillo smokers"

Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day or some days.

R02 EVERYDAY_USER_GRILLO = "Every day established cigarillo smokers"

Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day.

R02_SOME_DAY_USER_GRILLO = "Some day established cigarillo smokers"

Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes some days.

R02_EXPERIMENTAL_CURRENT_GRILLO = "Current experimental cigarillo smokers"

Adult respondents who have never smoked cigarillos fairly regularly, and currently smokes every day or some days.

R02_FORMER_THIRTYDAY_USER_GRILLO = "Non-current 30-day cigarillo smokers"

Adult respondents who are experimental former, new former, or still former cigarillo smokers in Wave 2 who have smoked any cigarillos in the past 30 days.

R02_EXPERIMENTAL_FORMER_GRILLO = "Former experimental cigarillo smokers"

Adult respondents who have never smoked cigarillos fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

R02_NEW_FORMER_USER_GRILLO = "New Former established cigarillo smokers"

Adult respondents who were current, experimental current, or experimental former cigarillo smokers at Wave 1, or are initiators at Wave 2, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

R02_STILL_FORMER_USER_GRILLO = "Still former established cigarillo smokers"

Adult respondents who were former cigarillo smokers at Wave 1, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

IF LOOP = GFILTR, THEN DEFINE:**R02_CURRENT_USER_GFILTR = "Current established filtered cigar smokers"**

Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes every day or some days.

R02 EVERYDAY_USER_GFILTR = "Every day established filtered cigar smokers"

Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes every day.

R02_SOME_DAY_USER_GFILTR = "Some day established filtered cigar smokers"

Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes some days.

R02_EXPERIMENTAL_CURRENT_GFILTR = "Current experimental filtered cigar smokers"

Adult respondents who have never smoked filtered cigars fairly regularly, and currently smokes every day or some days.

R02_FORMER_THIRTYDAY_USER_GFILTR = "Non-current 30-day filtered cigar smokers"

Adult respondents who are experimental former, new former, or still former filtered cigar smokers in Wave 2 who have smoked any filtered cigars in the past 30 days.

R02_EXPERIMENTAL_FORMER_GFILTR = "Former experimental filtered cigar smokers"

Adult respondents who have never smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

R02_NEW_FORMER_USER_GFILTR = "New former established filtered cigar smokers"

Adult respondents who were current, experimental current, or experimental former filtered cigar smokers at Wave 1, or are initiators at Wave 2, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

R02_STILL_FORMER_USER_GFILTR = "Still former established filtered cigar smokers"

Adult respondents who were former filtered cigar smokers at Wave 1, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

IF LOOP = GTRAD, THEN DEFINE:**R02_CURRENT_USER_GTRAD:**

IF (R01_AG1100TC = 1 OR R02_AG1100TC = 1) AND R02_AG1003TC = 1 OR 2, THEN
R02_CURRENT_USER_GTRAD = 1.

ELSE, R02_CURRENT_USER_GTRAD = 2.

R02 EVERYDAY_USER_GTRAD:

IF R02_CURRENT_USER_GTRAD = 1 AND R02_AG1003TC = 1, THEN
R02 EVERYDAY_USER_GTRAD = 1.

ELSE, R02 EVERYDAY_USER_GTRAD = 2.

R02_SOME_DAY_USER_GTRAD:

IF R02_CURRENT_USER_GTRAD = 1 AND R02_AG1003TC = 2, THEN
R02_SOME_DAY_USER_GTRAD = 1.

ELSE, R02_SOME_DAY_USER_GTRAD = 2.

R02_EXPERIMENTAL_CURRENT_GTRAD:

IF R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1 AND R02_AG1100TC != 1 AND
R01_AG1100TC != 1 AND R02_AG1003TC = 1 OR 2, THEN
R02_EXPERIMENTAL_CURRENT_GTRAD = 1.

ELSE, R02_EXPERIMENTAL_CURRENT_GTRAD = 2.

R02_FORMER_THIRTYDAY_USER_GTRAD:

IF ((R02_CURRENT_USER_GTRAD != 1 AND R02_EXPERIMENTAL_CURRENT_GTRAD != 1) AND (R02_NEW_FORMER_USER_GTRAD = 1 OR R02_EXPERIMENTAL_FORMER_GTRAD = 1 OR R02_STILL_FORMER_USER_GTRAD = 1) AND ((1 <= R02_AG1009TC_NN <= 30 AND R02_AG1009TC_UN = 1) OR (R02_AG1009TC_NN = 1 AND R02_AG1009TC_UN = 2) OR R02_AG9030 = 1)) AND R02_12MBLUNT_ONLY_BTRAD != 1, THEN
R02_FORMER_THIRTYDAY_USER_GTRAD = 1.

ELSE, R02_FORMER_THIRTYDAY_USER_GTRAD = 2.

R02_EXPERIMENTAL_FORMER_GTRAD:

IF R02_CURRENT_USER_GTRAD != 1 AND R02_EXPERIMENTAL_CURRENT_GTRAD != 1 AND R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1 AND R02_AG1100TC != 1 AND R01_AG1100TC != 1 AND (R02_AG9003_12M = 2 OR R02_AG1003TC = 3), THEN
R02_EXPERIMENTAL_FORMER_GTRAD = 1. ELSE, R02_EXPERIMENTAL_FORMER_GTRAD = 2.

R02_NEW_FORMER_USER_GTRAD:

IF R02_CURRENT_USER_GTRAD != 1 AND R02_EXPERIMENTAL_CURRENT_GTRAD != 1 AND R02_AG1132TC != 1 AND (R01_CURRENT_USER_GTRAD = 1 OR R01_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R01_EXPERIMENTAL_FORMER_GTRAD = 1 OR R02_INIT_GTRAD_ADULT = 1 OR R01_YG9104_01 = 1) AND (R01_AG1100TC = 1 OR R02_AG1100TC = 1) AND (R02_AG9003_12M = 2 OR R02_AG1003TC = 3), THEN
R02_NEW_FORMER_USER_GTRAD = 1.

ELSE, R02_NEW_FORMER_USER_GTRAD = 2.

R02_STILL_FORMER_USER_GTRAD:

IF R02_CURRENT_USER_GTRAD != 1 AND R02_EXPERIMENTAL_CURRENT_GTRAD != 1 AND R01_FORMER_USER_GTRAD = 1 AND R02_AG1132TC != 1 AND (R02_AG9003_12M = 2 OR R02_AG1003TC = 3), THEN R02_STILL_FORMER_USER_GTRAD = 1.

ELSE, R02_STILL_FORMER_USER_GTRAD = 2.

IF LOOP = GRILLO, THEN DEFINE:

R02_CURRENT_USER_GRILLO:

IF (R01_AG1100CG = 1 OR R02_AG1100CG = 1) AND R02_AG1003CG = 1 OR 2, THEN
R02_CURRENT_USER_GRILLO = 1.

ELSE, R02_CURRENT_USER_GRILLO = 2.

R02 EVERYDAY_USER_GRILLO:

IF R02_CURRENT_USER_GRILLO = 1 AND R02_AG1003CG = 1, THEN
R02 EVERYDAY_USER_GRILLO = 1.

ELSE, R02 EVERYDAY_USER_GRILLO = 2.

R02_SOME_DAY_USER_GRILLO:

IF R02_CURRENT_USER_GRILLO = 1 AND R02_AG1003CG = 2, THEN
R02_SOME_DAY_USER_GRILLO = 1.

ELSE, R02_SOME_DAY_USER_GRILLO = 2.

R02_EXPERIMENTAL_CURRENT_GRILLO:

IF R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1 AND R02_AG1100CG != 1 AND R01_AG1100CG != 1 AND R02_AG1003CG = 1 OR 2, THEN
R02_EXPERIMENTAL_CURRENT_GRILLO = 1.

ELSE, R02_EXPERIMENTAL_CURRENT_GRILLO = 2.

R02_FORMER_THIRTYDAY_USER_GRILLO:

IF ((R02_CURRENT_USER_GRILLO != 1 AND R02_EXPERIMENTAL_CURRENT_GRILLO != 1) AND (R02_NEW_FORMER_USER_GRILLO = 1 OR R02_EXPERIMENTAL_FORMER_GRILLO = 1 OR R02_STILL_FORMER_USER_GRILLO = 1) AND ((1 <= R02_AG1009CG_NN <= 30 AND R02_AG1009CG_UN = 1) OR (R02_AG1009CG_NN = 1 AND R02_AG1009CG_UN = 2) OR

R02_AG9049_01 = 1 OR R02_AG9049_03 = 1)) AND R02_12MBLUNT_ONLY_BRILLO != 1, THEN
R02_FORMER_THIRTYDAY_USER_GRILLO = 1.

ELSE, R02_FORMER_THIRTYDAY_USER_GRILLO = 2.

R02_EXPERIMENTAL_FORMER_GRILLO:

IF R02_CURRENT_USER_GRILLO != 1 AND R02_EXPERIMENTAL_CURRENT_GRILLO != 1 AND
R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1 AND R02_AG1100CG != 1 AND
R01_AG1100CG != 1 AND ((R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1) OR
R02_AG1003CG = 3), THEN R02_EXPERIMENTAL_FORMER_GRILLO = 1.

ELSE, R02_EXPERIMENTAL_FORMER_GRILLO = 2.

R02_NEW_FORMER_USER_GRILLO:

IF R02_CURRENT_USER_GRILLO != 1 AND R02_EXPERIMENTAL_CURRENT_GRILLO != 1 AND
R02_AG1132CG != 1 AND (R01_CURRENT_USER_GRILLO = 1 OR
R01_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R01_EXPERIMENTAL_FORMER_GRILLO = 1
OR R02_INIT_GRILLO_ADULT = 1 OR (R01_YG9104_02 = 1 AND (R01_YG9009_01 = 1 OR
R01_YG9009_03 = 1))) AND (R01_AG1100CG = 1 OR R02_AG1100CG = 1) AND
((R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1) OR (R02_AG9051 = 2 AND
R02_AG9053 = 2) OR R02_AG1003CG = 3), THEN R02_NEW_FORMER_USER_GRILLO = 1.

ELSE, R02_NEW_FORMER_USER_GRILLO = 2.

R02_STILL_FORMER_USER_GRILLO:

R02_CURRENT_USER_GRILLO != 1 AND R02_EXPERIMENTAL_CURRENT_GRILLO != 1 AND
R01_FORMER_USER_GRILLO = 1 AND R02_AG1132CG != 1 AND ((R02_AG9009_12M_01 != 1 AND
R02_AG9009_12M_03 != 1) OR R02_AG1003CG = 3 OR (R02_AG9051 = 2 AND R02_AG9053 = 2)),
THEN R02_STILL_FORMER_USER_GRILLO = 1.

ELSE, R02_STILL_FORMER_USER_GRILLO = 2.

IF LOOP = GFILTR, THEN DEFINE:

R02_CURRENT_USER_GFILTR:

IF (R01_AG1100FC = 1 OR R02_AG1100FC = 1) AND R02_AG1003FC = 1 OR 2, THEN
R02_CURRENT_USER_GFILTR = 1.

ELSE, R02_CURRENT_USER_GFILTR = 2.

R02 EVERYDAY_USER_GFILTR:

IF R02_CURRENT_USER_GFILTR = 1 AND R02_AG1003FC = 1, THEN
R02 EVERYDAY_USER_GFILTR = 1.

ELSE, R02 EVERYDAY_USER_GFILTR = 2.

R02_SOME_DAY_USER_GFILTR:

IF R02_CURRENT_USER_GFILTR = 1 AND R02_AG1003FC = 2, THEN
R02_SOME_DAY_USER_GFILTR = 1.

ELSE, R02_SOME_DAY_USER_GFILTR = 2.

R02_EXPERIMENTAL_CURRENT_GFILTR:

IF R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1 AND R02_AG1100FC != 1 AND
R01_AG1100FC != 1 AND R02_AG1003FC = 1 OR 2, THEN
R02_EXPERIMENTAL_CURRENT_GFILTR = 1.

ELSE, R02_EXPERIMENTAL_CURRENT_GFILTR = 2.

R02_FORMER_THIRTYDAY_USER_GFILTR:

IF ((R02_CURRENT_USER_GFILTR != 1 AND R02_EXPERIMENTAL_CURRENT_GFILTR != 1) AND
(R02_NEW_FORMER_USER_GFILTR = 1 OR R02_EXPERIMENTAL_FORMER_GFILTR = 1 OR
R02_STILL_FORMER_USER_GFILTR = 1) AND ((1 <= R02_AG1009FC_NN <= 30 AND
R02_AG1009FC_UN = 1) OR (R02_AG1009FC_NN = 1 AND R02_AG1009FC_UN = 2) OR

R02_AG9049_02 = 1)) AND R02_12MBLUNT_ONLY_BFILTR != 1, THEN
R02_FORMER_THIRTYDAY_USER_GFILTR = 1.

ELSE, R02_FORMER_THIRTYDAY_USER_GFILTR = 2.

R02_EXPERIMENTAL_FORMER_GFILTR:

IF R02_CURRENT_USER_GFILTR != 1 AND R02_EXPERIMENTAL_CURRENT_GFILTR != 1 AND
R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1 AND R02_AG1100FC != 1 AND
R01_AG1100FC != 1 AND (R02_AG9009_12M_02 != 1 OR R02_AG1003FC = 3), THEN
R02_EXPERIMENTAL_FORMER_GFILTR = 1.

ELSE, R02_EXPERIMENTAL_FORMER_GFILTR = 2.

R02_NEW_FORMER_USER_GFILTR:

IF R02_CURRENT_USER_GFILTR != 1 AND R02_EXPERIMENTAL_CURRENT_GFILTR != 1 AND
R02_AG1132FC != 1 AND (R01_CURRENT_USER_GFILTR = 1 OR
R01_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R01_EXPERIMENTAL_FORMER_GFILTR = 1
OR R02_INIT_GFILTR_ADULT = 1 OR (R01_YG9104_02 = 1 AND R01_YG9009_02 = 1)) AND
(R01_AG1100FC = 1 OR R02_AG1100FC = 1) AND (R02_AG9009_12M_02 != 1 OR R02_AG9052 =
2 OR R02_AG1003FC = 3), THEN R02_NEW_FORMER_USER_GFILTR = 1.

ELSE, R02_NEW_FORMER_USER_GFILTR = 2.

R02_STILL_FORMER_USER_GFILTR:

IF R02_CURRENT_USER_GFILTR != 1 AND R02_EXPERIMENTAL_CURRENT_GFILTR != 1 AND
R02_AG1132FC != 1 AND R01_FORMER_USER_GFILTR = 1 AND (R02_AG9009_12M_02 != 1 OR
R02_AG1003FC = 3 OR R02_AG9052 = 2), THEN R02_STILL_FORMER_USER_GFILTR = 1.

ELSE, R02_STILL_FORMER_USER_GFILTR = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_AGR02
New baseline adult respondents that are every day established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1020[TC/CG/FC]_NB. Else, adult respondents who initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview, go to R02_AG1008[TC/.../FC]. Else, adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1021[TC/CG/FC]. Else, adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1022[TC/CG/FC]. Else, adult respondents who are new former established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1047[TC/CG/FC]. Else, go to Box R02_AGR04.	
IF LOOP = GTRAD THEN: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_GTRAD = 1, GO TO R02_AG1020TC_NB. ELSE, IF R02_INIT_GTRAD_ADULT = 1, GO TO R02_AG1008TC. ELSE, IF R02 EVERYDAY_USER_GTRAD = 1, GO TO R02_AG1021TC. ELSE, IF R02_SOMEDAY_USER_GTRAD = 1 OR R02 EXPERIMENTAL_CURRENT_GTRAD OR R02_FORMER_THIRTYDAY_USER_GTRAD = 1, GO TO R02_AG1022TC. ELSE, IF R02_NEW_FORMER_USER_GTRAD = 1, GO TO R02_AG1047TC. ELSE, GO TO BOX R02_AGR04.	
IF LOOP = GRILLO THEN: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_GRILLO = 1, GO TO R02_AG1020CG_NB. ELSE, IF R02_INIT_GRILLO_ADULT = 1, GO TO R02_AG1008CG. ELSE, IF R02 EVERYDAY_USER_GRILLO = 1, GO TO R02_AG1021CG. ELSE, IF R02_SOMEDAY_USER_GRILLO = 1 OR R02 EXPERIMENTAL_CURRENT_GRILLO OR R02_FORMER_THIRTYDAY_USER_GRILLO = 1, GO TO R02_AG1022CG. ELSE, IF R02_NEW_FORMER_USER_GRILLO = 1, GO TO R02_AG1047CG. ELSE, GO TO BOX R02_AGR04.	
IF LOOP = GFILTR THEN: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_GFILTR = 1, GO TO R02_AG1020FC_NB. ELSE, IF R02_INIT_GFILTR_ADULT = 1, GO TO R02_AG1008FC. ELSE, IF R02 EVERYDAY_USER_GFILTR = 1, GO TO R02_AG1021FC. ELSE, IF R02_SOMEDAY_USER_GFILTR = 1 OR R02 EXPERIMENTAL_CURRENT_GFILTR OR R02_FORMER_THIRTYDAY_USER_GFILTR = 1, GO TO R02_AG1022FC. ELSE, IF R02_NEW_FORMER_USER_GFILTR = 1, GO TO R02_AG1047FC. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1020TC_NB; R02_AG1020CG_NB; R02_AG1020FC_NB
How old were you when you first started smoking [CIGARFILL]s every day? _ _ _ _ Years old -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG1020TC_NB: IF LOOP = GTRAD AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_GTRAD = 1. FOR R02_AG1020CG_NB: IF LOOP = GRILLO AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_GRILLO = 1. FOR R02_AG1020FC_NB: IF LOOP = GFILTR AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_GFILTR = 1. DISPLAY: Display "Years old" as a title. PROGRAM: Allow 2 digits for age. GOTO: New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report the age they first started smoking traditional cigars/cigarillos/filtered cigars every day, go to R02_AG1122[TC/CG/FC]_NB. Else, adult respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts since their last completed interview, go to R02_AG1008[TC/CG/FC]. Else, go to R02_AG1021[TC/CG/FC]. GOTO Specification: FROM R02_AG1020TC_NB: IF R02_AG1020TC_NB = -8, -7, GO TO R02_AG1122TC_NB. ELSE, IF R02_INIT_GTRAD_ADULT = 1, GO TO R02_AG1008TC. ELSE, GO TO R02_AG1021TC. FROM R02_AG1020CG_NB: IF R02_AG1020CG_NB = -8, -7, GO TO R02_AG1122CG_NB. ELSE, IF R02_INIT_GRILLO_ADULT = 1, GO TO R02_AG1008CG. ELSE, GO TO R02_AG1021CG. FROM R02_AG1020FC_NB: IF R02_AG1020FC_NB = -8, -7, GO TO R02_AG1122FC_NB. ELSE, IF R02_INIT_GFILTR_ADULT = 1, GO TO R02_AG1008FC. ELSE, GO TO R02_AG1021FC.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1122TC_NB; R02_AG1122CG_NB; R02_AG1122FC_NB

When you first started smoking [CIGARFILL]s every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report the age they first started smoking traditional cigars/cigarillos/filtered cigars every day.

ASK Specification: FOR R02_AG1122TC_NB: IF LOOP = GTRAD AND R02_NEW_BASELINE_ADULT_LD AND R02 EVERYDAY_USER_GTRAD = 1 AND R02_AG1020TC_NB = -8, -7.

FOR R02_AG1122CG_NB: IF LOOP = GRILLO AND R02_NEW_BASELINE_ADULT_LD AND R02 EVERYDAY_USER_GRILLO = 1 AND R02_AG1020CG_NB = -8, -7.

FOR R02_AG1122FC_NB: IF LOOP = GFILTR AND R02_NEW_BASELINE_ADULT_LD AND R02 EVERYDAY_USER_GFILTR = 1 AND R02_AG1020FC_NB = -8, -7.

GOTO: Adult respondents who initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview, go to R02_AG1008[TC/CG/FC].

Else, go to R02_AG1021[TC/CG/FC].

GOTO Specification: FROM R02_AG1122TC_NB: IF R02_INIT_GTRAD_ADULT = 1, GO TO R02_AG1008TC.

ELSE, GO TO R02_AG1021TC.

FROM R02_AG1122CG_NB: IF R02_INIT_GRILLO_ADULT = 1, GO TO R02_AG1008CG.

ELSE, GO TO R02_AG1021CG.

FROM R02_AG1122FC_NB: IF R02_INIT_GFILTR_ADULT = 1, GO TO R02_AG1008FC.

ELSE, GO TO R02_AG1021FC.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1008TC; R02_AG1008CG; R02_AG1008FC***; R02_AG1008TJ**; R02_AG1008GJ**; R02_AG1008FJ
When you first started smoking [CIGARFILL]s[as blunts], did you smoke [[CIGARFILL]s/blunts] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts since their last completed interview. ASK Specification: FOR R02_AG1008TC: IF LOOP = GTRAD AND R02_INIT_GTRAD_ADULT = 1. FOR R02_AG1008CG: IF LOOP = GRILLO AND R02_INIT_GRILLO_ADULT = 1. FOR R02_AG1008FC: IF LOOP = GFILTR AND R02_INIT_GFILTR_ADULT = 1. FOR R02_AG1008TJ: IF LOOP = BTRAD AND R02_INIT_BLUNT_BTRAD_ADULT = 1. FOR R02_AG1008GJ: IF LOOP = BRILLO AND R02_INIT_BLUNT_BRILLO_ADULT = 1. FOR R02_AG1008FJ: IF LOOP = BFILTR AND R02_INIT_BLUNT_BFILTR_ADULT = 1. DISPLAY: FOR R02_AG1008TC: If LOOP = GTRAD, display "[CIGARFILL]s". FOR R02_AG1008CG: If LOOP = GRILLO, display "[CIGARFILL]s". FOR R02_AG1008FC: If LOOP = GFILTR, display "[CIGARFILL]s". FOR R02_AG1008TJ: If LOOP = BTRAD, display "[CIGARFILL]s as blunt" and "blunts". FOR R02_AG1008GJ: If LOOP = BRILLO, display "[CIGARFILL]s as blunt" and "blunts". FOR R02_AG1008FJ: If LOOP = BFILTR, display "[CIGARFILL]s as blunt" and "blunts". GOTO: Adult respondents who initiated traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as a blunt smoking with flavored cigars, go to R02_AG1011[TC/.../FJ]. Else, adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1021[TC/CG/FC]. Else, adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1022[TC/CG/FC]. Else, adult respondents who smoke traditional cigars/cigarillos/filtered cigars as blunts, go to R02_AG1030[TJ/GJ/FJ]. Else, adult respondents who are new former established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1047[TC/.../FC]. Else, go to Box R02_AGR04. GOTO Specification: FROM R02_AG1008TC: IF R02_AG1008TC = 1, GO TO R02_AG1011TC. ELSE, IF R02_EVERYDAY_USER_GTRAD = 1, GO TO R02_AG1021TC. ELSE, IF R02_SOME_DAY_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_FORMER_THIRTYDAY_USER_GTRAD = 1, GO TO R02_AG1022TC. ELSE, IF R02_NEW_FORMER_USER_GTRAD = 1, GO TO R02_AG1047TC. FROM R02_AG1008CG: IF R02_AG1008CG = 1, GO TO R02_AG1011CG. ELSE, IF R02_EVERYDAY_USER_GRILLO = 1, GO TO R02_AG1021CG. ELSE, IF R02_SOME_DAY_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_FORMER_THIRTYDAY_USER_GRILLO = 1, GO TO R02_AG1022CG. ELSE, IF R02_NEW_FORMER_USER_GRILLO = 1, GO TO R02_AG1047CG.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

FROM R02_AG1008FC: IF R02_AG1008FC = 1, GO TO R02_AG1011FC.
ELSE, IF R02_EVERYDAY_USER_GFILTR = 1, GO TO R02_AG1021FC.
ELSE, IF R02_SOME_DAY_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1
OR R02_FORMER_THIRTYDAY_USER_GFILTR = 1, GO TO R02_AG1022FC.
ELSE, IF R02_NEW_FORMER_USER_GFILTR = 1, GO TO R02_AG1047FC.
FROM R02_AG1008TJ: IF R02_AG1008TJ = 1, GO TO R02_AG1011TJ.
ELSE, GO TO R02_AG1030TJ.
FROM R02_AG1008GJ: IF R02_AG1008GJ = 1, GO TO R02_AG1011GJ.
ELSE, IF GO TO R02_AG1030GJ.
FROM R02_AG1008FJ: IF R02_AG1008FJ = 1, GO TO R02_AG1011FJ.
ELSE, GO TO R02_AG1030FJ.
NOTES: **SKIP ERROR: These items were skipped incorrectly by some respondents who initiated
smoking cigars as blunts since wave 1. The error was corrected during Wave 2 Data Collection on
1/26/2015.
***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor did you first start smoking? If multiple flavors were mixed together, choose all that apply.	
R02_AG1011TC_01; R02_AG1011CG_01; R02_AG1011FC_01; R02_AG1011TJ_01; R02_AG1011GJ_01; R02_AG1011FJ_01	1 Menthol or mint
R02_AG1011TC_02; R02_AG1011CG_02; R02_AG1011FC_02; R02_AG1011TJ_02; R02_AG1011GJ_02; R02_AG1011FJ_02	2 Clove or spice
R02_AG1011TC_03; R02_AG1011CG_03; R02_AG1011FC_03; R02_AG1011TJ_03; R02_AG1011GJ_03; R02_AG1011FJ_03	3 Fruit
R02_AG1011TC_04; R02_AG1011CG_04; R02_AG1011FC_04; R02_AG1011TJ_04; R02_AG1011GJ_04; R02_AG1011FJ_04	4 Chocolate
R02_AG1011TC_05; R02_AG1011CG_05; R02_AG1011FC_05; R02_AG1011TJ_05; R02_AG1011GJ_05; R02_AG1011FJ_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AG1011TC_06; R02_AG1011CG_06; R02_AG1011FC_06; R02_AG1011TJ_06; R02_AG1011GJ_06; R02_AG1011FJ_06	6 Candy or other sweets
R02_AG1011TC_07; R02_AG1011CG_07; R02_AG1011FC_07; R02_AG1011TJ_07; R02_AG1011GJ_07; R02_AG1011FJ_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED

PATH Study Wave 2 Adult Public Use File Annotated Instrument

ASK: Adult respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts since their last completed interview and initiated smoking traditional cigars/cigarillos/filtered cigars or blunts with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R02_AG1011TC: IF LOOP = GTRAD AND R02_INIT_GTRAD_ADULT = 1 AND R02_AG1008TC = 1.

FOR R02_AG1011CG: IF LOOP = GRILLO AND R02_INIT_GRILLO_ADULT = 1 AND R02_AG1008CG = 1.

FOR R02_AG1011FC: IF LOOP = GFILTR AND R02_INIT_GFILTR_ADULT = 1 AND R02_AG1008FC = 1.

FOR R02_AG1011TJ: IF LOOP = BTRAD AND R02_INIT_BLUNT_BTRAD_ADULT = 1 AND R02_AG1008TJ = 1.

FOR R02_AG1011GJ: IF LOOP = BRILLO AND R02_INIT_BLUNT_BRILLO_ADULT = 1 AND R02_AG1008GJ = 1.

FOR R02_AG1011FJ: IF LOOP = BFILTR AND R02_INIT_BLUNT_BFILTR_ADULT = 1 AND R02_AG1008FJ = 1.

GOTO: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1021[TC/CG/FC].

Else, adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1022[TC/CG/FC].

Else, adult respondents who smoke traditional cigars/cigarillos/filtered cigars as blunts, go to R02_AG1030[TJ/GJ/FJ].

Else, adult respondents who are new former established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1047[TC/.../FC].

Else, go to Box R02_AGR04.

GOTO Specification: FROM R02_AG1011TC: IF R02_EVERYDAY_USER_GTRAD = 1, GO TO R02_AG1021TC.

ELSE, IF R02_SOME_DAY_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_FORMER_THIRTYDAY_USER_GTRAD = 1, GO TO R02_AG1022TC.

ELSE, IF R02_NEW_FORMER_USER_GTRAD = 1, GO TO R02_AG1047TC.

FROM R02_AG1011CG: IF R02_EVERYDAY_USER_GRILLO = 1, GO TO R02_AG1021CG.

ELSE, IF R02_SOME_DAY_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_FORMER_THIRTYDAY_USER_GRILLO = 1, GO TO R02_AG1022CG.

ELSE, IF R02_NEW_FORMER_USER_GRILLO = 1, GO TO R02_AG1047CG.

FROM R02_AG1011FC: IF R02_EVERYDAY_USER_GFILTR = 1, GO TO R02_AG1021FC.

ELSE, R02_SOME_DAY_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_FORMER_THIRTYDAY_USER_GFILTR = 1, GO TO R02_AG1022FC.

ELSE, IF R02_NEW_FORMER_USER_GFILTR = 1, GO TO R02_AG1047FC.

FROM R02_AG1011TJ: GO TO R02_AG1030TJ.

FROM R02_AG1011GJ: GO TO R02_AG1030GJ.

FROM R02_AG1011FJ: GO TO R02_AG1030FJ.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1021TC; R02_AG1021CG; R02_AG1021FC***		
On average, about how many [CIGARFILL]s do you now smoke each day?		
-2	Less than 1 each day	GO TO R02_AG1130[TC/CG/FC]
_ _ _		GO TO R02_AG1130[TC/CG/FC]
-8	DON'T KNOW	GO TO R02_AG1130[TC/CG/FC]
-7	REFUSED	GO TO R02_AG1130[TC/CG/FC]
ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers.		
ASK Specification: FOR R02_AG1021TC: IF LOOP = GTRAD AND R02_EVERYDAY_USER_GTRAD = 1.		
FOR R02_AG1021CG: IF LOOP = GRILLO AND R02_EVERYDAY_USER_GRILLO = 1.		
FOR R02_AG1021FC: IF LOOP = GFILTR AND R02_EVERYDAY_USER_GFILTR = 1.		
DISPLAY: Display as a numeric quantity field, with button "Less than 1 each day" on right.		
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		

Variable(s): R02_AG1022TC; R02_AG1022CG; R02_AG1022FC		
On how many of the past 30 days did you smoke [CIGARFILL]s?		
_ _ _		
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers.		
ASK Specification: FOR R02_AG1022TC: IF LOOP = GTRAD AND (R02_SOME_DAY_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_FORMER_THIRTYDAY_USER_GTRAD = 1).		
FOR R02_AG1022CG: IF LOOP = GRILLO AND (R02_SOME_DAY_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_FORMER_THIRTYDAY_USER_GRILLO = 1).		
FOR R02_AG1022FC: IF LOOP = GFILTR AND (R02_SOME_DAY_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_FORMER_THIRTYDAY_USER_GFILTR = 1).		
PROGRAM: Soft range check: 0-30 days		
GOTO: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days, go to R02_AG9029[TC/CG/FC].		
Else, go to R02_AG1023[TC/CG/FC].		
GOTO Specification: FROM R02_AG1022TC: IF R02_AG1022TC = 0, GO TO R02_AG9029TC.		
ELSE, GO TO R02_AG1023TC.		
FROM R02_AG1022CG: IF R02_AG1022CG = 0, GO TO R02_AG9029CG.		
ELSE, GO TO R02_AG1023CG.		
FROM R02_AG1022FC: IF R02_AG1022FC = 0, GO TO R02_AG9029FC.		
ELSE, GO TO R02_AG1023FC.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG9029TC_NN; R02_AG9029TC_UN; R02_AG9029CG_NN; R02_AG9029CG_UN; R02_AG9029FC_NN; R02_AG9029FC_UN;
About how long has it been since you last smoked [CIGARFILL]s? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days. ASK Specification: FOR R02_AG9029TC: IF LOOP = GTRAD AND (R02_SOME_DAY_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R02_AG1022TC = 0. FOR R02_AG9029CG: IF LOOP = GRILLO AND (R02_SOME_DAY_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R02_AG1022CG = 0. FOR R02_AG9029FC: IF LOOP = GFILTR AND (R02_SOME_DAY_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R02_AG1022FC = 0. PROGRAM: Display as Quantity/Units. GOTO: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1024[TC/CG/FC]. Else, adult respondents who are current experimental traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG9040[TC/CG/FC]. Else, adult respondents who are new former established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1047[TC/CG/FC]. Else, go to Box R02_AGR04. GOTO Specification: FROM R02_AG9029TC[_NN/_UN]: IF R02_SOME_DAY_USER_GTRAD = 1, GO TO R02_AG1024TC. ELSE, IF R02_EXPERIMENTAL_CURRENT_GTRAD = 1, GO TO R02_AG9040TC. ELSE, IF R02_NEW_FORMER_USER_GTRAD = 1, GO TO R02_AG1047TC. ELSE, GO TO BOX R02_AGR04. FROM R02_AG9029CG[_NN/_UN]: IF R02_SOME_DAY_USER_GRILLO = 1, GO TO R02_AG1024CG. ELSE, IF R02_EXPERIMENTAL_CURRENT_GRILLO = 1, GO TO R02_AG9040CG. ELSE, IF R02_NEW_FORMER_USER_GRILLO = 1, GO TO R02_AG1047CG. ELSE, GO TO BOX R02_AGR04. FROM R02_AG9029FC[_NN/_UN]: IF R02_SOME_DAY_USER_GFILTR = 1, GO TO R02_AG1024FC. ELSE, IF R02_EXPERIMENTAL_CURRENT_GFILTR = 1, GO TO R02_AG9040FC. ELSE, IF R02_NEW_FORMER_USER_GFILTR = 1, GO TO R02_AG1047FC. ELSE, GO TO BOX R02_AGR04. NOTES: The value "1" refers to R02_AG9029[TC/CG/FC]_UN = Days; the value "2" refers to R02_AG9029[TC/CG/FC]_UN = Months; the value "3" refers to R02_AG9029[TC/CG/FC]_UN = Years.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1023TC; R02_AG1023CG; R02_AG1023FC
On average, on those [FILL NUMBER OF DAYS FROM R02_AG1022[TC/CG/FC] days/days you smoked], how many [CIGARFILL]s did you usually smoke each day? -2 Less than 1 each day __ __ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked. ASK Specification: FOR R02_AG1023TC: IF LOOP = GTRAD AND (R02_SOME_DAY_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_FORMER_THIRTYDAY_USER_GTRAD = 1) AND (R02_AG1022TC > 0 OR R02_AG1022TC = -8, -7). FOR R02_AG1023CG: IF LOOP = GRILLO AND (R02_SOME_DAY_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_FORMER_THIRTYDAY_USER_GRILLO = 1) AND (R02_AG1022CG > 0 OR R02_AG1022CG = -8, -7). FOR R02_AG1023FC: IF LOOP = GFILTR AND (R02_SOME_DAY_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_FORMER_THIRTYDAY_USER_GFILTR = 1) AND (R02_AG1022FC > 0 OR R02_AG1022FC = -8, -7). DISPLAY: Display as numeric quantity field, with button “Less than 1 each day” on right. IF R02_AG1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY “days you smoked”. ELSE, DISPLAY “# days” WHERE # = NUMBER OF DAYS REPORTED IN R02_AG1022[TC/CG/FC].

Variable(s): R02_AG1130TC**; R02_AG1130CG**; R02_AG1130FC**
In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers who have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked. ASK Specification: FOR R02_AG1130TC: IF LOOP = GTRAD AND R02 EVERYDAY_USER_GTRAD = 1 OR ((R02_SOME_DAY_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_FORMER_THIRTYDAY_USER_GTRAD = 1) AND (R02_AG1022TC > 0 OR R02_AG1022TC = -8, -7)). FOR R02_AG1130CG: IF LOOP = GRILLO AND R02 EVERYDAY_USER_GRILLO = 1 OR ((R02_SOME_DAY_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_FORMER_THIRTYDAY_USER_GRILLO = 1) AND (R02_AG1022CG > 0 OR R02_AG1022CG = -8, -7)). FOR R02_AG1130FC: IF LOOP = GFILTR AND R02 EVERYDAY_USER_GFILTR = 1 OR ((R02_SOME_DAY_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_FORMER_THIRTYDAY_USER_GFILTR = 1) AND (R02_AG1022FC > 0 OR R02_AG1022FC = -8, -7)).

GOTO: Adult respondents who are every day established, some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers who have smoked at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, and who have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, go to R02_AG1131[TC/CG/FC].

Else, adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1024[TC/CG/FC].

Else, adult respondents who are current experimental traditional cigar/cigarillo/filtered cigar smokers, go to Box R02_AG9040[TC/CG/FC].

Else, adult respondents who are new former established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1047[TC/CG/FC].

Else, go to R02_AGR04.

GOTO Specification: FROM R02_AG1130TC: IF R02_AG1130TC = 1, GO TO R02_AG1131TC.

ELSE, IF R02_CURRENT_USER_GTRAD = 1, GO TO R02_AG1024TC.

ELSE, IF R02_EXPERIMENTAL_CURRENT_GTRAD = 1, GO TO R02_AG9040TC.

ELSE, IF R02_NEW_FORMER_USER_GTRAD = 1, GO TO R02_AG1047TC.

ELSE, GO TO BOX R02_AGR04.

FROM R02_AG1130CG: IF R02_AG1130CG = 1, GO TO R02_AG1131CG.

ELSE, IF R02_CURRENT_USER_GRILLO = 1, GO TO R02_AG1024CG.

ELSE, IF R02_EXPERIMENTAL_CURRENT_GRILLO = 1, GO TO R02_AG9040CG.

ELSE, IF R02_NEW_FORMER_USER_GRILLO = 1, GO TO R02_AG1047CG.

ELSE, GO TO BOX R02_AGR04.

FROM R02_AG1130FC: IF R02_AG1130FC = 1, GO TO R02_AG1131FC.

ELSE, IF R02_CURRENT_USER_GFILTR = 1, GO TO R02_AG1024FC.

ELSE, IF R02_EXPERIMENTAL_CURRENT_GFILTR = 1, GO TO R02_AG9040FC.

ELSE, IF R02_NEW_FORMER_USER_GFILTR = 1, GO TO R02_AG1047FC.

ELSE, GO TO BOX R02_AGR04.

NOTES: **SKIP ERROR: This item was incorrectly skipped by respondents who answered don't know or refused in item R02_AG1022[TC/CG/FC]. The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.	
R02_AG1131TC_01; R02_AG1131CG_01; R02_AG1131FC_01	1 Menthol or mint
R02_AG1131TC_02; R02_AG1131CG_02; R02_AG1131FC_02	2 Clove or spice
R02_AG1131TC_03; R02_AG1131CG_03; R02_AG1131FC_03	3 Fruit
R02_AG1131TC_04; R02_AG1131CG_04; R02_AG1131FC_04	4 Chocolate
R02_AG1131TC_05; R02_AG1131CG_05; R02_AG1131FC_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AG1131TC_06; R02_AG1131CG_06; R02_AG1131FC_06	6 Candy or other sweets
R02_AG1131TC_07; R02_AG1131CG_07; R02_AG1131FC_07	7 Some other flavor
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who are every day established, some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers who have smoked at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, and who have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.	
ASK Specification: FOR R02_AG1131TC: IF LOOP = GTRAD AND [R02_EVERYDAY_USER_GTRAD = 1 OR ((R02_SOME_DAY_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_FORMER_THIRTYDAY_USER_GTRAD = 1) AND (R02_AG1022TC > 0 OR R02_AG1022TC = -8 OR -7))] AND R02_AG1130TC = 1.	
FOR R02_AG1131CG: IF LOOP = GRILLO AND [R02_EVERYDAY_USER_GRILLO = 1 OR ((R02_SOME_DAY_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_FORMER_THIRTYDAY_USER_GRILLO = 1) AND (R02_AG1022CG > 0 OR R02_AG1022CG = -8, -7))] AND R02_AG1130CG = 1.	
FOR R02_AG1131FC: IF LOOP = GFILTR AND [R02_EVERYDAY_USER_GFILTR = 1 OR ((R02_SOME_DAY_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_FORMER_THIRTYDAY_USER_GFILTR = 1) AND (R02_AG1022FC > 0 OR R02_AG1022FC = -8, -7))] AND R02_AG1130FC = 1.	
GOTO: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1024[TC/CG/FC].	
Else, adult respondents who are current experimental traditional cigar/cigarillo/filtered cigar smokers, go to Box R02_AG9040[TC/CG/FC].	
Else, adult respondents who are new former established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1047[TC/CG/FC].	
Else, go to R02_AGR04.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

GOTO Specification: FROM R02_AG1131TC: IF R02_CURRENT_USER_GTRAD = 1, GO TO R02_AG1024TC.

ELSE, IF R02_EXPERIMENTAL_CURRENT_GTRAD = 1, GO TO R02_AG9040TC.

ELSE, IF R02_NEW_FORMER_USER_GTRAD = 1, GO TO R02_AG1047TC.

ELSE, GO TO BOX R02_AGR04.

FROM R02_AG1131CG: IF R02_CURRENT_USER_GRILLO = 1, GO TO R02_AG1024CG.

ELSE, IF R02_EXPERIMENTAL_CURRENT_GRILLO = 1, GO TO R02_AG9040CG.

ELSE, IF R02_NEW_FORMER_USER_GFILTR = 1, GO TO R02_AG1047CG.

ELSE, GO TO BOX R02_AGR04.

FROM R02_AG1131FC: IF R02_CURRENT_USER_GFILTR = 1, GO TO R02_AG1024FC.

ELSE, IF R02_EXPERIMENTAL_CURRENT_GFILTR = 1, GO TO R02_AG9040FC.

ELSE, IF R02_NEW_FORMER_USER_GFILTR = 1, GO TO R02_AG1047FC.

ELSE, GO TO BOX R02_AGR04.

Variable(s): R02_AG1024TC_NN*; R02_AG1024TC_UN; R02_AG1024CG_NN***; R02_AG1024CG_UN; R02_AG1024FC_NN***; R02_AG1024FC_UN**

[On the days that you smoke [CIGARFILL]s, how/How] soon after you wake up do you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.

- | | |
|--------------------------------------|----------------------------|
| 1 __ __ __ Minutes after waking | GO TO R02_AG9040[TC/CG/FC] |
| 2 __ __ __ Hours after waking | GO TO R02_AG9040[TC/CG/FC] |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R02_AG1024TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1.

FOR R02_AG1024CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1.

FOR R02_AG1024FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1.

DISPLAY: FOR R02_AG1024TC: IF LOOP = GTRAD AND R02_EVERYDAY_USER_GTRAD = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, how".

FOR R02_AG1024CG: IF LOOP = GRILLO AND R02_EVERYDAY_USER_GRILLO = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, how".

FOR R02_AG1024FC: IF LOOP = GFILTR AND R02_EVERYDAY_USER_GFILTR = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, how".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R02_AG1024[TC/CG/FC]_UN = Minutes after waking; the value "2" refers to R02_AG1024[TC/CG/FC]_UN = Hours after waking.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1092TC; R02_AG1092CG; R02_AG1092FC
[On the days that you smoke [CIGARFILL]s, would/Would] you say you smoke your first [CIGARFILL] of the day within the first 30 minutes after you wake up? 1 Yes 2 No 3 It varies -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoke their first traditional cigar/cigarillo/filtered cigar. ASK Specification: FOR R02_AG1092TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1 AND R02_AG1024TC = -8, -7. FOR R02_AG1092CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1 AND R02_AG1024CG = -8, -7. FOR R02_AG1092FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1 AND R02_AG1024FC = -8, -7. DISPLAY: FOR R02_AG1092TC: IF LOOP = GTRAD AND R02_EVERYDAY_USER_GTRAD = 1, DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, would". FOR R02_AG1092CG: IF LOOP = GRILLO AND R02_EVERYDAY_USER_GRILLO = 1, DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, would". FOR R02_AG1092FC: IF LOOP = GFILTR AND R02_EVERYDAY_USER_GFILTR = 1, DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, would".	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG9040TC; R02_AG9040CG; R02_AG9040FC
Please look at this picture. Which group is most like the [CIGARFILL] you usually smoke? 1 Group 1 2 Group 2 3 Group 3 4 Group 4 -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG9040TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1). FOR R02_AG9040CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1). FOR R02_AG9040FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1). GOTO: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers, go to R02_AG1098[TC/CG/FC]. Else, go to Box R02_AGD03. GOTO Specification: FROM R02_AG9040TC: IF R02_CURRENT_USER_GTRAD = 1, GO TO R02_AG1098TC ELSE, GO TO BOX R02_AGD03. ELSE, GO TO R02_AG1098TC. FROM R02_AG9040CG: IF R02_CURRENT_USER_GRILLO = 1, GO TO R02_AG1098CG. ELSE, GO TO BOX R02_AGD03. FROM R02_AG9040FC: IF R02_CURRENT_USER_GFILTR = 1, GO TO R02_AG1098FC. ELSE, GO TO BOX R02_AGD03. IMAGE: DISPLAY GENERIC IMAGE OF 4 CIGAR GROUPS. NOTES: Group 1 corresponds to traditional cigars, group 2 corresponds to cigarillos with tips, group 3 corresponds to cigarillos without tips and group 4 corresponds to filtered cigars.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1098TC***; R02_AG1098CG***; R02_AG1098FC***
The next questions ask about your experience buying [CIGARFILL]s.	
In the past 30 days, how often have you used a coupon when buying [CIGARFILL]s?	
1 Always 2 Sometimes 3 Rarely 4 Never -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R02_AG1098TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1.	
FOR R02_AG1098CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1.	
FOR R02_AG1098FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AG1030TC***; R02_AG1030CG***; R02_AG1030FC***; R02_AG1030TJ**; R02_AG1030GJ**; R02_AG1030FJ**
How do you usually buy [CIGARFILL]s for yourself[when you smoke blunts]?	
1 In person (such as at a store or cigar bar) 2 From the internet 3 By telephone 4 I do not buy my own [CIGARFILL]s[for blunts] -8 DON'T KNOW -7 REFUSED	
GO TO R02_AG1039[TC/.../FJ]	
GO TO R02_AG1039[TC/.../FJ]	
GO TO R02_AG1047[TC/.../FJ]	
GO TO R02_AG1047[TC/.../FJ]	
GO TO R02_AG1047[TC/.../FJ]	
ASK: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R02_AG1030TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1.	
FOR R02_AG1030CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1.	
FOR R02_AG1030FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1.	
FOR R02_AG1030TJ: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1.	
FOR R02_AG1030GJ: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1.	
FOR R02_AG1030FJ: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1.	
DISPLAY: IF ASKING ABOUT BLUNTS (LOOP = BTRAD, BRILLO OR BFILTR), DISPLAY " when you smoke blunts" IN THE QUESTION, AND " for blunts" IN RESPONSE OPTION 4; ELSE, DO NOT DISPLAY THIS TEXT IF ASKING ABOUT NON-BLUNTS (LOOP = GTRAD, GRILLO OR GFILTR).	
NOTES: **SKIP ERROR: These items were skipped incorrectly by some respondents who smoked cigars as blunts. The error was corrected during Wave 2 Data Collection on 1/26/2015.	
***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1032TC; R02_AG1032CG; R02_AG1032FC; R02_AG1032TJ; R02_AG1032GJ; R02_AG1032FJ
Do you usually buy [CIGARFILL]s[for blunts]? 1 In your own state 2 In another state 3 Outside the US -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person. ASK Specification: FOR R02_AG1032TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1 AND R02_AG1030TC = 1. FOR R02_AG1032CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1 AND R02_AG1030CG = 1. FOR R02_AG1032FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1 AND R02_AG1030FC = 1. FOR R02_AG1032TJ: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_AG1030TJ = 1. FOR R02_AG1032GJ: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_AG1030GJ = 1. FOR R02_AG1032FJ: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_AG1030FJ = 1. DISPLAY: IF ASKING ABOUT BLUNTS (LOOP = BTRAD, BRILLO OR BFILTR), DISPLAY " for blunts". ELSE, DO NOT DISPLAY THIS TEXT IF ASKING ABOUT NON-BLUNTS. (LOOP = GTRAD, GRILLO OR GFILTR).	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1033TC; R02_AG1033TC_OS; R02_AG1033CG; R02_AG1033CG_OS; R02_AG1033FC; R02_AG1033FC_OS; R02_AG1033TJ; R02_AG1033TJ_OS; R02_AG1033GJ; R02_AG1033GJ_OS; R02_AG1033FJ; R02_AG1033FJ_OS
Where do you buy your [CIGARFILL]s[for blunts] most of the time? 1 A cigar bar 2 A convenience store or gas station 3 A supermarket, grocery store, or drug store 4 A warehouse club, such as Sam's or Costco 5 A smoke shop, tobacco specialty store or tobacco outlet store 6 A duty free shop or military commissary 7 A bar, pub, restaurant or casino 8 A friend or relative 9 A swap meet or flea market 10 A liquor store 11 Or from somewhere else (SPECIFY) -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person. ASK Specification: FOR R02_AG1033TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1 AND R02_AG1030TC = 1. FOR R02_AG1033CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1 AND R02_AG1030CG = 1. FOR R02_AG1033FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1 AND R02_AG1030FC = 1. FOR R02_AG1033TJ: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_AG1030TJ = 1. FOR R02_AG1033GJ: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_AG1030GJ = 1. FOR R02_AG1033FJ: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_AG1030FJ = 1. DISPLAY: IF ASKING ABOUT BLUNTS (LOOP = BTRAD, BRILLO OR BFILTR), DISPLAY " for blunts". ELSE, DO NOT DISPLAY THIS TEXT IF ASKING ABOUT NON-BLUNTS (LOOP = GTRAD, GRILLO OR GFILTR).	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1039TC; R02_AG1039CG; R02_AG1039FC; R02_AG1039TJ; R02_AG1039GJ; R02_AG1039FJ		
Do you usually buy [CIGARFILL]s[for blunts] by the box or pack, or as single [CIGARFILL]s?		
1	Box or pack	
2	Single [CIGARFILL]s	GO TO R02_AG1043[TC/.../FJ]
-8	DON'T KNOW	GO TO R02_AG1047[TC/.../FJ]
-7	REFUSED	GO TO R02_AG1047[TC/.../FJ]
ASK: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone.		
ASK Specification: FOR R02_AG1039TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1 AND R02_AG1030TC = 1, 2 OR 3.		
FOR R02_AG1039CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1 AND R02_AG1030CG = 1, 2 OR 3.		
FOR R02_AG1039FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1 AND R02_AG1030FC = 1, 2 OR 3.		
FOR R02_AG1039TJ: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_AG1030TJ = 1, 2 OR 3.		
FOR R02_AG1039GJ: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_AG1030GJ = 1, 2 OR 3.		
FOR R02_AG1039FJ: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_AG1030FJ = 1, 2 OR 3.		
DISPLAY: IF ASKING ABOUT BLUNTS (LOOP = BTRAD, BRILLO OR BFILTR), DISPLAY " for blunts". ELSE, DO NOT DISPLAY THIS TEXT IF ASKING ABOUT NON-BLUNTS (LOOP = GTRAD, GRILLO OR GFILTR).		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1040TC; R02_AG1040CG; R02_AG1040FC; R02_AG1040TJ; R02_AG1040GJ; R02_AG1040FJ
How many [CIGARFILL]s come in the box or pack that you usually buy[for blunts]? _ _ _ _ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and buy traditional cigars/cigarillos/filtered cigars by the box or pack. ASK Specification: FOR R02_AG1040TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1 AND R02_AG1030TC = 1, 2 OR 3 AND R02_AG1039TC = 1. FOR R02_AG1040CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1 AND R02_AG1030CG = 1, 2 OR 3 AND R02_AG1039CG = 1. FOR R02_AG1040FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1 AND R02_AG1030FC = 1, 2 OR 3 AND R02_AG1039FC = 1. FOR R02_AG1040TJ: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_AG1030TJ = 1, 2 OR 3 AND R02_AG1039TJ = 1. FOR R02_AG1040GJ: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_AG1030GJ = 1, 2 OR 3 AND R02_AG1039GJ = 1. FOR R02_AG1040FJ: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_AG1030FJ = 1, 2 OR 3 AND R02_AG1039FJ = 1. DISPLAY: IF ASKING ABOUT BLUNTS (LOOP = BTRAD, BRILLO OR BFILTR), DISPLAY " for blunts". ELSE, DO NOT DISPLAY THIS TEXT IF ASKING ABOUT NON-BLUNTS (LOOP = GTRAD, GRILLO OR GFILTR). PROGRAM: Allow 3 digits.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1042TC_D; R02_AG1042TC_C; R02_AG1042CG_D; R02_AG1042CG_C; R02_AG1042FC_D; R02_AG1042FC_C; R02_AG1042TJ_D; R02_AG1042TJ_C; R02_AG1042GJ_D; R02_AG1042GJ_C; R02_AG1042FJ_D; R02_AG1042FJ_C		
How much do you usually pay for a box or pack of [CIGARFILL]s[for blunts]?		
\$ _ _ _ Dollars . _ _ _ Cents	GO TO R02_AG1047[TC/.../FJ]	
-8 DON'T KNOW	GO TO R02_AG1047[TC/.../FJ]	
-7 REFUSED	GO TO R02_AG1047[TC/.../FJ]	
ASK: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and buy traditional cigars/cigarillos/filtered cigars by the box or pack.		
ASK Specification: FOR R02_AG1042TC[_D/_C]: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1 AND R02_AG1030TC = 1, 2 OR 3 AND R02_AG1039TC = 1.		
FOR R02_AG1042CG[_D/_C]: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1 AND R02_AG1030CG = 1, 2 OR 3 AND R02_AG1039CG = 1.		
FOR R02_AG1042FC[_D/_C]: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1 AND R02_AG1030FC = 1, 2 OR 3 AND R02_AG1039FC = 1.		
FOR R02_AG1042TJ[_D/_C]: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_AG1030TJ = 1, 2 OR 3 AND R02_AG1039TJ = 1.		
FOR R02_AG1042GJ[_D/_C]: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_AG1030GJ = 1, 2 OR 3 AND R02_AG1039GJ = 1.		
FOR R02_AG1042FJ[_D/_C]: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_AG1030FJ = 1, 2 OR 3 AND R02_AG1039FJ = 1.		
DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles.		
IF ASKING ABOUT BLUNTS (LOOP = BTRAD, BRILLO OR BFILTR), DISPLAY " for blunts". ELSE, DO NOT DISPLAY THIS TEXT IF ASKING ABOUT NON-BLUNTS (LOOP = GTRAD, GRILLO OR GFILTR).		
PROGRAM: Display as Quantity/Quantity.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1043TC_D; R02_AG1043TC_C; R02_AG1043CG_D; R02_AG1043CG_C; R02_AG1043FC_D; R02_AG1043FC_C; R02_AG1043TJ_D; R02_AG1043TJ_C; R02_AG1043GJ_D; R02_AG1043GJ_C; R02_AG1043FJ_D; R02_AG1043FJ_C
How much do you usually pay for a single [CIGARFILL][for a blunt]? \$ _ _ _ _ Dollars . _ _ _ _ Cents -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and buy single traditional cigars/cigarillos/filtered cigars. ASK Specification: FOR R02_AG1043TC[_D/_C]: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1 AND R02_AG1030TC = 1, 2 OR 3 AND R02_AG1039TC = 2. FOR R02_AG1043CG[_D/_C]: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1 AND R02_AG1030CG = 1, 2 OR 3 AND R02_AG1039CG = 2. FOR R02_AG1043FC[_D/_C]: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1 AND R02_AG1030FC = 1, 2 OR 3 AND R02_AG1039FC = 2. FOR R02_AG1043TJ[_D/_C]: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_AG1030TJ = 1, 2 OR 3 AND R02_AG1039TJ = 2. FOR R02_AG1043GJ[_D/_C]: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_AG1030GJ = 1, 2 OR 3 AND R02_AG1039GJ = 2. FOR R02_AG1043FJ[_D/_C]: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_AG1030FJ = 1, 2 OR 3 AND R02_AG1039FJ = 2. DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles. IF ASKING ABOUT BLUNTS (LOOP = BTRAD, BRILLO OR BFILTR), DISPLAY " for a blunt". ELSE, DO NOT DISPLAY THIS TEXT IF ASKING ABOUT NON-BLUNTS (LOOP = GTRAD, GRILLO OR GFILTR). PROGRAM: Display as Quantity/Quantity.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1047TC***; R02_AG1047CG***; R02_AG1047FC***; R02_AG1047TJ**; R02_AG1047GJ**; R02_AG1047FJ**
[Do/Did] you have a regular brand of [[CIGARFILL]s] that you usually [smoke/smoked/use for blunts]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG1047TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1). FOR R02_AG1047CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1). FOR R02_AG1047FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1). FOR R02_AG1047TJ: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1. FOR R02_AG1047GJ: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1. FOR R02_AG1047FJ: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1. DISPLAY: FOR R02_AG1047TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1, DISPLAY "Do", "smoke" AND "[CIGARFILL]s". IF LOOP = GTRAD AND R02_NEW_FORMER_USER_GTRAD = 1, DISPLAY "Did", "smoked" AND "[CIGARFILL]s". FOR R02_AG1047CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1, DISPLAY "Do", "smoke" AND "[CIGARFILL]s". IF LOOP = GRILLO AND R02_NEW_FORMER_USER_GRILLO = 1, DISPLAY "Did", "smoked" AND "[CIGARFILL]s". FOR R02_AG1047FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1, DISPLAY "Do", "smoke" AND "[CIGARFILL]s". IF LOOP = GFILTR AND R02_NEW_FORMER_USER_GFILTR = 1, DISPLAY "Did", "smoked" AND "[CIGARFILL]s". FOR R02_AG1047TJ: IF LOOP = BTRAD, DISPLAY "Do", "[CIGARFILL]" AND "use for blunts". FOR R02_AG1047GJ: IF LOOP = BRILLO, DISPLAY "Do", "[CIGARFILL]" AND "use for blunts". FOR R02_AG1047FJ: IF LOOP = BFILTR, DISPLAY "Do", "[CIGARFILL]" AND "use for blunts". NOTES: **SKIP ERROR: These items were skipped incorrectly by some respondents who smoked cigars as blunts. The error was corrected during Wave 2 Data Collection on 1/26/2015. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1048TC_BRAND***; R02_AG1048CG_BRAND***; R02_AG1048FC_BRAND***; R02_AG1048TJ_BRAND**; R02_AG1048GJ_BRAND**; R02_AG1048FJ_BRAND**
What brand of [CIGARFILL][for blunts] [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG1048TC_BRAND: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1). FOR R02_AG1048CG_BRAND: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1). FOR R02_AG1048FC_BRAND: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1). FOR R02_AG1048TJ_BRAND: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1. FOR R02_AG1048GJ_BRAND: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1. FOR R02_AG1048FJ_BRAND: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else". IF ASKING ABOUT BLUNTS (LOOP = BTRAD, BRILLO OR BFILTR), DISPLAY " for blunts"; ELSE, DO NOT DISPLAY THIS TEXT IF ASKING ABOUT NON-BLUNTS (LOOP = GTRAD, GRILLO OR GFILTR). FOR R02_AG1048TC_BRAND: IF R02_AG1047TC = 2, -8 OR -7, DISPLAY "did" AND "last". If R02_AG1047TC = 1 AND LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1, DISPLAY "do" AND "usually". IF R02_AG1047TC = 1 AND LOOP = GTRAD AND R02_NEW_FORMER_USER_GTRAD = 1, DISPLAY "did" AND "usually". FOR R02_AG1048CG_BRAND: IF R02_AG1047CG = 2, -8 OR -7, DISPLAY "did" AND "last". If R02_AG1047CG = 1 AND LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1, DISPLAY "do" AND "usually". IF R02_AG1047CG = 1 AND LOOP = GRILLO AND R02_NEW_FORMER_USER_GRILLO = 1, DISPLAY "did" AND "usually". FOR R02_AG1048FC_BRAND: IF R02_AG1047FC = 2, -8 OR -7, DISPLAY "did" AND "last". If R02_AG1047FC = 1 AND LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1, DISPLAY "do" AND "usually". IF R02_AG1047FC = 1 AND LOOP = GFILTR AND R02_NEW_FORMER_USER_GFILTR = 1, DISPLAY "did" AND "usually". FOR R02_AG1048TJ_BRAND: IF R02_AG1047TJ = 2, -8 OR -7, DISPLAY "did" AND "last". If R02_AG1047TJ = 1 AND LOOP = BTRAD, DISPLAY "do" AND "usually". FOR R02_AG1048GJ_BRAND: IF R02_AG1047GJ = 2, -8 OR -7, DISPLAY "did" AND "last". If R02_AG1047GJ = 1 AND LOOP = BRILLO, DISPLAY "do" AND "usually". FOR R02_AG1048FJ_BRAND: IF R02_AG1047FJ = 2, -8 OR -7, DISPLAY "did" AND "last". If R02_AG1047FJ = 1 AND LOOP = BFILTR, DISPLAY "do" AND "usually". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. GOTO: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R02_AG1070[TC/.../FJ]_PRODUCT. Else, adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R02_AG1049[TC/.../FJ].

Else, go to R02_AG1050[TC/.../FJ].

GOTO Specification: FROM R02_AG1048TC_BRAND: IF R02_AG1048TC_BRAND != 9995, -8, -7, GO TO R02_AG1070TC_PRODUCT.

ELSE, IF R02_AG1048TC_BRAND = 9995, GO TO R02_AG1049TC.

ELSE, GO TO R02_AG1050TC.

FROM R02_AG1048CG_BRAND: IF R02_AG1048CG_BRAND != 9995, -8, -7, GO TO R02_AG1070CG_PRODUCT.

ELSE, IF R02_AG1048CG_BRAND = 9995, GO TO R02_AG1049CG.

ELSE, GO TO R02_AG1050CG.

FROM R02_AG1048FC_BRAND: IF R02_AG1048FC_BRAND != 9995, -8, -7, GO TO R02_AG1070FC_PRODUCT.

ELSE, IF R02_AG1048FC_BRAND = 9995, GO TO R02_AG1049FC.

ELSE, GO TO R02_AG1050FC.

FROM R02_AG1048TJ_BRAND: IF R02_AG1048TJ_BRAND != 9995, -8, -7, GO TO R02_AG1070TJ_PRODUCT.

ELSE, IF R02_AG1048TJ_BRAND = 9995, GO TO R02_AG1049TJ.

ELSE, GO TO R02_AG1050TJ.

FROM R02_AG1048GJ_BRAND: IF R02_AG1048GJ_BRAND != 9995, -8, -7, GO TO R02_AG1070GJ_PRODUCT.

ELSE, IF R02_AG1048GJ_BRAND = 9995, GO TO R02_AG1049GJ.

ELSE, GO TO R02_AG1050GJ.

FROM R02_AG1048FJ_BRAND: IF R02_AG1048FJ_BRAND != 9995, -8, -7, GO TO R02_AG1070FJ_PRODUCT.

ELSE, IF R02_AG1048FJ_BRAND = 9995, GO TO R02_AG1049FJ.

ELSE, GO TO R02_AG1050FJ.

NOTES: **SKIP ERROR: These items were skipped incorrectly by some respondents who smoked cigars as blunts. The error was corrected during Wave 2 Data Collection on 1/26/2015.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1070TC_PRODUCT; R02_AG1070CG_PRODUCT; R02_AG1070FC_PRODUCT; R02_AG1070TJ_PRODUCT; R02_AG1070GJ_PRODUCT; R02_AG1070FJ_PRODUCT
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke[as a blunt]? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars. ASK Specification: FOR R02_AG1070TC_PRODUCT: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND R02_AG1048TC_BRAND != 9995, -8, -7. FOR R02_AG1070CG_PRODUCT: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND R02_AG1048CG_BRAND != 9995, -8, -7. FOR R02_AG1070FC_PRODUCT: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND R02_AG1048FC_BRAND != 9995, -8, -7. FOR R02_AG1070TJ_PRODUCT: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_AG1048TJ_BRAND != 9995, -8, -7. FOR R02_AG1070GJ_PRODUCT: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_AG1048GJ_BRAND != 9995, -8, -7. FOR R02_AG1070FJ_PRODUCT: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_AG1048FJ_BRAND != 9995, -8, -7. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"." IF ASKING ABOUT BLUNTS (LOOP = BTRAD, BRILLO OR BFILTR), DISPLAY " as a blunt"; ELSE, DO NOT DISPLAY THIS TEXT IF ASKING ABOUT NON-BLUNTS (LOOP = GTRAD, GRILLO OR GFILTR). FOR R02_AG1070TC_PRODUCT: FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048TC_BRAND. IF R02_AG1047TC = 2, -8 OR -7, DISPLAY "did" AND "last". IF R02_AG1047TC = 1 AND LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1, DISPLAY "do" AND "usually". IF R02_AG1047TC = 1 AND LOOP = GTRAD AND R02_NEW_FORMER_USER_GTRAD = 1, DISPLAY "did" AND "usually". FOR R02_AG1070CG_PRODUCT: FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048CG_BRAND. IF R02_AG1047CG = 2, -8 OR -7, DISPLAY "did" AND "last". IF R02_AG1047CG = 1 AND LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1, DISPLAY "do" AND "usually". IF R02_AG1047CG = 1 AND LOOP = GRILLO AND R02_NEW_FORMER_USER_GRILLO = 1, DISPLAY "did" AND "usually". FOR R02_AG1070FC_PRODUCT: FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048FC_BRAND. IF R02_AG1047FC = 2, -8 OR -7, DISPLAY "did" AND "last". IF R02_AG1047FC = 1 AND LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1, DISPLAY "do" AND "usually". IF R02_AG1047FC = 1 AND LOOP = GFILTR AND R02_NEW_FORMER_USER_GFILTR = 1, DISPLAY "did" AND "usually". FOR R02_AG1070TJ_PRODUCT: FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048TJ_BRAND. IF R02_AG1047TJ = 2, -8 OR -7, DISPLAY "did" AND "last". IF R02_AG1047TJ = 1 AND LOOP = BTRAD, DISPLAY "do" AND "usually".	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

FOR R02_AG1070GJ_PRODUCT: FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048GJ_BRAND. IF R02_AG1047GJ = 2, -8 OR -7, DISPLAY "did" AND "last". IF R02_AG1047GJ = 1 AND LOOP = BRILLO, DISPLAY "do" AND "usually".

FOR R02_AG1070FJ_PRODUCT: FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048FJ_BRAND. IF R02_AG1047FJ = 2, -8 OR -7, DISPLAY "did" AND "last". IF R02_AG1047FJ = 1 AND LOOP = BFILTR, DISPLAY "do" AND "usually".

PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R02_AG1048[TC/.../FJ]_BRAND.

GOTO: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their sub-brand of traditional cigars/cigarillos/filtered cigars, go to R02_AG1071[TC/.../FJ].

Else, go to R02_AG1050[TC/.../FJ].

GOTO Specification: FROM R02_AG1070TC_PRODUCT: IF R02_AG1070TC_PRODUCT = 99995, GO TO R02_AG1071TC.

ELSE, GO TO R02_AG1050TC.

FROM R02_AG1070CG_PRODUCT: IF R02_AG1070CG_PRODUCT = 99995, GO TO R02_AG1071CG.

ELSE, GO TO R02_AG1050CG.

FROM R02_AG1070FC_PRODUCT: IF R02_AG1070FC_PRODUCT = 99995, GO TO R02_AG1071FC.

ELSE, GO TO R02_AG1050FC.

FROM R02_AG1070TJ_PRODUCT: IF R02_AG1070TJ_PRODUCT = 99995, GO TO R02_AG1071TJ.

ELSE, GO TO R02_AG1050TJ.

FROM R02_AG1070GJ_PRODUCT: IF R02_AG1070GJ_PRODUCT = 99995, GO TO R02_AG1071GJ.

ELSE, GO TO R02_AG1050GJ.

FROM R02_AG1070FJ_PRODUCT: IF R02_AG1070FJ_PRODUCT = 99995, GO TO R02_AG1071FJ.

ELSE, GO TO R02_AG1050FJ.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1049TC; R02_AG1049CG; R02_AG1049FC; R02_AG1049TJ; R02_AG1049GJ; R02_AG1049FJ	
You said that your brand was not pictured. What is it?	
_____	GO TO R02_AG1050[TC/.../FJ]
-8 DON'T KNOW	GO TO R02_AG1050[TC/.../FJ]
-7 REFUSED	GO TO R02_AG1050[TC/.../FJ]
ASK: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected 'something else' for their brand of traditional cigars/cigarillos/filtered cigars.	
ASK Specification: FOR R02_AG1049TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND R02_AG1048TC_BRAND = 9995.	
FOR R02_AG1049CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND R02_AG1048CG_BRAND = 9995.	
FOR R02_AG1049FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND R02_AG1048FC_BRAND = 9995.	
FOR R02_AG1049TJ: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_AG1048TJ_BRAND = 9995.	
FOR R02_AG1049GJ: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_AG1048GJ_BRAND = 9995.	
FOR R02_AG1049FJ: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_AG1048FJ_BRAND = 9995.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1071TC; R02_AG1071CG; R02_AG1071FC; R02_AG1071TJ; R02_AG1071GJ; R02_AG1071FJ
You said that the type of [BRANDFILL]s that you [smoke/smoked][as blunts] is not pictured. What type is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars and selected 'something else' for their subbrand of traditional cigars/cigarillos/filtered cigars. ASK Specification: FOR R02_AG1071TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND R02_AG1048TC_BRAND != 9995, -8, -7 AND R02_AG1070TC_PRODUCT = 99995. FOR R02_AG1071CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND R02_AG1048CG_BRAND != 9995, -8, -7 AND R02_AG1070CG_PRODUCT = 99995. FOR R02_AG1071FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND R02_AG1048FC_BRAND != 9995, -8, -7 AND R02_AG1070FC_PRODUCT = 99995. FOR R02_AG1071TJ: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_AG1048TJ_BRAND != 9995, -8, -7 AND R02_AG1070TJ_PRODUCT = 99995. FOR R02_AG1071GJ: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_AG1048GJ_BRAND != 9995, -8, -7 AND R02_AG1070GJ_PRODUCT = 99995. FOR R02_AG1071FJ: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_AG1048FJ_BRAND != 9995, -8, -7 AND R02_AG1070FJ_PRODUCT = 99995. DISPLAY: IF ASKING ABOUT BLUNTS (LOOP = BTRAD, BRILLO OR BFILTR), DISPLAY " as blunts"; ELSE, DO NOT DISPLAY THIS TEXT IF ASKING ABOUT NON-BLUNTS (LOOP = GTRAD, GRILLO OR GFILTR). FOR R02_AG1071TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1, DISPLAY "smoke". IF LOOP = GTRAD AND R02_NEW_FORMER_USER_GTRAD = 1, DISPLAY "smoked". FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048TC_BRAND. FOR R02_AG1071CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1, DISPLAY "smoke". IF LOOP = GRILLO AND R02_NEW_FORMER_USER_GRILLO = 1, DISPLAY "smoked". FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048CG_BRAND. FOR R02_AG1071FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1, DISPLAY "smoke". IF LOOP = GFILTR AND R02_NEW_FORMER_USER_GFILTR = 1, DISPLAY "smoked". FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048FC_BRAND. FOR R02_AG1071TJ: IF LOOP = BTRAD, DISPLAY "smoke". FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048TJ_BRAND. FOR R02_AG1071GJ: IF LOOP = BRILLO, DISPLAY "smoke". FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048GJ_BRAND. FOR R02_AG1071FJ: IF LOOP = BFILTR, DISPLAY "smoke". FILL BRANDFILL WITH BRAND CHOSEN IN R02_AG1048FJ_BRAND.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1050TC***; R02_AG1050CG***; R02_AG1050FC***; R02_AG1050TJ**; R02_AG1050GJ***; R02_AG1050FJ**
[Is/was] [your regular brand/the last brand] you [smoke/smoked][as blunts] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG1050TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1). FOR R02_AG1050CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1). FOR R02_AG1050FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1). FOR R02_AG1050TJ: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1. FOR R02_AG1050GJ: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1. FOR R02_AG1050FJ: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1. DISPLAY: IF ASKING ABOUT BLUNTS (LOOP = BTRAD, BRILLO OR BFILTR), DISPLAY " as blunts"; ELSE, DO NOT DISPLAY THIS TEXT IF ASKING ABOUT NON-BLUNTS (LOOP = GTRAD, GRILLO OR GFILTR). FOR R02_AG1050TC: IF R02_AG1047TC = 2, -8 OR -7, DISPLAY "Was", "the last brand" AND "smoked". IF R02_AG1047TC = 1 AND LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1, DISPLAY "Is", "your regular brand" AND "smoke". IF R02_AG1047TC = 1 AND LOOP = GTRAD AND R02_NEW_FORMER_USER_GTRAD = 1, DISPLAY "Was", "your regular brand" AND "smoked". FOR R02_AG1050CG: IF R02_AG1047CG = 2, -8 OR -7, DISPLAY "Was", "the last brand" AND "smoked". IF R02_AG1047CG = 1 AND LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1, DISPLAY "Is", "your regular brand" AND "smoke". IF R02_AG1047CG = 1 AND LOOP = GRILLO AND R02_NEW_FORMER_USER_GRILLO = 1, DISPLAY "Was", "your regular brand" AND "smoked". FOR R02_AG1050FC: IF R02_AG1047FC = 2, -8 OR -7, DISPLAY "Was", "the last brand" AND "smoked". IF R02_AG1047FC = 1 AND LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1, DISPLAY "Is", "your regular brand" AND "smoke". IF R02_AG1047FC = 1 AND LOOP = GFILTR AND R02_NEW_FORMER_USER_GFILTR = 1, DISPLAY "Was", "your regular brand" AND "smoked". FOR R02_AG1050TJ: IF R02_AG1047TJ = 2, -8 OR -7, DISPLAY "Was", "the last brand" AND "smoked". IF R02_AG1047TJ = 1 AND LOOP = BTRAD, DISPLAY "Is", "your regular brand" AND "smoke". FOR R02_AG1050GJ: IF R02_AG1047GJ = 2, -8 OR -7, DISPLAY "Was", "the last brand" AND "smoked". IF R02_AG1047GJ = 1 AND LOOP = BRILLO, DISPLAY "Is", "your regular brand" AND "smoke". FOR R02_AG1050FJ: IF R02_AG1047FJ = 2, -8 OR -7, DISPLAY "Was", "the last brand" AND "smoked". IF R02_AG1047FJ = 1 AND LOOP = BFILTR, DISPLAY "Is", "your regular brand" AND "smoke". GOTO: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored, go to R02_AG1012[TC/CG/FJ].	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Else, adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars, go to R02_AG1051[TC/CG/FC].

Else, adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars, go to R02_AG0104[TC/CG/FC].

Else, adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers, go to Box R02_AGD03.

Else, go to Box R02_AGR04.

GOTO Specification: FROM R02_AG1050TC: IF R02_AG1050TC = 1, GO TO R02_AG1012TC.

ELSE, IF R02_AG1047TC = 1, GO TO R02_AG1051TC.

ELSE, IF R02_CURRENT_USER_GTRAD = 1 AND R02_AG0100TC = 1, 2, 3, 4 AND R02_AG1048TC_BRAND != 9995, -8, -7 AND R02_AG1070TC_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AG0104TC.

ELSE, GO TO BOX R02_AGD03.

FROM R02_AG1050CG: IF R02_AG1050CG = 1, GO TO R02_AG1012CG.

ELSE, IF R02_AG1047CG = 1, GO TO R02_AG1051CG.

ELSE, IF R02_CURRENT_USER_GRILLO = 1 AND R02_AG0100CG = 1, 2, 3, 4 AND R02_AG1048CG_BRAND != 9995, -8, -7 AND R02_AG1070CG_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AG0104CG.

ELSE, GO TO BOX R02_AGD03.

FROM R02_AG1050FC: IF R02_AG1050FC = 1, GO TO R02_AG1012FC.

ELSE, IF R02_AG1047FC = 1, GO TO R02_AG1051FC.

ELSE, IF R02_CURRENT_USER_GFILTR = 1 AND R02_AG0100FC = 1, 2, 3, 4 AND R02_AG1048FC_BRAND != 9995, -8, -7 AND R02_AG1070FC_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AG0104FC.

ELSE, GO TO BOX R02_AGD03.

FROM R02_AG1050TJ: IF R02_AG1050TJ = 1, GO TO R02_AG1012TJ.

ELSE, GO TO R02_AGR04.

FROM R02_AG1050GJ: IF R02_AG1050GJ = 1, GO TO R02_AG1012GJ.

ELSE, GO TO R02_AGR04.

FROM R02_AG1050FJ: IF R02_AG1050FJ = 1, GO TO R02_AG1012FJ.

ELSE, GO TO R02_AGR04.

NOTES: **SKIP ERROR: These items were skipped incorrectly by some respondents who smoked cigars as blunts. The error was corrected during Wave 2 Data Collection on 1/26/2015.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor [is/was] it? If multiple flavors were mixed together, choose all that apply.	
R02_AG1012TC_01; R02_AG1012CG_01; R02_AG1012FC_01; R02_AG1012TJ_01; R02_AG1012GJ_01; R02_AG1012FJ_01	1 Menthol or mint
R02_AG1012TC_02; R02_AG1012CG_02; R02_AG1012FC_02; R02_AG1012TJ_02; R02_AG1012GJ_02; R02_AG1012FJ_02	2 Clove or spice
R02_AG1012TC_03; R02_AG1012CG_03; R02_AG1012FC_03; R02_AG1012TJ_03; R02_AG1012GJ_03; R02_AG1012FJ_03	3 Fruit
R02_AG1012TC_04; R02_AG1012CG_04; R02_AG1012FC_04; R02_AG1012TJ_04; R02_AG1012GJ_04; R02_AG1012FJ_04	4 Chocolate
R02_AG1012TC_05; R02_AG1012CG_05; R02_AG1012FC_05; R02_AG1012TJ_05; R02_AG1012GJ_05; R02_AG1012FJ_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AG1012TC_06; R02_AG1012CG_06; R02_AG1012FC_06; R02_AG1012TJ_06; R02_AG1012GJ_06; R02_AG1012FJ_06	6 Candy or other sweets
R02_AG1012TC_07; R02_AG1012CG_07; R02_AG1012FC_07; R02_AG1012TJ_07; R02_AG1012GJ_07; R02_AG1012FJ_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED

PATH Study Wave 2 Adult Public Use File Annotated Instrument

ASK: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: FOR R02_AG1012TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND R02_AG1050TC = 1.

FOR R02_AG1012CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND R02_AG1050CG = 1.

FOR R02_AG1012FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND R02_AG1050FC = 1.

FOR R02_AG1012TJ: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_AG1050TJ = 1.

FOR R02_AG1012GJ: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_AG1050GJ = 1.

FOR R02_AG1012FJ: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_AG1050FJ = 1.

DISPLAY: FOR R02_AG1012TC: IF R02_AG1047TC = 1 AND LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1, DISPLAY "is". ELSE, DISPLAY "was".

FOR R02_AG1012CG: IF R02_AG1047CG = 1 AND LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1, DISPLAY "is". ELSE, DISPLAY "was".

FOR R02_AG1012FC: IF R02_AG1047FC = 1 AND LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1, DISPLAY "is". ELSE, DISPLAY "was".

FOR R02_AG1012TJ: IF R02_AG1047TJ = 1 AND LOOP = BTRAD, DISPLAY "is".

FOR R02_AG1012GJ: IF R02_AG1047GJ = 1 AND LOOP = BRILLO, DISPLAY "is".

FOR R02_AG1012FJ: IF R02_AG1047FJ = 1 AND LOOP = BFILTR, DISPLAY "is".

GOTO: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars, go to R02_AG1051[TC/CG/FC].

Else, adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars, go to R02_AG0104[TC/CG/FC].

Else, adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers, go to Box R02_AGD03.

Else, go to Box R02_AGR04.

GOTO Specification: FROM R02_AG1012TC: IF R02_AG1047TC = 1, GO TO R02_AG1051TC.

ELSE, IF R02_CURRENT_USER_GTRAD = 1 AND R02_AG0100TC = 1, 2, 3, 4 AND R02_AG1048TC_BRAND != 9995, -8, -7 AND R02_AG1070TC_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AG0104TC.

ELSE, GO TO BOX R02_AGD03.

FROM R02_AG1012CG: IF R02_AG1047CG = 1, GO TO R02_AG1051CG.

ELSE, IF R02_CURRENT_USER_GRILLO = 1 AND R02_AG0100CG = 1, 2, 3, 4 AND R02_AG1048CG_BRAND != 9995, -8, -7 AND R02_AG1070CG_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AG0104CG.

ELSE, GO TO BOX R02_AGD03.

FROM R02_AG1012FC: IF R02_AG1047FC = 1, GO TO R02_AG1051FC.

ELSE, IF R02_CURRENT_USER_GFILTR = 1 AND R02_AG0100FC = 1, 2, 3, 4 AND R02_AG1048FC_BRAND != 9995, -8, -7 AND R02_AG1070FC_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AG0104FC.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

ELSE, GO TO BOX R02_AGD03.

FROM R02_AG1012TJ: IF R02_AG1050TJ = 1, GO TO R02_AGR04.

FROM R02_AG1012GJ: IF R02_AG1050GJ = 1, GO TO R02_AGR04.

FROM R02_AG1012FJ: GO TO R02_AGR04.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1051TC_NN; R02_AG1051TC_UN; R02_AG1051CG_NN; R02_AG1051CG_UN; R02_AG1051FC_NN; R02_AG1051FC_UN
About how long [did you smoke/have you been smoking] your regular brand of [CIGARFILL]? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars. ASK Specification: FOR R02_AG1051TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1 AND R02_AG1047TC = 1. FOR R02_AG1051CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1 AND R02_AG1047CG = 1. FOR R02_AG1051FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1 AND R02_AG1047FC = 1. DISPLAY: FOR R02_AG1051TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1, DISPLAY "have you been smoking". IF LOOP = GTRAD AND R02_NEW_FORMER_USER_GTRAD = 1, DISPLAY "did you smoke". FOR R02_AG1051CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1, DISPLAY "have you been smoking". IF LOOP = GRILLO AND R02_NEW_FORMER_USER_GRILLO = 1, DISPLAY "did you smoke". FOR R02_AG1051FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1, DISPLAY "have you been smoking". IF LOOP = GFILTR AND R02_NEW_FORMER_USER_GFILTR = 1, DISPLAY "did you smoke". PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. GOTO: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars, go to R02_AG0104[TC/CG/FC]. Else, go to Box R02_AGD03. GOTO Specification: FROM R02_AG1051TC: IF R02_CURRENT_USER_GTRAD AND R02_AG0100TC = 1, 2, 3, 4 AND R02_AG1048TC_BRAND != 9995, -8, -7 AND R02_AG1070TC_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AG0104TC. ELSE, GO TO BOX R02_AGD03. FROM R02_AG1051CG: IF R02_CURRENT_USER_GRILLO = 1 AND R02_AG0100CG = 1, 2, 3, 4 AND R02_AG1048CG_BRAND != 9995, -8, -7 AND R02_AG1070CG_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AG0104CG. ELSE, GO TO BOX R02_AGD03. FROM R02_AG1051FC: IF R02_CURRENT_USER_GFILTR = 1 AND R02_AG0100FC = 1, 2, 3, 4 AND R02_AG1048FC_BRAND != 9995, -8, -7 AND R02_AG1070FC_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AG0104FC. ELSE, GO TO BOX R02_AGD03. NOTES: The value "1" refers to R02_AG1051[TC/CG/FC]_UN = Days; the value "2" refers to R02_AG1051[TC/CG/FC]_UN = Months; the value "3" refers to R02_AG1051[TC/CG/FC]_UN = Years.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG0104TC***; R02_AG0104CG***; R02_AG0104FC
You said earlier that you smoked a [CIGARFILL] [TIME OF LAST USE]. Think about the very last [CIGARFILL] you smoked. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars. ASK Specification: FOR R02_AG0104TC: IF LOOP = GTRAD AND R02_CURRENT_USER_GTRAD = 1 AND R02_AG0100TC = 1, 2, 3, 4 AND R02_AG1048TC_BRAND != 9995, -8, -7 AND R02_AG1070TC_PRODUCT != 99990, 99995, -8, -7. FOR R02_AG0104CG: IF LOOP = GRILLO AND R02_CURRENT_USER_GRILLO = 1 AND R02_AG0100CG = 1, 2, 3, 4 AND R02_AG1048CG_BRAND != 9995, -8, -7 AND R02_AG1070CG_PRODUCT != 99990, 99995, -8, -7. FOR R02_AG0104FC: IF LOOP = GFILTR AND R02_CURRENT_USER_GFILTR = 1 AND R02_AG0100FC = 1, 2, 3, 4 AND R02_AG1048FC_BRAND != 9995, -8, -7 AND R02_AG1070FC_PRODUCT != 99990, 99995, -8, -7. DISPLAY: IF R02_AG0100[TC/CG/FC] = 1, FILL [TIME OF LAST USE] WITH "in the past hour". IF R02_AG0100[TC/CG/FC] = 2, FILL [TIME OF LAST USE] WITH "sometime today". IF R02_AG0100[TC/CG/FC] = 3, FILL [TIME OF LAST USE] WITH "yesterday". IF R02_AG0100[TC/CG/FC] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH RESPONSE TO R02_AG1070[TC/.../FJ]_PRODUCT. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R02_AG03
Randomize order of R02_AG1060[TC/CG/FC] through R02_AG1072[TC/CG/FC]. Display question R02_AG1060[TC/CG/FC], R02_AG1061[TC/CG/FC], R02_AG1085[TC/CG/FC], R02_AG1062[TC/CG/FC], R02_AG1063[TC/CG/FC], R02_AG1064[TC/CG/FC], R02_AG1066[TC/CG/FC], R02_AG1068[TC/CG/FC], R02_AG1069[TC/CG/FC], R02_AG1072[TC/CG/FC] on one screen. Show the intro/transition text from R02_AG1060[TC/CG/FC] first, then show each item with responses. As each item is answered, show the next one.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1060TC***; R02_AG1060CG***; R02_AG1060FC***

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons [apply to you/applied to you when you used to smoke [CIGARFILL]s].

I [smoke/smoked] [CIGARFILL]s because...

They [are/were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R02_AG1060TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1).

FOR R02_AG1060CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1).

FOR R02_AG1060FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1).

DISPLAY: FOR R02_AG1060TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1), DISPLAY "apply to you", "smoke" AND "are". ELSE, DISPLAY "applied to you when you used to smoke [CIGARFILL]", "smoked" AND "were".

FOR R02_AG1060CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1), DISPLAY "apply to you", "smoke" AND "are". ELSE, DISPLAY "applied to you when you used to smoke [CIGARFILL]", "smoked" AND "were".

FOR R02_AG1060FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1), DISPLAY "apply to you", "smoke" AND "are". ELSE, DISPLAY "applied to you when you used to smoke [CIGARFILL]", "smoked" AND "were".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1061TC***; R02_AG1061CG***; R02_AG1061FC***
People in the media or other public figures [smoke/smoked] [CIGARFILL]s. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG1061TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1). FOR R02_AG1061CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1). FOR R02_AG1061FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1). DISPLAY: FOR R02_AG1061TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1), DISPLAY "smoke". ELSE, DISPLAY "smoked". FOR R02_AG1061CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1), DISPLAY "smoke". ELSE, DISPLAY "smoked". FOR R02_AG1061FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1), DISPLAY "smoke". ELSE, DISPLAY "smoked". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1085TC***; R02_AG1085CG***; R02_AG1085FC***
I [can/could] smoke [CIGARFILL]s at times when or in places where smoking cigarettes [isn't/wasn't] allowed. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG1085TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1). FOR R02_AG1085CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1). FOR R02_AG1085FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1). DISPLAY: FOR R02_AG1085TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1), DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't". FOR R02_AG1085CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1), DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't". FOR R02_AG1085FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1), DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1062TC***; R02_AG1062CG***; R02_AG1062FC***

They might [be/have been] less harmful than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R02_AG1062TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1).

FOR R02_AG1062CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1).

FOR R02_AG1062FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1).

DISPLAY: FOR R02_AG1062TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1), DISPLAY "be". ELSE, DISPLAY "have been".

FOR R02_AG1062CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1), DISPLAY "be". ELSE, DISPLAY "have been".

FOR R02_AG1062FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1), DISPLAY "be". ELSE, DISPLAY "have been".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1063TC***; R02_AG1063CG***; R02_AG1063FC***
[CIGARFILL]s [come/came] in flavors I [like/liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG1063TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1). FOR R02_AG1063CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1). FOR R02_AG1063FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1). DISPLAY: FOR R02_AG1063TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1), DISPLAY "come" AND "like". ELSE, DISPLAY "came" AND "liked". FOR R02_AG1063CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1), DISPLAY "come" AND "like". ELSE, DISPLAY "came" AND "liked". FOR R02_AG1063FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1), DISPLAY "come" AND "like". ELSE, DISPLAY "came" AND "liked". GOTO: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers, and are also current established, current experimental, or new former established cigarette smokers, go to R02_AG1064[TC/CG/FC]. Else, go to R02_AG1066[TC/CG/FC]. GOTO Specification: FROM R02_AG1063TC: IF (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AG1064TC. ELSE, GO TO R02_AG1066TC. FROM R02_AG1063CG: IF (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AG1064CG. ELSE, GO TO R02_AG1066CG. FROM R02_AG1063FC: IF (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AG1064FC. ELSE, GO TO R02_AG1066FC. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1064TC***; R02_AG1064CG***; R02_AG1064FC***
Smoking [CIGARFILL]s helps people quit smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers, and are also current established, current experimental, or new former established cigarette smokers. ASK Specification: FOR R02_AG1064TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1). FOR R02_AG1064CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1). FOR R02_AG1064FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AG1066TC***; R02_AG1066CG***; R02_AG1066FC***
Smoking a [CIGARFILL] [feels/felt] like smoking a regular cigarette. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG1066TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1). FOR R02_AG1066CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1). FOR R02_AG1066FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1). DISPLAY: FOR R02_AG1066TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1), DISPLAY "feel". ELSE, DISPLAY "felt". FOR R02_AG1066CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1), DISPLAY "feel". ELSE, DISPLAY "felt". FOR R02_AG1066FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1), DISPLAY "feel". ELSE, DISPLAY "felt". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1068TC***; R02_AG1068CG***; R02_AG1068FC***
People who are important to me [smoke/smoked] [CIGARFILL]s. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG1068TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1). FOR R02_AG1068CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1). FOR R02_AG1068FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1). DISPLAY: FOR R02_AG1068TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1), DISPLAY "smoke". ELSE, DISPLAY "smoked". FOR R02_AG1068CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1), DISPLAY "smoke". ELSE, DISPLAY "smoked". FOR R02_AG1068FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1), DISPLAY "smoke". ELSE, DISPLAY "smoked". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1069TC***; R02_AG1069CG***; R02_AG1069FC***
I [like/liked] socializing while smoking a [CIGARFILL]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG1069TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1). FOR R02_AG1069CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1). FOR R02_AG1069FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1). DISPLAY: FOR R02_AG1069TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1), DISPLAY "like". ELSE, DISPLAY "liked". FOR R02_AG1069CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1), DISPLAY "like". ELSE, DISPLAY "liked". FOR R02_AG1069FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1), DISPLAY "like". ELSE, DISPLAY "liked". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1072TC***; R02_AG1072CG***; R02_AG1072FC***

The advertising for [CIGARFILL]s [appeals/appealed] to me.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R02_AG1072TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1).

FOR R02_AG1072CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1).

FOR R02_AG1072FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1).

DISPLAY: FOR R02_AG1072TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1), DISPLAY "appeals". ELSE, DISPLAY "appealed".

FOR R02_AG1072CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1), DISPLAY "appeals". ELSE, DISPLAY "appealed".

FOR R02_AG1072FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1), DISPLAY "appeals". ELSE, DISPLAY "appealed".

GOTO: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers, and are also current established or new former established cigarette smokers, go to R02_AG1080[TC/CG/FC].

Else, go to R02_AG1081[TC/CG/FC].

GOTO Specification: FROM R02_AG1072TC: IF (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AG1080TC.

ELSE, GO TO R02_AG1081TC.

FROM R02_AG1072CG: IF (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AG1080CG.

ELSE, GO TO R02_AG1081CG.

FROM R02_AG1072FC: IF (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AG1080FC.

ELSE, GO TO R02_AG1081FC.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1080TC***; R02_AG1080CG***; R02_AG1080FC***
[Do/Did] you smoke [CIGARFILL]s as a way of cutting down on your cigarette smoking? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers, and are also current established or new former established cigarette smokers. ASK Specification: FOR R02_AG1080TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1). FOR R02_AG1080CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1). FOR R02_AG1080FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1). DISPLAY: FOR R02_AG1080TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1), DISPLAY "Do". ELSE, DISPLAY "Did". FOR R02_AG1080CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1), DISPLAY "Do". ELSE, DISPLAY "Did". FOR R02_AG1080FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1), DISPLAY "Do". ELSE, DISPLAY "Did". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AG1081TC***; R02_AG1081CG***; R02_AG1081FC***
[Do/Did] you smoke [CIGARFILL]s as an alternative to quitting tobacco altogether? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R02_AG1081TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1). FOR R02_AG1081CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1). FOR R02_AG1081FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1). DISPLAY: FOR R02_AG1081TC: IF LOOP = GTRAD AND (R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1), DISPLAY "Do". ELSE, DISPLAY "Did". FOR R02_AG1081CG: IF LOOP = GRILLO AND (R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1), DISPLAY "Do". ELSE, DISPLAY "Did". FOR R02_AG1081FC: IF LOOP = GFILTR AND (R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1), DISPLAY "Do". ELSE, DISPLAY "Did". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R02_AGR04
END CIGAR LOOP: Adult respondents with remaining loops to complete for non-blunt cigar types, return to Box R02_AGR10 and repeat section. Else, adult respondents who have loops to complete for blunt-only cigar types, return to Box R02_AGT03 and loop through subsections for any blunt-only cigar types. Else, if all loops complete, go to the next section.	
IF THERE ARE REMAINING NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO BACK TO R02_AGR10 AND REPEAT SECTION. ELSE, IF THERE ARE BLUNT-ONLY CIGAR LOOPS TO BE COMPLETED, GO BACK TO R02_AGT03 AND LOOP THROUGH SUBSECTION FOR ANY BLUNT-ONLY CIGAR TYPES. ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED FOR CIGARS OR BLUNTS, GO TO THE NEXT SECTION (see note in Box R02_AMD03).	

PIPE

BOX ID: R02_APR04

Adult respondents who were former established pipe smokers and had smoked at least 100 or more bowls of pipe tobacco in their lifetime and had smoked fairly regularly as of their last completed interview and has not smoked in the past 12 months or now smokes not at all, go to R02_APV01.
Else, go to Box R02_APT02.

IF R01_FORMER_USER_PIPE = 1 AND R01_AP1005 = 6 AND R01_AP1100 = 1 AND
(R02_AP1002_12M = 2 OR R02_AP1003 = 3), GO TO R02_APV01.
ELSE, GO TO BOX R02_APT02.

BOX ID: R02_APT02

The next questions are about smoking tobacco in **pipes**.

Pipes come in many shapes and sizes. They all have a bowl that holds the tobacco and a stem. Pipe tobacco is often sold loose in packages or tins. In the following section, we are only asking about smoking pipes filled with tobacco. The picture below shows a typical pipe and some pipe tobacco.

SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO

BOX ID: R02_APR03

Adult respondents who have ever smoked pipe tobacco and had not smoked pipe tobacco 100 or more times in their lifetime as of their last completed interview, go to R02_AP1005.

Else, new baseline adult respondents who have ever smoked a pipe, or continuing adult respondents who have ever smoked pipe tobacco and had not smoked pipe tobacco fairly regularly as of their last completed interview, go to R02_AP1100.

Else, go to Box R02_APV01.

IF R02_EVER_USER_PIPE = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YP1005 != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AP1005 != 6)), GO TO R02_AP1005.
ELSE, IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_PIPE = 1) OR
(R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_PIPE = 1 AND R01_AP1100 != 1), GO TO R02_AP1100.
ELSE, GO TO BOX R02_APV01.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AP1005*****

How many bowls filled with pipe tobacco have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco in their lifetime as of their last completed interview.

ASK Specification: IF R02_EVER_USER_PIPE = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YP1005 != 7) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AP1005 != 6)).

GOTO: New baseline adult respondents who have ever smoked a pipe, or continuing adult respondents who have ever smoked pipe tobacco and had not smoked pipe tobacco fairly regularly as of their last completed interview, go to R02_AP1100.

Else, go to Box R02_APV01.

GOTO Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_PIPE = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_PIPE = 1 AND R01_AP1100 != 1), GO TO R02_AP1100.

ELSE, GO TO BOX R02_APV01.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AP1100*****

Have you ever smoked a pipe filled with tobacco fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever smoked a pipe, or continuing adult respondents who have ever smoked a pipe and had not smoked a pipe fairly regularly as of their last completed interview.

ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_PIPE = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_PIPE = 1 AND R01_AP1100 != 1).

GOTO: New baseline adult respondents who have ever smoked a pipe and have ever smoked a pipe fairly regularly, go to R02_AP1007_NB.

Else, go to Box R02_APV01.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_PIPE = 1 AND R02_AP1100 = 1, GO TO R02_AP1007_NB.

ELSE, GO TO BOX R02_APV01.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1007_NB

How old were you when you first started smoking a pipe filled with tobacco fairly regularly?

I__|__| Years old

GO TO BOX R02_APV01

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever smoked a pipe and have ever smoked a pipe fairly regularly.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_PIPE = 1 AND R02_AP1100 = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

Variable(s): R02_AP1121_NB

When you first started smoking a pipe filled with tobacco fairly regularly, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever smoked a pipe and have ever smoked a pipe fairly regularly and did not know or refused to report the age they started smoking a pipe fairly regularly.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_PIPE = 1 AND R02_AP1100 = 1 AND R02_AP1007_NB = -8, -7.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_APV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R02_CURRENT_USER_PIPE = "Current established pipe smokers" Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day or some days. R02 EVERYDAY_USER_PIPE = "Every day established pipe smokers" Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day. R02_SOME_DAY_USER_PIPE = "Some day established pipe smokers" Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes some days. R02_EXPERIMENTAL_CURRENT_PIPE = "Current experimental pipe smokers" Adult respondents who have never smoked a pipe fairly regularly, and currently smokes every day or some days. R02_FORMER_THIRTYDAY_USER_PIPE = "Non-current 30-day pipe smokers" Adult respondents who are experimental former, new former, or still former pipe smokers in Wave 2 who have smoked any pipe tobacco in the past 30 days. R02_EXPERIMENTAL_FORMER_PIPE = "Former experimental pipe smokers" Adult respondents who have never smoked a pipe fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. R02_NEW_FORMER_USER_PIPE = "New former established pipe smokers" Adult respondents who were current, experimental current, or experimental former pipe smokers at Wave 1, or are initiators at Wave 2, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all. R02_STILL_FORMER_USER_PIPE = "Still former established pipe smokers" Adult respondents who were former pipe smokers at Wave 1, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	
R02_CURRENT_USER_PIPE: IF (R01_AP1100 = 1 OR R02_AP1100 = 1) AND R02_AP1003 = 1 OR 2, THEN R02_CURRENT_USER_PIPE = 1. ELSE, R02_CURRENT_USER_PIPE = 2. R02 EVERYDAY_USER_PIPE: IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1003 = 1, THEN R02 EVERYDAY_USER_PIPE = 1. ELSE, R02 EVERYDAY_USER_PIPE = 2. R02_SOME_DAY_USER_PIPE: IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1003 = 2, THEN R02_SOME_DAY_USER_PIPE = 1. ELSE, R02_SOME_DAY_USER_PIPE = 2. R02_EXPERIMENTAL_CURRENT_PIPE: IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1100 != 1 AND R01_AP1100 != 1 AND R02_AP1003 = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_PIPE = 1. ELSE, R02_EXPERIMENTAL_CURRENT_PIPE = 2. R02_FORMER_THIRTYDAY_USER_PIPE: IF (R02_CURRENT_USER_PIPE != 1 AND R02_EXPERIMENTAL_CURRENT_PIPE != 1) AND (R02_NEW_FORMER_USER_PIPE = 1 OR R02_EXPERIMENTAL_FORMER_PIPE = 1 OR R02_STILL_FORMER_USER_PIPE = 1) AND ((1<= R02_AP1009_NN <= 30 AND R02_AP1009_UN =	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

1) OR (R02_AP1009_NN = 1 AND R02_AP1009_UN = 2) OR R02_AP1004 = 1), THEN
R02_FORMER_THIRTYDAY_USER_PIPE = 1.

ELSE, R02_FORMER_THIRTYDAY_USER_PIPE = 2.

R02_EXPERIMENTAL_FORMER_PIPE:

IF R02_CURRENT_USER_PIPE != 1 AND R02_EXPERIMENTAL_CURRENT_PIPE != 1 AND
R02_EVER_USER_PIPE = 1 AND (R02_AP1002_12M = 2 OR R02_AP1003 = 3) AND R02_AP1100
!= 1 AND R01_AP1100 != 1, THEN R02_EXPERIMENTAL_FORMER_PIPE = 1.

ELSE, R02_EXPERIMENTAL_FORMER_PIPE = 2.

R02_NEW_FORMER_USER_PIPE:

IF R02_EVER_USER_PIPE = 1 AND R02_CURRENT_USER_PIPE != 1 AND
R02_EXPERIMENTAL_CURRENT_PIPE != 1 AND (R01_CURRENT_USER_PIPE = 1 OR
R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR R01_EXPERIMENTAL_FORMER_PIPE = 1 OR
R02_INIT_PIPE_ADULT = 1 OR R01_YP1002 = 1) AND (R01_AP1100 = 1 OR R02_AP1100 = 1) AND
(R02_AP1002_12M = 2 OR R02_AP1003 = 3), THEN R02_NEW_FORMER_USER_PIPE = 1.

ELSE, R02_NEW_FORMER_USER_PIPE = 2.

R02_STILL_FORMER_USER_PIPE:

IF R02_EVER_USER_PIPE = 1 AND R02_CURRENT_USER_PIPE != 1 AND
R02_EXPERIMENTAL_CURRENT_PIPE != 1 AND R01_FORMER_USER_PIPE = 1 AND
(R02_AP1002_12M = 2 OR R02_AP1003 = 3), THEN R02_STILL_FORMER_USER_PIPE = 1.

ELSE, R02_STILL_FORMER_USER_PIPE = 2.

BOX ID: R02_APR01

New baseline adult respondents who are every day established pipe smokers, go to R02_AP1020_NB.
Else, adult respondents who initiated pipe smoking since their last completed interview, go to
R02_AP1008.

Else, adult respondents who are every day established pipe smokers, go to R02_AP1021.

Else, adult respondents who are some day established, current experimental, or non-current 30-day
pipe smokers, go to R02_AP1022.

Else, adult respondents who are new former established pipe smokers, go to R02_AP1047.

Else, go to next section.

IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_PIPE = 1, GO TO
R02_AP1020_NB.

ELSE, IF R02_INIT_PIPE_ADULT = 1, GO TO R02_AP1008.

ELSE, IF R02 EVERYDAY_USER_PIPE = 1, GO TO R02_AP1021.

ELSE, IF R02_SOME_DAY_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R02_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R02_AP1022.

ELSE, IF R02_NEW_FORMER_USER_PIPE = 1, GO TO R02_AP1047.

ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1020_NB

How old were you when you first started smoking a pipe filled with tobacco every day?

I ___ | ___ | Years old

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who are every day established pipe smokers.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_PIPE = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

GOTO: New baseline adult respondents who are every day established pipe smokers and did not know or refused to report the age they first started smoking a pipe every day, go to R02_AP1122_NB.

Else, adult respondents who initiated pipe smoking since their last completed interview, go to R02_AP1008.

Else, adult respondents who are every day established pipe smokers, go to R02_AP1021.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_PIPE = 1 AND R02_AP1020_NB = -8, -7, GO TO R02_AP1122_NB.

ELSE, IF R02_INIT_PIPE_ADULT = 1, GO TO R02_AP1008.

ELSE, IF R02 EVERYDAY_USER_PIPE = 1, GO TO R02_AP1021.

Variable(s): R02_AP1122_NB

When you first started smoking a pipe filled with tobacco every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who are every day established pipe smokers and did not know or refused to report the age they first started smoking a pipe every day.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_PIPE = 1 AND R02_AP1020_NB = -8, -7.

GOTO: Adult respondents who initiated pipe smoking since their last completed interview, go to R02_AP1008.

Else, adult respondents who are every day established pipe smokers, go to R02_AP1021.

GOTO Specification: IF R02_INIT_PIPE_ADULT = 1, GO TO R02_AP1008.

ELSE, IF R02 EVERYDAY_USER_PIPE = 1, GO TO R02_AP1021.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AP1008**

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated pipe smoking since their last completed interview.

ASK Specification: IF R02_INIT_PIPE_ADULT = 1.

GOTO: Adult respondents who initiated pipe smoking since their last completed interview and initiated pipe smoking with flavored pipe tobacco, go to R02_AP1011.

Else, adult respondents who are every day established pipe smokers, go to R02_AP1021.

Else, adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, go to R02_AP1022.

Else, adult respondents who are new former established pipe smokers, go to R02_AP1047.

GOTO Specification: IF R02_INIT_PIPE_ADULT = 1 AND R02_AP1008 = 1, GO TO R02_AP1011.

ELSE, IF R02_EVERYDAY_USER_PIPE = 1, GO TO R02_AP1021.

ELSE, IF R02_SOME_DAY_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R02_AP1022.

ELSE, IF R02_NEW_FORMER_USER_PIPE = 1, GO TO R02_AP1047.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:																											
Which flavor did you first start smoking? If multiple flavors were mixed together, choose all that apply. <table style="width: 100%; border: none;"> <tr> <td style="color: red; width: 20%;">R02_AP1011_01</td> <td style="width: 5%;">1</td> <td>Menthol or mint</td> </tr> <tr> <td style="color: red;">R02_AP1011_02</td> <td>2</td> <td>Clove or spice</td> </tr> <tr> <td style="color: red;">R02_AP1011_03</td> <td>3</td> <td>Fruit</td> </tr> <tr> <td style="color: red;">R02_AP1011_04</td> <td>4</td> <td>Chocolate</td> </tr> <tr> <td style="color: red;">R02_AP1011_05</td> <td>5</td> <td>An alcoholic drink (such as wine, cognac, margarita or other cocktails)</td> </tr> <tr> <td style="color: red;">R02_AP1011_06</td> <td>6</td> <td>Candy or other sweets</td> </tr> <tr> <td style="color: red;">R02_AP1011_07</td> <td>7</td> <td>Some other flavor</td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: Adult respondents who initiated pipe smoking since their last completed interview and initiated pipe smoking with flavored pipe tobacco. ASK Specification: IF R02_INIT_PIPE_ADULT = 1 AND R02_AP1008 = 1. PROGRAM: Allow respondent to choose all that apply. GOTO: Adult respondents who are every day established pipe smokers, go to R02_AP1021. Else, adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, go to R02_AP1022. Else, adult respondents who are new former established pipe smokers, go to R02_AP1047. GOTO Specification: IF R02 EVERYDAY_USER_PIPE = 1, GO TO R02_AP1021. ELSE, IF R02_SOME_DAY_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R02_AP1022. ELSE, IF R02_NEW_FORMER_USER_PIPE = 1, GO TO R02_AP1047.		R02_AP1011_01	1	Menthol or mint	R02_AP1011_02	2	Clove or spice	R02_AP1011_03	3	Fruit	R02_AP1011_04	4	Chocolate	R02_AP1011_05	5	An alcoholic drink (such as wine, cognac, margarita or other cocktails)	R02_AP1011_06	6	Candy or other sweets	R02_AP1011_07	7	Some other flavor		-8	DON'T KNOW		-7	REFUSED
R02_AP1011_01	1	Menthol or mint																										
R02_AP1011_02	2	Clove or spice																										
R02_AP1011_03	3	Fruit																										
R02_AP1011_04	4	Chocolate																										
R02_AP1011_05	5	An alcoholic drink (such as wine, cognac, margarita or other cocktails)																										
R02_AP1011_06	6	Candy or other sweets																										
R02_AP1011_07	7	Some other flavor																										
	-8	DON'T KNOW																										
	-7	REFUSED																										

Variable(s):	R02_AP1021***												
On average, about how many bowls filled with pipe tobacco do you now smoke each day? <table style="width: 100%; border: none;"> <tr> <td style="width: 20%; text-align: right;">-2</td> <td style="width: 5%;">Less than 1 each day</td> <td style="width: 75%;">GO TO R02_AP1130</td> </tr> <tr> <td></td> <td>I__ __ </td> <td>GO TO R02_AP1130</td> </tr> <tr> <td style="text-align: right;">-8</td> <td>DON'T KNOW</td> <td>GO TO R02_AP1130</td> </tr> <tr> <td style="text-align: right;">-7</td> <td>REFUSED</td> <td>GO TO R02_AP1130</td> </tr> </table> ASK: Adult respondents who are every day established pipe smokers. ASK Specification: IF R02 EVERYDAY_USER_PIPE = 1. DISPLAY: Display as numeric quantity field, with button "Less than 1 each day" on right. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		-2	Less than 1 each day	GO TO R02_AP1130		I__ __	GO TO R02_AP1130	-8	DON'T KNOW	GO TO R02_AP1130	-7	REFUSED	GO TO R02_AP1130
-2	Less than 1 each day	GO TO R02_AP1130											
	I__ __	GO TO R02_AP1130											
-8	DON'T KNOW	GO TO R02_AP1130											
-7	REFUSED	GO TO R02_AP1130											

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AP1022**

On how many of the past 30 days did you smoke a pipe filled with tobacco?

|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers.

ASK Specification: IF R02_SOME_DAY_USER_PIPE = 1 OR
R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_FORMER_THIRTYDAY_USER_PIPE = 1.

PROGRAM: Soft range check: 0-30 days

GOTO: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and smoked on 0 days of the past 30 days, go to R02_AP9029.

Else, go to R02_AP1023.

GOTO Specification: IF (R02_SOME_DAY_USER_PIPE = 1 OR
R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_FORMER_THIRTYDAY_USER_PIPE = 1) AND
R02_AP1022 = 0, GO TO R02_AP9029.

ELSE, GO TO R02_AP1023.

Variable(s): **R02_AP9029_NN; R02_AP9029_UN**

About how long has it been since you last smoked a pipe filled with tobacco?

1 |_|_|_| DAYS

2 |_|_|_| MONTHS

3 |_|_|_| YEARS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R02_SOME_DAY_USER_PIPE = 1 OR
R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_FORMER_THIRTYDAY_USER_PIPE = 1) AND
R02_AP1022 = 0.

PROGRAM: Display as Quantity/Units.

GOTO: Adult respondents who are current established pipe smokers, go to R02_AP1024.

Else, adult respondents who are new former established pipe smokers, go to R02_AP1047.

Else, adult respondents who are experimental current pipe smokers, go to Box R02_APD01.

Else, go to the next section.

GOTO Specification: IF R02_CURRENT_USER_PIPE = 1, GO TO R02_AP1024.

ELSE, IF R02_NEW_FORMER_USER_PIPE = 1, GO TO R02_AP1047.

ELSE, IF R02_EXPERIMENTAL_CURRENT_PIPE = 1, GO TO BOX R02_APD01.

ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

NOTES: The value "1" refers to R02_AP9029_UN = Days; the value "2" refers to R02_AP9029_UN = Months; the value "3" refers to R02_AP9029_UN = Years.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1023**

On average, on those [FILL NUMBER OF DAYS FROM R02_AP1022 days/days you smoked], how many bowls filled with pipe tobacco did you usually smoke each day?

-2 Less than 1 each day

|__|__|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R02_SOME_DAY_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_FORMER_THIRTYDAY_USER_PIPE = 1) AND (R02_AP1022 > 0 OR R02_AP1022 = -8, -7).

DISPLAY: IF R02_AP1022 = 1 day, -8, -7, DISPLAY "days you smoked". ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R02_AP1022. DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON LABEL: "Less than 1 each day" ON RIGHT.

NOTES: **SKIP ERROR: This item was incorrectly skipped by respondents answered don't know or refused in item R02_AP1022. The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AP1130**/****

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers who have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R02_EVERYDAY_USER_PIPE = 1 OR ((R02_SOME_DAY_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_FORMER_THIRTYDAY_USER_PIPE = 1) AND (R02_AP1022 > 0 OR R02_AP1022 = -8, -7)).

GOTO: Adult respondents who are every day established pipe smokers who have smoked flavored pipe tobacco in the past 30 days or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers who have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, and who have smoked flavored pipe tobacco in the past 30 days, go to R02_AP1131.

Else, adult respondents who are current established pipe smokers, go to R02_AP1024.

Else, adult respondents who are new former established pipe smokers, go to R02_AP1047.

Else, adult respondents who are experimental current pipe smokers, go to Box R02_APD01.

Else, go to the next section.

GOTO Specification: IF (R02_EVERYDAY_USER_PIPE = 1 AND R02_AP1130 = 1) OR ((R02_SOME_DAY_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_FORMER_THIRTYDAY_USER_PIPE = 1) AND (R02_AP1022 > 0 OR R02_AP1022 = -8, -7) AND R02_AP1130 = 1), GO TO R02_AP1131.

ELSE, IF R02_CURRENT_USER_PIPE = 1, GO TO R02_AP1024.

ELSE, IF R02_NEW_FORMER_USER_PIPE = 1, GO TO R02_AP1047.

ELSE, IF R02_EXPERIMENTAL_CURRENT_PIPE = 1, GO TO BOX R02_APD01.

ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

NOTES: **SKIP ERROR: This item was incorrectly skipped by respondents who answered don't know or refused in item R02_AP1022. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.	
R02_AP1131_01	1 Menthol or mint
R02_AP1131_02	2 Clove or spice
R02_AP1131_03	3 Fruit
R02_AP1131_04	4 Chocolate
R02_AP1131_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AP1131_06	6 Candy or other sweets
R02_AP1131_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are every day established pipe smokers who have smoked flavored pipe tobacco in the past 30 days or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers who have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, and who have smoked flavored pipe tobacco in the past 30 days.	
ASK Specification: IF (R02 Everyday User Pipe = 1 AND R02_AP1130 = 1) OR ((R02 Some Day User Pipe = 1 OR R02 Experimental Current Pipe = 1 OR R02 Former Thirtyday User Pipe = 1) AND (R02_AP1022 > 0 OR R02_AP1022 = -8, -7) AND R02_AP1130 = 1).	
PROGRAM: Allow respondent to choose all that apply.	
GOTO: Adult respondents who are current established pipe smokers, go to R02_AP1024.	
Else, adult respondents who are new former established pipe smokers, go to R02_AP1047.	
Else, adult respondents who are experimental current pipe smokers, go to Box R02_APD01.	
Else, go to the next section.	
GOTO Specification: IF R02_Current User Pipe = 1, GO TO R02_AP1024.	
ELSE, IF R02_New Former User Pipe = 1, GO TO R02_AP1047.	
ELSE, IF R02_Experimental Current Pipe = 1, GO TO BOX R02_APD01.	
ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AP1024_NN***; R02_AP1024_UN
[On the days that you smoke a pipe filled with tobacco, how/How] soon after you wake up do you typically take your first puff from a pipe? Please enter the number of minutes or hours.	
1	1 __ __ __ Minutes after waking GO TO R02_AP1098
2	2 __ __ __ Hours after waking GO TO R02_AP1098
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who are current established pipe smokers. ASK Specification: IF R02_CURRENT_USER_PIPE = 1. DISPLAY: IF R02 EVERYDAY_USER_PIPE = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you smoke a pipe filled with tobacco, how". PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R02_AP1024_UN = Minutes after waking; the value "2" refers to R02_AP1024_UN = Hours after waking. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AP1092
[On the days that you smoke a pipe filled with tobacco, would/Would] you say you take your first puff from a pipe within the first 30 minutes after you wake up?	
1	Yes
2	No
3	It varies
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who are current established pipe smokers and did not know or refused to report how soon after waking up they typically take their first puff from a pipe. ASK Specification: IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1024_NN = -8, -7. DISPLAY: IF R02 EVERYDAY_USER_PIPE = 1, DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke a pipe filled with tobacco, would".	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1098***

The next questions ask about your experience buying pipe tobacco.

In the past 30 days, how often have you used a coupon when buying pipe tobacco?

- 1 Always
- 2 Sometimes
- 3 Rarely
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AP1030***

How do you usually buy pipe tobacco for yourself?

- | | |
|------------------------------------|------------------|
| 1 In person | |
| 2 From the internet | GO TO R02_AP1034 |
| 3 By telephone | GO TO R02_AP1034 |
| 4 I do not buy my own pipe tobacco | GO TO R02_AP1047 |
| -8 DON'T KNOW | GO TO R02_AP1047 |
| -7 REFUSED | GO TO R02_AP1047 |

ASK: Adult respondents who are current established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AP1032

Do you usually buy pipe tobacco...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established pipe smokers and usually buy pipe tobacco in person.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1030 = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1033; R02_AP1033_OS

Where do you buy your pipe tobacco most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established pipe smokers and usually buy pipe tobacco in person.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1030 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R02_AP1034_D; R02_AP1034_C

How much do you usually pay for a pouch of pipe tobacco?

\$I__I__I__I Dollars . I__I__I Cents

- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established pipe smokers and usually buy pipe tobacco in person, from the internet, or by telephone.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1030 = 1, 2, 3.

DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles.

PROGRAM: Display as Quantity/Quantity.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AP1047***
[Do/Did] you have a regular brand of pipe tobacco that you usually [smoke/smoked]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established pipe smokers. ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1. DISPLAY: IF R02_CURRENT_USER_PIPE = 1, DISPLAY "Do" AND "smoke". ELSE, DISPLAY "Did" AND "smoked". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AP1048_BRAND***
What brand of pipe tobacco [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established pipe smokers. ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"." IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1047 = 1, DISPLAY "do" AND "usually". ELSE, IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R02_AP1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R02_AP1047 = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. GOTO: Adult respondents who are current established or new former established pipe smokers and selected a brand of pipe tobacco, go to R02_AP1070_PRODUCT. Else, adult respondents who are current established or new former established pipe smokers and selected "Something else" for their brand of pipe tobacco, go to R02_AP1049. Else, go to R02_AP1050. GOTO Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND R02_AP1048_BRAND != 9995, -8, -7, GO TO R02_AP1070_PRODUCT. IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND R02_AP1048_BRAND = 9995, GO TO R02_AP1049. ELSE, GO TO R02_AP1050. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AP1070_PRODUCT***
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established pipe smokers and selected a brand of pipe tobacco. ASK Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND R02_AP1048_BRAND != 9995, -8, -7. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else". FILL BRANDFILL WITH BRAND CHOSEN IN R02_AP1048_BRAND. IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1047 = 1, DISPLAY "do" AND "usually". ELSE, IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R02_NEW_FORMER_USER_PIPE = 1 AND R02_AP1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R02_NEW_FORMER_USER_PIPE = 1 AND R02_AP1047 = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R02_AP1048_BRAND. GOTO: Adult respondents who are current established or new former established pipe smokers and selected a brand of pipe tobacco and selected "Something else" for their subbrand of pipe tobacco, go to R02_AP1071. Else, go to R02_AP1050. GOTO Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND R02_AP1048_BRAND != 9995, -8, -7 AND R02_AP1070_PRODUCT = 99995, GO TO R02_AP1071. ELSE, GO TO R02_AP1050. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AP1049						
You said that your brand was not pictured. What is it? <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; text-align: center;">_____</td> <td style="width: 40%; text-align: right;">GO TO R02_AP1050</td> </tr> <tr> <td style="text-align: center;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R02_AP1050</td> </tr> <tr> <td style="text-align: center;">-7 REFUSED</td> <td style="text-align: right;">GO TO R02_AP1050</td> </tr> </table> ASK: Adult respondents who are current established or new former established pipe smokers and selected "Something else" for their brand of pipe tobacco. ASK Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND R02_AP1048_BRAND = 9995.		_____	GO TO R02_AP1050	-8 DON'T KNOW	GO TO R02_AP1050	-7 REFUSED	GO TO R02_AP1050
_____	GO TO R02_AP1050						
-8 DON'T KNOW	GO TO R02_AP1050						
-7 REFUSED	GO TO R02_AP1050						

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1071
You said that the type of [BRANDFILL]s that you [smoke/smoked] is not pictured. What type is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established pipe smokers and selected a brand of pipe tobacco and selected "Something else" for their subbrand of pipe tobacco. ASK Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND R02_AP1048_BRAND != 9995, -8, -7 AND R02_AP1070_PRODUCT = 99995. DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R02_AP1048_BRAND. IF R02_CURRENT_USER_PIPE = 1, DISPLAY "smoke". ELSE, DISPLAY "smoked".

Variable(s): R02_AP1050***
[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established pipe smokers. ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1. DISPLAY: IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1047 = 1, DISPLAY "Is" AND "your regular brand" AND "smoke". IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked". ELSE, IF R02_AP1047 = 1, DISPLAY "Was" AND "your regular brand" AND "smoked". ELSE, IF R02_AP1047 = 2, -8, -7, DISPLAY "Was" and "the last brand" and "smoked". GOTO: Adult respondents who are current established or new former established pipe smokers and whose regular brand or last brand of pipe tobacco smoked was flavored, go to R02_AP1012. Else, adult respondents who are current established or new former established pipe smokers and have a regular brand of pipe tobacco, go to R02_AP1051. Else, adult respondents who are current established pipe smokers and have smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of pipe tobacco, go to R02_AP0104. Else, go to Box R02_APD01. GOTO Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND R02_AP1050 = 1, GO TO R02_AP1012. ELSE, IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND R02_AP1047 = 1, GO TO R02_AP1051. ELSE, IF R02_CURRENT_USER_PIPE = 1 AND R02_AP0100 = 1, 2, 3, 4 AND R02_AP1048_BRAND != 9995, -8, -7 AND R02_AP1070_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AP0104. ELSE, GO TO BOX R02_APD01. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor [is/was] it? If multiple flavors were mixed together, choose all that apply.	
R02_AP1012_01	1 Menthol or mint
R02_AP1012_02	2 Clove or spice
R02_AP1012_03	3 Fruit
R02_AP1012_04	4 Chocolate
R02_AP1012_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AP1012_06	6 Candy or other sweets
R02_AP1012_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established or new former established pipe smokers and whose regular brand or last brand of pipe tobacco smoked was flavored.	
ASK Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND R02_AP1050 = 1.	
DISPLAY: IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1047 = 1, DISPLAY "is". IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1047 = 2, -8, -7, DISPLAY "was". IF R02_NEW_FORMER_USER_PIPE = 1, DISPLAY "was".	
PROGRAM: Allow respondent to choose all that apply.	
GOTO: Adult respondents who are current established or new former established pipe smokers and have a regular brand of pipe tobacco, go to R02_AP1051.	
Else, adult respondents who are current established pipe smokers and have smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of pipe tobacco, go to R02_AP0104.	
Else, go to Box R02_APD01.	
GOTO Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND R02_AP1047 = 1, GO TO R02_AP1051.	
ELSE, IF R02_CURRENT_USER_PIPE = 1 AND R02_AP0100 = 1, 2, 3, 4 AND R02_AP1048_BRAND != 9995, -8, -7 AND R02_AP1070_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AP0104.	
ELSE, GO TO BOX R02_APD01.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1051_NN; R02_AP1051_UN
About how long [did you smoke/have you been smoking] your regular brand of pipe tobacco? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established pipe smokers and have a regular brand of pipe tobacco. ASK Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND R02_AP1047 = 1. DISPLAY: IF R02_CURRENT_USER_PIPE = 1, DISPLAY "have you been smoking". ELSE, DISPLAY "did you smoke". PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. GOTO: Adult respondents who are current established pipe smokers and have smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of pipe tobacco, go to R02_AP0104. Else, go to Box R02_APD01. GOTO Specification: IF R02_CURRENT_USER_PIPE = 1 AND R02_AP0100 = 1, 2, 3, 4 AND R02_AP1048_BRAND != 9995, -8, -7 AND R02_AP1070_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AP0104. ELSE, GO TO BOX R02_APD01. NOTES: The value "1" refers to R02_AP1051_UN = Days; the value "2" refers to R02_AP1051_UN = Months; the value "3" refers to R02_AP1051_UN = Years.

Variable(s): R02_AP0104
You said earlier that you last smoked a pipe [TIME OF LAST USE]. Think about the very last bowl of pipe tobacco you smoked. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established pipe smokers and have smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of pipe tobacco. ASK Specification: IF R02_CURRENT_USER_PIPE = 1 AND R02_AP0100 = 1, 2, 3, 4 AND R02_AP1048_BRAND != 9995, -8, -7 AND R02_AP1070_PRODUCT != 99990, 99995, -8, -7. DISPLAY: IF R02_AP0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour". IF R02_AP0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today". IF R02_AP0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday". IF R02_AP0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH RESPONSE TO R02_AP1070_PRODUCT.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_APD01

Randomize order of R02_AP1060 through R02_AP1072.

Display question R02_AP1060, R02_AP1061, R02_AP1085, R02_AP1062, R02_AP1063, R02_AP1064, R02_AP1068, R02_AP1069, R02_AP1072 on one screen. Show the intro/transition text from R02_AP1060 first, then show each item with responses. As each item is answered, show the next one.

Variable(s): R02_AP1060***

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1.

DISPLAY: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1, DISPLAY "apply to you", "smoke", AND "is". ELSE, DISPLAY "applied to you when you used to smoke pipes", "smoked", AND "was".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AP1061***

People in the media or other public figures [smoke/smoked] pipes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1.

DISPLAY: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1, DISPLAY "smoke". ELSE, DISPLAY "smoked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AP1085*****

I [can/could] smoke pipes at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1.

DISPLAY: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1, DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AP1062*****

It might [be/have been] less harmful than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1.

DISPLAY: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1, DISPLAY "be". ELSE, DISPLAY "have been".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AP1063*****

Pipe tobacco [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1.

DISPLAY: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1, DISPLAY "comes" AND "like". ELSE, DISPLAY "came" AND "liked".

GOTO: Adult respondents who are current established, current experimental, or new former established pipe smokers, and are also current established, current experimental, or new former established cigarette smokers, go to R02_AP1064.

Else, go to R02_AP1068.

GOTO Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AP1064.

ELSE, GO TO R02_AP1068.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AP1064*****

Smoking a pipe helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established pipe smokers, and are also current established, current experimental, or new former established cigarette smokers.

ASK Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1068***

People who are important to me [smoke/smoked] pipes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1.

DISPLAY: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1, DISPLAY "smoke". ELSE, DISPLAY "smoked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AP1069***

I [like/liked] socializing while smoking a pipe.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1.

DISPLAY: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1, DISPLAY "like". ELSE, DISPLAY "liked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AP1072*****

The advertising for pipes [appeals/appealed] to me.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1.

DISPLAY: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1, DISPLAY "appeals". ELSE, DISPLAY "appealed".

GOTO: Adult respondents who are current established, current experimental, or new former established pipe smokers, and are also current established or new former established cigarette smokers, go to R02_AP1080.

Else, go to R02_AP1081.

GOTO Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AP1080. ELSE, GO TO R02_AP1081.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AP1080*****

[Do/Did] you smoke pipes filled with tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established pipe smokers, and are also current established or new former established cigarette smokers.

ASK Specification: IF (R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1).

DISPLAY: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AP1081*****

[Do/Did] you smoke pipes as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1.

DISPLAY: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

HOOKAH

BOX ID:	R02_AHR05
Adult respondents who were former established hookah smokers and had smoked tobacco in a hookah at least 100 or more times in their lifetime and had smoked fairly regularly as of their last completed interview and has not smoked in the past 12 months or now smokes not at all, go to Box R02_AHV01. Else, go to Box R02_AHT02.	
IF R01_FORMER_USER_HOOK = 1 AND R01_AH1005 = 5 AND R01_AH1100 = 1 AND (R02_AH1002_12M = 2 OR R02_AH1003 = 3), GO TO BOX R02_AHV01. ELSE, GO TO BOX R02_AHT02.	

BOX ID:	R02_AHT02
The next questions are about smoking tobacco in a hookah , which is a type of water pipe. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe.	
People smoke shisha or hookah tobacco in a hookah. Shisha comes in many different flavors. Some types of shisha contain tobacco and some do not.	
SHOW GENERIC IMAGE OF HOOKAH AND SHISHA	
Bold "hookah" and "shisha or hookah tobacco"	

BOX ID:	R02_AHR04
Adult respondents who have ever smoked hookah and had not smoked hookah 100 or more times in their lifetime as of their last completed interview, go to R02_AH1005. Else, new baseline adult respondents who have ever smoked hookah, or continuing adult respondents who have ever smoked hookah and had not smoked hookah fairly regularly as of their last completed interview, go to AH1100. Else, go to Box R02_AHV01.	
IF R02_EVER_USER_HOOK = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YH1005 != 6) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AH1005 != 5)), GO TO R02_AH1005. ELSE, IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_HOOK = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R01_AH1100 != 1), GO TO R02_AH1100. ELSE, GO TO BOX R02_AHV01.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1005*****

How many times have you smoked hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah and had not smoked hookah 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF R02_EVER_USER_HOOK = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YH1005 != 6) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AH1005 != 5)).

GOTO: New baseline adult respondents who have ever smoked hookah, or continuing adult respondents who have ever smoked hookah and had not smoked hookah fairly regularly as of their last completed interview, go to AH1100.

Else, go to Box R02_AHV01.

GOTO Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_HOOK = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R01_AH1100 != 1), GO TO R02_AH1100.

ELSE, GO TO BOX R02_AHV01.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AH1100*****

Have you ever smoked hookah fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever smoked hookah, or continuing adult respondents who have ever smoked hookah and had not smoked hookah fairly regularly as of their last completed interview.

ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_HOOK = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R01_AH1100 != 1).

GOTO: New baseline adult respondents who have ever smoked hookah and have ever smoked hookah fairly regularly, go to R02_AH1007_NB.

Else, go to Box R02_AHV01.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R02_AH1100 = 1, GO TO R02_AH1007_NB.

ELSE, GO TO BOX R02_AHV01.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH1007_NB

How old were you when you first started smoking hookah fairly regularly?

I__I__I Years old

GO TO BOX R02_AHV01

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever smoked hookah and have ever smoked hookah fairly regularly.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R02_AH1100 = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

Variable(s): R02_AH1121_NB

When you first started smoking hookah fairly regularly, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever smoked hookah and have ever smoked hookah fairly regularly and did not know or refused to report the age they started smoking hookah fairly regularly.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R02_AH1100 = 1 AND R02_AH1007_NB = -8, -7.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AHV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R02_CURRENT_USER_HOOK = "Current established hookah smokers"

Adult respondents who have ever smoked hookah fairly regularly, and currently smokes monthly or more frequently.

R02_SOME_DAY_USER_HOOK = "Some day established hookah smokers"

Adult respondents who have ever smoked hookah fairly regularly, and currently smokes some days.

R02_THIRTY_DAY_USER_HOOK = "Past 30 day hookah smokers"

Adult respondents who have smoked hookah in the past 30 days.

R02_EXPERIMENTAL_CURRENT_HOOK = "Current experimental hookah smokers"

Adult respondents who have never smoked hookah fairly regularly, and currently smokes hookah every day, some days, weekly, monthly or in the past 30 days.

R02_EXPERIMENTAL_FORMER_HOOK = "Former experimental hookah smokers"

Adult respondents who have never smoked hookah fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

R02_NEW_FORMER_USER_HOOK = "New former established hookah smokers"

Adult respondents who were current, experimental current, or experimental former hookah smokers at Wave 1, or are initiators at Wave 2, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

R02_STILL_FORMER_USER_HOOK = "Still former established hookah smokers"

Adult respondents who were former hookah smokers at Wave 1, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.

R02_CURRENT_USER_HOOK:

IF (R01_AH1100 = 1 OR R02_AH1100 = 1) AND (R02_AH1003 = 1 OR 2 OR R02_AH9003 = 1 OR 2 OR 3), THEN R02_CURRENT_USER_HOOK = 1.

ELSE, R02_CURRENT_USER_HOOK = 2.

R02_SOME_DAY_USER_HOOK:

IF R02_CURRENT_USER_HOOK = 1 AND (R02_AH1003 = 2 OR R02_AH9003 = 2 OR 3) THEN R02_SOME_DAY_USER_HOOK = 1.

ELSE, R02_SOME_DAY_USER_HOOK = 2.

R02_THIRTY_DAY_USER_HOOK:

IF ((1 <= R02_AH1009_NN <= 30 AND R02_AH1009_UN = 1) OR (R02_AH1009_NN = 1 AND R02_AH1009_UN = 2)) OR R02_AH1004 = 1, THEN R02_THIRTY_DAY_USER_HOOK = 1.

ELSE, R02_THIRTY_DAY_USER_HOOK = 2.

R02_EXPERIMENTAL_CURRENT_HOOK:

IF R02_EVER_USER_HOOK = 1 AND R02_AH1100 != 1 AND R01_AH1100 != 1 AND (R02_AH1003 = 1, 2 OR R02_AH9003 = 1, 2, 3 OR (R02_AH1009_NN <= 30 AND R02_AH1009_UN = 1) OR (R02_AH1009_NN = 1 AND R02_AH1009_UN = 2) OR R02_AH1004 = 1), THEN R02_EXPERIMENTAL_CURRENT_HOOK = 1.

ELSE, R02_EXPERIMENTAL_CURRENT_HOOK = 2.

R02_EXPERIMENTAL_FORMER_HOOK:

IF R02_CURRENT_USER_HOOK != 1 AND R02_EXPERIMENTAL_CURRENT_HOOK != 1 AND R02_EVER_USER_HOOK = 1 AND (R02_AH1002_12M = 2 OR R02_AH1003 = 3) AND R02_AH1100 != 1 AND R01_AH1100 != 1, THEN R02_EXPERIMENTAL_FORMER_HOOK = 1.

ELSE, R02_EXPERIMENTAL_FORMER_HOOK = 2.

R02_NEW_FORMER_USER_HOOK:

IF R02_EVER_USER_HOOK = 1 AND R02_CURRENT_USER_HOOK != 1 AND
R02_EXPERIMENTAL_CURRENT_HOOK != 1 AND (R01_CURRENT_USER_HOOK = 1 OR
R01_EXPERIMENTAL_CURRENT_HOOK = 1 OR R01_EXPERIMENTAL_FORMER_HOOK = 1 OR
R02_INIT_HOOK_ADULT = 1 OR R01_YH1002 = 1) AND (R01_AH1100 = 1 OR R02_AH1100 = 1)
AND (R02_AH1002_12M = 2 OR R02_AH1003 = 3), THEN R02_NEW_FORMER_USER_HOOK = 1.
ELSE, R02_NEW_FORMER_USER_HOOK = 2.

R02_STILL_FORMER_USER_HOOK:

IF R02_EVER_USER_HOOK = 1 AND R02_CURRENT_USER_HOOK != 1 AND
R02_EXPERIMENTAL_CURRENT_HOOK != 1 AND (R01_FORMER_USER_HOOK = 1 AND
(R02_AH1002_12M = 2 OR R02_AH1003 = 3)), THEN R02_STILL_FORMER_USER_HOOK = 1.
ELSE, R02_STILL_FORMER_USER_HOOK = 2.

BOX ID: R02_AHR01

New baseline adult respondents who now smoke hookah every day, go to R02_AH1020_NB.
Else, adult respondents who initiated hookah smoking since their last completed interview, go to
R02_AH1008.
Else, adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do
not smoke hookah every day, go to R02_AH9003.
Else, adult respondents who now smoke hookah every day, go to R02_AH9006.
Else, go to the next section.

IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AH1003 = 1, GO TO R02_AH1020_NB.
ELSE, IF R02_INIT_HOOK_ADULT = 1, GO TO R02_AH1008.
ELSE, IF (R02_AH1004 = 1 OR R02_AH1002_12M = 1) AND R02_AH1003 != 1, GO TO
R02_AH9003.
ELSE, IF R02_AH1003 = 1, GO TO R02_AH9006.
ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1020_NB**

How old were you when you first started smoking hookah every day?

I ___|___| Years old

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who now smoke hookah every day.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AH1003 = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

GOTO: New baseline adult respondents who now smoke hookah every day and did not know or refused to report the age they first started smoking hookah every day, go to R02_AH1122_NB.

Else, adult respondents who initiated hookah smoking since their last completed interview, go to R02_AH1008.

Else, adult respondents who now smoke hookah every day, go to R02_AH9006.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AH1003 = 1 AND R02_AH1020_NB = -8, -7, GO TO R02_AH1122_NB.

ELSE, IF R02_INIT_HOOK_ADULT = 1, GO TO R02_AH1008.

ELSE, IF R02_AH1003 = 1, GO TO R02_AH9006.

Variable(s): **R02_AH1122_NB**

When you first started smoking hookah every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who now smoke hookah every day and did not know or refused to report the age they first started smoking hookah every day.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AH1003 = 1 AND R02_AH1020_NB = -8, -7.

GOTO: Adult respondents who initiated hookah smoking since their last completed interview, go to R02_AH1008.

Else, adult respondents who now smoke hookah every day, go to R02_AH9006.

GOTO Specification: IF R02_INIT_HOOK_ADULT = 1, GO TO R02_AH1008.

ELSE, IF R02_AH1003 = 1, GO TO R02_AH9006.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AH1008
When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
	1 Yes
	2 No
	3 I don't know
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who initiated hookah smoking since their last completed interview.	
ASK Specification: IF R02_INIT_HOOK_ADULT = 1.	
GOTO: Adult respondents who initiated hookah smoking since their last completed interview and initiated hookah smoking with flavored shisha or hookah tobacco, go to R02_AH1011.	
Else, adult respondents who now smoke hookah every day, go to R02_AH9006.	
Else, adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day, go to R02_AH9003.	
GOTO Specification: IF R02_INIT_HOOK_ADULT = 1 AND R02_AH1008 = 1, GO TO R02_AH1011.	
ELSE, IF R02_AH1003 = 1, GO TO R02_AH9006.	
ELSE, IF (R02_AH1004 = 1 OR R02_AH1002_12M = 1) AND R02_AH1003 !=1, GO TO R02_AH9003.	

Variable(s):	SEE BELOW:
Which flavor did you first start smoking? If multiple flavors were mixed together, choose all that apply.	
R02_AH1011_01	1 Menthol or mint
R02_AH1011_02	2 Clove or spice
R02_AH1011_03	3 Fruit
R02_AH1011_04	4 Chocolate
R02_AH1011_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AH1011_06	6 Candy or other sweets
R02_AH1011_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who initiated hookah smoking since their last completed interview and initiated hookah smoking with flavored shisha or hookah tobacco.	
ASK Specification: IF R02_INIT_HOOK_ADULT = 1 AND R02_AH1008 = 1.	
PROGRAM: Allow respondent to choose all that apply.	
GOTO: Adult respondents who now smoke hookah every day, go to R02_AH9006.	
Else, adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day, go to R02_AH9003.	
GOTO Specification: IF R02_AH1003 = 1, GO TO R02_AH9006.	
ELSE, IF (R02_AH1004 = 1 OR R02_AH1002_12M = 1) AND R02_AH1003 !=1, GO TO R02_AH9003.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH9003		
Which of the following choices best describes your hookah smoking? Usually I smoke hookah...		
1	Every day	GO TO R02_AH9006
2	Weekly	GO TO R02_AH9005
3	Monthly	
4	Every couple of months	GO TO BOX R02_AHR02
5	About once a year	GO TO BOX R02_AHR02
-8	DON'T KNOW	GO TO BOX R02_AHR02
-7	REFUSED	GO TO BOX R02_AHR02
ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day.		
ASK Specification: IF (R02_AH1004 = 1 OR R02_AH1002_12M = 1) AND R02_AH1003 !=1.		
PROGRAM: DISPLAY RESPONSE OPTION 1 ONLY IF R02_AH1003=-8, -7		

Variable(s): R02_AH9004		
On average, about how many times do you smoke hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.		
_ _ _ _		GO TO BOX R02_AHR02
-8	DON'T KNOW	GO TO BOX R02_AHR02
-7	REFUSED	GO TO BOX R02_AHR02
ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day, but smoke hookah monthly.		
ASK Specification: IF (R02_AH1004 = 1 OR R02_AH1002_12M = 1) AND R02_AH1003 != 1 AND R02_AH9003 = 3.		
PROGRAM: Allow 3 digits.		

Variable(s): R02_AH9005		
On average, about how many times do you smoke hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.		
_ _ _		GO TO BOX R02_AHR02
-8	DON'T KNOW	GO TO BOX R02_AHR02
-7	REFUSED	GO TO BOX R02_AHR02
ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day, but smoke hookah weekly.		
ASK Specification: IF (R02_AH1004 = 1 OR R02_AH1002_12M = 1) AND R02_AH1003 !=1 AND R02_AH9003 = 2.		
PROGRAM: Allow 2 digits.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH9006
On average, about how many times do you smoke hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others. _ _ _ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who smoke hookah every day. ASK Specification: IF R02_AH1003 = 1 OR ((R02_AH1004 = 1 OR R02_AH1002_12M = 1) AND R02_AH1003 !=1 AND R02_AH9003 = 1). PROGRAM: Allow 2 digits

BOX ID: R02_AHV03
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R02 EVERYDAY_USER_HOOK = "Every day established hookah smokers" Adult respondents who have ever smoked hookah fairly regularly, and currently smokes every day. R02 EVERYDAY_USER_HOOK: IF R02_CURRENT_USER_HOOK = 1 AND (R02_AH1003 = 1 OR R02_AH9003 = 1), THEN R02 EVERYDAY_USER_HOOK = 1. ELSE, R02 EVERYDAY_USER_HOOK = 2.

BOX ID: R02_AHR02
Adult respondents who are current established, current experimental, or past 30 day hookah smokers, go to R02_AH1024. Else, adult respondents who are new former established hookah smokers, go to R02_AH9031. Else, go to the next section. IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1, GO TO R02_AH1024. ELSE, IF R02_NEW_FORMER_USER_HOOK = 1, GO TO R02_AH9031. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH1024_NN***; R02_AH1024_UN																	
[On the days that you smoke hookah, how/How] soon after you wake up do you typically take your first puff from a hookah? Please enter the number of minutes or hours. <table style="width: 100%; border: none;"> <tr> <td style="width: 20px; text-align: right;">1</td> <td style="width: 10px;"> _ _ _ _ </td> <td style="width: 40px;">Minutes after waking</td> <td style="width: 40px; text-align: right;">GO TO R02_AH9031</td> </tr> <tr> <td style="text-align: right;">2</td> <td> _ _ _ _ </td> <td>Hours after waking</td> <td style="text-align: right;">GO TO R02_AH9031</td> </tr> <tr> <td style="text-align: right;">-8</td> <td colspan="3">DON'T KNOW</td> </tr> <tr> <td style="text-align: right;">-7</td> <td colspan="3">REFUSED</td> </tr> </table> ASK: Adult respondents who are current established, current experimental, or past 30 day hookah smokers. ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1. DISPLAY: IF R02 EVERYDAY_USER_HOOK = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you smoke hookah, how". PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R02_AH1024_UN = Minutes after waking; the value "2" refers to R02_AH1024_UN = Hours after waking. ***DATA ERROR: Some respondents have missing data (-9) for this variable.		1	_ _ _ _	Minutes after waking	GO TO R02_AH9031	2	_ _ _ _	Hours after waking	GO TO R02_AH9031	-8	DON'T KNOW			-7	REFUSED		
1	_ _ _ _	Minutes after waking	GO TO R02_AH9031														
2	_ _ _ _	Hours after waking	GO TO R02_AH9031														
-8	DON'T KNOW																
-7	REFUSED																

Variable(s): R02_AH1092											
[On the days that you smoke hookah, would/Would] you say you typically take your first puff from a hookah within the first 30 minutes after you wake up? <table style="width: 100%; border: none;"> <tr> <td style="width: 20px; text-align: right;">1</td> <td style="width: 10px;">Yes</td> </tr> <tr> <td style="text-align: right;">2</td> <td>No</td> </tr> <tr> <td style="text-align: right;">3</td> <td>It varies</td> </tr> <tr> <td style="text-align: right;">-8</td> <td>DON'T KNOW</td> </tr> <tr> <td style="text-align: right;">-7</td> <td>REFUSED</td> </tr> </table> ASK: Adult respondents who are current established, current experimental, or past 30 day hookah smokers and did not know or refused to report how soon after waking up they typically take their first puff from a hookah. ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1) AND R02_AH1024_NN = -8, -7. DISPLAY: IF R02 EVERYDAY_USER_HOOK = 1, DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke hookah, would".		1	Yes	2	No	3	It varies	-8	DON'T KNOW	-7	REFUSED
1	Yes										
2	No										
3	It varies										
-8	DON'T KNOW										
-7	REFUSED										

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH9031*****

Have you ever smoked marijuana from a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AH1090*****

[Do/Did] you own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

GOTO: Young adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers, go to R02_AH9041.

Else, adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers, go to R02_AH9011.

GOTO Specification: IF R02_YOUNG ADULT = 1 AND (R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1), GO TO R02_AH9041.

ELSE, IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR
R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1, GO TO
R02_AH9011.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH9041*****

Does anyone else living in your home own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **SEE BELOW:**

Where [do/did] you usually smoke hookah? Choose all that apply.

- R02_AH9011_01***** 1 At home
- R02_AH9011_02***** 2 In a hookah bar or cafe
- R02_AH9011_03***** 3 At a friend's home
- R02_AH9011_04***** 4 Somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do". ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

GOTO: Adult respondents who are past 30 day hookah smokers, go to R02_AH1130.

Else, adult respondents who are current established, current experimental, or new former established hookah smokers, go to R02_AH9012.

GOTO Specification: IF R02_THIRTY_DAY_USER_HOOK = 1, GO TO R02_AH1130.

ELSE, IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1, GO TO R02_AH9012.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AH1130***																	
In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? <table style="width: 100%; border: none;"> <tr> <td style="width: 30%; text-align: center;">1</td> <td style="width: 40%;">Yes</td> <td style="width: 30%;"></td> </tr> <tr> <td style="text-align: center;">2</td> <td>No</td> <td style="text-align: right;">GO TO R02_AH9012</td> </tr> <tr> <td style="text-align: center;">3</td> <td>I don't know</td> <td style="text-align: right;">GO TO R02_AH9012</td> </tr> <tr> <td style="text-align: center;">-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO R02_AH9012</td> </tr> <tr> <td style="text-align: center;">-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO R02_AH9012</td> </tr> </table> ASK: Adult respondents who are past 30 day hookah smokers. ASK Specification: IF R02_THIRTY_DAY_USER_HOOK = 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.				1	Yes		2	No	GO TO R02_AH9012	3	I don't know	GO TO R02_AH9012	-8	DON'T KNOW	GO TO R02_AH9012	-7	REFUSED	GO TO R02_AH9012
1	Yes																	
2	No	GO TO R02_AH9012																
3	I don't know	GO TO R02_AH9012																
-8	DON'T KNOW	GO TO R02_AH9012																
-7	REFUSED	GO TO R02_AH9012																

Variable(s):	SEE BELOW:																																						
Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply. <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">R02_AH1131_01</td> <td style="width: 5%;">1</td> <td style="width: 60%;">Menthol or mint</td> <td style="width: 10%;"></td> </tr> <tr> <td>R02_AH1131_02</td> <td>2</td> <td>Clove or spice</td> <td></td> </tr> <tr> <td>R02_AH1131_03</td> <td>3</td> <td>Fruit</td> <td></td> </tr> <tr> <td>R02_AH1131_04</td> <td>4</td> <td>Chocolate</td> <td></td> </tr> <tr> <td>R02_AH1131_05</td> <td>5</td> <td>An alcoholic drink (such as wine, cognac, margarita or other cocktails)</td> <td></td> </tr> <tr> <td>R02_AH1131_06</td> <td>6</td> <td>Candy or other sweets</td> <td></td> </tr> <tr> <td>R02_AH1131_07</td> <td>7</td> <td>Some other flavor</td> <td></td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> <td></td> </tr> </table> ASK: Adult respondents who are past 30 day hookah smokers who smoked flavored shisha or hookah tobacco in the past 30 days. ASK Specification: IF R02_THIRTY_DAY_USER_HOOK = 1 AND R02_AH1130 = 1. PROGRAM: Allow respondent to choose all that apply.				R02_AH1131_01	1	Menthol or mint		R02_AH1131_02	2	Clove or spice		R02_AH1131_03	3	Fruit		R02_AH1131_04	4	Chocolate		R02_AH1131_05	5	An alcoholic drink (such as wine, cognac, margarita or other cocktails)		R02_AH1131_06	6	Candy or other sweets		R02_AH1131_07	7	Some other flavor			-8	DON'T KNOW			-7	REFUSED	
R02_AH1131_01	1	Menthol or mint																																					
R02_AH1131_02	2	Clove or spice																																					
R02_AH1131_03	3	Fruit																																					
R02_AH1131_04	4	Chocolate																																					
R02_AH1131_05	5	An alcoholic drink (such as wine, cognac, margarita or other cocktails)																																					
R02_AH1131_06	6	Candy or other sweets																																					
R02_AH1131_07	7	Some other flavor																																					
	-8	DON'T KNOW																																					
	-7	REFUSED																																					

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH9012*****

[Do/Did] you usually share a hookah with others when you [smoke/smoked]?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R02_AH9014 |
| -8 | DON'T KNOW | GO TO R02_AH9014 |
| -7 | REFUSED | GO TO R02_AH9014 |

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do" AND "smoke". ELSE, DISPLAY "Did" AND
"smoked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AH9013**

How many people [do/did] you usually share a hookah with?

- | | |
|----|------------------------|
| 1 | 1 other person |
| 2 | 2 other people |
| 3 | 3 other people |
| 4 | 4 or more other people |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and usually share a hookah with others.

ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH9012 = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do". ELSE, DISPLAY "did".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH9014*****

On average, how long [is/was] one hookah session for you[and the people you share/d it with]?

- 1 Less than 30 minutes
- 2 More than 30 minutes up to 1 hour
- 3 1 to 2 hours
- 4 More than 2 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1) AND R02_AH9012 = 1, DISPLAY "is" AND "and the people
you share it with". IF R02_NEW_FORMER_USER_HOOK = 1 AND R02_AH9012 = 1, DISPLAY "was"
AND "and the people you shared it with. IF R02_AH9012 !=1, DO NOT DISPLAY "[and the people you
share/d it with]".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AH9015*****

On average, when you [smoke I smoked I share a I shared a] hookah, how many times [is I was] the
hookah refilled with tobacco during a session?

- 1 0 times
- 2 1 time
- 3 2 to 3 times
- 4 4 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1) AND R02_AH9012 = 1, DISPLAY "share a" AND "is". IF
(R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR
R02_THIRTY_DAY_USER_HOOK = 1) AND R02_AH9012 = 2, DISPLAY "smoke" AND "is". IF
R02_NEW_FORMER_USER_HOOK = 1 AND R02_AH9012 = 1, DISPLAY "shared a" AND "was". IF
R02_NEW_FORMER_USER_HOOK = 1 AND R02_AH9012 = 2, DISPLAY "smoked" AND "was".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH9016***

How often [do/did] you personally set up the hookah?

- 1 Every time
- 2 Most of the time
- 3 Some of the time
- 4 Rarely
- 5 Never, someone else always [set/sets] it up for me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1), DISPLAY "do" AND "sets". ELSE, DISPLAY "did" AND "set".

GOTO: Adult respondents who are current established or past 30 day hookah smokers, go to R02_AH1098.

Else, adult respondents who are current experimental hookah smokers, go to R02_AH1030.

Else, adult respondents who are new former established hookah smokers, go to R02_AH1047.

GOTO Specification: IF R02_CURRENT_USER_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1, GO TO R02_AH1098.

ELSE, IF R02_EXPERIMENTAL_CURRENT_HOOK = 1, GO TO R02_AH1030.

ELSE, IF R02_NEW_FORMER_USER_HOOK = 1, GO TO R02_AH1047.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AH1098***

The next questions ask about your experience buying shisha or hookah tobacco.

In the past 30 days, how often have you used a coupon when buying shisha or hookah tobacco?

- 1 Always
- 2 Sometimes
- 3 Rarely
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or past 30 day hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1030*****

How do you usually buy shisha or hookah tobacco for yourself?

- | | | |
|----|--|------------------|
| 1 | In person (such as at a store or hookah bar) | |
| 2 | From the internet | GO TO R02_AH1034 |
| 3 | By telephone | GO TO R02_AH1034 |
| 4 | I do not buy my own shisha or hookah tobacco | GO TO R02_AH1047 |
| -8 | DON'T KNOW | GO TO R02_AH1047 |
| -7 | REFUSED | GO TO R02_AH1047 |

ASK: Adult respondents who are current established, current experimental, or past 30 day hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AH1032**

Do you usually buy shisha or hookah tobacco...?

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or past 30 day hookah smokers and usually buy shisha or hookah tobacco in person.

ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1) AND
R02_AH1030 = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1033; R02_AH1033_OS**

Where do you buy your shisha or hookah tobacco most of the time?

- 1 A hookah bar or cafe
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or past 30 day hookah smokers and usually buy shisha or hookah tobacco in person.

ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1) AND
R02_AH1030 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY
QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer
keyboard."

Variable(s): **R02_AH1034_D; R02_AH1034_C**

How much do you usually pay for shisha or hookah tobacco?

- \$|_|_|_| Dollars . |_|_|_| Cents
- 8 DON'T KNOW
 - 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or past 30 day hookah smokers and usually buy shisha or hookah tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1) AND
R02_AH1030 = 1, 2, 3.

DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles.

PROGRAM: Display as Quantity/Quantity.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1047*****

[Do I Did] you have a regular brand of shisha or hookah tobacco that you usually [smoke I smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do" AND "smoke". ELSE, DISPLAY "Did" AND
"smoked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AH1048_BRAND***
What brand of shisha or hookah tobacco [do I did] you [usually I last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers. ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else." IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1) AND R02_AH1047 = 1, DISPLAY "do" AND "usually". IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1) AND R02_AH1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R02_AH1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R02_AH1047 = 2, -8, -7, DISPLAY "did" AND "last". GOTO: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and selected a brand of shisha or hookah tobacco, go to R02_AH1070_PRODUCT. Else, adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and selected "Something else" for their brand of shisha or hookah tobacco, go to R02_AH1049. Else, adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers, go to R02_AH1050. GOTO Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1048_BRAND != 9995, -8, -7, GO TO R02_AH1070_PRODUCT. ELSE, IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1048_BRAND = 9995, GO TO R02_AH1049. ELSE, IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1, GO TO R02_AH1050. IMAGE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1070_PRODUCT**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do I did] you [usually I last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and selected a brand of shisha or hookah tobacco.

ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1048_BRAND != 9995, -8, -7.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"." FILL BRANDFILL WITH BRAND CHOSEN IN R02_AH1048_BRAND. IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1) AND R02_AH1047 = 1, DISPLAY "do" AND "usually". IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1) AND R02_AH1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R02_AH1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R02_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

GOTO: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and selected a brand of shisha or hookah tobacco and selected "Something else" for their subbrand of shisha or hookah tobacco, go to R02_AH1071.

Else, adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and selected a brand of shisha or hookah tobacco, go to R02_AH9108.

GOTO Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1048_BRAND != 9995, -8, -7 AND R02_AH1070_PRODUCT = 99995, GO TO R02_AH1071.

ELSE, IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1048_BRAND != 9995, -8, -7, GO TO R02_AH9108.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH1049***	
You said that your brand was not pictured. What is it? _____ -8 DON'T KNOW -7 REFUSED GO TO R02_AH1050 GO TO R02_AH1050 GO TO R02_AH1050 ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and selected "Something else" for their brand of shisha or hookah tobacco. ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1048_BRAND = 9995. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s): R02_AH1071	
You said that the type of [BRANDFILL]s that you [smoke I smoked] is not pictured. What type is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and selected a brand of shisha or hookah tobacco and selected "Something else" for their subbrand of shisha or hookah tobacco. ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1048_BRAND != 9995, -8, -7 AND R02_AH1070_PRODUCT = 99995. DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R02_AH1048_BRAND. IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1), DISPLAY "smoke". ELSE, DISPLAY "smoked".	

Variable(s): R02_AH9108***	
Does this brand of shisha contain tobacco? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and selected a brand of shisha or hookah tobacco. ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1048_BRAND != 9995, -8, -7. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AH1050***
[Is / was] [your regular brand / the last brand] you [smoke / smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers. ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1. DISPLAY: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1) AND R02_AH1047 = 1, DISPLAY "Is", "your regular brand" AND "smoke". IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1) AND R02_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked". ELSE, IF R02_AH1047 = 1, DISPLAY "Was", "your regular brand" AND "smoked". ELSE, IF R02_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked". GOTO: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and whose regular brand or last brand of shisha or hookah tobacco smoked was flavored, go to R02_AH1012. Else, adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and have a regular brand of shisha or hookah tobacco, go to R02_AH1051. Else, adult respondents who are current established hookah smokers and have smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of shisha or hookah tobacco, go to R02_AH0104. Else, adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers, go to Box R02_AHD01. GOTO Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1050 = 1, GO TO R02_AH1012. ELSE, IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1047 = 1, GO TO R02_AH1051. ELSE, IF R02_CURRENT_USER_HOOK = 1 AND R02_AH0100 = 1, 2, 3, 4 AND R02_AH1048_BRAND != 9995, -8, -7 AND R02_AH1070_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AH0104. ELSE, IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1, GO TO BOX R02_AHD01. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor [is/was] it? If multiple flavors were mixed together, choose all that apply.	
R02_AH1012_01	1 Menthol or mint
R02_AH1012_02	2 Clove or spice
R02_AH1012_03	3 Fruit
R02_AH1012_04	4 Chocolate
R02_AH1012_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AH1012_06	6 Candy or other sweets
R02_AH1012_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.	
ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1050 = 1.	
DISPLAY: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1) AND R02_AH1047 = 1, DISPLAY "is". ELSE, DISPLAY "was".	
PROGRAM: Allow respondents to choose all that apply.	
GOTO: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and have a regular brand of shisha or hookah tobacco, go to R02_AH1051.	
Else, adult respondents who are current established hookah smokers and have smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of shisha or hookah tobacco, go to R02_AH0104.	
Else, adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers, go to Box R02_AHD01.	
GOTO Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1047 = 1, GO TO R02_AH1051.	
ELSE, IF R02_CURRENT_USER_HOOK = 1 AND R02_AH0100 = 1, 2, 3, 4 AND R02_AH1048_BRAND != 9995, -8, -7 AND R02_AH1070_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AH0104.	
ELSE, IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1, GO TO BOX R02_AHD01.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1051_NN; R02_AH1051_UN**

About how long [did you smoke/ have you been smoking] your regular brand of shisha or hookah tobacco?

- 1 |__|__| Days
- 2 |__|__| Months
- 3 |__|__| Years
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and have a regular brand of shisha or hookah tobacco.

ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND R02_AH1047 = 1.

DISPLAY: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1), DISPLAY "have you been smoking". ELSE, DISPLAY "did you smoke".

PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.

GOTO: Adult respondents who are current established hookah smokers and have smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of shisha or hookah tobacco, go to R02_AH0104.

Else, adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers, go to Box R02_AHD01.

GOTO Specification: IF R02_CURRENT_USER_HOOK = 1 AND R02_AH0100 = 1, 2, 3, 4 AND R02_AH1048_BRAND != 9995, -8, -7 AND R02_AH1070_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AH0104.

ELSE, IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1, GO TO BOX R02_AHD01.

NOTES: The value "1" refers to R02_AH1051_UN = Days; the value "2" refers to R02_AH1051_UN = Months; the value "3" refers to R02_AH1051_UN = Years.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH0104**

You said earlier that you last smoked hookah [TIME OF LAST USE]. Think about the very last puff you took. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established hookah smokers and have smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of shisha or hookah tobacco.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 AND R02_AH0100 = 1, 2, 3, 4 AND R02_AH1048_BRAND != 9995, -8, -7 AND R02_AH1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R02_AH0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour". IF R02_AH0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today". IF R02_AH0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday". IF R02_AH0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH RESPONSE TO R02_AH1070_PRODUCT.

BOX ID: **R02_AHD01**

Randomize order of R02_AH1060 through R02_AH1073.

Display question R02_AH1060, R02_AH1061, R02_AH1085, R02_AH1062, R02_AH1063, R02_AH1064, R02_AH1068, R02_AH1069, R02_AH1072, R02_AH1073 on one screen. Show the intro/transition text from R02_AH1060 first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1060*****

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It [is I was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "apply to you", "smoke" AND "is". ELSE,
DISPLAY "applied to you when you used to smoke hookah", "smoked" AND "was".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AH1061*****

People in the media or other public figures [smoke/smoked] hookah.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "smoke". ELSE, DISPLAY "smoked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH1085***

I [can/could] smoke hookah at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND
"wasn't".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AH1062***

It might [be/have been] less harmful than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "be". ELSE, DISPLAY "have been".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AH1063***
Shisha or hookah tobacco [comes/came] in flavors I [like/liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers. ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1. DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "come" AND "like". ELSE, DISPLAY "came" and "liked". GOTO: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and are also current established, current experimental, or new former established cigarette smokers, go to R02_AH1064. Else, adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers, go to R02_AH1068. GOTO Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AH1064. ELSE, IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1, GO TO R02_AH1068. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AH1064***
Smoking hookah helps people quit smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and are also current established, current experimental, or new former established cigarette smokers. ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1068*****

People who are important to me [smoke/smoked] hookah.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "smoke". ELSE, DISPLAY "smoked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AH1069*****

I [like/liked] socializing while smoking hookah.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "like". ELSE, DISPLAY "liked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AH1072*****

The advertising for hookah [appeals/appealed] to me.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1
OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "appeals". ELSE, DISPLAY "appealed".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AH1073*****

Smoking hookah is part of my cultural tradition.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1.

GOTO: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and are also current established or new former established cigarette smokers, go to R02_AH1080.

Else, adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers, go to R02_AH1081.

GOTO Specification: IF (R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1) AND (R02_CURRENT_USER_CIGS = 1 OR
R02_NEW_FORMER_CIGS = 1), GO TO R02_AH1080.

ELSE, IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR
R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1, GO TO
R02_AH1081.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AH1080***

[Do/Did] you smoke hookah as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers and are also current established or new former established cigarette smokers.

ASK Specification: IF (R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_CIGS = 1).

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AH1081***

[Do/Did] you smoke hookah as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, past 30 day, or new former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1.

DISPLAY: IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

SMOKELESS TOBACCO AND SNUS**BOX ID: R02_ASR03**

PROGRAM – Loop through section once for each type of smokeless tobacco the respondent uses, filling [SMKLSSFILL] appropriately.

(A) SMKLSSTYPE[1]=1; Fill with 'smokeless tobacco'.

If respondent only uses smokeless tobacco and not snus pouches, complete section one time, filling [SMKLSSFILL] with "smokeless tobacco".

(B) SMKLSSTYPE[2]=1; Fill with 'snus pouches'.

If respondent only uses snus pouches and not other smokeless tobacco, complete section one time, filling [SMKLSSFILL] with "snus pouches".

(C) SMKLSSTYPE[3]=1; Fill with 'smokeless tobacco' and 'snus pouches'.

If respondent uses both snus pouches and smokeless tobacco, complete section twice. The first time, fill [SMKLSSFILL] with "snus pouches". The second time, fill [SMKLSSFILL] with "smokeless tobacco".

LOOP through section once for each type of smokeless tobacco the respondent uses.

(A) SMKLSSTYPE[1]=1

IF SMKLSSTYPE[1] = 1, LOOP = SMKLS and SMKLSSFILL = "smokeless tobacco".

(B) SMKLSSTYPE[2]=1

IF SMKLSSTYPE[2] = 1, LOOP = SNUS and SMKLSSFILL = "snus pouches".

(C) SMKLSSTYPE[3]=1

IF SMKLSSTYPE[3] = 1, LOOP = SNUS and SMKLSSFILL = "snus pouches", THEN LOOP = SMKLS and SMKLSSFILL = "smokeless tobacco".

BOX ID: R02_ASR08

Adult respondents who were former established snus pouch/smokeless tobacco users and had used at least 100 snus pouches/smokeless tobacco more than 100 times in their lifetime and had used snus pouches/smokeless tobacco fairly regularly as of their last completed interview and have not used snus pouches/smokeless tobacco in the past 12 months or currently use not at all, go to Box R02_ASV02.

Else, go to Box R02_AST02.

IF LOOP = SNUS AND (R01_FORMER_USER_SNUS = 1 AND R01_AS1005SU = 5 AND R01_AS1100SU = 1 AND (R02_AU1002_12M = 2 OR R02_AS1003SU = 3), GO TO BOX R02_ASV02.

ELSE, GO TO BOX R02_AST02.

IF LOOP = SMKLS AND (R01_FORMER_USER_SMKLS = 1 AND R01_AS1005SM = 5 AND R01_AS1100SM = 1 AND (R02_AS1002_12M = 2 OR R02_AS1003SM = 3), GO TO BOX R02_ASV02.

ELSE, GO TO BOX R02_AST02.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AST02

(A) SMKLSSTYPE[1]=1 (smokeless tobacco)

If respondent only uses smokeless tobacco (SMKLSSTYPE[1]=1), display the following transition text:
The next questions ask about **smokeless tobacco** which you put in your mouth and chew, suck or spit. There are many kinds of smokeless tobacco, such as loose snus, moist snuff, dip, spit, and chewing tobacco.

Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly and Copenhagen, but there are many others.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS TIN AND POUCHES]

(B) SMKLSSTYPE[2]=1 (snus pouches)

If respondent only uses snus pouches (SMKLSSTYPE[2]=1), display the following transition text:
The next questions ask about **snus pouches**. Common brands of snus pouches include Camel snus, General snus, Marlboro snus, and Nordic Ice, but there are many others.

Please think about your use of snus pouches as you answer these questions.

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

(C) SMKLSSTYPE[3]=1 (snus pouches and smokeless tobacco)

If respondent uses both snus and smokeless tobacco, display the following transition text for the first loop for snus:

The next questions ask about **snus pouches**, a type of smokeless tobacco that comes in a small pouch that you put under your lip. Common brands of snus pouches include Camel snus, General snus, Marlboro snus, and Nordic Ice, but there are many others.

Please think about your use of snus pouches as you answer these questions. There will be a separate section later about other kinds of smokeless tobacco.

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

Display the following transition text for the second loop for smokeless tobacco:

You just answered questions about snus pouches. The next questions are about your use of **other kinds of smokeless tobacco**, such as loose snus, moist snuff, dip, spit, and chewing tobacco. Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly and Copenhagen, but there are many others.

The questions will use the phrase "**smokeless tobacco**" to refer to these products. Please think about your use of smokeless tobacco products, not including snus pouches, as you answer these questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS TIN AND POUCHES]

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ASR07
Adult respondents who have ever used snus pouches/smokeless tobacco and had not used 100 or more snus pouches or smokeless tobacco 100 or more times in their lifetime as of their last completed interview, go to R02_AS1005[SU/SM]. Else, new baseline adult respondents who have ever used snus pouches/smokeless tobacco, or continuing adult respondents who have ever used snus pouches/smokeless tobacco and had not used snus pouches/smokeless tobacco fairly regularly as of their last completed interview, go to AS1100[SU/SM]. Else, go to Box R02_ASV02.	
IF LOOP = SNUS AND R02_EVER_USER_SNUS = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YS1005SU != 6) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AS1005SU != 5)), GO TO R02_AS1005SU. ELSE, IF LOOP = SNUS AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SNUS = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R01_AS1100SU != 1)), GO TO R02_AS1100SU. ELSE, IF LOOP = SNUS, GO TO BOX R02_ASV02. IF LOOP = SMKLS AND R02_EVER_USER_SMKLS = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YS1005SM != 6) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AS1005SM != 5)), GO TO R02_AS1005SM. ELSE, IF LOOP = SMKLS AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R01_AS1100SM != 1)), GO TO R02_AS1100SM. ELSE, IF LOOP = SMKLS, GO TO BOX R02_ASV02.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS1005SU**/**; R02_AS1005SM***
How many [times/snus pouches] have you used[smokeless tobacco] in your entire life? 1 1 to 10 2 11 to 20 3 21 to 50 4 51 to 99 5 100 or more -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever used snus pouches/smokeless tobacco and had not used 100 or more snus pouches or smokeless tobacco 100 or more times in their lifetime as of their last completed interview. ASK Specification: FOR R02_AS1005SU: IF LOOP = SNUS AND R02_EVER_USER_SNUS = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YS1005SU != 6) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AS1005SU != 5)). FOR R02_AS1005SM: IF LOOP = SMKLS AND R02_EVER_USER_SMKLS = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YS1005SM != 6) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AS1005SM != 5)). DISPLAY: FOR R02_AS1005SU: IF LOOP = SNUS, DISPLAY "snus pouches". FOR R02_AS1005SM: IF LOOP = SMKLS, DISPLAY "times" AND " smokeless tobacco". GOTO: New baseline adult respondents who have ever used snus pouches/smokeless tobacco, or continuing adult respondents who have ever used snus pouches/smokeless tobacco and had not used snus pouches/smokeless tobacco fairly regularly as of their last completed interview, go to AS1100[SU/SM]. Else, go to Box R02_ASV02. GOTO Specification: FROM R02_AS1005SU: IF LOOP = SNUS AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SNUS = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R01_AS1100SU != 1)), GO TO R02_AS1100SU. ELSE, GO TO BOX R02_ASV02. FROM R02_AS1005SM: IF LOOP = SMKLS AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R01_AS1100SM != 1)), GO TO R02_AS1100SM. ELSE, GO TO BOX R02_ASV02. NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who indicated that they used only Skoal bandits in the past 30 days, but used other brands of snus pouches in the past year. The error was not corrected during Wave 2 Data Collection. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s): **R02_AS1100SU**/**; R02_AS1100SM*****

Have you ever used [SMKLSSFILL] fairly regularly?

1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED

ASK: New baseline adult respondents who have ever used snus pouches/smokeless tobacco, or continuing adult respondents who have ever used snus pouches/smokeless tobacco and had not used snus pouches/smokeless tobacco fairly regularly as of their last completed interview.

ASK Specification: FOR R02_AS1100SU: IF LOOP = SNUS AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SNUS = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R01_AS1100SU != 1)).

FOR R02_AS1100SM: IF LOOP = SMKLS AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R01_AS1100SM != 1)).

GOTO: New baseline adult respondents who have ever used snus pouches/smokeless tobacco and have ever used snus pouches/smokeless tobacco fairly regularly, go to R02_AS1007[SU/SM]_NB.

Else, go to Box R02_ASV02.

GOTO Specification: FROM R02_AS1100SU: IF LOOP = SNUS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R02_AS1100SU = 1, GO TO R02_AS1007SU_NB.

ELSE, GO TO BOX R02_ASV02.

FROM R02_AS1100SM: IF LOOP = SMKLS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_AS1100SM = 1, GO TO R02_AS1007SM_NB.

ELSE, GO TO BOX R02_ASV02.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who indicated that they used only Skoal bandits in the past 30 days, but used other brands of snus pouches in the past year. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s):	R02_AS1007SU_NB; R02_AS1007SM_NB
How old were you when you first started using [SMKLSSFILL] fairly regularly?	
I ___ I ___	Years old
GO TO R02_ASV02	
-8	DON'T KNOW
-7	REFUSED
ASK: New baseline adult respondents who have ever used snus pouches/smokeless tobacco and have ever used snus pouches/smokeless tobacco fairly regularly.	
ASK Specification: FOR R02_AS1007SU_NB: IF LOOP = SNUS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R02_AS1100SU = 1.	
FOR R02_AS1007SM_NB: IF LOOP = SMKLS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_AS1100SM = 1.	
DISPLAY: Display "Years old" as a title.	
PROGRAM: Allow 2 digits for age.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS1121SU_NB; R02_AS1121SM_NB
When you first started using [SMKLSSFILL] fairly regularly, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever used snus pouches/smokeless tobacco and have ever used snus pouches/smokeless tobacco fairly regularly and did not know or refused to report the age they started using snus pouches/smokeless tobacco fairly regularly. ASK Specification: FOR R02_AS1121SU_NB: IF LOOP = SNUS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R02_AS1100SU = 1 AND R02_AS1007SU_NB = -8, -7. FOR R02_AS1121SM_NB: IF LOOP = SMKLS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_AS1100SM = 1 AND R02_AS1007SM_NB = -8, -7.	

BOX ID:	R02_ASV02
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX): <u>IF LOOP = SNUS, THEN DEFINE:</u> R02_CURRENT_USER_SNUS = "Current established snus pouch users" Adult respondents who have ever used snus pouches fairly regularly, and currently uses them every day or some days. R02 EVERYDAY_USER_SNUS = "Every day established snus pouch users" Adult respondents who have ever used snus pouches fairly regularly, and currently uses them every day. R02_SOME_DAY_USER_SNUS = "Some day established snus pouch users" Adult respondents who have ever used snus pouches fairly regularly, and currently uses them some days. R02_EXPERIMENTAL_CURRENT_SNUS = "Current experimental snus pouch users" Adult respondents who have never used snus pouches fairly regularly, and currently uses them every day or some days. R02_FORMER_THIRTYDAY_USER_SNUS = "Non-current 30-day snus pouch users" Adult respondents who are experimental former, new former, or still former snus pouch users in Wave 2 who have used any snus pouches in the past 30 days. R02_EXPERIMENTAL_FORMER_SNUS = "Former experimental snus pouch users" Adult respondents who have never used snus pouches fairly regularly, and did not use them in the past 12 months or currently uses them not at all. R02_NEW_FORMER_USER_SNUS = "New former established snus pouch users" Adult respondents who were current, experimental current, or experimental former snus pouch users at Wave 1, or are initiators at Wave 2, has ever used them fairly regularly, and did not use them in the past 12 months or currently uses them not at all.	

R02_STILL_FORMER_USER_SNUS = "Still former established snus pouch users"

Adult respondents who were former snus pouch users at Wave 1, has ever used them fairly regularly, and did not use them in the past 12 months or currently uses them not at all.

IF LOOP = SMKLS, THEN DEFINE:

R02_CURRENT_USER_SMKLS = "Current established smokeless tobacco users"

Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day or some days.

R02_EVERYDAY_USER_SMKLS = "Every day established smokeless tobacco users"

Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day.

R02_SOME_DAY_USER_SMKLS = "Some day established smokeless tobacco users"

Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it some days.

R02_EXPERIMENTAL_CURRENT_SMKLS = "Current experimental smokeless tobacco users"

Adult respondents who have never used smokeless tobacco fairly regularly, and currently uses it every day or some days.

R02_FORMER_THIRTYDAY_USER_SMKLS = "Non-current 30-day smokeless tobacco users"

Adult respondents who are experimental former, new former, or still former smokeless tobacco users in Wave 2 who have used any smokeless tobacco in the past 30 days.

R02_EXPERIMENTAL_FORMER_SMKLS = "Former experimental smokeless tobacco users"

Adult respondents who have never used smokeless tobacco fairly regularly, and did not use it in the past 12 months or currently uses it not at all.

R02_NEW_FORMER_USER_SMKLS = "New former established smokeless tobacco users"

Adult respondents who were current, experimental current, or experimental former smokeless tobacco users at Wave 1, or are initiators at Wave 2, has ever used it fairly regularly, and did not use it in the past 12 months or currently uses it not at all.

R02_STILL_FORMER_USER_SMKLS = "Still former established smokeless tobacco users"

Adult respondents who were former smokeless tobacco users at Wave 1, has ever used it fairly regularly, and did not use it in the past 12 months or currently uses it not at all.

IF LOOP = SNUS, THEN DEFINE:

R02_CURRENT_USER_SNUS:

IF (R01_AS1100SU = 1 OR R02_AS1100SU = 1) AND R02_AS1003SU = 1 OR 2, THEN
R02_CURRENT_USER_SNUS = 1.

ELSE, R02_CURRENT_USER_SNUS = 2.

R02_EVERYDAY_USER_SNUS:

IF R02_CURRENT_USER_SNUS = 1 AND R02_AS1003SU = 1, THEN
R02_EVERYDAY_USER_SNUS = 1.

ELSE, R02_EVERYDAY_USER_SNUS = 2.

R02_SOME_DAY_USER_SNUS:

IF R02_CURRENT_USER_SNUS = 1 AND R02_AS1003SU = 2, THEN
R02_SOME_DAY_USER_SNUS = 1.

ELSE, R02_SOME_DAY_USER_SNUS = 2.

R02_EXPERIMENTAL_CURRENT_SNUS:

IF R02_EVER_USER_SNUS = 1 AND R02_AS1100SU != 1 AND R01_AS1100SU != 1 AND
R02_AS1003SU = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_SNUS = 1.

ELSE, R02_EXPERIMENTAL_CURRENT_SNUS = 2.

R02_FORMER_THIRTYDAY_USER_SNUS:

IF (R02_CURRENT_USER_SNUS != 1 AND R02_EXPERIMENTAL_CURRENT_SNUS != 1) AND (R02_NEW_FORMER_USER_SNUS = 1 OR R02_EXPERIMENTAL_FORMER_SNUS = 1 OR R02_STILL_FORMER_USER_SNUS = 1) AND ((1<= R02_AS1009SU_NN <= 30 AND R02_AS1009SU_UN = 1) OR (R02_AS1009SU_NN = 1 AND R02_AS1009SU_UN = 2) OR (R02_AU1004 = 1 AND R02_AU9003 != 1)), THEN R02_FORMER_THIRTYDAY_USER_SNUS = 1.
ELSE, R02_FORMER_THIRTYDAY_USER_SNUS = 2.

R02_EXPERIMENTAL_FORMER_SNUS:

IF R02_CURRENT_USER_SNUS != 1 AND R02_EXPERIMENTAL_CURRENT_SNUS != 1 AND R02_EVER_USER_SNUS = 1 AND (R02_AU1002_12M = 2 OR R02_AU9004 = 1 OR R02_AS1003SU = 3) AND R02_AS1100SU != 1 AND R01_AS1100SU != 1), THEN
R02_EXPERIMENTAL_FORMER_SNUS = 1.
ELSE, R02_EXPERIMENTAL_FORMER_SNUS = 2.

R02_NEW_FORMER_USER_SNUS:

IF R02_EVER_USER_SNUS = 1 AND R02_CURRENT_USER_SNUS != 1 AND R02_EXPERIMENTAL_CURRENT_SNUS != 1 AND (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_EXPERIMENTAL_FORMER_SNUS = 1 OR R02_INIT_SNUS_ADULT = 1 OR (R01_YS1002_01 = 1 OR (R01_YU1003 = 2 OR 3))) AND (R01_AS1100SU = 1 OR R02_AS1100SU = 1) AND (R02_AU1002_12M = 2 OR R02_AU9004 = 1 OR R02_AS1003SU = 3), THEN R02_NEW_FORMER_USER_SNUS = 1.
ELSE, R02_NEW_FORMER_USER_SNUS = 2.

R02_STILL_FORMER_USER_SNUS:

IF R02_EVER_USER_SNUS = 1 AND R02_CURRENT_USER_SNUS != 1 AND R02_EXPERIMENTAL_CURRENT_SNUS != 1 AND R01_FORMER_USER_SNUS = 1 AND ((R02_AU1002_12M = 2 OR R02_AU9004 = 1) OR R02_AS1003SU = 3), THEN
R02_STILL_FORMER_USER_SNUS = 1.
ELSE, R02_STILL_FORMER_USER_SNUS = 2.

IF LOOP = SMKLS, THEN DEFINE:

R02_CURRENT_USER_SMKLS:

IF (R01_AS1100SM = 1 OR R02_AS1100SM = 1) AND R02_AS1003SM = 1 OR 2, THEN
R02_CURRENT_USER_SMKLS = 1.
ELSE, R02_CURRENT_USER_SMKLS = 2.

R02 EVERYDAY_USER_SMKLS:

IF R02_CURRENT_USER_SMKLS = 1 AND R02_AS1003SM = 1, THEN
R02 EVERYDAY_USER_SMKLS = 1.
ELSE, R02 EVERYDAY_USER_SMKLS = 2.

R02_SOME_DAY_USER_SMKLS:

IF R02_CURRENT_USER_SMKLS = 1 AND R02_AS1003SM = 2, THEN
R02_SOME_DAY_USER_SMKLS = 1.
ELSE, R02_SOME_DAY_USER_SMKLS = 2.

R02_EXPERIMENTAL_CURRENT_SMKLS:

IF R02_EVER_USER_SMKLS = 1 AND R02_AS1100SM != 1 AND R01_AS1100SM != 1 AND R02_AS1003SM = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_SMKLS = 1.
ELSE, R02_EXPERIMENTAL_CURRENT_SMKLS = 2.

R02_FORMER_THIRTYDAY_USER_SMKLS:

IF (R02_CURRENT_USER_SMKLS != 1 AND R02_EXPERIMENTAL_CURRENT_SMKLS != 1) AND (R02_NEW_FORMER_USER_SMKLS = 1 OR R02_EXPERIMENTAL_FORMER_SMKLS = 1 OR R02_STILL_FORMER_USER_SMKLS = 1) AND ((1<= R02_AS1009SM_NN <= 30 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_AS1009SM_UN = 1) OR (R02_AS1009SM_NN = 1 AND R02_AS1009SM_UN = 2) OR R02_AS1004 = 1 OR R02_AU9003 = 1 OR 2), THEN R02_FORMER_THIRTYDAY_USER_SMKLS = 1. ELSE, R02_FORMER_THIRTYDAY_USER_SMKLS = 2.

R02_EXPERIMENTAL_FORMER_SMKLS:

IF R02_CURRENT_USER_SMKLS != 1 AND R02_EXPERIMENTAL_CURRENT_SMKLS != 1 AND R02_EVER_USER_SMKLS = 1 AND (R02_AS1002_12M = 2 OR R02_AS1003SM = 3) AND R02_AS1100SM != 1 AND R01_AS1100SM != 1, THEN R02_EXPERIMENTAL_FORMER_SMKLS = 1.

ELSE, R02_EXPERIMENTAL_FORMER_SMKLS = 2.

R02_NEW_FORMER_USER_SMKLS:

IF R02_EVER_USER_SMKLS = 1 AND R02_CURRENT_USER_SMKLS != 1 AND R02_EXPERIMENTAL_CURRENT_SMKLS != 1 AND (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_EXPERIMENTAL_FORMER_SMKLS = 1 OR R02_INIT_SMKLS_ADULT = 1 OR (R01_YS1002_02 = 1 OR R01_YU1003 = 1 OR 2)) AND (R01_AS1100SM = 1 OR R02_AS1100SM = 1) AND (R02_AS1002_12M = 2 OR R02_AS1003SM = 3), THEN R02_NEW_FORMER_USER_SMKLS = 1.

ELSE, R02_NEW_FORMER_USER_SMKLS = 2.

R02_STILL_FORMER_USER_SMKLS:

IF R02_EVER_USER_SMKLS = 1 AND R02_CURRENT_USER_SMKLS != 1 AND R02_EXPERIMENTAL_CURRENT_SMKLS != 1 AND R01_FORMER_USER_SMKLS = 1 AND (R02_AS1002_12M = 2 OR R02_AS1003SM = 3), THEN R02_STILL_FORMER_USER_SMKLS = 1.

ELSE, R02_STILL_FORMER_USER_SMKLS = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ASR02
New baseline adult respondents who are every day established snus pouch/smokeless tobacco users, go to R02_AS1020[SU/SM]_NB. Else, adult respondents who initiated snus pouch/smokeless tobacco use since their last completed interview, go to R02_AS1008[SU/SM]. Else, adult respondents who are every day established snus pouch/smokeless tobacco users, go to R02_AS1021[SU/SM]. Else, adult respondents who are some day established, current experimental, or non-current 30-day snus pouch/smokeless tobacco users, go to R02_AS1022[SU/SM]. Else, adult respondents who are new former established snus pouch/smokeless tobacco users, go to R02_AS1047[SU/SM]. Else, go to Box R02_ASR04.	
IF LOOP = SNUS THEN: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_SNUS = 1, GO TO R02_AS1020SU_NB. ELSE, IF R02_INIT_SNUS_ADULT = 1, GO TO R02_AS1008SU. ELSE, IF R02 EVERYDAY_USER_SNUS = 1, GO TO R02_AS1021SU. ELSE, IF R02_SOME_DAY_USER_SNUS = 1 OR R02 EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_FORMER_THIRTYDAY_USER_SNUS = 1, GO TO R02_AS1022SU. ELSE, IF R02_NEW_FORMER_USER_SNUS = 1, GO TO R02_AS1047SU. ELSE, GO TO BOX R02_ASR04. IF LOOP = SMKLS THEN: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_SMKLS = 1, GO TO R02_AS1020SM_NB. ELSE, IF R02_INIT_SMKLS_ADULT = 1, GO TO R02_AS1008SM. ELSE, IF R02 EVERYDAY_USER_SMKLS = 1, GO TO R02_AS1021SM. ELSE, IF R02_SOME_DAY_USER_SMKLS = 1 OR R02 EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_FORMER_THIRTYDAY_USER_SMKLS = 1, GO TO R02_AS1022SM. ELSE, IF R02_NEW_FORMER_USER_SMKLS = 1, GO TO R02_AS1047SM. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS1020SU_NB; R02_AS1020SM_NB
How old were you when you first started using [SMKLSSFILL] every day? I__ __ Years old -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who are every day established snus pouch/smokeless tobacco users. ASK Specification: FOR R02_AS1020SU_NB: IF LOOP = SNUS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_SNUS = 1. FOR R02_AS1020SM_NB: IF LOOP = SMKLS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_SMKLS = 1. DISPLAY: Display "Years old" as a title. PROGRAM: Allow 2 digits for age. GOTO: New baseline adult respondents who are every day established snus pouch/smokeless tobacco users, and did not know or refused to report the age they first started using snus pouches/smokeless tobacco every day, go to R02_AS1122[SU/SM]_NB. Else, adult respondents who initiated snus pouch/smokeless tobacco use since their last completed interview, go to R02_AS1008[SU/SM]. Else, adult respondents who are every day established snus pouch/smokeless tobacco users, go to R02_AS1021[SU/SM]. GOTO Specification: FROM R02_AS1020SU_NB: IF LOOP = SNUS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_SNUS = 1 AND R02_AS1020SU_NB = -8, -7, GO TO R02_AS1122SU_NB. ELSE, IF LOOP = SNUS AND R02_INIT_SNUS_ADULT = 1, GO TO R02_AS1008SU. ELSE, GO TO R02_AS1021SU. FROM R02_AS1020SM_NB: IF LOOP = SMKLS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_SMKLS = 1 AND R02_AS1020SM_NB = -8, -7, GO TO R02_AS1122SM_NB. ELSE, IF LOOP = SMKLS AND R02_INIT_SMKLS_ADULT = 1, GO TO R02_AS1008SM. ELSE, GO TO R02_AS1021SM.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1122SU_NB; R02_AS1122SM_NB

When you first started using [SMKLSSFILL] every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who are every day established snus pouch/smokeless tobacco users, and did not know or refused to report the age they first started using snus pouches/smokeless tobacco every day.

ASK Specification: FOR R02_AS1122SU_NB: IF LOOP = SNUS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_SNUS = 1 AND R02_AS1020SU_NB = -8, -7.

FOR R02_AS1122SM_NB: IF LOOP = SMKLS AND R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_SMKLS = 1 AND R02_AS1020SM_NB = -8, -7.

GOTO: Adult respondents who initiated snus pouch/smokeless tobacco use since their last completed interview, go to R02_AS1008[SU/SM].

Else, adult respondents who are every day established snus pouch/smokeless tobacco users, go to R02_AS1021[SU/SM].

GOTO Specification: FROM R02_AS1122SU_NB: IF LOOP = SNUS AND R02_INIT_SNUS_ADULT = 1, GO TO R02_AS1008SU.

ELSE, GO TO R02_AS1021SU.

FROM R02_AS1122SM_NB: IF LOOP = SMKLS AND R02_INIT_SMKLS_ADULT = 1, GO TO R02_AS1008SM.

ELSE, GO TO R02_AS1021SM.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1008SU**/**; R02_AS1008SM**

When you first started using [SMKLSSFILL], did you use [SMKLSSFILL] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated snus pouch/smokeless tobacco use since their last completed interview.

ASK Specification: FOR R02_AS1008SU: IF LOOP = SNUS AND R02_INIT_SNUS_ADULT = 1.

FOR R02_AS1008SM: IF LOOP = SMKLS AND R02_INIT_SMKLS_ADULT = 1.

GOTO: Adult respondents who initiated snus pouch/smokeless tobacco use since their last completed interview, and initiated snus pouch/smokeless tobacco use with flavored snus pouches/smokeless tobacco, go to R02_AS1011[SU/SM].

Else, adult respondents who are every day established snus pouch/smokeless tobacco users, go to R02_AS1021[SU/SM].

Else, adult respondents who are some day established, current experimental, or non-current 30-day snus pouch/smokeless tobacco users, go to R02_AS1022[SU/SM].

Else, adult respondents who are new former established snus pouch/smokeless tobacco users, go to R02_AS1047[SU/SM].

GOTO Specification: FROM R02_AS1008SU: IF LOOP = SNUS AND R02_INIT_SNUS_ADULT = 1 AND R02_AS1008SU = 1, GO TO R02_AS1011SU.

ELSE, IF R02_EVERYDAY_USER_SNUS = 1, GO TO R02_AS1021SU.

ELSE, IF R02_SOME_DAY_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_FORMER_THIRTYDAY_USER_SNUS = 1, GO TO R02_AS1022SU.

ELSE, IF R02_NEW_FORMER_USER_SNUS = 1, GO TO R02_AS1047SU.

FROM R02_AS1008SM: IF LOOP = SMKLS AND R02_INIT_SMKLS_ADULT = 1 AND R02_AS1008SM = 1, GO TO R02_AS1011SM.

ELSE, IF R02_EVERYDAY_USER_SMKLS = 1, GO TO R02_AS1021SM.

ELSE, IF R02_SOME_DAY_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_FORMER_THIRTYDAY_USER_SMKLS = 1, GO TO R02_AS1022SM.

ELSE, IF R02_NEW_FORMER_USER_SMKLS = 1, GO TO R02_AS1047SM.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who indicated that they used only Skoal bandits in the past 30 days, but used other brands of snus pouches in the past year. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor did you first start using? If multiple flavors were mixed together, choose all that apply.	
R02_AS1011SU_01; R02_AS1011SM_01	1 Menthol or mint
R02_AS1011SU_02; R02_AS1011SM_02	2 Clove or spice
R02_AS1011SU_03; R02_AS1011SM_03	3 Fruit
R02_AS1011SU_04; R02_AS1011SM_04	4 Chocolate
R02_AS1011SU_05; R02_AS1011SM_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AS1011SU_06; R02_AS1011SM_06	6 Candy or other sweets
R02_AS1011SU_07; R02_AS1011SM_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who initiated snus pouch/smokeless tobacco use since their last completed interview, and initiated snus pouch/smokeless tobacco use with flavored snus pouches/smokeless tobacco.	
ASK Specification: FOR R02_AS1011SU: IF LOOP = SNUS AND R02_INIT_SNUS_ADULT = 1 AND R02_AS1008SU = 1.	
FOR R02_AS1011SM: IF LOOP = SMKLS AND R02_INIT_SMKLS_ADULT = 1 AND R02_AS1008SM = 1.	
PROGRAM: Allow respondent to choose all that apply.	
GOTO: Adult respondents who are every day established snus pouch/smokeless tobacco users, go to R02_AS1021[SU/SM].	
Else, adult respondents who are some day established, current experimental, or non-current 30-day snus pouch/smokeless tobacco users, go to R02_AS1022[SU/SM].	
Else, adult respondents who are new former established snus pouch/smokeless tobacco users, go to R02_AS1047[SU/SM].	
GOTO Specification: FROM R02_AS1011SU: IF R02 EVERYDAY_USER_SNUS = 1, GO TO R02_AS1021SU.	
ELSE, IF R02_SOME_DAY_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_FORMER_THIRTYDAY_USER_SNUS = 1, GO TO R02_AS1022SU.	
ELSE, IF R02_NEW_FORMER_USER_SNUS = 1, GO TO R02_AS1047SU.	
FROM R02_AS1011SM: IF R02 EVERYDAY_USER_SMKLS = 1, GO TO R02_AS1021SM.	
ELSE, IF R02_SOME_DAY_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_FORMER_THIRTYDAY_USER_SMKLS = 1, GO TO R02_AS1022SM.	
ELSE, IF R02_NEW_FORMER_USER_SMKLS = 1, GO TO R02_AS1047SM.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1021SU; R02_AS1021SM

On average, about how many [times do you now use smokeless tobacco each day/snus pouches do you now use each day]?

I__|__|

GO TO R02_AS1130[SU/SM]

-8 DON'T KNOW

GO TO R02_AS1130[SU/SM]

-7 REFUSED

GO TO R02_AS1130[SU/SM]

ASK: Adult respondents who are every day established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1021SU: IF LOOP = SNUS AND R02 EVERYDAY_USER_SNUS = 1.

FOR R02_AS1021SM: IF LOOP = SMKLS AND R02 EVERYDAY_USER_SMKLS = 1.

DISPLAY: FOR R02_AS1021SU: IF LOOP = SNUS, DISPLAY "snus pouches do you now use each day".

FOR R02_AS1021SM: IF LOOP = SMKLS, DISPLAY "times do you now use smokeless tobacco each day".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1022SU; R02_AS1022SM***

On how many of the past 30 days did you use [SMKLSSFILL]?

|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1022SU: IF LOOP = SNUS AND (R02_SOME_DAY_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_FORMER_THIRTYDAY_USER_SNUS = 1).

FOR R02_AS1022SM: IF LOOP = SMKLS AND (R02_SOME_DAY_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_FORMER_THIRTYDAY_USER_SMKLS = 1).

PROGRAM: Soft range check: 0-30 days

GOTO: Adult respondents who are some day established, current experimental, or non-current 30-day snus pouch/smokeless tobacco users and used snus pouches/smokeless tobacco on 0 days of the past 30 days, go to R02_AS9029[SU/SM].

Else, adult respondents who are some day established, current experimental, or non-current 30-day snus pouch/smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R02_AS1023[SU/SM].

GOTO Specification: FROM R02_AS1022SU: IF LOOP = SNUS AND (R02_SOME_DAY_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_FORMER_THIRTYDAY_USER_SNUS = 1) AND R02_AS1022SU = 0, GO TO R02_AS9029SU.

ELSE, IF LOOP = SNUS AND (R02_SOME_DAY_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_FORMER_THIRTYDAY_USER_SNUS = 1) AND R02_AS1022SU != 0, GO TO R02_AS1023SU.

FROM R02_AS1022SM: IF LOOP = SMKLS AND (R02_SOME_DAY_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R02_AS1022SM = 0, GO TO R02_AS9029SM.

ELSE, IF LOOP = SMKLS AND (R02_SOME_DAY_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R02_AS1022SM != 0, GO TO R02_AS1023SM.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS9029SU_NN; R02_AS9029SU_UN; R02_AS9029SM_NN; R02_AS9029SM_UN
About how long has it been since you last used [SMKLSSFILL]? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus pouch/smokeless tobacco users and used snus pouches/smokeless tobacco on 0 days of the past 30 days. ASK Specification: FOR R02_AS9029SU: IF LOOP = SNUS AND (R02_SOME_DAY_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_FORMER_THIRTYDAY_USER_SNUS = 1) AND R02_AS1022SU = 0. FOR R02_AS9029SM: IF LOOP = SMKLS AND (R02_SOME_DAY_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R02_AS1022SM = 0. PROGRAM: Display as Quantity/Units. GOTO: Adult respondents who are some day established snus pouch/smokeless tobacco users, go to R02_AS1024[SU/SM]. Else, adult respondents who are current experimental snus pouch/smokeless tobacco users, go to Box R02_ASD03. Else, adult respondents who are new former established snus pouch/smokeless tobacco users, go to R02_AS1047[SU/SM]. Else, go to Box ASR04. GOTO Specification: FROM R02_AS9029SU[_NN/_UN]: IF R02_SOME_DAY_USER_SNUS = 1, GO TO R02_AS1024SU. ELSE, IF R02_EXPERIMENTAL_CURRENT_SNUS = 1, GO TO BOX R02_ASD03. ELSE, IF R02_NEW_FORMER_USER_SNUS = 1, GO TO R02_AS1047SU. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03). FROM R02_AS9029SM[_NN/_UN]: IF R02_SOME_DAY_USER_SMKLS = 1, GO TO R02_AS1024SM. ELSE, IF R02_EXPERIMENTAL_CURRENT_SMKLS = 1, GO TO BOX R02_ASD03. ELSE, IF R02_NEW_FORMER_USER_SMKLS = 1, GO TO R02_AS1047SM. ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03). NOTES: The value "1" refers to R02_AS9029[SU/SM]_UN = Days; the value "2" refers to R02_AS9029[SU/SM]_UN = Months; the value "3" refers to R02_AS9029[SU/SM]_UN = Years.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1023SU**; R02_AS1023SM**
On average, on those [FILL NUMBER OF DAYS FROM R02_AS1022[SU/SM] days/days you used], [how many times did you usually use smokeless tobacco each day/how many snus pouches did you usually use each day]? _ _ _ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus pouch/smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used. ASK Specification: FOR R02_AS1023SU: IF LOOP = SNUS AND (R02_SOME_DAY_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_FORMER_THIRTYDAY_USER_SNUS = 1) AND (R02_AS1022SU > 0 OR R02_AS1022SU = -8, -7). FOR R02_AS1023SM: IF LOOP = SMKLS AND (R02_SOME_DAY_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_FORMER_THIRTYDAY_USER_SMKLS = 1) AND (R02_AS1022SM > 0 OR R02_AS1022SM = -8, -7). DISPLAY: FOR R02_AS1023SU: IF LOOP = SNUS, DISPLAY "how many snus pouches did you usually use each day". IF R02_AS1022SU = 1 day, -8, -7, DISPLAY "days you used". ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R02_AS1022SU. FOR R02_AS1023SM: IF LOOP = SMKLS, DISPLAY "how many times did you usually use smokeless tobacco each day". IF R02_AS1022SM = 1 day, -8, -7, DISPLAY "days you used". ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R02_AS1022SM. NOTES: **SKIP ERROR: This item was incorrectly skipped by respondents answered don't know or refused in item R02_AS1023[SU/SM]. The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1130SU**; R02_AS1130SM****

In the past 30 days, [was/were] any of the [snus pouches/smokeless tobacco] you used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established snus pouch/smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day snus pouch/smokeless tobacco users who have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: FOR R02_AS1130SU: IF LOOP = SNUS AND (R02_EVERYDAY_USER_SNUS = 1 OR ((R02_SOME_DAY_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_FORMER_THIRTYDAY_USER_SNUS = 1) AND (R02_AS1022SU > 0 OR R02_AS1022SU = -8, -7))).

FOR R02_AS1130SM: IF LOOP = SMKLS AND (R02_EVERYDAY_USER_SMKLS = 1 OR ((R02_SOME_DAY_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_FORMER_THIRTYDAY_USER_SMKLS = 1) AND (R02_AS1022SM > 0 OR R02_AS1022SM = -8, -7))).

DISPLAY: FOR R02_AS1130SU: IF LOOP = SNUS, DISPLAY "were" and "snus pouches".

FOR R02_AS1130SM: IF LOOP = SMKLS, DISPLAY "was" AND "smokeless tobacco".

GOTO: Adult respondents who are every day established snus pouch/smokeless tobacco users who have used flavored snus pouches/smokeless tobacco in the past 30 days or adult respondents who are some day established, current experimental, or non-current 30-day snus pouch/smokeless tobacco users who have used at least 1 day in the past 30 days or did not know or refused to report how many of the past 30 days they used and have used flavored snus pouches/smokeless tobacco in the past 30 days, go to R02_AS1131[SU/SM].

Else, adult respondents who are current established snus pouch/smokeless tobacco users, go to R02_AS1024[SU/SM].

Else, adult respondents who are current experimental snus pouch/smokeless tobacco users, go to Box R02_ASD03.

Else, adult respondents who are new former established snus pouch/smokeless tobacco users, go to R02_AS1047[SU/SM].

Else, go to Box ASR04.

GOTO Specification: FROM R02_AS1130SU: IF LOOP = SNUS AND (R02_EVERYDAY_USER_SNUS = 1 OR ((R02_SOME_DAY_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_FORMER_THIRTYDAY_USER_SNUS = 1) AND (R02_AS1022SU > 0 OR R02_AS1022SU = -8, -7))) AND R02_AS1130SU = 1, GO TO R02_AS1131SU.

ELSE, IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1, GO TO R02_AS1024SU.

ELSE, IF R02_EXPERIMENTAL_CURRENT_SNUS = 1, GO TO BOX R02_ASD03.

ELSE, IF R02_NEW_FORMER_USER_SNUS = 1, GO TO R02_AS1047SU.

ELSE, GO TO BOX R02_ASR04.

FROM R02_AS1130SM: IF LOOP = SMKLS AND (R02_EVERYDAY_USER_SMKLS = 1 OR ((R02_SOME_DAY_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_FORMER_THIRTYDAY_USER_SMKLS = 1) AND (R02_AS1022SM > 0 OR R02_AS1022SM = -8, -7))) AND R02_AS1130SM = 1, GO TO R02_AS1131SM.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

ELSE, IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1, GO TO R02_AS1024SM.

ELSE, IF R02_EXPERIMENTAL_CURRENT_SMKLS = 1, GO TO BOX R02_ASD03.

ELSE, IF R02_NEW_FORMER_USER_SMKLS = 1, GO TO R02_AS1047SM.

ELSE, GO TO BOX R02_ASR04.

NOTES: **SKIP ERROR: This item was incorrectly skipped by respondents who answered don't know or refused in item R02_AS1022[SU/SM]. The error was not corrected during Wave 2 Data Collection.

Variable(s): **SEE BELOW:**

Which flavors have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

- | | |
|---|--|
| R02_AS1131SU_01;
R02_AS1131SM_01 | 1 Menthol or mint |
| R02_AS1131SU_02;
R02_AS1131SM_02 | 2 Clove or spice |
| R02_AS1131SU_03;
R02_AS1131SM_03 | 3 Fruit |
| R02_AS1131SU_04;
R02_AS1131SM_04 | 4 Chocolate |
| R02_AS1131SU_05;
R02_AS1131SM_05 | 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R02_AS1131SU_06;
R02_AS1131SM_06 | 6 Candy or other sweets |
| R02_AS1131SU_07;
R02_AS1131SM_07 | 7 Some other flavor |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who are every day established snus pouch/smokeless tobacco users who have used flavored snus pouches/smokeless tobacco in the past 30 days or adult respondents who are some day established, current experimental, or non-current 30-day snus pouch/smokeless tobacco users who have used at least 1 day in the past 30 days or did not know or refused to report how many of the past 30 days they used and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: FOR R02_AS1131SU: IF LOOP = SNUS AND (R02 EVERYDAY_USER_SNUS = 1 OR ((R02_SOME_DAY_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_FORMER_THIRTYDAY_USER_SNUS = 1) AND (R02_AS1022SU > 0 OR R02_AS1022SU = -8, -7))) AND R02_AS1130SU = 1.

FOR R02_AS1131SM: IF LOOP = SMKLS AND (R02 EVERYDAY_USER_SMKLS = 1 OR ((R02_SOME_DAY_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_FORMER_THIRTYDAY_USER_SMKLS = 1) AND (R02_AS1022SM > 0 OR R02_AS1022SM = -8, -7))) AND R02_AS1130SM = 1.

PROGRAM: Allow respondent to choose all that apply.

GOTO: Adult respondents who are current established snus pouch/smokeless tobacco users, go to R02_AS1024[SU/SM].

Else, adult respondents who are current experimental snus pouch/smokeless tobacco users, go to Box R02_ASD03.

Else, adult respondents who are new former established snus pouch/smokeless tobacco users, go to R02_AS1047[SU/SM].

Else, go to Box ASR04.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

GOTO Specification: FROM R02_AS1131SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1, GO TO R02_AS1024SU.
 ELSE, IF R02_EXPERIMENTAL_CURRENT_SNUS = 1, GO TO BOX R02_ASD03.
 ELSE, IF R02_NEW_FORMER_USER_SNUS = 1, GO TO R02_AS1047SU.
 ELSE, GO TO BOX R02_ASR04.
 FROM R02_AS1131SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1, GO TO R02_AS1024SM.
 ELSE, IF R02_EXPERIMENTAL_CURRENT_SMKLS = 1, GO TO BOX R02_ASD03.
 ELSE, IF R02_NEW_FORMER_USER_SMKLS = 1, GO TO R02_AS1047SM.
 ELSE, GO TO BOX R02_ASR04.

Variable(s): **R02_AS1024SU_NN; R02_AS1024SU_UN; R02_AS1024SM_NN***; R02_AS1024SM_UN**

[On the days that you use [SMKLSSFILL], how/How] soon after you wake up do you typically use your first [smokeless tobacco product/snus pouch] of the day? Please enter the number of minutes or hours.

- | | |
|-----------------------------------|-------------------------|
| 1 __ __ __ Minutes after waking | GO TO R02_AS1098[SU/SM] |
| 2 __ __ __ Hours after waking | GO TO R02_AS1098[SU/SM] |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: Adult respondents who are current established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1024SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1.

FOR R02_AS1024SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1.

DISPLAY: FOR R02_AS1024SU: IF LOOP = SNUS, DISPLAY "snus pouch". IF LOOP = SNUS AND R02 EVERYDAY_USER_SNUS = 1, DISPLAY "How". IF LOOP = SNUS AND R02_SOME_DAY_USER_SNUS = 1, DISPLAY "On the days that you use [SMKLSSFILL], how".

FOR R02_AS1024SM: IF LOOP = SMKLS, DISPLAY "smokeless tobacco product". IF LOOP = SMKLS AND R02 EVERYDAY_USER_SMKLS = 1, DISPLAY "How". IF LOOP = SMKLS AND R02_SOME_DAY_USER_SMKLS = 1, DISPLAY "On the days that you use [SMKLSSFILL], how".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R02_AS1024[SU/SM]_UN = Minutes after waking; the value "2" refers to R02_AS1024[SU/SM]_UN = Hours after waking.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS1092SU; R02_AS1092SM
[On the days that you use [SMKLSSFILL], would/Would] you say you use your first [smokeless tobacco product/snus pouch] of the day within the first 30 minutes after you wake up? 1 Yes 2 No 3 It varies -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established snus pouch/smokeless tobacco users and did not know or refused to report how soon after waking up they typically use snus pouches/smokeless tobacco. ASK Specification: FOR R02_AS1092SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1024SU_NN = -8, -7. FOR R02_AS1092SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS1024SM_NN = -8, -7. DISPLAY: FOR R02_AS1092SU: IF LOOP = SNUS, DISPLAY "snus pouch". IF LOOP = SNUS AND R02 EVERYDAY_USER_SNUS = 1, DISPLAY "Would". IF LOOP = SNUS AND R02_SOME_DAY_USER_SNUS = 1, DISPLAY "On the days that you use [SMKLSSFILL], would". FOR R02_AS1092SM: IF LOOP = SMKLS, DISPLAY "smokeless tobacco product". IF LOOP = SMKLS AND R02 EVERYDAY_USER_SMKLS = 1, DISPLAY "Would". IF LOOP = SMKLS AND R02_SOME_DAY_USER_SMKLS = 1, DISPLAY "On the days that you use [SMKLSSFILL], would".	

Variable(s):	R02_AS1098SU; R02_AS1098SM***
The next questions ask about your experience buying [SMKLSSFILL]. In the past 30 days, how often have you used a coupon when buying [SMKLSSFILL]? 1 Always 2 Sometimes 3 Rarely 4 Never -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established snus pouch/smokeless tobacco users. ASK Specification: FOR R02_AS1098SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1. FOR R02_AS1098SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1030SU; R02_AS1030SM*****

How do you usually buy [SMKLSSFILL] for yourself?

- | | | |
|----|----------------------------------|-------------------------|
| 1 | In person | |
| 2 | From the internet | GO TO R02_AS1042[SU/SM] |
| 3 | By telephone | GO TO R02_AS1042[SU/SM] |
| 4 | I do not buy my own [SMKLSSFILL] | GO TO R02_AS1047[SU/SM] |
| -8 | DON'T KNOW | GO TO R02_AS1047[SU/SM] |
| -7 | REFUSED | GO TO R02_AS1047[SU/SM] |

ASK: Adult respondents who are current established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1030SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1.

FOR R02_AS1030SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AS1032SU; R02_AS1032SM**

Do you usually buy [SMKLSSFILL]...?

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established snus pouch/smokeless tobacco users and usually buy snus pouches/smokeless tobacco in person.

ASK Specification: FOR R02_AS1032SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1030SU = 1.

FOR R02_AS1032SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS1030SM = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS1033SU; R02_AS1033SU_OS; R02_AS1033SM; R02_AS1033SM_OS
Where do you buy your [SMKLSSFILL] most of the time? 1 A convenience store or gas station 2 A supermarket, grocery store, or drug store 3 A warehouse club, such as Sam's or Costco 4 A smoke shop, tobacco specialty store or tobacco outlet store 5 A duty free shop or military commissary 6 A bar, pub, restaurant or casino 7 A friend or relative 8 A swap meet or flea market 9 A liquor store 10 Or from somewhere else (SPECIFY) -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established snus pouch/smokeless tobacco users and usually buy snus pouches/smokeless tobacco in person. ASK Specification: FOR R02_AS1033SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1030SU = 1. FOR R02_AS1033SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS1030SM = 1. DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1042SU_D; R02_AS1042SU_C; R02_AS1042SM_D; R02_AS1042SM_C;
How much do you usually pay for a container of [SMKLSSFILL]? \$ _ _ _ _ Dollars . _ _ _ _ Cents -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established snus pouch/smokeless tobacco users and usually buy snus pouches/smokeless tobacco in person, from the internet, or by telephone. ASK Specification: FOR R02_AS1042SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1030SU = 1, 2, 3. FOR R02_AS1042SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS1030SM = 1, 2, 3. DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles. PROGRAM: Display as Quantity/Quantity. GOTO: From R02_AS1042SU: Adult respondents who are current established snus pouch users and buy their snus pouches in person, from the internet, or by telephone, go to R02_AU9001. Else, go to R02_AS1047SU. From R02_AS1042SM: Go to R02_AS1047SM. GOTO Specification: FROM R02_AS1042SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1030SU = 1, 2, 3, GO TO R02_AU9001. ELSE, GO TO R02_AS1047SU. FROM R02_AS1042SM: GO TO R02_AS1047SM.

Variable(s): R02_AU9001
How many pouches are in the container of snus that you usually buy? _ _ _ _ -8 DON'T KNOW -7 REFUSED GO TO R02_AS1047SU GO TO R02_AS1047SU ASK: Adult respondents who are current established snus pouch users and buy their snus pouches in person, from the internet, or by telephone. ASK Specification: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1030SU = 1, 2, 3. PROGRAM: This is only asked of snus pouch users where SMKLSSTYPE[2]=1; This is not asked of smokeless tobacco users where SMKLSSTYPE[1]=1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AU9002**

About how many days does it take you to use up a container this size?

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established snus pouch users and buy their snus pouches in person, from the internet, or by telephone and reported how many snus pouches are in the container they usually buy.

ASK Specification: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1030SU = 1, 2, 3 AND R02_AU9001 != -8, -7.

PROGRAM: This is only asked of snus pouch users where SMKLSSTYPE[2]=1; This is not asked of smokeless tobacco users where SMKLSSTYPE[1]=1.

Variable(s): **R02_AS1047SU***; R02_AS1047SM**/****

[Do/Did] you have a regular brand of [SMKLSSFILL] that you usually [use/used]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1047SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1).

FOR R02_AS1047SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1).

DISPLAY: FOR R02_AS1047SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1, DISPLAY "Do" AND "use". ELSE, DISPLAY "Did" AND "used".

FOR R02_AS1047SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1, DISPLAY "Do" AND "use". ELSE, DISPLAY "Did" AND "used".

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1048SU_BRAND***; R02_AS1048SM_BRAND*****

What brand of [SMKLSSFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1048SU_BRAND: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1).

FOR R02_AS1048SM_BRAND: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1).

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else".

FOR R02_AS1048SU_BRAND: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1047SU = 1, DISPLAY "do" AND "usually". IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1047SU = 2, -8, -7, DISPLAY "did" AND "last". IF LOOP = SNUS AND R02_NEW_FORMER_USER_SNUS = 1 AND R02_AS1047SU = 1, DISPLAY "did" AND "usually". IF LOOP = SNUS AND R02_NEW_FORMER_USER_SNUS = 1 AND R02_AS1047SU = 2, -8, -7, DISPLAY "did" AND "last".

FOR R02_AS1048SM_BRAND: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS1047SM = 1, DISPLAY "do" AND "usually". IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS1047SM = 2, -8, -7, DISPLAY "did" AND "last". IF LOOP = SMKLS AND R02_NEW_FORMER_USER_SMKLS = 1 AND R02_AS1047SM = 1, DISPLAY "did" AND "usually". IF LOOP = SMKLS AND R02_NEW_FORMER_USER_SMKLS = 1 AND R02_AS1047SM = 2, -8, -7, DISPLAY "did" AND "last".

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

GOTO: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users and selected a brand of snus pouches/smokeless tobacco, go to R02_AS1070[SU/SM]_PRODUCT.

Else, adult respondents who are current established or new former established snus pouch/smokeless tobacco users and selected "Something else" for their brand of snus pouches/smokeless tobacco, go to R02_AS1049[SU/SM].

Else, adult respondents who are current established or new former established snus pouch/smokeless tobacco users, go to R02_AS1050[SU/SM].

GOTO Specification: FROM R02_AS1048SU_BRAND: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1048SU_BRAND != 9995, -8, -7, GO TO R02_AS1070SU_PRODUCT.

ELSE, IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1048SU_BRAND = 9995, GO TO R02_AS1049SU.

ELSE, IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1), GO TO R02_AS1050SU.

FROM R02_AS1048SM_BRAND: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1048SM_BRAND != 9995, -8, -7, GO TO R02_AS1070SM_PRODUCT.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

ELSE, IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR
R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1048SM_BRAND = 9995, GO TO
R02_AS1049SM.

ELSE, IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR
R02_NEW_FORMER_USER_SMKLS = 1), GO TO R02_AS1050SM.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1070SU_PRODUCT; R02_AS1070SM_PRODUCT**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users and selected a brand of snus pouches/smokeless tobacco.

ASK Specification: FOR R02_AS1070SU_PRODUCT: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1048SU_BRAND != 9995, -8, -7.

FOR R02_AS1070SM_PRODUCT: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1048SM_BRAND != 9995, -8, -7.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else".

FOR R02_AS1070SU_PRODUCT: FILL BRANDFILL WITH BRAND CHOSEN IN R02_AS1048SU_BRAND. IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1047SU = 1, DISPLAY "do" AND "usually". IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1047SU = 2, -8, -7, DISPLAY "did" AND "last". IF LOOP = SNUS AND R02_NEW_FORMER_USER_SNUS = 1 AND R02_AS1047SU = 1, DISPLAY "did" AND "usually". IF LOOP = SNUS AND R02_NEW_FORMER_USER_SNUS = 1 AND R02_AS1047SU = 2, -8, -7, DISPLAY "did" AND "last".

FOR R02_AS1070SM_PRODUCT: FILL BRANDFILL WITH BRAND CHOSEN IN R02_AS1048SM_BRAND. IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS1047SM = 1, DISPLAY "do" AND "usually". IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS1047SM = 2, -8, -7, DISPLAY "did" AND "last". IF LOOP = SMKLS AND R02_NEW_FORMER_USER_SMKLS = 1 AND R02_AS1047SM = 1, DISPLAY "did" AND "usually". IF LOOP = SMKLS AND R02_NEW_FORMER_USER_SMKLS = 1 AND R02_AS1047SM = 2, -8, -7, DISPLAY "did" AND "last".

PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R02_AS1048[SU/SM]_BRAND.

GOTO: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users and selected a brand of snus pouches/smokeless tobacco and selected "Something else" for their sub brand of snus pouches/smokeless tobacco, go to R02_AS1071[SU/SM].

Else, adult respondents who are current established or new former established snus pouch/smokeless tobacco users, go to R02_AS1050[SU/SM].

GOTO Specification: FROM R02_AS1070SU_PRODUCT: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1048SU_BRAND != 9995, -8, -7 AND R02_AS1070SU_PRODUCT = 99995, GO TO R02_AS1071SU.

ELSE, IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1), GO TO R02_AS1050SU.

FROM R02_AS1070SM_PRODUCT: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1048SM_BRAND != 9995, -8, -7 AND R02_AS1070SM_PRODUCT = 99995, GO TO R02_AS1071SM.

ELSE, IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1), GO TO R02_AS1050SM.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1049SU; R02_AS1049SM***

You said that your brand was not pictured. What is it?

- | | |
|---------------|-------------------------|
| _____ | GO TO R02_AS1050[SU/SM] |
| -8 DON'T KNOW | GO TO R02_AS1050[SU/SM] |
| -7 REFUSED | GO TO R02_AS1050[SU/SM] |

ASK: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users and selected "Something else" for their brand of snus pouches/smokeless tobacco.

ASK Specification: FOR R02_AS1049SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1048SU_BRAND = 9995.

FOR R02_AS1049SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1048SM_BRAND = 9995.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AS1071SU; R02_AS1071SM

You said that the type of [BRANDFILL]s that you [use/used] is not pictured. What type is it?

- | | |
|---------------|--|
| _____ | |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users and selected a brand of snus pouches/smokeless tobacco and selected "Something else" for their sub brand of snus pouches/smokeless tobacco.

ASK Specification: FOR R02_AS1071SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1048SU_BRAND != 9995, -8, -7 AND R02_AS1070SU_PRODUCT = 99995.

FOR R02_AS1071SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1048SM_BRAND != 9995, -8, -7 AND R02_AS1070SM_PRODUCT = 99995.

DISPLAY: FOR R02_AS1071SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1, DISPLAY "use". ELSE, DISPLAY "used". FILL BRANDFILL WITH BRAND CHOSEN IN R02_AS1048SU_BRAND.

FOR R02_AS1071SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1, DISPLAY "use". ELSE, DISPLAY "used". FILL BRANDFILL WITH BRAND CHOSEN IN R02_AS1048SM_BRAND.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1050SU***; R02_AS1050SM**/****

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1050SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1).

FOR R02_AS1050SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1).

DISPLAY: FOR R02_AS1050SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1047SU = 1, DISPLAY "Is" AND "your regular brand" AND "use". IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS1047SU = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used". IF LOOP = SNUS AND R02_NEW_FORMER_USER_SNUS = 1 AND R02_AS1047SU = 1, DISPLAY "Was" AND "your regular brand" AND "used". IF LOOP = SNUS AND R02_NEW_FORMER_USER_SNUS = 1 AND R02_AS1047SU = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".

FOR R02_AS1050SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS1047SM = 1, DISPLAY "Is" AND "your regular brand" AND "use". IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS1047SM = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used". IF LOOP = SMKLS AND R02_NEW_FORMER_USER_SMKLS = 1 AND R02_AS1047SM = 1, DISPLAY "Was" AND "your regular brand" AND "used". IF LOOP = SMKLS AND R02_NEW_FORMER_USER_SMKLS = 1 AND R02_AS1047SM = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".

GOTO: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users and whose regular brand or last brand of snus pouches/smokeless tobacco used was flavored, go to R02_AS1012SU.

Else, adult respondents who are current established or new former established snus pouch/smokeless tobacco users and have a regular brand of snus pouches/smokeless tobacco, go to R02_AS1051SU.

Else, adult respondents who are current established snus pouch/smokeless tobacco users and have used snus pouches/smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of snus pouches/smokeless tobacco, go to [R02_AU0104/R02_AS0104SM].

Else, adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users, go to Box R02_ASD03.

GOTO Specification: FROM R02_AS1050SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1050SU = 1, GO TO R02_AS1012SM.

ELSE, IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1047SU = 1, GO TO R02_AS1051SU.

ELSE, IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS0100SU = 1, 2, 3, 4 AND R02_AS1048SU_BRAND != 9995, -8, -7 AND R02_AS1070SU_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AU0104.

ELSE, IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1), GO TO BOX R02_ASD03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

FROM R02_AS1050SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1050SM = 1, GO TO R02_AS1012SM.
 ELSE, IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1047SM = 1, GO TO R02_AS1051SM.
 ELSE, IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS0100SM = 1, 2, 3, 4 AND R02_AS1048SM_BRAND != 9995, -8, -7 AND R02_AS1070SM_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AS0104SM.
 ELSE, IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1), GO TO BOX R02_ASD03.

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.
 ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **SEE BELOW:**

Which flavor [is/was] it? If multiple flavors were mixed together, choose all that apply.

R02_AS1012SU_01; R02_AS1012SM_01	1 Menthol or mint
R02_AS1012SU_02; R02_AS1012SM_02	2 Clove or spice
R02_AS1012SU_03; R02_AS1012SM_03	3 Fruit
R02_AS1012SU_04; R02_AS1012SM_04	4 Chocolate
R02_AS1012SU_05; R02_AS1012SM_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AS1012SU_06; R02_AS1012SM_06	6 Candy or other sweets
R02_AS1012SU_07; R02_AS1012SM_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED

ASK: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users and whose regular brand or last brand of snus pouches/smokeless tobacco used was flavored.

ASK Specification: FOR R02_AS1012SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1050SU = 1.
 FOR R02_AS1012SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1050SM = 1.

DISPLAY: FOR R02_AS1012SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1047SU = 1, DISPLAY "is". ELSE, DISPLAY "was".

FOR R02_AS1012SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1047SM = 1, DISPLAY "is". ELSE, DISPLAY "was".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

PROGRAM: Allow respondent to choose all that apply.

GOTO: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users and have a regular brand of snus pouches/smokeless tobacco, go to R02_AS1051SU.

Else, adult respondents who are current established snus pouch/smokeless tobacco users and have used snus pouches/smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of snus pouches/smokeless tobacco, go to [R02_AU0104/R02_AS0104SM].

Else, adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users, go to Box R02_ASD03.

GOTO Specification: FROM R02_AS1012SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1047SU = 1, GO TO R02_AS1051SU.

ELSE, IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS0100SU = 1, 2, 3, 4 AND R02_AS1048SU_BRAND != 9995, -8, -7 AND R02_AS1070SU_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AU0104.

ELSE, IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1), GO TO BOX R02_ASD03.

FROM R02_AS1012SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1047SM = 1, GO TO R02_AS1051SM.

ELSE, IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS0100SM = 1, 2, 3, 4 AND R02_AS1048SM_BRAND != 9995, -8, -7 AND R02_AS1070SM_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AS0104SM.

ELSE, IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1), GO TO BOX R02_ASD03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS1051SU_NN; R02_AS1051SU_UN; R02_AS1051SM_NN; R02_AS1051SM_UN
About how long [did you use/have you been using] your regular brand of [SMKLSSFILL]? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established snus pouch/smokeless tobacco users and have a regular brand of snus pouches/smokeless tobacco. ASK Specification: FOR R02_AS1051SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND R02_AS1047SU = 1. FOR R02_AS1051SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND R02_AS1047SM = 1. DISPLAY: FOR R02_AS1051SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1, DISPLAY "have you been using". ELSE, DISPLAY "did you use". FOR R02_AS1051SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1, DISPLAY "have you been using". ELSE, DISPLAY "did you use". PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. GOTO: Adult respondents who are current established snus pouch/smokeless tobacco users and have used snus pouches/smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of snus pouches/smokeless tobacco, go to [R02_AU0104/R02_AS0104SM]. Else, adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users, go to Box R02_ASD03. GOTO Specification: FROM R02_AS1051SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS0100SU = 1, 2, 3, 4 AND R02_AS1048SU_BRAND != 9995, -8, -7 AND R02_AS1070SU_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AU0104. ELSE, GO TO BOX R02_ASD03. FROM R02_AS1051SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS0100SM = 1, 2, 3, 4 AND R02_AS1048SM_BRAND != 9995, -8, -7 AND R02_AS1070SM_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AS0104SM. ELSE, GO TO BOX R02_ASD03. NOTES: The value "1" refers to R02_AS1051[SU/SM]_UN = Days; the value "2" refers to R02_AS1051[SU/SM]_UN = Months; the value "3" refers to R02_AS1051[SU/SM]_UN = Years.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS0104SM**

You said earlier that you used smokeless tobacco [TIME OF LAST USE]. Think about the very last time you used it. Was the brand [NEQBRAND]?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R02_ASD03 |
| 2 | No | GO TO BOX R02_ASD03 |
| -8 | DON'T KNOW | GO TO BOX R02_ASD03 |
| -7 | REFUSED | GO TO BOX R02_ASD03 |

ASK: Adult respondents who are current established smokeless tobacco users and have used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of smokeless tobacco.

ASK Specification: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 AND R02_AS0100SM = 1, 2, 3, 4 AND R02_AS1048SM_BRAND != 9995, -8, -7 AND R02_AS1070SM_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R02_AS0100SM = 1, FILL [TIME OF LAST USE] WITH "in the past hour". IF R02_AS0100SM = 2, FILL [TIME OF LAST USE] WITH "sometime today". IF R02_AS0100SM = 3, FILL [TIME OF LAST USE] WITH "yesterday". IF R02_AS0100SM = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH RESPONSE TO R02_AS1070SM_PRODUCT.

Variable(s): **R02_AU0104**

You said earlier that you last used snus [TIME OF LAST USE]. Think about the very last pouch you used. Was the brand [NEQBRAND]?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established snus pouch users and have used snus pouches in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of snus pouches.

ASK Specification: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 AND R02_AS0100SU = 1, 2, 3, 4 AND R02_AS1048SU_BRAND != 9995, -8, -7 AND R02_AS1070SU_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R02_AS0100SU = 1, FILL [TIME OF LAST USE] WITH "in the past hour". IF R02_AS0100SU = 2, FILL [TIME OF LAST USE] WITH "sometime today". IF R02_AS0100SU = 3, FILL [TIME OF LAST USE] WITH "yesterday". IF R02_AS0100SU = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH RESPONSE TO R02_AS1070SU_PRODUCT.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ASD03

Randomize order of R02_AS1060[SU/SM] through R02_AS1072[SU/SM].

Display question R02_AS1060[SU/SM], R02_AS1061[SU/SM], R02_AS1085[SU/SM], R02_AS1062[SU/SM], R02_AS1075[SU/SM], R02_AS1063[SU/SM], R02_AS1064[SU/SM], R02_AS1065[SU/SM], R02_AS1067[SU/SM], R02_AS1068[SU/SM], R02_AU1076, R02_AU1070, R02_AS1072[SU/SM] on one screen. Show the intro/transition text from R02_AS1060[SU/SM] first, then show each item with responses. As each item is answered, show the next one.

Items R02_AU1076SU and R02_AU1070SU are only shown for snus pouch users; they are not shown for smokeless tobacco users.

Variable(s): R02_AS1060SU***; R02_AS1060SM**/**

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons [apply to you/applied to you when you used to use [SMKLSSFILL]].

I [use/used] [SMKLSSFILL] because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1060SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1).

FOR R02_AS1060SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1).

DISPLAY: FOR R02_AS1060SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1), DISPLAY "apply to you", "use" AND "is". ELSE, DISPLAY "applied to you when you used to use [SMKLSSFILL]", "used" AND "was".

FOR R02_AS1060SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1), DISPLAY "apply to you", "use" AND "is". ELSE, DISPLAY "applied to you when you used to use [SMKLSSFILL]", "used" AND "was".

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS1061SU***; R02_AS1061SM**/**
People in the media or other public figures [use/used] [SMKLSSFILL]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users. ASK Specification: FOR R02_AS1061SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1). FOR R02_AS1061SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1). DISPLAY: FOR R02_AS1061SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1), DISPLAY "use". ELSE, DISPLAY "used". FOR R02_AS1061SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1), DISPLAY "use". ELSE, DISPLAY "used". NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1085SU***; R02_AS1085SM**/**

I [can/could] use [SMKLSSFILL] at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1085SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1).

FOR R02_AS1085SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1).

DISPLAY: FOR R02_AS1085SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1), DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't".

FOR R02_AS1085SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1), DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't".

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1062SU***; R02_AS1062SM**/**

It might [be/have been] less harmful to me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1062SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1).

FOR R02_AS1062SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1).

DISPLAY: FOR R02_AS1062SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1), DISPLAY "be". ELSE, DISPLAY "have been".

FOR R02_AS1062SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1), DISPLAY "be". ELSE, DISPLAY "have been".

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AS1075SU***; R02_AS1075SM**/**

It might [be/have been] less harmful to people around me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1075SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1).

FOR R02_AS1075SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1).

DISPLAY: FOR R02_AS1075SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1), DISPLAY "be". ELSE, DISPLAY "have been".

FOR R02_AS1075SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1), DISPLAY "be". ELSE, DISPLAY "have been".

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1063SU***; R02_AS1063SM**/****

[Smokeless tobacco [comes/came]] [Snus pouches [come/came]] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1063SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1).

FOR R02_AS1063SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1).

DISPLAY: FOR R02_AS1063SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1, DISPLAY "Snus pouches", "come" AND "like". ELSE, IF LOOP = SNUS DISPLAY "Snus pouches", "came" AND "liked".

FOR R02_AS1063SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1, DISPLAY "Smokeless tobacco", "come" AND "like". ELSE, IF LOOP = SMKLS, DISPLAY "Smokeless tobacco", "came" AND "liked".

GOTO: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users, and are also current established, current experimental, or new former established cigarette smokers, go to R02_AS1064[SU/SM].

Else, adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users, go to R02_AS1065[SU/SM].

GOTO Specification: FROM R02_AS1063SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AS1064SU.

ELSE, IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1), GO TO R02_AS1065SU.

FROM R02_AS1063SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AS1064SM.

ELSE, IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1), GO TO R02_AS1065SM.

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1064SU***; R02_AS1064SM**/****

Using [SMKLSSFILL] helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users, and are also current established, current experimental, or new former established cigarette smokers.

ASK Specification: FOR R02_AS1064SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1).

FOR R02_AS1064SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1).

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AS1065SU***; R02_AS1065SM**/****

[Smokeless tobacco doesn't/Snus pouches don't] smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1065SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1).

FOR R02_AS1065SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1).

DISPLAY: FOR R02_AS1065SU: IF LOOP = SNUS, DISPLAY "Snus pouches don't".

FOR R02_AS1065SM: IF LOOP = SMKLS, DISPLAY "Smokeless tobacco doesn't".

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS1067SU***; R02_AS1067SM**/**
[Smokeless tobacco [is/was]] [Snus pouches [are/were]] more acceptable to non-tobacco users. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users. ASK Specification: FOR R02_AS1067SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1). FOR R02_AS1067SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1). DISPLAY: FOR R02_AS1067SU: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1, DISPLAY "Snus pouches" AND "are". ELSE, IF LOOP = SNUS DISPLAY "Snus pouches" AND "were". FOR R02_AS1067SM: IF LOOP = SMKLS AND R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1, DISPLAY "Smokeless tobacco" AND "are". ELSE, IF LOOP = SMKLS DISPLAY "Smokeless tobacco" AND "were". NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1068SU***; R02_AS1068SM**/**

People who are important to me [use/used] [SMKLSSFILL].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1068SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1).

FOR R02_AS1068SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1).

DISPLAY: FOR R02_AS1068SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1), DISPLAY "use". ELSE, DISPLAY "used".

FOR R02_AS1068SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1), DISPLAY "use". ELSE, DISPLAY "used".

GOTO: From R02_AS1068SU: Go to R02_AU1076SU.

From R02_AS1068SM: Go to R02_AS1072SM.

GOTO Specification: FROM R02_AS1068SU: GO TO R02_AU1076SU.

FROM R02_AS1068SM: GO TO R02_AS1072SM.

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AU1076***
No one can tell when I [am/was] using a snus pouch. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established snus pouch users. ASK Specification: IF LOOP = SNUS AND R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1. DISPLAY: IF R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1, DISPLAY "am". ELSE, DISPLAY "was". GOTO: Adult respondents who are current established, current experimental, or new former established snus pouch users, and are also current established or new former established cigarette smokers, go to R02_AU1070. Else, adult respondents who are current established, current experimental, or new former established snus pouch users, go to R02_AS1072SU. GOTO Specification: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AU1070. ELSE, IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1), GO TO R02_AS1072SU. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AU1070***
The sensations [are/were] stronger or more pleasurable than cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established snus pouch users, and are also current established or new former established cigarette smokers. ASK Specification: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1). DISPLAY: IF R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1, DISPLAY "are". ELSE, DISPLAY "were". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1072SU***; R02_AS1072SM**/****

The advertising for [SMKLSSFILL] [appeals/appealed] to me.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users.

ASK Specification: FOR R02_AS1072SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1).

FOR R02_AS1072SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1).

DISPLAY: FOR R02_AS1072SU: IF LOOP = SNUS AND (R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_CURRENT_USER_SNUS = 1), DISPLAY "appeals". ELSE, DISPLAY "appealed".

FOR R02_AS1072SM: IF LOOP = SMKLS AND (R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_CURRENT_USER_SMKLS = 1), DISPLAY "appeals". ELSE, DISPLAY "appealed".

GOTO: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users, go to R02_AS1086[SU/SM].

Else, adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users, and are also current established or new former established cigarette smokers, go to R02_AS1080[SU/SM].

Else, adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users, go to R02_AS1081[SU/SM].

GOTO Specification: FROM R02_AS1072SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1) AND R02_CURRENT_USER_CIGS = 1, GO TO R02_AS1086SU.

ELSE, IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AS1080SU.

ELSE, IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1), GO TO R02_AS1081SU.

FROM R02_AS1072SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1) AND R02_CURRENT_USER_CIGS = 1, GO TO R02_AS1086SM.

ELSE, IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AS1080SM.

ELSE, IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1), GO TO R02_AS1081SM.

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AS1086SU; R02_AS1086SM*****

In the past 30 days have you used [SMKLSSFILL] at times when or in places where you could not smoke regular cigarettes?

- | | |
|---------------|-------------------------|
| 1 Yes | |
| 2 No | GO TO R02_AS1080[SU/SM] |
| -8 DON'T KNOW | GO TO R02_AS1080[SU/SM] |
| -7 REFUSED | GO TO R02_AS1080[SU/SM] |

ASK: Adult respondents who are current established or current experimental snus pouch/smokeless tobacco users, and are also current established cigarette smokers.

ASK Specification: FOR R02_AS1086SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1) AND R02_CURRENT_USER_CIGS = 1.

FOR R02_AS1086SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1) AND R02_CURRENT_USER_CIGS = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AS1087SU; R02_AS1087SM**

How often do you use [SMKLSSFILL] at times when or in places where you could not smoke regular cigarettes?

- | | |
|---------------|--|
| 1 Every day | |
| 2 Some days | |
| 3 Rarely | |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: Adult respondents who are current experimental snus pouch/smokeless tobacco users, and are also current established cigarette smokers and have used snus pouches/smokeless tobacco in the past 30 days at time or in places where they could not smoke regular cigarettes.

ASK Specification: FOR R02_AS1087SU: IF LOOP = SNUS AND R02_EXPERIMENTAL_CURRENT_SNUS = 1 AND R02_CURRENT_USER_CIGS = 1 AND R02_AS1086SU = 1.

FOR R02_AS1087SM: IF LOOP = SMKLS AND R02_EXPERIMENTAL_CURRENT_SMKLS = 1 AND R02_CURRENT_USER_CIGS = 1 AND R02_AS1086SM = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1080SU***; R02_AS1080SM**/**

[Do/Did] you use [SMKLSSFILL] as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users, and are also current established or new former established cigarette smokers.

ASK Specification: FOR R02_AS1080SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1).

FOR R02_AS1080SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1).

DISPLAY: FOR R02_AS1080SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1), DISPLAY "Do". ELSE, DISPLAY "Did".

FOR R02_AS1080SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1), DISPLAY "Do". ELSE, DISPLAY "Did".

NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AS1081SU***; R02_AS1081SM**/**
[Do/Did] you use [SMKLSSFILL] as an alternative to quitting tobacco altogether? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or new former established snus pouch/smokeless tobacco users. ASK Specification: FOR R02_AS1081SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1). FOR R02_AS1082SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1). DISPLAY: FOR R02_AS1081SU: IF LOOP = SNUS AND (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1), DISPLAY "Do". ELSE, DISPLAY "Did". FOR R02_AS1081SM: IF LOOP = SMKLS AND (R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1), DISPLAY "Do". ELSE, DISPLAY "Did". NOTES: **SKIP ERROR: R02_NEW_FORMER_USER_SMKLS was not correctly set to "1 = Yes" for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R02_ASR04
END LOOP: If respondent uses only snus pouches or only uses smokeless tobacco, go to the next section. If respondent uses both snus pouches and smokeless tobacco, go back to box R02_AST02 and repeat section for smokeless tobacco. When 2nd loop is completed, go to the next section.	
IF SMKLSSTYPE[1] = 1 OR SMKLSSTYPE[2] = 1, GO TO THE NEXT SECTION (see note in Box R02_AMD03). IF SMKLSSTYPE[3] = 1 AND SNUS LOOP IS COMPLETED, GO BACK TO BOX R02_AST02 AND REPEAT SECTION FOR SMOKELESS TOBACCO LOOP. WHEN 2ND LOOP COMPLETED, GO TO THE NEXT SECTION (see note in Box R02_AMD03).	

DISSOLVABLE TOBACCO

BOX ID:	R02_ADR04
Adult respondents who were former established dissolvable tobacco users and had used at least 100 or more pieces of dissolvable tobacco in their lifetime and had used fairly regularly as of their last completed interview and has not used in the past 12 months or now uses not at all, go to Box R02_ADV01. Else, go to Box R02_ADT02.	
IF R01_FORMER_USER_DISSBL = 1 AND R01_AD1005 = 5 AND R01_AD1100 = 1 AND (R02_AD1002_12M = 2 OR R02_AD1003 = 3), GO TO BOX R02_ADV01. ELSE, GO TO BOX R02_ADT02.	

BOX ID:	R02_ADT02
The next questions ask about dissolvable tobacco. You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth. Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, or Camel Orbs, Sticks or Strips. SHOW GENERIC IMAGES OF DISSOLVABLES	

BOX ID:	R02_ADR03
Adult respondents who have ever used dissolvable tobacco and had not used 100 or more pieces of dissolvable tobacco in their lifetime as of their last completed interview, go to R02_AD1005. Else, new baseline adult respondents who have ever used dissolvable tobacco, or continuing adult respondents who have ever used dissolvable tobacco and had not used dissolvable tobacco fairly regularly as of their last completed interview, go to R02_AD1100. Else, go to Box R02_ADV01.	
IF R02_EVER_USER_DISS = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YD1005 != 6) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AD1005 != 5)), GO TO R02_AD1005. ELSE, IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_DISSBL = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_DISSBL = 1 AND R01_AD1100 != 1), GO TO R02_AD1100. ELSE, GO TO BOX R02_ADV01.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1005*****

How many pieces of dissolvable tobacco have you used in your entire life?

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used dissolvable tobacco and had not used 100 or more pieces of dissolvable tobacco in their lifetime as of their last completed interview.

ASK Specification: IF R02_EVER_USER_DISSBL = 1 AND ((R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YD1005 != 6) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AD1005 != 5)).

GOTO: New baseline adult respondents who have ever used dissolvable tobacco, or continuing adult respondents who have ever used dissolvable tobacco and had not used dissolvable tobacco fairly regularly as of their last completed interview, go to R02_AD1100.

Else, go to Box R02_ADV01.

GOTO Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_DISSBL = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_DISSBL = 1 AND R01_AD1100 != 1), GO TO R02_AD1100.

ELSE, GO TO BOX R02_ADV01.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AD1100*****

Have you ever used dissolvable tobacco fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever used dissolvable tobacco, or continuing adult respondents who have ever used dissolvable tobacco and had not used dissolvable tobacco fairly regularly as of their last completed interview.

ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_DISSBL = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_EVER_USER_DISSBL = 1 AND R01_AD1100 != 1).

GOTO: New baseline adult respondents who have ever used dissolvable tobacco and have ever used dissolvable tobacco fairly regularly, go to R02_AD1007_NB.

Else, go to Box R02_ADV01.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_DISSBL = 1 AND R02_AD1100 = 1, GO TO R02_AD1007_NB.

ELSE, GO TO BOX R02_ADV01.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AD1007_NB

How old were you when you first started using dissolvable tobacco fairly regularly?

I__|__| Years old

GO TO BOX R02_ADV01

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever used dissolvable tobacco and have ever used dissolvable tobacco fairly regularly.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_DISSBL = 1 AND R02_AD1100 = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

Variable(s): R02_AD1121_NB

When you first started using dissolvable tobacco fairly regularly, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever used dissolvable tobacco and have ever used dissolvable tobacco fairly regularly and did not know or refused to report the age they started using dissolvable tobacco fairly regularly.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_EVER_USER_DISSBL = 1 AND R02_AD1100 = 1 AND R02_AD1007_NB = -8, -7.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ADV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R02_CURRENT_USER_DISSBL = "Current established dissolvable tobacco users" Adult respondents who have ever used dissolvable tobacco fairly regularly, and currently uses it every day or some days. R02 EVERYDAY_USER_DISSBL = "Every day established dissolvable tobacco users" Adult respondents who have ever used dissolvable tobacco fairly regularly, and currently uses it every day. R02_SOME_DAY_USER_DISSBL = "Some day established dissolvable tobacco users" Adult respondents who have ever used dissolvable tobacco fairly regularly, and currently uses it some days. R02_EXPERIMENTAL_CURRENT_DISSBL = "Current experimental dissolvable tobacco users" Adult respondents who have never used dissolvable tobacco fairly regularly, and currently uses it every day or some days. R02_FORMER_THIRTYDAY_USER_DISSBL = "Non-current 30-day dissolvable tobacco users" Adult respondents who are experimental former, new former, or still former dissolvable tobacco users in Wave 2 who have used any dissolvable tobacco in the past 30 days. R02_EXPERIMENTAL_FORMER_DISSBL = "Former experimental dissolvable tobacco users" Adult respondents who have never used dissolvable tobacco fairly regularly, and did not use it in the past 12 months or currently uses it not at all. R02_NEW_FORMER_USER_DISSBL = "New former established dissolvable tobacco users" Adult respondents who were current, experimental current, or experimental former dissolvable tobacco users at Wave 1, or are initiators at Wave 2, has ever used it fairly regularly, and did not use it in the past 12 months or currently uses it not at all. R02_STILL_FORMER_USER_DISSBL = "Still former established dissolvable tobacco users" Adult respondents who were former dissolvable tobacco users at Wave 1, has ever used it fairly regularly, and did not use it in the past 12 months or currently uses it not at all.	
R02_CURRENT_USER_DISSBL: IF (R01_AD1100 = 1 OR R02_AD1100 = 1) AND R02_AD1003 = 1 OR 2, THEN R02_CURRENT_USER_DISSBL = 1. ELSE, R02_CURRENT_USER_DISSBL = 2. R02 EVERYDAY_USER_DISSBL: IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1003 = 1, THEN R02 EVERYDAY_USER_DISSBL = 1. ELSE, R02 EVERYDAY_USER_DISSBL = 2. R02_SOME_DAY_USER_DISSBL: IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1003 = 2, THEN R02_SOME_DAY_USER_DISSBL = 1. ELSE, R02_SOME_DAY_USER_DISSBL = 2. R02_EXPERIMENTAL_CURRENT_DISSBL: IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1100 != 1 AND R01_AD1100 != 1 AND R02_AD1003 = 1 OR 2, THEN, R02_EXPERIMENTAL_CURRENT_DISSBL = 1. ELSE, R02_EXPERIMENTAL_CURRENT_DISSBL = 2. R02_FORMER_THIRTYDAY_USER_DISSBL:	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

IF (R02_CURRENT_USER_DISSBL != 1 AND R02_EXPERIMENTAL_CURRENT_DISSBL != 1) AND (R02_NEW_FORMER_USER_DISSBL = 1 OR R02_EXPERIMENTAL_FORMER_DISSBL = 1 OR R02_STILL_FORMER_USER_DISSBL = 1) AND ((1 <= R02_AD1009_NN <= 30 AND R02_AD1009_UN = 1) OR (R02_AD1009_NN = 1 AND R02_AD1009_UN = 2) OR R02_AD1004 = 1), THEN R02_FORMER_THIRTYDAY_USER_DISSBL = 1.

ELSE, R02_FORMER_THIRTYDAY_USER_DISSBL = 2.

R02_EXPERIMENTAL_FORMER_DISSBL:

IF R02_CURRENT_USER_DISSBL != 1 AND R02_EXPERIMENTAL_CURRENT_DISSBL != 1 AND R02_EVER_USER_DISSBL = 1 AND (R02_AD1002_12M = 2 OR R02_AD1003 = 3) AND R02_AD1100 != 1 AND R01_AD1100 != 1, THEN R02_EXPERIMENTAL_FORMER_DISSBL = 1.

ELSE, R02_EXPERIMENTAL_FORMER_DISSBL = 2.

R02_NEW_FORMER_USER_DISSBL:

IF R02_EVER_USER_DISSBL = 1 AND R02_CURRENT_USER_DISSBL != 1 AND R02_EXPERIMENTAL_CURRENT_DISSBL != 1 AND (R01_CURRENT_USER_DISSBL = 1 OR R01_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R01_EXPERIMENTAL_FORMER_DISSBL = 1 OR R02_INIT_DISSBL_ADULT = 1 OR R01_YD1002 = 1) AND (R01_AD1100 = 1 OR R02_AD1100 = 1) AND (R02_AD1002_12M = 2 OR R02_AD1003 = 3), THEN R02_NEW_FORMER_USER_DISSBL = 1.

ELSE, R02_NEW_FORMER_USER_DISSBL = 2.

R02_STILL_FORMER_USER_DISSBL:

IF R02_EVER_USER_DISSBL = 1 AND R02_CURRENT_USER_DISSBL != 1 AND R02_EXPERIMENTAL_CURRENT_DISSBL != 1 AND R01_FORMER_USER_DISSBL = 1 AND (R02_AD1002_12M = 2 OR R02_AD1003 = 3), THEN R02_STILL_FORMER_USER_DISSBL = 1.

ELSE, R02_STILL_FORMER_USER_DISSBL = 2.

BOX ID: R02_ADR01

New baseline adult respondents who are every day established dissolvable tobacco users, go to R02_AD1020_NB.

Else, adult respondents who initiated dissolvable tobacco use since their last completed interview, go to R02_AD1008.

Else, adult respondents who are every day established dissolvable tobacco users, go to R02_AD1021.

Else, adult respondents who are some day established, current experimental, or non-current 30-day dissolvable tobacco users, go to R02_AD1022.

Else, adult respondents who are new former established dissolvable tobacco users, go to R02_AD1047.

Else, go to the next section.

IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_DISSBL = 1, GO TO R02_AD1020_NB.

ELSE, IF R02_INIT_DISSBL_ADULT = 1, GO TO R02_AD1008.

ELSE, IF R02 EVERYDAY_USER_DISSBL = 1, GO TO R02_AD1021.

ELSE, IF R02_SOME_DAY_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_FORMER_THIRTYDAY_USER_DISSBL = 1, GO TO R02_AD1022.

ELSE, IF R02_NEW_FORMER_USER_DISSBL = 1, GO TO R02_AD1047.

ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1020_NB**

How old were you when you first started using dissolvable tobacco every day?

|_|_|_|_| Years old

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who are every day established dissolvable tobacco users.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_DISSBL = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

GOTO: New baseline adult respondents who are every day established dissolvable tobacco users and did not know or refused to report the age they first started using dissolvable tobacco every day, go to R02_AD1122_NB.

Else, adult respondents who initiated dissolvable tobacco use since their last completed interview, go to R02_AD1008.

Else, adult respondents who are every day established dissolvable tobacco users, go to R02_AD1021.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_DISSBL = 1 AND R02_AD1020_NB = -8, -7, GO TO R02_AD1122_NB.

ELSE, IF R02_INIT_DISSBL_ADULT = 1, GO TO R02_AD1008.

ELSE, IF R02 EVERYDAY_USER_DISSBL = 1, GO TO R02_AD1021.

Variable(s): **R02_AD1122_NB**

When you first started using dissolvable tobacco every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who are every day established dissolvable tobacco users and did not know or refused to report the age they first started using dissolvable tobacco every day.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02 EVERYDAY_USER_DISSBL = 1 AND R02_AD1020_NB = -8, -7.

GOTO: Adult respondents who initiated dissolvable tobacco use since their last completed interview, go to R02_AD1008.

Else, adult respondents who are every day established dissolvable tobacco users, go to R02_AD1021.

GOTO Specification: IF R02_INIT_DISSBL_ADULT = 1, GO TO R02_AD1008.

ELSE, IF R02 EVERYDAY_USER_DISSBL = 1, GO TO R02_AD1021.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1008**

When you first started using dissolvable tobacco, did you use dissolvable tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated dissolvable tobacco use since their last completed interview.

ASK Specification: IF R02_INIT_DISSBL_ADULT= 1.

GOTO: Adult respondents who initiated dissolvable tobacco use since their last completed interview and initiated dissolvable tobacco use with flavored dissolvable tobacco, go to R02_AD1011.

Else, adult respondents who are every day established dissolvable tobacco users, go to R02_AD1021.

Else, adult respondents who are some day established, current experimental, or non-current 30-day dissolvable tobacco users, go to R02_AD1022.

Else, adult respondents who are new former established dissolvable tobacco users, go to R02_AD1047.

GOTO Specification: IF R02_INIT_DISSBL_ADULT= 1 AND R02_AD1008 = 1, GO TO R02_AD1011.

ELSE, IF R02_EVERYDAY_USER_DISSBL = 1, GO TO R02_AD1021.

ELSE, IF R02_SOME_DAY_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_FORMER_THIRTYDAY_USER_DISSBL = 1, GO TO R02_AD1022.

ELSE, IF R02_NEW_FORMER_USER_DISSBL = 1, GO TO R02_AD1047.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor did you first start using? If multiple flavors were mixed together, choose all that apply.	
R02_AD1011_01 R02_AD1011_02 R02_AD1011_03 R02_AD1011_04 R02_AD1011_05 R02_AD1011_06 R02_AD1011_07	1 Menthol or mint 2 Clove or spice 3 Fruit 4 Chocolate 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails) 6 Candy or other sweets 7 Some other flavor -8 DON'T KNOW -7 REFUSED
ASK: Adult respondents who initiated dissolvable tobacco use since their last completed interview and initiated dissolvable tobacco use with flavored dissolvable tobacco. ASK Specification: IF R02_INIT DISSBL_ADULT= 1 AND R02_AD1008 = 1. PROGRAM: Allow respondent to choose all that apply. GOTO: Adult respondents who are every day established dissolvable tobacco users, go to R02_AD1021. Else, adult respondents who are some day established, current experimental, or non-current 30-day dissolvable tobacco users, go to R02_AD1022. Else, adult respondents who are new former established dissolvable tobacco users, go to R02_AD1047. GOTO Specification: IF R02 EVERYDAY_USER DISSBL = 1, GO TO R02_AD1021. ELSE, IF R02_SOME_DAY_USER DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT DISSBL = 1 OR R02_FORMER_THIRTYDAY_USER DISSBL = 1, GO TO R02_AD1022. ELSE, IF R02_NEW_FORMER_USER DISSBL = 1, GO TO R02_AD1047.	

Variable(s):	R02_AD1021						
On average, about how many pieces of dissolvable tobacco do you now use each day?							
 -8 DON'T KNOW -7 REFUSED	<table style="width: 100%;"> <tr> <td style="text-align: center;"> _ _ _ </td> <td style="text-align: right;">GO TO R02_AD1130</td> </tr> <tr> <td></td> <td style="text-align: right;">GO TO R02_AD1130</td> </tr> <tr> <td></td> <td style="text-align: right;">GO TO R02_AD1130</td> </tr> </table>	_ _ _	GO TO R02_AD1130		GO TO R02_AD1130		GO TO R02_AD1130
_ _ _	GO TO R02_AD1130						
	GO TO R02_AD1130						
	GO TO R02_AD1130						
ASK: Adult respondents who are every day established dissolvable tobacco users. ASK Specification: IF R02 EVERYDAY_USER DISSBL = 1.							

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1022**

On how many of the past 30 days did you use dissolvable tobacco?

|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day dissolvable tobacco users.

ASK Specification: IF R02_SOME_DAY_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_FORMER_THIRTYDAY_USER_DISSBL = 1.

PROGRAM: Soft range check: 0-30 days

GOTO: Adult respondents who are some day established, current experimental, or non-current 30-day dissolvable tobacco users and used on 0 days of the past 30 days, go to R02_AD9029.

Else, adult respondents who are some day established, current experimental, or non-current 30-day dissolvable tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R02_AD1023.

GOTO Specification: IF (R02_SOME_DAY_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_FORMER_THIRTYDAY_USER_DISSBL = 1)
AND R02_AD1022 = 0, GO TO R02_AD9029.

ELSE, IF (R02_SOME_DAY_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1
OR R02_FORMER_THIRTYDAY_USER_DISSBL = 1) AND (R02_AD1022 > 0 OR R02_AD1022 = -8,
-7), GO TO R02_AD1023.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AD9029_NN; R02_AD9029_UN
---------------------	-------------------------------------

About how long has it been since you last used dissolvable tobacco?

1 |__|__| DAYS
 2 |__|__| MONTHS
 3 |__|__| YEARS
 -8 DON'T KNOW
 -7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day dissolvable tobacco users and used on 0 days of the past 30 days.

ASK Specification: IF (R02_SOME_DAY_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_FORMER_THIRTYDAY_USER_DISSBL = 1) AND R02_AD1022 = 0.

PROGRAM: Display as Quantity/Units.

GOTO: Adult respondents who are some day established dissolvable tobacco users, go to R02_AD1024.

Else, adult respondents who are current experimental dissolvable tobacco users, go to Box R02_ADD01.

Else, adult respondents who are new former established dissolvable tobacco users, go to R02_AD1047.

Else, go to the next section.

GOTO Specification: IF R02_SOME_DAY_USER_DISSBL = 1, GO TO R02_AD1024.
 ELSE, IF R02_EXPERIMENTAL_CURRENT_DISSBL = 1, GO TO BOX R02_ADD01.
 ELSE, IF R02_NEW_FORMER_USER_DISSBL = 1, GO TO R02_AD1047.
 ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

NOTES: The value "1" refers to R02_AD9029_UN = Days; the value "2" refers to R02_AD9029_UN = Months; the value "3" refers to R02_AD9029_UN = Years.

Variable(s):	R02_AD1023
---------------------	-------------------

On average, on those [FILL NUMBER OF DAYS FROM R02_AD1022 days/days you used], how many pieces of dissolvable tobacco did you usually use each day?

|__|__|

-8 DON'T KNOW
 -7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day dissolvable tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF (R02_SOME_DAY_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_FORMER_THIRTYDAY_USER_DISSBL = 1) AND (R02_AD1022 > 0 OR R02_AD1022 = -8, -7).

DISPLAY: IF R02_AD1022 = 1 day, -8, -7, DISPLAY "days you used".
 ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R02_AD1022.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1130****

In the past 30 days, were any of the dissolvable tobacco products you used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established dissolvable tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day dissolvable tobacco users who have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R02_EVERYDAY_USER_DISSBL = 1 OR ((R02_SOME_DAY_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_FORMER_THIRTYDAY_USER_DISSBL = 1) AND (R02_AD1022 > 0 OR R02_AP1022 = -8, -7)).

GOTO: Adult respondents who are every day established dissolvable tobacco users who have used flavored dissolvable tobacco in the past 30 days or adult respondents who are, some day established, current experimental, or non-current 30-day dissolvable tobacco users who have used at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and who have used flavored dissolvable tobacco in the past 30 days, go to R02_AD1131.

Else, adult respondents who are current established dissolvable tobacco users, go to R02_AD1024.

Else, adult respondents who are current experimental dissolvable tobacco users, go to Box R02_ADD01.

Else, adult respondents who are new former established dissolvable tobacco users, go to R02_AD1047.

Else, go to the next section.

GOTO Specification: IF (R02_EVERYDAY_USER_DISSBL = 1 AND R02_AD1130 = 1) OR ((R02_SOME_DAY_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_FORMER_THIRTYDAY_USER_DISSBL = 1) AND (R02_AD1022 > 0 OR R02_AD1022 = -8, -7) AND R02_AD1130 = 1), GO TO R02_AD1131.

ELSE, IF R02_CURRENT_USER_DISSBL = 1, GO TO R02_AD1024.

ELSE, IF R02_EXPERIMENTAL_CURRENT_DISSBL = 1, GO TO BOX R02_ADD01.

ELSE, IF R02_NEW_FORMER_USER_DISSBL = 1, GO TO R02_AD1047.

ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

NOTES: **SKIP ERROR: This item was incorrectly skipped by respondents who answered don't know or refused in item R02_AD1022. The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavors have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.	
R02_AD1131_01	1 Menthol or mint
R02_AD1131_02	2 Clove or spice
R02_AD1131_03	3 Fruit
R02_AD1131_04	4 Chocolate
R02_AD1131_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AD1131_06	6 Candy or other sweets
R02_AD1131_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are every day established dissolvable tobacco users who have used flavored dissolvable tobacco in the past 30 days or adult respondents who are, some day established, current experimental, or non-current 30-day dissolvable tobacco users who have used at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and who have used flavored dissolvable tobacco in the past 30 days.	
ASK Specification: IF (R02 Everyday User DISSBL = 1 AND R02_AD1130 = 1) OR ((R02 Some Day User DISSBL = 1 OR R02 Experimental Current DISSBL = 1 OR R02 Former Thirtyday User DISSBL = 1) AND (R02_AD1022 > 0 OR R02_AD1022 = -8, -7) AND R02_AD1130 = 1).	
PROGRAM: Allow respondent to choose all that apply.	
GOTO: Adult respondents who are current established dissolvable tobacco users, go to R02_AD1024.	
Else, adult respondents who are current experimental dissolvable tobacco users, go to Box R02_ADD01.	
Else, adult respondents who are new former established dissolvable tobacco users, go to R02_AD1047.	
Else, go to the next section.	
GOTO Specification: IF R02_Current User DISSBL = 1, GO TO R02_AD1024.	
ELSE, IF R02_Experimental Current DISSBL = 1, GO TO BOX R02_ADD01.	
ELSE, IF R02_New Former User DISSBL = 1, GO TO R02_AD1047.	
ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AD1024_NN; R02_AD1024_UN

[On the days that you use dissolvable tobacco, how/How] soon after you wake up do you typically have your first piece of dissolvable tobacco of the day? Please enter the number of minutes or hours.

- | | | |
|----|-------------------------------|------------------|
| 1 | _ _ _ _ Minutes after waking | GO TO R02_AD1098 |
| 2 | _ _ _ _ Hours after waking | GO TO R02_AD1098 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Adult respondents who are current established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1.

DISPLAY: IF R02 EVERYDAY_USER_DISSBL = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you use dissolvable tobacco, how".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R02_AD1024_UN = Minutes after waking; the value "2" refers to R02_AD1024_UN = Hours after waking.

Variable(s): R02_AD1092

[On the days that you use dissolvable tobacco, would/Would] you say you have your first piece of dissolvable tobacco within the first 30 minutes after you wake up?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| 3 | It varies |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established dissolvable tobacco users and did not know or refused to report how soon after waking up they first use dissolvable tobacco.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1024_NN = -8, -7.

DISPLAY: IF R02 EVERYDAY_USER_DISSBL = 1, "Would". ELSE, DISPLAY "On the days that you use dissolvable tobacco, would".

Variable(s): R02_AD1098

The next questions ask about your experience buying dissolvable tobacco.

In the past 30 days, how often have you used a coupon when buying dissolvable tobacco?

- | | |
|----|------------|
| 1 | Always |
| 2 | Sometimes |
| 3 | Rarely |
| 4 | Never |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1030**

How do you usually buy dissolvable tobacco for yourself?

- | | | |
|----|---|------------------|
| 1 | In person | |
| 2 | From the internet | GO TO R02_AD1047 |
| 3 | By telephone | GO TO R02_AD1047 |
| 4 | I do not buy my own dissolvable tobacco | GO TO R02_AD1047 |
| -8 | DON'T KNOW | GO TO R02_AD1047 |
| -7 | REFUSED | GO TO R02_AD1047 |

ASK: Adult respondents who are current established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1.

Variable(s): **R02_AD1032**

Do you usually buy dissolvable tobacco...?

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established dissolvable tobacco users and usually buy dissolvable tobacco in person.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1030 = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AD1033; R02_AD1033_OS
Where do you buy your dissolvable tobacco most of the time? 1 A convenience store or gas station 2 A supermarket, grocery store, or drug store 3 A warehouse club, such as Sam's or Costco 4 A smoke shop, tobacco specialty store or tobacco outlet store 5 A duty free shop or military commissary 6 A bar, pub, restaurant or casino 7 A friend or relative 8 A swap meet or flea market 9 A liquor store 10 Or from somewhere else (SPECIFY) -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established dissolvable tobacco users and usually buy dissolvable tobacco in person. ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1030 = 1. DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

Variable(s):	R02_AD1047***
[Do/Did] you have a regular brand of dissolvable tobacco that you usually [use/used]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established dissolvable tobacco users. ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1. DISPLAY: IF R02_CURRENT_USER_DISSBL = 1, DISPLAY "Do" AND "use". ELSE, DISPLAY "Did" AND "used". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AD1048_BRAND***
What brand of dissolvable tobacco [do/did] you [usually/last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established dissolvable tobacco users. ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else"." IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1047 = 1, DISPLAY "do" AND "usually". IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R02_AD1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R02_AD1047 = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. GOTO: Adult respondents who are current established or new former established dissolvable tobacco users and selected a brand of dissolvable tobacco, go to R02_AD1070_PRODUCT. Else, adult respondents who are current established or new former established dissolvable tobacco users and selected "Something else" for their brand of dissolvable tobacco, go to R02_AD1049. Else, adult respondents who are current established or new former established dissolvable tobacco users, go to R02_AD1050. GOTO Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_AD1048_BRAND != 9995, -8, -7, GO TO R02_AD1070_PRODUCT. ELSE, IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_AD1048_BRAND = 9995, GO TO R02_AD1049. ELSE, IF R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1, GO TO R02_AD1050. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AD1070_PRODUCT***
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established dissolvable tobacco users and selected a brand of dissolvable tobacco. ASK Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_AD1048_BRAND != 9995, -8, -7. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS DISPLAY: "If you do not see it below, touch the box marked "Something else". FILL BRANDFILL WITH BRAND CHOSEN IN R02_AD1048_BRAND. IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1047 = 1, DISPLAY "do" AND "usually". IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1047 = 2, -8, -7, DISPLAY "did" AND "last". IF R02_NEW_FORMER_USER_DISSBL = 1 AND R02_AD1047 = 1, DISPLAY "did" AND "usually". IF R02_NEW_FORMER_USER_DISSBL = 1 AND R02_AD1047 = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R02_AD1048_BRAND. GOTO: Adult respondents who are current established or new former established dissolvable tobacco users and selected a brand of dissolvable tobacco and selected "Something else" for their subbrand of dissolvable tobacco, go to R02_AD1071. Else, adult respondents who are current established or new former established dissolvable tobacco users, go to R02_AD1050. GOTO Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_AD1048_BRAND != 9995, -8, -7 AND R02_AD1070_PRODUCT = 99995, GO TO R02_AD1071. ELSE, IF R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1, GO TO R02_AD1050. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AD1049
You said that your brand was not pictured. What is it? _____ -8 DON'T KNOW -7 REFUSED GO TO R02_AD1050 GO TO R02_AD1050 GO TO R02_AD1050 ASK: Adult respondents who are current established or new former established dissolvable tobacco users and selected "Something else" for their brand of dissolvable tobacco. ASK Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_AD1048_BRAND = 9995.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1071**

You said that the type of [BRANDFILL]s that you [use/used] is not pictured. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or new former established dissolvable tobacco users and selected a brand of dissolvable tobacco and selected "Something else" for their subbrand of dissolvable tobacco.

ASK Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_AD1048_BRAND != 9995, -8, -7 AND R02_AD1070_PRODUCT = 99995.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1, DISPLAY "use". ELSE, DISPLAY, "used". FILL BRANDFILL WITH BRAND CHOSEN IN R02_AD1048_BRAND.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1050*****

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1047 = 1, DISPLAY "Is" AND "your regular brand" AND "use". IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used". ELSE, IF R02_AD1047 = 1, DISPLAY "Was" AND "your regular brand" AND "used". ELSE, IF R02_AD1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".

GOTO: Adult respondents who are current established or new former established dissolvable tobacco users and whose regular brand or last brand of dissolvable tobacco smoked was flavored, go to R02_AD1012.

Else, adult respondents who are current established or new former established dissolvable tobacco users and have a regular brand of dissolvable tobacco, go to R02_AD1051.

Else, adult respondents who are current established dissolvable tobacco users and have used dissolvable tobacco in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of dissolvable tobacco, go to R02_AD0104.

Else, adult respondents who are current established, current experimental, or new former established dissolvable tobacco users, go to Box R02_ADD01.

GOTO Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_AD1050 = 1, GO TO R02_AD1012.

ELSE, IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_AD1047 = 1, GO TO R02_AD1051.

ELSE, IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD0100 = 1, 2, 3, 4 AND R02_AD1048_BRAND != 9995, -8, -7 AND R02_AD1070_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AD0104.

ELSE, IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1, GO TO BOX R02_ADD01.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor [is/was] it? If multiple flavors were mixed together, choose all that apply.	
R02_AD1012_01	1 Menthol or mint
R02_AD1012_02	2 Clove or spice
R02_AD1012_03	3 Fruit
R02_AD1012_04	4 Chocolate
R02_AD1012_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R02_AD1012_06	6 Candy or other sweets
R02_AD1012_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established or new former established dissolvable tobacco users and whose regular brand or last brand of dissolvable tobacco smoked was flavored.	
ASK Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_AD1050 = 1.	
DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1047 = 1, DISPLAY "is". ELSE, DISPLAY "was".	
PROGRAM: Allow respondent to choose all that apply.	
GOTO: Adult respondents who are current established or new former established dissolvable tobacco users and have a regular brand of dissolvable tobacco, go to R02_AD1051.	
Else, adult respondents who are current established dissolvable tobacco users and have used dissolvable tobacco in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of dissolvable tobacco, go to R02_AD0104.	
Else, adult respondents who are current established, current experimental, or new former established dissolvable tobacco users, go to Box R02_ADD01.	
GOTO Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_AD1047 = 1, GO TO R02_AD1051.	
ELSE, IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD0100 = 1, 2, 3, 4 AND R02_AD1048_BRAND != 9995, -8, -7 AND R02_AD1070_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AD0104.	
ELSE, IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1, GO TO BOX R02_ADD01.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AD1051_NN; R02_AD1051_UN
About how long [did you use/have you been using] your regular brand of dissolvable tobacco? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established dissolvable tobacco users and have a regular brand of dissolvable tobacco. ASK Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_AD1047 = 1. DISPLAY: IF R02_CURRENT_USER_DISSBL = 1, DISPLAY "have you been using". ELSE, DISPLAY "did you use". PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. GOTO: Adult respondents who are current established dissolvable tobacco users and have used dissolvable tobacco in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of dissolvable tobacco, go to R02_AD0104. Else, adult respondents who are current established, current experimental, or new former established dissolvable tobacco users, go to Box R02_ADD01. GOTO Specification: IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD0100 = 1, 2, 3, 4 AND R02_AD1048_BRAND != 9995, -8, -7 AND R02_AD1070_PRODUCT != 99990, 99995, -8, -7, GO TO R02_AD0104. ELSE, IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1, GO TO BOX R02_ADD01. NOTES: The value "1" refers to R02_AD1051_UN = Days; the value "2" refers to R02_AD1051_UN = Months; the value "3" refers to R02_AD1051_UN = Years.

Variable(s): R02_AD0104
You said earlier that you last used dissolvable tobacco [TIME OF LAST USE]. Think about the very last piece you used. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established dissolvable tobacco users and have used dissolvable tobacco in the past hour, sometime today, yesterday, or the day before yesterday, and selected a brand and subbrand of dissolvable tobacco. ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD0100 = 1, 2, 3, 4 AND R02_AD1048_BRAND != 9995, -8, -7 AND R02_AD1070_PRODUCT != 99990, 99995, -8, -7. DISPLAY: IF R02_AD0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour". IF R02_AD0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today". IF R02_AD0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday". IF R02_AD0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH RESPONSE TO R02_AD1070_PRODUCT.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ADD01

Randomize order of R02_AD1060 through R02_AD1072.

Display question R02_AD1060, R02_AD1061, R02_AD1085, R02_AD1062, R02_AD1075, R02_AD9062, R02_AD1063, R02_AD1064, R02_AD1065, R02_AD1067, R02_AD1068, R02_AD1076, R02_AD1072 on one screen. Show the intro/transition text from R02_AD1060 first, then show each item with responses. As each item is answered, show the next one.

Variable(s): R02_AD1060***

The next questions are about the reasons people use dissolvable tobacco. Please select which reasons [apply to you/applied to you when you used to use dissolvable tobacco].

I [use/used] dissolvable tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "apply to you", "use" AND "is". ELSE, DISPLAY "applied to you when you used to use dissolvable tobacco", "used" AND "was".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AD1061***

People in the media or other public figures [use/used] dissolvable tobacco.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "use". ELSE, DISPLAY "used".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1085*****

I [can/could] use dissolvable tobacco at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AD1062*****

It might [be/have been] less harmful to me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "be". ELSE, DISPLAY "have been".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AD1075*****

It might [be/have been] less harmful to people around me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "be". ELSE, DISPLAY "have been".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD9062*****

Dissolvable tobacco might [be/have been] less harmful than smokeless tobacco, such as snus pouches, loose snus, moist snuff, dip, spit, or chew.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "be". ELSE, DISPLAY "have been".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AD1063*****

Dissolvable tobacco [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "comes" AND "like". ELSE, DISPLAY "came" AND "liked".

GOTO: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users, and are also current established, current experimental, or new former established cigarette smokers, go to R02_AD1064.

Else, adult respondents who are current established, current experimental, or new former established dissolvable tobacco users, go to R02_AD1065.

GOTO Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND
(R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR
R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AD1064.

ELSE, IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1
OR R02_NEW_FORMER_USER_DISSBL = 1, GO TO R02_AD1065.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1064*****

Using dissolvable tobacco helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users, and are also current established, current experimental, or new former established cigarette smokers.

ASK Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AD1065*****

Dissolvable tobacco doesn't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AD1067*****

Dissolvable tobacco [is/was] more acceptable to non-tobacco users.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "is". ELSE, DISPLAY "was".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AD1068***

People who are important to me [use/used] dissolvable tobacco.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "use". ELSE, DISPLAY "used".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AD1076***

No one [can/could] tell when I [am/was] using dissolvable tobacco.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "can" AND "am". ELSE, DISPLAY "could" AND "was".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AD1072*****

The advertising for dissolvable tobacco [appeals/appealed] to me.

1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "appeals". ELSE, DISPLAY "appealed".

GOTO: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users, and are also current established cigarette smokers, go to R02_AD1086.

Else, adult respondents who are current established, current experimental, or new former established dissolvable tobacco users, and are also current established or new former established cigarette smokers, go to R02_AD1080.

Else, adult respondents who are current established, current experimental, or new former established dissolvable tobacco users, go to R02_AD1081.

GOTO Specification: IF (R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND R02_CURRENT_USER_CIGS = 1, GO TO R02_AD1086.

ELSE, IF (R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1), GO TO R02_AD1080.

ELSE, IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1, GO TO R02_AD1081.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH – Wave 2 Adult
Public Use File Annotated Instrument

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AD1087

How often do you use dissolvable tobacco at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users, and are also current established cigarette smokers and have used in the past 30 days where you could not smoke regular cigarettes.

ASK Specification: IF (R02_CURRENT_USER DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT DISSBL = 1 OR R02_NEW_FORMER_USER DISSBL = 1) AND R02_CURRENT_USER_CIGS = 1 AND R02_AD1086 = 1.

Variable(s): R02_AD1080***

[Do/Did] you use dissolvable tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users, and are also current established or new former established cigarette smokers.

ASK Specification: IF (R02_CURRENT_USER DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT DISSBL = 1 OR R02_NEW_FORMER_USER DISSBL = 1) AND (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1).

DISPLAY: IF R02_CURRENT_USER DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT DISSBL = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AD1081*****

[Do/Did] you use dissolvable tobacco as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or new former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1.

DISPLAY: IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

POLYUSE

BOX ID:	R02_ANV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS AND DERIVED VARIABLES (SEE APPENDIX):	
R02_CURRENT_PRODUCT_COUNT = Number of tobacco products the respondent currently uses every day or somedays. R02_SOME_DAY_PRODUCT_COUNT = Number of tobacco products the respondent currently uses somedays. R02_EVERY_DAY_PRODUCT_COUNT = Number of tobacco products the respondent currently uses every day. R02_TOBACCO_PRODUCT_LIST = A list of all the tobacco products the respondent currently uses. R02_EVER_USER_TOBACCO = Adult respondents who have ever used any tobacco product. R02_CURRENT_USER_TOBACCO = Adult respondents that currently use at least one tobacco product. R02_SOME_DAY_USER_TOBACCO = Adult respondents who are someday users of at least one tobacco product. R02_NEW_FORMER_USER_TOBACCO = Adult respondents who are a new former user of any tobacco product. (The respondent was a current or experimental current user of any product at Wave 1, which they no longer user at Wave 2. The respondent no longer uses at least one product, but may still be a current or experimental current user of other products.) R02_STILL_FORMER_USER_TOBACCO = Adult respondents who were former tobacco users at Wave 1 and is still a former tobacco user at Wave 2 (does not currently use any tobacco products). R02_EXPERIMENTAL_CURRENT_TOBACCO = Adult respondents who are an experimental current user of at least one tobacco product, and not a current established user of any other product. R02_EXPERIMENTAL_FORMER_TOBACCO = Adult respondents who are an experimental former user of at least one tobacco product, and not a current established user of any other product.	
R02_CURRENT_PRODUCT_COUNT: 0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY OR SOME DAYS [R02_CURRENT_USER_CIGS = 1, R02_CURRENT_USER_ECIG = 1, R02_CURRENT_USER_GTRAD = 1, R02_CURRENT_USER_GRILLO = 1, R02_CURRENT_USER_GFILTR = 1, R02_CURRENT_USER_PIPE =1, R02_CURRENT_USER_HOOK = 1, R02_CURRENT_USER_SNUS = 1, R02_CURRENT_USER_SMKLS = 1, R02_CURRENT_USER_DISSBL = 1]. Range 0 to 10. R02_SOME_DAY_PRODUCT_COUNT: 0 +1 FOR EVERY PRODUCT THE RESPONDENT USES SOME DAYS [R02_SOME_DAY_USER_CIGS = 1, R02_SOME_DAY_USER_ECIG = 1, R02_SOME_DAY_USER_GTRAD = 1, R02_SOME_DAY_USER_GRILLO = 1, R02_SOME_DAY_USER_GFILTR = 1, R02_SOME_DAY_USER_PIPE =1, R02_SOME_DAY_USER_HOOK = 1, R02_SOME_DAY_USER_SNUS = 1, R02_SOME_DAY_USER_SMKLS = 1, R02_SOME_DAY_USER_DISSBL = 1]. Range 0 to 10. R02_EVERY_DAY_PRODUCT_COUNT: 0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY [R02_EVERYDAY_USER_CIGS = 1, R02_EVERYDAY_USER_ECIG = 1, R02_EVERYDAY_USER_GTRAD = 1, R02_EVERYDAY_USER_GRILLO = 1, R02_EVERYDAY_USER_GFILTR = 1, R02_EVERYDAY_USER_PIPE =1,	

R02_EVERYDAY_USER_HOOK = 1, R02_EVERYDAY_USER_SNUS = 1, R02_EVERYDAY_USER_SMKLS = 1, R02_EVERYDAY_USER_DISSBL = 1]. Range 0 to 10.

R02_TOBACCO_PRODUCT_LIST:

If R02_CURRENT_USER_CIGS=1, include "cigarettes" in the list.

If R02_CURRENT_USER_ECIG=1, include "e-cigarettes" in the list.

If R02_CURRENT_USER_GTRAD=1, include "cigars" in the list.

If R02_CURRENT_USER_GRILLO=1, include "cigarillos" in the list.

If R02_CURRENT_USER_GFILTR=1, include "filtered cigars" in the list.

If R02_CURRENT_USER_PIPE=1, include "pipe" in the list.

If R02_CURRENT_USER_HOOK=1, include "hookah" in the list.

If R02_CURRENT_USER_SNUS=1, include "snus" in the list.

If R02_CURRENT_USER_SMKLS=1, include "smokeless tobacco" in the list.

If R02_CURRENT_USER_DISSBL=1, include "dissolvable tobacco" in the list.

R02_EVER_USER_TOBACCO:

IF R02_EVER_USER_CIGS = 1 OR R02_EVER_USER_ECIG = 1 OR (R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1) OR (R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1) OR (R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1) OR R02_EVER_USER_PIPE = 1 OR R02_EVER_USER_HOOK = 1 OR R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_SNUS = 1 OR R02_EVER_USER_DISSBL = 1, THEN R02_EVER_USER_TOBACCO = 1.

ELSE, R02_EVER_USER_TOBACCO = 2.

R02_CURRENT_USER_TOBACCO:

IF R02_CURRENT_USER_CIGS = 1 OR R02_CURRENT_USER_ECIG = 1 OR R02_CURRENT_USER_GTRAD = 1 OR R02_CURRENT_USER_GRILLO = 1 OR R02_CURRENT_USER_GFILTR = 1 OR R02_CURRENT_USER_PIPE = 1 OR R02_CURRENT_USER_HOOK = 1 OR R02_CURRENT_USER_SMKLS = 1 OR R02_CURRENT_USER_SNUS = 1 OR R02_CURRENT_USER_DISSBL = 1, THEN R02_CURRENT_USER_TOBACCO = 1.

ELSE, R02_CURRENT_USER_TOBACCO = 2.

R02_SOME_DAY_USER_TOBACCO:

IF R02_SOME_DAY_USER_CIGS = 1 OR R02_SOME_DAY_USER_ECIG = 1 OR R02_SOME_DAY_USER_GTRAD = 1 OR R02_SOME_DAY_USER_GRILLO = 1 OR R02_SOME_DAY_USER_GFILTR = 1 OR R02_SOME_DAY_USER_PIPE = 1 OR R02_SOME_DAY_USER_HOOK = 1 OR R02_SOME_DAY_USER_SMKLS = 1 OR R02_SOME_DAY_USER_SNUS = 1 OR R02_SOME_DAY_USER_DISSBL = 1, THEN R02_SOME_DAY_USER_TOBACCO = 1. ELSE, R02_SOME_DAY_USER_TOBACCO = 2.

R02_NEW_FORMER_USER_TOBACCO:

IF (R02_NEW_FORMER_USER_CIGS = 1 OR R02_NEW_FORMER_USER_ECIG = 1 OR R02_NEW_FORMER_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_PIPE = 1 OR R02_NEW_FORMER_USER_HOOK = 1 OR R02_NEW_FORMER_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SNUS = 1 OR R02_NEW_FORMER_USER_DISSBL = 1), THEN R02_NEW_FORMER_USER_TOBACCO = 1.

ELSE, R02_NEW_FORMER_USER_TOBACCO = 2.

R02_STILL_FORMER_USER_TOBACCO:

IF R01_FORMER_USER_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2 AND (R02_STILL_FORMER_USER_CIGS = 1 OR R02_STILL_FORMER_USER_ECIG = 1 OR R02_STILL_FORMER_USER_GTRAD = 1 OR R02_STILL_FORMER_USER_GRILLO = 1 OR R02_STILL_FORMER_USER_GFILTR = 1 OR R02_STILL_FORMER_USER_PIPE = 1 OR R02_STILL_FORMER_USER_HOOK = 1 OR

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_STILL_FORMER_USER_SMKLS = 1 OR R02_STILL_FORMER_USER_SNUS = 1 OR R02_STILL_FORMER_USER_DISSBL = 1), THEN R02_STILL_FORMER_USER_TOBACCO = 1.
ELSE, R02_STILL_FORMER_USER_TOBACCO = 2.

R02_EXPERIMENTAL_CURRENT_TOBACCO:

IF R02_CURRENT_USER_TOBACCO = 2 AND (R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1), THEN
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1.

ELSE, R02_EXPERIMENTAL_CURRENT_TOBACCO = 2.

R02_EXPERIMENTAL_FORMER_TOBACCO:

IF R02_CURRENT_USER_TOBACCO = 2 AND (R02_EXPERIMENTAL_FORMER_CIGS = 1 OR R02_EXPERIMENTAL_FORMER_ECIG = 1 OR R02_EXPERIMENTAL_FORMER_GTRAD = 1 OR R02_EXPERIMENTAL_FORMER_GRILLO = 1 OR R02_EXPERIMENTAL_FORMER_GFILTR = 1 OR R02_EXPERIMENTAL_FORMER_PIPE = 1 OR R02_EXPERIMENTAL_FORMER_HOOK = 1 OR R02_EXPERIMENTAL_FORMER_SMKLS = 1 OR R02_EXPERIMENTAL_FORMER_SNUS = 1 OR R02_EXPERIMENTAL_FORMER_DISSBL = 1), THEN R02_EXPERIMENTAL_FORMER_TOBACCO = 1.

ELSE, R02_EXPERIMENTAL_FORMER_TOBACCO = 2.

BOX ID: R02_ANR11

Adult respondents who are some day established users of more than one tobacco product and are not every day established users of any products, go to R02_AY0005.

Else, adult respondents who are current established tobacco users, go to Box R02_ANV02.

Else, go to the next section.

IF R02_SOME_DAY_PRODUCT_COUNT > 1 AND R02_EVERY_DAY_PRODUCT_COUNT = 0, GO TO R02_AY0005.

ELSE, IF R02_CURRENT_USER_TOBACCO = 1, GO TO BOX R02_ANV02.

ELSE, GO TO THE NEXT SECTION (see note in Box R02_AMD03).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AY0005*****

You mentioned that you use [TOBACCO PRODUCT LIST] on some days.

Which of the following best describes how often you use these?

- 1 I use at least one of these every day
- 2 There are some days I don't use [either/any] of these
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are some day established users of more than one tobacco product and are not every day established users of any products.

ASK Specification: IF R02_SOME_DAY_PRODUCT_COUNT >1 AND R02_EVERY_DAY_PRODUCT_COUNT = 0.

DISPLAY: If R02_SOME_DAY_PRODUCT_COUNT = 2, display "either". Else, display "any".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: **R02_ANV02**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R02_EVERYDAY_USER_TOBACCO = Adult respondents who are an everyday user of any one tobacco product or use more than one product and use at least one of them each day.

R02_EVERYDAY_USER_TOBACCO:

IF (R02_EVERYDAY_USER_CIGS = 1 OR R02_EVERYDAY_USER_ECIG = 1 OR R02_EVERYDAY_USER_GTRAD = 1 OR R02_EVERYDAY_USER_GRILLO = 1 OR R02_EVERYDAY_USER_GFILTR = 1 OR R02_EVERYDAY_USER_PIPE = 1 OR R02_EVERYDAY_USER_HOOK = 1 OR R02_EVERYDAY_USER_SMKLS = 1 OR R02_EVERYDAY_USER_SNUS = 1 OR R02_EVERYDAY_USER_DISSBL = 1) OR R02_AY0005 = 1, THEN R02_EVERYDAY_USER_TOBACCO = 1.
ELSE, R02_EVERYDAY_USER_TOBACCO = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ANR12
Adult respondents who are every day established users of tobacco and use more than one tobacco product, go to R02_AY0010. Else, adult respondents who are current established users of all tobacco products or adult respondents who have ever used all tobacco products, go to the next section. Else, go to Box ANV03.	
IF R02_EVERYDAY_USER_TOBACCO = 1 AND R02_CURRENT_PRODUCT_COUNT > 1, GO TO R02_AY0010. ELSE, IF R02_CURRENT_PRODUCT_COUNT = 10 OR (R02_EVER_USER_CIGS = 1 AND R02_EVER_USER_ECIG = 1 AND R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1 AND R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1 AND R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1 AND R02_EVER_USER_PIPE = 1 AND R02_EVER_USER_HOOK = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_EVER_USER_SNUS = 1 AND R02_EVER_USER_DISSBL = 1), GO TO THE NEXT SECTION (see note in Box R02_AMD03). ELSE, GO TO BOX R02_ANV03.	

Variable(s):	R02_AY0010_NN***; R02_AY0010_UN
You mentioned that you use [TOBACCO PRODUCT LIST]. How soon after waking do you usually first use any one of these products? 1 Minutes _____ 2 Hours _____ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product. ASK Specification: R02_EVERYDAY_USER_TOBACCO = 1 AND R02_CURRENT_PRODUCT_COUNT > 1. GOTO: Adult respondents who are every day established users of tobacco and use more than one tobacco product, and did not know or refused to report how soon after waking up they usually first use a tobacco product, go to R02_AY0015. Else, adult respondents who are current established users of all tobacco products or adult respondents who have ever used all tobacco products, go to the next section. Else, go to Box ANV03. GOTO Specification: IF R02_EVERYDAY_USER_TOBACCO = 1 AND R02_CURRENT_PRODUCT_COUNT > 1 AND R02_AY0010_NN = -8, -7, GO TO R02_AY0015. ELSE, IF R02_CURRENT_PRODUCT_COUNT = 10 OR (R02_EVER_USER_CIGS = 1 AND R02_EVER_USER_ECIG = 1 AND R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1 AND R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1 AND R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1 AND R02_EVER_USER_PIPE = 1 AND R02_EVER_USER_HOOK = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_EVER_USER_SNUS = 1 AND R02_EVER_USER_DISSBL = 1), GO TO THE NEXT SECTION (see note in Box R02_AMD03). ELSE, GO TO BOX R02_ANV03. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AY0015
Would you say you have your first tobacco product within the first 30 minutes after you wake up? 1 Yes 2 No 3 It varies -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product, and did not know or refused to report how soon after waking up they usually first use a tobacco product. ASK Specification: IF R02_EVERYDAY_USER_TOBACCO = 1 AND R02_CURRENT_PRODUCT_COUNT > 1 AND R02_AY0010_NN = -8, -7. GOTO: Adult respondents who are current established users of all tobacco products OR adult respondents who have ever used all tobacco products, go to the next section. Else, go to Box ANV03. GOTO Specification: IF R02_CURRENT_PRODUCT_COUNT = 10 OR (R02_EVER_USER_CIGS = 1 AND R02_EVER_USER_ECIG = 1 AND R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1 AND R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1 AND R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1 AND R02_EVER_USER_PIPE = 1 AND R02_EVER_USER_HOOK = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_EVER_USER_SNUS = 1 AND R02_EVER_USER_DISSBL = 1), GO TO THE NEXT SECTION (see note in Box R02_AMD03). ELSE, GO TO BOX R02_ANV03.

BOX ID: R02_ANV03
CREATE AN ARRAY USEPROD WITH 10 ELEMENTS - ONE FOR EACH TOBACCO TYPE THAT IDENTIFIES WHETHER THE RESPONDENT IS A CURRENT USER OF THE SPECIFIC TOBACCO TYPE. USEPROD(1-10): Current users of: (1) cigarettes; (2) e-cigarettes; (3) traditional cigars; (4) cigarillos; (5) filtered cigars; (6) pipes; (7) hookahs; (8) snus pouches; (9) smokeless tobacco (10) dissolvable tobacco; DISPLAY: If [USEPROD(1-10)] is a list and contains two products, connect the products with "and". If it has three or more products, connect the products with commas and include "and" before the final product in the list. Display all products bold with lowercase letters. CREATE AN ARRAY NUPROD WITH 10 ELEMENTS – ONE FOR EACH TOBACCO TYPE THAT IDENTIFIES WHETHER THE RESPONDENT HAS NEVER USED THE SPECIFIC TOBACCO TYPE. NUPROD(1-10): Never used: (1) Cigarettes; (2) E-cigarettes; (3) Traditional cigars; (4) Cigarillos; (5) Filtered cigars; (6) Pipes; (7) Hookahs; (8) Snus pouches; (9) Dissolvable tobacco; (10) [Other smokeless I Smokeless] tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco. For NUPROD(10): If respondent is a current user of snus pouches and a never user of smokeless tobacco, display "Other smokeless". Else, display "Smokeless". DISPLAY: Display all products with lowercase letters.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0307#_01*** through R02_AX0307#_11*** || Where # = C (Cigarettes); E (E-cigarettes); T (Traditional cigars); G (Cigarillos); F (Filtered cigars); P (Pipes); H (Hookah); U (Snus); S (Smokeless tobacco); D (Dissolvable tobacco)

Have you considered switching from [USEPROD(1-10)] to any of the following products? Choose all that apply.

- 1 I have not considered switching to another product
- 2 [FILL RESPONSE OPTIONS WITH NUPROD(1-9)]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established users of any tobacco product, and are not current established users of every tobacco product, and are not ever users of all tobacco products.

ASK Specification: FOR R02_AX0307C: IF R02_CURRENT_USER_CIGS = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0307E: IF R02_CURRENT_USER_ECIG = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0307T: IF R02_CURRENT_USER_GTRAD = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0307G: IF R02_CURRENT_USER_GRILLO = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0307F: IF R02_CURRENT_USER_GFILTR = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0307P: IF R02_CURRENT_USER_PIPE = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0307H: IF R02_CURRENT_USER_HOOK = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0307U: IF R02_CURRENT_USER_SNUS = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0307D: IF R02_CURRENT_USER_DISSBL = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0307S: IF R02_CURRENT_USER_SMKLS = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1).

DISPLAY: Bold [USEPROD(1-10)]. IF [USEPROD(1-10)] IS USEPROD(8) "snus pouches" AND RESPONSE OPTIONS INCLUDE NUPROD(10), DISPLAY NUPROD(10) AS "Other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco". ELSE, DISPLAY NUPROD(10) AS "Smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco".

PROGRAM: Ask the question one time for each product the respondent currently uses. Each time the question is asked, fill response options with the tobacco products the respondent has never used. If the respondent has ever used every tobacco type, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_AX0307#_01 through R02_AX0307#_11, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AX0306#_01*** through R02_AX0306#_11*** Where # = C (Cigarettes); E (E-cigarettes); T (Traditional cigars); G (Cigarillos); F (Filtered cigars); P (Pipes); H (Hookah); U (Snus); S (Smokeless tobacco); D (Dissolvable tobacco)
Have you considered using any of the following products in addition to [USEPROD(1-10)]? Choose all that apply.	
1 I have not considered using additional products 2 [FILL RESPONSE OPTIONS WITH NUPROD(1-9)] -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established users of any tobacco product, and are not current established users of every tobacco product, and are not ever users of all tobacco products.	
ASK Specification: FOR R02_AX0306C: IF R02_CURRENT_USER_CIGS = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).	
FOR R02_AX0306E: IF R02_CURRENT_USER_ECIG = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).	
FOR R02_AX0306T: IF R02_CURRENT_USER_GTRAD = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).	
FOR R02_AX0306G: IF R02_CURRENT_USER_GRILLO = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).	
FOR R02_AX0306F: IF R02_CURRENT_USER_GFILTR = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).	
FOR R02_AX0306P: IF R02_CURRENT_USER_PIPE = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).	
FOR R02_AX0306H: IF R02_CURRENT_USER_HOOK = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0306U: IF R02_CURRENT_USER_SNUS = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0306D: IF R02_CURRENT_USER_DISSBL = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_SMKLS = 1).

FOR R02_AX0306S: IF R02_CURRENT_USER_SMKLS = 1 AND R02_CURRENT_PRODUCT_COUNT < 10 AND (R02_NEVER_USER_CIGS = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_AG1132TC = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_AG1132CG = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_AG1132FC = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1).

DISPLAY: Bold [USEPROD(1-10)]. IF R02_CURRENT_USER_SNUS = 1 AND R02_NEVER_USER_SMKLS = 1, DISPLAY "Other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco" in NUPROD(10). ELSE, DISPLAY "Smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco". If two products are filled in USEPROD, separate with "and"; if three or more products are filled, separate with "," and "and" appropriately.

IF [USEPROD(1-10)] HAS TWO PRODUCTS, CONNECT THE PRODUCTS WITH "and".

IF [USEPROD(1-10)] HAS THREE OR MORE PRODUCTS, CONNECT THE PRODUCTS WITH COMMAS AND INCLUDE "and" BEFORE THE FINAL PRODUCT.

PROGRAM: Ask the question one time for all products the respondent currently uses listed in USEPROD(1-10). The response options are filled with the products the respondent has never used in NUPROD. If the respondent has ever used every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected.

NOTES: R02_AX0306 was intended to be asked a single time of applicable respondents. The question would have listed all the products the respondent currently uses and asked if they have considered using any additional products. Instead, the question was repeated for each product the respondent currently uses individually.

The instrument did not ask if respondents considered additional use of the same tobacco type. As such, for each set of variables in R02_AX0306#_01 through R02_AX0306#_11, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

NICOTINE DEPENDENCE

BOX ID: R02_ANV04

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R02_EXPERIMENTAL_PRODUCT_COUNT = Number of tobacco products the respondent currently uses experimentally.

R02_FORMER_12M_PRODUCT_COUNT = Number of tobacco products used in the past 12 months, but not currently used.

R02_CURRENT_USER_TOBXCIG = Adult respondents who are current users of at least one tobacco product other than e-cigarettes. (For at least one product – not including e-cigarettes – the respondent is a current established user. The respondent may have any e-cigarette use status.)

R02_NEW_FORMER_USER_TOBXCIG = Adult respondents who are a new former user of any tobacco product other than e-cigarettes. (For at least one tobacco product – not including e-cigarettes – the respondent was a current established or experimental current user in the previous wave, or initiated use of the product since the previous wave, and at Wave 2 they are an established user, but did not use the product in the past 12 months or currently use it not at all. The respondent may have any e-cigarette use status.)

R02_NDSKIP = Type of product use -- polyusers or multiple product users:

R02_NDSKIP = 0 (Respondents who are current or new former users of only one product. Or respondents who are experimental current users of only one product and who are not current or new former users of any products. If R02_NDSKIP = 0, Nicotine Dependence will be asked one time, with fills tailored to their specific product.)

R02_NDSKIP = 1 (Respondents who are current or new former users of two or more products, where none of those products is/was an e-cigarette. Or respondents who are experimental current users of two or more products, where none of those products is an e-cigarette, and who are not current or new former users of any products. If R02_NDSKIP = 1, Nicotine Dependence will be asked one time, with fills tailored to their tobacco use overall.)

R02_NDSKIP = 2 (Respondents who are current or new former users of three or more products, where one of those products is/was an e-cigarette. Or respondents who are experimental current users of three or more products, where one of those products is an e-cigarette, and who are not current or new former users of any products. If R02_NDSKIP = 2, Nicotine Dependence will be asked twice, first with fills tailored to their e-cigarettes and second with fills tailored to their tobacco use overall.)

R02_NDSKIP = 3 (Respondents who are current or new former users of two products, where one of those products is/was an e-cigarette. Or respondents who are experimental current users of two products, where one of those products is an e-cigarette, and who are not current or new former users of any products. If R02_NDSKIP = 3, Nicotine Dependence will be asked twice, first with fills tailored to their e-cigarettes and second with fills tailored to their other specific product.)

R02_GROUP (IF R02_NDSKIP = 0 OR 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS: NC, NE, NG, NL, NF, NP, NH, NU, NS, ND.

IF R02_NDSKIP = 0, any one of the values in the table can be assigned to the R02_GROUP variable.

IF R02_NDSKIP = 3 any value except NE can be assigned to the R02_GROUP variable.)

ASK_ECIG = Flag to indicate whether the e-cigarette loop of R02_NDSKIP LOOP #1 has been asked when R02_NDSKIP = 2 or 3. (Note: This derived variable is only used for routing purposes during survey administration; if ASK_ECIG = 1, it is reset to ASK_ECIG = 2 after the first completion of R02_NDSKIP LOOP#1.)

ASK_ECIG_LOOP2 = Flag to indicate whether the e-cigarette loop of R02_NDSKIP LOOP#2 has been asked when R02_NDSKIP = 2 or 3. (Note: This derived variable is only used for routing purposes

PATH Study Wave 2 Adult Public Use File Annotated Instrument

during survey administration; if ASK_ECIG_LOOP2 = 1, it is reset to ASK_ECIG_LOOP2 = 2 after the first completion of R02_NDSKIP LOOP#2.)

ASK_ECIG_LOOP3 = Flag to indicate whether the e-cigarette loop of R02_NDSKIP LOOP#3 has been asked when R02_NDSKIP = 2 or 3. (Note: This derived variable is only used for routing purposes during survey administration; if ASK_ECIG_LOOP3 = 1, it is reset to ASK_ECIG_LOOP3 = 2 after the first completion of R02_NDSKIP LOOP#3.)

ASK_ECIG_LOOP4 = Flag to indicate whether the e-cigarette loop of R02_NDSKIP LOOP#4 has been asked when R02_NDSKIP = 2 or 3. (Note: This derived variable is only used for routing purposes during survey administration; if ASK_ECIG_LOOP4 = 1, it is reset to ASK_ECIG_LOOP4 = 2 after the first completion of R02_NDSKIP LOOP#4.)

R02_EXPERIMENTAL_PRODUCT_COUNT:

0 +1 FOR EVERY PRODUCT THE RESPONDENT IS AN EXPERIMENTAL CURRENT USER OF [R02_EXPERIMENTAL_CURRENT_CIGS = 1, R02_EXPERIMENTAL_CURRENT_ECIG = 1, R02_EXPERIMENTAL_CURRENT_GTRAD = 1, R02_EXPERIMENTAL_CURRENT_GRILLO = 1, R02_EXPERIMENTAL_CURRENT_GFILTR = 1, R02_EXPERIMENTAL_CURRENT_PIPE = 1, R02_EXPERIMENTAL_CURRENT_HOOK = 1, R02_EXPERIMENTAL_CURRENT_SNUS = 1, R02_EXPERIMENTAL_CURRENT_SMKLS = 1, R02_EXPERIMENTAL_CURRENT_DISSBL = 1]. Range 0 to 10.

R02_FORMER_12M_PRODUCT_COUNT:

0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A NEW FORMER USER OF [R02_NEW_FORMER_USER_CIGS = 1, R02_NEW_FORMER_USER_ECIG = 1, R02_NEW_FORMER_USER_GTRAD = 1, R02_NEW_FORMER_USER_GRILLO = 1, R02_NEW_FORMER_USER_GFILTR = 1, R02_NEW_FORMER_USER_PIPE = 1, R02_NEW_FORMER_USER_HOOK = 1, R02_NEW_FORMER_USER_SNUS = 1, R02_NEW_FORMER_USER_SMKLS = 1, R02_NEW_FORMER_USER_DISSBL = 1]. Range 0 to 10.

R02_CURRENT_USER_TOBXCIG:

IF R02_CURRENT_USER_CIGS = 1 OR R02_CURRENT_USER_GTRAD = 1 OR R02_CURRENT_USER_GRILLO = 1 OR R02_CURRENT_USER_GFILTR = 1 OR R02_CURRENT_USER_PIPE = 1 OR R02_CURRENT_USER_HOOK = 1 OR R02_CURRENT_USER_SMKLS = 1 OR R02_CURRENT_USER_SNUS = 1 OR R02_CURRENT_USER_DISSBL = 1, THEN R02_CURRENT_USER_TOBXCIG = 1.
ELSE, R02_CURRENT_USER_TOBXCIG = 2.

R02_NEW_FORMER_USER_TOBXCIG:

IF (R02_NEW_FORMER_USER_CIGS = 1 OR R02_NEW_FORMER_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_PIPE = 1 OR R02_NEW_FORMER_USER_HOOK = 1 OR R02_NEW_FORMER_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SNUS = 1 OR R02_NEW_FORMER_USER_DISSBL = 1), THEN R02_NEW_FORMER_USER_TOBXCIG = 1.
ELSE, R02_NEW_FORMER_USER_TOBXCIG = 2.

R02_NDSKIP:

IF [(R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT >= 2) AND (R02_CURRENT_USER_ECIG = 2 AND R02_NEW_FORMER_USER_ECIG = 2)], THEN R02_NDSKIP = 1;
ELSE, IF [(R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT >= 3) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1)], THEN R02_NDSKIP = 2;
ELSE, IF [(R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT = 2) AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

(R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1)], THEN R02_NDSKIP = 3;
ELSE, IF (R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT = 1), THEN R02_NDSKIP = 0.
ELSE, IF R02_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND
R02_NEW_FORMER_USER_TOBACCO = 2 AND
R02_EXPERIMENTAL_CURRENT_ECIG = 2, THEN R02_NDSKIP = 1;
ELSE, IF R02_EXPERIMENTAL_PRODUCT_COUNT >= 3 AND
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND
R02_NEW_FORMER_USER_TOBACCO = 2 AND
R02_EXPERIMENTAL_CURRENT_ECIG = 1, THEN R02_NDSKIP = 2;
ELSE, IF R02_EXPERIMENTAL_PRODUCT_COUNT COUNT = 2 AND
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND
R02_NEW_FORMER_USER_TOBACCO = 2 AND
R02_EXPERIMENTAL_CURRENT_ECIG = 1, THEN R02_NDSKIP = 3;
ELSE, R02_NDSKIP = 0.

R02_GROUP:

IF R02_NDSKIP = 0:

IF (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1) AND
(R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND
R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND
R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND
R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND
R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NC.

ELSE, IF (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND
R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND
R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND
R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND
R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND
R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND
R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NE.

ELSE, IF (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GRILLO = 2 AND
R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND
R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND
R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND
R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NG.

ELSE, IF (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND
R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND
R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NL.

ELSE, IF (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_PIPE = 2 AND
R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND
R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NF.

ELSE, IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND
R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND
R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NP.

ELSE, IF (R02_CURRENT_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND
R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_SNUS = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND
R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NH.

ELSE, IF (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND
R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND
R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NU.

ELSE, IF (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND
R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND
R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND
R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND
R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NS.

ELSE, IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND
R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND
R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND
R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND
R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2), THEN
R02_GROUP = ND.

ELSE, IF R02_EXPERIMENTAL_CURRENT_CIGS = 1 AND (R02_CURRENT_USER_TOBACCO = 2
AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NC.
ELSE, IF R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2
AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NE.
ELSE, IF R02_EXPERIMENTAL_CURRENT_GTRAD = 1 AND (R02_CURRENT_USER_TOBACCO = 2
AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NG.
ELSE, IF R02_EXPERIMENTAL_CURRENT_GRILLO = 1 AND (R02_CURRENT_USER_TOBACCO = 2
AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NL.
ELSE, IF R02_EXPERIMENTAL_CURRENT_GFILTR = 1 AND (R02_CURRENT_USER_TOBACCO = 2
AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NF.
ELSE, IF R02_EXPERIMENTAL_CURRENT_PIPE = 1 AND (R02_CURRENT_USER_TOBACCO = 2
AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NP.
ELSE, IF R02_EXPERIMENTAL_CURRENT_HOOK = 1 AND (R02_CURRENT_USER_TOBACCO = 2
AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NH.
ELSE, IF R02_EXPERIMENTAL_CURRENT_SNUS = 1 AND (R02_CURRENT_USER_TOBACCO = 2
AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NU.
ELSE, IF R02_EXPERIMENTAL_CURRENT_SMKLS = 1 AND (R02_CURRENT_USER_TOBACCO = 2
AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NS.
ELSE, IF R02_EXPERIMENTAL_CURRENT_DISSBL = 1 AND (R02_CURRENT_USER_TOBACCO = 2
AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = ND.

IF R02_NDSKIP = 3:

PATH Study Wave 2 Adult Public Use File Annotated Instrument

IF (CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1) AND
(R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND
(R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND
R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND
R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND
R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND
R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NC.

ELSE, IF (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND
(R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GRILLO = 2 AND
R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND
R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND
R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND
R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NG.

ELSE, IF (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND
(R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND
R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND
R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NL.

ELSE, IF (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND
(R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_PIPE = 2 AND
R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND
R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NF.

ELSE, IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND
(R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND
R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND
R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NP.

ELSE, IF (R02_CURRENT_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND
(R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND
R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_SNUS = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND
R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NH.

ELSE, IF (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND
(R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND
R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND
R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND
R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND
R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NU.

ELSE, IF (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND
(R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND
R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND
R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND
R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND
R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN
R02_GROUP = NS.

ELSE, IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND
(R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND
(R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND
R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND
R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND
R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND
R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND
R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND
R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND

R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2), THEN
R02_GROUP = ND.

ELSE, IF R02_EXPERIMENTAL_CURRENT_CIGS = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NC.

ELSE, IF R02_EXPERIMENTAL_CURRENT_GTRAD = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NG.

ELSE, IF R02_EXPERIMENTAL_CURRENT_GRILLO = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NL.

ELSE, IF R02_EXPERIMENTAL_CURRENT_GFILTR = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NF.

ELSE, IF R02_EXPERIMENTAL_CURRENT_PIPE = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NP.

ELSE, IF R02_EXPERIMENTAL_CURRENT_HOOK = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NH.

ELSE, IF R02_EXPERIMENTAL_CURRENT_SNUS = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NU.

ELSE, IF R02_EXPERIMENTAL_CURRENT_SMKLS = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NS.

ELSE, IF R02_EXPERIMENTAL_CURRENT_DISSBL = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = ND.

ASK_ECIG:

If R02_NDSKIP = 2 or 3 and R02_NDSKIP LOOP#1 has not been completed once, then ASK_ECIG = 1.

Else, ASK_ECIG = 2. (Note: This derived variable is only used for routing purposes during survey administration; if ASK_ECIG = 1, it is reset to ASK_ECIG = 2 after the first completion of R02_NDSKIP LOOP#1.)

ASK_ECIG_LOOP2:

If R02_NDSKIP = 2 or 3 and R02_NDSKIP LOOP#2 has not been completed once, then ASK_ECIG_LOOP2 = 1.

Else, ASK_ECIG_LOOP2 = 2. (Note: This derived variable is only used for routing purposes during survey administration; if ASK_ECIG_LOOP2 = 1, it is reset to ASK_ECIG_LOOP2 = 2 after the first completion of R02_NDSKIP LOOP#2.)

ASK_ECIG_LOOP3:

If R02_NDSKIP = 2 or 3 and R02_NDSKIP LOOP#3 has not been completed once, then ASK_ECIG_LOOP3 = 1.

Else, ASK_ECIG_LOOP3 = 2. (Note: This derived variable is only used for routing purposes during survey administration; if ASK_ECIG_LOOP3 = 1, it is reset to ASK_ECIG_LOOP3 = 2 after the first completion of R02_NDSKIP LOOP#3.)

PATH Study Wave 2 Adult Public Use File Annotated Instrument

ASK_ECIG_LOOP4:

If R02_NDSKIP = 2 or 3 and R02_NDSKIP LOOP#4 has not been completed once, then ASK_ECIG_LOOP4 = 1.

Else, ASK_ECIG_LOOP4 = 2. (Note: This derived variable is only used for routing purposes during survey administration; if ASK_ECIG_LOOP4 = 1, it is reset to ASK_ECIG_LOOP4 = 2 after the first completion of R02_NDSKIP LOOP#4.)

BOX ID: R02_ANR02

If the respondent is a current established or new former established tobacco user go through R02_NDSKIP LOOP #1, R02_NDSKIP LOOP #2, R02_NDSKIP LOOP #3, AND R02_NDSKIP LOOP #4 according to the following conditions:

Condition a: Respondents who are current established or new former established users of only one product. Condition a will be asked the questions in the loop one time, with fills tailored to their specific product.

Condition b: Respondents who are current established or new former established users of more than one product, where one of those products is/was an e-cigarette. Condition b will respond to the questions in the loop twice, first with fills tailored to their e-cigarettes and second with fills tailored to their other specific product.

Condition c: Respondents who are current established or new former established users of two or more products, where none of those products is an e-cigarette. Condition c will respond to the questions in the loop one time, with fills tailored to their tobacco use overall.

Condition d: Respondents who are current established or new former established users of three or more products, where one of those products is/was an e-cigarette. Condition d will respond to the questions in the loop twice, first with fills tailored to their e-cigarettes and second with fills tailored to their tobacco use overall.

Else, if current experimental user of only one product and not a current established or new former established user of any product, go to R02_AN0330_12M and go through R02_NDSKIP LOOP #2 and R02_NDSKIP LOOP #3 once using appropriate fills according to R02_NDSKIP.

Else, if current experimental user of more than one product and not a current established or new former established user of any product, go through R02_NDSKIP LOOP #1, R02_NDSKIP LOOP #2 and R02_NDSKIP LOOP #3 according to conditions a, b, c, or d.

Else, go to R02_AN0330_12M.

IF R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1 ROUTE AS FOLLOWS:

IF [(R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT = 1)] GO TO BOX R02_ANT01 and loop through the R02_NDSKIP LOOP #1, R02_NDSKIP LOOP #2, R02_NDSKIP LOOP #3 and R02_NDSKIP LOOP #4 sections ONCE using appropriate product specific fill as defined by the groups and fill specs below (condition a). Do not ask about any experimental current or experimental former use.

IF [(R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT = 2) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1)] GO TO BOX

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_ANT01 and loop through the R02_NDSKIP LOOP #1, R02_NDSKIP LOOP #2, R02_NDSKIP LOOP #3 and R02_NDSKIP LOOP #4 sections TWICE using appropriate product specific fills for each iteration (condition b). Ask about their e-cigarettes on the first loop and their other product on the second loop. Do not ask about any experimental current or experimental former use.

IF [(R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT >= 2) AND (R02_CURRENT_USER_ECIG = 2 AND R02_NEW_FORMER_USER_ECIG = 2)] GO TO BOX R02_ANT01 and loop through the R02_NDSKIP LOOP #1, R02_NDSKIP LOOP #2, R02_NDSKIP LOOP #3 and R02_NDSKIP LOOP #4 sections ONCE using the tobacco use fill (condition c). Do not ask about any experimental current or experimental former use.

IF [(R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT >= 3) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1)] GO TO BOX R02_ANT01 and loop through the R02_NDSKIP LOOP #1, R02_NDSKIP LOOP #2, R02_NDSKIP LOOP #3 and R02_NDSKIP LOOP #4 sections TWICE using the e-cigarette fill for the first iteration and the tobacco use fill for the other iteration (condition d). Do not ask about any experimental current or experimental former use.

ELSE, IF R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) ROUTE AS FOLLOWS:

IF R02_EXPERIMENTAL_PRODUCT_COUNT = 1 GO TO R02_AN0330_12M and loop through the R02_NDSKIP LOOP #2 and R02_NDSKIP LOOP #3 ONCE using appropriate product specific fills as defined by the groups and fill specs below (condition a). Do not ask about any current established, new former, or experimental former use.

IF (R02_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1) GO TO BOX R02_ANT01 and loop through the R02_NDSKIP LOOP #1, R02_NDSKIP LOOP #2, and R02_NDSKIP LOOP #3 TWICE, using the e-cigarette fill for the first iteration and the appropriate product-specific fills for the second iteration (condition b). Do not ask about any current established, new former, or experimental former use.

IF (R02_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R02_EXPERIMENTAL_CURRENT_ECIG = 2) GO TO BOX R02_ANT01 and loop through the R02_NDSKIP LOOP #1, R02_NDSKIP LOOP #2 and R02_NDSKIP LOOP #3 ONCE using the tobacco use fill (condition c). Do not ask about any current established, new former, or experimental former use.

IF (EXPERIMENTAL_PRODUCT_COUNT >= 3 AND EXPERIMENTAL_CURRENT_ECIG = 1) GO TO BOX R02_ANT01 and ask all questions in the NDSKIP LOOP #1, NDSKIP LOOP #2, and NDSKIP LOOP #3 sections TWICE, using the e-cigarette fill for the first iteration and the tobacco use fill for the second iteration (condition d). Do not ask about any current established, new former, or experimental former use.

ELSE, GO TO R02_AN0330_12M and follow appropriate skip patterns for all respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AND01

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL1:

IF R02_NDSKIP = 0 OR 3:

IF NC=YES, FILL WITH "smoke cigarettes"

IF R02_NDSKIP = 0 AND NE=YES, FILL WITH "use e-cigarettes"

IF NG=YES, FILL WITH "smoke traditional cigars"

IF NL=YES, FILL WITH "smoke cigarillos"

IF NF=YES, FILL WITH "smoke filtered cigars"

IF NP=YES, FILL WITH "smoke a pipe"

IF NH=YES, FILL WITH "smoke hookah"

IF NU=YES, FILL WITH "use snus pouches"

IF NS=YES, FILL WITH "use smokeless tobacco"

IF ND=YES, FILL WITH "use dissolvable tobacco"

IF R02_NDSKIP = 1 FILL WITH "use tobacco"

IF R02_NDSKIP = 2 FILL WITH "use e-cigarettes" the first time through the loop, and with "use tobacco" the second time through the loop.

IF R02_NDSKIP = 3 AND NC = YES, FILL WITH "use e-cigarettes" the first time through the loop and "smoke cigarettes" the second time through the loop.

IF R02_NDSKIP = 3 AND (one-of NG, NL, NF, NP, NH, NU, NS, ND) = YES, FILL WITH "use e-cigarettes" the first time through the loop and the appropriate fill as described above for each product the second time through the loop.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AND05

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL2:

IF R02_NDSKIP = 0 OR 3:

IF NC=YES FILL WITH "cigarettes"

IF R02_NDSKIP = 0 AND NE=YES FILL WITH "e-cigarettes"

IF NG=YES FILL WITH "traditional cigars"

IF NL=YES FILL WITH "cigarillos"

IF NF=YES FILL WITH "filtered cigars"

IF NP=YES FILL WITH "pipe tobacco"

IF NH=YES FILL WITH "hookah"

IF NU=YES FILL WITH "snus pouches"

IF NS=YES FILL WITH "smokeless tobacco"

IF ND=YES FILL WITH "dissolvable tobacco"

IF R02_NDSKIP = 1 FILL WITH "tobacco"

IF R02_NDSKIP = 2 FILL WITH "e-cigarettes" the first time through the loop, and with "tobacco" the second time through the loop.

IF R02_NDSKIP = 3 AND NC = YES, FILL WITH "e-cigarettes" the first time through the loop and "cigarettes" the second time through the loop.

IF R02_NDSKIP = 3 AND (one-of NG, NL, NF, NP, NH, NU, NS, ND) = YES, FILL WITH "e-cigarettes" the first time through the loop and the appropriate fill as described above for each product the second time through the loop.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AND06

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL3:

IF R02_NDSKIP = 0 OR 3:

IF NC=YES FILL WITH "smoking cigarettes"

IF R02_NDSKIP = 0 AND NE=YES FILL WITH "using e-cigarettes"

IF NG=YES FILL WITH "smoking traditional cigars"

IF NL=YES FILL WITH "smoking cigarillos"

IF NF=YES FILL WITH "smoking filtered cigars"

IF NP=YES FILL WITH "smoking a pipe"

IF NH=YES FILL WITH "smoking hookah"

IF NU=YES FILL WITH "using snus pouches"

IF NS=YES FILL WITH "using smokeless tobacco"

IF ND=YES FILL WITH "using dissolvable tobacco"

IF R02_NDSKIP = 1 FILL WITH "using tobacco"

IF R02_NDSKIP = 2 FILL WITH "using e-cigarettes" the first time through the loop, and with "using tobacco" the second time through the loop.

IF R02_NDSKIP = 3 AND NC = YES, FILL WITH "using e-cigarettes" the first time through the loop and "smoking cigarettes" the second time through the loop.

IF R02_NDSKIP = 3 AND (one-of NG, NL, NF, NP, NH, NU, NS, ND) = YES, FILL WITH "using e-cigarettes" the first time through the loop and the appropriate fill as described above for each product the second time through the loop.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AND07

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL4:

IF R02_NDSKIP = 0 OR 3:

IF NC=YES FILL WITH "cigarette smoking"

IF R02_NDSKIP = 0 AND NE=YES FILL WITH "e-cigarette use"

IF NG=YES FILL WITH "traditional cigar smoking"

IF NL=YES FILL WITH "cigarillo smoking "

IF NF=YES FILL WITH "filtered cigar smoking"

IF NP=YES FILL WITH "pipe smoking"

IF NH=YES FILL WITH "hookah smoking"

IF NU=YES FILL WITH "snus pouch use"

IF NS=YES FILL WITH "smokeless tobacco use"

IF ND=YES FILL WITH "dissolvable tobacco use"

IF R02_NDSKIP = 1 FILL WITH "tobacco use"

IF R02_NDSKIP = 2 FILL WITH "e-cigarette use" the first time through the loop, and with "tobacco use" the second time through the loop.

IF R02_NDSKIP = 3 AND NC = YES, FILL WITH "e-cigarette use" the first time through the loop and "cigarette use" the second time through the loop.

IF R02_NDSKIP = 3 AND (one-of NG, NL, NF, NP, NH, NU, NS, ND) = YES, FILL WITH "e-cigarette use" the first time through the loop and the appropriate fill as described above for each product the second time through the loop.

BOX ID: R02_ANR17

START R02_NDSKIP LOOP#1

R02_NDSKIP LOOP #1 includes Box R02_ANT01 through [R02_AN0225/R02_AN0225E].

IF R02_NDSKIP = 0, 1, ASK THESE QUESTIONS 1 TIME FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED.

IF R02_NDSKIP = 2, 3, ASK THESE QUESTIONS 2 TIMES FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ANT01

IF R02_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with [ND FILL2].

IF R02_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:

FIRST LOOP (ASK_ECIG = 1) DISPLAY: The next questions ask about your experience with e-cigarettes. Please think only about e-cigarettes as you answer these questions. We will ask you questions about [NDFILL2] later.

SECOND LOOP (ASK_ECIG = 2) THROUGH SERIES DISPLAY: Now we would like to ask about your experience with [NDFILL2]. Please think only about [NDFILL2] as you answer these questions.

IF R02_NDSKIP = 1, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with tobacco products. You said that you have used the following tobacco products: [LIST ALL PRODUCTS RESPONDENT CURRENTLY USES OR HAS USED IN THE PAST 12 MONTHS, UP TO 9 TOTAL, USING NDFILL2 TEXT. IF PRODUCT COUNT=2, SEPARATE WITH 'and'. IF PRODUCT COUNT >2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT].

Please think about [both I all] of these products together as you answer the next series of questions. [IF PRODUCT COUNT=2, DISPLAY "both"; IF PRODUCT COUNT>2, DISPLAY "all"]

IF R02_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT:

FIRST LOOP (ASK_ECIG = 1) THROUGH SERIES DISPLAY: The next questions ask about your experience with e-cigarettes.

SECOND LOOP (ASK_ECIG = 2) THROUGH SERIES DISPLAY: Now we would like to ask about your experience with tobacco products. You said that you have used the following tobacco products, in addition to e-cigarettes: [LIST ALL PRODUCTS RESPONDENT CURRENTLY USES OR HAS USED IN THE PAST 12 MONTHS, UP TO 9 TOTAL, USING NDFILL2 TEXT EXCLUDING ECIGARETTES. IF PRODUCT COUNT EXCLUDING ECIGARETTES=2, SEPARATE WITH 'and'. IF PRODUCT COUNT EXCLUDING ECIGARETTES>2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT]. Please think about [both I all] of these products together as you answer the next series of questions. [IF PRODUCT COUNT=2, DISPLAY "both"; IF PRODUCT COUNT>2, DISPLAY "all"]

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0010***; R02_AN0010E***

Do you consider yourself addicted to [ND FILL2]?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0010E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0010: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AN0015***; R02_AN0015E***

Do you ever have strong cravings to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0015E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0015: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0020***; R02_AN0020E*****

Have you ever felt like you really needed to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0020E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0020: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0055***; R02_AN0055E***

Please rate your level of agreement for each statement using the following scale: 1= not true of me at all to 5=extremely true of me.

I find myself reaching for [ND FILL2] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0055E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0055: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R02_AND02

Randomize order of items [R02_AN0025/R02_AN0025E] - [R02_AN0100/R02_AN0100E].

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0025***; R02_AN0025E***

I frequently crave [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0025E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0025: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: This item was always the first question asked in the randomized set.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0030***; R02_AN0030E***

[My urges keep getting stronger if I don't/I still have urges to] [ND FILL1].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0030E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0030: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: FOR R02_AN0030E: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "My urges keep getting stronger if I don't". ELSE, DISPLAY "I still have urges to".

FOR R02_AN0030: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "My urges keep getting stronger if I don't". ELSE, DISPLAY "I still have urges to".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0035***; R02_AN0035E***

[FILL AS SHOWN BELOW] me.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0035E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0035: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: FOR R02_AN0035E:

IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1, fill with "E-cigarettes control".

FOR R02_AN0035:

IF R02_NDSKIP = 1, fill with "Tobacco controls"

IF R02_NDSKIP = 2 AND ASK_ECIG = 2, fill with "Tobacco controls".

IF R02_NDSKIP = 0, 3 AND ASK_ECIG = 2:

IF NC = YES FILL WITH "Cigarettes control"

IF NE = YES FILL WITH "E-cigarettes control"

IF NG = YES FILL WITH "Traditional cigars control"

IF NL = YES FILL WITH "Cigarillos control"

IF NF = YES FILL WITH "Filtered cigars control"

IF NP = YES FILL WITH "Pipe smoking controls"

IF NH = YES FILL WITH "Hookah smoking controls"

IF NU = YES FILL WITH "Snus pouches control"

IF NS = YES FILL WITH "Smokeless tobacco controls"

IF ND = YES FILL WITH "Dissolvable tobacco controls"

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0045***; R02_AN0045E***
[[My [ND FILL4] is out of control./My urge to [ND FILL1] is out of control.]] 1 Not true of me at all 2 3 4 5 Extremely true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product. ASK Specification: FOR R02_AN0045E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)). FOR R02_AN0045: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1). DISPLAY: FOR R02_AN0045E: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "My [ND FILL4] is out of control.". ELSE, DISPLAY "My urge to [ND FILL1] is out of control.". FOR R02_AN0045: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "My [ND FILL4] is out of control.". ELSE, DISPLAY "My urge to [ND FILL1] is out of control.". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0060***; R02_AN0060E***

I usually want to [ND FILL 1] right after I wake up.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0060E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0060: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0065***; R02_AN0065E*****

I can only go a couple of hours without [[ND FILL3]/wanting to [ND FILL1]].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0065E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0065: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: FOR R02_AN0065E: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "[ND FILL3]". ELSE, DISPLAY "wanting to [ND FILL1]".

FOR R02_AN0065: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "[ND FILL3]". ELSE, DISPLAY "wanting to [ND FILL1]".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0050***; R02_AN0050E***

[I frequently [ND FILL1]/I find myself almost [ND FILL3]] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0050E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0050: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: FOR R02_AN0050E: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "I frequently [ND FILL1]". ELSE, DISPLAY "I find myself almost [ND FILL3]".

FOR R02_AN0050: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "I frequently [ND FILL1]". ELSE, DISPLAY "I find myself almost [ND FILL3]".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0070***; R02_AN0070E***

[ND FILL3] [really helps/would really help] me feel better if I've been feeling down.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0070E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0070: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: FOR R02_AN0070E: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "really helps". ELSE, DISPLAY "would really help".

FOR R02_AN0070: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "really helps". ELSE, DISPLAY "would really help".

PROGRAM: Make ND FILL3 title case.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0075***; R02_AN0075E***

[ND FILL3] helps me think better.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0075E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0075: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

GOTO: From R02_AN0075E: If R02_NDSKIP = 2 or 3 and ASK_ECIG = 1, go to R02_AN0332E.

From R02_AN0075: If R02_NDSKIP = 2 or 3 and ASK_ECIG = 2, go to R02_AN0255.

Else, if R02_NDSKIP = 0 or 1, go to R02_AN0332.

GOTO Specification: FROM R02_AN0075E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1, GO TO R02_AN0332E.

FROM R02_AN0075: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 2, GO TO R02_AN0255.

ELSE, IF R02_NDSKIP = 0, 1, GO TO R02_AN0332.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0332***; R02_AN0332E***

Most of the people I spend time with use e-cigarettes.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0332E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0332: IF R02_NDSKIP = 0, 1 AND ((R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1)).

PROGRAM: If R02_NDSKIP = 2 OR 3, only ask this question once; do not repeat in second loop.

GOTO: From R02_AN0332E: Go to R02_AN0080E.

From R02_AN0332: Go to R02_AN0255.

GOTO Specification: FROM R02_AN0332E: GO TO R02_AN0080E.

FROM R02_AN0332: GO TO R02_AN0255.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0255*****

Most of the people I spend time with use tobacco.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXCIG = 1 OR R02_NEW_FORMER_USER_TOBXCIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

PROGRAM: If R02_NDSKIP = 2 OR 3, only ask this question once; do not ask in first loop.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0080***; R02_AN0080E***

I [would]feel alone without my [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0080E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0080: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: FOR R02_AN0080E: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "would". ELSE, NO DISPLAY.

FOR R02_AN0080: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "would". ELSE, NO DISPLAY.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0085***; R02_AN0085E***

[I would find it really hard to stop [ND FILL3]./I find it really hard to not [ND FILL 1].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0085E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0085: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: FOR R02_AN0085E: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "I would find it really hard to stop [ND FILL3]". ELSE, DISPLAY "I find it really hard to not [ND FILL 1]".

FOR R02_AN0085: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "I would find it really hard to stop [ND FILL3]". ELSE, DISPLAY "I find it really hard to not [ND FILL 1]".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0090***; R02_AN0090E***

[[I would find it hard to stop [ND FILL3] for a week./I would find it hard to not [ND FILL1] for another week.]]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0090E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0090: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: FOR R02_AN0090E: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "I would find it hard to stop [ND FILL3] for a week.". ELSE, DISPLAY "I would find it hard to not [ND FILL1] for another week.".

FOR R02_AN0090: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "I would find it hard to stop [ND FILL3] for a week.". ELSE, DISPLAY "I would find it hard to not [ND FILL1] for another week.".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0095***; R02_AN0095E*****

[After not [ND FILL3] for a while, I need/I would like] to [ND FILL1] in order to feel less restless and irritable.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0095E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0095: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXCIG = 1 OR R02_NEW_FORMER_USER_TOBXCIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: FOR R02_AN0095E: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "After not [ND FILL3] for a while, I need". ELSE, DISPLAY "I would like".

FOR R02_AN0095: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "After not [ND FILL3] for a while, I need". ELSE, DISPLAY "I would like".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0100***; R02_AN0100E*****

[[After not [ND FILL3] for a while, I need/I feel like I need] to [ND FILL1] in order to keep myself from experiencing any discomfort.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0100E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0100: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

DISPLAY: FOR R02_AN0100E: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "After not [ND FILL3] for a while, I need". ELSE, DISPLAY "I feel like I need".

FOR R02_AN0100: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1), DISPLAY "After not [ND FILL3] for a while, I need". ELSE, DISPLAY "I feel like I need".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0813***; R02_AN0813E***

In the past 12 months, did you find it difficult to keep from [ND FILL3] in places where it was not permitted?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0813E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0813: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0812***; R02_AN0812E***

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because [ND FILL4] was not permitted at the activity?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established tobacco users, or adult respondents who are current experimental tobacco users and use more than one product.

ASK Specification: FOR R02_AN0812E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND ((R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1)).

FOR R02_AN0812: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND (R02_CURRENT_USER_TOBXECIG = 1 OR R02_NEW_FORMER_USER_TOBXECIG = 1)) OR (R02_NDSKIP = 0, 1 AND (R02_CURRENT_USER_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1)) OR (R02_NDSKIP = 1, 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_PRODUCT_COUNT > 1 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1).

GOTO: Adult respondents who are current established tobacco users, go to Box R02_ANR19.

Else, adult respondents who are new former established tobacco users, go to Box R02_ANV06.

Else, adult respondents who are current experimental tobacco users, go to Box R02_ANR04.

GOTO Specification: FROM R02_AN0812E: IF R02_CURRENT_USER_TOBACCO = 1, GO TO R02_ANR19.

ELSE, IF R02_NEW_FORMER_USER_TOBACCO = 1, GO TO BOX R02_ANV06.

ELSE, IF R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, GO TO BOX R02_ANR04.

FROM R02_AN0812: IF R02_CURRENT_USER_TOBACCO = 1, GO TO R02_ANR19.

ELSE, IF R02_NEW_FORMER_USER_TOBACCO = 1, GO TO BOX R02_ANV06.

ELSE, IF R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, GO TO BOX R02_ANR04.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ANR19
If R02_NDSKIP = 0 or 1, adult respondents who are current established tobacco users, go to R02_AN0105. Else, if R02_NDSKIP = 2 or 3, in the first loop, adult respondents who are current established e-cigarette users, go to R02_AN0105E. Else, if R02_NDSKIP = 2 or 3, in the second loop, adult respondents who are current established users of any tobacco type other than e-cigarettes, go to R02_AN0105. Else, go to Box R02_ANV06.	
IF R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1, GO TO R02_AN0105. ELSE, IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1, GO TO R02_AN0105E. ELSE, IF R02_NDSKIP = 2, 3, AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1, GO TO R02_AN0105. ELSE, GO TO BOX R02_ANV06.	

Variable(s):	SEE BELOW:
In the past 12 months, have you tried to quit [ND FILL3]? Choose all that apply. R02_AN0105E_01***; R02_AN0105_01*** 1 Yes, I have tried to quit completely R02_AN0105E_02***; R02_AN0105_02*** 2 Yes, I have tried to quit by reducing or cutting back R02_AN0105E_03***; R02_AN0105_03*** 3 No, I have reduced or cut back instead of trying to quit R02_AN0105E_04***; R02_AN0105_04*** 4 No, I have not tried to quit at all -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established tobacco users. ASK Specification: FOR R02_AN0105E[_01/.../_04]: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1. FOR R02_AN0105[_01/.../_04]: IF (R02_NDSKIP = 2, 3, AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ANV06
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):	
R02_TWELVEMONTHQUITATTEMPT = Adult respondents who have quit or attempted to quit in the past 12 months (ASK_ECIG = 2). R02_TWELVEMONTHQUITATTEMPT_ECIG = Adult respondents who have quit or attempted to quit e-cigarettes in the past 12 months (ASK_ECIG = 1). R02_TWELVEMONTHQUITCUTDOWN = Adult respondents who have reduced or cut down in the past 12 months (ASK_ECIG = 2). R02_TWELVEMONTHQUITCUTDOWN_ECIG = Adult respondents who have reduced or cut down e-cigarette use in the past 12 months (ASK_ECIG = 1).	
R02_TWELVEMONTHQUITATTEMPT: IF R02_AN0105_01 = 1 OR R02_AN0105_02 = 1 OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1) OR (R02_NDSKIP = 2, 3 AND R02_NEW_FORMER_USER_TOBXECIG = 1), THEN R02_TWELVEMONTHQUITATTEMPT = 1. ELSE, R02_TWELVEMONTHQUITATTEMPT = 2. R02_TWELVEMONTHQUITATTEMPT_ECIG: IF R02_AN0105E_01 = 1 OR R02_AN0105E_02 = 1 OR (R02_NDSKIP = 2, 3 AND R02_NEW_FORMER_USER_ECIG = 1), THEN R02_TWELVEMONTHQUITATTEMPT_ECIG = 1. ELSE, R02_TWELVEMONTHQUITATTEMPT_ECIG = 2. R02_TWELVEMONTHQUITCUTDOWN: IF R02_AN0105_03 = 1, THEN R02_TWELVEMONTHQUITCUTDOWN = 1. ELSE, R02_TWELVEMONTHQUITCUTDOWN = 2. R02_TWELVEMONTHQUITCUTDOWN_ECIG: IF R02_AN0105E_03 = 1, THEN R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1. ELSE, R02_TWELVEMONTHQUITCUTDOWN_ECIG = 2.	

BOX ID:	R02_ANR03
Adult respondents who are past year quit attempters, go to [R02_AN0115/R02_AN0115E]. Else, go to Box R02_ANR04.	
IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1, GO TO R02_AN0115E. ELSE, IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1, GO TO R02_AN0115. ELSE, GO TO BOX R02_ANR04.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AN0115***; R02_AN0115E***
In total, how many times in the past 12 months have you tried to quit [ND FILL2] completely? 0 I did not try to quit in the past 12 months _ _ _ _ _ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past year quit attempters. ASK Specification: FOR R02_AN0115E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1. FOR R02_AN0115: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1. PROGRAM: Allow 3 digits. GOTO: Adult respondents who are current established tobacco users and are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely, go to [R02_AN0120/R02_AN0120E]. Else, adult respondents who are new former established tobacco users and are not current established or experimental current tobacco users and reported it had been more than 0 days/months/years since they last used a tobacco product, and reported trying to quit 1 or more times or did not know or refused to report how many times they tried to quit, go to [R02_AN0257/R02_AN0257E]. Else, adult respondents who are new former established tobacco users who did not report it had been more than 0 days/months/years since they last used a tobacco product, go to [R02_AN0145/R02_AN0145E]. Else, adult respondents who did not try to quit completely in the past 12 months, go to Box R02_ANR04. GOTO Specification: FROM R02_AN0115E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7), GO TO R02_AN0120E. ELSE, IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_NEW_FORMER_USER_ECIG = 1 AND R02_CURRENT_USER_ECIG = 2 AND R02_EXPERIMENTAL_CURRENT_ECIG = 2 AND R02_AE1009_NN > 0 AND (R02_AN0115E >= 0 OR R02_AN0115E = -8, -7), GO TO R02_AN0257E. ELSE, IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_AN0140E = 2 OR R02_AN0257E = 2 OR R02_AE1009_NN = 0 OR R02_AN0115E = -8, -7), GO TO R02_AN0145E. ELSE, IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_AN0115E = 0, GO TO BOX R02_ANR04. FROM R02_AN0115: IF ((R02_NDSKIP = 2, 3, AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1)) AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7), GO TO R02_AN0120. ELSE, IF [{{{R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_NEW_FORMER_USER_TOBXCIG = 1 AND R02_CURRENT_USER_TOBXCIG = 2 AND (R02_EXPERIMENTAL_CURRENT_TOBACCO = 2 OR (R02_EXPERIMENTAL_PRODUCT_COUNT = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1))} OR {R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2}} AND (R02_AC1009_NN > 0 OR R02_AG1009TC_NN > 0 OR R02_AG1009CG_NN > 0 OR R02_AG1009FC_NN > 0 OR R02_AH1009_NN > 0 OR R02_AP1009_NN > 0 OR R02_AS1009SM_NN > 0 OR R02_AS1009SU_NN > 0 OR R02_AD1009_NN > 0)] OR [R02_NDSKIP = 0 AND R02_NEW_FORMER_USER_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_EXPERIMENTAL_CURRENT_TOBACCO = 2 AND R02_AE1009_NN > 0)]] AND [R02_AN0115 >= 0 OR R02_AN0115 = -8, -7], GO TO R02_AN0257.

ELSE, IF ASK_ECIG = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND [R02_AN0115 >= 1 OR R02_AN0115 = -8, -7] AND [R02_AN0140 = 2 OR R02_AN0257 = 2 OR {(R02_NDSKIP = 0, 1) AND R02_NEW_FORMER_USER_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2) OR ((R02_NDSKIP = 2, 3) AND R02_NEW_FORMER_USER_TOBXECIG = 1 AND R02_CURRENT_USER_TOBXECIG = 2)} AND R02_AN0257 = -1}], GO TO R02_AN0145.

ELSE, IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG = 2 AND R02_AN0115 = 0, GO TO BOX R02_ANR04.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AN0120**/**; R02_AN0120E**

In the past 12 months, have you stopped [ND FILL3] for one day or longer because you were trying to quit?

1 Yes	
2 No	GO TO R02_ANR04
-8 DON'T KNOW	GO TO R02_ANR04
-7 REFUSED	GO TO R02_ANR04

ASK: Adult respondents who are current established tobacco users and are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely.

ASK Specification: FOR R02_AN0120E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7).

FOR R02_AN0120: IF ((R02_NDSKIP = 2, 3, AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1)) AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7).

NOTES: **SKIP ERROR: These items were incorrectly skipped by respondents who answered don't know or refused to item R02_AN0115/R02_AN0115E. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AN0125; R02_AN0125E	
In the past 12 months, how many times have you stopped [ND FILL3] for one day or longer because you were trying to quit?		
1	1 time	GO TO [R02_AN0130/R02_AN0130E]
2	2-3 times	GO TO [R02_AN0130/R02_AN0130E]
3	4 or more times	GO TO [R02_AN0130/R02_AN0130E]
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are current established tobacco users and are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer.		
ASK Specification: FOR R02_AN0125E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7) AND R02_AN0120E = 1.		
FOR R02_AN0125: IF ((R02_NDSKIP = 2, 3, AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1)) AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 = 1.		

Variable(s):	R02_AN0256; R02_AN0256E
Would you say that in the past 12 months it was more than 3 times that you have stopped [NDFILL3] for one day or longer because you were trying to quit?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who are current established tobacco users and are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer and reported how many times they tried to stop for one day or longer.	
ASK Specification: FOR R02_AN0256E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7) AND R02_AN0120E = 1 AND R02_AN0125E = -8, -7.	
FOR R02_AN0256: IF ((R02_NDSKIP = 2, 3, AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 = 1 AND R02_AN0125 = -8, -7.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ANR20
If R02_NDSKIP = 0 or 1, adult respondents who are current established tobacco users and are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer, go to R02_AN0130. Else, if R02_NDSKIP = 2 or 3, in the first loop, adult respondents who are current established e-cigarette users and are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer, go to R02_AN0130E. Else, if R02_NDSKIP = 2 or 3, in the first loop, go to R02_AN0257E. Else, if R02_NDSKIP = 2 or 3, in the second loop, adult respondents who are current established users of any tobacco type other than e-cigarettes and are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer, go to R02_AN0130. Else, if R02_NDSKIP = 2 or 3, in the second loop, go to R02_AN0257.	
IF R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 = 1, GO TO R02_AN0130. ELSE, IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7) AND R02_AN0120E = 1, GO TO R02_AN0130E. ELSE, IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1, GO TO R02_AN0257E. ELSE, IF R02_NDSKIP = 2, 3, AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 = 1, GO TO R02_AN0130. ELSE, IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 2, GO TO R02_AN0257.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0130E_NN***; R02_AN0130E_UN; R02_AN0130_NN; R02_AN0130_UN

The last time you stopped [ND FILL3] in the past 12 months because you were trying to quit, how long did you stop for?

- | | | |
|----|------------------|--------------------------------|
| 1 | _ _ _ _ Minutes | GO TO [R02_AN0135/R02_AN0135E] |
| 2 | _ _ _ _ Hours | GO TO [R02_AN0135/R02_AN0135E] |
| 3 | _ _ _ _ Days | GO TO [R02_AN0135/R02_AN0135E] |
| 4 | _ _ _ _ Weeks | GO TO [R02_AN0135/R02_AN0135E] |
| 5 | _ _ _ _ Months | GO TO [R02_AN0135/R02_AN0135E] |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Adult respondents who are current established tobacco users and are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer.

ASK Specification: FOR R02_AN0130E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7) AND R02_AN0120E = 1.

FOR R02_AN0130: IF ((R02_NDSKIP = 2, 3, AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1)) AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 = 1.

PROGRAM: Display as a Quantity/Units. Allow 3 digits for minutes, 3 digits for hours, 3 digits for days, 3 digits for weeks, and 3 digits for months.

NOTES: The value "1" refers to [R02_AN0130_UN/R02_AN0130E_UN] = Minutes; the value "2" refers to [R02_AN0130_UN/R02_AN0130E_UN] = Hours; the value "3" refers to [R02_AN0130_UN/R02_AN0130E_UN] = Days; the value "4" refers to [R02_AN0130_UN/R02_AN0130E_UN] = Weeks; the value "5" refers to [R02_AN0130_UN/R02_AN0130E_UN] = Months.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0300; R02_AN0300E

Was it more than a week, a week, or less than a week?

- | | | |
|----|--------------------|--------------------------------|
| 1 | More than one week | GO TO [R02_AN0210/R02_AN0210E] |
| 2 | One week | GO TO [R02_AN0210/R02_AN0210E] |
| 3 | Less than one week | GO TO [R02_AN0210/R02_AN0210E] |
| -8 | DON'T KNOW | GO TO [R02_AN0210/R02_AN0210E] |
| -7 | REFUSED | GO TO [R02_AN0210/R02_AN0210E] |

ASK: Adult respondents who are current established tobacco users and are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer and did not provide a duration for the last quit attempt.

ASK Specification: FOR R02_AN0300E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7) AND R02_AN0120E = 1 AND R02_AN0130E = -8, -7.

FOR R02_AN0300: IF ((R02_NDSKIP = 2, 3, AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBEXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1)) AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 = 1 AND R02_AN0130 = -8, -7.

Variable(s): R02_AN0135**; R02_AN0135E**

When was the approximate end date of this last quit attempt that lasted [enter duration from R02_AN0130]?

- | | |
|----|-------------------------------------|
| 1 | _ _ MONTH _ _ DAY _ _ _ _ YEAR |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established tobacco users and are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer and provided a duration for the last quit attempt.

ASK Specification: FOR R02_AN0135E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7) AND R02_AN0120E = 1 AND R02_AN0130E_NN >= 0.

FOR R02_AN0135: IF ((R02_NDSKIP = 2, 3, AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBEXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1)) AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 = 1 AND R02_AN0130_NN >= 0.

DISPLAY: If ASK_ECIG = 1, fill "enter duration from R02_AN0130" with the duration from R02_AN0130E_NN/_UN].

If ASK_ECIG = 2, fill "enter duration from R02_AN0130" with the duration from R02_AN0130_NN/_UN] (ex. "45 days").

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who answered 0 for R02_AN0130/R02_AN0130E. The error was not corrected during Wave 2 Data Collection.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AN0140**; R02_AN0140E**
In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without [ND FILL3] because you were trying to quit?	
1 Yes	GO TO [R02_AN0210/R02_AN0210E]
2 No	GO TO [R02_AN0145/R02_AN0145E]
-8 DON'T KNOW	GO TO [R02_AN0210/R02_AN0210E]
-7 REFUSED	GO TO [R02_AN0210/R02_AN0210E]
ASK: Adult respondents who are current established tobacco users and are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer and provided a duration for the last quit attempt.	
ASK Specification: FOR R02_AN0140E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7) AND R02_AN0120E = 1 AND R02_AN0130E_NN >= 0.	
FOR R02_AN0140: IF ((R02_NDSKIP = 2, 3, AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBEXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1)) AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 = 1 AND R02_AN0130_NN >= 0.	
DISPLAY: If ASK_ECIG = 1, fill "DURATION OF LAST QUIT ATTEMPT" with the duration from R02_AN0130E[_NN/_UN].	
If ASK_ECIG = 2, fill "DURATION OF LAST QUIT ATTEMPT" with the duration from R02_AN0130[_NN/_UN] (ex. "45 days").	
NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who answered 0 for R02_AN0130/R02_AN0130E. The error was not corrected during Wave 2 Data Collection.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AN0257**; R02_AN0257E**
You previously mentioned that you stopped [ND FILL3] [ENTER LENGTH OF TIME SINCE LAST USE IN R02_A*1009] ago. Is this the longest you have gone without [ND FILL3] in the past 12 months?	
1 Yes	GO TO [R02_AN0210/R02_AN0210E]
2 No	GO TO [R02_AN0145/R02_AN0145E]
-8 DON'T KNOW	GO TO [R02_AN0210/R02_AN0210E]
-7 REFUSED	GO TO [R02_AN0210/R02_AN0210E]
ASK: Adult respondents who are new former established tobacco users and are not current established or experimental current tobacco users and reported it had been more than 0 days/months/years since they last used a tobacco product, and reported trying to quit 1 or more times or did not know or refused to report how many times they tried to quit.	
ASK Specification: FOR R02_AN0257E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_NEW_FORMER_USER_ECIG = 1 AND R02_CURRENT_USER_ECIG = 2 AND R02_EXPERIMENTAL_CURRENT_ECIG = 2 AND R02_AE1009_NN > 0 AND (R02_AN0115E >= 0 OR R02_AN0115E = -8, -7).	
FOR R02_AN0257: IF [{{{R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_NEW_FORMER_USER_TOBXCIG = 1 AND R02_CURRENT_USER_TOBXCIG = 2 AND (R02_EXPERIMENTAL_CURRENT_TOBACCO = 2 OR (R02_EXPERIMENTAL_PRODUCT_COUNT = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1))} OR {R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2}} AND (R02_AC1009_NN > 0 OR R02_AG1009TC_NN > 0 OR R02_AG1009CG_NN > 0 OR R02_AG1009FC_NN > 0 OR R02_AH1009_NN > 0 OR R02_AP1009_NN > 0 OR R02_AS1009SM_NN > 0 OR R02_AS1009SU_NN > 0 OR R02_AD1009_NN > 0)} OR [R02_NDSKIP = 0 AND R02_NEW_FORMER_USER_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2 AND R02_AE1009_NN > 0]] AND [R02_AN0115 >= 0 OR R02_AN0115 = -8, -7].	
DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R02_A*1009] with time entered (ex. "45 days") in corresponding R02_A*1009 item by product:	
FOR R02_AN0257E:	
IF R02_NDSKIP = 2, 3 and ASK_ECIG = 1:	
Use R02_AE1009[_NN/_UN].	
FOR R02_AN0257:	
IF R02_NDSKIP = 0, 3 and ASK_ECIG = 2:	
NC = R02_AC1009[_NN/_UN] NP=R02_AP1009[_NN/_UN]	
NE = R02_AE1009[_NN/_UN] NH=R02_AH1009[_NN/_UN]	
NG = R02_AG1009TC[_NN/_UN] NU=R02_AS1009SU[_NN/_UN]	
NL = R02_AG1009CG[_NN/_UN] NS=R02_AS1009SM[_NN/_UN]	
NF = R02_AG1009FC[_NN/_UN] ND=R02_AD1009[_NN/_UN]	
IF R02_NDSKIP = 1, 2 and ASK_ECIG = 2:	
Use longest time period among R02_AC1009[_NN/_UN], R02_AG1009TC[_NN/_UN], R02_AG1009CG[_NN/_UN], R02_AG1009FC[_NN/_UN], R02_AP1009[_NN/_UN], R02_AH1009[_NN/_UN], R02_AS1009SU[_NN/_UN], R02_AS1009SM[_NN/_UN], R02_AD1009[_NN/_UN].	
NOTES: **SKIP ERROR: These items were incorrectly skipped by respondents who answered don't know or refused to item R02_AN0115/R02_AN0115E. The error was not corrected during Wave 2 Data Collection.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AN0145E_NN**/**; R02_AN0145E_UN; R02_AN0145_NN**/**; R02_AN0145_UN	
In the past 12 months, what was the longest time you stopped [ND FILL3] because you were trying to quit?		
1	_ _ _ Minutes	GO TO [R02_AN0210/R02_AN0210E]
2	_ _ _ Hours	GO TO [R02_AN0210/R02_AN0210E]
3	_ _ _ Days	GO TO [R02_AN0210/R02_AN0210E]
4	_ _ _ Weeks	GO TO [R02_AN0210/R02_AN0210E]
5	_ _ _ Months	GO TO [R02_AN0210/R02_AN0210E]
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are current established tobacco users or new former established tobacco users who said their last quit attempt was not their longest in the past 12 months or adult respondents who are new former established tobacco users who did not report it had been more than 0 days/months/years since they last used a tobacco product.		
ASK Specification: FOR R02_AN0145E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_AN0140E = 2 OR R02_AN0257E = 2 OR R02_AE1009_NN < 1) AND (R02_AN0115E >= 0 OR R02_AN0115E = -8, -7).		
FOR R02_AN0145: IF ASK_ECIG = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND [R02_AN0115 >= 1 OR R02_AN0115 = -8, -7] AND [R02_AN0140 = 2 OR R02_AN0257 = 2 OR {{{(R02_NDSKIP = 0, 1) AND R02_NEW_FORMER_USER_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2) OR ((R02_NDSKIP = 2, 3) AND R02_NEW_FORMER_USER_TOBXECIG = 1 AND R02_CURRENT_USER_TOBXECIG = 2)}} AND R02_AN0257 = -1}}].		
PROGRAM: Display as Quantity/Units.		
NOTES: The value "1" refers to [R02_AN0145_UN/R02_AN0145E_UN] = Minutes; the value "2" refers to [R02_AN0145_UN/R02_AN0145E_UN] = Hours; the value "3" refers to [R02_AN0145_UN/R02_AN0145E_UN] = Days; the value "4" refers to [R02_AN0145_UN/R02_AN0145E_UN] = Weeks; the value "5" refers to [R02_AN0145_UN/R02_AN0145E_UN] = Months.		
**SKIP ERROR: These items were incorrectly skipped by respondents who answered don't know or refused to item R02_AN0115/R02_AN0115E. R02_AN0145_NN was also skipped incorrectly by new former users of any product who were not current users of any product but were experimental current users of any product. These errors were not corrected during Wave 2 Data Collection.		
***DATA ERROR: Some respondents have missing data (-9) for this variable.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0305; R02_AN0305E

Was it more than a week, a week, or less than a week?

- 1 More than one week
- 2 One week
- 3 Less than one week
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established tobacco users or new former established tobacco users who said their last quit attempt was not their longest in the past 12 months and did not know or refused to report a duration for the longest quit attempt in the past 12 months or adult respondents who are new former established tobacco users who did not report it had been more than 0 days/months/years since they last used a tobacco product and did not know or refused to report a duration for the longest quit attempt in the past 12 months.

ASK Specification: FOR R02_AN0305E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_AN0140E = 2 OR R02_AN0257E = 2 OR R02_AE1009_NN < 1) AND (R02_AN0115E >= 0 OR R02_AN0115E = -8, -7) AND R02_AN0145E = -8, -7.

FOR R02_AN0305: IF ASK_ECIG = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND [R02_AN0115 >= 1 OR R02_AN0115 = -8, -7] AND [R02_AN0140 = 2 OR R02_AN0257 = 2 OR {{{(R02_NDSKIP = 0, 1) AND R02_NEW_FORMER_USER_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2) OR ((R02_NDSKIP = 2, 3) AND R02_NEW_FORMER_USER_TOBXECIG = 1 AND R02_CURRENT_USER_TOBXECIG = 2)}} AND R02_AN0257 = -1}} AND R02_AN0145 = -8, -7.

GOTO: Adult respondents who are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer, go to [R02_AN0210/R02_AN0210E].

Else, go to Box R02_ANR04.

GOTO Specification: FROM R02_AN0145E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7) AND R02_AN0120E != 2, -8, -7, GO TO R02_AN0210E.

ELSE, GO TO R02_ANR04.

FROM R02_AN0145: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 != 2, -8, -7, GO TO R02_AN0210.

ELSE, GO TO R02_ANR04.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0210**/**; R02_AN0210E****

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you rely on the support of friends and family to help you?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer.

ASK Specification: FOR R02_AN0210E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7) AND R02_AN0120E != 2, -8, -7.

FOR R02_AN0210: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 != 2, -8, -7.

DISPLAY: FOR R02_AN0210E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_AN0125E = 1, DISPLAY "the time you tried to quit".

IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND (R02_AN0125E > 1 OR R02_AN0256E = 1), DISPLAY "the last time you tried to quit".

IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_NEW_FORMER_USER_ECIG = 1, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

FOR R02_AN0210: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXCIG = 1 AND R02_AN0125 = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_AN0125 = 1), DISPLAY "the time you tried to quit".

IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXCIG = 1 AND (R02_AN0125 > 1 OR R02_AN0256 = 1)) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND (R02_AN0125 > 1 OR R02_AN0256 = 1)), DISPLAY "the last time you tried to quit".

IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_NEW_FORMER_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1), DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

NOTES: **SKIP ERROR: These items were incorrectly skipped by respondents who answered don't know or refused to item R02_AN0115/R02_AN0115E. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0215**/**; R02_AN0215E****

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer.

ASK Specification: FOR R02_AN0215E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7) AND R02_AN0120E != 2, -8, -7.

FOR R02_AN0215: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 != 2, -8, -7.

DISPLAY: FOR R02_AN0215E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_NEW_FORMER_USER_ECIG = 1, DISPLAY "when you quit". IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_AN0125E = 1, DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit".

FOR R02_AN0215: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_NEW_FORMER_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1), DISPLAY "when you quit". IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXCIG = 1 AND R02_AN0125 = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_AN0125 = 1), DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit".

NOTES: **SKIP ERROR: These items were incorrectly skipped by respondents who answered don't know or refused to item R02_AN0115/R02_AN0115E. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
	Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.
R02_AN0225E_01**; R02_AN0225_01**	1 I did not use a different tobacco product to help me quit
R02_AN0225E_02**; R02_AN0225_02**	2 Cigarettes
R02_AN0225_03**	3 E-cigarettes
R02_AN0225E_04**; R02_AN0225_04**	4 Traditional cigars
R02_AN0225E_05**; R02_AN0225_05**	5 Cigarillos
R02_AN0225E_06**; R02_AN0225_06**	6 Filtered cigars
R02_AN0225E_07**; R02_AN0225_07**	7 Pipe tobacco
R02_AN0225E_08**; R02_AN0225_08**	8 Hookah
R02_AN0225E_09**; R02_AN0225_09**	9 Snus pouches
R02_AN0225E_10**; R02_AN0225_10**	10 Smokeless tobacco, like dip, chew, or snuff
R02_AN0225E_11**; R02_AN0225_11**	11 Dissolvable tobacco
	-8 DON'T KNOW
	-7 REFUSED
	ASK: Adult respondents who are past year quit attempters and tried to quit completely 1 or more times or did not know or refused to report how many times they tried to quit completely and tried to stop for one day or longer.
	ASK Specification: FOR R02_AN0225E[_01/.../_11]: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND (R02_AN0115E >= 1 OR R02_AN0115E = -8, -7) AND R02_AN0120E != 2, -8, -7.
	FOR R02_AN0225[_01/.../_11]: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND (R02_AN0115 >= 1 OR R02_AN0115 = -8, -7) AND R02_AN0120 != 2, -8, -7.
	DISPLAY: FOR R02_AN0225E[_01/.../_11]: IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_NEW_FORMER_USER_ECIG = 1, DISPLAY "when you quit". IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_AN0125E = 1, DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit".
	FOR R02_AN0225[_01/.../_11]: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_NEW_FORMER_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1), DISPLAY "when you quit". IF (R02_NDSKIP = 2, 3 AND ASK_ECIG = 2 AND R02_CURRENT_USER_TOBXCIG = 1 AND R02_AN0125 = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_AN0125 = 1), DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

PROGRAM: Option 1 cannot be selected if any options 2 through 11 are selected.

FOR R02_AN0225E[_01/.../_11]: If R02_NDSKIP = 2 or 3 and ASK_ECIG = 1, omit option 3.

For R02_AN0225[_01/.../_11]: If R02_NDSKIP = 0, omit the single product the respondent uses from the list of response options.

NOTES: **SKIP ERROR: These items were incorrectly skipped by respondents who answered don't know or refused to item R02_AN0115/R02_AN0115E. The error was not corrected during Wave 2 Data Collection.

BOX ID: R02_ANR04
END OF R02_NDSKIP LOOP#1
If R02_NDSKIP = 2 OR 3 and this is the end of the first loop (e-cigarettes): Go back to Box R02_ANR17 and ask about tobacco product(s).
If NDSKIP = 0 OR 1 or R02_NDSKIP = 2 OR 3 and this is the end of the second loop: Go to R02_AN0330_12M.
IF R02_NDSKIP = 2, 3 AND ASK_ECIG = 1: GO BACK TO BOX R02_ANR17.
IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG = 2: GO TO R02_AN0330_12M.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0330_12M**

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: If R02_NDSKIP = 2 or 3 and the first loop (e-cigarettes) has not been completed, adult respondents who are past 12 month quit attempters and used nicotine replacement therapy in the past 12 months, go to R02_AN0150E.

Else, if R02_NDSKIP = 2 or 3 and the first loop (e-cigarettes) has not been completed, adult respondents who are past 12 month reducers and used nicotine replacement therapy in the past 12 months or adult respondents who are not current established tobacco users and are not new former established tobacco users and are current experimental tobacco users and used nicotine replacement therapy in the past 12 months, go to R02_AN0811E.

Else, if R02_NDSKIP = 0 or 1 or R02_NDSKIP = 2 or 3 and the first loop has been completed, adult respondents who are past 12 month quit attempters and used nicotine replacement therapy in the past 12 months, go to R02_AN0150.

Else, if R02_NDSKIP = 0 or 1 or R02_NDSKIP = 2 or 3 and the first loop has been completed, adult respondents who are past 12 month reducers and used nicotine replacement therapy in the past 12 months or adult respondents who are not current established tobacco users and are not new former established tobacco users and are current experimental tobacco users and used nicotine replacement therapy in the past 12 months, go to R02_AN0811.

Else, adult respondents who have used nicotine replacement therapy in the past 12 months, go to R02_AN0307.

Else, go to R02_AN0331_12M.

GOTO Specification: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0330_12M = 1, GO TO R02_AN0150E.

ELSE, IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND (R02_CURRENT_USER_ECIG = 1 AND R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1 AND R02_AN0330_12M = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 AND R02_AN0330_12M = 1), GO TO R02_AN0811E.

ELSE, IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0330_12M = 1, GO TO R02_AN0150.

ELSE, IF (((R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_CURRENT_USER_TOBACCO = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1)) AND R02_TWELVEMONTHQUITCUTDOWN = 1 AND R02_AN0330_12M = 1) OR (R02_NDSKIP = 0, 1, 2, 3 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 AND R02_AN0330_12M = 1), GO TO R02_AN0811.

ELSE, IF R02_AN0330_12M = 1 TO R02_AN0307.

ELSE, GO TO R02_AN0331_12M.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ANR15
START R02_NDSKIP LOOP#2 R02_NDSKIP LOOP #2 includes questions [R02_AN0150/R02_AN0150E] through [R02_AN0165/R02_AN0165E]. IF R02_NDSKIP = 0, 1, ASK THESE QUESTIONS 1 TIME FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED AT THE START OF THIS SECTION. IF R02_NDSKIP = 2, 3 ASK THESE QUESTIONS 2 TIMES FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED AT THE START OF THIS SECTION.

Variable(s): R02_AN0150***; R02_AN0150E***								
Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the <u>past 12 months</u>, did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill? <table style="width: 100%; margin-top: 10px;"> <tr> <td style="width: 60%;">1 Yes</td> <td></td> </tr> <tr> <td>2 No</td> <td style="text-align: right;">GO TO BOX R02_ANR06</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R02_ANR06</td> </tr> <tr> <td>-7 REFUSED</td> <td style="text-align: right;">GO TO BOX R02_ANR06</td> </tr> </table> ASK: Adult respondents who are past 12 month quit attempters and used nicotine replacement therapy in the past 12 months. ASK Specification: FOR R02_AN0150E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0330_12M = 1. FOR R02_AN0150: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0330_12M = 1. DISPLAY: FOR R02_AN0150E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND R02_NEW_FORMER_USER_ECIG = 1, DISPLAY "when you quit". IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_AN0125E = 1, DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit". FOR R02_AN0150: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_NEW_FORMER_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1), DISPLAY "when you quit". IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_CURRENT_USER_TOBXCIG = 1 AND R02_AN0125 = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_AN0125 = 1), DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	1 Yes		2 No	GO TO BOX R02_ANR06	-8 DON'T KNOW	GO TO BOX R02_ANR06	-7 REFUSED	GO TO BOX R02_ANR06
1 Yes								
2 No	GO TO BOX R02_ANR06							
-8 DON'T KNOW	GO TO BOX R02_ANR06							
-7 REFUSED	GO TO BOX R02_ANR06							

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0155; R02_AN0155E

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit [ND FILL3] completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them.

ASK Specification: FOR R02_AN0155E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0330_12M = 1 AND R02_AN0150E = 1.

FOR R02_AN0155: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0330_12M = 1 AND R02_AN0150 = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0811**; R02_AN0811E****

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your [ND FILL4]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them or adult respondents who are past 12 month reducers and used nicotine replacement therapy in the past 12 months or adult respondents who are not current established tobacco users and are not new former established tobacco users and are current experimental tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: FOR R02_AN0811E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND ((R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0150E = 1 AND R02_AN0330_12M = 1) OR (R02_CURRENT_USER_ECIG = 1 AND R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1 AND R02_AN0330_12M = 1) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 AND R02_AN0330_12M = 1)).

FOR R02_AN0811: IF (R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0150 = 1 AND R02_AN0330_12M = 1) OR (((R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1)) AND R02_TWELVEMONTHQUITCUTDOWN = 1 AND R02_AN0330_12M = 1) OR (R02_NDSKIP = 0, 1, 2, 3 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 AND R02_AN0330_12M = 1).

NOTES: **SKIP ERROR: These items were skipped incorrectly by some respondents who were new former (R02_NEW_FORMER_USER_TOBACCO = 1) or current tobacco users (R02_CURRENT_USER_TOBACCO = 1) who used NRT in the past 12 months (R02_AN0150 = 1) to help quit, or current tobacco (R02_CURRENT_USER_TOBACCO = 1) users who were past year reducers (R02_TWELVEMONTHQUITCUTDOWN = 1) or current experimental tobacco users (R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) who have ever used NRT (R02_AN0330_12M = 1). The error was corrected during Wave 2 Data Collection on 01/13/2015.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ANR05
If R02_NDSKIP = 2 or 3, and first time through NDSKIP LOOP #2: Adult respondents who are past 12 month quit attempters and used nicotine replacement therapy in the past 12 months, go to R02_AN0160E. Else, go back to box R02_ANR15.	
If R02_NDSKIP = 0 or 1 or R02_NDSKIP = 2 or 3, and second time through NDSKIP LOOP #2: Adult respondents who are past 12 month quit attempters and used nicotine replacement therapy in the past 12 months, go to R02_AN0160. Else, go to R02_AN0307.	
IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1: IF R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0330_12M = 1 AND R02_AN0150E = 1, GO TO R02_AN0160E. ELSE, GO BACK TO R02_ANR15. R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP2 = 2: IF R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0330_12M = 1 AND R02_AN0150 = 1, GO TO R02_AN0160. ELSE, GO TO R02_AN0307.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which medication did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3]? Choose all that apply.	
R02_AN0160E_01; R02_AN0160_01**	1 Nicotine patch
R02_AN0160E_02; R02_AN0160_02**	2 Nicotine gum
R02_AN0160E_03; R02_AN0160_03**	3 Nicotine inhaler
R02_AN0160E_04; R02_AN0160_04**	4 Nicotine nasal spray
R02_AN0160E_05; R02_AN0160_05**	5 Nicotine lozenge or pill
R02_AN0160E_06; R02_AN0160_06**	6 None of the above GO TO BOX R02_ANR06
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are past 12 month quit attempters and used nicotine replacement therapy in the past 12 months.	
ASK Specification: FOR R02_AN0160E[_01/_.../_06]: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0330_12M = 1 AND R02_AN0150E = 1.	
FOR R02_AN0160[_01/_.../_06]: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0330_12M = 1 AND R02_AN0150 = 1.	
DISPLAY: FOR R02_AN0160E[_01/_.../_06]: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND R02_NEW_FORMER_USER_ECIG = 1, DISPLAY "when you quit". IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_AN0125E = 1, DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit".	
FOR R02_AN0160[_01/_.../_06]: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_NEW_FORMER_USER_TOBEXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1), DISPLAY "when you quit". IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_CURRENT_USER_TOBEXECIG = 1 AND R02_AN0125 = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_AN0125 = 1), DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit".	
PROGRAM: Option 6 cannot be selected if any options 1 through 5 are selected.	
NOTES: **SKIP ERROR: These items were skipped incorrectly by some respondents who were new former or current tobacco users who used NRT to help them quit in the last 12 months. The error was corrected during Wave 2 Data Collection on 01/13/2015.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0165_NN**/**; R02_AN0165_UN; R02_AN0165E_NN; R02_AN0165E_UN

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 |__|__| DAYS
- 2 |__|__| WEEKS
- 3 |__|__| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month quit attempters and used nicotine replacement therapy in the past 12 months and reported specific medication or did not know or refused to report a specific medication.

ASK Specification: FOR R02_AN0165E[NN/_UN]: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0330_12M = 1 AND R02_AN0150E = 1 AND R02_AN0160E_06 != 1.

FOR R02_AN0165[NN/_UN]: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0330_12M = 1 AND R02_AN0150 = 1 AND R02_AN0160_06 != 1.

DISPLAY: FOR R02_AN0165E[NN/_UN]: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND R02_NEW_FORMER_USER_ECIG = 1, DISPLAY "during your last quit attempt when you stopped" AND " completely". IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_AN0125E = 1, DISPLAY "during the time you tried to quit". ELSE, DISPLAY "during the last time you tried to quit".

FOR R02_AN0165[NN/_UN]: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_NEW_FORMER_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1), DISPLAY "during your last quit attempt when you stopped" AND " completely". IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 2 AND R02_CURRENT_USER_TOBXCIG = 1 AND R02_AN0125 = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_AN0125 = 1), DISPLAY "during the time you tried to quit". ELSE, DISPLAY "during the last time you tried to quit".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to [R02_AN0165_UN/R02_AN0165E_UN] = Days; the value "2" refers to [R02_AN0165_UN/R02_AN0165E_UN] = Weeks; the value "3" refers to [R02_AN0165_UN/R02_AN0165E_UN] = Months.

**SKIP ERROR: These items were skipped incorrectly by some respondents who were new former (R02_NEW_FORMER_USER_TOBACCO = 1) or current tobacco users (R02_CURRENT_USER_TOBACCO) who used NRT to help them quit in the last 12 months (R02_AN0150 = 1 AND R02_AN0160_06 != 1). The error was corrected during Wave 2 Data Collection on 1/13/2015.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ANR06
END R02_NDSKIP LOOP#2 If R02_NDSKIP = 2 or 3 and this is the end of the first loop (e-cigarettes): Go back to Box R02_ANR15 and ask about tobacco product(s). If NDSKIP = 0 or 1 or R02_NDSKIP = 2 or 3 and this is the end of the second loop: Go to R02_AN0170. IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP2 = 1: GO BACK TO BOX R02_ANR15. IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP2 = 2: GO TO R02_AN0170.

Variable(s): R02_AN0170***												
Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill? <table> <tr> <td>1</td> <td>Yes</td> <td></td> </tr> <tr> <td>2</td> <td>No</td> <td>GO TO R02_AN0307</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO R02_AN0307</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO R02_AN0307</td> </tr> </table> ASK: Adult respondents who are past 12 month quit attempters and used nicotine replacement therapy in the past 12 months. ASK Specification: IF (R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 OR R02_TWELVEMONTHQUITATTEMPT = 1) AND R02_AN0330_12M = 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	1	Yes		2	No	GO TO R02_AN0307	-8	DON'T KNOW	GO TO R02_AN0307	-7	REFUSED	GO TO R02_AN0307
1	Yes											
2	No	GO TO R02_AN0307										
-8	DON'T KNOW	GO TO R02_AN0307										
-7	REFUSED	GO TO R02_AN0307										

Variable(s): R02_AN0251_NN; R02_AN0251_UN										
About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill? <table> <tr> <td>1</td> <td>I ___ ___ DAYS</td> </tr> <tr> <td>2</td> <td>I ___ ___ MONTHS</td> </tr> <tr> <td>3</td> <td>I ___ ___ YEARS</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: Adult respondents who are past 12 month quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy. ASK Specification: IF (R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 OR R02_TWELVEMONTHQUITATTEMPT = 1) AND R02_AN0330_12M = 1 AND R02_AN0170 = 1. PROGRAM: Display as Quantity/Units. Allow 2 digits. NOTES: The value "1" refers to [R02_AN0251_UN/R02_AN0251E_UN] = Days; the value "2" refers to [R02_AN0251_UN/R02_AN0251E_UN] = Months; the value "3" refers to [R02_AN0251_UN/R02_AN0251E_UN] = Years.	1	I ___ ___ DAYS	2	I ___ ___ MONTHS	3	I ___ ___ YEARS	-8	DON'T KNOW	-7	REFUSED
1	I ___ ___ DAYS									
2	I ___ ___ MONTHS									
3	I ___ ___ YEARS									
-8	DON'T KNOW									
-7	REFUSED									

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0307****

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------------------|----------------------|
| 1 | In the past hour | GO TO R02_AN0309 |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R02_AN0175 |
| -8 | DON'T KNOW | GO TO R02_AN0331_12M |
| -7 | REFUSED | GO TO R02_AN0331_12M |

ASK: Adult respondents who have used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R02_AN0330_12M = 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current users of tobacco (R02_CURRENT_USER_TOBACCO = 1). The error was corrected during Wave 2 Data Collection on 12/08/2014.

Variable(s): **R02_AN0308**

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R02_AN0307], was it...

- | | |
|----|-------------------------------|
| 1 | Between midnight and 6AM |
| 2 | After 6AM but before noon |
| 3 | Between noon and 6PM |
| 4 | After 6PM but before midnight |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have used nicotine replacement therapy in the past 12 months and used sometime today, yesterday or the day before yesterday.

ASK Specification: IF R02_AN0330_12M = 1 AND R02_AN0307 = 2, 3, 4.

DISPLAY: [FILL BASED ON R02_AN0307] IF R02_AN0307 = 2, DISPLAY "sometime today". IF R02_AN0307 = 3, DISPLAY "yesterday". IF R02_AN0307 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0309**

When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R02_AN0307], how many did you use?

- | | | |
|----|------------|----------------------|
| 1 | _ _ _ | GO TO R02_AN0331_12M |
| -8 | DON'T KNOW | GO TO R02_AN0331_12M |
| -7 | REFUSED | GO TO R02_AN0331_12M |

ASK: Adult respondents who have used nicotine replacement therapy in the past 12 months and used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R02_AN0330_12M = 1 AND R02_AN0307 = 1, 2, 3, 4.

DISPLAY: [FILL BASED ON R02_AN0307] IF R02_AN0307 = 1 OR 2, DISPLAY "today". IF R02_AN0307 = 3, DISPLAY "yesterday". IF R02_AN0307 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

Variable(s): **R02_AN0175_NN; R02_AN0175_UN**

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------|--------|
| 1 | _ _ _ | DAYS |
| 2 | _ _ _ | MONTHS |
| 3 | _ _ _ | YEARS |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Adult respondents who have used nicotine replacement therapy in the past 12 months and used three or more days ago.

ASK Specification: IF R02_AN0330_12M = 1 AND R02_AN0307 = 5.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to [R02_AN0175_UN/R02_AN0175E_UN] = Days; the value "2" refers to [R02_AN0175_UN/R02_AN0175E_UN] = Months; the value "3" refers to [R02_AN0175_UN/R02_AN0175E_UN] = Years.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0331_12M****

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: If R02_NDSKIP = 2 or 3 and the first loop (e-cigarettes) has not been completed, adult respondents who are past 12 month quit attempters and used a prescription drug in the past 12 months, go to R02_AN0180E.

Else, if R02_NDSKIP = 0 or 1 or R02_NDSKIP = 2 or 3 and the first loop has been completed, adult respondents who are past 12 month quit attempters and used a prescription drug in the past 12 months, go to R02_AN0180.

Else, adult respondents who have used a prescription drug in the past 12 months, go to R02_AN0327.

Else, go to Box R02_ANR16.

GOTO Specification: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0331_12M = 1, GO TO R02_AN0180E.

ELSE, IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0331_12M = 1, GO TO R02_AN0180.

ELSE, IF R02_AN0331_12M = 1, GO TO R02_AN0327.

ELSE, GO TO BOX R02_ANR16.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents. The error was corrected during Wave 2 Data Collection on 12/08/2014.

BOX ID: **R02_ANR07**

START R02_NDSKIP LOOP#3

ND SKIP LOOP #3 includes questions [R02_AN0180/R02_AN0180E] through [R02_AN0195/R02_AN0195E].

IF R02_NDSKIP = 0, 1, ASK THESE QUESTIONS 1 TIME FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED AT THE START OF THIS SECTION.

IF R02_NDSKIP = 2, 3 ASK THESE QUESTIONS 2 TIMES FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED AT THE START OF THIS SECTION.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0180***; R02_AN0180E***

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 Yes
- 2 No GO TO BOX R02_ANR16
- 8 DON'T KNOW GO TO BOX R02_ANR16
- 7 REFUSED GO TO BOX R02_ANR16

ASK: Adult respondents who are past 12 month quit attempters and used a prescription drug in the past 12 months.

ASK Specification: FOR R02_AN0180E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0331_12M = 1.

FOR R02_AN0180: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0331_12M = 1.

DISPLAY: FOR R02_AN0180E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 1 AND R02_NEW_FORMER_USER_ECIG = 1, DISPLAY "when you quit". IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_AN0125E = 1, DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit".

FOR R02_AN0180: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_NEW_FORMER_USER_TOBEXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1), DISPLAY "when you quit". IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_CURRENT_USER_TOBEXECIG = 1 AND R02_AN0125 = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_AN0125 = 1), DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AN0185; R02_AN0185E

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit [ND FILL3] completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them.

ASK Specification: FOR R02_AN0185E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0331_12M = 1 AND R02_AN0180E = 1.

FOR R02_AN0185: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0331_12M = 1 AND R02_AN0180 = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:		
Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.			
R02_AN0190E_01; R02_AN0190_01 R02_AN0190E_02; R02_AN0190_02 R02_AN0190E_03; R02_AN0190_03	1 2 3 -8 -7	Chantix or varenicline Wellbutrin, Zyban, or bupropion None of the above DON'T KNOW REFUSED	GO TO BOX R02_ANR08
ASK: Adult respondents who are past 12 month quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them. ASK Specification: FOR R02_AN0190E[_01/_02/_03]: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0331_12M = 1 AND R02_AN0180E = 1. FOR R02_AN0190[_01/_02/_03]: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0331_12M = 1 AND R02_AN0180 = 1. DISPLAY: FOR R02_AN0190E[_01/_02/_03]: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 1 AND R02_NEW_FORMER_USER_ECIG = 1, DISPLAY "when you quit". IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_CURRENT_USER_TOBXCIG = 1 AND R02_AN0125 = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_AN0125 = 1), DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit". FOR R02_AN0190[_01/_02/_03]: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_NEW_FORMER_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1), DISPLAY "when you quit". IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_CURRENT_USER_TOBXCIG = 1 AND R02_AN0125 = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_AN0125 = 1), DISPLAY "the time you tried to quit". ELSE, DISPLAY "the last time you tried to quit". PROGRAM: Option 3 cannot be selected if options 1 or 2 are selected.			

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AN0195_NN***; R02_AN0195_UN; R02_AN0195E_NN; R02_AN0195E_UN
In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion]? 1 __ __ DAYS 2 __ __ WEEKS 3 __ __ MONTHS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them and reported specific prescription drugs or did not know or refused to report a specific prescription drug. ASK Specification: FOR R02_AN0195E[NN/_ UN]: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 1 AND R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0331_12M = 1 AND R02_AN0180E = 1 AND R02_AN0190E_03 != 1. FOR R02_AN0195[NN/_ UN]: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0331_12M = 1 AND R02_AN0180 = 1 AND R02_AN0190_03 != 1. DISPLAY: FOR R02_AN0195E[NN/_ UN]: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 1 AND R02_NEW_FORMER_USER_ECIG = 1, DISPLAY "during your last quit attempt when you stopped" AND " completely". IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_AN0125E = 1, DISPLAY "during the time you tried to quit". ELSE, DISPLAY "during the last time you tried to quit". FOR R02_AN0195[NN/_ UN]: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_NEW_FORMER_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1), DISPLAY "during your last quit attempt when you stopped" AND " completely". IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 2 AND R02_CURRENT_USER_TOBXCIG = 1 AND R02_AN0125 = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_AN0125 = 1), DISPLAY "during the time you tried to quit". ELSE, DISPLAY "during the last time you tried to quit". PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to [R02_AN0195_UN/R02_AN0195E_UN] = Days; the value "2" refers to [R02_AN0195_UN/R02_AN0195E_UN] = Weeks; the value "3" refers to [R02_AN0195_UN/R02_AN0195E_UN] = Months. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ANR08
END OF R02_NDSKIP LOOP#3 If R02_NDSKIP = 2 or 3 and this is the end of the first loop (e-cigarettes): Go back to Box R02_ANR07 and ask about tobacco product(s). If NDSKIP = 0 or 1 or R02_NDSKIP = 2 or 3 and this is the end of the second loop: Go to R02_AN0200. IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP3 = 1: GO BACK TO BOX R02_ANR07. IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP3 = 2: GO TO R02_AN0200.

Variable(s): R02_AN0200								
Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion? <table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 150px;">1 Yes</td> <td></td> </tr> <tr> <td style="text-align: center;">2 No</td> <td style="text-align: right;">GO TO R02_AN0327</td> </tr> <tr> <td style="text-align: center;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R02_AN0327</td> </tr> <tr> <td style="text-align: center;">-7 REFUSED</td> <td style="text-align: right;">GO TO R02_AN0327</td> </tr> </table> ASK: Adult respondents who are past 12 month quit attempters and used a prescription drug in the past 12 months. ASK Specification: IF (R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0180E = 1 AND R02_AN0331_12M = 1) OR (R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0180 = 1 AND R02_AN0331_12M = 1).	1 Yes		2 No	GO TO R02_AN0327	-8 DON'T KNOW	GO TO R02_AN0327	-7 REFUSED	GO TO R02_AN0327
1 Yes								
2 No	GO TO R02_AN0327							
-8 DON'T KNOW	GO TO R02_AN0327							
-7 REFUSED	GO TO R02_AN0327							

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AN0252_NN; R02_AN0252_UN
About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?	
1	I ___ I ___ DAYS
2	I ___ I ___ MONTHS
3	I ___ I ___ YEARS
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who are past 12 month quit attempters and used a prescription drug in the past 12 months and are currently using a prescription drug.	
ASK Specification: IF ((R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 AND R02_AN0180E = 1 AND R02_AN0331_12M = 1) OR (R02_TWELVEMONTHQUITATTEMPT = 1 AND R02_AN0180 = 1 AND R02_AN0331_12M = 1)) AND R02_AN0200 = 1.	
PROGRAM: Display as Quantity/Units. Allow 2 digits.	
NOTES: The value "1" refers to [R02_AN0252_UN/R02_AN0252E_UN] = Days; the value "2" refers to [R02_AN0252_UN/R02_AN0252E_UN] = Months; the value "3" refers to [R02_AN0252_UN/R02_AN0252E_UN] = Years.	

Variable(s):	R02_AN0327	
When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?		
1	In the past hour	GO TO R02_AN0329
2	Sometime today	
3	Yesterday	
4	Day before yesterday	
5	Three or more days ago	GO TO R02_AN0205
-8	DON'T KNOW	GO TO BOX R02_ANR16
-7	REFUSED	GO TO BOX R02_ANR16
ASK: Adult respondents who have used a prescription drug in the past 12 months.		
ASK Specification: IF R02_AN0331_12M = 1.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AN0328**

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R02_AN0327], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used a prescription drug in the past 12 months and used sometime today, yesterday or the day before yesterday.

ASK Specification: IF R02_AN0331_12M = 1 AND R02_AN0327 = 2, 3, 4.

DISPLAY: [FILL BASED ON R02_AN0327] If R02_AN0327 = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AN0327, MAKING FIRST LETTER LOWERCASE.

Variable(s): **R02_AN0329**

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R02_AN0327], how many did you take?

- | | |
|---------------|---------------------|
| I__I__I | GO TO BOX R02_ANR16 |
| -8 DON'T KNOW | GO TO BOX R02_ANR16 |
| -7 REFUSED | GO TO BOX R02_ANR16 |

ASK: Adult respondents who have used a prescription drug in the past 12 months and used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R02_AN0331_12M = 1 AND R02_AN0327 = 1, 2, 3, 4.

DISPLAY: [FILL BASED ON R02_AN0327] IF R02_AN0327 = 1 OR 2, DISPLAY "today". IF R02_AN0327 = 4, DISPLAY "the day before yesterday". ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R02_AN0327, MAKING FIRST LETTER LOWERCASE.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0205_NN**/**; R02_AN0205_UN

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 3 |__|__| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used a prescription drug in the past 12 months and used three or more days ago.

ASK Specification: IF R02_AN0331_12M = 1 AND R02_AN0327 = 5.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to [R02_AN0205_UN/R02_AN0205E_UN] = Days; the value "2" refers to [R02_AN0205_UN/R02_AN0205E_UN] = Months; the value "3" refers to [R02_AN0205_UN/R02_AN0205E_UN] = Years.

**SKIP ERROR: This item was skipped incorrectly by some respondents who used a prescription drug three or more days ago (R02_AN0327 = 5). The error was corrected during Wave 2 Data Collection on 12/08/2014.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R02_ANR16

R02_NDSKIP LOOP 4 STARTS HERE. Questions include [R02_AN0804/R02_AN0804E] through [R02_AN0245/R02_AN0245E].

IF R02_NDSKIP = 0, 1, ASK THESE QUESTIONS 1 TIME FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED AT THE START OF THIS SECTION.

IF R02_NDSKIP = 2, 3 ASK THESE QUESTIONS 2 TIMES FOLLOWING THE GENERAL ROUTING AND FILL INSTRUCTIONS PROVIDED AT THE START OF THIS SECTION.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_ANR18
If R02_NDSKIP = 2 or 3 and the first loop (e-cigarettes) has not been completed, adult respondents who are past year quit attempters or past year reducers, go to Box R02_AND03. Else, if R02_NDSKIP = 2 or 3 and the first loop (e-cigarettes) has not been completed, adult respondents who are current established e-cigarette users, go to R02_AN0230E. Else, if R02_NDSKIP = 0 or 1 or R02_NDSKIP = 2 or 3 and the first loop has been completed, adult respondents who are past year quit attempters or past year reducers, go to Box R02_AND03. Else, if R02_NDSKIP = 0 or 1 or R02_NDSKIP = 2 or 3 and the first loop has been completed, adult respondents who are current established tobacco users, go to R02_AN0230. Else, if current experimental or former experimental user, go to R02_AX0006. Else, go to Box R02_ART01.	
IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND (R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 OR R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1), GO TO BOX R02_AND03. ELSE, IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND R02_CURRENT_USER_ECIG = 1, GO TO R02_AN0230E. ELSE, IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP4 = 2 AND (R02_TWELVEMONTHQUITATTEMPT = 1 OR R02_TWELVEMONTHQUITCUTDOWN = 1), GO TO BOX R02_AND03. ELSE, IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND R02_CURRENT_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1), GO TO R02_AN0230. ELSE, IF R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 OR R02_EXPERIMENTAL_FORMER_TOBACCO = 1, GO TO R02_AX0006. ELSE, GO TO BOX R02_ART01.	

BOX ID:	R02_AND03
Display question [R02_AN0804/R02_AN0804E], [R02_AN0805/R02_AN0805E], [R02_AN0806/R02_AN0806E], [R02_AN0807/R02_AN0807E], [R02_AN0808/R02_AN0808E], [R02_AN0809/R02_AN0809E], [R02_AN0810/R02_AN0810E], on one screen. Show the transition text and question stem from [R02_AN0804/R02_AN0804E] first, then show each item with the yes/no responses. As each item is answered, show the next one.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AN0804**/**; R02_AN0804E**/**
The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/when you quit/cutting down on] [ND FILL3] in the past 12 months. Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Feel depressed? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past year quit attempters or past year reducers. ASK Specification: FOR R02_AN0804E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND (R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 OR R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). FOR R02_AN0804: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP4 = 2 AND (R02_TWELVEMONTHQUITATTEMPT = 1 OR R02_TWELVEMONTHQUITCUTDOWN = 1). DISPLAY: FOR R02_AN0804E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND R02_NEW_FORMER_USER_ECIG = 1, DISPLAY "when you quit". IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_AN0125E = 1, DISPLAY "the time you tried to quit". IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1, DISPLAY "cutting down on". ELSE, DISPLAY "the last time you tried to quit". FOR R02_AN0804: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 2 AND R02_NEW_FORMER_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1), DISPLAY "when you quit". IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 2 AND R02_CURRENT_USER_TOBXCIG = 1 AND R02_AN0125 = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1 AND R02_AN0125 = 1), DISPLAY "the time you tried to quit". IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP4 = 2 AND R02_TWELVEMONTHQUITCUTDOWN = 1, DISPLAY "cutting down on". ELSE, DISPLAY "the last time you tried to quit". NOTES: This item was always the first question asked in the randomized set. **SKIP ERROR: These items were skipped incorrectly by respondents who tried to quit or cut down tobacco use in the past year (R02_TWELVEMONTHQUITATTEMPT = 1, R02_TWELVEMONTHQUITCUTDOWN = 1, R02_TWELVEMONTHQUITATTEMPT_ECIG = 1, R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). The error was corrected during Wave 2 Data Collection on 01/13/2015. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R02_AND04
Randomize order of [R02_AN0805/R02_AN0805E] - [R02_AN0809/R02_AN0809E].	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AN0805**/**; R02_AN0805E**/**
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Have difficulty falling asleep or staying asleep? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past year quit attempters or past year reducers. ASK Specification: FOR R02_AN0805E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND (R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 OR R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). FOR R02_AN0805: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP4 = 2 AND (R02_TWELVEMONTHQUITATTEMPT = 1 OR R02_TWELVEMONTHQUITCUTDOWN = 1). NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who tried to quit or cut down tobacco use in the past year (R02_TWELVEMONTHQUITATTEMPT = 1, R02_TWELVEMONTHQUITCUTDOWN = 1, R02_TWELVEMONTHQUITATTEMPT_ECIG = 1, R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). The error was corrected during Wave 2 Data Collection on 01/13/2015. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AN0806**/**; R02_AN0806E**/**
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Have difficulty concentrating? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past year quit attempters or past year reducers. ASK Specification: FOR R02_AN0806E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND (R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 OR R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). FOR R02_AN0806: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP4 = 2 AND (R02_TWELVEMONTHQUITATTEMPT = 1 OR R02_TWELVEMONTHQUITCUTDOWN = 1). NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who tried to quit or cut down tobacco use in the past year (R02_TWELVEMONTHQUITATTEMPT = 1, R02_TWELVEMONTHQUITCUTDOWN = 1, R02_TWELVEMONTHQUITATTEMPT_ECIG = 1, R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). The error was corrected during Wave 2 Data Collection on 01/13/2015. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AN0807**/**; R02_AN0807E**/**
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Eat more than usual or gain weight? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past year quit attempters or past year reducers. ASK Specification: FOR R02_AN0807E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND (R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 OR R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). FOR R02_AN0807: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP4 = 2 AND (R02_TWELVEMONTHQUITATTEMPT = 1 OR R02_TWELVEMONTHQUITCUTDOWN = 1). NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who tried to quit or cut down tobacco use in the past year (R02_TWELVEMONTHQUITATTEMPT = 1, R02_TWELVEMONTHQUITCUTDOWN = 1, R02_TWELVEMONTHQUITATTEMPT_ECIG = 1, R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). The error was corrected during Wave 2 Data Collection on 01/13/2015. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AN0808**/**; R02_AN0808E**/**
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Become easily irritated, angry, or frustrated? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past year quit attempters or past year reducers. ASK Specification: FOR R02_AN0808E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND (R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 OR R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). FOR R02_AN0808: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP4 = 2 AND (R02_TWELVEMONTHQUITATTEMPT = 1 OR R02_TWELVEMONTHQUITCUTDOWN = 1). NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who tried to quit or cut down tobacco use in the past year (R02_TWELVEMONTHQUITATTEMPT = 1, R02_TWELVEMONTHQUITCUTDOWN = 1, R02_TWELVEMONTHQUITATTEMPT_ECIG = 1, R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). The error was corrected during Wave 2 Data Collection on 01/13/2015. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0809**/**; R02_AN0809E**/**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Feel anxious or nervous?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past year quit attempters or past year reducers.

ASK Specification: FOR R02_AN0809E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND (R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 OR R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1).

FOR R02_AN0809: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP4 = 2 AND (R02_TWELVEMONTHQUITATTEMPT = 1 OR R02_TWELVEMONTHQUITCUTDOWN = 1).

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who tried to quit or cut down tobacco use in the past year (R02_TWELVEMONTHQUITATTEMPT = 1, R02_TWELVEMONTHQUITCUTDOWN = 1, R02_TWELVEMONTHQUITATTEMPT_ECIG = 1, R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). The error was corrected during Wave 2 Data Collection on 01/13/2015.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AN0810**/**; R02_AN0810E**/**
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Feel more restless than usual? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past year quit attempters or past year reducers. ASK Specification: FOR R02_AN0810E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND (R02_TWELVEMONTHQUITATTEMPT_ECIG = 1 OR R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). FOR R02_AN0810: IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP4 = 2 AND (R02_TWELVEMONTHQUITATTEMPT = 1 OR R02_TWELVEMONTHQUITCUTDOWN = 1). GOTO: Adult respondents who are current established tobacco users, go to Box R02_ANR21. Else, go to Box R02_ANR10. GOTO Specification: FROM R02_AN0810E: IF R02_CURRENT_USER_TOBACCO = 1, GO TO BOX R02_ANR21. ELSE, GO TO BOX R02_ANR10. FROM R02_AN0810: IF R02_CURRENT_USER_TOBACCO = 1, GO TO BOX R02_ANR21. ELSE, GO TO BOX R02_ANR10. NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who tried to quit or cut down tobacco use in the past year (R02_TWELVEMONTHQUITATTEMPT = 1, R02_TWELVEMONTHQUITCUTDOWN = 1, R02_TWELVEMONTHQUITATTEMPT_ECIG = 1, R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1). The error was corrected during Wave 2 Data Collection on 01/13/2015. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R02_ANR21
If R02_NDSKIP = 2 or 3 and the first loop (e-cigarettes) has not been completed, adult respondents who are current established e-cigarette users, go to R02_AN0230E. Else, if R02_NDSKIP = 0 or 1 or R02_NDSKIP = 2 or 3 and the first loop has been completed, adult respondents who are current established tobacco users, go to R02_AN0230. Else, go to Box R02_ANR10. ELSE, IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND R02_CURRENT_USER_ECIG = 1, GO TO R02_AN0230E. ELSE, IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1), GO TO R02_AN0230. ELSE, GO TO BOX R02_ANR10.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0230**/**; R02_AN0230E**/**

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting [ND FILL 4]? Please enter a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely Interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established tobacco users.

ASK Specification: FOR R02_AN0230E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND R02_CURRENT_USER_ECIG = 1.

FOR R02_AN0230: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1).

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who were current tobacco/e-cigarette users (R02_CURRENT_USER_TOBACCO = 1/R02_CURRENT_USER_TOBXECIG = 1, R02_CURRENT_USER_ECIG = 1). The error was corrected during Wave 2 Data Collection on 01/13/2015.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0235**/**; R02_AN0235E**/**	
Do you plan to ever quit [ND FILL3] for good?	
1 Yes	
2 No	GO TO BOX R02_ANR10
-8 DON'T KNOW	GO TO BOX R02_ANR10
-7 REFUSED	GO TO BOX R02_ANR10
ASK: Adult respondents who are current established tobacco users.	
ASK Specification: FOR R02_AN0235E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND R02_CURRENT_USER_ECIG = 1.	
FOR R02_AN0235: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1).	
NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who were current tobacco/e-cigarette users (R02_CURRENT_USER_TOBACCO = 1/R02_CURRENT_USER_TOBXECIG = 1, R02_CURRENT_USER_ECIG = 1). The error was corrected during Wave 2 Data Collection on 01/13/2015.	
***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s): R02_AN0240; R02_AN0240E	
When do you plan to quit [ND FILL3] for good?	
1 In the next 7 days	
2 In the next 30 days	
3 In the next 6 months	
4 In the next year	GO TO BOX R02_ANR10
5 More than one year from now	GO TO BOX R02_ANR10
-8 DON'T KNOW	GO TO BOX R02_ANR10
-7 REFUSED	GO TO BOX R02_ANR10
ASK: Adult respondents who are current established tobacco users and plan to quit for good.	
ASK Specification: FOR R02_AN0240E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_AN0235E = 1.	
FOR R02_AN0240: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 2 AND R02_CURRENT_USER_TOBXECIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) AND R02_AN0235 = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AN0245; R02_AN0245E

If you did try to quit [ND FILL3] altogether in the next 6 months, how likely do you think you would be to succeed?

- 1 Not at all likely
- 2 A little likely
- 3 Somewhat likely
- 4 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established tobacco users, and plan to quit for good, and plan to quit in the next 7 days/30 days/6 months.

ASK Specification: FOR R02_AN0245E: IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1 AND R02_CURRENT_USER_ECIG = 1 AND R02_AN0235E = 1 AND R02_AN0240E = 1, 2, 3.

FOR R02_AN0245: IF (R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 2 AND R02_CURRENT_USER_TOBXCIG = 1) OR (R02_NDSKIP = 0, 1 AND R02_CURRENT_USER_TOBACCO = 1) AND R02_AN0235 = 1 AND R02_AN0240 = 1, 2, 3.

BOX ID: R02_ANR10

END OF R02_NDSKIP LOOP#4

If R02_NDSKIP = 2 or 3 and this is first loop (e-cigarettes):
Go back to Box R02_ANR16 and ask about tobacco product(s).

If R02_NDSKIP = 0 or 1 or R02_NDSKIP = 2 or 3 and this is the end of the second loop:
Go to R02_AX0006.

IF R02_NDSKIP = 2, 3 AND ASK_ECIG_LOOP4 = 1:
GO BACK TO BOX R02_ANR16.

IF R02_NDSKIP = 0, 1, 2, 3 AND ASK_ECIG_LOOP4 = 2:
GO TO R02_AX0006.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0006**/****

If you had to do it over again, would you have ever started using tobacco?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or former experimental tobacco users.

ASK Specification: IF R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1
OR R02_EXPERIMENTAL_FORMER_TOBACCO = 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current tobacco users, new former tobacco users or experimental current tobacco users, experimental former tobacco users (R02_CURRENT_USER_TOBACCO = 1, R02_NEW_FORMER_USER_TOBACCO = 1, R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, R02_EXPERIMENTAL_FORMER_TOBACCO = 1). The error was corrected during Wave 2 Data Collection on 01/13/2015.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PACKAGING AND HEALTH WARNINGS**BOX ID:** R02_ART01

DISPLAY TRANSITION TEXT: The next questions ask about things you may have seen or read on tobacco product packages.

Variable(s): R02_AR0141

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AR0142

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AR0005

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packages?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: Adult respondents who are current established or current experimental cigarette smokers, and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days, go to R02_AR0010.

Else, adult respondents who are former experimental, new former established or still former established cigarette smokers, and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days, go to R02_AR0040.

Else, go to R02_AR0060.

GOTO Specification: IF (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1) AND R02_AR0005 > 1, GO TO R02_AR0010.

ELSE, IF (R02_EXPERIMENTAL_FORMER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1 OR R02_STILL_FORMER_USER_CIGS = 1) AND R02_AR0005 > 1, GO TO R02_AR0040.

ELSE, GO TO R02_AR0060.

Variable(s): R02_AR0010

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers, and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1) AND R02_AR0005 > 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AR0040*****

To what extent, if at all, do the health warnings on cigarette packs make you [more likely to quit smoking/ more likely to not start smoking again]?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, new former established or still former established cigarette smokers, and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF (R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_EXPERIMENTAL_FORMER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1 OR R02_STILL_FORMER_USER_CIGS = 1) AND R02_AR0005 > 1.

DISPLAY: IF R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1, DISPLAY "more likely to quit smoking". ELSE, DISPLAY "more likely to not start smoking again".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AR0060

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of smokeless tobacco products like snus, moist snuff, dip, spit and chew?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: Adult respondents who are current established or current experimental snus pouch/smokeless tobacco users, and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days, go to R02_AR0065.

Else, adult respondents who are former experimental, new former established or still former established snus pouch/smokeless tobacco users, and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days, go to R02_AR0090.

Else, go to Box R02_ARR01.

GOTO Specification: IF (R02_CURRENT_USER_SNUS = 1 OR
R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_CURRENT_USER_SMKLS = 1 OR
R02_EXPERIMENTAL_CURRENT_SMKLS = 1) AND R02_AR0060 > 1, GO TO R02_AR0065.

ELSE, IF (R02_EXPERIMENTAL_FORMER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1
OR R02_STILL_FORMER_USER_SNUS = 1 OR R02_EXPERIMENTAL_FORMER_SMKLS = 1 OR
R02_NEW_FORMER_USER_SMKLS = 1 OR R02_STILL_FORMER_USER_SMKLS = 1) AND
R02_AR0060 > 1, GO TO R02_AR0090.

ELSE, GO TO BOX R02_ARR01.

Variable(s): R02_AR0065

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus pouch/smokeless tobacco users, and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF (R02_CURRENT_USER_SNUS = 1 OR
R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_CURRENT_USER_SMKLS = 1 OR
R02_EXPERIMENTAL_CURRENT_SMKLS = 1) AND R02_AR0060 > 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AR0085

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus pouch/smokeless tobacco users, and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1) AND R02_AR0060 > 1.

Variable(s): R02_AR0090***

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you [more likely to quit using smokeless tobacco products/ more likely to not start using smokeless tobacco products again]?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, new former established or still former established snus pouch/smokeless tobacco users, and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF (R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_EXPERIMENTAL_FORMER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1 OR R02_STILL_FORMER_USER_SNUS = 1 OR R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_EXPERIMENTAL_FORMER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1 OR R02_STILL_FORMER_USER_SMKLS = 1) AND R02_AR0060 > 1.

DISPLAY: IF R02_CURRENT_USER_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_CURRENT_USER_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1, DISPLAY "more likely to quit using smokeless tobacco products". ELSE, DISPLAY "more likely to not start using smokeless tobacco products again".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ARR01

Adult respondents who are current established smokers and buy roll-your-own tobacco when buying cigarettes for themselves, go to R02_AR0095.

Else, go to Box R02_ARR02.

IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1, GO TO R02_AR0095.

ELSE, GO TO BOX R02_ARR02.

Variable(s): R02_AR0095

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of roll-your-own tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established smokers and buy roll-your-own tobacco when buying cigarettes for themselves.

ASK Specification: IF R02_CURRENT_USER_CIGS = 1 AND R02_AC9007_02 = 1.

BOX ID: R02_ARR02

Adult respondents who are current established, current experimental, former experimental, new former established, or still former established e-cigarette users, go to R02_AR0110.

Else, go to Box R02_ARR03.

IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR
R02_EXPERIMENTAL_FORMER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1 OR
R02_STILL_FORMER_USER_ECIG = 1, GO TO R02_AR0110.

ELSE, GO TO BOX R02_ARR03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AR0110*****

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, new former established, or still former established e-cigarette users.

ASK Specification: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_EXPERIMENTAL_FORMER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1 OR R02_STILL_FORMER_USER_ECIG = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: **R02_ARR03**

Adult respondents who are current established, current experimental, former experimental, new former established, or still former established traditional cigar smokers, go to R02_AR0115.

Else, go to Box R02_ARR04.

IF R02_CURRENT_USER_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_EXPERIMENTAL_FORMER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1 OR R02_STILL_FORMER_USER_GTRAD = 1, GO TO R02_AR0115.

ELSE, GO TO BOX R02_ARR04.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AR0115**/**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, new former established, or still former established traditional cigar smokers.

ASK Specification: IF R02_CURRENT_USER_GTRAD = 1 OR
R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_EXPERIMENTAL_FORMER_GTRAD = 1
OR R02_NEW_FORMER_USER_GTRAD = 1 OR R02_STILL_FORMER_USER_GTRAD = 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by experimental former traditional cigar users (R02_EXPERIMENTAL_FORMER_GTRAD = 1) who only used traditional cigars as blunts in the past 12 months (R02_12MBLUNT_ONLY_BTRAD = 1). The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R02_ARR04

Adult respondents who are current established, current experimental, former experimental, new former established, or still former established cigarillo smokers, go to R02_AR0120.

Else, go to Box R02_ARR05.

IF R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR
R02_EXPERIMENTAL_FORMER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1 OR
R02_STILL_FORMER_USER_GRILLO = 1, GO TO R02_AR0120.

ELSE, GO TO BOX R02_ARR05.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AR0120**/**
In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos? 1 Never 2 Rarely 3 Sometimes 4 Often 5 Very often -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, former experimental, new former established, or still former established cigarillo smokers. ASK Specification: IF R02_CURRENT_USER_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_EXPERIMENTAL_FORMER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1 OR R02_STILL_FORMER_USER_GRILLO = 1. NOTES: **SKIP ERROR: This item was skipped incorrectly by experimental former cigarillo users (R02_EXPERIMENTAL_FORMER_GRILLO = 1) who only used cigarillos as blunts in the past 12 months (R02_12MBLUNT_ONLY_BRILLO = 1). The error was not corrected during Wave 2 Data Collection. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R02_ARR05
Adult respondents who are current established, current experimental, former experimental, new former established, or still former established filtered cigar smokers, go to R02_AR0125. Else, go to Box R02_ARR06.	
IF R02_CURRENT_USER_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_EXPERIMENTAL_FORMER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1 OR R02_STILL_FORMER_USER_GFILTR = 1, GO TO R02_AR0125. ELSE, GO TO BOX R02_ARR06.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AR0125*****

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, new former established, or still former established filtered cigar smokers.

ASK Specification: IF R02_CURRENT_USER_GFILTR = 1 OR
R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_EXPERIMENTAL_FORMER_GFILTR = 1
OR R02_NEW_FORMER_USER_GFILTR = 1 OR R02_STILL_FORMER_USER_GFILTR = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: **R02_ARR06**

Adult respondents who are current established, current experimental, former experimental, new former established, or still former established pipe smokers, go to R02_AR0130.

Else, go to Box R02_ARR07.

IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR
R02_EXPERIMENTAL_FORMER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1 OR
R02_STILL_FORMER_USER_PIPE = 1, GO TO R02_AR0130.

ELSE, GO TO BOX R02_ARR07.

Variable(s): **R02_AR0130*****

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, new former established, or still former established pipe smokers.

ASK Specification: IF R02_CURRENT_USER_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_EXPERIMENTAL_FORMER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1 OR R02_STILL_FORMER_USER_PIPE = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_ARR07

Adult respondents who are current established, current experimental, former experimental, new former established, or still former established hookah smokers, go to R02_AR0135.

Else, go to Box R02_ARR08.

IF R02_CURRENT_USER_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR
R02_EXPERIMENTAL_FORMER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1 OR
R02_STILL_FORMER_USER_HOOK = 1, GO TO R02_AR0135.

ELSE, GO TO BOX R02_ARR08.

Variable(s): R02_AR0135***

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, new former established, or still former established hookah smokers.

ASK Specification: IF R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_EXPERIMENTAL_FORMER_HOOK = 1 OR
R02_NEW_FORMER_USER_HOOK = 1 OR R02_STILL_FORMER_USER_HOOK = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R02_ARR08

Adult respondents who are current established, current experimental, former experimental, new former established, or still former established dissolvable tobacco users, go to R02_AR0140.

Else, go to Box R02_AXT03.

IF R02_CURRENT_USER_DISSBL = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR
R02_EXPERIMENTAL_FORMER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1 OR
R02_STILL_FORMER_USER_DISSBL = 1, GO TO R02_AR0140.

ELSE, GO TO BOX R02_AXT03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AR0140*****

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of dissolvable tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, new former established, or still former established dissolvable tobacco users.

ASK Specification: IF R02_CURRENT_USER_DISSBL = 1 OR
R02_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R02_EXPERIMENTAL_FORMER_DISSBL = 1
OR R02_NEW_FORMER_USER_DISSBL = 1 OR R02_STILL_FORMER_USER_DISSBL = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PRODUCT REGULATION - MODIFIED RISK TOBACCO PRODUCTS

BOX ID:	R02_AXT03
DISPLAY TRANSITION TEXT: The next questions ask about your opinions on tobacco use.	

Variable(s):	R02_AX0005
How would you describe your views about using tobacco?	
1 Very positive 2 Positive 3 Neither positive nor negative 4 Negative 5 Very negative -8 DON'T KNOW -7 REFUSED	
ASK: All adult respondents.	

Variable(s):	R02_AN0250
Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?	
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED	
ASK: All adult respondents.	

Variable(s):	R02_AC9120
Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?	
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED	
ASK: All adult respondents.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AR0143**

If a tobacco product made a claim that it was less harmful to health than other tobacco products, how likely would you be to use that product?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: Young adult respondents, go to R02_AX0669.

Else, adult respondents who are current established or current experimental tobacco users, go to R02_AX0004.

Else, go to R02_AC9050.

GOTO Specification: IF R02_YOUNG_ADULT = 1, GO TO R02_AX0669.

ELSE, IF R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, GO TO R02_AX0004.

ELSE, GO TO R02_AC9050.

Variable(s): **R02_AX0669**

In the past 12 months, have you seen any tobacco products that claim to be safer than other tobacco products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF R02_YOUNG_ADULT = 1.

GOTO: Young adult respondents and who have seen any tobacco products that claim to be safer than other tobacco products in the past 12 months, go to R02_AX0670.

Else, adult respondents who are current established or current experimental tobacco users, go to R02_AX0004.

Else, go to R02_AC9050.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND R02_AX0669 = 1, GO TO R02_AX0670.

ELSE, IF R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, GO TO R02_AX0004.

ELSE, GO TO R02_AC9050.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0670**

How likely is it that you will use one of these tobacco products that claim to be safer in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents and who have seen any tobacco products that claim to be safer than other tobacco products in the past 12 months.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_AX0669 = 1.

DISPLAY: Underline "in the next 30 days".

GOTO: Adult respondents who are current established or current experimental tobacco users, go to R02_AX0004.

Else, go to R02_AC9050.

GOTO Specification: IF R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, GO TO R02_AX0004.

ELSE, GO TO R02_AC9050.

Variable(s): **R02_AX0004**

In the past 30 days, how often did you think about the harm your tobacco use might be doing to you?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users.

ASK Specification: IF R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1.

GOTO: Adult respondents who are current established or current experimental cigarette smokers, go to R02_AC9055.

Else, go to R02_AC9050.

GOTO Specification: IF R02_CURRENT_USER_CIGS = 1 OR
R02_EXPERIMENTAL_CURRENT_CIGS = 1, GO TO R02_AC9055.

ELSE, GO TO R02_AC9050.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC9055

In the past 30 days, have you stubbed out a cigarette before you finished it because you thought about the harm of smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R02_CURRENT_USER_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_CIGS = 1.

Variable(s): R02_AC9050

How harmful do you think cigarettes are to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AE1099

Is using e-cigarettes less harmful, about the same, or more harmful than smoking cigarettes?
[SHOW GENERIC IMAGE OF E-CIGARETTES]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "e-cigarettes" and "cigarettes".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AG1099**

Is smoking traditional cigars less harmful, about the same, or more harmful than smoking cigarettes?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "traditional cigars" and "cigarettes".

Variable(s): **R02_AG1106**

Is smoking cigarillos less harmful, about the same, or more harmful than smoking cigarettes?
[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "cigarillos" and "cigarettes".

Variable(s): **R02_AG1107**

Is smoking filtered cigars less harmful, about the same, or more harmful than smoking cigarettes?
[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "filtered cigars" and "cigarettes".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AP1099

Is smoking pipes filled with tobacco less harmful, about the same, or more harmful than smoking cigarettes?

[SHOW GENERIC IMAGE OF PIPES]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "pipes filled with tobacco" and "cigarettes".

Variable(s): R02_AH1099

Is smoking tobacco in a hookah less harmful, about the same, or more harmful than smoking cigarettes?

[SHOW GENERIC IMAGE OF HOOKAH]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "tobacco in a hookah" and "cigarettes".

Variable(s): R02_AD1099

Is using dissolvable tobacco less harmful, about the same, or more harmful than smoking cigarettes?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "dissolvable tobacco" and "cigarettes".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AS1105

Is using smokeless tobacco less harmful, about the same, or more harmful than smoking cigarettes?
[SHOW GENERIC IMAGE OF SMOKELESS/SNUS]

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "smokeless tobacco" and "cigarettes".

Variable(s): R02_AC1110

How harmful do you think today's cigarettes are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AS1110

How harmful do you think today's smokeless tobacco products are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AG1110

How harmful do you think today's traditional cigars, cigarillos or filtered cigars are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AC9040

Are cigarettes flavored like menthol or mint less harmful, no different, or more harmful than regular cigarettes?

- 1 Less harmful
- 2 No different
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R02_ACD02

Display question R02_AC9060, R02_AC9065, R02_AC9070, R02_AC9075, R02_AC9043, R02_AC9080, R02_AC9085, R02_AC9090, R02_AC9044, R02_AC9100, R02_AC9105, R02_AC9110, R02_AC9115 on one screen. Show the intro/transition text from R02_AC9060 first, then show each item with a Y/N response. As each item is answered, show the next one.

Variable(s): R02_AC9060

The next questions ask about diseases that may or may not be caused by smoking cigarettes. Based on what you know or believe, does smoking cause...

Stroke in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents. (Note - The list of health effects should include the diseases that are featured on the new health warnings if/when they come on cigarette packs, thus these current questions are subject to change based on this future information.)

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC9065

Lung cancer in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AC9070

Heart disease in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AC9075

Blindness in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AC9043

Diabetes in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AC9080

Poor circulation (also called peripheral vascular disease) in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC9085

Bladder cancer in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AC9090

Mouth cancer in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AC9044

Liver cancer in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AC9100

Lung disease (such as emphysema) in smokers?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AC9105

Lung disease in non-smokers from second-hand smoke?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AC9110

Heart attack in non-smokers from second-hand smoke?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AC9115

Harm to fetuses (or unborn children) during pregnancy from second-hand smoke?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

MEDIA USE**BOX ID:** R02_AXT04

DISPLAY TRANSITION TEXT: The next questions ask about your TV, radio, internet and cell phone use.

Variable(s): R02_AX0494

About how long do you watch TV on a typical day?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 More than 4 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0060

About how long do you listen to the radio on a typical day?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 More than 4 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0315

Do you ever go online to access the Internet or World Wide Web, or to send and receive e-mail?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R02_AX0503
GO TO R02_AX0503
GO TO R02_AX0503

ASK: All adult respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0062**

Sometimes people use the Internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, MySpace, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called "social media".

Do you have a social media account?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R02_AX0489 |
| -8 DON'T KNOW | GO TO R02_AX0489 |
| -7 REFUSED | GO TO R02_AX0489 |

ASK: Adult respondents who report using the internet.

ASK Specification: IF R02_AX0315 = 1.

Variable(s): **R02_AX0317**

About how often do you visit your social media accounts?

- | | |
|-----------------------|------------------|
| 1 Several times a day | |
| 2 About once a day | |
| 3 3-5 days a week | |
| 4 1-2 days a week | |
| 5 Every few weeks | |
| 6 Less often | |
| 7 Never | GO TO R02_AX0321 |
| -8 DON'T KNOW | GO TO R02_AX0321 |
| -7 REFUSED | GO TO R02_AX0321 |

ASK: Adult respondents who report using the internet and have a social media account.

ASK Specification: IF R02_AX0315 = 1 AND R02_AX0062 = 1.

Variable(s): **R02_AX0320**

On a typical day, about how much total time do you spend on social media sites? Your best guess is fine.

- | |
|---------------------------------------|
| 1 Up to 30 minutes |
| 2 More than 30 minutes, up to 3 hours |
| 3 More than 3 hours, up to 6 hours |
| 4 More than 6 hours |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Adult respondents who report using the internet, have a social media account and have visited their social media account.

ASK Specification: IF R02_AX0315 = 1 AND R02_AX0062 = 1 AND R02_AX0317 = 1, 2, 3, 4, 5, 6.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AX0321
In the past 12 months, have you seen content posted about tobacco products (including e-cigarettes) on social media sites?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who report using the internet and have a social media account.	
ASK Specification: IF R02_AX0315 = 1 AND R02_AX0062 = 1.	

Variable(s):	R02_AX0506
In the past 12 months, have you <u>posted</u> content about tobacco products (including e-cigarettes) on any of your social media accounts?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who report using the internet and have a social media account.	
ASK Specification: IF R02_AX0315 = 1 AND R02_AX0062 = 1.	
DISPLAY: Underline "posted".	

Variable(s):	SEE BELOW:
In the past 12 months, have you done any of the following online? Choose all that apply.	
R02_AX0489_01	1 Signed up for any email alerts about tobacco products, including e-cigarettes
R02_AX0489_02	2 Read any articles online about tobacco products, including e-cigarettes
R02_AX0489_03	3 Watched a video online about tobacco products, including e-cigarettes
R02_AX0489_04	4 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who report using the internet.	
ASK Specification: IF R02_AX0315 = 1.	
PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1-3 may not be selected.	
GOTO: Young adult respondents, go to Box R02_AXD12.	
Else, go to R02_AX0503.	
GOTO Specification: IF R02_YOUNG_ADULT = 1, GO TO BOX R02_AXD12.	
ELSE, GO TO R02_AX0503.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AXD12

DISPLAY INSTRUCTION: For R02_AX0686, R02_AX0687 and R02_AX0688, display as a stem and leaf question with yes/no responses.

Variable(s): SEE BELOW:

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites?

- | | | |
|----------------------|----|----------------|
| R02_AX0686_01 | 1 | Camel |
| R02_AX0686_02 | 2 | Marlboro |
| R02_AX0686_03 | 3 | Newport |
| R02_AX0686_04 | 4 | Swisher Sweets |
| R02_AX0686_05 | 5 | Blu |
| R02_AX0686_06 | 6 | Fin |
| R02_AX0686_07 | 7 | Vuse |
| R02_AX0686_08 | 8 | NJOY |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Young adult respondents who report using the internet and have a social media account.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_AX0315 = 1 AND R02_AX0062 = 1.

Variable(s): SEE BELOW:

In the past 12 months, have you sent a link or information about any of the following brands to others on Facebook, Twitter or other social media sites?

- | | | |
|-------------------------|----|----------------|
| R02_AX0687_01*** | 1 | Camel |
| R02_AX0687_02*** | 2 | Marlboro |
| R02_AX0687_03*** | 3 | Newport |
| R02_AX0687_04*** | 4 | Swisher Sweets |
| R02_AX0687_05*** | 5 | Blu |
| R02_AX0687_06*** | 6 | Fin |
| R02_AX0687_07*** | 7 | Vuse |
| R02_AX0687_08*** | 8 | NJOY |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Young adult respondents who report using the internet and have a social media account.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_AX0315 = 1 AND R02_AX0062 = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:																														
In the past 12 months, have you played an online game related to any of the following brands? <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">R02_AX0688_01***</td> <td style="width: 5%; text-align: center;">1</td> <td>Camel</td> </tr> <tr> <td>R02_AX0688_02***</td> <td style="text-align: center;">2</td> <td>Marlboro</td> </tr> <tr> <td>R02_AX0688_03***</td> <td style="text-align: center;">3</td> <td>Newport</td> </tr> <tr> <td>R02_AX0688_04***</td> <td style="text-align: center;">4</td> <td>Swisher Sweets</td> </tr> <tr> <td>R02_AX0688_05***</td> <td style="text-align: center;">5</td> <td>Blu</td> </tr> <tr> <td>R02_AX0688_06***</td> <td style="text-align: center;">6</td> <td>Fin</td> </tr> <tr> <td>R02_AX0688_07***</td> <td style="text-align: center;">7</td> <td>Vuse</td> </tr> <tr> <td>R02_AX0688_08***</td> <td style="text-align: center;">8</td> <td>NJOY</td> </tr> <tr> <td></td> <td style="text-align: center;">-8</td> <td>DON'T KNOW</td> </tr> <tr> <td></td> <td style="text-align: center;">-7</td> <td>REFUSED</td> </tr> </table> ASK: Young adult respondents who report using the internet. ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_AX0315 = 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		R02_AX0688_01***	1	Camel	R02_AX0688_02***	2	Marlboro	R02_AX0688_03***	3	Newport	R02_AX0688_04***	4	Swisher Sweets	R02_AX0688_05***	5	Blu	R02_AX0688_06***	6	Fin	R02_AX0688_07***	7	Vuse	R02_AX0688_08***	8	NJOY		-8	DON'T KNOW		-7	REFUSED
R02_AX0688_01***	1	Camel																													
R02_AX0688_02***	2	Marlboro																													
R02_AX0688_03***	3	Newport																													
R02_AX0688_04***	4	Swisher Sweets																													
R02_AX0688_05***	5	Blu																													
R02_AX0688_06***	6	Fin																													
R02_AX0688_07***	7	Vuse																													
R02_AX0688_08***	8	NJOY																													
	-8	DON'T KNOW																													
	-7	REFUSED																													

Variable(s):	SEE BELOW:																								
Please indicate if you have any of the following. Choose all that apply. <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">R02_AX0503_01</td> <td style="width: 5%; text-align: center;">1</td> <td style="width: 55%;">Tablet computer, such as an iPad, Samsung Galaxy, Motorola Xoom, or Kindle Fire</td> <td style="width: 15%;"></td> </tr> <tr> <td>R02_AX0503_02</td> <td style="text-align: center;">2</td> <td>Smartphone, such as an iPhone, Android, Blackberry, or Windows phone</td> <td></td> </tr> <tr> <td>R02_AX0503_03</td> <td style="text-align: center;">3</td> <td>Cell phone</td> <td>GO TO BOX R02_AXT05</td> </tr> <tr> <td>R02_AX0503_04</td> <td style="text-align: center;">4</td> <td>I do not have any of the above</td> <td>GO TO BOX R02_AXT05</td> </tr> <tr> <td></td> <td style="text-align: center;">-8</td> <td>DON'T KNOW</td> <td>GO TO BOX R02_AXT05</td> </tr> <tr> <td></td> <td style="text-align: center;">-7</td> <td>REFUSED</td> <td>GO TO BOX R02_AXT05</td> </tr> </table> ASK: All adult respondents. PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1, 2, 3 should be disabled.		R02_AX0503_01	1	Tablet computer, such as an iPad, Samsung Galaxy, Motorola Xoom, or Kindle Fire		R02_AX0503_02	2	Smartphone, such as an iPhone, Android, Blackberry, or Windows phone		R02_AX0503_03	3	Cell phone	GO TO BOX R02_AXT05	R02_AX0503_04	4	I do not have any of the above	GO TO BOX R02_AXT05		-8	DON'T KNOW	GO TO BOX R02_AXT05		-7	REFUSED	GO TO BOX R02_AXT05
R02_AX0503_01	1	Tablet computer, such as an iPad, Samsung Galaxy, Motorola Xoom, or Kindle Fire																							
R02_AX0503_02	2	Smartphone, such as an iPhone, Android, Blackberry, or Windows phone																							
R02_AX0503_03	3	Cell phone	GO TO BOX R02_AXT05																						
R02_AX0503_04	4	I do not have any of the above	GO TO BOX R02_AXT05																						
	-8	DON'T KNOW	GO TO BOX R02_AXT05																						
	-7	REFUSED	GO TO BOX R02_AXT05																						

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0504

Have you ever used a tobacco-related application (or app) on your tablet computer or smartphone?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have a tablet computer or a smartphone.

ASK Specification: IF R02_AX0503_01 = 1 OR R02_AX0503_02 = 1.

GOTO: Adult respondents who have ever used any tobacco product and have a tablet computer or a smartphone, go to R02_AX0505.

Else, go to Box R02_AXT05.

GOTO Specification: IF R02_EVER_USER_TOBACCO = 1 AND (R02_AX0503_01 = 1 OR R02_AX0503_02 = 1), GO TO R02_AX0505.

ELSE, GO TO BOX R02_AXT05.

Variable(s): R02_AX0505***

Have you ever used an app on your tablet computer or smartphone to help you quit using tobacco?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product and have a tablet computer or a smartphone.

ASK Specification: IF R02_EVER_USER_TOBACCO = 1 AND (R02_AX0503_01 = 1 OR R02_AX0503_02 = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

SECONDHAND SMOKE EXPOSURE**BOX ID:** R02_AXT05

DISPLAY TRANSITION TEXT: The next questions ask about tobacco use at your workplace and your home.

Variable(s): R02_AM0014

Which best describes your current job or paid employment status?

- | | | |
|----|--|------------------|
| 1 | Work full-time at least 35 hours per week | |
| 2 | Work part-time 15 to 34 hours per week | |
| 3 | Work part-time less than 15 hours per week | |
| 4 | I don't currently work for pay | GO TO R02_AR0144 |
| -8 | DON'T KNOW | GO TO R02_AR0144 |
| -7 | REFUSED | GO TO R02_AR0144 |

ASK: All adult respondents.

Variable(s): SEE BELOW:

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

- | | | |
|---------------|----|--------------|
| R02_AX0064_01 | 1 | Indoors |
| R02_AX0064_02 | 2 | Outdoors |
| R02_AX0064_03 | 3 | In a vehicle |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R02_AM0014 = 1, 2, 3.

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0065

How recently did someone smoke around you while you were at work?

- 1 Never
- 2 Today
- 3 In the past week
- 4 In the past two weeks
- 5 In the past month
- 6 Longer than a month ago but within the past year
- 7 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R02_AM0014 = 1, 2, 3.

Variable(s): R02_AR0144

In your childhood, did you live with a regular smoker who smoked inside your home? Please think about anyone who smoked cigarettes, cigars, a pipe or hookah.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "anyone".

Variable(s): R02_AX0690

Do you currently live alone?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: Older adult respondents, go to R02_AX0691.

Else, adult respondents who do not live alone or did not know or refused to report whether they live alone, go to R02_AX0066.

Else, go to R02_AR1045.

GOTO Specification: IF R02_YOUNG_ADULT = 2, GO TO R02_AX0691.

ELSE, IF R02_AX0690 != 1, GO TO R02_AX0066.

ELSE, GO TO R02_AR1045.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0691**

In what type of living space do you currently live?

- 1 Single Family Home
- 2 Duplex
- 3 Double or Multi-Family Home
- 4 Condominium
- 5 Townhouse
- 6 Apartment Building
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Older adult respondents.

ASK Specification: IF R02_YOUNG_ADULT = 2.

GOTO: Adult respondents who do not live alone or did not know or refused to report whether they live alone, go to R02_AX0066.

Else, go to R02_AR1045.

GOTO Specification: IF R02_AX0690 != 1, GO TO R02_AX0066.

ELSE, GO TO R02_AR1045.

Variable(s): **SEE BELOW:**

Not including yourself, does anyone who lives with you now do any of the following? Choose all that apply.

- R02_AX0066_01** 1 Smoke cigarettes
- R02_AX0066_02** 2 Use smokeless tobacco such as snus, chewing tobacco, snuff, or dip
- R02_AX0066_03** 3 Smoke traditional cigars, cigarillos, or filtered cigars
- R02_AX0066_04** 4 Use any other form of tobacco
- R02_AX0066_05** 5 No one who lives with me now uses any form of tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not live alone or did not know or refused to report whether they live alone.

ASK Specification: IF R02_AX0690 != 1.

DISPLAY: Underline "now".

PROGRAM: Allow respondent to choose all that apply. Option 5 cannot be selected if options 1 through 4 are also selected.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AR1045**

These next few questions ask about rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah, which statement best describes the rules about smoking a tobacco product inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "inside" in both paragraphs. Underline "burned".

Variable(s): **R02_AR1050**

Now think about other tobacco products that are not burned, like smokeless tobacco, dissolvable tobacco, and electronic cigarettes.

Which statement best describes the rules about using these products inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "not" and "inside".

Variable(s): **R02_AX0068**

During the past seven days, about how many hours were you around others who were smoking[, whether or not you were smoking yourself]? Include time in your home, in a car, at work, or outdoors.

- 1 |_|_|_| Number of hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF R02_CURRENT_USER_CIGS = 1 OR R02_CURRENT_USER_GTRAD = 1 OR
R02_CURRENT_USER_GRILLO = 1 OR R02_CURRENT_USER_GFILTR = 1 OR
R02_CURRENT_USER_PIPE = 1 OR R02_CURRENT_USER_HOOK = 1 OR
R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR
R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1
OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1,
DISPLAY ", whether or not you were smoking yourself".

Display "Number of hours" as a title.

PROGRAM: Allow 3 digits. Underline "others".

PEER AND FAMILY INFLUENCES

Variable(s): R02_AX0008

In general, do you think most people disapprove of smoking **cigarettes**?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Bold "cigarettes".

Variable(s): R02_AX0012

In general, do you think most people disapprove of using **e-cigarettes**?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Bold "e-cigarettes".

BOX ID: R02_AXR02

Adult respondents who are current established, current experimental, new former established, or former experimental tobacco users, go to R02_AX0070.

Else, go to Box R02_R02_AXT01.

IF R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_FORMER_TOBACCO = 1, GO TO R02_AX0070.

ELSE, GO TO BOX R02_AXT01.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0070***

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family of your smoking [led/lead] you to think about quitting?

- 1 Not at all
- 2 Somewhat
- 3 Very much
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or former experimental tobacco users.

ASK Specification: IF R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1
OR R02_EXPERIMENTAL_FORMER_TOBACCO = 1.

DISPLAY: Underline "close friends and family".

IF R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1,
DISPLAY "has" AND "led".

IF R02_CURRENT_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2
AND (R02_NEW_FORMER_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_FORMER_TOBACCO
= 1), DISPLAY "did" AND "lead".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AX0071***

Thinking about the people who are important to you, how would you describe their views on using tobacco?

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or former experimental tobacco users.

ASK Specification: IF R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1
OR R02_EXPERIMENTAL_FORMER_TOBACCO = 1.

DISPLAY: Underline "people who are important to you".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

HEALTH**BOX ID:** R02_AXT01

DISPLAY TRANSITION TEXT: The next questions ask about some basic medical information that is important for the study.

Variable(s): R02_AX0090

In general, how would you rate your physical health?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0091

In general, how would you rate your mental health, which includes stress, depression, and problems with emotions?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0088

In general, would you say your overall health is...

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "overall".

Variable(s): R02_AX0185

In general, would you say your quality of life is...

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0092

In general, how satisfied are you with your social activities and relationships?

- 1 Extremely satisfied
- 2 Very satisfied
- 3 Moderately satisfied
- 4 A little satisfied
- 5 Not at all satisfied
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: Young adult respondents, go to R02_AX0313.

Else, go to R02_AX0314.

GOTO Specification: IF R02_YOUNG_ADULT = 1, GO TO R02_AX0313.

ELSE, GO TO R02_AX0314.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0313									
The next questions ask about your height and weight. Do you want to answer these questions in... <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; text-align: center;">1 Feet and pounds, or</td> <td></td> </tr> <tr> <td style="text-align: center;">2 Meters and kilograms</td> <td style="text-align: right;">GO TO R02_AX0316</td> </tr> <tr> <td style="text-align: center;">-8 DON'T KNOW</td> <td></td> </tr> <tr> <td style="text-align: center;">-7 REFUSED</td> <td></td> </tr> </table> ASK: Young adult respondents. ASK Specification: IF R02_YOUNG_ADULT = 1.		1 Feet and pounds, or		2 Meters and kilograms	GO TO R02_AX0316	-8 DON'T KNOW		-7 REFUSED	
1 Feet and pounds, or									
2 Meters and kilograms	GO TO R02_AX0316								
-8 DON'T KNOW									
-7 REFUSED									

Variable(s): R02_AX0679_FT; R02_AX0679_IN									
About how tall are you without shoes? <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; text-align: center;">I__I Feet</td> <td style="text-align: right;">GO TO R02_AX0109</td> </tr> <tr> <td style="text-align: center;">I__I__I Inches</td> <td style="text-align: right;">GO TO R02_AX0109</td> </tr> <tr> <td style="text-align: center;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R02_AX0109</td> </tr> <tr> <td style="text-align: center;">-7 REFUSED</td> <td style="text-align: right;">GO TO R02_AX0109</td> </tr> </table> ASK: Young adult respondents who prefer to report their height in feet, or did not know or refused to report how they prefer to report their height. ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_AX0313 = 1, -8, -7. DISPLAY: Display "Feet" and "Inches" as titles. PROGRAM: Display as Quantity/Quantity. Soft range check: Feet (3 to 8) and Inches (0-12).		I__I Feet	GO TO R02_AX0109	I__I__I Inches	GO TO R02_AX0109	-8 DON'T KNOW	GO TO R02_AX0109	-7 REFUSED	GO TO R02_AX0109
I__I Feet	GO TO R02_AX0109								
I__I__I Inches	GO TO R02_AX0109								
-8 DON'T KNOW	GO TO R02_AX0109								
-7 REFUSED	GO TO R02_AX0109								

Variable(s): R02_AX0316							
About how tall are you without shoes? <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; text-align: center;">I__I__I.I__I__I Meters</td> <td style="text-align: right;">GO TO R02_AX0312</td> </tr> <tr> <td style="text-align: center;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO R02_AX0312</td> </tr> <tr> <td style="text-align: center;">-7 REFUSED</td> <td style="text-align: right;">GO TO R02_AX0312</td> </tr> </table> ASK: Young adult respondents who prefer to report their height in meters. ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_AX0313 = 2. DISPLAY: Display "Meters" as a title. PROGRAM: Soft range check: Meters (0.9 to 2.7).		I__I__I.I__I__I Meters	GO TO R02_AX0312	-8 DON'T KNOW	GO TO R02_AX0312	-7 REFUSED	GO TO R02_AX0312
I__I__I.I__I__I Meters	GO TO R02_AX0312						
-8 DON'T KNOW	GO TO R02_AX0312						
-7 REFUSED	GO TO R02_AX0312						

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0314**

The next question asks about your weight. Do you want to answer this question in...

- | | |
|---------------|------------------|
| 1 Pounds, or | |
| 2 Kilograms | GO TO R02_AX0312 |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: Adult respondents aged 25 years and older.

ASK Specification: IF R02_YOUNG_ADULT = 2.

Variable(s): **R02_AX0109**

About how much do you weigh without clothes or shoes?

- | | |
|-------------------|------------------|
| I__I__I__I Pounds | GO TO R02_AX0241 |
| -8 DON'T KNOW | GO TO R02_AX0241 |
| -7 REFUSED | GO TO R02_AX0241 |

ASK: Adult respondents who prefer to report their weight in pounds, or did not know or refused to report how they prefer to report their weight.

ASK Specification: IF (R02_YOUNG_ADULT = 2 AND R02_AX0314 = 1, -8, -7) OR (R02_YOUNG_ADULT = 1 AND R02_AX0313 = 1, -8, -7).

DISPLAY: Display "Pounds" as a title.

PROGRAM: Soft range check: 75 to 450.

Variable(s): **R02_AX0312**

About how much do you weigh without clothes or shoes?

- | | |
|----------------------|--|
| I__I__I__I Kilograms | |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: Adult respondents who prefer to report their weight in kilograms.

ASK Specification: IF (R02_YOUNG_ADULT = 2 AND R02_AX0314 = 2) OR (R02_YOUNG_ADULT = 1 AND R02_AX0313 = 2).

DISPLAY: Display "Kilograms" as a title.

PROGRAM: Soft range check: 34 to 205.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0241**

In a typical week, how many days do you do any physical activity or exercise of at least moderate intensity, such as brisk walking, bicycling or swimming at a regular pace?

- | | | |
|----|-----------------|------------------|
| 0 | None | GO TO R02_AX0243 |
| 1 | 1 day per week | |
| 2 | 2 days per week | |
| 3 | 3 days per week | |
| 4 | 4 days per week | |
| 5 | 5 days per week | |
| 6 | 6 days per week | |
| 7 | 7 days per week | |
| -8 | DON'T KNOW | GO TO R02_AX0243 |
| -7 | REFUSED | GO TO R02_AX0243 |

ASK: All adult respondents.

DISPLAY: Underline "In a typical week".

Variable(s): **R02_AX0242_NN; R02_AX0242_UN**

On the days that you do any physical activity or exercise of at least moderate intensity, how long do you typically do these activities?

- | | | |
|----|----------------|--|
| 1 | _ _ _ Hours | |
| 2 | _ _ _ Minutes | |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Adult respondents who do any physical activity or exercise of at least moderate intensity at least one day a week.

ASK Specification: IF R02_AX0241 > 0.

PROGRAM: Display quantity/units.

Range <= 24 hours

Soft range check: 0-8 hours or 0-200 minutes

NOTES: The value "1" refers to R02_AX0242_UN = Hours; the value "2" refers to R02_AX0242_UN = Minutes.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0243

In a typical week, outside of your job or work around the house, how many days do you do physical activities specifically designed to strengthen your muscles such as lifting weights or circuit training? Do not include cardio exercise such as walking, biking, or swimming.

- 0 None
- 1 1 day per week
- 2 2 days per week
- 3 3 days per week
- 4 4 days per week
- 5 5 days per week
- 6 6 days per week
- 7 7 days per week
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0100

In the past 7 days, how would you rate your pain on average on a scale from 0 to 10 where 0 is no pain and 10 is the worst pain imaginable?

- 0 No pain
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10 Worst pain imaginable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "In the past 7 days".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0101

In the past 7 days, how would you rate your fatigue on average? By fatigue, we mean feeling unrested or overly tired during the day, no matter how many hours of sleep you've had.

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Very severe
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0102

In general, please rate how well you carry out your usual social activities and roles. This includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.

- 1 Excellent
- 2 Very Good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0103

In the past 7 days, how often have you been bothered by emotional problems such as feeling anxious, depressed, or irritable?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0001**

Please think about any health care you may have received in the past 12 months.

In the past 12 months, have you seen a medical doctor, nurse or other health professional?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): **R02_AX0002**

In the past 12 months, have you seen a dentist?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0302**

In the past 12 months, have you visited an emergency room or urgent care center for a health problem of your own?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: Adult respondents who visited an emergency room or urgent care center in the past 12 months, go to R02_AX0155.

Else, adult respondents who are current established, current experimental, new former established, or former experimental tobacco users, and saw a medical doctor, nurse or other health professional in the past 12 months, or saw a dentist in the past 12 months, go to R02_AX0003.

Else, adult respondents who have ever used any tobacco in their lifetime, go to R02_AX0104.

Else, new baseline adult respondents, go to R02_AX0186_NB.

Else, go to R02_AX0093.

GOTO Specification: IF R02_AX0302 = 1, GO TO R02_AX0155.

ELSE, IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_FORMER_TOBACCO = 1) AND (R02_AX0001 = 1 OR R02_AX0002 = 1), GO TO R02_AX0003.

ELSE, IF R02_EVER_USER_TOBACCO = 1, GO TO R02_AX0104.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AX0186_NB.

ELSE, GO TO R02_AX0093.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0155**

In the past 12 months, how many times have you visited an emergency room or urgent care center for a health problem of your own?

|_|_|_|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who visited an emergency room or urgent care center in the past 12 months.

ASK Specification: IF R02_AX0302 = 1.

PROGRAM: Allow 4 digits.

GOTO: Adult respondents who are current established, current experimental, new former established, or former experimental tobacco users, and saw a medical doctor, nurse or other health professional in the past 12 months, or saw a dentist in the past 12 months, go to R02_AX0003.

Else, adult respondents who have ever used any tobacco in their lifetime, go to R02_AX0104.

Else, new baseline adult respondents, go to R02_AX0186_NB.

Else, go to R02_AX0093.

GOTO Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1
OR R02_EXPERIMENTAL_FORMER_TOBACCO = 1) AND (R02_AX0001 = 1 OR R02_AX0002 = 1),
GO TO R02_AX0003.

ELSE, IF R02_EVER_USER_TOBACCO = 1, GO TO R02_AX0104.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AX0186_NB.

ELSE, GO TO R02_AX0093.

Variable(s): **R02_AX0003*****

In the past 12 months, did any medical doctor, dentist or other health professional advise you to stop using tobacco[, including e-cigarettes]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or former experimental tobacco users, and saw a medical doctor, nurse or other health professional in the past 12 months, or saw a dentist in the past 12 months.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 OR R02_NEW_FORMER_USER_TOBACCO = 1
OR R02_EXPERIMENTAL_FORMER_TOBACCO = 1) AND (R02_AX0001 = 1 OR R02_AX0002 = 1).

DISPLAY: IF R02_CURRENT_USER_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR
R02_NEW_FORMER_USER_ECIG = 1 OR R02_EXPERIMENTAL_FORMER_ECIG = 1, DISPLAY "
including e-cigarettes". Else, do not display this text.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0104***

To what extent, if at all, has [using / your past use of] tobacco products damaged your health?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco in their lifetime.

ASK Specification: IF R02_EVER_USER_TOBACCO = 1.

DISPLAY: IF R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, DISPLAY "using". ELSE, DISPLAY "your past use
of".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AX0105***

To what extent, if at all, are you worried that [using / your past use of] tobacco products will damage your health in the future?

- 1 Not at all worried
- 2 A little worried
- 3 Moderately worried
- 4 Very worried
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco in their lifetime.

ASK Specification: IF R02_EVER_USER_TOBACCO = 1.

DISPLAY: IF R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, DISPLAY "using". ELSE, DISPLAY "your past use
of".

GOTO: New baseline adult respondents, go to R02_AX0186_NB.

Else, go to R02_AX0093.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AX0186_NB.

ELSE, GO TO R02_AX0093.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0186_NB**

The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy].

Do you have serious difficulty walking or climbing stairs?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R02_AX0094 |
| -8 DON'T KNOW | GO TO R02_AX0094 |
| -7 REFUSED | GO TO R02_AX0094 |

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

DISPLAY: IF FEMALE OR SEX UNKNOWN (R02R_A_SEX = 2, -8, -7), DISPLAY “, or pregnancy”.

IF MALE (R02R_A_SEX = 1), DISPLAY “or “ (AND DO NOT DISPLAY “, or pregnancy”).

Variable(s): **R02_AX0093**

[The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy].]

To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents, or new baseline adult respondents who have serious difficulty walking or climbing stairs.

ASK Specification: IF R02_CONTINUING_ADULT_LD = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0186_NB = 1).

DISPLAY: IF R02_CONTINUING_ADULT_LD = 1, DISPLAY INTRODUCTORY TEXT "The next set of questions asks about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy]."

IF FEMALE OR SEX IS UNKNOWN (R02R_A_SEX = 2, -8, -7), DISPLAY “, or pregnancy”.

IF MALE (R02R_A_SEX = 1), DISPLAY “or “ (AND DO NOT DISPLAY “, or pregnancy”).

IF R02_NEW_BASELINE_ADULT_LD = 1, DO NOT DISPLAY ANY INTRODUCTORY TEXT.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0094**

To what extent are you able to carry out your everyday activities such as using a telephone, paying bills, taking medications, preparing light meals, doing laundry, or going shopping?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: New baseline adult respondents, go to R02_AX0188_NB.

Else, go to R02_AX0095.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AX0188_NB.

ELSE, GO TO R02_AX0095.

Variable(s): **R02_AX0188_NB**

Do you have difficulty dressing or bathing?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R02_AX0097
- GO TO R02_AX0097
- GO TO R02_AX0097

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

Variable(s): **R02_AX0095**

To what extent are you able to carry out your everyday activities such as bathing, dressing, or getting around the house?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents, or new baseline adult respondents who have difficulty dressing or bathing.

ASK Specification: IF R02_CONTINUING_ADULT_LD = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0188_NB = 1).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Does your health limit you in any of the following activities? Choose all that apply.	
R02_AX0097_01	1 Lifting 10 pounds
R02_AX0097_02	2 Walking up 10 steps
R02_AX0097_03	3 Walking 3 blocks
R02_AX0097_04	4 Walking 1 mile
R02_AX0097_05	5 Standing 20 minutes
R02_AX0097_06	6 Bending or stooping
R02_AX0097_07	7 Reaching overhead
R02_AX0097_08	8 Using fingers to grasp
R02_AX0097_09	9 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents.	
PROGRAM: Option 9 cannot be selected if any options 1 through 8 are selected.	
GOTO: New baseline adult respondents, go to R02_AX0187_NB.	
Else, go to R02_AX0111_12M.	
GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AX0187_NB.	
ELSE, IF R02_CONTINUING_ADULT_LD = 1, GO TO R02_AX0111_12M.	

Variable(s):	R02_AX0187_NB
Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: New baseline adult respondents.	
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.	

Variable(s):	R02_AX0189_NB
Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: New baseline adult respondents.	
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0190_NB

Are you deaf or do you have serious difficulty hearing?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

Variable(s): R02_AX0191_NB

Are you blind or do you have serious difficulty seeing, even when wearing glasses?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.	
R02_AX0111_NB_01	1 High blood pressure
R02_AX0111_NB_02	2 High cholesterol
R02_AX0111_NB_03	3 Congestive heart failure
R02_AX0111_NB_04	4 A stroke
R02_AX0111_NB_05	5 A heart attack (also called myocardial infarction) or needed bypass surgery
R02_AX0111_NB_06	6 Some other heart condition
R02_AX0111_NB_07	7 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: New baseline adult respondents.	
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.	
PROGRAM: Option 7 cannot be selected if any option 1 through 6 is selected.	
GOTO: New baseline adult respondents who have been told they had high blood pressure, go to R02_AX0114_NB.	
Else, new baseline adult respondents who have been told they had high cholesterol, go to R02_AX0115_NB.	
Else, new baseline adult respondents who have been told they had congestive heart failure, go to R02_AX0116_NB.	
Else, new baseline adult respondents who have been told they had a stroke, go to R02_AX0117_NB.	
Else, new baseline adult respondents who have been told they had a heart attack or needed bypass surgery, go to R02_AX0112_NB.	
Else, new baseline adult respondents who have ever been told they had any other type of heart condition, go to R02_AX0219.	
Else, new baseline adult respondents who did not have any type of heart condition or did not know or refused to report if they had any type of heart condition, go to R02_AX0046.	
GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_01 = 1, GO TO R02_AX0114_NB.	
ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_02 = 1, GO TO R02_AX0115_NB.	
ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_03 = 1, GO TO R02_AX0116_NB.	
ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_04 = 1, GO TO R02_AX0117_NB.	
ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_05 = 1, GO TO R02_AX0112_NB.	
ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_06 = 1, GO TO R02_AX0219.	
ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_07 = 7, -8, -7, GO TO R02_AX0046.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0114_NB**

How old were you when you were first told you had high blood pressure?

I ____ | ____ | Years old

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have been told they had high blood pressure.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_01 = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

GOTO: New baseline adult respondents who have been told they had high blood pressure and did not know or refused to report the age they were first told they had high blood pressure, go to R02_AX0253_NB.

Else, new baseline adult respondents who have been told they had high cholesterol, go to R02_AX0115_NB.

Else, new baseline adult respondents who have been told they had congestive heart failure, go to R02_AX0116_NB.

Else, new baseline adult respondents who have been told they had a stroke, go to R02_AX0117_NB.

Else, new baseline adult respondents who have been told they had a heart attack or needed bypass surgery, go to R02_AX0112_NB.

Else, new baseline adult respondents who have ever been told they had any other type of heart condition, go to R02_AX0219.

Else, new baseline adult respondents who did not have any type of heart condition or did not know or refused to report if they had any type of heart condition, go to R02_AX0046.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_01 = 1 AND R02_AX0114_NB = -8, -7, GO TO R02_AX0253_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_02 = 1, GO TO R02_AX0115_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_03 = 1, GO TO R02_AX0116_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_04 = 1, GO TO R02_AX0117_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_05 = 1, GO TO R02_AX0112_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_06 = 1, GO TO R02_AX0219.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_07 = 7, -8, -7, GO TO R02_AX0046.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0253_NB**

When you were first told you had high blood pressure, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have been told they had high blood pressure and did not know or refused to report the age they were first told they had high blood pressure.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_01 = 1 AND R02_AX0114_NB = -8, -7.

GOTO: New baseline adult respondents who have been told they had high cholesterol, go to R02_AX0115_NB.

Else, new baseline adult respondents who have been told they had congestive heart failure, go to R02_AX0116_NB.

Else, new baseline adult respondents who have been told they had a stroke, go to R02_AX0117_NB.

Else, new baseline adult respondents who have been told they had a heart attack or needed bypass surgery, go to R02_AX0112_NB.

Else, new baseline adult respondents who have ever been told they had any other type of heart condition, go to R02_AX0219.

Else, new baseline adult respondents who did not have any type of heart condition or did not know or refused to report if they had any type of heart condition, go to R02_AX0046.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_02 = 1, GO TO R02_AX0115_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_03 = 1, GO TO R02_AX0116_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_04 = 1, GO TO R02_AX0117_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_05 = 1, GO TO R02_AX0112_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_06 = 1, GO TO R02_AX0219.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_07 = 7, -8, -7, GO TO R02_AX0046.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0115_NB**

How old were you when you were first told you had high cholesterol?

|_|_|_| Years old

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have been told they had high cholesterol.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_02 = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

GOTO: New baseline adult respondents who have been told they had high cholesterol and did not know or refused to report the age they were first told they had high cholesterol, go to R02_AX0254_NB.

Else, new baseline adult respondents who have been told they had congestive heart failure, go to R02_AX0116_NB.

Else, new baseline adult respondents who have been told they had a stroke, go to R02_AX0117_NB.

Else, new baseline adult respondents who have been told they had a heart attack or needed bypass surgery, go to R02_AX0112_NB.

Else, new baseline adult respondents who have ever been told they had any other type of heart condition, go to R02_AX0219.

Else, new baseline adult respondents who did not have any type of heart condition or did not know or refused to report if they had any type of heart condition, go to R02_AX0046.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_02 = 1 AND R02_AX0115_NB = -8, -7, GO TO R02_AX0254_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_03 = 1, GO TO R02_AX0116_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_04 = 1, GO TO R02_AX0117_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_05 = 1, GO TO R02_AX0112_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_06 = 1, GO TO R02_AX0219.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_07 = 7, -8, -7, GO TO R02_AX0046.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0254_NB**

When you were first told you had high cholesterol, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have been told they had high cholesterol and did not know or refused to report the age they were first told they had high cholesterol.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_02 = 1 AND R02_AX0115_NB = -8, -7.

Variable(s): **R02_AX0160_NB**

Have you ever taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have been told they had high cholesterol.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_02 = 1.

GOTO: New baseline adult respondents who have been told they had congestive heart failure, go to R02_AX0116_NB.

Else, new baseline adult respondents who have been told they had a stroke, go to R02_AX0117_NB.

Else, new baseline adult respondents who have been told they had a heart attack or needed bypass surgery, go to R02_AX0112_NB.

Else, new baseline adult respondents who have ever been told they had any other type of heart condition, go to R02_AX0219.

Else, new baseline adult respondents who did not have any type of heart condition or did not know or refused to report if they had any type of heart condition, go to R02_AX0046.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_03 = 1, GO TO R02_AX0116_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_04 = 1, GO TO R02_AX0117_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_05 = 1, GO TO R02_AX0112_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_06 = 1, GO TO R02_AX0219.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_07 = 7, -8, -7, GO TO R02_AX0046.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0116_NB

How old were you when you were first told you had congestive heart failure?

I ___ | ___ | Years old

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have been told they had congestive heart failure.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_03 = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

GOTO: New baseline adult respondents who have been told they had congestive heart failure and did not know or refused to report the age they were first told they had congestive heart failure, go to R02_AX0255_NB.

Else, new baseline adult respondents who have been told they had a stroke, go to R02_AX0117_NB.

Else, new baseline adult respondents who have been told they had a heart attack or needed bypass surgery, go to R02_AX0112_NB.

Else, new baseline adult respondents who have ever been told they had any other type of heart condition, go to R02_AX0219.

Else, new baseline adult respondents who did not have any type of heart condition or did not know or refused to report if they had any type of heart condition, go to R02_AX0046.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_03 = 1 AND R02_AX0116_NB = -8, -7, GO TO R02_AX0255_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_04 = 1, GO TO R02_AX0117_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_05 = 1, GO TO R02_AX0112_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_06 = 1, GO TO R02_AX0219.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_07 = 7, -8, -7, GO TO R02_AX0046.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0255_NB**

When you were first told you had congestive heart failure, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have been told they had congestive heart failure and did not know or refused to report the age they were first told they had congestive heart failure.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_03 = 1 AND R02_AX0116_NB = -8, -7.

GOTO: New baseline adult respondents who have been told they had a stroke, go to R02_AX0117_NB.

Else, new baseline adult respondents who have been told they had a heart attack or needed bypass surgery, go to R02_AX0112_NB.

Else, new baseline adult respondents who have ever been told they had any other type of heart condition, go to R02_AX0219.

Else, new baseline adult respondents who did not have any type of heart condition or did not know or refused to report if they had any type of heart condition, go to R02_AX0046.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_04 = 1, GO TO R02_AX0117_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_05 = 1, GO TO R02_AX0112_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_06 = 1, GO TO R02_AX0219.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_07 = 7, -8, -7, GO TO R02_AX0046.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0117_NB

How old were you when you were first told you had a stroke?

I__|__| Years old

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have been told they had a stroke.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_04 = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

GOTO: New baseline adult respondents who have been told they had a stroke and did not know or refused to report the age they were first told they had a stroke, go to R02_AX0256_NB.

Else, new baseline adult respondents who have been told they had a heart attack or needed bypass surgery, go to R02_AX0112_NB.

Else, new baseline adult respondents who have ever been told they had any other type of heart condition, go to R02_AX0219.

Else, new baseline adult respondents who did not have any type of heart condition or did not know or refused to report if they had any type of heart condition, go to R02_AX0046.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_04 = 1 AND R02_AX0117_NB = -8, -7, GO TO R02_AX0256_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_05 = 1, GO TO R02_AX0112_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_06 = 1, GO TO R02_AX0219.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_07 = 7, -8, -7, GO TO R02_AX0046.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0256_NB
When you were first told you had a stroke, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have been told they had a stroke and did not know or refused to report the age they were first told they had a stroke. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_04 = 1 AND R02_AX0117_NB = -8, -7. GOTO: New baseline adult respondents who have been told they had a heart attack or needed bypass surgery, go to R02_AX0112_NB. Else, new baseline adult respondents who have ever been told they had any other type of heart condition, go to R02_AX0219. Else, new baseline adult respondents who did not have any type of heart condition or did not know or refused to report if they had any type of heart condition, go to R02_AX0046. GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_05 = 1, GO TO R02_AX0112_NB. ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_06 = 1, GO TO R02_AX0219. ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_07 = 7, -8, -7, GO TO R02_AX0046.

Variable(s): R02_AX0112_NB
How old were you when you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery? I ___ I ___ Years old GO TO R02_AX0219 -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have been told they had a heart attack or needed bypass surgery. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_05 = 1. DISPLAY: Display "Years old" as a title. PROGRAM: Allow 2 digits for age.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0252_NB**

When you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery, were you...

- | | | |
|----|-------------------------|------------------|
| 1 | Less than 18 years old, | GO TO R02_AX0219 |
| 2 | 18 to 24 years old, | GO TO R02_AX0219 |
| 3 | 25 to 34 years old, | GO TO R02_AX0219 |
| 4 | 35 to 44 years old, | GO TO R02_AX0219 |
| 5 | 45 to 54 years old, or | GO TO R02_AX0219 |
| 6 | 55 years old or older? | GO TO R02_AX0219 |
| -8 | DON'T KNOW | GO TO R02_AX0219 |
| -7 | REFUSED | GO TO R02_AX0219 |

ASK: New baseline adult respondents who have been told they had a heart attack or needed bypass surgery, and did not know or refused to report the age they were first told they had a heart attack or needed bypass surgery.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0111_NB_05 = 1 AND R02_AX0112_NB = -8, -7.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following heart conditions? Choose all that apply.	
R02_AX0111_12M_01	1 High blood pressure
R02_AX0111_12M_02	2 High cholesterol
R02_AX0111_12M_03	3 Congestive heart failure
R02_AX0111_12M_04	4 A stroke
R02_AX0111_12M_05	5 A heart attack (also called myocardial infarction) or needed bypass surgery
R02_AX0111_12M_06	6 Some other heart condition
R02_AX0111_12M_07	7 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: Continuing adult respondents.	
ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.	
PROGRAM: Option 7 cannot be selected if any option 1 through 6 is selected.	
GOTO: Continuing adult respondents who have been told they had high cholesterol in the past 12 months or were told they had high cholesterol as of their last completed interview, go to R02_AX0160_12M.	
Else, continuing adult respondents who have been told they had any type of heart condition in the past 12 months, or were told they had any type of heart condition as of their last completed interview, go to R02_AX0219.	
Else, continuing adult respondents who did not have any type of heart condition or did not know or refused to report if they had any type of heart condition, go to R02_AX0046.	
GOTO Specification: IF R02_CONTINUING_ADULT_LD = 1 AND (R02_AX0111_12M_02 = 1 OR R01_AX0111_02 = 1), GO TO R02_AX0160_12M.	
ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND (R02_AX0111_12M_01 = 1 OR R02_AX0111_12M_02 = 1 OR R02_AX0111_12M_03 = 1 OR R02_AX0111_12M_04 = 1 OR R02_AX0111_12M_05 = 1 OR R02_AX0111_12M_06 = 1 OR R01_AX0111_01 = 1 OR R01_AX0111_02 = 1 OR R01_AX0111_03 = 1 OR R01_AX0111_04 = 1 OR R01_AX0111_05 = 1 OR R01_AX0111_06 = 1)), GO TO R02_AX0219.	
ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND R02_AX0111_12M_07 = 1, -8, -7, GO TO R02_AX0046.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AX0160_12M***
In the past 12 months, have you taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Continuing adult respondents who have been told they had high cholesterol in the past 12 months or were told they had high cholesterol as of their last completed interview. ASK Specification: IF R02_CONTINUING_ADULT_LD = 1 AND (R02_AX0111_12M_02 = 1 OR R01_AX0111_02 = 1). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AX0219**
In the past 12 months, did you take any [other]heart or blood pressure medications regularly? (Taken regularly means according to a health care provider's instructions.) 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R02_AX0046 GO TO R02_AX0046 GO TO R02_AX0046 ASK: New baseline adult respondents who have ever been told they had any type of heart condition, or continuing adult respondents who have been told they had any type of heart condition in the past 12 months, or were told they had any type of heart condition as of their last completed interview. ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND (R02_AX0111_NB_01 = 1 OR R02_AX0111_NB_02 = 1 OR R02_AX0111_NB_03 = 1 OR R02_AX0111_NB_04 = 1 OR R02_AX0111_NB_05 = 1 OR R02_AX0111_NB_06 = 1)) OR (R02_CONTINUING_ADULT_LD = 1 AND (R02_AX0111_12M_01 = 1 OR R02_AX0111_12M_02 = 1 OR R02_AX0111_12M_03 = 1 OR R02_AX0111_12M_04 = 1 OR R02_AX0111_12M_05 = 1 OR R02_AX0111_12M_06 = 1 OR R01_AX0111_01 = 1 OR R01_AX0111_02 = 1 OR R01_AX0111_03 = 1 OR R01_AX0111_04 = 1 OR R01_AX0111_05 = 1 OR R01_AX0111_06 = 1)). DISPLAY: If R02_AX0160_NB = 1 OR R02_AX0160_12M = 1, display "other ". Else, do not display this fill word. NOTES: **SKIP ERROR: This item was skipped incorrectly by continuing adults who reported that they had a heart condition in Wave 1 (R01_AX0111_01 – R01_AX0111_06 = 1) who were not diagnosed with a heart condition in the past 12 months (R02_AX0111_12M_01 – R02_AX0111_12M_01 != 1). The error was not corrected during Wave 2 Data Collection.	

BOX ID:	R02_AXD04
BOX – DISPLAY INSTRUCTIONS For R02_AX0159, display a “Yes” and “No” column with options for each response category.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:		
What type of heart or blood pressure medications do you regularly take?			
R02_AX0159_01	1	Calcium Channel Blocker – for example: nifedipine (Procardia, Adalat), diltiazem (Cardizem), amlodipine (Norvasc), verapamil (Calan), nisoldipine (Sular)	
R02_AX0159_02	2	Beta Blocker – for example: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal)	
R02_AX0159_03	3	Angiotensin Receptor Blocker – for example: losartan (Cozaar), irbesartan (Avapro), valsartan (Diovan), candesartan (Atacand), telmisartan (Micardis), olmesartan (Benicar)	
R02_AX0159_04	4	Ace Inhibitor – for example: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril)	
R02_AX0159_05	5	Diuretic – for example: furosemide (Lasix), indapamide (Lozol), triamterene (Dyrenium), thiazides (HCTZ), triamterene/HCTZ (Dyazide)	
R02_AX0159_06	6	Digoxin (Lanoxin)	
R02_AX0159_07	7	Methyldopa (Aldomet) or Hydralazine (Apresoline)	
R02_AX0159_08	8	Other antiarrhythmics	
R02_AX0159_09	9	Some other heart or blood pressure medication	
	-8	DON'T KNOW	
	-7	REFUSED	
ASK: New baseline adult respondents who have ever been told they had any type of heart condition, or continuing adult respondents who have been told they had any type of heart condition in the past 12 months, or were told they had any type of heart condition as of their last completed interview, and took heart or blood pressure medication regularly in the past 12 months. ASK Specification: IF ((R02_NEW_BASELINE_ADULT_LD = 1 AND (R02_AX0111_NB_01 = 1 OR R02_AX0111_NB_02 = 1 OR R02_AX0111_NB_03 = 1 OR R02_AX0111_NB_04 = 1 OR R02_AX0111_NB_05 = 1 OR R02_AX0111_NB_06 = 1)) OR (R02_CONTINUING_ADULT_LD = 1 AND (R02_AX0111_12M_01 = 1 OR R02_AX0111_12M_02 = 1 OR R02_AX0111_12M_03 = 1 OR R02_AX0111_12M_04 = 1 OR R02_AX0111_12M_05 = 1 OR R02_AX0111_12M_06 = 1 OR R01_AX0111_01 = 1 OR R01_AX0111_02 = 1 OR R01_AX0111_03 = 1 OR R01_AX0111_04 = 1 OR R01_AX0111_05 = 1 OR R01_AX0111_06 = 1))) AND R02_AX0219 = 1. PROGRAM: Allow respondent to choose all that apply.			

Variable(s):	R02_AX0046		
Have you ever had wheezing or whistling in the chest at any time in the past?			
	1	Yes	
	2	No	GO TO R02_AX0052
	-8	DON'T KNOW	GO TO R02_AX0052
	-7	REFUSED	GO TO R02_AX0052
ASK: All adult respondents.			

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0047

Have you had wheezing or whistling in the chest in the past 12 months?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R02_AX0052 |
| -8 | DON'T KNOW | GO TO R02_AX0052 |
| -7 | REFUSED | GO TO R02_AX0052 |

ASK: Adult respondents who had wheezing or whistling in the chest at any time in the past.

ASK Specification: IF R02_AX0046 = 1.

Variable(s): R02_AX0048

How many attacks of wheezing have you had in the past 12 months?

- | | |
|----|--------------|
| 1 | None |
| 2 | 1 to 3 |
| 3 | 4 to 12 |
| 4 | More than 12 |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who had wheezing or whistling in the chest at any time in the past and in the past 12 months.

ASK Specification: IF R02_AX0046 = 1 AND R02_AX0047 = 1.

Variable(s): R02_AX0049

In the past 12 months, how often, on average has your sleep been disturbed due to wheezing?

- | | |
|----|------------------------------|
| 1 | Never woken with wheezing |
| 2 | Less than one night per week |
| 3 | One or more nights per week |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who had wheezing or whistling in the chest at any time in the past and in the past 12 months.

ASK Specification: IF R02_AX0046 = 1 AND R02_AX0047 = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0050

In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who had wheezing or whistling in the chest at any time in the past and in the past 12 months.

ASK Specification: IF R02_AX0046 = 1 AND R02_AX0047 = 1.

Variable(s): R02_AX0052

In the past 12 months, has your chest sounded wheezy during or after exercise?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0053

In the past 12 months, have you had a dry cough at night, apart from a cough associated with a cold or chest infection?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: New baseline adult respondents, go to R02_AX0119_NB.

Else, go to R02_AX0119_12M.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AX0119_NB.

ELSE, GO TO R02_AX0119_12M.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.	
R02_AX0119_NB_01	1 COPD
R02_AX0119_NB_02	2 Chronic bronchitis
R02_AX0119_NB_03	3 Emphysema
R02_AX0119_NB_04	4 Asthma
R02_AX0119_NB_05	5 Some other lung or respiratory condition
R02_AX0119_NB_06	6 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: New baseline adult respondents.	
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.	
PROGRAM: Option 6 cannot be selected if any option 1 through 5 is selected.	
GOTO: New baseline adult respondents who have been told they had COPD, go to R02_AX0120_NB.	
Else, new baseline adult respondents who have been told they had chronic bronchitis, go to R02_AX0121_NB.	
Else, new baseline adult respondents who have been told they had emphysema, go to R02_AX0123_NB.	
Else, new baseline adult respondents who have been told they had asthma, go to R02_AX0124_NB.	
Else, go to Box R02_AXV03.	
GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_01, GO TO R02_AX0120_NB.	
ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_02 = 1, GO TO R02_AX0121_NB.	
ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_03 = 1, GO TO R02_AX0123_NB.	
ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_04 = 1, GO TO R02_AX0124_NB.	
ELSE, GO TO BOX R02_AXV03.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0120_NB

How old were you when you were first told you had COPD?

I__|__| Years old

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have been told they had COPD.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_01 = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

GOTO: New baseline adult respondents who have been told they had COPD and did not know or refused to report the age they were first told they had COPD, go to R02_AX0257_NB.

Else, new baseline adult respondents who have been told they had chronic bronchitis, go to R02_AX0121_NB.

Else, new baseline adult respondents who have been told they had emphysema, go to R02_AX0123_NB.

Else, new baseline adult respondents who have been told they had asthma, go to R02_AX0124_NB.

Else, go to Box R02_AXV03.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_01 = 1 AND R02_AX0120_NB = -8, -7, GO TO R02_AX0257_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_02 = 1, GO TO R02_AX0121_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_03 = 1, GO TO R02_AX0123_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_04 = 1, GO TO R02_AX0124_NB.

ELSE, GO TO BOX R02_AXV03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0257_NB**

When you were first told you had COPD, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have been told they had COPD and did not know or refused to report the age they were first told they had COPD.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_01 = 1 AND R02_AX0120_NB = -8, -7.

GOTO: New baseline adult respondents who have been told they had chronic bronchitis, go to R02_AX0121_NB.

Else, new baseline adult respondents who have been told they had emphysema, go to R02_AX0123_NB.

Else, new baseline adult respondents who have been told they had asthma, go to R02_AX0124_NB.

Else, go to Box R02_AXV03.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_02 = 1, GO TO R02_AX0121_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_03 = 1, GO TO R02_AX0123_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_04 = 1, GO TO R02_AX0124_NB.

ELSE, GO TO BOX R02_AXV03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0121_NB

How old were you when you were first told you had chronic bronchitis?

I__|__| Years old

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have been told they had chronic bronchitis.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_02 = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

GOTO: New baseline adult respondents who have been told they had chronic bronchitis and did not know or refused to report the age they were first told they had chronic bronchitis, go to R02_AX00258_NB.

Else, new baseline adult respondents who have been told they had emphysema, go to R02_AX0123_NB.

Else, new baseline adult respondents who have been told they had asthma, go to R02_AX0124_NB.

Else, go to Box R02_AXV03.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_02 = 1 AND R02_AX0121_NB = -8, -7, GO TO R02_AX0258_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_03 = 1, GO TO R02_AX0123_NB.

ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_04 = 1, GO TO R02_AX0124_NB.

ELSE, GO TO BOX R02_AXV03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0258_NB
When you were first told you had chronic bronchitis, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have been told they had chronic bronchitis and did not know or refused to report the age they were first told they had chronic bronchitis. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_02 = 1 AND R02_AX0121_NB = -8, -7. GOTO: New baseline adult respondents who have been told they had emphysema, go to R02_AX0123_NB. Else, new baseline adult respondents who have been told they had asthma, go to R02_AX0124_NB. Else, go to Box R02_AXV03. GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_03 = 1, GO TO R02_AX0123_NB. ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_04 = 1, GO TO R02_AX0124_NB. ELSE, GO TO BOX R02_AXV03.

Variable(s): R02_AX0123_NB
How old were you when you were first told you had emphysema? I ___ ___ Years old -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have been told they had emphysema. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_03 = 1. DISPLAY: Display "Years old" as a title. PROGRAM: Allow 2 digits for age. GOTO: New baseline adult respondents who have been told they had emphysema and did not know or refused to report the age they were first told they had emphysema, go to R02_AX0259_NB. Else, new baseline adult respondents who have been told they had asthma, go to R02_AX0124_NB. Else, go to Box R02_AXV03. GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_03 = 1 AND R02_AX0259_NB = -8, -7, GO TO R02_AX0123_NB. ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_04 = 1, GO TO R02_AX0124_NB. ELSE, GO TO BOX R02_AXV03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0259_NB

When you were first told you had emphysema, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have been told they had emphysema and did not know or refused to report the age they were first told they had emphysema.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_03 = 1 AND R02_AX0123_NB = -8, -7.

GOTO: New baseline adult respondents who have been told they had asthma, go to R02_AX0124_NB. Else, go to Box R02_AXV03.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_04 = 1, GO TO R02_AX0124_NB.

ELSE, GO TO BOX R02_AXV03.

Variable(s): R02_AX0124_NB

How old were you when you were first told you had asthma?

- I__I__I Years old
- 8 DON'T KNOW
 - 7 REFUSED

GO TO R02_AXV03

ASK: New baseline adult respondents who have been told they had asthma.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_04 = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AX0260_NB	
When you were first told you had asthma, were you...		
1	Less than 18 years old,	GO TO R02_AXV03
2	18 to 24 years old,	GO TO R02_AXV03
3	25 to 34 years old,	GO TO R02_AXV03
4	35 to 44 years old,	GO TO R02_AXV03
5	45 to 54 years old, or	GO TO R02_AXV03
6	55 years old or older?	GO TO R02_AXV03
-8	DON'T KNOW	GO TO R02_AXV03
-7	REFUSED	GO TO R02_AXV03
ASK: New baseline adult respondents who have been told they had asthma and did not know or refused to report the age they were first told they had asthma.		
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_04 = 1 AND R02_AX0124_NB = -8, -7.		

Variable(s):	SEE BELOW:	
In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.		
R02_AX0119_12M_01	1	COPD
R02_AX0119_12M_02	2	Chronic bronchitis
R02_AX0119_12M_03	3	Emphysema
R02_AX0119_12M_04	4	Asthma
R02_AX0119_12M_05	5	Some other lung or respiratory condition
R02_AX0119_12M_06	6	None of the above
	-8	DON'T KNOW
	-7	REFUSED
ASK: Continuing adult respondents.		
ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.		
PROGRAM: Option 6 cannot be selected if any option 1 through 5 is selected.		

BOX ID:	R02_AXV03
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):	
R02_ADULT_ASTHMA = Adult respondents who have ever had asthma	
R02_ADULT_ASTHMA:	
IF R01_YT0031 = 1 OR R01_AX0119_04 = 1 OR R02_AX0119_NB_04 = 1 OR R02_AX0119_12M_04 = 1, THEN R02_ADULT_ASTHMA = 1.	
ELSE, R02_ADULT_ASTHMA = 2.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AXR08

Adult respondents who have asthma, go to R02_AX0227.
Else, adult respondents who have had COPD, go to R02_AX0283.
Else, new baseline adult respondents, go to R02_AX0129_NB.
Else, continuing adult respondents, go to R02_AX0129_12M.

IF R02_ADULT_ASTHMA = 1, GO TO R02_AX0227.
ELSE, IF R02_ADULT_ASTHMA = 1 OR R02_AX0119_NB_01 = 1 OR R02_AX0119_01 = 1 OR R01_AX0119_12M_01 = 1, GO TO R02_AX0283.
ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AX0129_NB.
ELSE, IF R02_CONTINUING_ADULT_LD = 1, GO TO R02_AX0129_12M.

Variable(s): R02_AX0227***

In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school or at home?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

ASK Specification: IF R02_ADULT_ASTHMA = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AX0228***

In the past 30 days, how often have you had shortness of breath?

- 1 More than once a day
- 2 Once a day
- 3 3-6 times a week
- 4 Once or twice a week
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

ASK Specification: IF R02_ADULT_ASTHMA = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0229***

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness or pain) wake you up at night or earlier than usual in the morning?

- 1 4 or more nights a week
- 2 2 or 3 nights
- 3 Once a week
- 4 Once or twice
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

ASK Specification: IF R02_ADULT_ASTHMA = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AX0283***

In the past 12 months, did you take any medications regularly for COPD or asthma? (Taken regularly means according to a health care provider's instructions.)

- 1 Yes
- 2 No GO TO BOX R02_AXR07
- 8 DON'T KNOW GO TO BOX R02_AXR07
- 7 REFUSED GO TO BOX R02_AXR07

ASK: Adult respondents who have had asthma or COPD.

ASK Specification: IF R02_ADULT_ASTHMA = 1 OR R02_AX0119_NB_01 = 1 OR R02_AX0119_01 = 1 OR R01_AX0119_12M_01 = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R02_AXD05

DISPLAY INSTRUCTION: For R02_AX0128, display as a stem and leaf question. For each leaf, display a yes/no response.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
In the past 12 months, which of the following medications did you regularly take for COPD or asthma?	
R02_AX0128_01	1 Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)
R02_AX0128_02	2 Controller or long-acting inhaler including steroid inhaler – for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)
R02_AX0128_03	3 Other controlling medication – for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)
R02_AX0128_04	4 Oral or injected steroid medication – for example: prednisone, prednisolone (Orapred), dexamethasone (Decadron)
R02_AX0128_05	5 Oxygen therapy
R02_AX0128_06	6 Some other COPD or asthma medication
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have had asthma or COPD and took medication regularly for COPD or asthma in the past 12 months.	
ASK Specification: IF (R02_ADULT_ASTHMA = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0119_NB_01 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND (R01_AX0119_01 = 1 OR R02_AX0119_12M_01 = 1))) AND R02_AX0283 = 1.	
PROGRAM: Allow respondent to choose all that apply.	

BOX ID:	R02_AXR07
Adult respondents who have asthma and regularly took oral or injected steroid medications in the past 12 months, go to R02_AX0125.	
Else, adult respondents who have asthma, go to R02_AX0127.	
Else, new baseline adult respondents, go to R02_AX0129_NB.	
Else, continuing adult respondents, go to R02_AX0129_12M.	
IF R02_ADULT_ASTHMA = 1 AND R02_AX0128_04 = 1, GO TO R02_AX0125.	
ELSE, IF R02_ADULT_ASTHMA = 1, GO TO R02_AX0127.	
ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AX0129_NB.	
ELSE, IF R02_CONTINUING_ADULT_LD = 1, GO TO R02_AX0129_12M.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0125*****

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?

Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

- | | |
|-----------------|------------------|
| 1 Yes | |
| 2 No | GO TO R02_AX0127 |
| -8 DON'T KNOW | GO TO R02_AX0127 |
| -7 REFUSED | GO TO R02_AX0127 |

ASK: Adult respondents who have asthma and regularly took oral or injected steroid medications in the past 12 months.

ASK Specification: IF R02_ADULT_ASTHMA = 1 AND R02_AX0128_04 = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AX0126**

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

|_|_|_|_|

- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma and who had an asthma attack in the past 12 months that required use of an oral or injected steroid medication.

ASK Specification: IF R02_ADULT_ASTHMA = 1 AND R02_AX0125 = 1.

PROGRAM: Allow 3 digits.

Variable(s): **R02_AX0127*****

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

- | | |
|-----------------|------------------|
| 1 Yes | |
| 2 No | GO TO R02_AX0230 |
| -8 DON'T KNOW | GO TO R02_AX0230 |
| -7 REFUSED | GO TO R02_AX0230 |

ASK: Adult respondents who have asthma.

ASK Specification: IF R02_ADULT_ASTHMA = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0282

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have asthma and who have visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R02_ADULT_ASTHMA = 1 AND R02_AX0127 = 1.

PROGRAM: Allow 3 digits.

Variable(s): R02_AX0230***

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

1 3 or more times per day

2 1 or 2 times per day

3 2 or 3 times per week

4 Once a week or less

5 Not at all

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have asthma.

ASK Specification: IF R02_ADULT_ASTHMA = 1.

DISPLAY: Underline "In the past 30 days".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0231*****

How would you rate your asthma control during the past 30 days?

- 1 Not controlled at all
- 2 Poorly controlled
- 3 Somewhat controlled
- 4 Well controlled
- 5 Completely controlled
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have asthma.

ASK Specification: IF R02_ADULT_ASTHMA = 1.

GOTO: New baseline respondents, go to R02_AX0129_NB.

Else, continuing adult respondents, go to R02_AX0129_12M.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AX0129_NB.

ELSE, IF R02_CONTINUING_ADULT_LD = 1, GO TO R02_AX0129_12M.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AX0129_NB**

Have you ever been told by a dentist, hygienist, or other health professional that you have gum disease?

- | | |
|-----------------|---------------------|
| 1 Yes | |
| 2 No | GO TO R02_AX0130_NB |
| -8 DON'T KNOW | GO TO R02_AX0130_NB |
| -7 REFUSED | GO TO R02_AX0130_NB |

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

Variable(s): **R02_AX0131_NB**

How old were you when you were first told you had gum disease?

- | | |
|-----------------------|---------------------|
| I ___ I ___ Years old | GO TO R02_AX0130_NB |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: New baseline adult respondents who have been told they had gum disease.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0129_NB = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0261_NB**

When you were first told you had gum disease, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have been told they had gum disease and did not know or refused to report the age they were first told they had gum disease.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0129_NB = 1 AND R02_AX0131_NB = -8, -7.

Variable(s): **R02_AX0130_NB**

Have you ever had treatment for [gum disease / your gums] such as scaling and root planing, sometimes called deep cleaning?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

DISPLAY: IF R02_AX0129_NB = 1, DISPLAY "gum disease". ELSE, DISPLAY "your gums".

Variable(s): **R02_AX0132_NB**

Have you ever been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

- 1 Yes
- 2 No GO TO R02_AX0281_NB
- 8 DON'T KNOW GO TO R02_AX0281_NB
- 7 REFUSED GO TO R02_AX0281_NB

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0133_NB**

How old were you when you were first told you had pre-cancerous oral lesions?

I__I__I Years old

GO TO R02_AX0281_NB

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have been told they had pre-cancerous oral lesions.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0132_NB = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

Variable(s): **R02_AX0262_NB**

When you were first told you had pre-cancerous oral lesions, were you...

1 Less than 18 years old,

GO TO R02_AX0281_NB

2 18 to 24 years old,

GO TO R02_AX0281_NB

3 25 to 34 years old,

GO TO R02_AX0281_NB

4 35 to 44 years old,

GO TO R02_AX0281_NB

5 45 to 54 years old, or

GO TO R02_AX0281_NB

6 55 years old or older?

GO TO R02_AX0281_NB

-8 DON'T KNOW

GO TO R02_AX0281_NB

-7 REFUSED

GO TO R02_AX0281_NB

ASK: New baseline adult respondents who have been told they had pre-cancerous oral lesions and did not know or refused to report the age they were first told they had pre-cancerous oral lesions.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0132_NB = 1 AND R02_AX0133_NB = -8, -7.

Variable(s): **R02_AX0129_12M**

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you have gum disease?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0130_12M**

In the past 12 months, have you had treatment for [gum disease / your gums] such as scaling and root planing, sometimes called deep cleaning?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.

DISPLAY: IF R02_AX0129_12M = 1, DISPLAY "gum disease". ELSE, DISPLAY "your gums".

Variable(s): **R02_AX0132_12M**

In the past 12 months, have you been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

- | | |
|---------------|----------------------|
| 1 Yes | GO TO R02_AX0281_12M |
| 2 No | GO TO R02_AX0281_12M |
| -8 DON'T KNOW | GO TO R02_AX0281_12M |
| -7 REFUSED | GO TO R02_AX0281_12M |

ASK: Continuing adult respondents.

ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.

Variable(s): **R02_AX0281_NB**

Have you ever been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO R02_AX0141_NB |
| -8 DON'T KNOW | GO TO R02_AX0141_NB |
| -7 REFUSED | GO TO R02_AX0141_NB |

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0280_NB	
How old were you when you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes? I ___ ___ Years old -8 DON'T KNOW -7 REFUSED GO TO R02_AX0141_NB ASK: New baseline adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0281_NB = 1. DISPLAY: Display "Years old" as a title. PROGRAM: Allow 2 digits for age.	

Variable(s): R02_AX0263_NB	
When you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED GO TO R02_AX0141_NB GO TO R02_AX0141_NB GO TO R02_AX0141_NB GO TO R02_AX0141_NB GO TO R02_AX0141_NB GO TO R02_AX0141_NB GO TO R02_AX0141_NB GO TO R02_AX0141_NB ASK: New baseline adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, and did not know or refused to report the age they were first told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0281_NB = 1 AND R02_AX0280_NB = -8, -7.	

Variable(s): R02_AX0281_12M	
In the past 12 months, have you been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R02_AX0141_12M GO TO R02_AX0141_12M GO TO R02_AX0141_12M GO TO R02_AX0141_12M ASK: Continuing adult respondents. ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0141_NB		
Have you ever been told by a doctor, nurse or other health professional that you had an ulcer? Include stomach, duodenal or peptic ulcers.		
1	Yes	
2	No	GO TO R02_AX0147_NB
-8	DON'T KNOW	GO TO R02_AX0147_NB
-7	REFUSED	GO TO R02_AX0147_NB
ASK: New baseline adult respondents.		
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.		

Variable(s): R02_AX0143_NB		
How old were you when you were first told you had an ulcer?		
	I__I__I Years old	GO TO R02_AX0147_NB
-8	DON'T KNOW	
-7	REFUSED	
ASK: New baseline adult respondents who have been told they had an ulcer.		
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0141_NB = 1.		
DISPLAY: Display "Years old" as a title.		
PROGRAM: Allow 2 digits for age.		

Variable(s): R02_AX0264_NB		
When you were first told you had an ulcer, were you...		
1	Less than 18 years old,	GO TO R02_AX0147_NB
2	18 to 24 years old,	GO TO R02_AX0147_NB
3	25 to 34 years old,	GO TO R02_AX0147_NB
4	35 to 44 years old,	GO TO R02_AX0147_NB
5	45 to 54 years old, or	GO TO R02_AX0147_NB
6	55 years old or older?	GO TO R02_AX0147_NB
-8	DON'T KNOW	GO TO R02_AX0147_NB
-7	REFUSED	GO TO R02_AX0147_NB
ASK: New baseline adult respondents who have been told they had an ulcer and did not know or refused to report the age they were first told they had an ulcer.		
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0141_NB = 1 AND R02_AX0143_NB = -8, -7.		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0141_12M**

In the past 12 months, have you been told by a doctor, nurse or other health professional that you had an ulcer? Include stomach, duodenal or peptic ulcers.

- | | | |
|----|------------|----------------------|
| 1 | Yes | GO TO R02_AX0147_12M |
| 2 | No | GO TO R02_AX0147_12M |
| -8 | DON'T KNOW | GO TO R02_AX0147_12M |
| -7 | REFUSED | GO TO R02_AX0147_12M |

ASK: Continuing adult respondents.

ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.

Variable(s): **R02_AX0147_NB**

Have you ever been told by a doctor, nurse or other health professional that you had stomach or other gastro-intestinal bleeding?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO R02_AX0149_NB |
| -8 | DON'T KNOW | GO TO R02_AX0149_NB |
| -7 | REFUSED | GO TO R02_AX0149_NB |

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

Variable(s): **R02_AX0148_NB**

How old were you when you were first told you had stomach or other gastro-intestinal bleeding?

- | | | |
|----|-------------------|---------------------|
| | I__I__I Years old | GO TO R02_AX0149_NB |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: New baseline adult respondents who have been told they had stomach or other gastro-intestinal bleeding.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0147_NB = 1.

DISPLAY: Display "Years old" as a title.

PROGRAM: Allow 2 digits for age.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0266_NB

When you were first told you had stomach or other gastro-intestinal bleeding, were you...

- | | | |
|----|-------------------------|---------------------|
| 1 | Less than 18 years old, | GO TO R02_AX0149_NB |
| 2 | 18 to 24 years old, | GO TO R02_AX0149_NB |
| 3 | 25 to 34 years old, | GO TO R02_AX0149_NB |
| 4 | 35 to 44 years old, | GO TO R02_AX0149_NB |
| 5 | 45 to 54 years old, or | GO TO R02_AX0149_NB |
| 6 | 55 years old or older? | GO TO R02_AX0149_NB |
| -8 | DON'T KNOW | GO TO R02_AX0149_NB |
| -7 | REFUSED | GO TO R02_AX0149_NB |

ASK: New baseline adult respondents who have been told they had stomach or other gastro-intestinal bleeding and did not know or refused to report the age they were first told they had stomach or other gastro-intestinal bleeding.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0147_NB = 1 AND R02_AX0148_NB = -8, -7.

Variable(s): R02_AX0147_12M

In the past 12 months, have you been told by a doctor, nurse or other health professional that you had stomach or other gastro-intestinal bleeding?

- | | | |
|----|------------|----------------------|
| 1 | Yes | GO TO R02_AX0149_12M |
| 2 | No | GO TO R02_AX0149_12M |
| -8 | DON'T KNOW | GO TO R02_AX0149_12M |
| -7 | REFUSED | GO TO R02_AX0149_12M |

ASK: Continuing adult respondents.

ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.

Variable(s): R02_AX0149_NB

Have you ever been told by a doctor, nurse or other health professional that you have osteoporosis, sometimes called thin or brittle bones?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO R02_AX0196_NB |
| -8 | DON'T KNOW | GO TO R02_AX0196_NB |
| -7 | REFUSED | GO TO R02_AX0196_NB |

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0150_NB	
How old were you when you were first told you had osteoporosis, sometimes called thin or brittle bones? I ___ ___ Years old -8 DON'T KNOW -7 REFUSED GO TO R02_AX0196_NB ASK: New baseline adult respondents who have been told they had osteoporosis. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0149_NB = 1. DISPLAY: Display "Years old" as a title. PROGRAM: Allow 2 digits for age.	

Variable(s): R02_AX0267_NB	
When you were first told you had osteoporosis, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED GO TO R02_AX0196_NB GO TO R02_AX0196_NB GO TO R02_AX0196_NB GO TO R02_AX0196_NB GO TO R02_AX0196_NB GO TO R02_AX0196_NB GO TO R02_AX0196_NB GO TO R02_AX0196_NB ASK: New baseline adult respondents who have been told they had osteoporosis and did not know or refused the report the age they were first told they had osteoporosis. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0149_NB = 1 AND R02_AX0150_NB = -8, -7.	

Variable(s): R02_AX0149_12M	
In the past 12 months, have you been told by a doctor, nurse or other health professional that you have osteoporosis, sometimes called thin or brittle bones? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R02_AX0196_12M GO TO R02_AX0196_12M GO TO R02_AX0196_12M GO TO R02_AX0196_12M ASK: Continuing adult respondents. ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0196_NB														
Have you ever been told by a doctor, nurse or health professional that you had a bone fracture because you have fragile bones? <table style="width: 100%; border: none;"> <tr> <td style="width: 30px; text-align: right;">1</td> <td style="width: 60%;">Yes</td> <td style="width: 10%;"></td> </tr> <tr> <td style="text-align: right;">2</td> <td>No</td> <td style="text-align: right;">GO TO R02_AX0400</td> </tr> <tr> <td style="text-align: right;">-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO R02_AX0400</td> </tr> <tr> <td style="text-align: right;">-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO R02_AX0400</td> </tr> </table> ASK: New baseline adult respondents. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.			1	Yes		2	No	GO TO R02_AX0400	-8	DON'T KNOW	GO TO R02_AX0400	-7	REFUSED	GO TO R02_AX0400
1	Yes													
2	No	GO TO R02_AX0400												
-8	DON'T KNOW	GO TO R02_AX0400												
-7	REFUSED	GO TO R02_AX0400												

Variable(s): R02_AX0198_NB											
How old were you when you were first told you had a bone fracture because you have fragile bones? <table style="width: 100%; border: none;"> <tr> <td style="width: 30px; text-align: right;">I ___ I ___</td> <td style="width: 60%;">Years old</td> <td style="width: 10%; text-align: right;">GO TO R02_AX0400</td> </tr> <tr> <td style="text-align: right;">-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td style="text-align: right;">-7</td> <td>REFUSED</td> <td></td> </tr> </table> ASK: New baseline adult respondents who have been told they had a bone fracture because they had fragile bones. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0196_NB = 1. DISPLAY: Display "Years old" as a title. PROGRAM: Allow 2 digits for age.			I ___ I ___	Years old	GO TO R02_AX0400	-8	DON'T KNOW		-7	REFUSED	
I ___ I ___	Years old	GO TO R02_AX0400									
-8	DON'T KNOW										
-7	REFUSED										

Variable(s): R02_AX0268_NB																										
When you were first told you had a bone fracture because of fragile bones, were you... <table style="width: 100%; border: none;"> <tr> <td style="width: 30px; text-align: right;">1</td> <td style="width: 60%;">Less than 18 years old,</td> <td style="width: 10%; text-align: right;">GO TO R02_AX0400</td> </tr> <tr> <td style="text-align: right;">2</td> <td>18 to 24 years old,</td> <td style="text-align: right;">GO TO R02_AX0400</td> </tr> <tr> <td style="text-align: right;">3</td> <td>25 to 34 years old,</td> <td style="text-align: right;">GO TO R02_AX0400</td> </tr> <tr> <td style="text-align: right;">4</td> <td>35 to 44 years old,</td> <td style="text-align: right;">GO TO R02_AX0400</td> </tr> <tr> <td style="text-align: right;">5</td> <td>45 to 54 years old, or</td> <td style="text-align: right;">GO TO R02_AX0400</td> </tr> <tr> <td style="text-align: right;">6</td> <td>55 years old or older?</td> <td style="text-align: right;">GO TO R02_AX0400</td> </tr> <tr> <td style="text-align: right;">-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO R02_AX0400</td> </tr> <tr> <td style="text-align: right;">-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO R02_AX0400</td> </tr> </table> ASK: New baseline adult respondents who have been told they had a bone fracture because they had fragile bones and did not know or refused to report the age they were first told they had bone fracture because they had fragile bones. ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0196_NB = 1 AND R02_AX0198_NB = -8, -7.			1	Less than 18 years old,	GO TO R02_AX0400	2	18 to 24 years old,	GO TO R02_AX0400	3	25 to 34 years old,	GO TO R02_AX0400	4	35 to 44 years old,	GO TO R02_AX0400	5	45 to 54 years old, or	GO TO R02_AX0400	6	55 years old or older?	GO TO R02_AX0400	-8	DON'T KNOW	GO TO R02_AX0400	-7	REFUSED	GO TO R02_AX0400
1	Less than 18 years old,	GO TO R02_AX0400																								
2	18 to 24 years old,	GO TO R02_AX0400																								
3	25 to 34 years old,	GO TO R02_AX0400																								
4	35 to 44 years old,	GO TO R02_AX0400																								
5	45 to 54 years old, or	GO TO R02_AX0400																								
6	55 years old or older?	GO TO R02_AX0400																								
-8	DON'T KNOW	GO TO R02_AX0400																								
-7	REFUSED	GO TO R02_AX0400																								

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0196_12M

In the past 12 months, have you been told by a doctor, nurse or other health professional that you had a bone fracture because you have fragile bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.

Variable(s): R02_AX0400

Have you ever been told by a doctor, nurse or other health professional that you have rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: New baseline adult respondents go to R02_AX0151_NB.

Else, continuing adult respondents go to R02_AX0151_12M.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AX0151_NB.

ELSE, IF R02_CONTINUING_ADULT_LD = 1, GO TO R02_AX0151_12M.

Variable(s): R02_AX0151_NB

Have you ever been told by a doctor, nurse or other health professional that you have a cataract or glaucoma?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO R02_AX0144_NB |
| -8 DON'T KNOW | GO TO R02_AX0144_NB |
| -7 REFUSED | GO TO R02_AX0144_NB |

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0152_NB	
How old were you when you were first told you had a cataract or glaucoma?	
I ___ ___ Years old	GO TO R02_AX0144_NB
-8 DON'T KNOW	
-7 REFUSED	
ASK: New baseline adult respondents who have been told they had a cataract or glaucoma.	
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0151_NB = 1.	
DISPLAY: Display "Years old" as a title.	

Variable(s): R02_AX0269_NB	
When you were first told you had a cataract or glaucoma, were you...	
1 Less than 18 years old,	GO TO R02_AX0144_NB
2 18 to 24 years old,	GO TO R02_AX0144_NB
3 25 to 34 years old,	GO TO R02_AX0144_NB
4 35 to 44 years old,	GO TO R02_AX0144_NB
5 45 to 54 years old, or	GO TO R02_AX0144_NB
6 55 years old or older?	GO TO R02_AX0144_NB
-8 DON'T KNOW	GO TO R02_AX0144_NB
-7 REFUSED	GO TO R02_AX0144_NB
ASK: New baseline adult respondents who have been told they had a cataract or glaucoma and did not know or refused to report the age they were first told they had a cataract or glaucoma.	
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0151_NB = 1 AND R02_AX0152_NB = -8, -7.	

Variable(s): R02_AX0151_12M	
In the past 12 months, have you been told by a doctor, nurse or other health professional that you have a cataract or glaucoma?	
1 Yes	GO TO R02_AX0144_12M
2 No	GO TO R02_AX0144_12M
-8 DON'T KNOW	GO TO R02_AX0144_12M
-7 REFUSED	GO TO R02_AX0144_12M
ASK: Continuing adult respondents.	
ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0144_NB**

Have you ever been told by a doctor, nurse or other health professional that you had cancer?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.

GOTO: New baseline adult respondents who have ever been told they had cancer, go to R02_AX0145.

Else, go to R02_AX0158.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1, GO TO R02_AX0145.

ELSE, GO TO R02_AX0158.

Variable(s): **R02_AX0144_12M**

In the past 12 months, have you been told by a doctor, nurse or other health professional that you had cancer?

- | | |
|-----------------|------------------|
| 1 Yes | |
| 2 No | GO TO R02_AX0158 |
| -8 DON'T KNOW | GO TO R02_AX0158 |
| -7 REFUSED | GO TO R02_AX0158 |

ASK: Continuing adult respondents.

ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):		SEE BELOW:
What kind of cancer? Choose all that apply.		
[If you do not see the kind below, touch the button marked "NEXT"./If you do not see the kind below, touch the box marked "OTHER".]		
R02_AX0145_01	1	BLADDER
R02_AX0145_02	2	BLOOD
R02_AX0145_03	3	BONE
R02_AX0145_04	4	BRAIN
R02_AX0145_05	5	BREAST
R02_AX0145_06	6	CERVIX (CERVICAL)
R02_AX0145_07	7	COLON
R02_AX0145_08	8	ESOPHAGUS (ESOPHAGEAL)
R02_AX0145_09	9	GALLBLADDER
R02_AX0145_10	10	KIDNEY
R02_AX0145_11	11	LARYNX/WINDPIPE
R02_AX0145_12	12	LEUKEMIA
R02_AX0145_13	13	LIVER
R02_AX0145_14	14	LUNG
R02_AX0145_15	15	LYMPHOMA/HODGKIN'S DISEASE
R02_AX0145_17	17	MOUTH/TONGUE/LIP
R02_AX0145_18	18	NERVOUS SYSTEM
R02_AX0145_19	19	OVARY (OVARIAN)
R02_AX0145_20	20	PANCREAS (PANCREATIC)
R02_AX0145_21	21	PROSTATE
R02_AX0145_22	22	RECTUM (RECTAL)
R02_AX0145_16	16	SKIN (MELANOMA)
R02_AX0145_23	23	SKIN (NON-MELANOMA)
R02_AX0145_24	24	SKIN (DON'T KNOW WHAT KIND)
R02_AX0145_25	25	SOFT TISSUE (MUSCLE OR FAT)
R02_AX0145_26	26	STOMACH
R02_AX0145_27	27	TESTIS (TESTICULAR)
R02_AX0145_28	28	THROAT
R02_AX0145_29	29	THYROID
R02_AX0145_30	30	UTERUS (UTERINE)
R02_AX0145_31	31	OTHER
	-8	DON'T KNOW
	-7	REFUSED

PATH Study Wave 2 Adult Public Use File Annotated Instrument

ASK: New baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_AX0144_12M = 1).

DISPLAY: IF SCREENS 1-3 DISPLAY: If you do not see the kind below, touch the button marked "NEXT".

IF LAST SCREEN DISPLAY: If you do not see the kind below, touch the box marked "OTHER".

GOTO: New baseline adult respondents who have been told they had cancer, go to R02_AX0146_NB.
Else, go to R02_AX0158.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_[01/.../31] = 1, GO TO R02_AX0146_NB.

ELSE, GO TO R02_AX0158.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AX0146_NB_01 through R02_AX0146_NB_31
At what age were you first diagnosed with [TYPE OF CANCER/cancer]?	
I____I____I Years old GO TO R02_AX0158	
-8 DON'T KNOW -7 REFUSED	
ASK: New baseline adult respondents who have been told they had cancer.	
ASK Specification: FOR R02_AX0146_NB_01: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_01 = 1.	
FOR R02_AX0146_NB_02: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_02 = 1.	
FOR R02_AX0146_NB_03: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_03 = 1.	
FOR R02_AX0146_NB_04: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_04 = 1.	
FOR R02_AX0146_NB_05: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_05 = 1.	
FOR R02_AX0146_NB_06: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_06 = 1.	
FOR R02_AX0146_NB_07: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_07 = 1.	
FOR R02_AX0146_NB_08: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_08 = 1.	
FOR R02_AX0146_NB_09: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_09 = 1.	
FOR R02_AX0146_NB_10: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_10 = 1.	
FOR R02_AX0146_NB_11: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_11 = 1.	
FOR R02_AX0146_NB_12: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_12 = 1.	
FOR R02_AX0146_NB_13: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_13 = 1.	
FOR R02_AX0146_NB_14: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_14 = 1.	
FOR R02_AX0146_NB_15: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_15 = 1.	
FOR R02_AX0146_NB_16: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_16 = 1.	
FOR R02_AX0146_NB_17: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_17 = 1.	
FOR R02_AX0146_NB_18: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_18 = 1.	
FOR R02_AX0146_NB_19: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_19 = 1.	
FOR R02_AX0146_NB_20: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_20 = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

FOR R02_AX0146_NB_21: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_21 = 1.

FOR R02_AX0146_NB_22: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_22 = 1.

FOR R02_AX0146_NB_23: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_23 = 1.

FOR R02_AX0146_NB_24: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_24 = 1.

FOR R02_AX0146_NB_25: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_25 = 1.

FOR R02_AX0146_NB_26: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_26 = 1.

FOR R02_AX0146_NB_27: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_27 = 1.

FOR R02_AX0146_NB_28: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_28 = 1.

FOR R02_AX0146_NB_29: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_29 = 1.

FOR R02_AX0146_NB_30: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_30 = 1.

FOR R02_AX0146_NB_31: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0144_NB = 1 AND R02_AX0145_31 = 1.

DISPLAY: Display "Years old" as a title.

FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R02_AX0145[_01/.../_31] AS FOLLOWS:

IF R02_AX0145_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cancer". IF R02_AX0145_12 = 1 OR R02_AX0145_15 = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cancer". IF R02_AX0145_06 = 1 OR R02_AX0145_08 = 1 OR R02_AX0145_19 = 1 OR R02_AX0145_20 = 1 OR R02_AX0145_22 = 1 OR R02_AX0145_27 = 1 OR R02_AX0145_30 = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cancer" (ex. "cervical cancer" INSTEAD OF "cervix (cervical) cancer"). ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cancer".

PROGRAM: IF MORE THAN ONE CANCER SELECTED, REPEAT THIS ITEM FOR EACH TYPE OF CANCER SELECTED.

Allow 2 digits for age.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AX0265_NB_01 through R02_AX0265_NB_31
When you were first diagnosed with [TYPE OF CANCER/cancer], were you...	
	1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED
ASK: New baseline adult respondents who have been told they had cancer and did not know or refused to report the age they were first diagnosed with cancer.	
ASK Specification: FOR R02_AX0265_NB_01: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_01 = -8, -7.	
FOR R02_AX0265_NB_02: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_02 = -8, -7.	
FOR R02_AX0265_NB_03: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_03 = -8, -7.	
FOR R02_AX0265_NB_04: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_04 = -8, -7.	
FOR R02_AX0265_NB_05: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_05 = -8, -7.	
FOR R02_AX0265_NB_06: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_06 = -8, -7.	
FOR R02_AX0265_NB_07: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_07 = -8, -7.	
FOR R02_AX0265_NB_08: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_08 = -8, -7.	
FOR R02_AX0265_NB_09: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_09 = -8, -7.	
FOR R02_AX0265_NB_10: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_10 = -8, -7.	
FOR R02_AX0265_NB_11: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_11 = -8, -7.	
FOR R02_AX0265_NB_12: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_12 = -8, -7.	
FOR R02_AX0265_NB_13: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_13 = -8, -7.	
FOR R02_AX0265_NB_14: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_14 = -8, -7.	
FOR R02_AX0265_NB_15: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_15 = -8, -7.	
FOR R02_AX0265_NB_16: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_16 = -8, -7.	
FOR R02_AX0265_NB_17: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_17 = -8, -7.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

FOR R02_AX0265_NB_18: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_18 = -8, -7.

FOR R02_AX0265_NB_19: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_19 = -8, -7.

FOR R02_AX0265_NB_20: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_20 = -8, -7.

FOR R02_AX0265_NB_21: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_21 = -8, -7.

FOR R02_AX0265_NB_22: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_22 = -8, -7.

FOR R02_AX0265_NB_23: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_23 = -8, -7.

FOR R02_AX0265_NB_24: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_24 = -8, -7.

FOR R02_AX0265_NB_25: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_25 = -8, -7.

FOR R02_AX0265_NB_26: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_26 = -8, -7.

FOR R02_AX0265_NB_27: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_27 = -8, -7.

FOR R02_AX0265_NB_28: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_28 = -8, -7.

FOR R02_AX0265_NB_29: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_29 = -8, -7.

FOR R02_AX0265_NB_30: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_30 = -8, -7.

FOR R02_AX0265_NB_31: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0146_NB_31 = -8, -7.

DISPLAY: FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R02_AX0145[_01/.../_31] AS FOLLOWS:

IF R02_AX0145_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cancer". IF R02_AX0145_12 = 1 OR R02_AX0145_15 = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cancer". IF R02_AX0145_06 = 1 OR R02_AX0145_08 = 1 OR R02_AX0145_19 = 1 OR R02_AX0145_20 = 1 OR R02_AX0145_22 = 1 OR R02_AX0145_27 = 1 OR R02_AX0145_30 = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cancer" (ex. "cervical cancer" INSTEAD OF "cervix (cervical) cancer"). ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cancer".

PROGRAM: IF MORE THAN ONE CANCER SELECTED, REPEAT THIS ITEM FOR EACH TYPE OF CANCER SELECTED.

BOX ID: R02_AXD06

For R02_AX0158, display a 'Yes' and 'No' column with options for each response category.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:																		
In the past 12 months, did you take any of the following medications, even once? <table style="width: 100%; border: none;"> <tr> <td style="color: red; width: 20%;">R02_AX0158_01</td> <td style="width: 5%;">1</td> <td>Aspirin</td> </tr> <tr> <td style="color: red;">R02_AX0158_02</td> <td>2</td> <td>Tylenol (acetaminophen)</td> </tr> <tr> <td style="color: red;">R02_AX0158_03</td> <td>3</td> <td>Cox-2 inhibitors, for example: Celebrex</td> </tr> <tr> <td style="color: red;">R02_AX0158_04</td> <td>4</td> <td>Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve</td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: All adult respondents. GOTO: Adult respondents who have taken aspirin in the past 12 months, go to R02_AX0156. Else, new adult baseline respondents, go to R02_AXD13. Else, continuing adult respondents, go to R02_AXD14. GOTO Specification: IF R02_AX0158_01 = 1, GO TO R02_AX0156. ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AXD13. ELSE, IF R02_CONTINUING_ADULT_LD = 1, GO TO R02_AXD14.		R02_AX0158_01	1	Aspirin	R02_AX0158_02	2	Tylenol (acetaminophen)	R02_AX0158_03	3	Cox-2 inhibitors, for example: Celebrex	R02_AX0158_04	4	Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve		-8	DON'T KNOW		-7	REFUSED
R02_AX0158_01	1	Aspirin																	
R02_AX0158_02	2	Tylenol (acetaminophen)																	
R02_AX0158_03	3	Cox-2 inhibitors, for example: Celebrex																	
R02_AX0158_04	4	Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve																	
	-8	DON'T KNOW																	
	-7	REFUSED																	

Variable(s):	R02_AX0156																		
On average, in the past 12 months, how frequently did you take <u>aspirin</u>? Please <u>do not</u> count other pain relievers such as Ibuprofen and Tylenol. <table style="width: 100%; border: none;"> <tr><td style="width: 5%;">1</td><td>Never</td></tr> <tr><td>2</td><td>Less than once a month</td></tr> <tr><td>3</td><td>1-3 days per month</td></tr> <tr><td>4</td><td>1-2 days per week</td></tr> <tr><td>5</td><td>3-4 days per week</td></tr> <tr><td>6</td><td>5-6 days per week</td></tr> <tr><td>7</td><td>Daily</td></tr> <tr><td>-8</td><td>DON'T KNOW</td></tr> <tr><td>-7</td><td>REFUSED</td></tr> </table> ASK: Adult respondents who have taken aspirin in the past 12 months. ASK Specification: IF R02_AX0158_01 = 1. DISPLAY: Underline "aspirin" and "do not". GOTO: Adult respondents who have taken aspirin in the past 12 months and reported taking aspirin less than once a month, 1-3 days per month, 1-2 days per week, 3-4 days per week, 5-6 days per week, or daily, go to R02_AX0157. Else, new adult baseline respondents, go to R02_AXD13. Else, continuing adult respondents, go to R02_AXD14. GOTO Specification: IF R02_AX0158_01 = 1 AND R02_AX0156 = 2, 3, 4, 5, 6, 7, GO TO R02_AX0157. ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AXD13. ELSE, IF R02_CONTINUING_ADULT_LD = 1, GO TO R02_AXD14.		1	Never	2	Less than once a month	3	1-3 days per month	4	1-2 days per week	5	3-4 days per week	6	5-6 days per week	7	Daily	-8	DON'T KNOW	-7	REFUSED
1	Never																		
2	Less than once a month																		
3	1-3 days per month																		
4	1-2 days per week																		
5	3-4 days per week																		
6	5-6 days per week																		
7	Daily																		
-8	DON'T KNOW																		
-7	REFUSED																		

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AX0157
What type of aspirin do you usually take? 1 Baby aspirin (162 mg or less) 2 Regular or extra strength aspirin -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have taken aspirin in the past 12 months and reported taking aspirin less than once a month, 1-3 days per month, 1-2 days per week, 3-4 days per week, 5-6 days per week, or daily. ASK Specification: IF R02_AX0158_01 = 1 AND R02_AX0156 = 2, 3, 4, 5, 6, 7. GOTO: New adult baseline respondents, go to R02_AXD13. Else, continuing adult respondents, go to R02_AXD14. GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_AXD13. ELSE, IF R02_CONTINUING_ADULT_LD = 1, GO TO R02_AXD14.	

BOX ID:	R02_AXD13
For R02_AX0689_NB, display a 'Yes' and 'No' column with options for each response category.	

Variable(s):	SEE BELOW:	
The next question asks about your close biological or blood relatives, including your father, mother, brothers or sisters, sons or daughters, both living and deceased.		
Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?		
R02_AX0689_NB_01	1 Asthma	GO TO R02_AX0401
R02_AX0689_NB_02	2 High blood pressure	GO TO R02_AX0401
R02_AX0689_NB_03	3 High cholesterol	GO TO R02_AX0401
R02_AX0689_NB_04	4 A heart attack or needed bypass surgery	GO TO R02_AX0195
	-8 DON'T KNOW	GO TO R02_AX0401
	-7 REFUSED	GO TO R02_AX0401
ASK: New baseline adult respondents.		
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1.		

BOX ID:	R02_AXD14
For R02_AX0689_12M, display a 'Yes' and 'No' column with options for each response category.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:		
The next question asks about your close biological or blood relatives, including your father, mother, brothers or sisters, sons or daughters, both living and deceased.			
In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?			
R02_AX0689_12M_01	1	Asthma	GO TO R02_AX0401
R02_AX0689_12M_02	2	High blood pressure	GO TO R02_AX0401
R02_AX0689_12M_03	3	High cholesterol	GO TO R02_AX0401
R02_AX0689_12M_04***	4	A heart attack or needed bypass surgery	
	-8	DON'T KNOW	GO TO R02_AX0401
	-7	REFUSED	GO TO R02_AX0401
ASK: Continuing adult respondents.			
ASK Specification: IF R02_CONTINUING_ADULT_LD = 1.			
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.			

Variable(s):	R02_AX0195		
Were they told they had a heart attack or needed bypass surgery <u>before the age of 50</u> ?			
	1	Yes	
	2	No	
	-8	DON'T KNOW	
	-7	REFUSED	
ASK: Adult respondents who had a close biological or blood relative who was told that they had a heart attack or needed bypass surgery.			
ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_AX0689_NB_04 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R02_AX0689_12M_04 = 1).			
DISPLAY: Underline "before the age of 50".			

Variable(s):	R02_AX0401		
Did your mother use tobacco while she was pregnant with you?			
	1	I don't know	
	2	Yes	
	3	No	
	-8	DON'T KNOW	
	-7	REFUSED	
ASK: All adult respondents.			

PATH Study Wave 2 Adult Public Use File Annotated Instrument

PATH ID: R02_AX0488

The next questions are about common psychological, behavioral, and personal problems. These problems are considered significant when you have them for two or more weeks, when they keep coming back, when they keep you from meeting your responsibilities, or when they make you feel like you can't go on.

After each of the following questions, please tell us the last time, if ever, you had the problem, by answering whether it was in the past month, 2-12 months ago, over a year ago, or never.

ASK: All adult respondents.

DISPLAY: Underline "significant".

PROGRAM: Respondent should hit NEXT to continue. There is no actual question on this screen.

Variable(s): R02_AX0161

When was the last time that you had significant problems with...

Feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0162

When was the last time that you had significant problems with...

Sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0163

When was the last time that you had significant problems with...

Feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0164

When was the last time that you had significant problems with...

Becoming very distressed and upset when something reminded you of the past?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0165

When was the last time that you did the following things two or more times...

Lied or conned to get things you wanted or to avoid having to do something?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "two or more times".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0166

When was the last time that you did the following things two or more times...

Had a hard time paying attention at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "two or more times".

Variable(s): R02_AX0167

When was the last time that you did the following things two or more times...

Had a hard time listening to instructions at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "two or more times".

Variable(s): R02_AX0168

When was the last time that you did the following things two or more times...

Were a bully or threatened other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "two or more times".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0169

When was the last time that you did the following things two or more times...

Started physical fights with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "two or more times".

Variable(s): R02_AX0250

When was the last time that you did the following things two or more times...

Felt restless or the need to run around or climb on things?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "two or more times".

Variable(s): R02_AX0251

When was the last time that you did the following things two or more times...

Gave answers before the other person finished asking the question?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Underline "two or more times".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0084_12M

The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

In the past 12 months, have you used any alcohol, including small tastes or sips?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: Adult respondents who have used alcohol in the past 12 months, go to R02_AX0673.

Else, adult respondents who have smoked a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, go to R02_AX0675.

Else, go to R02_AX0085_12M.

GOTO Specification: IF R02_AX0084_12M = 1, GO TO R02_AX0673.

ELSE, IF R02_AG9107 = 1, GO TO R02_AX0675.

ELSE, GO TO R02_AX0085_12M.

Variable(s): R02_AX0673

Have you used alcohol within the past 30 days?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used alcohol in the past 12 months.

ASK Specification: IF R02_AX0084_12M = 1.

DISPLAY: Underline "past 30 days".

GOTO: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days, go to R02_AX0075.

Else, adult respondents who did not smoke or did not know or refused to report if they had smoked a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, go to R02_AX0085_12M.

Else, go to R02_AX0675.

GOTO Specification: IF R02_AX0084_12M = 1 AND R02_AX0673 = 1, GO TO R02_AX0075.

ELSE, IF R02_AG9107 = 2, -8, -7, GO TO R02_AX0085_12M.

ELSE, GO TO R02_AX0675.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0075**

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

1 |__|__| DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days.

ASK Specification: IF R02_AX0084_12M = 1 AND R02_AX0673 = 1.

PROGRAM: RANGE: 0 - 30

GOTO: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks, go to R02_AX0076.

Else, adult respondents who did not smoke or did not know or refused to report if they had smoked a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, go to R02_AX0085_12M.

Else, go to R02_AX0675.

GOTO Specification: IF R02_AX0084_12M = 1 AND R02_AX0673 = 1 AND (R02_AX0075 > 0 OR R02_AX0075 = -8, -7), GO TO R02_AX0076.

ELSE, IF R02_AG9107= 2, -8, -7, GO TO R02_AX0085_12M.

ELSE, IF R02_AG9107 = 1, GO TO R02_AX0675.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0076**

On average, on those [days that you drank in the past 30 days / NUMBER OF DAYS FROM R02_AX0075 days], how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks.

ASK Specification: IF R02_AX0084_12M = 1 AND R02_AX0673 = 1 AND (R02_AX0075 > 0 OR R02_AX0075 = -8, -7).

DISPLAY: IF R02_AX0075 = 1, -8, -7, DISPLAY = "days that you drank in the past 30 days".

IF R02_AX0075 > 1, FILL NUMBER OF DAYS WITH NUMBER REPORTED IN R02_AX0075 and "days".

PROGRAM: RANGE: 1 - 90

GOTO: Adult respondents who did not smoke or did not know or refused to report if they had smoked a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, go to R02_AX0085_12M.

Else, go to R02_AX0675.

GOTO Specification: IF R02_AG9107 = 2, -8, -7, GO TO R02_AX0085_12M.

ELSE, GO TO R02_AX0675.

Variable(s): **R02_AX0085_12M**

In the past 12 months, have you used marijuana, hash, THC, grass, pot or weed?

1 Yes

2 No

GO TO R02_AX0089_12M

-8 DON'T KNOW

GO TO R02_AX0089_12M

-7 REFUSED

GO TO R02_AX0089_12M

ASK: Adult respondents who did not smoke or did not know or refused to report if they had smoked a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF R02_AG9107 = 2 , -8, -7.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	R02_AX0675
Have you used marijuana, hash, THC, grass, pot or weed within the <u>past 30 days</u>? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have smoked a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana, hash, THC, grass, pot, or weed in the past 12 months. ASK Specification: IF R02_AG9107 = 1 OR R02_AX0085_12M = 1. DISPLAY: Underline "past 30 days".	

BOX ID:	R02_AXD07
DISPLAY INSTRUCTIONS For R02_AX0089_12M and R02_AX0220_12M, display a "Yes" and "No" column with options for each response category.	

Variable(s):	SEE BELOW:
In the past 12 months, have you used any of the following prescription drugs that were <u>not</u> prescribed for you or that you took <u>only</u> for the experience or feeling they caused? R02_AX0089_12M_01 1 Ritalin® or Adderall® R02_AX0089_12M_02 2 Painkillers, sedatives, or tranquilizers -8 DON'T KNOW -7 REFUSED ASK: All adult respondents. DISPLAY: Underline "not" and "only".	

Variable(s):	SEE BELOW:
In the past 12 months, have you used any of the following substances? R02_AX0220_12M_01 1 Cocaine or crack R02_AX0220_12M_02*** 2 Stimulants like methamphetamine or speed R02_AX0220_12M_03*** 3 Any other drugs like heroin, inhalants, solvents, or hallucinogens -8 DON'T KNOW -7 REFUSED ASK: All adult respondents. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_AXR06
Adult respondents who have used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens in the past 12 months, go to R02_AX0676[_01/.../05]. Else, if no substances reported, go to Box R02_AXR03.	
IF R02_AX0089_12M_01 = 1, GO TO R02_AX0676_01. ELSE, IF R02_AX0089_12M_02 = 1, GO TO R02_AX0676_02. ELSE, IF R02_AX0220_12M_01 = 1, GO TO R02_AX0676_03. ELSE, IF R02_AX0220_12M_02 = 1, GO TO R02_AX0676_04. ELSE, IF R02_AX0220_12M_03 = 1, GO TO R02_AX0676_05. REPEAT R02_AX0676 UP TO 5 TIMES FOR EACH SUBSTANCE REPORTED IN R02_AX0089_12M[_01/_02] AND R02_AX0220_12M[_01/_02/_03]. ELSE, IF R02_AX0089_12M_01 = 2, -8, -7 AND R02_AX0089_12M_02 = 2, -8, -7 AND R02_AX0220_12M_01 = 2, -8, -7 AND R02_AX0220_12M_02 = 2, -8, -7 AND R02_AX0220_12M_03 = 2, -8, -7, GO TO BOX R02_AXR03.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0676_01; R02_AX0676_02; R02_AX0676_03; R02_AX0676_04; R02_AX0676_05

Have you used [SUBSTANCEFILL] within the past 30 days?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens in the past 12 months.

ASK Specification: FOR R02_AX0676_01: IF R02_AX0089_12M_01 = 1.

FOR R02_AX0676_02: IF R02_AX0089_12M_02 = 1.

FOR R02_AX0676_03: IF R02_AX0220_12M_01 = 1.

FOR R02_AX0676_04: IF R02_AX0220_12M_02 = 1.

FOR R02_AX0676_05: IF R02_AX0220_12M_03 = 1.

DISPLAY: Underline "past 30 days".

FOR [SUBSTANCEFILL]:

FOR R02_AX0676_01: IF R02_AX0089_12M_01 = 1, DISPLAY "Ritalin® or Adderall®".

FOR R02_AX0676_02: IF R02_AX0089_12M_02 = 1, DISPLAY "painkillers, sedatives, or tranquilizers".

FOR R02_AX0676_03: IF R02_AX0220_12M_01 = 1, DISPLAY "cocaine or crack".

FOR R02_AX0676_04: IF R02_AX0220_12M_02 = 1, DISPLAY "stimulants like methamphetamine or speed".

FOR R02_AX0676_05: IF R02_AX0220_12M_03 = 1, DISPLAY "other drugs like heroin, inhalants, solvents, or hallucinogens".

GOTO: Adult respondents who have used another substance, go back to box R02_AXR06, until R02_AX0676[_01/_02/_03/_04/_05] has been asked about for all selected substances.

Else, go to Box R02_AXR03.

GOTO Specification: FROM R02_AX0676_01: IF R02_AX0089_12M_02 = 1, GO TO R02_AX0676_02.

ELSE, IF R02_AX0220_12M_01 = 1, GO TO R02_AX0676_03.

ELSE, IF R02_AX0220_12M_02 = 1, GO TO R02_AX0676_04.

ELSE, IF R02_AX0220_12M_03 = 1, GO TO R02_AX0676_05.

ELSE, GO TO BOX R02_AXR03.

FROM R02_AX0676_02: IF R02_AX0220_12M_01 = 1, GO TO R02_AX0676_03.

ELSE, IF R02_AX0220_12M_02 = 1, GO TO R02_AX0676_04.

ELSE, IF R02_AX0220_12M_03 = 1, GO TO R02_AX0676_05.

ELSE, GO TO BOX R02_AXR03.

FROM R02_AX0676_03: IF R02_AX0220_12M_02 = 1, GO TO R02_AX0676_04.

ELSE, IF R02_AX0220_12M_03 = 1, GO TO R02_AX0676_05.

ELSE, GO TO BOX R02_AXR03.

FROM R02_AX0676_04: IF R02_AX0220_12M_03 = 1, GO TO R02_AX0676_05.

ELSE, GO TO BOX R02_AXR03.

FROM R02_AX0676_05: GO TO BOX R02_AXR03.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_AXV04
PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):	
R02_EVER_USER_ALC = Has ever used alcohol. R02_EVER_USER_MJ = Has ever used marijuana. R02_EVER_USER_RIT = Has ever used Ritalin® or Adderall®. R02_EVER_USER_PK = Has ever used painkillers, sedatives, or tranquilizers. R02_EVER_USER_COC = Has ever used cocaine or crack. R02_EVER_USER_STIM = Has ever used stimulants like methamphetamine or speed. R02_EVER_USER_OTH = Has ever used other drugs like heroin, inhalants, solvents, or hallucinogens. R02_SUBSTANCE_COUNT = Count of the number of substances ever used.	
R02_EVER_USER_ALC: IF R02_AX0084_12M = 1 OR R01_YX0084 = 1 OR R01_AX0084 = 1, THEN R02_EVER_USER_ALC = 1. ELSE, R02_EVER_USER_ALC = 2. R02_EVER_USER_MJ: IF R02_AG9107 = 1 OR R02_AX0085_12M=1 OR R02_AH9031 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND (R01_YX0085 =1 OR R01_YG9105 = 1)) OR (R02_CONTINUING_ADULT_LD = 1 AND (R01_AG9105 = 1 OR R01_AX0085=1)), THEN R02_EVER_USER_MJ = 1. ELSE, R02_EVER_USER_MJ = 2. R02_EVER_USER_RIT: IF R02_AX0089_12M_01 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YX0089_01 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AX0089_01 = 1), THEN R02_EVER_USER_RIT = 1. ELSE, R02_EVER_USER_RIT = 2. R02_EVER_USER_PK: IF R02_AX0089_12M_02 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YX0089_02 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AX0089_02 = 1), THEN R02_EVER_USER_PK = 1. ELSE, R02_EVER_USER_PK = 2. R02_EVER_USER_COC: IF R02_AX0220_12M_01 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YX0220_01 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AX0220_01 = 1), THEN R02_EVER_USER_COC = 1. ELSE, R02_EVER_USER_COC = 2. R02_EVER_USER_STIM: IF R02_AX0220_12M_02 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YX0220_02 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AX0220_02 = 1), THEN R02_EVER_USER_STIM = 1. ELSE, R02_EVER_USER_STIM = 2. R02_EVER_USER_OTH: IF R02_AX0220_12M_03 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YX0220_03 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AX0220_03 = 1), THEN R02_EVER_USER_OTH = 1. ELSE, R02_EVER_USER_OTH = 2.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

R02_SUBSTANCE_COUNT:

```

R02_SUBSTANCE_COUNT = 0;
IF R02_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1;
IF R02_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1;
IF R02_EVER_USER_RIT = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1;
IF R02_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1;
IF R02_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1;
IF R02_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1;
IF R02_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1;

```

BOX ID: R02_AXR03

Adult respondents who report ever using alcohol or ever using drugs, go to R02_AX0170.
 Else, adult respondents who are female and less than 50 years old, go to R02_AX0134_12M.
 Else, go to box R02_AXT02.

```

IF R02_SUBSTANCE_COUNT >= 1, GO TO R02_AX0170.
ELSE, IF R02R_A_SEX = 2 AND R02R_A_AGE < 50, GO TO R02_AX0134_12M.
ELSE, GO TO BOX R02_AXT02.

```

Variable(s): R02_AX0170/****

When was the last time that...

You used alcohol or other drugs weekly or more often?

- | | | |
|----|--------------------|------------------|
| 1 | Past month | |
| 2 | 2 to 12 months ago | |
| 3 | Over a year ago | |
| 4 | Never | GO TO R02_AX0171 |
| -8 | DON'T KNOW | GO TO R02_AX0171 |
| -7 | REFUSED | GO TO R02_AX0171 |

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

NOTES: **SKIP ERROR: R02_EVER_USER_ALC was not set correctly for respondents who reported using small sips of alcohol. R02_EVER_USER_MJ was not set correctly for respondents who reported smoking marijuana in a hookah (R02_AH9031 = 1). The incorrect setting of those data collection variables also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID:	R02_AXR04
Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R02_AX0175. Else, go to R02_AX0171.	
IF R02_SUBSTANCE_COUNT >= 2, GO TO R02_AX0175. ELSE, GO TO R02_AX0171.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.	
R02_AX0175_01**/**	1 Alcohol
R02_AX0175_02**/**	2 Marijuana, hash, THC, or grass, pot, or weed
R02_AX0175_03**/**	3 Ritalin® or Adderall®
R02_AX0175_04**/**	4 Painkillers, sedatives, or tranquilizers
R02_AX0175_05**/**	5 Cocaine or crack
R02_AX0175_06**/**	6 Stimulants like methamphetamine or speed
R02_AX0175_07**/**	7 Any other drugs like heroin, inhalants, solvents, or hallucinogens
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.	
ASK Specification: FOR R02_AX0175_01: IF R02_EVER_USER_ALC = 1 AND R02_AX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.	
FOR R02_AX0175_02: IF R02_EVER_USER_MJ = 1 AND R02_AX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.	
FOR R02_AX0175_03: IF R02_EVER_USER_RIT = 1 AND R02_AX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.	
FOR R02_AX0175_04: IF R02_EVER_USER_PK= 1 AND R02_AX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.	
FOR R02_AX0175_05: IF R02_EVER_USER_COC = 1 AND R02_AX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.	
FOR R02_AX0175_06: IF R02_EVER_USER_STIM = 1 AND R02_AX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.	
FOR R02_AX0175_07: IF R02_EVER_USER_OTH = 1 AND R02_AX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.	
PROGRAM: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.	
IF R02_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.	
IF R02_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE, DO NOT DISPLAY OPTION 2.	
IF R02_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.	
IF R02_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.	
IF R02_EVER_USER_COC= 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.	
IF R02_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.	
IF R02_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.	
NOTES: **SKIP ERROR: R02_EVER_USER_ALC was not set correctly for respondents who reported using small sips of alcohol. R02_EVER_USER_MJ was not set correctly for respondents who reported smoking marijuana in a hookah (R02_AH9031 = 1). The incorrect setting of those data collection variables also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.	
***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0171**/**

When was the last time that...

You spent a lot of time getting alcohol or other drugs?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

NOTES: **SKIP ERROR: R02_EVER_USER_ALC was not set correctly for respondents who reported using small sips of alcohol. R02_EVER_USER_MJ was not set correctly for respondents who reported smoking marijuana in a hookah (R02_AH9031 = 1). The incorrect setting of those data collection variables also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AX0172**/**

When was the last time that...

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

NOTES: **SKIP ERROR: R02_EVER_USER_ALC was not set correctly for respondents who reported using small sips of alcohol. R02_EVER_USER_MJ was not set correctly for respondents who reported smoking marijuana in a hookah (R02_AH9031 = 1). The incorrect setting of those data collection variables also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0173**/****

When was the last time that...

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

NOTES: **SKIP ERROR: R02_EVER_USER_ALC was not set correctly for respondents who reported using small sips of alcohol. R02_EVER_USER_MJ was not set correctly for respondents who reported smoking marijuana in a hookah (R02_AH9031 = 1). The incorrect setting of those data collection variables also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AX0193**/****

When was the last time that...

You spent a lot of time using or recovering from alcohol or other drugs?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

NOTES: **SKIP ERROR: R02_EVER_USER_ALC was not set correctly for respondents who reported using small sips of alcohol. R02_EVER_USER_MJ was not set correctly for respondents who reported smoking marijuana in a hookah (R02_AH9031 = 1). The incorrect setting of those data collection variables also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0174**/****

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

NOTES: **SKIP ERROR: R02_EVER_USER_ALC was not set correctly for respondents who reported using small sips of alcohol. R02_EVER_USER_MJ was not set correctly for respondents who reported smoking marijuana in a hookah (R02_AH9031 = 1). The incorrect setting of those data collection variables also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0194**/**

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

GOTO: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, go to R02_AX0176.

Else, adult respondents who are female and less than 50 years old, go to R02_AX0134_12M.

Else, go to Box R02_AXT02.

GOTO Specification: IF R02_SUBSTANCE_COUNT >= 2 AND (R02_AX0193 = 1, 2, 3 OR R02_AX0172 = 1, 2, 3 OR R02_AX0173 = 1, 2, 3 OR R02_AX0174 = 1, 2, 3 OR R02_AX0194 = 1, 2, 3), GO TO R02_AX0176.

ELSE, IF R02R_A_SEX = 2 AND R02R_A_AGE < 50, GO TO R02_AX0134_12M.

ELSE, GO TO BOX R02_AXT02.

NOTES: **SKIP ERROR: R02_EVER_USER_ALC was not set correctly for respondents who reported using small sips of alcohol. R02_EVER_USER_MJ was not set correctly for respondents who reported smoking marijuana in a hookah (R02_AH9031 = 1). The incorrect setting of those data collection variables also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.	
R02_AX0176_01**/**	1 Alcohol
R02_AX0176_02**/**	2 Marijuana, hash, THC, grass, pot, or weed
R02_AX0176_03**/**	3 Ritalin® or Adderall®
R02_AX0176_04**/**	4 Painkillers, sedatives, or tranquilizers
R02_AX0176_05**/**	5 Cocaine or crack
R02_AX0176_06**/**	6 Stimulants like methamphetamine or speed
R02_AX0176_07**/**	7 Any other drugs like heroin, inhalants, solvents, or hallucinogens
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.	
ASK Specification: IF R02_SUBSTANCE_COUNT >= 2 AND (R02_AX0193 = 1, 2, 3 OR R02_AX0172 = 1, 2, 3 OR R02_AX0173 = 1, 2, 3 OR R02_AX0174 = 1, 2, 3 OR R02_AX0194 = 1, 2, 3).	
PROGRAM: List only those substances a respondent previously indicated he/she has ever used.	
Allow respondent to choose all that apply.	
IF R02_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.	
IF R02_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE, DO NOT DISPLAY OPTION 2.	
IF R02_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.	
IF R02_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.	
IF R02_EVER_USER_COC = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.	
IF R02_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.	
IF R02_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.	
GOTO: Adult respondents who are female and less than 50 years old, go to R02_AX0134_12M.	
Else, go to Box R02_AXT02.	
GOTO Specification: IF R02R_A_SEX = 2 AND R02R_A_AGE < 50, GO TO R02_AX0134_12M.	
ELSE, GO TO BOX R02_AXT02.	
NOTES: **SKIP ERROR: R02_EVER_USER_ALC was not set correctly for respondents who reported using small sips of alcohol. R02_EVER_USER_MJ was not set correctly for respondents who reported smoking marijuana in a hookah (R02_AH9031 = 1). The incorrect setting of those data collection variables also caused this item to be skipped incorrectly. The error was not corrected during Wave 2 Data Collection.	
***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0134_12M***

The next questions are about your pregnancy history.

In the past 12 months, have you been pregnant? Please include a current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies and stillbirths.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are female and less than 50 years old.

ASK Specification: IF R02R_A_SEX = 2 AND R02R_A_AGE < 50.

GOTO: Adult respondents who are female and less than 50 years old and have been pregnant in the past 12 months, go to R02_AX0136.

Else, adult respondents who are female and are less than 50 years old and have not been pregnant in the past 12 months and were pregnant as of their last completed interview, go to R02_AX0135_12M.

Else, go to Box R02_AXT02.

GOTO Specification: IF R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1, GO TO R02_AX0136.

ELSE, IF R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND (R02_AX0134_12M = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1)), GO TO R02_AX0135_12M.

ELSE, GO TO BOX R02_AXT02.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AX0136

Are you pregnant now?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are female and less than 50 years old and have been pregnant in the past 12 months.

ASK Specification: IF R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1.

GOTO: Adult respondents who are female and less than 50 years old and have been pregnant in the past 12 months and are currently pregnant, go to R02_AX0137.

Else, adult respondents who are female and less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant, go to R02_AX0135_12M.

Else, go to Box R02_AXT02.

GOTO Specification: IF R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1 AND R02_AX0136 = 1, GO TO R02_AX0137.

ELSE, IF R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1 AND R02_AX0136 = 2, GO TO R02_AX0135_12M.

ELSE, GO TO BOX R02_AXT02.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0137_NN; R02_AX0137_UN**

How many months or weeks pregnant are you? Please enter the number of months or weeks.

- | | | |
|----|----------------|------------------|
| 1 | I__I__I Months | GO TO R02_AX0303 |
| 2 | I__I__I Weeks | GO TO R02_AX0303 |
| -8 | DON'T KNOW | GO TO R02_AX0303 |
| -7 | REFUSED | GO TO R02_AX0303 |

ASK: Adult respondents who are female and less than 50 years old and have been pregnant in the past 12 months and are currently pregnant.

ASK Specification: IF R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1 AND R02_AX0136 = 1.

DISPLAY: Display as Quantity/Units.

NOTES: The value "1" refers to R02_AX0137_UN = Months; the value "2" refers to R02_AX0137_UN = Weeks.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0135_12M**

What was the outcome of your last pregnancy?

- 1 Live birth
- 2 Miscarriage
- 3 Abortion
- 4 Ectopic or tubal pregnancy
- 5 Stillbirth
- 6 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are female and are less than 50 years old and are not currently pregnant, and have been pregnant in the past 12 months or have not been pregnant in the past 12 months and were pregnant as of their last completed interview.

ASK Specification: IF R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND (R02_AX0136 = 2 AND R02_AX0134_12M = 1) OR (R02_AX0134_12M = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1)).

GOTO: Adult respondents who are female and are less than 50 years old and are not currently pregnant, and have been pregnant in the past 12 months or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth, go to R02_AX0300_12M.

Else, adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have used alcohol in the past 12 months, go to R02_AX0303.

Else, adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have ever smoked cigarettes, go to R02_AX0304.

Else, adult respondents who are female and less than 50 years old and have ever been pregnant and have ever used any tobacco products other than cigarettes, go to R02_AX0305.

Else, go to Box R02_AXT02.

GOTO Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND (R02_AX0136 = 2 AND R02_AX0134_12M = 1) OR (R02_AX0134_12M = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1))) AND R02_AX0135_12M = 1, GO TO R02_AX0300_12M.

ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_AX0084_12M = 1, GO TO R02_AX0303.

ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_EVER_USER_CIGS = 1, GO TO R02_AX0304.

ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1) AND (R02_EVER_USER_ECIG = 1 OR (R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1) OR (R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1) OR (R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1) OR R02_EVER_USER_PIPE = 1 OR R02_EVER_USER_HOOK = 1 OR R02_EVER_USER_SNUS = 1 OR R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_DISSBL = 1), GO TO R02_AX0305.

ELSE, GO TO BOX R02_AXT02.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
For your last pregnancy, did any of the following occur? Choose all that apply.	
R02_AX0300_12M_01	1 Preterm birth (birth of baby less than 37 weeks gestational age)
R02_AX0300_12M_02	2 Baby with low birth weight (less than 5 pounds 8 ounces)
R02_AX0300_12M_03	3 Baby with birth defects
R02_AX0300_12M_04	4 Placenta Previa
R02_AX0300_12M_05	5 Placenta Abruptio
R02_AX0300_12M_06	6 Pre-eclampsia
R02_AX0300_12M_07	7 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are female and are less than 50 years old and are not currently pregnant, and have been pregnant in the past 12 months or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth.	
ASK Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND (R02_AX0136 = 2 AND R02_AX0134_12M = 1) OR (R02_AX0134_12M = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1))) AND R02_AX0135_12M = 1.	
PROGRAM: If Option 7 is selected, options 1-6 may not be selected.	
GOTO: Adult respondents who are female and are less than 50 years old and are not currently pregnant, and have been pregnant in the past 12 months or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects, go to R02_AX0299.	
Else, adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have used alcohol in the past 12 months, go to R02_AX0303.	
Else, adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have ever smoked cigarettes, go to R02_AX0304.	
Else, adult respondents who are female and less than 50 years old and have ever been pregnant and have ever used any tobacco products other than cigarettes, go to R02_AX0305.	
Else, go to Box R02_AXT02.	
GOTO Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND (R02_AX0136 = 2 AND R02_AX0134_12M = 1) OR (R02_AX0134_12M = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1))) AND R02_AX0135_12M = 1 AND (R02_AX0300_12M_01 = 1 OR R02_AX0300_12M_02 = 1 OR R02_AX0300_12M_03 = 1), GO TO R02_AX0299.	
ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_AX0084_12M = 1, GO TO R02_AX0303.	
ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_EVER_USER_CIGS = 1, GO TO R02_AX0304.	
ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1) AND (R02_EVER_USER_ECIG = 1 OR (R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1) OR (R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1) OR (R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1) OR R02_EVER_USER_PIPE = 1 OR R02_EVER_USER_HOOK = 1 OR R02_EVER_USER_SNUS = 1 OR R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_DISSBL = 1), GO TO R02_AX0305.	
ELSE, GO TO BOX R02_AXT02.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0299**

Does your child have any developmental delays?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are female and are less than 50 years old and are not currently pregnant, and have been pregnant in the past 12 months or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects.

ASK Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND (R02_AX0136 = 2 AND R02_AX0134_12M = 1) OR (R02_AX0134_12M = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1))) AND R02_AX0135_12M = 1 AND (R02_AX0300_12M_01 = 1 OR R02_AX0300_12M_02 = 1 OR R02_AX0300_12M_03 = 1).

GOTO: Adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have used alcohol in the past 12 months, go to R02_AX0303.

Else, adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have ever smoked cigarettes, go to R02_AX0304.

Else, adult respondents who are female and less than 50 years old and have ever been pregnant and have ever used any tobacco products other than cigarettes, go to R02_AX0305.

Else, go to Box R02_AXT02.

GOTO Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_AX0084_12M = 1, GO TO R02_AX0303.

ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_EVER_USER_CIGS = 1, GO TO R02_AX0304.

ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1) AND (R02_EVER_USER_ECIG = 1 OR (R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1) OR (R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1) OR (R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1) OR R02_EVER_USER_PIPE = 1 OR R02_EVER_USER_HOOK = 1 OR R02_EVER_USER_SNUS = 1 OR R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_DISSBL = 1), GO TO R02_AX0305.

ELSE, GO TO BOX R02_AXT02.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0303**

During your [most recent / current] pregnancy, [did you consume / have you consumed] any alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have used alcohol in the past 12 months.

ASK Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_AX0084_12M = 1.

DISPLAY: IF R02_AX0136 = 1, DISPLAY "current" AND "have you consumed". ELSE, IF (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1) AND R02_AX0136 = 2, DISPLAY "most recent" AND "did you consume".

GOTO: Adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have used alcohol in the past 12 months and used any alcohol during their most recent pregnancy, go to R02_AX0138.

Else, adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have ever smoked cigarettes, go to R02_AX0304.

Else, adult respondents who are female and less than 50 years old and have ever been pregnant and have ever used any tobacco products other than cigarettes, go to R02_AX0305.

Else, go to Box R02_AXT02.

GOTO Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_AX0084_12M = 1 AND R02_AX0303 = 1, GO TO R02_AX0138.

ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_EVER_USER_CIGS = 1, GO TO R02_AX0304.

ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1) AND (R02_EVER_USER_ECIG = 1 OR (R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1) OR (R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1) OR (R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1) OR R02_EVER_USER_PIPE = 1 OR R02_EVER_USER_HOOK = 1 OR R02_EVER_USER_SNUS = 1 OR R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_DISSBL = 1), GO TO R02_AX0305.

ELSE, GO TO BOX R02_AXT02.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0138**

During your [most recent / current] pregnancy, how many alcoholic drinks [did/have] you [have/had] in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 Less than 1 drink a week
- 2 1 to 3 drinks a week
- 3 4 to 6 drinks a week
- 4 7 to 13 drinks a week
- 5 14 drinks or more a week
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have used alcohol in the past 12 months and used any alcohol during their most recent pregnancy.

ASK Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_AX0084_12M = 1 AND R02_AX0303 = 1.

DISPLAY: IF R02_AX0136 = 1, DISPLAY "current", "have" and "had". ELSE, IF (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1) AND R02_AX0136 = 2, DISPLAY "most recent", "did" and "have".

GOTO: Adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have ever smoked cigarettes, go to R02_AX0304.

Else, adult respondents who are female and less than 50 years old and have ever been pregnant and have ever used any tobacco products other than cigarettes, go to R02_AX0305.

Else, go to Box R02_AXT02.

GOTO Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_EVER_USER_CIGS = 1, GO TO R02_AX0304.

ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1) AND (R02_EVER_USER_ECIG = 1 OR (R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1) OR (R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1) OR (R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1) OR R02_EVER_USER_PIPE = 1 OR R02_EVER_USER_HOOK = 1 OR R02_EVER_USER_SNUS = 1 OR R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_DISSBL = 1), GO TO R02_AX0305.

ELSE, GO TO BOX R02_AXT02.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0304**

During your [most recent / current] pregnancy, [did you smoke / have you smoked] any cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have ever smoked cigarettes.

ASK Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_EVER_USER_CIGS = 1.

DISPLAY: IF R02_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, IF (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1) AND R02_AX0136 = 2, DISPLAY "most recent" AND "did you smoke".

GOTO: Adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have ever smoked cigarettes and smoked cigarettes during their most recent pregnancy, go to R02_AX0139.

Else, adult respondents who are female and less than 50 years old and have ever been pregnant and have ever used any tobacco products other than cigarettes, go to R02_AX0305.

Else, go to Box R02_AXT02.

GOTO Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_EVER_USER_CIGS = 1 AND R02_AX0304 = 1, GO TO R02_AX0139.

ELSE, IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1) AND (R02_EVER_USER_ECIG = 1 OR (R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1) OR (R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1) OR (R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1) OR R02_EVER_USER_PIPE = 1 OR R02_EVER_USER_HOOK = 1 OR R02_EVER_USER_SNUS = 1 OR R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_DISSBL = 1), GO TO R02_AX0305.

ELSE, GO TO BOX R02_AXT02.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0139**

During your [most recent / current] pregnancy, how many cigarettes [did you smoke/have you smoked] on an average day? A pack usually has 20 cigarettes in it.

- 1 Less than 1 cigarette a day
- 2 1 to 5 cigarettes a day
- 3 6 to 10 cigarettes a day
- 4 11 to 20 cigarettes a day
- 5 21 to 40 cigarettes a day
- 6 41 cigarettes or more a day
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months, and have ever smoked cigarettes and smoked cigarettes during their most recent pregnancy.

ASK Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND ((R02_AX0136 = 1 AND R02_AX0134_12M = 1) OR (R02_AX0136 = 2 AND (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1)))) AND R02_EVER_USER_CIGS = 1 AND R02_AX0304 = 1.

DISPLAY: IF R02_AX0136 = 1, DISPLAY "current" AND "have you smoked". ELSE, IF (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1) AND R02_AX0136 = 2, DISPLAY "most recent" AND "did you smoke".

GOTO: Adult respondents who are female and less than 50 years old and have ever been pregnant and have ever used any tobacco products other than cigarettes, go to R02_AX0305.

Else, go to Box R02_AXT02.

GOTO Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1) AND (R02_EVER_USER_ECIG = 1 OR (R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1) OR (R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1) OR (R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1) OR R02_EVER_USER_PIPE = 1 OR R02_EVER_USER_HOOK = 1 OR R02_EVER_USER_SNUS = 1 OR R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_DISSBL = 1), GO TO R02_AX0305.

ELSE, GO TO BOX R02_AXT02.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0305*****

During your [most recent/ current] pregnancy, [did/have] you [EVER USE PRODUCT LIST]?

- | | | |
|----|------------|-----------------|
| 1 | Yes | |
| 2 | No | GO TO R02_AXT02 |
| -8 | DON'T KNOW | GO TO R02_AXT02 |
| -7 | REFUSED | GO TO R02_AXT02 |

ASK: Adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months and have ever used any tobacco products other than cigarettes.

ASK Specification: IF (R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1) AND (R02_EVER_USER_ECIG = 1 OR (R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1) OR (R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1) OR (R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1) OR R02_EVER_USER_PIPE = 1 OR R02_EVER_USER_HOOK = 1 OR R02_EVER_USER_SNUS = 1 OR R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_DISSBL = 1).

DISPLAY: IF R02_AX0136 = 1, DISPLAY "current" AND "have". ELSE, IF (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1) AND R02_AX0136 = 2, DISPLAY "most recent" AND "did".

If EVER USER of one product, then display as shown.

If EVER USER of two products, use "or" to connect the two displays.

If EVER USER of three or more products, format the list with commas between each display, and with "or" before the last item in the list.

[EVER USE PRODUCT LIST] = A list of all tobacco products the respondent has ever used, excluding cigarettes.

IF R02_EVER_USER_ECIG = 1 INCLUDE "use any e-cigarettes". (If R02_AX0136 = 1, include "used any e-cigarettes").

IF R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1, INCLUDE "smoke any traditional cigars". (If R02_AX0136 = 1, include "smoked any traditional cigars").

IF R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1, INCLUDE "smoke any cigarillos". (If R02_AX0136 = 1, include "smoked any cigarillos").

IF R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1, INCLUDE "smoke any filtered cigars". (If R02_AX0136 = 1, include "smoked any filtered cigars").

IF R02_EVER_USER_PIPE = 1, INCLUDE "smoke a pipe at all". (If R02_AX0136 = 1, include "smoked a pipe at all").

IF R02_EVER_USER_HOOK = 1, INCLUDE "smoke hookah at all". (If R02_AX0136 = 1, include "smoked hookah at all").

IF R02_EVER_USER_SNUS = 1, INCLUDE "use any snus". (If R02_AX0136 = 1, include "used any snus").

IF R02_EVER_USER_SMKLS = 1, INCLUDE "use any smokeless tobacco". (If R02_AX0136 = 1, include "used any smokeless tobacco").

IF R02_EVER_USER_DISSBL = 1, INCLUDE "use any dissolvable tobacco". (If R02_AX0136 = 1, include "used any dissolvable tobacco").

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0140**

During your [most recent/ current] pregnancy, how many times [did/have] you [EVER USE PRODUCT LIST] on an average day?

- 1 Less than 1 time a day
- 2 1 to 5 times a day
- 3 6 to 10 times a day
- 4 11 to 20 times a day
- 5 21 to 40 times a day
- 6 41 times or more a day
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are female and less than 50 years old and are currently pregnant or were pregnant in the past 12 months and have ever used any tobacco products other than cigarettes and used tobacco products other than cigarettes during their most recent pregnancy.

ASK Specification: IF ((R02R_A_SEX = 2 AND R02R_A_AGE < 50 AND R02_AX0134_12M = 1) AND (R02_EVER_USER_ECIG = 1 OR (R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1) OR (R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1) OR (R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1) OR R02_EVER_USER_PIPE = 1 OR R02_EVER_USER_HOOK = 1 OR R02_EVER_USER_SNUS = 1 OR R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_DISSBL = 1)) AND R02_AX0305 = 1.

DISPLAY: IF R02_AX0136 = 1, DISPLAY "current" AND "have". ELSE, IF (R01_YX0136 = 1 OR R01_AX0136 = 1 OR R02_AX0134_12M = 1) AND R02_AX0136 = 2, DISPLAY "most recent" AND "did".

If EVER USER of one product, then display as shown.

If EVER USER of two products, use "or" to connect the two displays.

If EVER USER of three or more products, format the list with commas between each display, and with "or" before the last item in the list.

[EVER USE PRODUCT LIST] = A list of all tobacco products the respondent has ever used, excluding cigarettes.

IF R02_EVER_USER_ECIG = 1 INCLUDE "use any e-cigarettes". (If R02_AX0136 = 1, include "used any e-cigarettes").

IF R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1, INCLUDE "smoke any traditional cigars". (If R02_AX0136 = 1, include "smoked any traditional cigars").

IF R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1, INCLUDE "smoke any cigarillos". (If R02_AX0136 = 1, include "smoked any cigarillos").

IF R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1, INCLUDE "smoke any filtered cigars". (If R02_AX0136 = 1, include "smoked any filtered cigars").

IF R02_EVER_USER_PIPE = 1, INCLUDE "smoke a pipe at all". (If R02_AX0136 = 1, include "smoked a pipe at all").

IF R02_EVER_USER_HOOK = 1, INCLUDE "smoke hookah at all". (If R02_AX0136 = 1, include "smoked hookah at all").

IF R02_EVER_USER_SNUS = 1, INCLUDE "use any snus". (If R02_AX0136 = 1, include "used any snus").

IF R02_EVER_USER_SMKLS = 1, INCLUDE "use any smokeless tobacco". (If R02_AX0136 = 1, include "used any smokeless tobacco").

IF R02_EVER_USER_DISSBL = 1, INCLUDE "use any dissolvable tobacco". (If R02_AX0136 = 1, include "used any dissolvable tobacco").

MARKETING, ADVERTISING AND PROMOTION**BOX ID:** R02_AXT02

DISPLAY TRANSITION TEXT: The next questions ask about tobacco advertising that you may have seen or received.

Variable(s): R02_AX0475

In the past 30 days, have you seen a tobacco sweepstakes ad?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0476

In the past 30 days, have you participated in a tobacco sponsored sweepstakes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AX0179

In the past 12 months, have you received an e-mail message with discount coupons or promotions for cigarettes, e-cigarettes, cigars, smokeless tobacco, or other tobacco products?

- 1 Yes
- 2 No GO TO R02_AX0180
- 8 DON'T KNOW GO TO R02_AX0180
- 7 REFUSED GO TO R02_AX0180

ASK: All adult respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Which products did you receive discount coupons or promotions for in an e-mail message? Choose all that apply.

- | | | |
|----------------------|----|------------------------|
| R02_AX0204_01 | 1 | Cigarettes |
| R02_AX0204_02 | 2 | E-cigarettes |
| R02_AX0204_03 | 3 | Cigars |
| R02_AX0204_04 | 4 | Smokeless tobacco |
| R02_AX0204_05 | 5 | Other tobacco products |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who received an e-mail with coupons or promotions for tobacco products in the past 12 months.

ASK Specification: IF R02_AX0179 = 1.

PROGRAM: Allow respondent to choose all that apply.

Variable(s): **R02_AX0180**

In the past 12 months, have you received discount coupons or promotions for cigarettes, e-cigarettes, cigars, smokeless tobacco, or other tobacco products in the mail?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: All adult respondents.

GOTO: Adult respondents who received coupons or promotions for tobacco products in the mail in the past 12 months, go to R02_AX0216.

Else, adult respondents who have ever used an e-cigarette, go to R02_AX0678.

Else, go to R02_AX0481.

GOTO Specification: IF R02_AX0180 = 1, GO TO R02_AX0216.

ELSE, IF R02_EVER_USER_ECIG = 1, GO TO R02_AX0678.

ELSE, GO TO R02_AX0481.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which products did you receive discount coupons or promotions for in the mail? Choose all that apply.	
R02_AX0216_01	1 Cigarettes
R02_AX0216_02	2 E-cigarettes
R02_AX0216_03	3 Cigars
R02_AX0216_04	4 Smokeless tobacco
R02_AX0216_05	5 Other tobacco products
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who received coupons or promotions for tobacco products in the mail in the past 12 months.	
ASK Specification: IF R02_AX0180 = 1.	
PROGRAM: Allow respondent to choose all that apply.	
GOTO: Adult respondents who have ever used an e-cigarette, go to R02_AX0678.	
Else, go to R02_AX0481.	
GOTO Specification: IF R02_EVER_USER_ECIG = 1, GO TO R02_AX0678.	
ELSE, GO TO R02_AX0481.	

Variable(s):	R02_AX0678***
In the past 30 days, have you gotten a free sample of an e-cigarette or e-liquid?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have ever used an e-cigarette.	
ASK Specification: IF R02_EVER_USER_ECIG = 1.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AX0481
In the past 30 days, have you gotten a free sample of a tobacco product?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0178**

In the past 12 months, have you noticed tobacco ads or promotions on store windows or inside stores where tobacco is sold?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents.

GOTO: New baseline adult respondents who are current established tobacco users and have a regular brand, go to R02_AX0210_NB.

Else, young adult respondents who are current experimental or current established tobacco users and do not have a regular brand, go to R02_AX0209

Else, adult respondents who are new former established, still former established, or former experimental tobacco users and are not current established and current experimental tobacco users, go to R02_AX0212.

Else, go to R02_AX0203.

GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND
R02_CURRENT_USER_TOBACCO = 1 AND (R02_AC1047MC = 1 OR R02_AC1047RY = 1 OR
R02_AE1047 = 1 OR R02_AG1047TC = 1 OR R02_AG1047CG = 1 OR R02_AG1047FC = 1 OR
R02_AP1047 = 1 OR R02_AS1047SU = 1 OR R02_AS1047SM = 1 OR R02_AD1047 = 1 OR
R02_AH1047 = 1), GO TO R02_AX0210_NB.

ELSE, IF R02_YOUNG_ADULT = 1 AND (R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 OR
(R02_CURRENT_USER_TOBACCO = 1 AND (R02_AC1047MC = 2 OR R02_AC1047RY = 2 OR
R02_AE1047 = 2 OR R02_AG1047TC = 2 OR R02_AG1047CG = 2 OR R02_AG1047FC = 2 OR
R02_AP1047 = 2 OR R02_AH1047 = 2 OR R02_AS1047SU = 2 OR R02_AS1047SM = 2 OR
R02_AD1047 = 2))), GO TO R02_AX0209.

ELSE, IF (R02_NEW_FORMER_USER_TOBACCO = 1 OR R02_STILL_FORMER_USER_TOBACCO
= 1 OR R02_EXPERIMENTAL_FORMER_TOBACCO = 1) AND R02_CURRENT_USER_TOBACCO =
2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2, GO TO R02_AX0212.

ELSE, GO TO R02_AX0203.

Variable(s): **R02_AX0210_NB**

In the past 30 days, have you bought a brand of tobacco product other than your usual brand because you noticed it displayed in the store or on signs?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R02_AX0208_NB
GO TO R02_AX0208_NB
GO TO R02_AX0208_NB

ASK: New baseline adult respondents who are current established tobacco users and have a regular brand.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND
R02_CURRENT_USER_TOBACCO = 1 AND (R02_AC1047MC = 1 OR R02_AC1047RY = 1 OR
R02_AE1047 = 1 OR R02_AG1047TC = 1 OR R02_AG1047CG = 1 OR R02_AG1047FC = 1 OR
R02_AP1047 = 1 OR R02_AS1047SU = 1 OR R02_AS1047SM = 1 OR R02_AD1047 = 1 OR
R02_AH1047 = 1).

Variable(s):	R02_AX0211_NB
In the past 30 days, has this happened just once or twice, a few times, or quite regularly? 1 Once or twice 2 A few times 3 Quite regularly -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who are current established tobacco users and have a regular brand and bought a different brand in the past 30 days because of a store display or sign. ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND R02_CURRENT_USER_TOBACCO = 1 AND (R02_AC1047MC = 1 OR R02_AC1047RY = 1 OR R02_AE1047 = 1 OR R02_AG1047TC = 1 OR R02_AG1047CG = 1 OR R02_AG1047FC = 1 OR R02_AP1047 = 1 OR R02_AS1047SU = 1 OR R02_AS1047SM = 1 OR R02_AD1047 = 1 OR R02_AH1047 = 1)) AND R02_AX0210_NB = 1.	

Variable(s):	R02_AX0208_NB
In the past 30 days, have you bought a brand of tobacco product other than your usual brand because of a promotion?	
1	Yes
2	No
	GO TO R02_AX0206_NB
-8	DON'T KNOW
	GO TO R02_AX0206_NB
-7	REFUSED
	GO TO R02_AX0206_NB
ASK: New baseline adult respondents who are current established tobacco users and have a regular brand.	
ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_CURRENT_USER_TOBACCO = 1 AND (R02_AC1047MC = 1 OR R02_AC1047RY = 1 OR R02_AE1047 = 1 OR R02_AG1047TC = 1 OR R02_AG1047CG = 1 OR R02_AG1047FC = 1 OR R02_AP1047 = 1 OR R02_AS1047SU = 1 OR R02_AS1047SM = 1 OR R02_AD1047 = 1 OR R02_AH1047 = 1).	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0223_NB

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who are current established tobacco users and have a regular brand and bought a different brand in the past 30 days because of a promotion.

ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND
R02_CURRENT_USER_TOBACCO = 1 AND (R02_AC1047MC = 1 OR R02_AC1047RY = 1 OR
R02_AE1047 = 1 OR R02_AG1047TC = 1 OR R02_AG1047CG = 1 OR R02_AG1047FC = 1 OR
R02_AP1047 = 1 OR R02_AS1047SU = 1 OR R02_AS1047SM = 1 OR R02_AD1047 = 1 OR
R02_AH1047 = 1)) AND R02_AX0208_NB = 1.

Variable(s): R02_AX0206_NB

In the past 30 days, when you were in a store that sells tobacco, did you buy a brand of tobacco product other than your usual brand because you noticed a special price offer?

- 1 Yes
- 2 No GO TO R02_AX0203
- 8 DON'T KNOW GO TO R02_AX0203
- 7 REFUSED GO TO R02_AX0203

ASK: New baseline adult respondents who are current established tobacco users and have a regular brand.

ASK Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND
R02_CURRENT_USER_TOBACCO = 1 AND (R02_AC1047MC = 1 OR R02_AC1047RY = 1 OR
R02_AE1047 = 1 OR R02_AG1047TC = 1 OR R02_AG1047CG = 1 OR R02_AG1047FC = 1 OR
R02_AP1047 = 1 OR R02_AS1047SU = 1 OR R02_AS1047SM = 1 OR R02_AD1047 = 1 OR
R02_AH1047 = 1).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0207_NB**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- | | |
|----------------------|------------------|
| 1 Once or twice | GO TO R02_AX0203 |
| 2 A few times | GO TO R02_AX0203 |
| 3 Quite regularly | GO TO R02_AX0203 |
| -8 DON'T KNOW | GO TO R02_AX0203 |
| -7 REFUSED | GO TO R02_AX0203 |

ASK: New baseline adult respondents who are current established tobacco users and have a regular brand and bought a different brand in the past 30 days because of a special price.

ASK Specification: IF (R02_NEW_BASELINE_ADULT_LD = 1 AND
R02_CURRENT_USER_TOBACCO = 1 AND (R02_AC1047MC = 1 OR R02_AC1047RY = 1 OR
R02_AE1047 = 1 OR R02_AG1047TC = 1 OR R02_AG1047CG = 1 OR R02_AG1047FC = 1 OR
R02_AP1047 = 1 OR R02_AS1047SU = 1 OR R02_AS1047SM = 1 OR R02_AD1047 = 1 OR
R02_AH1047 = 1)) AND R02_AX0206_NB = 1.

Variable(s): **R02_AX0209**/*****

In the past 30 days, have you bought a brand of tobacco product because you noticed a promotion for it?

- | | |
|-----------------|------------------|
| 1 Yes | GO TO R02_AX0203 |
| 2 No | GO TO R02_AX0203 |
| -8 DON'T KNOW | GO TO R02_AX0203 |
| -7 REFUSED | GO TO R02_AX0203 |

ASK: Young adult respondents who are current experimental or current established tobacco users and do not have a regular brand.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND (R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 OR (R02_CURRENT_USER_TOBACCO = 1 AND (R02_AC1047RY = 2 OR R02_AC1047MC = 2 OR R02_AE1047 = 2 OR R02_AG1047TC = 2 OR R02_AG1047CG = 2 OR R02_AG1047FC = 2 OR R02_AP1047 = 2 OR R02_AH1047 = 2 OR R02_AS1047SU = 2 OR R02_AS1047SM = 2 OR R02_AD1047 = 2) AND (R02_NEW_BASELINE_ADULT_LD != 1 OR (R02_AC1047RY != 1 AND R02_AC1047MC != 1 AND R02_AE1047 != 1 AND R02_AP1047 != 1 AND R02_AH1047 != 1 AND R02_AS1047SU != 1 AND R02_AS1047SM != 1 AND R02_AD1047 != 1 AND R02_AG1047TC != 1 AND R02_AG1047FC != 1 AND R02_AG1047CG != 1))))).

NOTES: **SKIP ERROR: This item was skipped incorrectly by young adult (age 18-24) respondents who were experimental current users of any tobacco product and current users of any tobacco product who reported that they do not have a regular brand. The error was not corrected during Wave 2 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0212*****

Since you quit using tobacco, has there been a time when seeing a tobacco product display or other signs that tobacco is sold there, has given you an urge to buy tobacco?

- | | |
|-----------------|------------------|
| 1 Yes | |
| 2 No | GO TO R02_AX0203 |
| -8 DON'T KNOW | GO TO R02_AX0203 |
| -7 REFUSED | GO TO R02_AX0203 |

ASK: Adult respondents who are new former established, still former established, or former experimental tobacco users and are not current established and current experimental tobacco users.

ASK Specification: IF (R02_NEW_FORMER_USER_TOBACCO = 1 OR R02_STILL_FORMER_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_FORMER_TOBACCO = 1) AND R02_CURRENT_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R02_AX0213**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are new former established, still former established, or former experimental tobacco users and are not current established and current experimental tobacco users and had an urge to buy tobacco when seeing a display since quitting.

ASK Specification: IF (R02_NEW_FORMER_USER_TOBACCO = 1 OR R02_STILL_FORMER_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_FORMER_TOBACCO = 1) AND R02_CURRENT_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2 AND R02_AX0212 = 1.

BOX ID: **R02_AXD10**

For R02_AX0203, display a "Yes" and "No" column with options for each response category.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
In the past 30 days, have you noticed <u>e-cigarettes</u> being advertised in any of the following places?	
R02_AX0203_01	1 On posters or billboards
R02_AX0203_02	2 In newspapers or magazines
R02_AX0203_03	3 On websites or social media sites
R02_AX0203_04	4 On radio
R02_AX0203_05	5 On television
R02_AX0203_06	6 At events like fairs, festivals, or sporting events
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents.	
DISPLAY: Underline "e-cigarettes".	
GOTO: Young adult respondents, go to R02_AX0297.	
Else, go to R02_AX0677.	
GOTO Specification: IF R02_YOUNG_ADULT = 1, GO TO R02_AX0297.	
ELSE, GO TO R02_AX0677.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0297; R02_AX0297_OS

What is the brand of your favorite e-cigarette advertisement? Choose only one.

If you do not see the brand listed below, select "Something else".

- 1 I do not have a favorite e-cigarette advertisement
- 2 Blu
- 3 eSmoke
- 4 Fin
- 5 GreenSmoke
- 6 Logic
- 7 MarkTen
- 8 NJOY
- 9 ProVape
- 10 Smoking Everywhere
- 11 Vapor King
- 12 Vuse
- 13 V2Cigs
- 14 Something else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF R02_YOUNG_ADULT = 1.

DISPLAY: Underline "e-cigarette". IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

BOX ID: R02_AXD11

For R02_AX0677, display a "Yes" and "No" column with options for each response category.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

In the past 30 days, have you noticed cigarettes or other tobacco products being advertised in any of the following places?

- | | | |
|----------------------|----|---|
| R02_AX0677_01 | 1 | On posters or billboards |
| R02_AX0677_02 | 2 | In newspapers or magazines |
| R02_AX0677_03 | 3 | On websites or social media sites |
| R02_AX0677_04 | 4 | On radio |
| R02_AX0677_05 | 5 | On television |
| R02_AX0677_06 | 6 | At events like fairs, festivals, or sporting events |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: All adult respondents.

DISPLAY: Underline "cigarettes or other tobacco products".

GOTO: Young adult respondents, go to R02_AX0197.

Else, go to R02_AX0192.

GOTO Specification: IF R02_YOUNG_ADULT = 1, GO TO R02_AX0197.

ELSE, GO TO R02_AX0192.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0197; R02_AX0197_OS*****

What is the brand of your favorite tobacco advertisement? Choose only one.

If you do not see the brand listed below, select "Something else".

- 1 I do not have a favorite tobacco advertisement
- 2 American Spirit
- 3 Basic
- 4 Beechnut
- 5 Benson & Hedges
- 6 Black & Mild
- 7 Camel
- 8 Capri
- 9 Copenhagen
- 10 Doral
- 11 Dutch Masters
- 12 Grizzly
- 13 Kool
- 14 Levi Garrett
- 15 Liggett Select
- 16 Marlboro
- 17 Maverick
- 18 Misty
- 19 Newport
- 20 Pall Mall
- 21 Parliament
- 22 Phillies Blunts
- 23 Prime Time
- 24 Redman
- 25 Salem
- 26 Skoal
- 27 Sonoma
- 28 Swisher Sweets
- 29 USA Gold
- 30 Virginia Slims
- 31 Winchester
- 32 Winston
- 33 Something else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

PATH Study Wave 2 Adult Public Use File Annotated Instrument

ASK: Young adult respondents.

ASK Specification: IF R02_YOUNG_ADULT = 1.

DISPLAY: Underline "tobacco". IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R02_AX0192

In the past 12 months, have you seen or heard the following slogan or theme?

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

- 1 Yes
- 2 No
- 3 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: DISPLAY IMAGE OF TIPS CAMPAIGN LOGO

Variable(s): R02_AX0199

In the past 12 months, have you seen or heard the following slogan or theme?

[DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO]

- 1 Yes
- 2 No
- 3 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0201**

In the past 12 months, have you seen or heard the following slogan or theme?

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

- 1 Yes
- 2 No
- 3 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO

Variable(s): **R02_AX0234**

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"A Tip From a Former Smoker"

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

- 1 Yes
- 2 No
- 3 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Bold "A Tip From a Former Smoker".

IMAGE: DISPLAY IMAGE OF TIPS CAMPAIGN LOGO

Variable(s): **R02_AX0235**

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

[DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO]

- 1 Yes
- 2 No
- 3 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0236

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"What are cigarettes costing you?"

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

- 1 Yes
- 2 No
- 3 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Bold "What are cigarettes costing you?"

IMAGE: DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO

Variable(s): R02_AX0674

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Cigarettes are Bullies. Don't let tobacco control you."

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

- 1 Yes
- 2 No
- 3 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: Bold "Cigarettes are Bullies. Don't let tobacco control you."

IMAGE: DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO

ADDITIONAL DEMOGRAPHICS**BOX ID: R02_AMT01**

DISPLAY TRANSITION TEXT: Finally, we have a few additional questions about you, your work, education and health insurance.

BOX ID: R02_AMR01

Adult respondents who don't currently work for pay, go to R02_AM0017.
Else, go to R02_AM0018.

IF R02_AM0014 = 4, GO TO R02_AM0017.
ELSE, GO TO R02_AM0018.

Variable(s): R02_AM0017

Are you currently...

- 1 Looking for paid work
- 2 A student not looking for paid work
- 3 A homemaker or caregiver not looking for paid work
- 4 Retired
- 5 Unable to work for physical or mental health reasons
- 6 Unable to work due to other reasons
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who don't currently work for pay.

ASK Specification: IF R02_AM0014 = 4.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AM0018**

What is the highest grade or level of school you have completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate—diploma
- 5 Some college but no degree
- 6 Associate degree—occupational/vocational
- 7 Associate degree—academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, Med, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): **R02_AM0019**

Are you currently enrolled in a degree program?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R02_AM0015
GO TO R02_AM0015
GO TO R02_AM0015

ASK: All adult respondents.

Variable(s): **R02_AM0020**

Which type of degree program are you currently enrolled in?

- 1 Technical/vocational program
- 2 2-year degree program
- 3 4-year degree program
- 4 Graduate/professional program
- 5 Other type of degree program
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are currently enrolled in a degree program.

ASK Specification: IF R02_AM0019 = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AM0015

In the past 30 days, because of a shortage of money, were you unable to pay any important bills on time, such as rent, electricity or telephone bills?

- 1 Yes
- 2 No
- 7 Not applicable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AM0039

In the past 12 months, have you received assistance or income from any federal, state or local programs, such as food stamps, welfare, cash aid, unemployment benefits, housing assistance, child care, or Medicaid?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R02_AM0030

Which of the following categories best describes your total household income in the past 12 months?

This is the total income before taxes of all persons in your household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- | | | |
|----|------------------------|------------------|
| 1 | Less than \$10,000 | GO TO R02_AL0040 |
| 2 | \$10,000 to \$14,999 | GO TO R02_AL0040 |
| 3 | \$15,000 to \$24,999 | GO TO R02_AL0040 |
| 4 | \$25,000 to \$34,999 | GO TO R02_AL0040 |
| 5 | \$35,000 to \$49,999 | GO TO R02_AL0040 |
| 6 | \$50,000 to \$74,999 | GO TO R02_AL0040 |
| 7 | \$75,000 to \$99,999 | GO TO R02_AL0040 |
| 8 | \$100,000 to \$149,999 | GO TO R02_AL0040 |
| 9 | \$150,000 to \$199,999 | GO TO R02_AL0040 |
| 10 | \$200,000 or more | GO TO R02_AL0040 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: All adult respondents.

DISPLAY: Underline "all persons in your household combined".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AM0031**

Is your total household income during the past 12 months above or below \$50,000?

- 1 Above \$50,000
- 2 Below \$50,000
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not know or refused to report their total household income.

ASK Specification: IF R02_AM0030 = -8, -7.

Variable(s): **R02_AL0040**

Do you own or rent your home?

- 1 Own
- 2 Rent
- 3 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: Young adult respondents, go to R02_AM0038.

Else, go to Box R02_AMR02.

GOTO Specification: IF R02_YOUNG_ADULT = 1, GO TO R02_AM0038.

ELSE, GO TO BOX R02_AMR02.

Variable(s): **R02_AM0038**

Where do you currently live? If you live in more than one place throughout the year, please answer for where you are currently staying.

- 1 At home with parents or guardians
- 2 In a dorm or other campus housing
- 3 In a fraternity or sorority house
- 4 In an apartment, condo or house on my own (without a spouse, children or roommates)
- 5 In an apartment, condo or house with a spouse or romantic partner
- 6 In an apartment, condo or house with friends or other roommates
- 7 In an apartment, condo or house with another relative or family friend
- 8 Someplace else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF R02_YOUNG_ADULT = 1.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AM0040**

Think of this ladder as representing where people stand in the United States.

At the top of the ladder (step 10) are the people who have the most money and education, and the most respected jobs.

At the bottom of the ladder (step 1) are the people who have the least money and education, and the least respected jobs or no job.

Where would you place yourself on this ladder? Pick the number for the step that shows where you think you stand at this time in your life, relative to other people in the United States.

1 10

2 9

3 8

4 7

5 6

6 5

7 4

8 3

9 2

10 1

-8 DON'T KNOW

-7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF R02_YOUNG_ADULT = 1.

IMAGE: SHOW IMAGE OF LADDER

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AM0033**

The next questions ask about your parents. Please think about your parents or parental figures (step-parents, foster parents, guardians, etc.) who you lived with most of the time when you were 17 years old and younger.

What is the highest grade or year of school that your **mother**, **step-mother** or **mother-figure** completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate—diploma
- 5 Some college but no degree
- 6 Associate degree—occupational/vocational
- 7 Associate degree—academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, Med, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF R02_YOUNG_ADULT = 1.

DISPLAY: Underline the first occurrence of "parents". Bold "mother", "step-mother", and "mother-figure".

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AM0034**

What is the highest grade or year of school that your **father**, **step-father** or **father-figure** completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate—diploma
- 5 Some college but no degree
- 6 Associate degree—occupational/vocational
- 7 Associate degree—academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, Med, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF R02_YOUNG_ADULT = 1.

DISPLAY: Bold "father", "step-father", and "father-figure".

GOTO: Young adult respondents who do not live with their parents or did not know or refused to report whether they live with their parents, go to R02_AM0036.

Else, go to Box R02_AMR02.

GOTO Specification: IF R02_YOUNG_ADULT = 1 AND R02_AM0038 != 1, GO TO R02_AM0036.

ELSE, GO TO BOX R02_AMR02.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AM0036**

Which of the following categories best describes your parents' total household income in the past 12 months?

This is the total income before taxes of all persons in your parents' household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- | | | |
|----|------------------------|-----------------|
| 1 | Less than \$10,000 | GO TO R02_AMR02 |
| 2 | \$10,000 to \$14,999 | GO TO R02_AMR02 |
| 3 | \$15,000 to \$24,999 | GO TO R02_AMR02 |
| 4 | \$25,000 to \$34,999 | GO TO R02_AMR02 |
| 5 | \$35,000 to \$49,999 | GO TO R02_AMR02 |
| 6 | \$50,000 to \$74,999 | GO TO R02_AMR02 |
| 7 | \$75,000 to \$99,999 | GO TO R02_AMR02 |
| 8 | \$100,000 to \$149,999 | GO TO R02_AMR02 |
| 9 | \$150,000 to \$199,999 | GO TO R02_AMR02 |
| 10 | \$200,000 or more | GO TO R02_AMR02 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Young adult respondents who do not live with their parents or did not know or refused to report whether they live with their parents.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_AM0038 != 1.

DISPLAY: Underline "parents' total household income" and "all persons in your parents' household combined".

Variable(s): **R02_AM0037**

Is your parents' total household income during the past 12 months above or below \$50,000?

- 1 Above \$50,000
- 2 Below \$50,000
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who do not live with their parents or did not know or refused to report whether they live with their parents and did not know or refused to report their parents' total household income in the past 12 months.

ASK Specification: IF R02_YOUNG_ADULT = 1 AND R02_AM0038 != 1 AND R02_AM0036 = -8, -7.

DISPLAY: Underline "parents"

PATH Study Wave 2 Adult Public Use File Annotated Instrument

BOX ID: R02_AMR02

Adult respondents who are now on active duty or have been on active duty in the past and were not enrolled in VA healthcare or did not know or refused to report whether they were enrolled in VA healthcare as of their last completed interview, go to R02_AM0012.

Else, go to R02_AM0026.

IF R02_AM0007 = 1, 2 AND R01_AM0012 != 1, GO TO R02_AM0012.

ELSE, GO TO R02_AM0026.

Variable(s): R02_AM0012***

Have you ever been enrolled in VA health care?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are now on active duty or have been on active duty in the past and were not enrolled in VA healthcare or did not know or refused to report whether they were enrolled in VA healthcare as of their last completed interview.

ASK Specification: IF R02_AM0007 = 1, 2 AND R01_AM0012 != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R02_AMD02

BOX – DISPLAY INSTRUCTIONS

For R02_AM0026, display a “Yes” and “No” column with options for each response category.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Are you currently covered by any of the following types of health insurance or health coverage plans?	
R02_AM0026_01	1 Insurance through a current or former employer or union (of yourself or a family member)
R02_AM0026_02	2 Insurance purchased directly from an insurance company (by yourself or a family member)
R02_AM0026_03	3 Medicare, for people 65 and older, or people with certain disabilities
R02_AM0026_04	4 Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability
R02_AM0026_05	5 VA Health Care
R02_AM0026_06	6 TRICARE or other military health care
R02_AM0026_07	7 Indian Health Service
R02_AM0026_08***	8 Any other type of health insurance or health coverage plan
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents.	
GOTO: Adult respondents who are current established or current experimental tobacco users, go to R02_AM0029.	
Else, go to R02_AM0021.	
GOTO Specification: IF R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, GO TO R02_AM0029.	
ELSE, GO TO R02_AM0021.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R02_AM0029
To your knowledge, compared to people who don't use tobacco, do you pay more for your health insurance coverage because of your tobacco use?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established or current experimental tobacco users.	
ASK Specification: IF R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1.	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AM0021

The next question asks about your level of sexual attraction to BOTH males and females. Please consider the response choices carefully, as it is important that you understand them and are as honest as you can be in your answer.

To whom have you felt sexually attracted, even if you did not take any action based on feeling attracted?

- 1 Only to females, never to males
- 2 Mostly to females, and at least once to a male
- 3 About equally often to females and to males
- 4 Mostly to males, and at least once to a female
- 5 Only to males, never to females
- 6 I have never felt sexually attracted to anyone at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PROGRAM: Order shown above is for male respondents. Reverse the order of categories 1 to 5 for female respondents. If sex is unknown, default to order shown for male respondents.

Variable(s): R02_AM0063

Do you consider yourself to be...

- 1 Straight
- 2 Lesbian or gay
- 3 Bisexual
- 4 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AM0061**

Some people describe themselves as transgender when they experience a different gender identity from their sex at birth. For example, a person born into a male body, but who feels female or lives as a woman would be transgender.

Do you consider yourself to be transgender?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

GOTO: Adult respondents who consider themselves to be transgender, go to R02_AM0062.

Else, adult respondents who are current established or current experimental tobacco users, go to R02_AX0214.

Else, go to R02_AL3000.

GOTO Specification: IF R02_AM0061 = 1, GO TO R02_AM0062.

ELSE, IF R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, GO TO R02_AX0214.

ELSE, GO TO R02_AL3000.

Variable(s): **R02_AM0062**

Do you consider yourself to be male-to-female, female-to-male, or non-conforming?

- 1 Yes, Transgender, male to female
- 2 Yes, Transgender, female to male
- 3 Yes, Transgender, gender nonconforming
- 4 No
- 5 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who consider themselves to be transgender.

ASK Specification: IF R02_AM0061 = 1.

GOTO: Adult respondents who are current established or current experimental tobacco users, go to R02_AX0214.

Else, go to R02_AL3000.

GOTO Specification: IF R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, GO TO R02_AX0214.

ELSE, GO TO R02_AL3000.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): **R02_AX0214**

Finally, we would like to scan the bar code on any tobacco products that you have right now for your own use[, including your ECIGFILLS]. We are only interested in the products that you have used or intend to use soon.

Our interviewer will do the scanning for you. The interviewer will also ask you a couple of questions about the products we are scanning. Other people in your home might see the products as you hand them to the interviewer or hear the questions we ask you about the products.

Is it OK to scan your tobacco products now?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R02_AL3000 |
| -8 DON'T KNOW | GO TO R02_AL3000 |
| -7 REFUSED | GO TO R02_AL3000 |

ASK: Adult respondents who are current established or current experimental tobacco users.

ASK Specification: IF R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1, OR R02_EXPERIMENTAL_CURRENT_ECIG = 1,
DISPLAY “, including your ECIGFILLS”. FILL [ECIGFILL] WITH ECIGFILL.

PATH ID: **R02_AX0215**

Thank you. Please hand the computer to the interviewer. Then get any tobacco products you have right now for your own use[including your ECIGFILL2s] and give them to the interviewer. The interviewer will give them right back to you.

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: IF R02_CURRENT_USER_ECIG = 1, OR R02_EXPERIMENTAL_CURRENT_ECIG = 1,
DISPLAY “ including your ECIGFILLS”. FILL [ECIGFILL] WITH ECIGFILL.

PATH ID: **R02_AL3004**

The interviewer must now enter the Monitor Password into the computer.

Monitor Password: _____

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR
R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

PROGRAM: THE MONITOR PASSWORD IS 8954. AFTER THE INTERVIEWER ENTERS THE
PASSWORD, SWITCH TO CAPI MODE.

PRODUCT BARCODE SCANNING MODULE

Variable(s): R02_AX0218
HOW MANY PRODUCTS DID THE RESPONDENT GIVE YOU TO SCAN? ENTER A NUMBER BETWEEN 0 AND 10. _ _ ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning. ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1. DISPLAY: Display Interviewer instruction in blue font. GOTO: Adult respondents who are current established or current experimental tobacco users who agreed to scanning, but gave the field interviewer zero products to scan, go to R02_AL3009. Else, go to R02_AX0217_1A. GOTO Specification: IF R02_AX0218 = 0, GO TO R02_AL3009. ELSE, GO TO R02_AX0217_1A.

PATH ID: R02_AL3009
THE RESPONDENT GAVE YOU ZERO PRODUCTS TO SCAN. IF THIS IS CORRECT, PRESS 1 TO CONTINUE. IF THIS IS INCORRECT, GO BACK AND MAKE A CORRECTION. 1 CONTINUE ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning, but gave the field interviewer zero products to scan or do not have a barcode to scan. ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1 AND R02_AX0218 = 0. DISPLAY: Display Interviewer instruction in blue font. PROGRAM: IF 1 IS PRESSED, GO TO R02_AL3006

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0217_1A

THIS IS PRODUCT BAR CODE SCAN #1. YOU CAN SCAN UP TO 10 PRODUCTS TOTAL.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R02_AL3006.

Else, go to R02_AX0217_2A.

GOTO Specification: IF R02_AX0217_1A = BLANK, GO TO R02_AL3006.

ELSE, GO TO R02_AX0217_2A.

Variable(s): R02_AX0233_01***

Think about the very last time you used this type of tobacco. Was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1 AND (R02_AX0217_1A != X OR Y OR BLANK).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0217_2A

THIS IS PRODUCT BAR CODE SCAN #2.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R02_AL3006.

Else, go to R02_AX0217_3A.

GOTO Specification: IF R02_AX0217_2A = BLANK, GO TO R02_AL3006.

ELSE, GO TO R02_AX0217_3A.

Variable(s): R02_AX0233_02***

The last time you used this type of tobacco, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1 AND (R02_AX0217_2A != X OR Y OR BLANK).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0217_3A

THIS IS PRODUCT BAR CODE SCAN #3.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R02_AL3006.

Else, go to R02_AX0217_4A.

GOTO Specification: IF R02_AX0217_3A = BLANK, GO TO R02_AL3006.

ELSE, GO TO R02_AX0217_4A.

Variable(s): R02_AX0233_03***

The last time you used this type of tobacco, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1 AND (R02_AX0217_3A != X OR Y OR BLANK).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0217_4A

THIS IS PRODUCT BAR CODE SCAN #4.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R02_AL3006.

Else, go to R02_AX0217_5A.

GOTO Specification: IF R02_AX0217_4A = BLANK, GO TO R02_AL3006.

ELSE, GO TO R02_AX0217_5A.

Variable(s): R02_AX0233_04

The last time you used this type of tobacco, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1 AND (R02_AX0217_4A != X OR Y OR BLANK).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0217_5A

THIS IS PRODUCT BAR CODE SCAN #5.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R02_AL3006.

Else, go to R02_AX0217_6A.

GOTO Specification: IF R02_AX0217_5A = BLANK, GO TO R02_AL3006.

ELSE, GO TO R02_AX0217_6A.

Variable(s): R02_AX0233_05***

The last time you used this type of tobacco, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1 AND (R02_AX0217_5A != X OR Y OR BLANK).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0217_6A

THIS IS PRODUCT BAR CODE SCAN #6.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R02_AL3006.

Else, go to R02_AX0217_7A.

GOTO Specification: IF R02_AX0217_6A = BLANK, GO TO R02_AL3006.

ELSE, GO TO R02_AX0217_7A.

Variable(s): R02_AX0233_06

The last time you used this type of tobacco, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1 AND (R02_AX0217_6A != X OR Y OR BLANK).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0217_7A

THIS IS PRODUCT BAR CODE SCAN #7.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R02_AL3006.

Else, go to R02_AX0217_8A.

GOTO Specification: IF R02_AX0217_7A = BLANK, GO TO R02_AL3006.

ELSE, GO TO R02_AX0217_8A.

Variable(s): R02_AX0233_07

The last time you used this type of tobacco, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1 AND (R02_AX0217_7A != X OR Y OR BLANK).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0217_8A

THIS IS PRODUCT BAR CODE SCAN #8.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R02_AL3006.

Else, go to R02_AX0217_9A.

GOTO Specification: IF R02_AX0217_8A = BLANK, GO TO R02_AL3006.

ELSE, GO TO R02_AX0217_9A.

Variable(s): R02_AX0233_08

The last time you used this type of tobacco, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1 AND (R02_AX0217_8A != X OR Y OR BLANK).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0217_9A

THIS IS PRODUCT BAR CODE SCAN #9.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R02_AL3006.

Else, go to R02_AX0217_10A.

GOTO Specification: IF R02_AX0217_9A = BLANK, GO TO R02_AL3006.

ELSE, GO TO R02_AX0217_10A.

Variable(s): R02_AX0233_09

The last time you used this type of tobacco, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1 AND (R02_AX0217_9A != X OR Y OR BLANK).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Variable(s): R02_AX0217_10A

THIS IS PRODUCT BAR CODE SCAN #10.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: Display Interviewer instruction in blue font.

GOTO: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R02_AL3006.

GOTO Specification: IF R02_AX0217_10A = BLANK, GO TO R02_AL3006.

Variable(s): R02_AX0233_10

The last time you used this type of tobacco, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1 AND (R02_AX0217_10A != X OR Y OR BLANK).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

PATH ID: R02_AL3000

You have finished this part of the questionnaire. Please hand the computer to the interviewer.

ASK: Adult respondents who are current established or current experimental tobacco users who did not agree to scanning, and all other adult respondents.

ASK Specification: IF ((R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND (R02_AX0214 = 2, -8 OR -7)) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2).

PATH ID: R02_AL3003

Monitor Password: _____

The interviewer must now enter the Monitor Password into the computer.

ASK: Adult respondents who are current established or current experimental tobacco users who did not agree to scanning, and all other adult respondents.

ASK Specification: IF ((R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND (R02_AX0214 = 2, -8 OR -7)) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2).

PROGRAM: THE MONITOR PASSWORD IS 8954. AFTER THE INTERVIEWER ENTERS THE PASSWORD, SWITCH TO CAPI MODE.

PATH ID: R02_AL3007

DO NOT SCAN BAR CODES FOR THIS RESPONDENT.

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

PRESS 1 TO CONTINUE

ASK: Adult respondents who are current established or current experimental tobacco users who did not agree to scanning, and all other adult respondents.

ASK Specification: IF ((R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND (R02_AX0214 = 2, -8, -7)) OR (R02_CURRENT_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2).

DISPLAY: Display Interviewer instruction in blue font.

PROGRAM: If the adult respondent is also a parent respondent and has already completed a Wave 2 parent interview (R02_P_COMP_LD = 1), display "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION" and do not go to the contact information section, go to LCAD01. Else, if the adult respondent has not already completed a Wave 2 parent interview (R02_P_COMP_LD = 2), display "COLLECT CONTACT INFORMATION FOR THIS RESPONDENT" and go to the contact information section.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

PATH ID: R02_AL3006

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

PRESS 1 TO CONTINUE

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and the scanning is complete.

ASK Specification: IF (R02_CURRENT_USER_TOBACCO = 1 OR R02_EXPERIMENTAL_CURRENT_TOBACCO = 1) AND R02_AX0214 = 1.

DISPLAY: Display Interviewer instruction in blue font.

PROGRAM: If the adult respondent is not also a parent respondent (R02_ADULT_SP_LD = 2), or if this adult respondent is a parent respondent but has not already completed a Wave 2 parent interview (R02_P_COMP_LD = 2), display "COLLECT CONTACT INFORMATION FOR THIS RESPONDENT" and go to the contact information section. Else, if the adult respondent has already completed a Wave 2 parent interview (R02_P_COMP_LD = 1), display "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION" and do not go to the contact information section, go to LCAD01.

CLOSING ADMINISTRATIVE DATA

Variable(s):	R02_LCAD01
INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW? 1 ENGLISH 2 SPANISH -8 DON'T KNOW -7 REFUSED ASK: All adult respondents (asked of Interviewer). DISPLAY: Display question in blue font.	

** = Denotes a skip error. For additional information, see Appendix - Adult Instrument Skip Error Summary. This appendix summarizes skip errors in the data collection instrument that resulted in missing data on these items for some respondents.

*** = Denotes a data error. For additional information, see Appendix – Adult Instrument Data Error Summary. This appendix summarizes the items with missing data for some respondents.

APPENDIX – ADULT GENERIC IMAGES

Section	PATH ID	Generic Image
Tobacco Use	R02_AET01	 E-cigarettes E-cigars E-pipes E-hookahs Electronic Nicotine Products
Tobacco Use	R02_AO1002	
Tobacco Use	R02_AO9035	
ENDS	R02_AOT01	
Tobacco Use	R02_AGT01	 Traditional Cigars
Tobacco Use	R02_AG9030	
Tobacco Use	R02_AG9003_12M	
Tobacco Use	R02_AGT04	
Tobacco Use	R02_AG9010	
Tobacco Use	R02_AG9020	
Tobacco Use	R02_AG9013	
Tobacco Use	R02_AG9016	
Cigar	R02_AGT03	
Cigar	R02_AGT03	
Product Regulation	R02_AG1099	
Tobacco Use	R02_AGT02	 Cigarillos Filtered Cigars
Tobacco Use	R02_AG9031	
Tobacco Use	R02_AG9004_12M	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R02_AG9049	 With a tip With a filter Without a tip or filter
Tobacco Use	R02_AG9009_12M	
Tobacco Use	R02_AG9051	 With a tip
Tobacco Use	R02_AG9052	 With a filter
Tobacco Use	R02_AG9053	 Without a tip or filter

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R02_AG1095	 Group 1 Group 2 Group 3 Group 4
Cigar	R02_AG9040	
Tobacco Use	R02_AG9106 (BTRAD)	
Tobacco Use	R02_AG9106 (BRILLO w/ tips)	
Tobacco Use	R02_AG9106 (BRILLO w/out tips)	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R02_AG9106 (BFILTR)	
Tobacco Use	R02_AGT04	
Tobacco Use	R02_AG9011	
Tobacco Use	R02_AG9021	
Tobacco Use	R02_AG9014	
Tobacco Use	R02_AG9017	
Cigar	R02_AGT03	
Cigar	R02_AGT03	
Product Regulation	R02_AG1106	 Cigarillos
Tobacco Use	R02_AGT04	 Filtered Cigars
Tobacco Use	R02_AG9012	
Tobacco Use	R02_AG9022	
Tobacco Use	R02_AG9015	
Tobacco Use	R02_AG9018	
Cigar	R02_AGT03	
Cigar	R02_AGT03	
Product Regulation	R02_AG1107	
Tobacco Use	R02_APT01	 Pipe
Tobacco Use	R02_AP1004	
Tobacco Use	R02_AP1002_12M	
Product Regulation	R02_AP1099	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R02_AHT01	 Hookah
Tobacco Use	R02_AH1004	
Tobacco Use	R02_AH1002_12M	
Product Regulation	R02_AH1099	
Tobacco Use	R02_AST01	 Smokeless Tobacco
Product Regulation	R02_AS1105	
Tobacco Use	R02_AU1004	 Snus
Tobacco Use	R02_AU1002_12M	
Tobacco Use	R02_AUT01	
Smokeless Tobacco	R02_AST02	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R02_AS1004	 Smokeless Tobacco
Tobacco Use	R02_AS1002_12M	
Tobacco Use	R02_AUT01	
Smokeless Tobacco	R02_AST02	
Tobacco Use	R02_ADT01	 Dissolvable Tobacco
Tobacco Use	R02_AD1004	
Tobacco Use	R02_AD1002_12M	
Dissolvable Tobacco	R02_ADT02	
Product Regulation	R02_AD1099	
E-Cigarette	R02_AET02	 Disposable E-cigarettes E-cartridges E-liquid Rechargeable/refillable E-cigarettes E-cigarettes <i>Revised image deployed on April 2, 2015:</i>  Disposable and Cartridge E-cigarettes E-cartridges E-liquid Rechargeable/refillable E-cigarettes E-cigarettes

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
E-Cigarette	R02_AE9005	 Rechargeable E-cigarettes
E-Cigarette	R02_AE9008	 E-cartridges
E-Cigarette	R02_AE9038	 Tank System

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
E-Cigarette	R02_AE9009	 E-liquid
ENDS	R02_AOT02	 E-cigars E-pipes E-hookahs Electronic Nicotine Products (other than E-cigarettes)
Pipe	R02_APT02	 Pipe and Pipe Tobacco
Hookah	R02_AHT02	 Hookah Shisha Tobacco

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Product Regulation	R02_AE1099	 E-cigarettes
Marketing, Advertising, and Promotion	R02_AX0192	
Marketing, Advertising, and Promotion	R02_AX0234	
Marketing, Advertising, and Promotion	R02_AX0199	
Marketing, Advertising, and Promotion	R02_AX0201	
Marketing, Advertising, and Promotion	R02_AX0236	
Marketing, Advertising, and Promotion	R02_AX0674	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Marketing, Advertising, and Promotion	R02_AX0235	 The logo features the words "FINISH IT" in bold, black, sans-serif capital letters. To the right of the text is a small orange square containing a white 'X'.
Additional Demographics	R02_AM0040	 A 3D-rendered ladder with 10 rungs, numbered 1 through 10 from bottom to top. The ladder is tilted at an angle.

APPENDIX – ADULT USER GROUP DEFINITIONS

NOTE: The User Group Variable specifications defined in this appendix are for questionnaire routing purposes only and are included in this document for reference. These variables are excluded from the data file. It is not recommended to use these definitions for analytical purposes.

User Group and Variable Name	User Group Description	User Group Definition
CIGARETTES		
Never cigarette smokers R02_NEVER_USER_CIGS	Adult respondents who have never smoked a cigarette.	IF ((R01_EVER_USER_CIGS != 1 AND R01_YC1002 != 1) AND R02_AC1002_12M = 2, -8, -7) OR R02_AC1132 = 1, THEN R02_NEVER_USER_CIGS = 1. ELSE, R02_NEVER_USER_CIGS = 2.
Ever cigarette smokers R02_EVER_USER_CIGS	Adult respondents who have ever smoked a cigarette.	IF (R01_EVER_USER_CIGS = 1 OR R01_YC1002 = 1 OR R02_AC1004 = 1 OR R02_AC1002_12M=1) AND (R02_AC1132 != 1), THEN R02_EVER_USER_CIGS = 1. ELSE, R02_EVER_USER_CIGS = 2.
Initiated cigarette smoking since last completed interview R02_INIT_CIGS_ADULT	Adult respondents who initiated cigarette smoking since their last completed interview.	IF (R01_EVER_USER_CIGS != 1 AND R01_YC1002 != 1) AND R02_EVER_USER_CIGS = 1, THEN R02_INIT_CIGS_ADULT = 1. ELSE, R02_INIT_CIGS_ADULT = 2.
Current established cigarette smokers R02_CURRENT_USER_CIGS	Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes every day or some days.	IF (R01_AC1005 = 6 OR R01_YC1005 = 7 OR R02_AC1005 = 6) AND R02_AC1003 = 1 OR 2, THEN R02_CURRENT_USER_CIGS = 1. ELSE, R02_CURRENT_USER_CIGS = 2.
Every day established cigarette smokers R02 EVERYDAY_USER_CIGS	Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes every day.	IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1003 = 1, THEN R02 EVERYDAY_USER_CIGS = 1. ELSE, R02 EVERYDAY_USER_CIGS = 2.
Some day established cigarette smokers R02_SOME_DAY_USER_CIGS	Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smokes some days.	IF R02_CURRENT_USER_CIGS = 1 AND R02_AC1003 = 2, THEN R02_SOME_DAY_USER_CIGS = 1. ELSE, R02_SOME_DAY_USER_CIGS = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Current experimental cigarette smokers R02_EXPERIMENTAL_CURRENT_CIGS	Adult respondents who have not smoked at least 100 cigarettes in their entire life, and currently smokes every day or some days.	IF R02_EVER_USER_CIGS = 1 AND (R02_AC1005 != 6 AND R01_AC1005 != 6 AND R01_YC1005 != 7) AND R02_AC1003 = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_CIGS = 1. ELSE, R02_EXPERIMENTAL_CURRENT_CIGS = 2.
Still former established cigarette smokers R02_STILL_FORMER_USER_CIGS	Adult respondents who were former cigarette smokers at Wave 1, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_CIGS != 1 AND R02_EXPERIMENTAL_CURRENT_CIGS != 1 AND R02_EVER_USER_CIGS = 1 AND R01_FORMER_USER_CIGS = 1 AND (R02_AC1002_12M = 2 OR R02_AC1003 = 3), THEN R02_STILL_FORMER_USER_CIGS = 1. ELSE, R02_STILL_FORMER_USER_CIGS = 2.
New former established cigarette smokers R02_NEW_FORMER_USER_CIGS	Adult respondents who were current, experimental current, or experimental former cigarette smokers at Wave 1, or are initiators at Wave 2, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_CIGS != 1 AND R02_EXPERIMENTAL_CURRENT_CIGS != 1 AND R02_EVER_USER_CIGS = 1 AND (R01_CURRENT_USER_CIGS = 1 OR R01_EXPERIMENTAL_CURRENT_CIGS = 1 OR R01_EXPERIMENTAL_FORMER_CIGS = 1 OR R02_INIT_CIGS_ADULT = 1 OR R01_YC1002 = 1) AND (R01_AC1005 = 6 OR R01_YC1005 = 7 OR R02_AC1005 = 6) AND (R02_AC1002_12M = 2 OR R02_AC1003 = 3), THEN R02_NEW_FORMER_USER_CIGS = 1. ELSE, R02_NEW_FORMER_USER_CIGS = 2.
Former experimental cigarette smokers R02_EXPERIMENTAL_FORMER_CIGS	Adult respondents who have not smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_CIGS != 1 AND R02_EXPERIMENTAL_CURRENT_CIGS != 1 AND R02_EVER_USER_CIGS = 1 AND (R02_AC1002_12M = 2 OR R02_AC1003 = 3) AND R02_AC1005 != 6 AND R01_AC1005 != 6 AND R01_YC1005 != 7, THEN R02_EXPERIMENTAL_FORMER_CIGS = 1. ELSE, R02_EXPERIMENTAL_FORMER_CIGS = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Non-current 30-day cigarette smokers R02_FORMER_THIRTYDAY_USER_CIGS	Adult respondents who are experimental former, new former, or still former smokers in Wave 2 who have smoked any cigarettes in the past 30 days.	IF (R02_CURRENT_USER_CIGS != 1 AND R02_EXPERIMENTAL_CURRENT_CIGS != 1) AND (R02_NEW_FORMER_USER_CIGS = 1 OR R02_STILL_FORMER_USER_CIGS = 1 OR R02_EXPERIMENTAL_FORMER_CIGS = 1) AND ((1<= R02_AC1009_NN <= 30 AND R02_AC1009_UN = 1) OR (R02_AC1009_NN = 1 AND R02_AC1009_UN = 2) OR R02_AC1004 = 1), THEN R02_FORMER_THIRTYDAY_USER_CIGS = 1. ELSE, R02_FORMER_THIRTYDAY_USER_CIGS = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
ENDS		
Never electronic nicotine product users R02_NEVER_USER_EPRODS	Adult respondents who have never used any electronic nicotine products.	IF R02_AO1002 != 1, THEN R02_NEVER_USER_EPRODS = 1. ELSE, R02_NEVER_USER_EPRODS = 2.
Never e-cigarette users R02_NEVER_USER_ECIG	Adult respondents who have never used an e-cigarette.	IF R02_AO1002 != 1 OR R02_AO9035_01 != 1, THEN R02_NEVER_USER_ECIG = 1. ELSE, R02_NEVER_USER_CIGS = 2.
Ever electronic nicotine product users R02_EVER_USER_EPRODS	Adult respondents who have ever used any electronic nicotine products.	IF R02_AO1002 = 1, THEN R02_EVER_USER_EPRODS = 1. ELSE, R02_EVER_USER_EPRODS = 2.
Ever e-cigar users R02_EVER_USER_ECIGAR	Adult respondents who have ever used an e-cigar.	IF R02_AO9035_02 = 1, THEN R02_EVER_USER_ECIGAR = 1. ELSE, R02_EVER_USER_ECIGAR = 2.
Ever e-hookah users R02_EVER_USER_EHOOK	Adult respondents who have ever used an e-hookah.	IF R02_AO9035_04 = 1, THEN R02_EVER_USER_EHOOK = 1. ELSE, R02_EVER_USER_EHOOK = 2.
Ever e-pipe users R02_EVER_USER_EPIPE	Adult respondents who have ever used an e-pipe.	IF R02_AO9035_03 = 1, THEN R02_EVER_USER_EPIPE = 1. ELSE, R02_EVER_USER_EPIPE = 2.
Ever e-cigarette users R02_EVER_USER_ECIG	Adult respondents who have ever used an e-cigarette.	IF R02_AO9035_01 = 1, THEN R02_EVER_USER_ECIG = 1. ELSE, R02_EVER_USER_ECIG = 2.
Initiated e-cigarette use since last completed interview R02_INIT_ECIG_ADULT	Adult respondents who initiated e-cigarette use since their last completed interview.	IF (R01_EVER_USER_ECIG != 1 AND R01_YE1002 != 1) AND R02_EVER_USER_ECIG = 1, THEN R02_INIT_ECIG_ADULT = 1. ELSE, R02_INIT_ECIG_ADULT = 2.
Current established e-cigarette users R02_CURRENT_USER_ECIG	Adult respondents who have ever used e-cigarettes fairly regularly, and currently uses them every day or some days.	IF R02_AO9035_01 = 1 AND (R01_AE1100 = 1 OR R02_AE1100 = 1) AND R02_AO1003C = 1 OR 2, THEN R02_CURRENT_USER_ECIG = 1. ELSE, R02_CURRENT_USER_ECIG = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Every day established e-cigarette users R02_EVERYDAY_USER_ECIG	Adult respondents who have ever used e-cigarettes fairly regularly, and currently uses them every day.	IF R02_CURRENT_USER_ECIG = 1 AND R02_AO1003C = 1, THEN R02_EVERYDAY_USER_ECIG = 1. ELSE, R02_EVERYDAY_USER_ECIG = 2.
Some day established e-cigarette users R02_SOME_DAY_USER_ECIG	Adult respondents who have ever used e-cigarettes fairly regularly, and currently uses them some days.	IF R02_CURRENT_USER_ECIG = 1 AND R02_AO1003C = 2, THEN R02_SOME_DAY_USER_ECIG = 1. ELSE, R02_SOME_DAY_USER_ECIG = 2.
Current experimental e-cigarette users R02_EXPERIMENTAL_CURRENT_ECIG	Adult respondents who have never used e-cigarettes fairly regularly, and currently uses them every day or some days.	IF R02_EVER_USER_ECIG = 1 AND R02_AE1100 != 1 AND R01_AE1100 != 1 AND R02_AO1003C = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_ECIG = 1. ELSE, R02_EXPERIMENTAL_CURRENT_ECIG = 2.
Still former established e-cigarette users R02_STILL_FORMER_USER_ECIG	Adult respondents who were former e-cigarette users at Wave 1, has ever used them fairly regularly, and did not use them in the past 12 months or currently uses them not at all.	IF R02_CURRENT_USER_ECIG != 1 AND R02_EXPERIMENTAL_CURRENT_ECIG != 1 AND R01_FORMER_USER_ECIG = 1 AND R02_AO1003C = 3, THEN R02_STILL_FORMER_USER_ECIG = 1. ELSE, R02_STILL_FORMER_USER_ECIG = 2.
New former established e-cigarette users R02_NEW_FORMER_USER_ECIG	Adult respondents who were current, experimental current, or experimental former e-cigarette users at Wave 1, or are initiators at Wave 2, has ever used them fairly regularly, and did not use them in the past 12 months or currently uses them not at all.	IF R02_CURRENT_USER_ECIG != 1 AND R02_EXPERIMENTAL_CURRENT_ECIG != 1 AND (R01_CURRENT_USER_ECIG = 1 OR R01_EXPERIMENTAL_CURRENT_ECIG = 1 OR R01_EXPERIMENTAL_FORMER_ECIG = 1 OR R02_INIT_ECIG_ADULT = 1 OR R01_YE1002 = 1) AND R02_AO1003C = 3 AND (R01_AE1100 = 1 OR R02_AE1100 = 1), THEN R02_NEW_FORMER_USER_ECIG = 1. ELSE, R02_NEW_FORMER_USER_ECIG = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Former experimental e-cigarette users R02_EXPERIMENTAL_FORMER_ECIG	Adult respondents who have never used e-cigarettes fairly regularly, and did not use them in the past 12 months or currently uses them not at all.	IF R02_CURRENT_USER_ECIG != 1 AND R02_EXPERIMENTAL_CURRENT_ECIG != 1 AND R02_EVER_USER_ECIG = 1 AND R02_AO1003C = 3 AND R02_AE1100 != 1 AND R01_AE1100 != 1, THEN R02_EXPERIMENTAL_FORMER_ECIG = 1. ELSE, R02_EXPERIMENTAL_FORMER_ECIG = 2.
Non-current 30-day e-cigarette users R02_FORMER_THIRTYDAY_USER_ECIG	Adult respondents who are experimental former, new former, or still former users in Wave 2 who have used any e-cigarettes in the past 30 days.	IF (R02_CURRENT_USER_ECIG != 1 AND R02_EXPERIMENTAL_CURRENT_ECIG != 1) AND (R02_NEW_FORMER_USER_ECIG = 1 OR R02_STILL_FORMER_USER_ECIG = 1 OR R02_EXPERIMENTAL_FORMER_ECIG = 1) AND ((1 <= R02_AE1009_NN <= 30 AND R02_AE1009_UN = 1) OR (R02_AE1009_NN = 1 AND R02_AE1009_UN = 2) OR R02_AE1004 = 1), THEN R02_FORMER_THIRTYDAY_USER_ECIG = 1. ELSE, R02_FORMER_THIRTYDAY_USER_ECIG = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
CIGARS		
Never traditional cigar smokers R02_NEVER_USER_GTRAD	Adult respondents who have never smoked a traditional cigar.	IF (R01_EVER_USER_GTRAD != 1 AND R01_YG9104_01 != 1) AND R02_AG9003_12M = 2, -8, -7, THEN R02_NEVER_USER_GTRAD = 1. ELSE, R02_NEVER_USER_GTRAD = 2.
Never cigarillos smokers R02_NEVER_USER_GRILLO**	Adult respondents who have never smoked a cigarillo.	IF R01_EVER_USER_GRILLO != 1 AND (R01_YG9104_02 != 1 OR (R01_YG9009_01 != 1 AND R01_YG9009_03 != 1)) AND (R02_AG9031 != 1 OR (R02_AG9049_01 != 1 AND R02_AG9049_03 != 1)) AND R02_AG9051 != 1 AND R02_AG9053 != 1 AND R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1, THEN R02_NEVER_USER_GRILLO = 1. ELSE, R02_NEVER_USER_GRILLO = 2.
Never filtered cigar smokers R02_NEVER_USER_GFILTR	Adult respondents who have never smoked a filtered cigar.	IF R01_EVER_USER_GFILTR != 1 AND (R01_YG9104_02 != 1 OR R01_YG9009_02 != 1) AND (R02_AG9031 != 1 OR R02_AG9049_02 != 1) AND R02_AG9052 != 1 AND R02_AG9009_12M_02 != 1. ELSE, R02_NEVER_USER_GFILTR = 2.
Ever traditional cigar smokers R02_EVER_USER_GTRAD	Adult respondents who have ever smoked a traditional cigar.	IF (R01_EVER_USER_GTRAD = 1 OR R01_YG9104_01 = 1 OR R02_AG9030 = 1 OR R02_AG9003_12M = 1), THEN R02_EVER_USER_GTRAD = 1. ELSE, R02_EVER_USER_GTRAD = 2.
Ever cigarillo smokers R02_EVER_USER_GRILLO	Adult respondents who have ever smoked a cigarillo.	IF R01_EVER_USER_GRILLO = 1 OR (R01_YG9104_02 = 1 AND (R01_YG9009_01 = 1 OR R01_YG9009_03 = 1)) OR R02_AG9049_01 = 1 OR R02_AG9049_03 = 1 OR R02_AG9051 = 1 OR R02_AG9053 = 1 OR R02_AG9009_12M_01 = 1 OR R02_AG9009_12M_03 = 1 THEN, R02_EVER_USER_GRILLO = 1. ELSE, R02_EVER_USER_GRILLO = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Ever filtered cigar smokers R02_EVER_USER_GFILTR	Adult respondents who have ever smoked a filtered cigar.	IF R01_EVER_USER_GFILTR = 1 OR (R01_YG9104_02 = 1 AND R01_YG9009_02 = 1) OR R02_AG9049_02 = 1 OR R02_AG9052 = 1 OR R02_AG9009_12M_02 = 1, THEN R02_EVER_USER_GFILTR = 1. ELSE, R02_EVER_USER_GFILTR = 2.
Initiated traditional cigar smoking since last completed interview R02_INIT_GTRAD_ADULT	Adult respondents who initiated traditional cigar smoking since their last completed interview.	IF (R01_EVER_USER_GTRAD != 1 AND R01_YG9104_01 != 1) AND R02_EVER_USER_GTRAD = 1, THEN R02_INIT_GTRAD_ADULT = 1. ELSE, R02_INIT_GTRAD_ADULT = 2.
Initiated cigarillo smoking since last completed interview R02_INIT_GRILLO_ADULT	Adult respondents who initiated cigarillo smoking since their last completed interview.	IF (R01_EVER_USER_GRILLO != 1 AND (R01_YG9104_02 != 1 OR (R01_YG9009_01 != 1 AND R01_YG9009_03 != 1))) AND R02_EVER_USER_GRILLO = 1, THEN R02_INIT_GRILLO_ADULT = 1. ELSE, R02_INIT_GRILLO_ADULT = 2.
Initiated filtered cigar smoking since last completed interview R02_INIT_GFILTR_ADULT	Adult respondents who initiated filtered cigar smoking since their last completed interview.	IF (R01_EVER_USER_GFILTR != 1 AND (R01_YG9104_02 != 1 OR R01_YG9009_02 != 1)) AND R02_EVER_USER_GFILTR = 1, THEN R02_INIT_GFILTR_ADULT = 1. ELSE, R02_INIT_GFILTR_ADULT = 2.
Initiated blunt-only traditional cigar smoking since last completed interview R02_INIT_BLUNT_BTRAD_ADULT	Adult respondents who initiated smoking traditional cigars as blunts since their last completed interview.	IF (R01_AG9105 != 1 AND R01_YG9105 != 1) AND R02_AG1095_01 = 1 AND R02_AG9107 = 1, THEN R02_INIT_BLUNT_ONLY_BTRAD_ADULT = 1. ELSE, R02_INIT_BLUNT_ONLY_BTRAD_ADULT = 2.
Initiated blunt-only cigarillo smoking since last completed interview R02_INIT_BLUNT_BRILLO_ADULT	Adult respondents who initiated smoking cigarillos as blunts since their last completed interview.	IF (R01_AG9105 != 1 AND R01_YG9105 != 1) AND (R02_AG1095_02 = 1 OR R02_AG1095_03 = 1) AND R02_AG9107 = 1, THEN R02_INIT_BLUNT_ONLY_BRILLO_ADULT = 1. ELSE, R02_INIT_BLUNT_ONLY_BRILLO_ADULT = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Initiated blunt-only filtered cigar smoking since last completed interview R02_INIT_BLUNT_BFILTR_ADULT	Adult respondents who initiated smoking filtered cigars as blunts since their last completed interview.	IF (R01_AG9105 != 1 AND R01_YG9105 != 1) AND R02_AG1095_04 = 1 AND R02_AG9107 = 1, THEN R02_INIT_BLUNT_ONLY_BFILTR_ADULT = 1. ELSE, R02_INIT_BLUNT_ONLY_BFILTR_ADULT = 2.
Current established traditional cigar smokers R02_CURRENT_USER_GTRAD	Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day or some days.	IF (R01_AG1100TC = 1 OR R02_AG1100TC = 1) AND R02_AG1003TC = 1 OR 2, THEN R02_CURRENT_USER_GTRAD = 1. ELSE, R02_CURRENT_USER_GTRAD = 2.
Current established cigarillo smokers R02_CURRENT_USER_GRILLO	Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day or some days.	IF (R01_AG1100CG = 1 OR R02_AG1100CG = 1) AND R02_AG1003CG = 1 OR 2, THEN R02_CURRENT_USER_GRILLO = 1. ELSE, R02_CURRENT_USER_GRILLO = 2.
Current established filtered cigar smokers R02_CURRENT_USER_GFILTR	Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes every day or some days.	IF (R01_AG1100FC = 1 OR R02_AG1100FC = 1) AND R02_AG1003FC = 1 OR 2, THEN R02_CURRENT_USER_GFILTR = 1. ELSE, R02_CURRENT_USER_GFILTR = 2.
Every day established traditional cigar smokers R02 EVERYDAY_USER_GTRAD	Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes every day.	IF R02_CURRENT_USER_GTRAD = 1 AND R02_AG1003TC = 1, THEN R02 EVERYDAY_USER_GTRAD = 1. ELSE, R02 EVERYDAY_USER_GTRAD = 2.
Every day established cigarillo smokers R02 EVERYDAY_USER_GRILLO	Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes every day.	IF R02_CURRENT_USER_GRILLO = 1 AND R02_AG1003CG = 1, THEN R02 EVERYDAY_USER_GRILLO = 1. ELSE, R02 EVERYDAY_USER_GRILLO = 2.
Every day established filtered cigar smokers R02 EVERYDAY_USER_GFILTR	Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes every day.	IF R02_CURRENT_USER_GFILTR = 1 AND R02_AG1003FC = 1, THEN R02 EVERYDAY_USER_GFILTR = 1. ELSE, R02 EVERYDAY_USER_GFILTR = 2.
Some day established traditional cigar smokers R02_SOME_DAY_USER_GTRAD	Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smokes some days.	IF R02_CURRENT_USER_GTRAD = 1 AND R02_AG1003TC = 2, THEN R02_SOME_DAY_USER_GTRAD = 1. ELSE, R02_SOME_DAY_USER_GTRAD = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Some day established cigarillo smokers R02_SOME_DAY_USER_GRILLO	Adult respondents who have ever smoked cigarillos fairly regularly, and currently smokes some days.	IF R02_CURRENT_USER_GRILLO = 1 AND R02_AG1003CG = 2, THEN R02_SOME_DAY_USER_GRILLO = 1. ELSE, R02_SOME_DAY_USER_GRILLO = 2.
Some day established filtered cigar smokers R02_SOME_DAY_USER_GFILTR	Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smokes some days.	IF R02_CURRENT_USER_GFILTR = 1 AND R02_AG1003FC = 2, THEN R02_SOME_DAY_USER_GFILTR = 1. ELSE, R02_SOME_DAY_USER_GFILTR = 2.
Current experimental traditional cigar smokers R02_EXPERIMENTAL_CURRENT_GTRAD	Adult respondents who have never smoked traditional cigars fairly regularly, and currently smokes every day or some days.	IF R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1 AND R02_AG1100TC != 1 AND R01_AG1100TC != 1 AND R02_AG1003TC = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_GTRAD = 1. ELSE, R02_EXPERIMENTAL_CURRENT_GTRAD = 2.
Current experimental cigarillo smokers R02_EXPERIMENTAL_CURRENT_GRILLO	Adult respondents who have never smoked cigarillos fairly regularly, and currently smokes every day or some days.	IF R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1 AND R02_AG1100CG != 1 AND R01_AG1100CG != 1 AND R02_AG1003CG = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_GRILLO = 1. ELSE, R02_EXPERIMENTAL_CURRENT_GRILLO = 2.
Current experimental filtered cigar smokers R02_EXPERIMENTAL_CURRENT_GFILTR	Adult respondents who have never smoked filtered cigars fairly regularly, and currently smokes every day or some days.	IF R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1 AND R02_AG1100FC != 1 AND R01_AG1100FC != 1 AND R02_AG1003FC = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_GFILTR = 1. ELSE, R02_EXPERIMENTAL_CURRENT_GFILTR = 2.
Still former established traditional cigar smokers R02_STILL_FORMER_USER_GTRAD	Adult respondents who were former traditional cigar smokers at Wave 1, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_GTRAD != 1 AND R02_EXPERIMENTAL_CURRENT_GTRAD != 1 AND R01_FORMER_USER_GTRAD = 1 AND R02_AG1132TC != 1 AND (R02_AG9003_12M = 2 OR R02_AG1003TC = 3), THEN R02_STILL_FORMER_USER_GTRAD = 1. ELSE, R02_STILL_FORMER_USER_GTRAD = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Still former established cigarillo smokers R02_STILL_FORMER_USER_GRILLO	Adult respondents who were former cigarillo smokers at Wave 1, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	R02_CURRENT_USER_GRILLO != 1 AND R02_EXPERIMENTAL_CURRENT_GRILLO != 1 AND R01_FORMER_USER_GRILLO = 1 AND R02_AG1132CG != 1 AND ((R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1) OR R02_AG1003CG = 3 OR (R02_AG9051 = 2 AND R02_AG9053 = 2)), THEN R02_STILL_FORMER_USER_GRILLO = 1. ELSE, R02_STILL_FORMER_USER_GRILLO = 2.
Still former established filtered cigar smokers R02_STILL_FORMER_USER_GFILTER	Adult respondents who were former filtered cigar smokers at Wave 1, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_GFILTER != 1 AND R02_EXPERIMENTAL_CURRENT_GFILTER != 1 AND R02_AG1132FC != 1 AND R01_FORMER_USER_GFILTER = 1 AND (R02_AG9009_12M_02 != 1 OR R02_AG1003FC = 3 OR R02_AG9052 = 2), THEN R02_STILL_FORMER_USER_GFILTER = 1. ELSE, R02_STILL_FORMER_USER_GFILTER = 2.
New former established traditional cigar smokers R02_NEW_FORMER_USER_GTRAD	Adult respondents who were current, experimental current, or experimental former traditional cigar smokers at Wave 1, or are initiators at Wave 2, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_GTRAD != 1 AND R02_EXPERIMENTAL_CURRENT_GTRAD != 1 AND R02_AG1132TC != 1 AND (R01_CURRENT_USER_GTRAD = 1 OR R01_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R01_EXPERIMENTAL_FORMER_GTRAD = 1 OR R02_INIT_GTRAD_ADULT = 1 OR R01_YG9104_01 = 1) AND (R01_AG1100TC = 1 OR R02_AG1100TC = 1) AND (R02_AG9003_12M = 2 OR R02_AG1003TC = 3), THEN R02_NEW_FORMER_USER_GTRAD = 1. ELSE, R02_NEW_FORMER_USER_GTRAD = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
New former established cigarillo smokers R02_NEW_FORMER_USER_GRILLO	Adult respondents who were current, experimental current, or experimental former cigarillo smokers at Wave 1, or are initiators at Wave 2, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_GRILLO != 1 AND R02_EXPERIMENTAL_CURRENT_GRILLO != 1 AND R02_AG1132CG != 1 AND (R01_CURRENT_USER_GRILLO = 1 OR R01_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R01_EXPERIMENTAL_FORMER_GRILLO = 1 OR R02_INIT_GRILLO_ADULT = 1 OR (R01_YG9104_02 = 1 AND (R01_YG9009_01 = 1 OR R01_YG9009_03 = 1))) AND (R01_AG1100CG = 1 OR R02_AG1100CG = 1) AND ((R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1) OR (R02_AG9051 = 2 AND R02_AG9053 = 2) OR R02_AG1003CG = 3), THEN R02_NEW_FORMER_USER_GRILLO = 1. ELSE, R02_NEW_FORMER_USER_GRILLO = 2.
New former established filtered cigar smokers R02_NEW_FORMER_USER_GFILTR	Adult respondents who were current, experimental current, or experimental former filtered cigar smokers at Wave 1, or are initiators at Wave 2, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_GFILTR != 1 AND R02_EXPERIMENTAL_CURRENT_GFILTR != 1 AND R02_AG1132FC != AND (R01_CURRENT_USER_GFILTR = 1 OR R01_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R01_EXPERIMENTAL_FORMER_GFILTR = 1 OR R02_INIT_GFILTR_ADULT = 1 OR (R01_YG9104_02 = 1 AND R01_YG9009_02 = 1)) AND (R01_AG1100FC = 1 OR R02_AG1100FC = 1) AND (R02_AG9009_12M_02 != 1 OR R02_AG9052 = 2 OR R02_AG1003FC = 3), THEN R02_NEW_FORMER_USER_GFILTR = 1. ELSE, R02_NEW_FORMER_USER_GFILTR = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Former experimental traditional cigar smokers R02_EXPERIMENTAL_FORMER_GTRAD	Adult respondents who have never smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_GTRAD != 1 AND R02_EXPERIMENTAL_CURRENT_GTRAD != 1 AND R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1 AND R02_AG1100TC != 1 AND R01_AG1100TC != 1 AND (R02_AG9003_12M = 2 OR R02_AG1003TC = 3), THEN R02_EXPERIMENTAL_FORMER_GTRAD = 1. ELSE, R02_EXPERIMENTAL_FORMER_GTRAD = 2.
Former experimental cigarillo smokers R02_EXPERIMENTAL_FORMER_GRILLO	Adult respondents who have never smoked cigarillos fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_GRILLO != 1 AND R02_EXPERIMENTAL_CURRENT_GRILLO != 1 AND R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1 AND R02_AG1100CG != 1 AND R01_AG1100CG != 1 AND ((R02_AG9009_12M_01 != 1 AND R02_AG9009_12M_03 != 1) OR R02_AG1003CG = 3), THEN R02_EXPERIMENTAL_FORMER_GRILLO = 1. ELSE, R02_EXPERIMENTAL_FORMER_GRILLO = 2.
Former experimental filtered cigar smokers R02_EXPERIMENTAL_FORMER_GFILTR	Adult respondents who have never smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_GFILTR != 1 AND R02_EXPERIMENTAL_CURRENT_GFILTR != 1 AND R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1 AND R02_AG1100FC != 1 AND R01_AG1100FC != 1 AND (R02_AG9009_12M_02 != 1 OR R02_AG1003FC = 3), THEN R02_EXPERIMENTAL_FORMER_GFILTR = 1. ELSE, R02_EXPERIMENTAL_FORMER_GFILTR = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Non-current 30-day traditional cigar smokers R02_FORMER_THIRTYDAY_USER_GTRAD	Adult respondents who are experimental former, new former, or still former traditional cigar smokers in Wave 2 who have smoked any traditional cigars in the past 30 days.	IF ((R02_CURRENT_USER_GTRAD != 1 AND R02_EXPERIMENTAL_CURRENT_GTRAD != 1) AND (R02_NEW_FORMER_USER_GTRAD = 1 OR R02_EXPERIMENTAL_FORMER_GTRAD = 1 OR R02_STILL_FORMER_USER_GTRAD = 1) AND ((1 <= R02_AG1009TC_NN <= 30 AND R02_AG1009TC_UN = 1) OR (R02_AG1009TC_NN = 1 AND R02_AG1009TC_UN = 2) OR R02_AG9030 = 1)) AND R02_12MBLUNT_ONLY_BTRAD != 1, THEN R02_FORMER_THIRTYDAY_USER_GTRAD = 1. ELSE, R02_FORMER_THIRTYDAY_USER_GTRAD = 2.
Non-current 30-day cigarillo smokers R02_FORMER_THIRTYDAY_USER_GRILLO	Adult respondents who are experimental former, new former, or still former cigarillo smokers in Wave 2 who have smoked any cigarillos in the past 30 days.	IF ((R02_CURRENT_USER_GRILLO != 1 AND R02_EXPERIMENTAL_CURRENT_GRILLO != 1) AND (R02_NEW_FORMER_USER_GRILLO = 1 OR R02_EXPERIMENTAL_FORMER_GRILLO = 1 OR R02_STILL_FORMER_USER_GRILLO = 1) AND ((1 <= R02_AG1009CG_NN <= 30 AND R02_AG1009CG_UN = 1) OR (R02_AG1009CG_NN = 1 AND R02_AG1009CG_UN = 2) OR R02_AG9049_01 = 1 OR R02_AG9049_03 = 1)) AND R02_12MBLUNT_ONLY_BRILLO != 1, THEN R02_FORMER_THIRTYDAY_USER_GRILLO = 1. ELSE, R02_FORMER_THIRTYDAY_USER_GRILLO = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Non-current 30-day filtered cigar smokers R02_FORMER_THIRTYDAY_USER_GFILTR	Adult respondents who are experimental former, new former, or still former filtered cigar smokers in Wave 2 who have smoked any filtered cigars in the past 30 days.	IF ((R02_CURRENT_USER_GFILTR != 1 AND R02_EXPERIMENTAL_CURRENT_GFILTR != 1) AND (R02_NEW_FORMER_USER_GFILTR = 1 OR R02_EXPERIMENTAL_FORMER_GFILTR = 1 OR R02_STILL_FORMER_USER_GFILTR = 1) AND ((1 <= R02_AG1009FC_NN <= 30 AND R02_AG1009FC_UN = 1) OR (R02_AG1009FC_NN = 1 AND R02_AG1009FC_UN = 2) OR R02_AG9049_02 = 1)) AND R02_12MBLUNT_ONLY_BFILTR != 1, THEN R02_FORMER_THIRTYDAY_USER_GFILTR = 1. ELSE, R02_FORMER_THIRTYDAY_USER_GFILTR = 2.
Past 12 month blunt-only traditional cigar smokers R02_12MBLUNT_ONLY_BTRAD	Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.	IF R02_AG1095_01 = 1 AND R02_AG9106TC = 1, THEN R02_12MBLUNT_ONLY_BTRAD = 1. ELSE, R02_12MBLUNT_ONLY_BTRAD = 2.
Past 12 month blunt-only cigarillo smokers R02_12MBLUNT_ONLY_BRILLO	Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.	IF (R02_AG1095_02 = 1 OR R02_AG1095_03 = 1) AND (R02_AG9106CT = 1 OR R02_AG9106CX = 1), THEN R02_12MBLUNT_ONLY_BRILLO = 1. ELSE, R02_12MBLUNT_ONLY_BRILLO = 2.
Past 12 month blunt-only filtered cigar smokers R02_12MBLUNT_ONLY_BFILTR	Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	IF R02_AG1095_04 = 1 AND R02_AG9106FC = 1, THEN R02_12MBLUNT_ONLY_BFILTR = 1. ELSE, R02_12MBLUNT_ONLY_BFILTR = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
PIPES		
Never pipe smokers R02_NEVER_USER_PIPE	Adult respondents who have never smoked a pipe.	IF ((R01_EVER_USER_PIPE != 1 AND R01_YP1002 != 1) AND R02_AP1002_12M = 2, -8, -7) OR R02_AP1132 = 1, THEN R02_NEVER_USER_PIPE = 1. ELSE, R02_NEVER_USER_PIPE = 2.
Ever pipe smokers R02_EVER_USER_PIPE	Adult respondents who have ever smoked a pipe.	IF (R01_EVER_USER_PIPE = 1 OR R01_YP1002 = 1 OR R02_AP1004 = 1 OR R02_AP1002_12M = 1) AND R02_AP1132 != 1, THEN R02_EVER_USER_PIPE = 1. ELSE, R02_EVER_USER_PIPE = 2.
Initiated pipe smoking since last completed interview R02_INIT_PIPE_ADULT	Adult respondents who initiated pipe smoking since their last completed interview.	IF (R01_EVER_USER_PIPE != 1 AND R01_YP1002 != 1) AND R02_EVER_USER_PIPE = 1, THEN R02_INIT_PIPE_ADULT = 1. ELSE, R02_INIT_PIPE_ADULT = 2.
Current established pipe smokers R02_CURRENT_USER_PIPE	Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day or some days.	IF (R01_AP1100 = 1 OR R02_AP1100 = 1) AND R02_AP1003 = 1 OR 2, THEN R02_CURRENT_USER_PIPE = 1. ELSE, R02_CURRENT_USER_PIPE = 2.
Every day established pipe smokers R02 EVERYDAY_USER_PIPE	Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes every day.	IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1003 = 1, THEN R02 EVERYDAY_USER_PIPE = 1. ELSE, R02 EVERYDAY_USER_PIPE = 2.
Some day established pipe smokers R02_SOME_DAY_USER_PIPE	Adult respondents who have ever smoked a pipe fairly regularly, and currently smokes some days.	IF R02_CURRENT_USER_PIPE = 1 AND R02_AP1003 = 2, THEN R02_SOME_DAY_USER_PIPE = 1. ELSE, R02_SOME_DAY_USER_PIPE = 2.
Current experimental pipe smokers R02_EXPERIMENTAL_CURRENT_PIPE	Adult respondents who have never smoked a pipe fairly regularly, and currently smokes every day or some days.	IF R02_EVER_USER_PIPE = 1 AND R02_AP1100 != 1 AND R01_AP1100 != 1 AND R02_AP1003 = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_PIPE = 1. ELSE, R02_EXPERIMENTAL_CURRENT_PIPE = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Still former established pipe smokers R02_STILL_FORMER_USER_PIPE	Adult respondents who were former pipe smokers at Wave 1, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_EVER_USER_PIPE = 1 AND R02_CURRENT_USER_PIPE != 1 AND R02_EXPERIMENTAL_CURRENT_PIPE != 1 AND R01_FORMER_USER_PIPE = 1 AND (R02_AP1002_12M = 2 OR R02_AP1003 = 3), THEN R02_STILL_FORMER_USER_PIPE = 1. ELSE, R02_STILL_FORMER_USER_PIPE = 2.
New former established pipe smokers R02_NEW_FORMER_USER_PIPE	Adult respondents who were current, experimental current, or experimental former pipe smokers at Wave 1, or are initiators at Wave 2, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_EVER_USER_PIPE = 1 AND R02_CURRENT_USER_PIPE != 1 AND R02_EXPERIMENTAL_CURRENT_PIPE != 1 AND (R01_CURRENT_USER_PIPE = 1 OR R01_EXPERIMENTAL_CURRENT_PIPE = 1 OR R01_EXPERIMENTAL_FORMER_PIPE = 1 OR R02_INIT_PIPE_ADULT = 1 OR R01_YP1002 = 1) AND (R01_AP1100 = 1 OR R02_AP1100 = 1) AND (R02_AP1002_12M = 2 OR R02_AP1003 = 3), THEN R02_NEW_FORMER_USER_PIPE = 1. ELSE, R02_NEW_FORMER_USER_PIPE = 2.
Former experimental pipe smokers R02_EXPERIMENTAL_FORMER_PIPE	Adult respondents who have never smoked a pipe fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_PIPE != 1 AND R02_EXPERIMENTAL_CURRENT_PIPE != 1 AND R02_EVER_USER_PIPE = 1 AND (R02_AP1002_12M = 2 OR R02_AP1003 = 3) AND R02_AP1100 != 1 AND R01_AP1100 != 1, THEN R02_EXPERIMENTAL_FORMER_PIPE = 1. ELSE, R02_EXPERIMENTAL_FORMER_PIPE = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Non-current 30-day pipe smokers R02_FORMER_THIRTYDAY_USER_PIPE	Adult respondents who are experimental former, new former, or still former pipe smokers in Wave 2 who have smoked any pipe tobacco in the past 30 days.	IF (R02_CURRENT_USER_PIPE != 1 AND R02_EXPERIMENTAL_CURRENT_PIPE != 1) AND (R02_NEW_FORMER_USER_PIPE = 1 OR R02_EXPERIMENTAL_FORMER_PIPE = 1 OR R02_STILL_FORMER_USER_PIPE = 1) AND ((1<= R02_AP1009_NN <= 30 AND R02_AP1009_UN = 1) OR (R02_AP1009_NN = 1 AND R02_AP1009_UN = 2) OR R02_AP1004 = 1), THEN R02_FORMER_THIRTYDAY_USER_PIPE = 1. ELSE, R02_FORMER_THIRTYDAY_USER_PIPE = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
HOOKAH		
Never hookah smokers R02_NEVER_USER_HOOK	Adult respondents who have never smoked hookah.	IF ((R01_EVER_USER_HOOK != 1 AND R01_YH1002 != 1) AND R02_AH1002_12M = 2, -8, -7) OR R02_AH1132 = 1, THEN R02_NEVER_USER_HOOK = 1. ELSE, R02_NEVER_USER_HOOK = 2.
Ever hookah smokers R02_EVER_USER_HOOK	Adult respondents who have ever smoked hookah.	IF (R01_EVER_USER_HOOK = 1 OR R01_YH1002 = 1 OR R02_AH1004 = 1 OR R02_AH1002_12M = 1) AND R02_AH1132 != 1, THEN R02_EVER_USER_HOOK = 1. ELSE, R02_EVER_USER_HOOK = 2.
Initiated hookah smoking since last completed interview R02_INIT_HOOK_ADULT	Adult respondents who initiated hookah smoking since their last completed interview.	IF (R01_EVER_USER_HOOK != 1 AND R01_YH1002 != 1) AND R02_EVER_USER_HOOK = 1, THEN R02_INIT_HOOK_ADULT = 1. ELSE, R02_INIT_HOOK_ADULT = 2.
Current established hookah smokers R02_CURRENT_USER_HOOK	Adult respondents who have ever smoked hookah fairly regularly, and currently smokes monthly or more frequently.	IF (R01_AH1100 = 1 OR R02_AH1100 = 1) AND (R02_AH1003 = 1 OR 2 OR R02_AH9003 = 1 OR 2 OR 3), THEN R02_CURRENT_USER_HOOK = 1. ELSE, R02_CURRENT_USER_HOOK = 2.
Every day established hookah smokers R02 EVERYDAY_USER_HOOK	Adult respondents who have ever smoked hookah fairly regularly, and currently smokes every day.	IF R02_CURRENT_USER_HOOK = 1 AND (R02_AH1003 = 1 OR R02_AH9003 = 1), THEN R02 EVERYDAY_USER_HOOK = 1. ELSE, R02 EVERYDAY_USER_HOOK = 2.
Some day established hookah smokers R02_SOME_DAY_USER_HOOK	Adult respondents who have ever smoked hookah fairly regularly, and currently smokes some days.	IF R02_CURRENT_USER_HOOK = 1 AND (R02_AH1003 = 2 OR R02_AH9003 = 2 OR 3) THEN R02_SOME_DAY_USER_HOOK = 1. ELSE, R02_SOME_DAY_USER_HOOK = 2.
Past 30 day hookah smokers R02_THIRTY_DAY_USER_HOOK	Adult respondents who have smoked hookah in the past 30 days.	IF ((1<= R02_AH1009_NN <= 30 AND R02_AH1009_UN = 1) OR (R02_AH1009_NN = 1 AND R02_AH1009_UN = 2)) OR R02_AH1004 = 1, THEN R02_THIRTY_DAY_USER_HOOK = 1. ELSE, R02_THIRTY_DAY_USER_HOOK = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Current experimental hookah smokers R02_EXPERIMENTAL_CURRENT_HOOK	Adult respondents who have never smoked hookah fairly regularly, and currently smokes hookah every day, some days, weekly, monthly or in the past 30 days.	IF R02_EVER_USER_HOOK = 1 AND R02_AH1100 != 1 AND R01_AH1100 != 1 AND (R02_AH1003 = 1, 2 OR R02_AH9003 = 1, 2, 3 OR (R02_AH1009_NN <= 30 AND R02_AH1009_UN = 1) OR (R02_AH1009_NN = 1 AND R02_AH1009_UN = 2) OR R02_AH1004 = 1), THEN R02_EXPERIMENTAL_CURRENT_HOOK = 1. ELSE, R02_EXPERIMENTAL_CURRENT_HOOK = 2.
Still former established hookah smokers R02_STILL_FORMER_USER_HOOK	Adult respondents who were former hookah smokers at Wave 1, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_EVER_USER_HOOK = 1 AND R02_CURRENT_USER_HOOK != 1 AND R02_EXPERIMENTAL_CURRENT_HOOK != 1 AND (R01_FORMER_USER_HOOK = 1 AND (R02_AH1002_12M = 2 OR R02_AH1003 = 3)), THEN R02_STILL_FORMER_USER_HOOK = 1. ELSE, R02_STILL_FORMER_USER_HOOK = 2.
New former established hookah smokers R02_NEW_FORMER_USER_HOOK	Adult respondents who were current, experimental current, or experimental former hookah smokers at Wave 1, or are initiators at Wave 2, has ever smoked fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_EVER_USER_HOOK = 1 AND R02_CURRENT_USER_HOOK != 1 AND R02_EXPERIMENTAL_CURRENT_HOOK != 1 AND (R01_CURRENT_USER_HOOK = 1 OR R01_EXPERIMENTAL_CURRENT_HOOK = 1 OR R01_EXPERIMENTAL_FORMER_HOOK = 1 OR R02_INIT_HOOK_ADULT = 1 OR R01_YH1002 = 1) AND (R01_AH1100 = 1 OR R02_AH1100 = 1) AND (R02_AH1002_12M = 2 OR R02_AH1003 = 3), THEN R02_NEW_FORMER_USER_HOOK = 1. ELSE, R02_NEW_FORMER_USER_HOOK = 2.
Former experimental hookah smokers R02_EXPERIMENTAL_FORMER_HOOK	Adult respondents who have never smoked hookah fairly regularly, and did not smoke in the past 12 months or currently smokes not at all.	IF R02_CURRENT_USER_HOOK != 1 AND R02_EXPERIMENTAL_CURRENT_HOOK != 1 AND R02_EVER_USER_HOOK = 1 AND (R02_AH1002_12M = 2 OR R02_AH1003 = 3) AND R02_AH1100 != 1 AND R01_AH1100 != 1, THEN R02_EXPERIMENTAL_FORMER_HOOK = 1. ELSE, R02_EXPERIMENTAL_FORMER_HOOK = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
SNUS		
Never snus pouch users R02_NEVER_USER_SNUS	Adult respondents who have never used snus pouches.	IF (R01_EVER_USER_SNUS != 1 AND R01_YU1003 != 2 AND R01_YU1003 != 3 AND ((R02_AU1002_12M = 2 OR -8 OR -7) OR (R02_AU9003 = 1 AND R02_AU9005 != 1) OR R02_AU9004 = 1)) OR R02_AS1132SU = 1, THEN R02_NEVER_USER_SNUS = 1. ELSE, R02_NEVER_USER_SNUS = 2.
Ever snus pouch users R02_EVER_USER_SNUS	Adult respondents who have ever used snus pouches.	IF (R01_EVER_USER_SNUS = 1 OR (R01_YU1003 = 2 OR 3) OR (R02_AU1004 = 1 AND (R02_AU9003 != 1 OR R02_AU9005 != 2)) OR (R02_AU1002_12M = 1 AND R02_AU9004 != 1)) AND R02_AS1132SU != 1 THEN R02_EVER_USER_SNUS = 1. ELSE, R02_EVER_USER_SNUS = 2.
Initiated snus pouch use since last completed interview R02_INIT_SNUS_ADULT	Adult respondents who initiated snus pouch use since their last completed interview.	IF R01_EVER_USER_SNUS != 1 AND R01_YU1003 != 2 OR 3 AND R02_EVER_USER_SNUS = 1, THEN R02_INIT_SNUS_ADULT = 1. ELSE, R02_INIT_SNUS_ADULT = 2.
Current established snus pouch users R02_CURRENT_USER_SNUS	Adult respondents who have ever used snus pouches fairly regularly, and currently uses them every day or some days.	IF (R01_AS1100SU = 1 OR R02_AS1100SU = 1) AND R02_AS1003SU = 1 OR 2, THEN R02_CURRENT_USER_SNUS = 1. ELSE, R02_CURRENT_USER_SNUS = 2.
Every day established snus pouch users R02 EVERYDAY_USER_SNUS	Adult respondents who have ever used snus pouches fairly regularly, and currently uses them every day.	IF R02_CURRENT_USER_SNUS = 1 AND R02_AS1003SU = 1, THEN R02 EVERYDAY_USER_SNUS = 1. ELSE, R02 EVERYDAY_USER_SNUS = 2.
Some day established snus pouch users R02_SOME_DAY_USER_SNUS	Adult respondents who have ever used snus pouches fairly regularly, and currently uses them some days.	IF R02_CURRENT_USER_SNUS = 1 AND R02_AS1003SU = 2, THEN R02_SOME_DAY_USER_SNUS = 1. ELSE, R02_SOME_DAY_USER_SNUS = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Current experimental snus pouch users R02_EXPERIMENTAL_CURRENT_SNUS	Adult respondents who have never used snus pouches fairly regularly, and currently uses them every day or some days.	IF R02_EVER_USER_SNUS = 1 AND R02_AS1100SU != 1 AND R01_AS1100SU != 1 AND R02_AS1003SU = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_SNUS = 1. ELSE, R02_EXPERIMENTAL_CURRENT_SNUS = 2.
Still former established snus pouch users R02_STILL_FORMER_USER_SNUS	Adult respondents who were former snus pouch users at Wave 1, has ever used them fairly regularly, and did not use them in the past 12 months or currently uses them not at all.	IF R02_EVER_USER_SNUS = 1 AND R02_CURRENT_USER_SNUS != 1 AND R02_EXPERIMENTAL_CURRENT_SNUS != 1 AND R01_FORMER_USER_SNUS = 1 AND ((R02_AU1002_12M = 2 OR R02_AU9004 = 1) OR R02_AS1003SU = 3), THEN R02_STILL_FORMER_USER_SNUS = 1. ELSE, R02_STILL_FORMER_USER_SNUS = 2.
New former established snus pouch users R02_NEW_FORMER_USER_SNUS	Adult respondents who were current, experimental current, or experimental former snus pouch users at Wave 1, or are initiators at Wave 2, has ever used them fairly regularly, and did not use them in the past 12 months or currently uses them not at all.	IF R02_EVER_USER_SNUS = 1 AND R02_CURRENT_USER_SNUS != 1 AND R02_EXPERIMENTAL_CURRENT_SNUS != 1 AND (R01_CURRENT_USER_SNUS = 1 OR R01_EXPERIMENTAL_CURRENT_SNUS = 1 OR R01_EXPERIMENTAL_FORMER_SNUS = 1 OR R02_INIT_SNUS_ADULT = 1 OR (R01_YS1002_01 = 1 OR (R01_YU1003 = 2 OR 3))) AND (R01_AS1100SU = 1 OR R02_AS1100SU = 1) AND (R02_AU1002_12M = 2 OR R02_AU9004 = 1 OR R02_AS1003SU = 3), THEN R02_NEW_FORMER_USER_SNUS = 1. ELSE, R02_NEW_FORMER_USER_SNUS = 2.
Former experimental snus pouch users R02_EXPERIMENTAL_FORMER_SNUS	Adult respondents who have never used snus pouches fairly regularly, and did not use it in the past 12 months or currently uses them not at all.	IF R02_CURRENT_USER_SNUS != 1 AND R02_EXPERIMENTAL_CURRENT_SNUS != 1 AND R02_EVER_USER_SNUS = 1 AND (R02_AU1002_12M = 2 OR R02_AS1003SU = 3) AND R02_AS1100SU != 1 AND R01_AS1100SU != 1), THEN R02_EXPERIMENTAL_FORMER_SNUS = 1. ELSE, R02_EXPERIMENTAL_FORMER_SNUS = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Non-current 30-day snus pouch users R02_FORMER_THIRTYDAY_USER_SNUS	Adult respondents who are experimental former, new former, or still former snus pouch users in Wave 2 who have used any snus pouches in the past 30 days.	IF (R02_CURRENT_USER_SNUS != 1 AND R02_EXPERIMENTAL_CURRENT_SNUS != 1) AND (R02_NEW_FORMER_USER_SNUS = 1 OR R02_EXPERIMENTAL_FORMER_SNUS = 1 OR R02_STILL_FORMER_USER_SNUS = 1) AND ((1<= R02_AS1009SU_NN <= 30 AND R02_AS1009SU_UN = 1) OR (R02_AS1009SU_NN = 1 AND R02_AS1009SU_UN = 2) OR (R02_AU1004 = 1 AND R02_AU9003 != 1)), THEN R02_FORMER_THIRTYDAY_USER_SNUS = 1. ELSE, R02_FORMER_THIRTYDAY_USER_SNUS = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
SMOKELESS TOBACCO		
Never smokeless tobacco users R02_NEVER_USER_SMKLS	Adult respondents who have never used smokeless tobacco.	IF ((R01_EVER_USER_SMKLS != 1 AND R01_YS1002_02 != 1 AND R01_YU1003 != 1 OR 2) AND R02_AS1002_12M = 2, -8, -7 AND R02_AU9003 != 1 OR 2 AND R02_AU9004 != 1 OR 2)) OR R02_AS1132SM = 1, THEN R02_NEVER_USER_SMKLS = 1. ELSE, R02_NEVER_USER_SMKLS = 2.
Ever smokeless tobacco users R02_EVER_USER_SMKLS	Adult respondents who have ever used smokeless tobacco.	IF (R01_EVER_USER_SMKLS = 1 OR (R01_YS1002_02 = 1 OR R01_YU1003 = 1 OR 2) OR R02_AU9003 = 1 OR 2 OR R02_AU9004 = 1 OR 2 OR R02_AS1004 = 1 OR R02_AS1002_12M = 1) AND R02_AS1132SM != 1, THEN R02_EVER_USER_SMKLS = 1. ELSE, R02_EVER_USER_SMKLS = 2.
Initiated smokeless tobacco use since last completed interview R02_INIT_SMKLS_ADULT	Adult respondents who initiated smokeless tobacco use since their last completed interview.	IF (R01_EVER_USER_SMKLS != 1 AND (R01_YS1002_02 != 1 AND R01_YU1003 != 1 OR 2)) AND R02_EVER_USER_SMKLS = 1, THEN R02_INIT_SMKLS_ADULT = 1. ELSE, R02_INIT_SMKLS_ADULT = 2.
Current established smokeless tobacco users R02_CURRENT_USER_SMKLS	Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day or some days.	IF (R01_AS1100SM = 1 OR R02_AS1100SM = 1) AND R02_AS1003SM = 1 OR 2, THEN R02_CURRENT_USER_SMKLS = 1. ELSE, R02_CURRENT_USER_SMKLS = 2.
Every day established smokeless tobacco users R02 EVERYDAY_USER_SMKLS	Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it every day.	IF R02_CURRENT_USER_SMKLS = 1 AND R02_AS1003SM = 1, THEN R02 EVERYDAY_USER_SMKLS = 1. ELSE, R02 EVERYDAY_USER_SMKLS = 2.
Some day established smokeless tobacco users R02_SOME_DAY_USER_SMKLS	Adult respondents who have ever used smokeless tobacco fairly regularly, and currently uses it some days.	IF R02_CURRENT_USER_SMKLS = 1 AND R02_AS1003SM = 2, THEN R02_SOME_DAY_USER_SMKLS = 1. ELSE, R02_SOME_DAY_USER_SMKLS = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Current experimental smokeless tobacco users R02_EXPERIMENTAL_CURRENT_SMKLS	Adult respondents who have never used smokeless tobacco fairly regularly, and currently uses it every day or some days.	IF R02_EVER_USER_SMKLS = 1 AND R02_AS1100SM != 1 AND R01_AS1100SM != 1 AND R02_AS1003SM = 1 OR 2, THEN R02_EXPERIMENTAL_CURRENT_SMKLS = 1. ELSE, R02_EXPERIMENTAL_CURRENT_SMKLS = 2.
Still former established smokeless tobacco users R02_STILL_FORMER_USER_SMKLS	Adult respondents who were former smokeless tobacco users at Wave 1, has ever used it fairly regularly, and did not use it in the past 12 months or currently uses it not at all.	IF R02_EVER_USER_SMKLS = 1 AND R02_CURRENT_USER_SMKLS != 1 AND R02_EXPERIMENTAL_CURRENT_SMKLS != 1 AND R01_FORMER_USER_SMKLS = 1 AND (R02_AS1002_12M = 2 OR R02_AS1003SM = 3), THEN R02_STILL_FORMER_USER_SMKLS = 1. ELSE, R02_STILL_FORMER_USER_SMKLS = 2.
New former established smokeless tobacco users R02_NEW_FORMER_USER_SMKLS**	Adult respondents who were current, experimental current, or experimental former smokeless tobacco users at Wave 1, or are initiators at Wave 2, has ever used it fairly regularly, and did not use it in the past 12 months or currently uses it not at all.	IF R02_EVER_USER_SMKLS = 1 AND R02_CURRENT_USER_SMKLS != 1 AND R02_EXPERIMENTAL_CURRENT_SMKLS != 1 AND (R01_CURRENT_USER_SMKLS = 1 OR R01_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R01_EXPERIMENTAL_FORMER_SMKLS = 1 OR R02_INIT_SMKLS_ADULT = 1 OR (R01_YS1002_02 = 1 OR R01_YU1003 = 1 OR 2)) AND (R01_AS1100SM = 1 OR R02_AS1100SM = 1) AND (R02_AS1002_12M = 2 OR R02_AS1003SM = 3), THEN R02_NEW_FORMER_USER_SMKLS = 1. ELSE, R02_NEW_FORMER_USER_SMKLS = 2.
Former experimental smokeless tobacco users R02_EXPERIMENTAL_FORMER_SMKLS	Adult respondents who have never used smokeless tobacco fairly regularly, and did not use it in the past 12 months or currently uses it not at all.	IF R02_CURRENT_USER_SMKLS != 1 AND R02_EXPERIMENTAL_CURRENT_SMKLS != 1 AND R02_EVER_USER_SMKLS = 1 AND (R02_AS1002_12M = 2 OR R02_AS1003SM = 3) AND R02_AS1100SM != 1 AND R01_AS1100SM != 1, THEN R02_EXPERIMENTAL_FORMER_SMKLS = 1. ELSE, R02_EXPERIMENTAL_FORMER_SMKLS = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Non-current 30-day smokeless tobacco users R02_FORMER_THIRTYDAY_USER_SMKLS	Adult respondents who are experimental former, new former, or still former smokeless tobacco users in Wave 2 who have used any smokeless tobacco in the past 30 days.	IF (R02_CURRENT_USER_SMKLS != 1 AND R02_EXPERIMENTAL_CURRENT_SMKLS != 1) AND (R02_NEW_FORMER_USER_SMKLS = 1 OR R02_EXPERIMENTAL_FORMER_SMKLS = 1 OR R02_STILL_FORMER_USER_SMKLS = 1) AND ((1<= R02_AS1009SM_NN <= 30 AND R02_AS1009SM_UN = 1) OR (R02_AS1009SM_NN = 1 AND R02_AS1009SM_UN = 2) OR R02_AS1004 = 1 OR R02_AU9003 = 1 OR 2), THEN R02_FORMER_THIRTYDAY_USER_SMKLS = 1. ELSE, R02_FORMER_THIRTYDAY_USER_SMKLS = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
DISSOLVABLE TOBACCO		
Never dissolvable tobacco users R02_NEVER_USER_DISSBL	Adult respondents who have never used dissolvable tobacco.	IF ((R01_EVER_USER_DISSBL != 1 AND R01_YD1002 != 1) AND R02_AD1002_12M = 2, -8, -7) OR R02_AD1132 = 1, THEN R02_NEVER_USER_DISSBL = 1. ELSE, R02_NEVER_USER_DISSBL = 2.
Ever dissolvable tobacco users R02_EVER_USER_DISSBL	Adult respondents who have ever used dissolvable tobacco.	IF (R01_EVER_USER_DISSBL = 1 OR R01_YD1002 = 1 OR R02_AD1004 = 1 OR R02_AD1002_12M = 1) AND R02_AD1132 != 1, THEN R02_EVER_USER_DISSBL = 1. ELSE, R02_EVER_USER_DISSBL = 2.
Initiated dissolvable tobacco use since last completed interview R02_INIT_DISSBL_ADULT	Adult respondents who initiated dissolvable tobacco use since their last completed interview.	IF (R01_EVER_USER_DISSBL != 1 AND R01_YD1002 != 1) AND R02_EVER_USER_DISSBL = 1, THEN R02_INIT_DISSBL_ADULT = 1. ELSE, R02_INIT_DISSBL_ADULT = 2.
Current established dissolvable tobacco users R02_CURRENT_USER_DISSBL	Adult respondents who have ever used dissolvable tobacco fairly regularly, and currently uses it every day or some days.	IF (R01_AD1100 = 1 OR R02_AD1100 = 1) AND R02_AD1003 = 1 OR 2, THEN R02_CURRENT_USER_DISSBL = 1. ELSE, R02_CURRENT_USER_DISSBL = 2.
Every day established dissolvable tobacco users R02 EVERYDAY_USER_DISSBL	Adult respondents who have ever used dissolvable tobacco fairly regularly, and currently uses it every day.	IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1003 = 1, THEN R02 EVERYDAY_USER_DISSBL = 1. ELSE, R02 EVERYDAY_USER_DISSBL = 2.
Some day established dissolvable tobacco users R02_SOME_DAY_USER_DISSBL	Adult respondents who have ever used dissolvable tobacco fairly regularly, and currently uses it some days.	IF R02_CURRENT_USER_DISSBL = 1 AND R02_AD1003 = 2, THEN R02_SOME_DAY_USER_DISSBL = 1. ELSE, R02_SOME_DAY_USER_DISSBL = 2.
Current experimental dissolvable tobacco users R02_EXPERIMENTAL_CURRENT_DISSBL	Adult respondents who have never used dissolvable tobacco fairly regularly, and currently uses it every day or some days.	IF R02_EVER_USER_DISSBL = 1 AND R02_AD1100 != 1 AND R01_AD1100 != 1 AND R02_AD1003 = 1 OR 2, THEN, R02_EXPERIMENTAL_CURRENT_DISSBL = 1. ELSE, R02_EXPERIMENTAL_CURRENT_DISSBL = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Still former established dissolvable tobacco users R02_STILL_FORMER_USER_DISSBL	Adult respondents who were former dissolvable tobacco users at Wave 1, has ever used it fairly regularly, and did not use it in the past 12 months or currently uses it not at all.	IF R02_EVER_USER_DISSBL = 1 AND ((R02_CURRENT_USER_DISSBL != 1 AND R02_EXPERIMENTAL_CURRENT_DISSBL != 1) AND (R01_FORMER_USER_DISSBL = 1 AND (R02_AD1002_12M = 2 OR R02_AD1003 = 3))), THEN R02_STILL_FORMER_USER_DISSBL = 1. ELSE, R02_STILL_FORMER_USER_DISSBL = 2.
New former established dissolvable tobacco users R02_NEW_FORMER_USER_DISSBL	Adult respondents who were current, experimental current, or experimental former dissolvable tobacco users at Wave 1, or are initiators at Wave 2, has ever used it fairly regularly, and did not use it in the past 12 months or currently uses it not at all.	IF R02_EVER_USER_DISSBL = 1 AND ((R02_CURRENT_USER_DISSBL != 1 AND R02_EXPERIMENTAL_CURRENT_DISSBL != 1) AND (R01_CURRENT_USER_DISSBL = 1 OR R01_EXPERIMENTAL_CURRENT_DISSBL = 1 OR R01_EXPERIMENTAL_FORMER_DISSBL = 1 OR R02_INIT_DISSBL_ADULT = 1 OR R01_YD1002 = 1) AND (R01_AD1100 = 1 OR R02_AD1100 = 1) AND (R02_AD1002_12M = 2 OR R02_AD1003 = 3)), THEN R02_NEW_FORMER_USER_DISSBL = 1. ELSE, R02_NEW_FORMER_USER_DISSBL = 2.
Former experimental dissolvable tobacco users R02_EXPERIMENTAL_FORMER_DISSBL	Adult respondents who have never used dissolvable tobacco fairly regularly, and did not use it in the past 12 months or currently uses it not at all.	IF (R02_CURRENT_USER_DISSBL != 1 AND R02_EXPERIMENTAL_CURRENT_DISSBL != 1) AND (R02_EVER_USER_DISSBL = 1 AND (R02_AD1002_12M = 2 OR R02_AD1003 = 3) AND R02_AD1100 != 1 AND R01_AD1100 != 1), THEN R02_EXPERIMENTAL_FORMER_DISSBL = 1. ELSE, R02_EXPERIMENTAL_FORMER_DISSBL = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Non-current 30-day dissolvable tobacco users R02_FORMER_THIRTYDAY_USER_DISSBL	Adult respondents who are experimental former, new former, or still former dissolvable tobacco users in Wave 2 who have used any dissolvable tobacco in the past 30 days.	IF (R02_CURRENT_USER_DISSBL != 1 AND R02_EXPERIMENTAL_CURRENT_DISSBL != 1) AND (R02_NEW_FORMER_USER_DISSBL = 1 OR R02_EXPERIMENTAL_FORMER_DISSBL = 1 OR R02_STILL_FORMER_USER_DISSBL = 1) AND ((1 <= R02_AD1009_NN <= 30 AND R02_AD1009_UN = 1) OR (R02_AD1009_NN = 1 AND R02_AD1009_UN = 2) OR R02_AD1004 = 1), THEN R02_FORMER_THIRTYDAY_USER_DISSBL = 1. ELSE, R02_FORMER_THIRTYDAY_USER_DISSBL = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
TOBACCO (GENERAL)		
Ever Users - Tobacco R02_EVER_USER_TOBACCO	Adult respondents who have ever used any tobacco product.	IF R02_EVER_USER_CIGS = 1 OR R02_EVER_USER_ECIG = 1 OR (R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1) OR (R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1) OR (R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1) OR R02_EVER_USER_PIPE = 1 OR R02_EVER_USER_HOOK = 1 OR R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_SNUS = 1 OR R02_EVER_USER_DISSBL = 1, THEN R02_EVER_USER_TOBACCO = 1. ELSE, R02_EVER_USER_TOBACCO = 2.
Current Users - Tobacco R02_CURRENT_USER_TOBACCO	Adult respondents that currently use at least one tobacco product.	IF R02_CURRENT_USER_CIGS = 1 OR R02_CURRENT_USER_ECIG = 1 OR R02_CURRENT_USER_GTRAD = 1 OR R02_CURRENT_USER_GRILLO = 1 OR R02_CURRENT_USER_GFILTR = 1 OR R02_CURRENT_USER_PIPE = 1 OR R02_CURRENT_USER_HOOK = 1 OR R02_CURRENT_USER_SMKLS = 1 OR R02_CURRENT_USER_SNUS = 1 OR R02_CURRENT_USER_DISSBL = 1, THEN R02_CURRENT_USER_TOBACCO = 1. ELSE, R02_CURRENT_USER_TOBACCO = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Everyday Users - Tobacco R02_EVERYDAY_USER_TOBACCO	Adult respondents who are an everyday user of any one tobacco product or use more than one product and use at least one of them each day.	IF (R02_EVERYDAY_USER_CIGS = 1 OR R02_EVERYDAY_USER_ECIG = 1 OR R02_EVERYDAY_USER_GTRAD = 1 OR R02_EVERYDAY_USER_GRILLO = 1 OR R02_EVERYDAY_USER_GFILTR = 1 OR R02_EVERYDAY_USER_PIPE = 1 OR R02_EVERYDAY_USER_HOOK = 1 OR R02_EVERYDAY_USER_SMKLS = 1 OR R02_EVERYDAY_USER_SNUS = 1 OR R02_EVERYDAY_USER_DISSBL = 1) OR R02_AY0005 = 1, THEN R02_EVERYDAY_USER_TOBACCO = 1. ELSE, R02_EVERYDAY_USER_TOBACCO = 2.
Someday Users - Tobacco R02_SOME_DAY_USER_TOBACCO	Adult respondents who are someday users of at least one tobacco product.	IF R02_SOME_DAY_USER_CIGS = 1 OR R02_SOME_DAY_USER_ECIG = 1 OR R02_SOME_DAY_USER_GTRAD = 1 OR R02_SOME_DAY_USER_GRILLO = 1 OR R02_SOME_DAY_USER_GFILTR = 1 OR R02_SOME_DAY_USER_PIPE = 1 OR R02_SOME_DAY_USER_HOOK = 1 OR R02_SOME_DAY_USER_SMKLS = 1 OR R02_SOME_DAY_USER_SNUS = 1 OR R02_SOME_DAY_USER_DISSBL = 1, THEN R02_SOME_DAY_USER_TOBACCO = 1. ELSE, R02_SOME_DAY_USER_TOBACCO = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
Experimental Current Users - Tobacco R02_EXPERIMENTAL_CURRENT_TOBACCO	Adult respondents who are an experimental current user of at least one tobacco product, and not a current established user of any other product.	IF R02_CURRENT_USER_TOBACCO = 2 AND (R02_EXPERIMENTAL_CURRENT_CIGS = 1 OR R02_EXPERIMENTAL_CURRENT_ECIG = 1 OR R02_EXPERIMENTAL_CURRENT_GTRAD = 1 OR R02_EXPERIMENTAL_CURRENT_GRILLO = 1 OR R02_EXPERIMENTAL_CURRENT_GFILTR = 1 OR R02_EXPERIMENTAL_CURRENT_PIPE = 1 OR R02_EXPERIMENTAL_CURRENT_HOOK = 1 OR R02_EXPERIMENTAL_CURRENT_SMKLS = 1 OR R02_EXPERIMENTAL_CURRENT_SNUS = 1 OR R02_EXPERIMENTAL_CURRENT_DISSBL = 1) THEN R02_EXPERIMENTAL_CURRENT_TOBACCO = 1. ELSE, R02_EXPERIMENTAL_CURRENT_TOBACCO = 2.
Still Former Users – Tobacco R02_STILL_FORMER_USER_TOBACCO	Adult respondents who were former tobacco users at Wave 1 and is still a former tobacco user at Wave 2 (does not currently use any tobacco products).	IF R01_FORMER_USER_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 2 AND (R02_STILL_FORMER_USER_CIGS = 1 OR R02_STILL_FORMER_USER_ECIG = 1 OR R02_STILL_FORMER_USER_GTRAD = 1 OR R02_STILL_FORMER_USER_GRILLO = 1 OR R02_STILL_FORMER_USER_GFILTR = 1 OR R02_STILL_FORMER_USER_PIPE = 1 OR R02_STILL_FORMER_USER_HOOK = 1 OR R02_STILL_FORMER_USER_SMKLS = 1 OR R02_STILL_FORMER_USER_SNUS = 1 OR R02_STILL_FORMER_USER_DISSBL = 1), THEN R02_STILL_FORMER_USER_TOBACCO = 1. ELSE, R02_STILL_FORMER_USER_TOBACCO = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
New Former Users – Tobacco R02_NEW_FORMER_USER_TOBACCO	Adult respondents who are a new former user of any tobacco product. (The respondent was a current or experimental current user of any product at Wave 1, which they no longer user at Wave 2. The respondent no longer uses at least one product, but may still be a current or experimental current user of other products.)	IF (R02_NEW_FORMER_USER_CIGS = 1 OR R02_NEW_FORMER_USER_ECIG = 1 OR R02_NEW_FORMER_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GFILTER = 1 OR R02_NEW_FORMER_USER_PIPE = 1 OR R02_NEW_FORMER_USER_HOOK = 1 OR R02_NEW_FORMER_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SNUS = 1 OR R02_NEW_FORMER_USER_DISSBL = 1), THEN R02_NEW_FORMER_USER_TOBACCO = 1. ELSE, R02_NEW_FORMER_USER_TOBACCO = 2.
Experimental Former Users – Tobacco R02_EXPERIMENTAL_FORMER_TOBACCO	Adult respondents who are an experimental former user of at least one tobacco product, and not a current established user of any other product.	IF R02_CURRENT_USER_TOBACCO = 2 AND (R02_EXPERIMENTAL_FORMER_CIGS = 1 OR R02_EXPERIMENTAL_FORMER_ECIG = 1 OR R02_EXPERIMENTAL_FORMER_GTRAD = 1 OR R02_EXPERIMENTAL_FORMER_GRILLO = 1 OR R02_EXPERIMENTAL_FORMER_GFILTER = 1 OR R02_EXPERIMENTAL_FORMER_PIPE = 1 OR R02_EXPERIMENTAL_FORMER_HOOK = 1 OR R02_EXPERIMENTAL_FORMER_SMKLS = 1 OR R02_EXPERIMENTAL_FORMER_SNUS = 1 OR R02_EXPERIMENTAL_FORMER_DISSBL = 1), THEN R02_EXPERIMENTAL_FORMER_TOBACCO = 1. ELSE, R02_EXPERIMENTAL_FORMER_TOBACCO = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

User Group and Variable Name	User Group Description	User Group Definition
R02_CURRENT_USER_TOBXECIG	Adult respondents who are current users of at least one tobacco product other than e-cigarettes. (For at least one product – not including e-cigarettes – the respondent is a current established user. The respondent may have any e-cigarette use status.)	IF R02_CURRENT_USER_CIGS = 1 OR R02_CURRENT_USER_GTRAD = 1 OR R02_CURRENT_USER_GRILLO = 1 OR R02_CURRENT_USER_GFILTR = 1 OR R02_CURRENT_USER_PIPE = 1 OR R02_CURRENT_USER_HOOK = 1 OR R02_CURRENT_USER_SMKLS = 1 OR R02_CURRENT_USER_SNUS = 1 OR R02_CURRENT_USER_DISSBL = 1, THEN R02_CURRENT_USER_TOBXECIG = 1. ELSE, R02_CURRENT_USER_TOBXECIG = 2.
R02_NEW_FORMER_USER_TOBXECIG	Adult respondents who are a new former user of any tobacco product other than e-cigarettes. (For at least one tobacco product – not including e-cigarettes – the respondent was a current established or experimental current user in the previous wave, or initiated use of the product since the previous wave, and at Wave 2 they are an established user, but did not use the product in the past 12 months or currently use it not at all. The respondent may have any e-cigarette use status.)	IF (R02_NEW_FORMER_USER_CIGS = 1 OR R02_NEW_FORMER_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_PIPE = 1 OR R02_NEW_FORMER_USER_HOOK = 1 OR R02_NEW_FORMER_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SNUS = 1 OR R02_NEW_FORMER_USER_DISSBL = 1), THEN R02_NEW_FORMER_USER_TOBXECIG = 1. ELSE, R02_NEW_FORMER_USER_TOBXECIG = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
DERIVED VARIABLES (CREATED IN THE INSTRUMENT FOR DATA COLLECTION, BUT NOT INCLUDED IN THE DATABASE)		
R02_TOBACCO_PRODUCT_LIST	A list of all the tobacco products the respondent currently uses. DISPLAY: For [TOBACCO PRODUCT LIST] embedded in the question text, display the product names in lowercase letters. If [TOBACCO PRODUCT LIST] has two products, connect the products with "and". If [TOBACCO PRODUCT LIST] has three or more products, connect the products with commas and include "and" before the final product in the list.	If R02_CURRENT_USER_CIGS=1, include "cigarettes" in the list. If R02_CURRENT_USER_ECIG=1, include "e-cigarettes" in the list. If R02_CURRENT_USER_GTRAD=1, include "cigars" in the list. If R02_CURRENT_USER_GRILLO=1, include "cigarillos" in the list. If R02_CURRENT_USER_GFILTR=1, include "filtered cigars" in the list. If R02_CURRENT_USER_PIPE=1, include "pipe" in the list. If R02_CURRENT_USER_HOOK=1, include "hookah" in the list. If R02_CURRENT_USER_SNUS=1, include "snus" in the list. If R02_CURRENT_USER_SMKLS=1, include "smokeless tobacco" in the list. If R02_CURRENT_USER_DISSBL=1, include "dissolvable tobacco" in the list.
R02_EVERY_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses everyday.	0 + 1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY [R02_EVERYDAY_USER_CIGS = 1, R02_EVERYDAY_USER_ECIG = 1, R02_EVERYDAY_USER_GTRAD = 1, R02_EVERYDAY_USER_GRILLO = 1, R02_EVERYDAY_USER_GFILTR = 1, R02_EVERYDAY_USER_PIPE = 1, R02_EVERYDAY_USER_HOOK = 1, R02_EVERYDAY_USER_SNUS = 1, R02_EVERYDAY_USER_SMKLS = 1, R02_EVERYDAY_USER_DISSBL = 1]. Range 0 to 10.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
R02_CURRENT_PRODUCT_COUNT	Number of tobacco products the respondent currently uses everyday or somedays.	0 + 1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY OR SOME DAYS [R02_CURRENT_USER_CIGS = 1, R02_CURRENT_USER_ECIG = 1, R02_CURRENT_USER_GTRAD = 1, R02_CURRENT_USER_GRILLO = 1, R02_CURRENT_USER_GFILTR = 1, R02_CURRENT_USER_PIPE =1, R02_CURRENT_USER_HOOK = 1, R02_CURRENT_USER_SNUS = 1, R02_CURRENT_USER_SMKLS = 1, R02_CURRENT_USER_DISSBL = 1]. Range 0 to 10.
R02_SOME_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses somedays.	0 + 1 FOR EVERY PRODUCT THE RESPONDENT USES SOME DAYS [R02_SOME_DAY_USER_CIGS = 1, R02_SOME_DAY_USER_ECIG = 1, R02_SOME_DAY_USER_GTRAD = 1, R02_SOME_DAY_USER_GRILLO = 1, R02_SOME_DAY_USER_GFILTR = 1, R02_SOME_DAY_USER_PIPE =1, R02_SOME_DAY_USER_HOOK = 1, R02_SOME_DAY_USER_SNUS = 1, R02_SOME_DAY_USER_SMKLS = 1, R02_SOME_DAY_USER_DISSBL = 1]. Range 0 to 10.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
R02_EXPERIMENTAL_PRODUCT_COUNT	Number of tobacco products the respondent currently uses experimentally.	0 + 1 FOR EVERY PRODUCT THE RESPONDENT IS AN EXPERIMENTAL CURRENT USER OF [R02_EXPERIMENTAL_CURRENT_CIGS = 1, R02_EXPERIMENTAL_CURRENT_ECIG = 1, R02_EXPERIMENTAL_CURRENT_GTRAD = 1, R02_EXPERIMENTAL_CURRENT_GRILLO = 1, R02_EXPERIMENTAL_CURRENT_GFILTR = 1, R02_EXPERIMENTAL_CURRENT_PIPE =1, R02_EXPERIMENTAL_CURRENT_HOOK = 1, R02_EXPERIMENTAL_CURRENT_SNUS = 1, R02_EXPERIMENTAL_CURRENT_SMKLS = 1, R02_EXPERIMENTAL_CURRENT_DISSBL = 1]. Range 0 to 10.
R02_FORMER_12M_PRODUCT_COUNT	Number of tobacco products used in the past 12 months, but not currently used.	0 + 1 FOR EVERY PRODUCT THE RESPONDENT IS A NEW FORMER USER OF [R02_NEW_FORMER_USER_CIGS = 1, R02_NEW_FORMER_USER_ECIG = 1, R02_NEW_FORMER_USER_GTRAD = 1, R02_NEW_FORMER_USER_GRILLO = 1, R02_NEW_FORMER_USER_GFILTR = 1, R02_NEW_FORMER_USER_PIPE =1, R02_NEW_FORMER_USER_HOOK = 1, R02_NEW_FORMER_USER_SNUS = 1, R02_NEW_FORMER_USER_SMKLS = 1, R02_NEW_FORMER_USER_DISSBL = 1]. Range 0 to 10.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
R02_CIGSPERDAY	Number of cigarettes smoked per day.	IF R02_EVERYDAY_USER_CIGS = 1 AND R02_AC1021_NN != -8, -7 AND R02_AC1021_UN = 1, CIGSPERDAY = R02_AC1021_NN. IF R02_SOME_DAY_USER_CIGS = 1 AND R02_AC1023_NN != -8, -7 AND R02_AC1023_UN = 1, CIGSPERDAY = R02_AC1023_NN. IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC9003_UN = 1, CIGSPERDAY = R02_AC9003_NN.
R02_CIGSPERDAY2	Estimate of cigarettes smoked per day when actual number is DK/RF.	IF R02_AC1090 = 1, R02_CIGSPERDAY2 = "more than 20 cigarettes each day". IF R02_AC1090 = 2, R02_CIGSPERDAY2 = "about 20 cigarettes each day". IF R02_AC1090 = 3, R02_CIGSPERDAY2 = "less than 20 cigarettes each day".
R02_PCKSPERDAY	Number of packs smoked per day.	IF R02_EVERYDAY_USER_CIGS = 1 AND R02_AC1021_NN != -8, -7 AND R02_AC1021_UN = 2, PCKSPERDAY = R02_AC1021_NN. IF R02_SOME_DAY_USER_CIGS = 1 AND R02_AC1023_NN != -8, -7 AND R02_AC1023_UN = 2, PCKSPERDAY = R02_AC1023_NN. IF R02_NEW_FORMER_USER_CIGS = 1 AND R02_AC9003_UN = 2, PCKSPERDAY = R02_AC9003_NN.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
R02_ECIGTYPE	E-cigarette device type.	IF R02_AE9005 = 2 AND R02_AE9008 != 1, 2, -8 or -7 AND R02_AE9038 != 1, 2, 3, -8 or -7 AND R02_AE9009 = 2, THEN R02_ECIGTYPE = 1 (Disposable). ELSE, IF R02_AE9005 = 1 AND R02_AE9008 = 1 AND R02_AE9038 != 1, 2, 3, -8 or -7 AND R02_AE9009 = 2, THEN R02_ECIGTYPE = 2 (Non-Refillable Cartridge). ELSE, IF R02_AE9005 = 1 AND R02_AE9008 = 1 AND R02_AE9038 != 1, 2, 3, -8 or -7 AND R02_AE9009 = 1, THEN R02_ECIGTYPE = 3 (Refillable Cartridge). ELSE, IF R02_AE9005 = 1 AND R02_AE9008 = 2 AND R02_AE9038 = 1 AND R02_AE9009 = 1, THEN R02_ECIGTYPE = 4 (Refillable Tank System). ELSE, R02_ECIGTYPE = 5 (Unknown).

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
CIGARLOOP1	Cigars as Non-Blunts: CIGARLOOP1 = BOX R02_AGR05 THROUGH BOX_R02_AGR06. GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months. GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months. GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months. Cigars as Blunts-Only: CIGARLOOP1 = BOX R02_AGR05 THROUGH BOX_R02_AGR06. DO NOT ASK ITEM R02_AG1010[TC/CG/FC]. BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	Cigars as Non-Blunts: CIGARLOOP1 = BOX R02_AGR05 THROUGH BOX_R02_AGR06. GTRAD: IF R02_EVER_USER_GTRAD = 1 AND R02_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. GRILLO: IF R02_EVER_USER_GRILLO = 1 AND R02_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. GFILTR: IF R02_EVER_USER_GFILTR = 1 AND R02_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR. Cigars as Blunts-Only: CIGARLOOP1 = BOX R02_AGR05 THROUGH BOX_R02_AGR06. DO NOT ASK ITEM R02_AG1010[TC/CG/FC]. BTRAD: IF R02_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD. BRILLO: IF R02_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO. BFILTR: IF R02_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
CIGARLOOP2	Cigars as Non-Blunts: CIGARLOOP2 = BOX R02_AGT03 THROUGH R02_AG1081[TC/CG/FC]. GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months. GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months. GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months. Cigars as Blunts-Only: CIGARLOOP2 = R02_AGT03, R02_AGR01, R02_AG1008[TJ/GJ/FJ], R02_AG1011[TJ/GJ/FJ], R02_AG1030[TJ/GJ/FJ], R02_AG1032[TJ/GJ/FJ], R02_AG1033[TJ/GJ/FJ], R02_AG1039[TJ/GJ/FJ], R02_AG1040[TJ/GJ/FJ], R02_AG1042[TJ/GJ/FJ], R02_AG1043[TJ/GJ/FJ], R02_AG1047[TJ/GJ/FJ], R02_AG1048[TJ/GJ/FJ]_BRAND,	Cigars as Non-Blunts: CIGARLOOP2 = BOX R02_AGT03 THROUGH R02_AG1081[TC/CG/FC]. GTRAD: IF R02_EVER_USER_GTRAD = 1 AND R02_AG1132TC != 1 AND R02_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. GRILLO: IF R02_EVER_USER_GRILLO = 1 AND R02_AG1132CG != 1 AND R02_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. GFILTR: IF R02_EVER_USER_GFILTR = 1 AND R02_AG1132FC != 1 AND R02_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR. Cigars as Blunts-Only: CIGARLOOP2 = R02_AGT03, R02_AGR01, R02_AG1008[TJ/GJ/FJ], R02_AG1011[TJ/GJ/FJ], R02_AG1030[TJ/GJ/FJ], R02_AG1032[TJ/GJ/FJ], R02_AG1033[TJ/GJ/FJ], R02_AG1039[TJ/GJ/FJ], R02_AG1040[TJ/GJ/FJ], R02_AG1042[TJ/GJ/FJ], R02_AG1043[TJ/GJ/FJ], R02_AG1047[TJ/GJ/FJ], R02_AG1048[TJ/GJ/FJ]_BRAND, R02_AG1070[TJ/GJ/FJ]_PRODUCT, R02_AG1049[TJ/GJ/FJ], R02_AG1071[TJ/GJ/FJ], R02_AG1050[TJ/GJ/FJ], R02_AG1012[TJ/GJ/FJ], and R02_AGR04 BTRAD: IF R02_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
	R02_AG1070[TJ/GJ/FJ]_PRODUCT, R02_AG1049[TJ/GJ/FJ], R02_AG1071[TJ/GJ/FJ], R02_AG1050[TJ/GJ/FJ], R02_AG1012[TJ/GJ/FJ], and R02_AGR04 BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	BRILLO: IF R02_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO. BFILTR: IF R02_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.
R02_SMKLSSTYPE[1]	Adult respondent uses smokeless tobacco, but not snus pouches.	IF R02_EVER_USER_SMKLS = 1 AND R02_NEVER_USER_SNUS = 1, THEN SMKLSSTYPE[1] = 1. ELSE, SMKLSSTYPE[1] = 2.
R02_SMKLSSTYPE[2]	Adult respondent uses snus pouches but not other forms of smokeless tobacco.	IF R02_EVER_USER_SNUS = 1 AND R02_NEVER_USER_SMKLS = 1, THEN SMKLSSTYPE[2] = 1. ELSE, SMKLSSTYPE[2] = 2.
R02_SMKLSSTYPE[3]	Adult respondent uses both snus pouches and other forms of smokeless tobacco.	IF R02_EVER_USER_SMKLS = 1 AND R02_EVER_USER_SNUS = 1, THEN SMKLSSTYPE[3] = 1. ELSE, SMKLSSTYPE[3] = 2.
R02_TWELVEMONTHQUITATTEMPT	Adult respondents who have quit or attempted to quit in the past 12 months.	IF R02_AN0105_01 = 1 OR R02_AN0105_02 = 1 OR (R02_NDSKIP = 0, 1 AND R02_NEW_FORMER_USER_TOBACCO = 1) OR (R02_NDSKIP = 2, 3 AND R02_NEW_FORMER_USER_TOBXCIG = 1), THEN R02_TWELVEMONTHQUITATTEMPT = 1. ELSE, R02_TWELVEMONTHQUITATTEMPT = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
R02_TWELVEMONTHQUITATTEMPT_ECIG	Adult respondents who have quit or attempted to quit in the past 12 months. (ECIG loop)	IF R02_AN0105E_01 = 1 OR R02_AN0105_02 = 1 OR (R02_NDSKIP = 2, 3 AND R02_NEW_FORMER_USER_ECIG = 1), THEN R02_TWELVEMONTHQUITATTEMPT_ECIG = 1. ELSE, R02_TWELVEMONTHQUITATTEMPT_ECIG = 2.
R02_TWELVEMONTHQUITCUTDOWN	Adult respondents who have tried to quit by reducing or cutting down in the past 12 months.	IF R02_AN0105_03 = 1, THEN R02_TWELVEMONTHQUITCUTDOWN = 1. ELSE, R02_TWELVEMONTHQUITCUTDOWN = 2.
R02_TWELVEMONTHQUITCUTDOWN_ECIG	Adult respondents who have tried to quit by reducing or cutting down in the past 12 months. (ECIG loop)	IF R02_AN0105E_03 = 1, THEN R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1. ELSE, R02_TWELVEMONTHQUITCUTDOWN_ECIG = 2.
R02_GROUP	Type of product use -- single product users	IF R02_NDSKIP = 0: IF (R02_CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1) AND (R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND ELSE, IF (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NE. ELSE, IF (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NG.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		ELSE, IF (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NL. ELSE, IF (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NF. ELSE, IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NP. ELSE, IF (R02_CURRENT_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NH. ELSE, IF (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NU. ELSE, IF (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NS. ELSE, IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2), THEN R02_GROUP = ND. ELSE, IF R02_EXPERIMENTAL_CURRENT_CIGS = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NC.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		ELSE, IF R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NE. ELSE, IF R02_EXPERIMENTAL_CURRENT_GTRAD = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NG. ELSE, IF R02_EXPERIMENTAL_CURRENT_GRILLO = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NL. ELSE, IF R02_EXPERIMENTAL_CURRENT_GFILTR = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NF. ELSE, IF R02_EXPERIMENTAL_CURRENT_PIPE = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NP. ELSE, IF R02_EXPERIMENTAL_CURRENT_HOOK = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NH.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		ELSE, IF R02_EXPERIMENTAL_CURRENT_SNUS = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NU. ELSE, IF R02_EXPERIMENTAL_CURRENT_SMKLS = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NS. ELSE, IF R02_EXPERIMENTAL_CURRENT_DISSBL = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = ND. IF R02_NDSKIP = 3: IF (CURRENT_USER_CIGS = 1 OR R02_NEW_FORMER_USER_CIGS = 1) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NC. ELSE, IF (R02_CURRENT_USER_GTRAD = 1 OR R02_NEW_FORMER_USER_GTRAD = 1) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NG. ELSE, IF (R02_CURRENT_USER_GRILLO = 1 OR R02_NEW_FORMER_USER_GRILLO = 1) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NL. ELSE, IF (R02_CURRENT_USER_GFILTR = 1 OR R02_NEW_FORMER_USER_GFILTR = 1) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NF.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		ELSE, IF (R02_CURRENT_USER_PIPE = 1 OR R02_NEW_FORMER_USER_PIPE = 1) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NP. ELSE, IF (R02_CURRENT_USER_HOOK = 1 OR R02_NEW_FORMER_USER_HOOK = 1) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NH. ELSE, IF (R02_CURRENT_USER_SNUS = 1 OR R02_NEW_FORMER_USER_SNUS = 1) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NU. ELSE, IF (R02_CURRENT_USER_SMKLS = 1 OR R02_NEW_FORMER_USER_SMKLS = 1) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_DISSBL = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_DISSBL = 2), THEN R02_GROUP = NS. ELSE, IF (R02_CURRENT_USER_DISSBL = 1 OR R02_NEW_FORMER_USER_DISSBL = 1) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1) AND (R02_CURRENT_USER_CIGS = 2 AND R02_CURRENT_USER_GTRAD = 2 AND R02_CURRENT_USER_GRILLO = 2 AND R02_CURRENT_USER_GFILTR = 2 AND R02_CURRENT_USER_PIPE = 2 AND R02_CURRENT_USER_HOOK = 2 AND R02_CURRENT_USER_SNUS = 2 AND R02_CURRENT_USER_SMKLS = 2 AND R02_NEW_FORMER_USER_CIGS = 2 AND R02_NEW_FORMER_USER_GTRAD = 2 AND R02_NEW_FORMER_USER_GRILLO = 2 AND R02_NEW_FORMER_USER_GFILTR = 2 AND R02_NEW_FORMER_USER_PIPE = 2 AND R02_NEW_FORMER_USER_HOOK = 2 AND R02_NEW_FORMER_USER_SNUS = 2 AND R02_NEW_FORMER_USER_SMKLS = 2), THEN R02_GROUP = ND.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		ELSE, IF R02_EXPERIMENTAL_CURRENT_CIGS = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NC. ELSE, IF R02_EXPERIMENTAL_CURRENT_GTRAD = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NG. ELSE, IF R02_EXPERIMENTAL_CURRENT_GRILLO = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NL. ELSE, IF R02_EXPERIMENTAL_CURRENT_GFILTR = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NF. ELSE, IF R02_EXPERIMENTAL_CURRENT_PIPE = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NP.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
		ELSE, IF R02_EXPERIMENTAL_CURRENT_HOOK = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NH. ELSE, IF R02_EXPERIMENTAL_CURRENT_SNUS = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NU. ELSE, IF R02_EXPERIMENTAL_CURRENT_SMKLS = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = NS. ELSE, IF R02_EXPERIMENTAL_CURRENT_DISSBL = 1 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1 AND (R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2), THEN R02_GROUP = ND.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
R02_NDSKIP	Type of product use -- polyusers or multiple product users: R02_NDSKIP = 0 (Respondents who are current or new former users of only one product. Or respondents who are experimental current users of only one product and who are not current or new former users of any products. If R02_NDSKIP = 0, Nicotine Dependence will be asked one time, with fills tailored to their specific product.) R02_NDSKIP = 1 (Respondents who are current or new former users of two or more products, where none of those products is/was an e-cigarette. Or respondents who are experimental current users of two or more products, where none of those products is an e-cigarette, and who are not current or new former users of any products. If R02_NDSKIP = 1, Nicotine Dependence will be asked one time, with fills tailored to their tobacco use overall.) R02_NDSKIP = 2 (Respondents who are current or new former users of three or more products, where one of those products is/was an e-cigarette. Or respondents who are experimental current users of three or more products, where one of those products is an e-cigarette, and who are not current or new former users of any products. If R02_NDSKIP = 2, Nicotine Dependence will be asked twice, first with fills tailored to their e-cigarettes and second with fills tailored to their tobacco use overall.)	R02_NDSKIP: IF [(R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT >= 2) AND (R02_CURRENT_USER_ECIG = 2 AND R02_NEW_FORMER_USER_ECIG = 2)], THEN R02_NDSKIP = 1; ELSE, IF [(R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT >= 3) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1)], THEN R02_NDSKIP = 2; ELSE, IF [(R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT = 2) AND (R02_CURRENT_USER_ECIG = 1 OR R02_NEW_FORMER_USER_ECIG = 1)], THEN R02_NDSKIP = 3; ELSE, IF (R02_CURRENT_PRODUCT_COUNT + R02_FORMER_12M_PRODUCT_COUNT = 1), THEN R02_NDSKIP = 0. ELSE, IF R02_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_ECIG = 2, THEN R02_NDSKIP = 1; ELSE, IF R02_EXPERIMENTAL_PRODUCT_COUNT >= 3 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
	R02_NDSKIP = 3 (Respondents who are current or new former users of two products, where one of those products is/was an e-cigarette. Or respondents who are experimental current users of two products, where one of those products is an e-cigarette, and who are not current or new former users of any products. If R02_NDSKIP = 3, Nicotine Dependence will be asked twice, first with fills tailored to their e-cigarettes and second with fills tailored to their other specific product.)	R02_EXPERIMENTAL_CURRENT_ECIG = 1, THEN R02_NDSKIP = 2; ELSE, IF R02_EXPERIMENTAL_PRODUCT_COUNT COUNT = 2 AND R02_EXPERIMENTAL_CURRENT_TOBACCO = 1 AND R02_CURRENT_USER_TOBACCO = 2 AND R02_NEW_FORMER_USER_TOBACCO = 2 AND R02_EXPERIMENTAL_CURRENT_ECIG = 1, THEN R02_NDSKIP = 3; ELSE, R02_NDSKIP = 0.
R02_ADULT_ASTHMA	Adult respondents who have ever had asthma.	IF R01_YT0031 = 1 OR R01_AX0119_04 = 1 OR R02_AX0119_NB_04 = 1 OR R02_AX0119_12M_04 = 1, THEN R02_ADULT_ASTHMA = 1. ELSE, R02_ADULT_ASTHMA = 2.
R02_EVER_USER_ALC**	Has ever used alcohol.	IF R02_AX0084_12M = 1 OR R01_YX0084 = 1 OR R01_AX0084 = 1, THEN R02_EVER_USER_ALC = 1. ELSE, R02_EVER_USER_ALC = 2.
R02_EVER_USER_MJ**	Has ever used marijuana.	IF R02_AG9107 = 1 OR R02_AX0085_12M=1 OR R02_AH9031 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND (R01_YX0085 =1 OR R01_YG9105 = 1)) OR (R02_CONTINUING_ADULT_LD = 1 AND (R01_AG9105 = 1 OR R01_AX0085=1)), THEN R02_EVER_USER_MJ = 1. ELSE, R02_EVER_USER_MJ = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
R02_EVER_USER_RIT	Has ever used Ritalin® or Adderall®.	IF R02_AX0089_12M_01 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YX0089_01 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AX0089_01 = 1), THEN R02_EVER_USER_RIT = 1. ELSE, R02_EVER_USER_RIT = 2.
R02_EVER_USER_PK	Has ever used painkillers, sedatives, or tranquilizers.	IF R02_AX0089_12M_02 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YX0089_02 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AX0089_02 = 1), THEN R02_EVER_USER_PK = 1. ELSE, R02_EVER_USER_PK = 2.
R02_EVER_USER_COC	Has ever used cocaine or crack.	IF R02_AX0220_12M_01 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YX0220_01 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AX0220_01 = 1), THEN R02_EVER_USER_COC = 1. ELSE, R02_EVER_USER_COC = 2.
R02_EVER_USER_STIM	Has ever used stimulants like methamphetamine or speed.	IF R02_AX0220_12M_02 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YX0220_02 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AX0220_02 = 1), THEN R02_EVER_USER_STIM = 1. ELSE, R02_EVER_USER_STIM = 2.
R02_EVER_USER_OTH	Has ever used other drugs like heroin, inhalants, solvents, or hallucinogens.	IF R02_AX0220_12M_03 = 1 OR (R02_NEW_BASELINE_ADULT_LD = 1 AND R01_YX0220_03 = 1) OR (R02_CONTINUING_ADULT_LD = 1 AND R01_AX0220_03 = 1), THEN R02_EVER_USER_OTH = 1. ELSE, R02_EVER_USER_OTH = 2.

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
R02_SUBSTANCE_COUNT	Count of the number of substances ever used	R02_SUBSTANCE_COUNT = 0; IF R02_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1; IF R02_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1; IF R02_EVER_USER_RIT = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1; IF R02_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1; IF R02_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1; IF R02_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1; IF R02_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R02_SUBSTANCE_COUNT + 1;
ASK_ECIG	Flag to indicate whether the e-cigarette loop of R02_NDSKIP LOOP #1 has been asked when R02_NDSKIP = 2 or 3.	If R02_NDSKIP = 2 or 3 and R02_NDSKIP LOOP#1 has not been completed once, then ASK_ECIG = 1. Else, ASK_ECIG = 2. (Note: This derived variable is only used for routing purposes during survey administration; if ASK_ECIG = 1, it is reset to ASK_ECIG = 2 after the first completion of R02_NDSKIP LOOP#1.)

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
ASK_ECIG_LOOP2	Flag to indicate whether the e-cigarette loop of R02_NDSKIP LOOP#2 has been asked when R02_NDSKIP = 2 or 3.	If R02_NDSKIP = 2 or 3 and R02_NDSKIP LOOP#2 has not been completed once, then ASK_ECIG_LOOP2 = 1. Else, ASK_ECIG_LOOP2 = 2. (Note: This derived variable is only used for routing purposes during survey administration; if ASK_ECIG_LOOP2 = 1, it is reset to ASK_ECIG_LOOP2 = 2 after the first completion of R02_NDSKIP LOOP#2.)
ASK_ECIG_LOOP3	Flag to indicate whether the e-cigarette loop of R02_NDSKIP LOOP#3 has been asked when R02_NDSKIP = 2 or 3.	If R02_NDSKIP = 2 or 3 and R02_NDSKIP LOOP#3 has not been completed once, then ASK_ECIG_LOOP3 = 1. Else, ASK_ECIG_LOOP3 = 2. (Note: This derived variable is only used for routing purposes during survey administration; if ASK_ECIG_LOOP3 = 1, it is reset to ASK_ECIG_LOOP3 = 2 after the first completion of R02_NDSKIP LOOP#3.)
ASK_ECIG_LOOP4	Flag to indicate whether the e-cigarette loop of R02_NDSKIP LOOP#4 has been asked when R02_NDSKIP = 2 or 3.	If R02_NDSKIP = 2 or 3 and R02_NDSKIP LOOP#4 has not been completed once, then ASK_ECIG_LOOP4 = 1. Else, ASK_ECIG_LOOP4 = 2. (Note: This derived variable is only used for routing purposes during survey administration; if ASK_ECIG_LOOP4 = 1, it is reset to ASK_ECIG_LOOP4 = 2 after the first completion of R02_NDSKIP LOOP#4.)

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Derived Variable Name	Derived Variable Description	Derived Variable Definition
OTHPOUCH	Variable to capture names of types of smokeless tobacco pouches other than snus pouches. (Note: OTHPOUCH exists to name smokeless tobacco pouches that are not snus pouches, but may be mistaken for snus pouches. The use of a variable allows for simple instrument updates in the event that the list would need to be amended during data collection. At launch, the list only included "Skoal Bandits" and it did not require amendment during the Wave 2 data collection period.)	OTHPOUCH = "Skoal Bandits"

APPENDIX – ADULT INSTRUMENT SKIP ERROR SUMMARY

This table summarizes skip errors in the data collection instruments that resulted in missing data on these items for some respondents. Items that were fixed during data collection will have some missing data and some non-missing data.

Item(s)**	Description of Issue	Issue Fixed during Wave 2 Data Collection?	Date Issue was Fixed
R02_AE1004	This item was skipped incorrectly by respondents who answered that they last used e-cigarettes in years in item R02_AE1009 (R02_AE1009_UN = 3).	No	
R02_AX0006	This item was skipped incorrectly by some respondents who were current tobacco users, new former tobacco users, experimental current tobacco users or experimental former tobacco users (R02_CURRENT_USER_TOBACCO = 1, R02_NEW_FORMER_USER_TOBACCO = 1, R02_EXPERIMENTAL_CURRENT_TOBACCO = 1, R02_EXPERIMENTAL_FORMER_TOBACCO = 1).	Yes	1/13/2015
R02_AN0230, R02_AN0235 R02_AN0230E, R02_AN0235E	These items were skipped incorrectly by respondents who were current tobacco/e-cigarette users (R02_CURRENT_USER_TOBACCO = 1/R02_CURRENT_USER_TOBXECIG = 1, R02_CURRENT_USER_ECIG = 1).	Yes	1/13/2015
R02_AN0804, R02_AN0805, R02_AN0806, R02_AN0807, R02_AN0808, R02_AN0809, R02_AN0810, R02_AN0804E, R02_AN0805E, R02_AN0806E, R02_AN0807E, R02_AN0808E, R02_AN0809E, R02_AN0810E	These items were skipped incorrectly by respondents who tried to quit or cut down tobacco use/e-cigarette use in the past year (R02_TWELVEMONTHQUITATTEMPT = 1, R02_TWELVEMONTHQUITCUTDOWN = 1, R02_TWELVEMONTHQUITATTEMPT_ECIG = 1, R02_TWELVEMONTHQUITCUTDOWN_ECIG = 1).	Yes	1/13/2015
R02_AG0100TJ, R02_AG0100GJ, R02_AG0100FJ	This item was skipped incorrectly by respondents who smoked traditional cigars / cigarillos / filtered cigars as blunts every day or some days (R02_AG1003[TJ/GJ/FJ] = 1 or 2) but did not smoke cigars / cigarillos / filtered cigars in the past 30 days (R02_AG9030 != 1/R02_AG9031 != 1).	No	
R02_AE1009_NN	This item was skipped incorrectly by respondents who reported they don't currently use e-cigarettes in R02_AO1003C (R02_AO1003C = 3). This item was also skipped incorrectly by some respondents who specified a unit in R02_AE1009_UN.	Yes	1/29/2015

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 2 Data Collection?	Date Issue was Fixed
R02_AG1009TC_NN, R02_AG1009CG_NN, R02_AG1009FC_NN	These items were skipped incorrectly by some respondents who were former or experimental former users (of traditional cigars, cigarillos, filtered cigars) in Wave 1 and answered “not at all” in item R02_AG1003[TC/CG/FC] respectively (R02_AG1003TC = 3, R02_AG1003CG = 3, R02_AG1003FC = 3).	Yes	1/29/2015
R02_AG1009GJ_NN	This item was skipped incorrectly by some respondents who answered “not at all” in item R02_AG1003GJ (R02_AG1003GJ = 3).	Yes	1/29/2015
R02_AC1009_NN	This item was skipped incorrectly by some respondents who were former or experimental former cigarette smokers in Wave 1 and answered “not at all” in item R02_AC1003 (R02_AC1003 = 3).	Yes	1/29/2015
R02_AH1009_NN	This item was skipped incorrectly by some respondents who were former or experimental former hookah tobacco smokers in Wave 1 and answered “not at all” in item R02_AH1003 (R02_AH1003 = 3).	Yes	1/29/2015
R02_AP1009_NN	This item was skipped incorrectly by some respondents who were former or experimental former pipe tobacco smokers in Wave 1 and answered “not at all” in item R02_AP1003 (R02_AP1003 = 3).	Yes	1/29/2015
R02_AS1009SU_NN, R02_AS1009SM_NN	These items were skipped incorrectly by some respondents who were former or experimental former smokeless tobacco or snus pouches users in Wave 1 and answered “not at all” in item R02_AS1003[SU/SM] respectively (R02_AS1003SU = 3, R02_AS1003SM = 3).	Yes	1/29/2015
R02_AS1009SM_NN	This item was skipped incorrectly by some respondents who reported not using other smokeless tobacco products in the past 12 months (R02_AS1002_12M = 1).	No	
R02_AX0209	This item was skipped incorrectly by young adult (age 18-24) respondents who were experimental current users of any tobacco product and current users of any tobacco product who reported that they do not have a regular brand.	No	
R02_AR0120	This item was skipped incorrectly by experimental former cigarillo users (R02_EXPERIMENTAL_FORMER_GRILLO = 1) who only used cigarillos as blunts in the past 12 months (R02_12MBLUNT_ONLY_BRILLO = 1).	No	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 2 Data Collection?	Date Issue was Fixed
R02_AR0115	This item was skipped incorrectly by experimental former traditional cigar users (R02_EXPERIMENTAL_FORMER_GTRAD = 1) who only used traditional cigars as blunts in the past 12 months (R02_12MBLUNT_ONLY_BTRAD = 1).	No	
R02_AP1003	This item was skipped incorrectly by respondents who answered don't know or refused in items R02_AP1004 or R02_AP1002_12M.	No	
R02_AH1003	This item was skipped incorrectly by respondents who answered don't know or refused in items R02_AH1004 or R02_AH1002_12M.	No	
R02_AD1003	This item was skipped incorrectly by respondents who answered don't know or refused in items R02_AD1004 or R02_AD1002_12M.	No	
R02_AG9022	This item was skipped incorrectly by young adult respondents who were ever users of filtered cigars but reported that they never used filtered cigars in item R02_AG1132FC (R02_AG1132FC = 1).	No	
R02_EVER_USER_ALC	Values for this data collection variable were not set correctly for respondents who reported using small sips of alcohol. The incorrect setting of R02_EVER_USER_MJ also caused the following items to be skipped incorrectly: R02_AX0175_01 - R02_AX0175_07, R02_AX0170, R02_AX0171, R02_AX0172, R02_AX0173, R02_AX0174, R02_AX0193, R02_AX0194 , R02_AX0176_01 - R02_AX0176_07.	No	
R02_EVER_USER_MJ	Values for this data collection variable were not set correctly for respondents who reported smoking marijuana in a hookah (R02_AH9031 = 1), and did not previously report using marijuana in Wave 1 or as blunts or in other forms in the past 12 months. The incorrect setting of R02_EVER_USER_MJ also caused the following items to be skipped incorrectly: R02_AX0175_01 - R02_AX0175_07, R02_AX0170, R02_AX0171, R02_AX0172, R02_AX0173, R02_AX0174, R02_AX0193, R02_AX0194 , R02_AX0176_01 - R02_AX0176_07.	No	
R02_NEVER_USER_GRILLO	Values for the R02_NEVER_USER_GRILLO were not correctly set to "1 = Yes" for new baseline respondents who used cigarillos only as blunts in Wave 1. The incorrect setting of R02_NEVER_USER_GRILLO also caused the following items to be skipped incorrectly: R02_AG9011, R02_AG9017.	No	
R02_AC0104	This item was incorrectly skipped by respondents who smoked both manufactured cigarettes and roll-your-own tobacco and selected a product	No	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 2 Data Collection?	Date Issue was Fixed
	for one type of cigarettes in R02_AC1070MC_PRODUCT or R02_AC1070RY_PRODUCT, but did not select a product for the other type.		
R02_NEW_FORMER_USER_SMKLS	Values for the R02_NEW_FORMER_USER_SMKLS were not correctly set to “1 = Yes” for new baseline respondents who used smokeless tobacco in Wave 1 but did not use in the past 12 months or currently use not at all. The incorrect setting of R02_NEW_FORMER_USER_SMKLS also caused the following items to be skipped incorrectly: R02_AS1065SM, R02_AS1067SM, R02_AS1068SM, R02_AS1072SM, R02_AS1060SM, R02_AS1061SM, R02_AS1085SM, R02_AS1062SM, R02_AS1075SM, R02_AS1063SM, R02_AS1081SM, R02_AS1080SM, R02_AS1050SM, R02_AS1047SM, R02_AS1064SM.	No	
R02_AS1003SU, R02_AS1008SU, R02_AS1100SU, R02_AS1005SU	These items were skipped incorrectly by respondents who indicated that they used only Skoal bandits in the past 30 days, but used other brands of snus pouches in the past year.	No	
R02_AC1023_NN, R02_AC1130	This item was incorrectly skipped by respondents who answered don’t know or refused in item R02_AC1022.	No	
R02_AE1023, R02_AE1130	This item was incorrectly skipped by respondents who answered don’t know or refused in item R02_AE1022.	No	
R02_AP1023, R02_AP1130	This item was incorrectly skipped by respondents who answered don’t know or refused in item R02_AP1022.	No	
R02_AS1023SU, R02_AS1130SU, R02_AS1023SM, R02_AS1130SM	This item was incorrectly skipped by respondents who answered don’t know or refused in item R02_AS1022[SU/SM].	No	
R02_AG1130TC, R02_AG1130CG, R02_AG1130FC	This item was incorrectly skipped by respondents who answered don’t know or refused in item R02_AG1022[TC/CG/FC].	No	
R02_AD1130	This item was incorrectly skipped by respondents who answered don’t know or refused in item R02_AD1022.	No	
R02_AN0120, R02_AN0257, R02_AN0145_NN, R02_AN0210, R02_AN0215, R02_AN0225_01 - R02_AN0225_11,	These items were incorrectly skipped by respondents who answered don’t know or refused to item R02_AN0115/R02_AN0115E.	No	

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 2 Data Collection?	Date Issue was Fixed
R02_AN0257E, R02_AN0145E_NN, R02_AN0210E, R02_AN0215E, R02_AN0225E_01 - R02_AN0225E_11			
R02_AN0145_NN	This item was skipped incorrectly by new former users of any product who were not current users of any product but were experimental current users of any product.	No	
R02_AX0219	This item was skipped incorrectly by continuing adults who reported that they had a heart condition in Wave 1 (R01_AX0111_01 – R01_AX0111_06 = 1) who were not diagnosed with a heart condition in the past 12 months (R02_AX0111_12M_01 – R02_AX0111_12M_01 != 1).	No	
R02_AN0135, R02_AN0140, R02_AN0135E, R02_AN0140E	These items were skipped incorrectly by respondents who answered 0 for R02_AN0130/R02_AN0130E respectively.	No	
R02_AN0811, R02_AN0811E	These items were skipped incorrectly by some respondents who were new former or current tobacco users who used nicotine replacement therapies in the past 12 months, or current tobacco users who were past year reducers or current experimental tobacco users who have ever used nicotine replacement therapies.	Yes	1/13/2015
R02_AN0331_12M	This item was skipped incorrectly by some respondents.	Yes	12/8/2014
R02_AG1030GJ, R02_AG1047GJ, R02_AG1048GJ_BRAND, R02_AG1050GJ, R02_AG1030TJ, R02_AG1047TJ, R02_AG1048TJ_BRAND, R02_AG1050TJ, R02_AG1030FJ, R02_AG1047FJ, R02_AG1048FJ_BRAND, R02_AG1050FJ	These items were skipped incorrectly by some respondents who smoked cigars as blunts.	Yes	1/26/2015
R02_AG1008GJ, R02_AG1008TJ	These items were skipped incorrectly by some respondents who began smoking cigars as blunts since Wave 1.	Yes	1/26/2015

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 2 Data Collection?	Date Issue was Fixed
R02_AS1003SM	This item was skipped incorrectly by some respondents who used smokeless tobacco in the past 12 months.	No	
R02_AN0205_NN	This item was skipped incorrectly by some respondents who used a prescription drug three or more days ago.	Yes	12/8/2014
R02_AN0160_01 - R02_AN0160_06, R02_AN0165_NN	These items were skipped incorrectly by some respondents who were new former or current tobacco users who used NRT to help them quit in the last 12 months.	Yes	1/13/2015
R02_AN0307	This item was skipped incorrectly by some respondents who were current users of tobacco.	Yes	12/8/2014

APPENDIX – ADULT INSTRUMENT DATA ERROR SUMMARY

This table summarizes variables with data errors that are not attributed to any skip errors in the data collection instruments. This table also includes variables that were incorrectly skipped in the data collection instrument due to missing pre-load values. For some respondents, these variables have missing data. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.).

Section	Items***
Introductory Demographics	R02_AT0047
Tobacco Use	R02_AC1009_NN, R02_AC1010, R02_AO1003C, R02_AO0100C, R02_AO1003G, R02_AO0100G, R02_AO1003P, R02_AO0100P, R02_AO1003H, R02_AO0100H, R02_AE1009_NN, R02_AG1009TC_NN, R02_AG1010TC, R02_AG1009CG_NN, R02_AG1010CG, R02_AG1009FC_NN, R02_AG1010FC, R02_AG1009GJ_NN, R02_AG9014, R02_AG9012, R02_AG9018, R02_AP1009_NN, R02_AP1010, R02_AH1009_NN, R02_AH1010, R02_AS1009SU_NN, R02_AS1010SU, R02_AS1009SM_NN, R02_AS1010SM, R02_AD1009_NN, R02_AD1010
Cigarette	R02_AC1005, R02_AC1100, R02_AC1021_NN, R02_AC1130, R02_AC1024_NN, R02_AC1098, R02_AC9007_01, R02_AC9007_02, R02_AC1049RY, R02_AC1048MC_BRAND, R02_AC1070MC_PRODUCT, R02_AC1050MC, R02_AC9019
E-cigarette	R02_AE1090, R02_AE9002_BRAND, R02_AE9041, R02_AE1005, R02_AE1100, R02_AE1008, R02_AE9005, R02_AE9038, R02_AE9009, R02_AE9032, R02_AE1021, R02_AE1022, R02_AE1023, R02_AE9010, R02_AE1024_NN, R02_AE1098, R02_AE1030, R02_AE1047, R02_AE1048_BRAND, R02_AE1050, R02_AE0104, R02_AE1060, R02_AE1061, R02_AE1085, R02_AE1062, R02_AE1075, R02_AE1063, R02_AE1064, R02_AE1065, R02_AE1066, R02_AE1067, R02_AE1068, R02_AE1069, R02_AE1072, R02_AE1086, R02_AE1080, R02_AE1081
ENDS	R02_AO1005, R02_AO1008, R02_AO9029_NN, R02_AO9010, R02_AO1100
Cigar	R02_AG1005TC, R02_AG1100TC, R02_AG1098TC, R02_AG1030TC, R02_AG1047TC, R02_AG1050TC, R02_AG0104TC, R02_AG1024TC_NN, R02_AG1048TC_BRAND, R02_AG1060TC, R02_AG1061TC, R02_AG1085TC, R02_AG1062TC, R02_AG1063TC, R02_AG1064TC, R02_AG1066TC, R02_AG1068TC, R02_AG1069TC, R02_AG1072TC, R02_AG1080TC, R02_AG1081TC, R02_AG1005CG, R02_AG1100CG, R02_AG1098CG, R02_AG1030CG, R02_AG1047CG, R02_AG1050CG, R02_AG0104CG, R02_AG1024CG_NN, R02_AG1048CG_BRAND, R02_AG1060CG, R02_AG1061CG, R02_AG1085CG, R02_AG1062CG, R02_AG1063CG, R02_AG1064CG, R02_AG1066CG, R02_AG1068CG, R02_AG1069CG, R02_AG1072CG, R02_AG1080CG, R02_AG1081CG, R02_AG1005FC, R02_AG1100FC, R02_AG1008FC, R02_AG1021FC, R02_AG1098FC, R02_AG1030FC, R02_AG1047FC, R02_AG1050FC, R02_AG1024FC_NN,

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Section	Items***
	R02_AG1048FC_BRAND, R02_AG1060FC, R02_AG1061FC, R02_AG1085FC, R02_AG1062FC, R02_AG1063FC, R02_AG1064FC, R02_AG1066FC, R02_AG1068FC, R02_AG1069FC, R02_AG1072FC, R02_AG1080FC, R02_AG1081FC
Pipe	R02_AP1005, R02_AP1100, R02_AP1021, R02_AP1130, R02_AP1024_NN, R02_AP1098, R02_AP1030, R02_AP1047, R02_AP1048_BRAND, R02_AP1070_PRODUCT, R02_AP1050, R02_AP1060, R02_AP1061, R02_AP1085, R02_AP1062, R02_AP1063, R02_AP1064, R02_AP1068, R02_AP1069, R02_AP1072, R02_AP1080, R02_AP1081
Hookah	R02_AH1005, R02_AH1100, R02_AH1024_NN, R02_AH9031, R02_AH1090, R02_AH9041, R02_AH9011_01, R02_AH9011_02, R02_AH9011_03, R02_AH9011_04, R02_AH1130, R02_AH9012, R02_AH9014, R02_AH9015, R02_AH9016, R02_AH1098, R02_AH1030, R02_AH1047, R02_AH1048_BRAND, R02_AH1049, R02_AH9108, R02_AH1050, R02_AH1060, R02_AH1061, R02_AH1085, R02_AH1062, R02_AH1063, R02_AH1064, R02_AH1068, R02_AH1069, R02_AH1072, R02_AH1073, R02_AH1080, R02_AH1081
Smokeless Tobacco and Snus	R02_AS1005SU, R02_AS1100SU, R02_AS1008SU, R02_AS1047SU, R02_AS1048SU_BRAND, R02_AS1050SU, R02_AS1060SU, R02_AS1061SU, R02_AS1085SU, R02_AS1062SU, R02_AS1075SU, R02_AS1063SU, R02_AS1064SU, R02_AS1065SU, R02_AS1067SU, R02_AS1068SU, R02_AU1076, R02_AU1070, R02_AS1072SU, R02_AS1080SU, R02_AS1081SU, R02_AS1005SM, R02_AS1100SM, R02_AS1022SM, R02_AS1024SM_NN, R02_AS1098SM, R02_AS1030SM, R02_AS1047SM, R02_AS1048SM_BRAND, R02_AS1049SM, R02_AS1050SM, R02_AS1060SM, R02_AS1061SM, R02_AS1085SM, R02_AS1062SM, R02_AS1075SM, R02_AS1063SM, R02_AS1064SM, R02_AS1065SM, R02_AS1067SM, R02_AS1068SM, R02_AS1072SM, R02_AS1086SM, R02_AS1080SM, R02_AS1081SM
Dissolvable Tobacco	R02_AD1005, R02_AD1100, R02_AD1047, R02_AD1048_BRAND, R02_AD1070_PRODUCT, R02_AD1050, R02_AD1060, R02_AD1061, R02_AD1085, R02_AD1062, R02_AD1075, R02_AD9062, R02_AD1063, R02_AD1064, R02_AD1065, R02_AD1067, R02_AD1068, R02_AD1076, R02_AD1072, R02_AD1086, R02_AD1080, R02_AD1081
Polyuse	R02_AY0005, R02_AY0010_NN, R02_AX0307C_01 - R02_AX0307C_11, R02_AX0306C_01 - R02_AX0306C_11, R02_AX0307E_01 - R02_AX0307E_11, R02_AX0306E_01 - R02_AX0306E_11, R02_AX0307T_01 - R02_AX0307T_11, R02_AX0306T_01 - R02_AX0306T_11, R02_AX0307G_01 - R02_AX0307G_11, R02_AX0306G_01 - R02_AX0306G_11, R02_AX0307F_01 - R02_AX0307F_11, R02_AX0306F_01 - R02_AX0306F_11, R02_AX0307P_01 - R02_AX0307P_11, R02_AX0306P_01 - R02_AX0306P_11, R02_AX0307H_01 - R02_AX0307H_11, R02_AX0306H_01 - R02_AX0306H_11, R02_AX0307S_01 - R02_AX0307S_10, R02_AX0306S_01 - R02_AX0306S_10
Nicotine Dependence	R02_AN0010, R02_AN0015, R02_AN0020, R02_AN0055, R02_AN0025, R02_AN0030, R02_AN0035, R02_AN0045, R02_AN0060, R02_AN0065, R02_AN0050, R02_AN0070, R02_AN0075, R02_AN0332, R02_AN0255, R02_AN0080, R02_AN0085, R02_AN0090, R02_AN0095, R02_AN0100, R02_AN0813,

PATH Study Wave 2 Adult Public Use File Annotated Instrument

Section	Items***
	R02_AN0812, R02_AN0105_01, R02_AN0105_02, R02_AN0105_03, R02_AN0105_04, R02_AN0115, R02_AN0120, R02_AN0145_NN, R02_AN0210, R02_AN0215, R02_AN0150, R02_AN0165_NN, R02_AN0170, R02_AN0180, R02_AN0195_NN, R02_AN0205_NN, R02_AN0804, R02_AN0805, R02_AN0806, R02_AN0807, R02_AN0808, R02_AN0809, R02_AN0810, R02_AN0230, R02_AN0235, R02_AX0006, R02_AN0010E, R02_AN0015E, R02_AN0020E, R02_AN0055E, R02_AN0025E, R02_AN0030E, R02_AN0035E, R02_AN0045E, R02_AN0060E, R02_AN0065E, R02_AN0050E, R02_AN0070E, R02_AN0075E, R02_AN0332E, R02_AN0080E, R02_AN0085E, R02_AN0090E, R02_AN0095E, R02_AN0100E, R02_AN0813E, R02_AN0812E, R02_AN0105E_01, R02_AN0105E_02, R02_AN0105E_03, R02_AN0105E_04, R02_AN0115E, R02_AN0130E_NN, R02_AN0145E_NN, R02_AN0150E, R02_AN0180E, R02_AN0804E, R02_AN0805E, R02_AN0806E, R02_AN0807E, R02_AN0808E, R02_AN0809E, R02_AN0810E, R02_AN0230E, R02_AN0235E
Packaging and Health Warnings	R02_AR0040, R02_AR0090, R02_AR0110, R02_AR0115, R02_AR0120, R02_AR0125, R02_AR0130, R02_AR0135, R02_AR0140
Media Use	R02_AX0687_01 - R02_AX0687_08, R02_AX0688_01 - R02_AX0688_08, R02_AX0505
Peer and Family Influences	R02_AX0070, R02_AX0071
Health	R02_AX0003, R02_AX0104, R02_AX0105, R02_AX0160_12M, R02_AX0227, R02_AX0228, R02_AX0229, R02_AX0283, R02_AX0125, R02_AX0127, R02_AX0230, R02_AX0231, R02_AX0689_12M_04, R02_AX0220_12M_02, R02_AX0220_12M_03, R02_AX0170, R02_AX0175_01 - R02_AX0175_07, R02_AX0171, R02_AX0172, R02_AX0173, R02_AX0193, R02_AX0174, R02_AX0194, R02_AX0176_01 - R02_AX0176_07, R02_AX0134_12M, R02_AX0305
Marketing, Advertising and Promotion	R02_AX0678, R02_AX0209, R02_AX0212, R02_AX0197_OS
Additional Demographics	R02_AM0012, R02_AM0026_08
Product Barcode Scanning Module	R02_AX0233_01, R02_AX0233_02, R02_AX0233_03, R02_AX0233_05