

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

ICPSR Codebook for Wave 2: Youth /
Parent Questionnaire Data with
Weights

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

CODEBOOK DISPLAY NOTES PATH STUDY

YOUTH / PARENT QUESTIONNAIRE DATA WITH WEIGHTS

ICPSR #36498-2002

1. ICPSR customized the display of the variables in this codebook. Most variables contain a frequency table displaying value labels and unweighted counts. Some numeric variables show summary statistics (arithmetic mean, mode, median, minimum, maximum, and standard deviation) instead of a frequency table. The median and mode may not display in the summary statistics if a variable has a very large number of distinct categories or values. These numeric variables do not have value labels for valid data. The third type of variable display does not show either a frequency table or summary statistics. These variables usually fall into one of three categories:
 - A. Character (String) variables: Free text responses have been omitted when there are more than 10 to 15 unique responses.
 - B. Lengthy Categorical variables: Variables with more than 25 valid value labels such as variables that end in “_BRAND” and “_PRODUCT”.
 - C. Identification variables: Variables for which univariate statistics are not meaningful, such as CASEID and PERSONID.
 - D. Design and Weight variables: Variables with many values that are too lengthy to display in the codebook and for which univariate statistics are generally not meaningful.

Unless a variable falls into the above categories of A, C, or D, a missing values table will be present if the valid cases have been presented in a frequency table, display summary statistics, or have been suppressed.

2. A variable with the same PATH ID (see description in the Public-Use Files User Guide) can display differently over time as a frequency table, summary statistics, or neither of these in the codebook depending on the range of valid values or the number of valid values or the number of valid cases present for that variable for that wave.
3. Frequencies or summary statistics are not displayed for the valid cases for variables ending in “_C” that ask about “cents” for the cost of a product, or “_IN” that ask about “inches” for a person’s height. These variables are paired with a preceding variable ending in “_D” (dollars) and “_FT” (feet), respectively. Summary statistics or a frequency

table may be displayed for that preceding “_D” or “_FT” variable. Both variables in the pair should be used together to accurately estimate the cost of a product or a person’s height.

4. Some variables contain lengthy universal lists of values for a particular type of question or section. Examples of this are the “_BRAND” and “_PRODUCT” variables that are in each tobacco type section. Not all of the values listed in the data file apply to that type of tobacco. Frequency tables for these variables have been suppressed in the codebooks.
5. As noted above, the frequency tables of the “_BRAND” and “_PRODUCT” variables have been suppressed in the main section of the codebook. However, the top 20 most frequent responses are provided for each variable, with all other coded responses grouped into a separate category. These condensed frequency tables appear in the appendix of this codebook.
6. Variables ending in “_NN” do not have frequencies or summary statistics displayed for valid cases because the valid values correspond to different units. The “_NN” variables are paired with variables ending in “_UN” that specify the units used in the “_NN” responses. For an example see variables R02_YC1051_NN and R02_YC1051_UN.
7. The questionnaire contains numerous boxes of information that precede certain sections or individual variables. When utilizing this codebook, users should refer to the questionnaire and pay special attention to the content of these boxes. Using the questionnaire side by side with the codebook when reviewing the content will help in understanding the information in the data file. The question text of the first variable directly after one of these “boxes” contains the text from the box or a reference to that box. Boxes containing descriptive text are repeated. Boxes containing programming information for system routing variables are referenced. The text or reference following that information for the first variable also applies to the remaining variables in that questionnaire section.
8. In multiple sections of the interview, the order of a series of questions is automatically randomized for the respondent. Information about the order of randomization is included in the variables containing “_RANDOM_” in the variable name. Cases coded as “-1” indicate that the question was not applicable to the respondent and was skipped during the interview.

9. Users should consult Table 1 and Table 2 in the front of the questionnaire for specific variables that have been removed entirely from or revised in this public-use version of the data.

10. The codebook provides frequency tables for valid and missing values. The displayed percentages are rounded to one decimal place. Due to rounding, not all individual percentages in the sub-tables sum exactly to the total. Likewise, the total percentages when combined may not sum to 100%.

11. Each variable contains the following statement:

“This variable has XXXXX valid cases out of XXXXX total cases.”

This statement describes how many valid cases for a variable were used for the calculation of percents for the frequency tables and in the calculations for summary statistics for continuous variables. Users can also quickly understand the amount of missing data for a particular variable. All percents and summary statistics are unweighted.

12. Data may be missing for a multitude of reasons. The codebook contains a statement as the last piece of information in the display of a variable that lists all user-defined missing values assigned to that variable. Most variables will contain four user-defined missing values. For these variables, the codebook will display, “(Range of) Missing Values: -9, -8, -7, -1”. Some variables may contain additional negative numbers assigned as missing values. The (Range of . . .) statement will not display for any variable where missing values are not assigned, such as CASEID, PERSONID, and weight variables.

13. Users should consult Section 6.7 of the Public-Use Files User Guide for further information about Missing Values. As with numeric variables, character (string) variables contain numerical values to signify why a case is missing but these values are not labeled. All missing values still correspond to the descriptions listed in the following table.

PATH Study Missing Value Codes and Their Descriptions

Value	Definition	Applicable data types	Applicable variable types	Description
-1	Inapplicable	Numeric, Character	Interview	This value is coded to identify items that were validly skipped on a route specific to a respondent.
-5	Improbable response removed	Numeric	Interview	This value is coded to represent improbable numeric answers provided by respondents.
-6	Unassigned PERSONID	Character	Interview	This value is coded when a new person is added as a spouse or other guardian in parent interviews for Wave 2 and beyond.
-7	Refused	Numeric, Character	Interview	This value is coded when respondents answered a question as "Refused."
-8	Don't know	Numeric, Character	Interview	This value is coded when respondents answered a question as "Don't know."
-9	Missing – Not ascertained	Numeric, Character	Interview	This value is coded when data were supposed to be collected on a route specific to a respondent but the collection did not occur due to a skip error in the instrument.
-99933	Missing due to respondent not being in previous wave	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because a respondent did not participate in an interview in the previous wave.
-99999	Missing due to data not ascertained on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because data were "Not ascertained" (as described above) in one or more component variables.
-99988	Missing due to a don't know response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Don't know" response in one or more component variables and none of those variables were "Not ascertained" (as described above).
-99977	Missing due to a refused response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Refused" response in one or more component variables and none of those variables were missing due to a "Don't know" response or because they were "Not ascertained" (as described above).
-99955	Missing due to an improbable response on one or more component variables	Numeric	Derived	This value is coded when a value in a derived variable is missing due to an improbable response in one or more component variables and none of those variables were missing due to "Don't know" or "Refused" responses or because they were "Not ascertained" (as described above).

-99966	Missing due to missing data on a prior wave for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because of missing data in one or more component variables from any previous wave and none of those variables were missing due to “Don’t know” or “Refused” responses, because they were “Not ascertained,” or because of an improbable response (as described above).
-99911	Missing due to an instrument skip pattern for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to items that are not applicable/validly skipped for a respondent in one or more component variables and none of those variables were missing due to the other reasons listed above.
-97777	Missing due to data removed per respondent request	Numeric, Character	Interview, Derived	This value is coded when respondents request data removal.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 2: Youth / Parent Questionnaire Data with Weights

CASEID: Case Identification Number

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

PERSONID: Participant ID

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6-25 (width: 20; decimal: 0)

Variable Type: character

R02R_Y_PT0001: DERIVED - Parent or guardian relationship to youth (4 levels)

Long Description: What is your relationship to [Child's first name]?

Original Variables: R02_PT0001

Algorithm: IF R02_PT0001 = 1 THEN R02R_Y_PT0001 = 1 ; ELSE IF R02_PT0001 = 2 THEN R02R_Y_PT0001 = 2 ; ELSE IF R02_PT0001 IN (3,4,5,6) THEN R02R_Y_PT0001 = 3 ; ELSE IF R02_PT0001 IN (7,8,9,10,11,12,91,92) THEN R02R_Y_PT0001 = 4; ELSE IF R02_PT0001 = -9 THEN R02R_Y_PT0001 = -99999 ; ELSE IF R02_PT0001 = -8 THEN R02R_Y_PT0001 = -99988 ; ELSE IF R02_PT0001 = -7 THEN R02R_Y_PT0001 = -99977 ; ELSE IF R02_PT0001 = -5 THEN R02R_Y_PT0001 = -99955 ; ELSE IF R02_PT0001 = -1 THEN R02R_Y_PT0001 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	2093	17.2 %
2	2 = Biological father	882	7.2 %
3	3 = Adopted or step parent	332	2.7 %
4	4 = Other	549	4.5 %
	Total	3,856	31.7%

This variable has 3,856 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	8315	68.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	8,316	68.3%

Percentages for both tables are based on 12,172 total cases.

Location: 26-33 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R02R_Y_PT0047: DERIVED - Parent or guardian marital status (3 levels)

Long Description: What is your marital status? Are you now married, widowed, divorced, separated or never married?

Original Variables: R02_PT0047

Algorithm: IF R02_PT0047 = 1 THEN R02R_Y_PT0047 = 1 ; ELSE IF R02_PT0047 IN (2,3,4) THEN R02R_Y_PT0047 = 2 ; ELSE IF R02_PT0047 = 5 THEN R02R_Y_PT0047 = 3 ; ELSE IF R02_PT0047 = -9 THEN R02R_Y_PT0047 = -99999 ; ELSE IF R02_PT0047 = -8 THEN R02R_Y_PT0047 = -99988 ; ELSE IF R02_PT0047 = -7 THEN R02R_Y_PT0047 = -99977 ; ELSE IF R02_PT0047 = -5 THEN R02R_Y_PT0047 = -99955 ; ELSE IF R02_PT0047 = -1 THEN R02R_Y_PT0047 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Married	7636	62.7 %
2	2 = Widowed, divorced or separated	2762	22.7 %
3	3 = Never married	1721	14.1 %
	Total	12,119	99.6%

This variable has 12,119 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	8	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	43	0.4 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	53	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 34-41 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R02R_Y_PT0002: DERIVED - Parent's spouse or partner relationship to youth (4 levels)

Long Description: What is [Spouse's first name]'s relationship to [Child's first name]?

Original Variables: R02_PT0002

Algorithm: IF R02_PT0002 = 1 THEN R02R_Y_PT0002 = 1 ; ELSE IF R02_PT0002 = 2 THEN R02R_Y_PT0002 = 2 ;

ELSE IF R02_PT0002 IN (3,4,5,6) THEN R02R_Y_PT0002 = 3 ; ELSE IF R02_PT0002 IN (7,8,9,10,11,12,91,92) THEN R02R_Y_PT0002 = 4; ELSE IF R02_PT0002 = -9 THEN R02R_Y_PT0002 = -99999 ; ELSE IF R02_PT0002 = -8 THEN R02R_Y_PT0002 = -99988 ; ELSE IF R02_PT0002 = -7 THEN R02R_Y_PT0002 = -99977 ; ELSE IF R02_PT0002 = -5 THEN R02R_Y_PT0002 = -99955 ; ELSE IF R02_PT0002 = -1 THEN R02R_Y_PT0002 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	1957	16.1 %
2	2 = Biological father	4058	33.3 %
3	3 = Adopted or step parent	1144	9.4 %
4	4 = Other	285	2.3 %
	Total	7,444	61.2%

This variable has 7,444 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4711	38.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	4,728	38.8%

Percentages for both tables are based on 12,172 total cases.

Location: 42-49 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R02R_Y_PM0059: DERIVED - Other parental figure/guardian's relationship to youth (4 levels)

Long Description: What is [Parental figure/guardian's first name]'s relationship to [Child's first name]?

Original Variables: R02_PM0059

Algorithm: IF R02_PM0059 = 1 THEN R02R_Y_PM0059 = 1 ; ELSE IF R02_PM0059 = 2 THEN R02R_Y_PM0059 = 2 ; ELSE IF R02_PM0059 IN (3,4,5,6) THEN R02R_Y_PM0059 = 3 ; ELSE IF R02_PM0059 IN (7,8,9,10,11,12,91,92) THEN R02R_Y_PM0059 = 4; ELSE IF R02_PM0059 = -9 THEN R02R_Y_PM0059 = -99999 ; ELSE IF R02_PM0059 = -8 THEN R02R_Y_PM0059 = -99988 ; ELSE IF R02_PM0059 = -7 THEN R02R_Y_PM0059 = -99977 ; ELSE IF R02_PM0059 = -5 THEN R02R_Y_PM0059 = -99955 ; ELSE IF R02_PM0059 = -1 THEN R02R_Y_PM0059 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	446	3.7 %
2	2 = Biological father	494	4.1 %
3	3 = Adopted or step parent	382	3.1 %

Value	Label	Unweighted Frequency	%
4	4 = Other	629	5.2 %
	Total	1,951	16.0%

This variable has 1,951 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	10221	84.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	10,221	84.0%

Percentages for both tables are based on 12,172 total cases.

Location: 50-57 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R02_PT0003: Youth has another parent who lives somewhere else

Does {Child's first name} have another parent who lives somewhere else?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_PXR01.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4937	40.6 %
2	2 = No	7182	59.0 %
	Total	12,119	99.6%

This variable has 12,119 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	43	0.4 %

	Missing Data		
	Total	53	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 58-65 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0006: How often youth stays with other parent who lives somewhere else

How often does {Child's first name} stay there? Would you say never, less than half the time, about half the time, or more than half the time?

ASK: Parent/guardian respondents of all youth respondents who have another parent(s)/guardian(s) who lives somewhere else.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND R02_PT0003 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	2402	19.7 %
2	2 = Less than half the time	1587	13.0 %
3	3 = About half the time	576	4.7 %
4	4 = More than half the time	370	3.0 %
	Total	4,935	40.5%

This variable has 4,935 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7235	59.4 %
	Total	7,237	59.5%

Percentages for both tables are based on 12,172 total cases.

Location: 66-73 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0009: Youth has a curfew or set time to be home on school nights

The next series of questions ask about {Child's first name}'s life at home and in school.

In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on school nights?

[IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10529	86.5 %
2	2 = No	1597	13.1 %
	Total	12,126	99.6%

This variable has 12,126 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	46	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 74-81 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0011: Youth has a curfew or set time to be home on weekend nights

In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on weekend nights?

[IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10047	82.5 %
2	2 = No	2077	17.1 %
	Total	12,124	99.6%

This variable has 12,124 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	48	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 82-89 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0019: In past 12 months, youth's grade performance in school

Please look at this list. How would you describe how {Child's first name} has performed at school in the past 12 months? Would you say {Child's first name}'s grades are . . . ?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Mostly A's	3085	25.3 %
2	2 = A's and B's	4004	32.9 %
3	3 = Mostly B's	1160	9.5 %
4	4 = B's and C's	2236	18.4 %
5	5 = Mostly C's	607	5.0 %
6	6 = C's and D's	626	5.1 %
7	7 = Mostly D's	91	0.7 %
8	8 = D's and F's	171	1.4 %
9	9 = Mostly F's	56	0.5 %
10	10 = Your child's school is ungraded	71	0.6 %
	Total	12,107	99.5%

This variable has 12,107 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	65	0.5%

Percentages for both tables are based on 12,172 total cases.

Location: 90-97 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0030: In past 12 months, how often youth missed school due to illness

In the past 12 months, how often did {Child's first name} miss school due to illness?
Would you say never, rarely, sometimes, often, or very often?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	2827	23.2 %
2	2 = Rarely	6573	54.0 %
3	3 = Sometimes	2149	17.7 %
4	4 = Often	420	3.5 %
5	5 = Very often	147	1.2 %
	Total	12,116	99.5%

This variable has 12,116 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	56	0.5%

Percentages for both tables are based on 12,172 total cases.

Location: 98-105 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0021: Youth has ever used a tobacco product (parent or guardian report)

As far as you know, has {Child's first name} ever smoked a cigarette or used other tobacco products, such as e-cigarettes, cigars, a pipe, a hookah, smokeless tobacco, dissolvable tobacco, bidis or kreteks?

Please look at this list. Would you say . . . ?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = You know that she / he has	1005	8.3 %
2	2 = You strongly suspect she / he has	330	2.7 %
3	3 = You don't think she / he has	1637	13.4 %
4	4 = You are confident she / he has not	9150	75.2 %
	Total	12,122	99.6%

This variable has 12,122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	50	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 106-113 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PR1045: Rules about using tobacco products that are burned inside home

[Box R02_PXR02 - Parent/guardian respondents of all youth respondents who have already completed a parent interview for another youth respondent, go to R02_PT0029. Else, go to R02_PR1045. IF R02_P_COMP_LD = 1, GO TO R02_PT0029. ELSE, GO TO R02_PR1045.]

These next few questions ask about the rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah, which statement best describes the rules about smoking these products inside your home?

Please look at this list. Would you say . . . ?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND R02_P_COMP_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9503	78.1 %

Value	Label	Unweighted Frequency	%
2	2 = It is allowed in some places or at some times inside my home	1185	9.7 %
3	3 = It is allowed anywhere and at any time inside my home	648	5.3 %
	Total	11,336	93.1%

This variable has 11,336 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	791	6.5 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	836	6.9%

Percentages for both tables are based on 12,172 total cases.

Location: 114-121 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PR1050: Rules about using other not burned tobacco products inside home

Now think about other tobacco products that are not burned, like smokeless tobacco, dissolvable tobacco, and e-cigarettes.

Which statement best describes the rules about using these products inside your home?

Please look at this list. Would you say . . . ?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND R02_P_COMP_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	8604	70.7 %
2	2 = It is allowed in some places or at some times inside my home	1443	11.9 %
3	3 = It is allowed anywhere and at any time inside my home	1264	10.4 %
	Total	11,311	92.9%

This variable has 11,311 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	791	6.5 %
-8	-8 = Don't know	26	0.2 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	861	7.1%

Percentages for both tables are based on 12,172 total cases.

Location: 122-129 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0029: Cigarettes or tobacco might be available to youth at parent or guardian's home

Do you think cigarettes or tobacco might be available to {Child's first name} at your home?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

[GOTO: If child spends time at another parent's home, go to R02_PT0005. Else, go to R02_PT0035.]

[GOTO Specification: IF R02_PT0006 > 1, GO TO R02_PT0005. ELSE, GO TO R02_PT0035.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	2008	16.5 %
2	2 = No	10115	83.1 %
	Total	12,123	99.6%

This variable has 12,123 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	49	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 130-137 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0005: Parent thinks youth might have access to cigarettes or tobacco at another parent's home

Do you think cigarettes or tobacco might be available to {Child's first name} when {he/she} is at the other parent's home?

ASK: Parent/guardian respondents of youth respondents who spend time living with another parent/guardian in another household.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND R02_PT0006 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	743	6.1 %
2	2 = No	1742	14.3 %
	Total	2,485	20.4%

This variable has 2,485 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	47	0.4 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9639	79.2 %
	Total	9,687	79.6%

Percentages for both tables are based on 12,172 total cases.

Location: 138-145 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0035: Youth's overall health status

The next series of questions ask about {Child's first name}'s health.

In general, would you say {Child's first name}'s overall health is excellent, very good, good, fair, or poor?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	6885	56.6 %
2	2 = Very good	3375	27.7 %
3	3 = Good	1502	12.3 %
4	4 = Fair	339	2.8 %
5	5 = Poor	27	0.2 %
	Total	12,128	99.6%

This variable has 12,128 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	44	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 146-153 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PX0302: In past 12 months, youth visited ER or urgent care for a health problem

In the past 12 months, has {Child's first name} visited an emergency room or urgent care center for a health problem, accident or injury?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

[GOTO: Parent/guardian respondents of youth respondents who visited an emergency room or urgent care center for a health problem, accident or injury in the past 12 months, go to R02_PT0034. Else, parent/guardian respondents of new baseline youth respondents who have not visited an emergency room or urgent care center for a health problem, accident or injury in the past 12 months, go to R02_PX0186_NB. Else, parent/guardian respondents of continuing youth respondents who have not visited an emergency room or urgent care center for a health problem, accident or injury in the past 12 months, go to Box R02_PTR02.]

[GOTO Specification: IF R02_PX0302 = 1, GO TO R02_PT0034. ELSE, IF R02_NEW_BASELINE_PARENT_LD = 1 AND R02_PX0302 != 1, GO TO R02_PX0186_NB. ELSE, IF R02_CONTINUING_PARENT_LD = 1 AND R02_PX0302 != 1, GO TO BOX R02_PTR02.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	2798	23.0 %
2	2 = No	9329	76.6 %
	Total	12,127	99.6%

This variable has 12,127 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	45	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 154-161 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0034: In past 12 months, number of visits youth made to ER or urgent care for a health problem

How many visits to the emergency room or urgent care center has {Child's first name} made in the past 12 months?

ASK: Parent/guardian respondents of youth respondents who visited an emergency room or urgent care center for a health problem, accident or injury in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND R02_PX0302 = 1.

[GOTO: Parent/guardian respondents of new baseline youth respondents, go to R02_PX0186_NB. Else, parent/guardian respondents of continuing youth respondents, go to Box R02_PTR02.]

[GOTO Specification: IF R02_NEW_BASELINE_PARENT_LD = 1, GO TO R02_PX0186_NB. ELSE, IF R02_CONTINUING_PARENT_LD = 1, GO TO BOX R02_PTR02.]

This variable has 2,798 valid cases out of 12,172 total cases.

- Mean: 1.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 1.35

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	9374	77.0 %
	Total	9,374	77.0%

Percentages for both tables are based on 12,172 total cases.

Location: 162-169 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_PX0188_NB: Youth has difficulty dressing or bathing

Does {Child's first name} have difficulty dressing or bathing?

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	2081	17.1 %
	Total	2,089	17.2%

This variable has 2,089 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10083	82.8 %
	Total	10,083	82.8%

Percentages for both tables are based on 12,172 total cases.

Location: 170-177 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PX0189_NB: Youth has serious difficulty concentrating, remembering or making decisions because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, does {Child's first name} have serious difficulty concentrating, remembering, or making decisions?

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1.

[GOTO: Parent/guardian respondents of new baseline youth respondents who are 15 years old or older, go to R02_PX0187_NB. Else, go to Box R02_PTR02.]

[GOTO Specification: IF R02_NEW_BASELINE_PARENT = 1 AND R02R_Y_AGE >= 15, GO TO R02_PX0187_NB. ELSE, GO TO BOX R02_PTR02.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	230	1.9 %
2	2 = No	1858	15.3 %
	Total	2,088	17.2%

This variable has 2,088 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10083	82.8 %
	Total	10,084	82.8%

Percentages for both tables are based on 12,172 total cases.

Location: 178-185 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PX0187_NB: Youth has difficulty doing errands alone because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, does {Child's first name} have difficulty doing errands alone such as visiting a doctor's office or shopping?

ASK: Parent/guardian respondents of new baseline youth respondents who are 15 years old or older.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD =1 AND R02R_Y_AGE >= 15.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,172	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 186-193 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0050_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has high blood pressure

[Box R02_PTR02 - Parent/guardian respondents of continuing youth respondents, go to R02_PT0050_12M. Else, parent/guardian respondents of new baseline youth respondents, go to R02_PT0050_NB.]

IF R02_CONTINUING_PARENT_LD = 1, GO TO R02_PT0050_12M. ELSE, IF R02_NEW_BASELINE_PARENT_LD = 1, GO TO R02_PT0050_NB.]

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has high blood pressure?

[Go to R02_PT0051_12M.]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R02_CONTINUING_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	131	1.1 %
2	2 = No	9904	81.4 %
	Total	10,035	82.4%

This variable has 10,035 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	2132	17.5 %
	Total	2,137	17.6%

Percentages for both tables are based on 12,172 total cases.

Location: 194-201 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0050_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has high blood pressure

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has high blood pressure?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_PT0051_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	2075	17.0 %
	Total	2,089	17.2%

This variable has 2,089 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10083	82.8 %
	Total	10,083	82.8%

Percentages for both tables are based on 12,172 total cases.

Location: 202-209 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_PT0041_NB: DERIVED - Age range youth was first told he/she had high blood pressure (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had high blood pressure?

Original Variables: R02_PT0041_NB, R02_PT0253_NB

Algorithm: IF R02_PT0253_NB = 1 OR (0<=R02_PT0041_NB<=11) THEN R02R_Y_PT0041_NB = 1; ELSE IF R02_PT0253_NB = 2 OR (12<=R02_PT0041_NB<=14) THEN R02R_Y_PT0041_NB = 2; ELSE IF R02_PT0253_NB = 3 OR (15<=R02_PT0041_NB<=17) THEN R02R_Y_PT0041_NB = 3; ELSE IF R02_PT0041_NB = -9 OR R02_PT0253_NB = -9 THEN R02R_Y_PT0041_NB = -99999; ELSE IF R02_PT0041_NB = -8 OR R02_PT0253_NB = -8 THEN R02R_Y_PT0041_NB = -99988; ELSE IF R02_PT0041_NB = -7 OR R02_PT0253_NB = -7 THEN R02R_Y_PT0041_NB = -99977; ELSE IF R02_PT0041_NB = -5 THEN R02R_Y_PT0041_NB = -99955; ELSE IF R02_PT0041_NB = -1 OR R02_PT0253_NB = -1 THEN R02R_Y_PT0041_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	12	0.1 %
2	2 = 12 to 14 years old	2	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12158	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,158	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 210-217 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_PT0051_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has high cholesterol

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has high cholesterol?

[Go to R02_PX0221.]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R02_CONTINUING_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	146	1.2 %
2	2 = No	9887	81.2 %
	Total	10,033	82.4%

This variable has 10,033 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	2132	17.5 %
	Total	2,139	17.6%

Percentages for both tables are based on 12,172 total cases.

Location: 218-225 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0051_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has high cholesterol

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has high cholesterol?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_PX0221.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.3 %
2	2 = No	2049	16.8 %
	Total	2,088	17.2%

This variable has 2,088 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10083	82.8 %
	Total	10,084	82.8%

Percentages for both tables are based on 12,172 total cases.

Location: 226-233 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_PT0043_NB: DERIVED - Age range youth was first told he/she has high cholesterol (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had high cholesterol?

Original Variables: R02_PT0043_NB, R02_PT0254_NB

Algorithm: IF R02_PT0254_NB = 1 OR (0<=R02_PT0043_NB<=11) THEN R02R_Y_PT0043_NB = 1; ELSE IF R02_PT0254_NB = 2 OR (12<=R02_PT0043_NB<=14) THEN R02R_Y_PT0043_NB = 2; ELSE IF R02_PT0254_NB = 3 OR (15<=R02_PT0043_NB<=17) THEN R02R_Y_PT0043_NB = 3; ELSE IF R02_PT0043_NB = -9 OR R02_PT0254_NB = -9 THEN R02R_Y_PT0043_NB = -99999; ELSE IF R02_PT0043_NB = -8 OR R02_PT0254_NB = -8 THEN R02R_Y_PT0043_NB = -99988; ELSE IF R02_PT0043_NB = -7 OR R02_PT0254_NB = -7 THEN R02R_Y_PT0043_NB = -99977; ELSE IF R02_PT0043_NB = -5 THEN R02R_Y_PT0043_NB = -99955; ELSE IF R02_PT0043_NB = -1 OR R02_PT0254_NB = -1 THEN R02R_Y_PT0043_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	30	0.2 %
2	2 = 12 to 14 years old	9	0.1 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12133	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 234-241 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_PX0221: Youth's biological relatives have ever been told by a health professional that they had high blood pressure

The next questions ask about {Child's first name}'s close biological or blood relatives, including {his|her} father, mother, or brothers or sisters, both living and deceased.

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high blood pressure?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5492	45.1 %
2	2 = No	6476	53.2 %
	Total	11,968	98.3%

This variable has 11,968 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	155	1.3 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	204	1.7%

Percentages for both tables are based on 12,172 total cases.

Location: 242-249 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PX0222: Youth's biological relatives have ever been told by a health professional that they had high cholesterol

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high cholesterol?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

[GOTO: Parent/guardian respondents of continuing youth respondents, go to R02_PT0031_12M.

Else, parent/guardian respondents of new baseline youth respondents, go to R02_PT0031_NB.]

[GOTO Specification: IF R02_CONTINUING_PARENT_LD = 1, GO TO R02_PT0031_12M.

ELSE, IF R02_NEW_BASELINE_PARENT_LD = 1, GO TO R02_PT0031_NB.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	4822	39.6 %
2	2 = No	7074	58.1 %
	Total	11,896	97.7%

This variable has 11,896 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	222	1.8 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	43	0.4 %
	Total	276	2.3%

Percentages for both tables are based on 12,172 total cases.

Location: 250-257 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0031_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has asthma

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has asthma?

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R02_CONTINUING_PARENT_LD = 1.

[GOTO: Parent/guardian respondents of continuing youth respondents who have ever had asthma, go to R02_PT0022. Else, go to R02_PT0033.]

[GOTO Specification: IF R01_PT0031 = 1 OR R02_PT0031_12M = 1, GO TO R02_PT0022. ELSE, GO TO R02_PT0033]

Value	Label	Unweighted Frequency	%
1	1 = Yes	1095	9.0 %
2	2 = No	8940	73.4 %
	Total	10,035	82.4%

This variable has 10,035 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	2132	17.5 %
	Total	2,137	17.6%

Percentages for both tables are based on 12,172 total cases.

Location: 258-265 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0031_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has asthma

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has asthma?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_PT0033.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	373	3.1 %
2	2 = No	1715	14.1 %
	Total	2,088	17.2%

This variable has 2,088 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10083	82.8 %
	Total	10,084	82.8%

Percentages for both tables are based on 12,172 total cases.

Location: 266-273 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_PT0038_NB: DERIVED - Age range youth was first told he/she has asthma (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had asthma?

Original Variables: R02_PT0038_NB, R02_PT0260_NB

Algorithm: IF R02_PT0260_NB = 1 OR (0<=R02_PT0038_NB<=11) THEN R02R_Y_PT0038_NB = 1; ELSE IF R02_PT0260_NB = 2 OR (12<=R02_PT0038_NB<=14) THEN R02R_Y_PT0038_NB = 2; ELSE IF R02_PT0260_NB = 3 OR (15<=R02_PT0038_NB<=17) THEN R02R_Y_PT0038_NB = 3; ELSE IF R02_PT0038_NB = -9 OR R02_PT0260_NB = -9 THEN R02R_Y_PT0038_NB = -99999; ELSE IF R02_PT0038_NB = -8 OR R02_PT0260_NB = -8 THEN R02R_Y_PT0038_NB = -99988; ELSE IF R02_PT0038_NB = -7 OR R02_PT0260_NB = -7 THEN R02R_Y_PT0038_NB = -99977; ELSE IF R02_PT0038_NB = -5 THEN R02R_Y_PT0038_NB = -99955; ELSE IF R02_PT0038_NB = -1 OR R02_PT0260_NB = -1 THEN R02R_Y_PT0038_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	369	3.0 %
2	2 = 12 to 14 years old	4	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	373	3.1%

This variable has 373 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11799	96.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,799	96.9%

Percentages for both tables are based on 12,172 total cases.

Location: 274-281 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_PT0022: In past 12 months, youth has taken medications regularly for asthma

In the past 12 months, has {Child's first name} taken medications regularly for asthma?

[Taken regularly means according to a health care provider's instructions.]

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND R02_PT0031_NB = 1 OR R02_PT0031_12M = 1 OR R01_PT0031 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	748	6.1 %
2	2 = No	1665	13.7 %
	Total	2,413	19.8%

This variable has 2,413 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9758	80.2 %
	Total	9,759	80.2%

Percentages for both tables are based on 12,172 total cases.

Location: 282-289 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0036_01: In past 12 months, medications youth has taken for asthma: Quick-relief inhaler

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

Quick-relief inhaler - FOR EXAMPLE: ALBUTEROL (PROAIR, VENTOLIN, XOPENEX), IPRATROPIUM (ATROVENT), OR A COMBINATION INHALER (COMBIVENT)

[Go to R02_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_PT0031_NB = 1 OR R02_PT0031_12M = 1 OR R01_PT0031 = 1) AND R02_PT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	643	5.3 %
2	2 = Not Marked	105	0.9 %
	Total	748	6.1%

This variable has 748 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11424	93.9 %
	Total	11,424	93.9%

Percentages for both tables are based on 12,172 total cases.

Location: 290-297 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0036_02: In past 12 months, medications youth has taken for asthma: Controller/long-acting inhaler

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

Controller or long-acting inhaler including steroid inhaler - FOR EXAMPLE: BECLOMETHASONE (QVAR), FLUTICASONE (FLOVENT), SALMETEROL (SEREVENT), TIOTROPIUM (SPIRIVA), OR A COMBINATION INHALER (ADVAIR)

[Go to R02_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_PT0031_NB = 1 OR R02_PT0031_12M = 1 OR R01_PT0031 = 1) AND R02_PT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	274	2.3 %
2	2 = Not Marked	474	3.9 %
	Total	748	6.1%

This variable has 748 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11424	93.9 %
	Total	11,424	93.9%

Percentages for both tables are based on 12,172 total cases.

Location: 298-305 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0036_03: In past 12 months, medications youth has taken for asthma: Other controlling medication

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

Other controlling medication - FOR EXAMPLE: MONTELUKAST (SINGULAIR), ZAFIRLUKAST (ACCOLATE), THEOPHYLLINE, ROFLUMILAST (DALIRESP)

[Go to R02_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_PT0031_NB = 1 OR R02_PT0031_12M = 1 OR R01_PT0031 = 1) AND R02_PT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	171	1.4 %
2	2 = Not Marked	577	4.7 %

Value	Label	Unweighted Frequency	%
	Total	748	6.1%

This variable has 748 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11424	93.9 %
	Total	11,424	93.9%

Percentages for both tables are based on 12,172 total cases.

Location: 306-313 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0036_04: In past 12 months, medications youth has taken for asthma: Oral or injected steroid medication

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

Oral or injected steroid medication - FOR EXAMPLE: PREDNISONE, PREDNISOLONE (ORAPRED), DEXAMETHASONE (DECADRON)

[Go to R02_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_PT0031_NB = 1 OR R02_PT0031_12M = 1 OR R01_PT0031 = 1) AND R02_PT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	83	0.7 %
2	2 = Not Marked	665	5.5 %
	Total	748	6.1%

This variable has 748 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11424	93.9 %
	Total	11,424	93.9%

Percentages for both tables are based on 12,172 total cases.

Location: 314-321 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0036_05: In past 12 months, medications youth has taken for asthma: Oxygen therapy

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

Oxygen therapy

[Go to R02_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_PT0031_NB = 1 OR R02_PT0031_12M = 1 OR R01_PT0031 = 1) AND R02_PT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.2 %
2	2 = Not Marked	718	5.9 %
	Total	748	6.1%

This variable has 748 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11424	93.9 %
	Total	11,424	93.9%

Percentages for both tables are based on 12,172 total cases.

Location: 322-329 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0036_06: In past 12 months, medications youth has taken for asthma: Other asthma medication

Please look at this list. In the past 12 months, which of the following medications did

{Child's first name} regularly take for asthma? Choose all that apply.

Other asthma medication

[Go to R02_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_PT0031_NB = 1 OR R02_PT0031_12M = 1 OR R01_PT0031 = 1) AND R02_PT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	54	0.4 %
2	2 = Not Marked	694	5.7 %
	Total	748	6.1%

This variable has 748 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11424	93.9 %
	Total	11,424	93.9%

Percentages for both tables are based on 12,172 total cases.

Location: 330-337 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0125: In past 12 months, youth had an asthma attack that required use of an oral or injected steroid medication

In the past 12 months, has {Child's first name} had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?

[Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).]

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have taken oral or injected steroid medications regularly for asthma in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_PT0031_NB = 1 OR R02_PT0031_12M = 1 OR R01_PT0031 = 1) AND R02_PT0022 = 1 AND R02_PT0036_04 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	49	0.4 %
2	2 = No	34	0.3 %
	Total	83	0.7%

This variable has 83 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12089	99.3 %
	Total	12,089	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 338-345 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0039: In past 12 months, number of asthma attacks youth has had that required use of an oral or injected steroid medication

In the past 12 months, how many asthma attacks has {Child's first name} had that required use of an oral or injected steroid medication at the time of the attack?

ASK: Parent/guardian respondents of youth respondents who have had an asthma attack in the past 12 months that required use of an oral or injected steroid medication at the time of the attack.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_PT0031_NB = 1 OR R02_PT0031_12M = 1 OR R01_PT0031 = 1) AND R02_PT0022 = 1 AND R02_PT0036_04 = 1 AND R02_PT0125 = 1.

This variable has 49 valid cases out of 12,172 total cases.

- Mean: 3.84
- Median: 3.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.94

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 346-353 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_PT0127: In past 12 months, youth has visited an emergency room or urgent care center because of asthma

In the past 12 months, has {Child's first name} had to visit an emergency room or urgent care center because of asthma?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_PT0033.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1)
AND R02_PT0031_NB = 1 OR R02_PT0031_12M = 1 OR R01_PT0031 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	180	1.5 %
2	2 = No	2234	18.4 %
	Total	2,414	19.8%

This variable has 2,414 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9758	80.2 %
	Total	9,758	80.2%

Percentages for both tables are based on 12,172 total cases.

Location: 354-361 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0282: In past 12 months, number of times youth has visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times has {Child's first name} had to visit an emergency room or urgent care center because of asthma?

ASK: Parent/guardian respondents of youth respondents who have had to visit an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_PT0031_NB = 1 OR R02_PT0031_12M = 1 OR R01_PT0031 = 1) AND R02_PT0127 = 1.

This variable has 180 valid cases out of 12,172 total cases.

- Mean: 1.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.68

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11992	98.5 %
	Total	11,992	98.5 %

Percentages for both tables are based on 12,172 total cases.

Location: 362-369 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_PT0033: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has bronchitis, pneumonia or chronic cough

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has bronchitis, pneumonia, or chronic cough?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

[GOTO: Parent/guardian respondents of new baseline youth respondents who have not had bronchitis, pneumonia, or chronic cough in the past 12 months, go to R02_PT0040_NB.
Else, go to R02_PT0052_12M.]

[GOTO Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 AND R02_PT0033 = 2, GO TO R02_PT0040_NB.
ELSE, GO TO R02_PT0052_12M.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	509	4.2 %
2	2 = No	11614	95.4 %

Value	Label	Unweighted Frequency	%
	Total	12,123	99.6%

This variable has 12,123 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	49	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 370-377 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0040_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has bronchitis, pneumonia or chronic cough

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} had bronchitis, pneumonia, or chronic cough?

ASK: Parent/guardian respondents of new baseline youth respondents who have not had bronchitis, pneumonia, or chronic cough in the past 12 months.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 AND R02_PT0033 = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	208	1.7 %
2	2 = No	1779	14.6 %
	Total	1,987	16.3%

This variable has 1,987 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10180	83.6 %
	Total	10,185	83.7%

Percentages for both tables are based on 12,172 total cases.

Location: 378-385 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0052_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has ADHD or ADD

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has ADHD or ADD?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

[GOTO: Parent/guardian respondents of new baseline youth respondents who have not been told they had ADD/ADHD in the past 12 months, go to R02_PT0052_NB. Else, parent/guardian respondents of youth respondents who have ever been told they had ADD/ADHD, go to R02_PT0048. Else, go to R02_PT0049.]

[GOTO Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 AND R02_PT0052_12M = 2), GO TO R02_PT0052_NB. ELSE, IF R01_PT0052 = 1 OR R02_PT0052_12M = 1, GO TO R02_PT0048. ELSE, GO TO R02_PT0049.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	1289	10.6 %
2	2 = No	10832	89.0 %
	Total	12,121	99.6%

This variable has 12,121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	51	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 386-393 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0052_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has ADHD or ADD

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has ADHD or ADD?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_PT0049.]

ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had ADD/ADHD in the past 12 months.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 AND R02_PT0052_12M = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	55	0.5 %
2	2 = No	1802	14.8 %
	Total	1,857	15.3%

This variable has 1,857 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10315	84.7 %
	Total	10,315	84.7%

Percentages for both tables are based on 12,172 total cases.

Location: 394-401 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0048: In past 12 months, youth has taken medications regularly for ADHD or ADD

In the past 12 months, has {Child's first name} taken medications regularly for ADHD or ADD?

[Taken regularly means according to a health care provider's instructions.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had ADD/ADHD.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND R02_PT0052_NB = 1 OR R02_PT0052_12M = 1 OR R01_PT0052 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	965	7.9 %
2	2 = No	912	7.5 %
	Total	1,877	15.4%

This variable has 1,877 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10292	84.6 %
	Total	10,295	84.6%

Percentages for both tables are based on 12,172 total cases.

Location: 402-409 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0049: In past 12 months, youth has been told by a doctor, dentist or other health professional that he/she has dental health issues

In the past 12 months, has {Child's first name} been told by a doctor, dentist or other health professional that {he/she} has dental health issues, such as cavities, gum disease or dental stains?

[Dental health issues do NOT include orthodontia or braces.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1.

[GOTO: Parent/guardian respondents of new baseline youth respondents who have not been told they had dental health issues in the past 12 months, go to R02_PT0044_NB. Else, parent/guardian respondents of new baseline youth respondents, go to R02_PT0281_NB. Else, parent/guardian respondents of continuing youth respondents, go to R02_PT0281_12M.]

[GOTO Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 AND R02_PT0049 = 2, GO TO R02_PT0044_NB. ELSE, IF R02_NEW_BASELINE_PARENT_LD = 1, GO TO R02_PT0281_NB. ELSE, IF R02_CONTINUING_PARENT_LD = 1, GO TO R02_PT0281_12M.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	2511	20.6 %
2	2 = No	9610	79.0 %
	Total	12,121	99.6%

This variable has 12,121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	51	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 410-417 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0044_NB: Youth has ever been told by a doctor, dentist or other health professional that he/she has dental health issues

Has {Child's first name} ever been told by a doctor, dentist, or other health professional that {he/she} has dental health issues, such as cavities, gum disease, or dental stains?

[Dental health issues do NOT include orthodontia or braces.]

[Go to R02_PT0281_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had dental health issues in the past 12 months.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1 AND R02_PT0049 = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	419	3.4 %
2	2 = No	1198	9.8 %
	Total	1,617	13.3%

This variable has 1,617 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10555	86.7 %
	Total	10,555	86.7%

Percentages for both tables are based on 12,172 total cases.

Location: 418-425 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0281_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[Go to R02_PMR02.]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R02_CONTINUING_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	156	1.3 %
2	2 = No	9880	81.2 %
	Total	10,036	82.5%

This variable has 10,036 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	2132	17.5 %
	Total	2,136	17.5%

Percentages for both tables are based on 12,172 total cases.

Location: 426-433 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT0281_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_PMR02.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_PARENT_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	36	0.3 %
2	2 = No	2053	16.9 %
	Total	2,089	17.2%

This variable has 2,089 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10083	82.8 %
	Total	10,083	82.8%

Percentages for both tables are based on 12,172 total cases.

Location: 434-441 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_PT0042_NB: DERIVED - Age range youth was first told by a doctor or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

Original Variables: R02_PT0042_NB, R02_PT0263_NB

Algorithm: IF R02_PT0263_NB = 1 OR (0<=R02_PT0042_NB<=11) THEN R02R_Y_PT0042_NB = 1; ELSE IF R02_PT0263_NB = 2 OR (12<=R02_PT0042_NB<=14) THEN R02R_Y_PT0042_NB = 2; ELSE IF R02_PT0263_NB = 3 OR (15<=R02_PT0042_NB<=17) THEN R02R_Y_PT0042_NB = 3; ELSE IF R02_PT0042_NB = -9 OR R02_PT0263_NB = -9 THEN R02R_Y_PT0042_NB = -99999; ELSE IF R02_PT0042_NB = -8 OR R02_PT0263_NB = -8 THEN R02R_Y_PT0042_NB = -99988; ELSE IF R02_PT0042_NB = -7 OR R02_PT0263_NB = -7 THEN R02R_Y_PT0042_NB = -99977; ELSE IF R02_PT0042_NB = -5 THEN R02R_Y_PT0042_NB = -99955; ELSE IF R02_PT0042_NB = -1 OR R02_PT0263_NB = -1 THEN R02R_Y_PT0042_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	32	0.3 %
2	2 = 12 to 14 years old	4	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12136	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
	Total	12,136	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 442-449 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02R_Y_PM0001: DERIVED - Highest grade or year of school completed by parent (6 levels)

Long Description: What is the highest grade or year of school that you have completed?

Original Variables: R02_PM0001

Algorithm: IF R02_PM0001 IN (1,2) THEN R02R_Y_PM0001 = 1 ; ELSE IF R02_PM0001 = 3 THEN R02R_Y_PM0001 = 2 ; ELSE IF R02_PM0001 = 4 THEN R02R_Y_PM0001 = 3 ; ELSE IF R02_PM0001 IN (5,6,7) THEN R02R_Y_PM0001 = 4 ; ELSE IF R02_PM0001 = 8 THEN R02R_Y_PM0001 = 5 ; ELSE IF R02_PM0001 >=9 THEN R02R_Y_PM0001 = 6; ELSE IF R02_PM0001 = -9 THEN R02R_Y_PM0001 = -99999 ; ELSE IF R02_PM0001 = -8 THEN R02R_Y_PM0001 = -99988 ; ELSE IF R02_PM0001 = -7 THEN R02R_Y_PM0001 = -99977 ; ELSE IF R02_PM0001 = -1 THEN R02R_Y_PM0001 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Less than High School	1728	14.2 %
2	2 = GED	519	4.3 %
3	3 = High school graduate	2110	17.3 %
4	4 = Some college (no degree) or associates degree	3613	29.7 %
5	5 = Bachelor's degree	2155	17.7 %
6	6 = Advanced degree	1199	9.9 %
	Total	11,324	93.0%

This variable has 11,324 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	797	6.5 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	43	0.4 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	848	7.0%

Percentages for both tables are based on 12,172 total cases.

Location: 450-457 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R02R_Y_PM0118: DERIVED - Highest grade or year of school completed by spouse/guardian (6 levels)

Long Description: What is the highest grade or year of school that [Spouse/Guardian's First name] has completed?

Original Variables: R02_PM0118

Algorithm: IF R02_PM0118 IN (1,2) THEN R02R_Y_PM0118 = 1 ; ELSE IF R02_PM0118 = 3 THEN R02R_Y_PM0118 = 2 ; ELSE IF R02_PM0118 = 4 THEN R02R_Y_PM0118 = 3 ; ELSE IF R02_PM0118 IN (5,6,7) THEN R02R_Y_PM0118 = 4 ; ELSE IF R02_PM0118 = 8 THEN R02R_Y_PM0118 = 5 ; ELSE IF R02_PM0118 >=9 THEN R02R_Y_PM0118 = 6; ELSE IF R02_PM0118 = -9 THEN R02R_Y_PM0118 = -99999 ; ELSE IF R02_PM0118 = -8 THEN R02R_Y_PM0118 = -99988 ; ELSE IF R02_PM0118 = -7 THEN R02R_Y_PM0118 = -99977 ; ELSE IF R02_PM0118 = -1 THEN R02R_Y_PM0118 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Less than High School	1012	8.3 %
2	2 = GED	264	2.2 %
3	3 = High school graduate	1335	11.0 %
4	4 = Some college (no degree) or associates degree	1650	13.6 %
5	5 = Bachelor's degree	1260	10.4 %
6	6 = Advanced degree	947	7.8 %
	Total	6,468	53.1%

This variable has 6,468 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	682	5.6 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	5001	41.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	5,704	46.9%

Percentages for both tables are based on 12,172 total cases.

Location: 458-465 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R02R_Y_PM0130: DERIVED - Total household income in past 12 months (5 levels)

Long Description: Which of the following categories best describes your total household income in the past 12 months? This is the total income before taxes of all persons in your household combined.

Original Variables: R02_PM0130

Algorithm: IF R02_PM0130 = 1 THEN R02R_Y_PM0130 = 1 ; ELSE IF R02_PM0130 IN (2,3) THEN R02R_Y_PM0130 = 2; ELSE IF R02_PM0130 IN (4,5) THEN R02R_Y_PM0130 = 3; ELSE IF R02_PM0130 IN (6,7) THEN R02R_Y_PM0130 = 4; ELSE IF R02_PM0130 >=8 THEN R02R_Y_PM0130 = 5; ELSE IF R02_PM0130 = -9 THEN R02R_Y_PM0130 = -99999 ; ELSE IF R02_PM0130 = -8 THEN R02R_Y_PM0130 = -99988 ; ELSE IF R02_PM0130 = -7 THEN R02R_Y_PM0130 = -99977 ; ELSE IF R02_PM0130 = -1 THEN R02R_Y_PM0130 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Less than \$10,000	974	8.0 %
2	2 = \$10,000 to \$24,999	1973	16.2 %
3	3 = \$25,000 to \$49,999	2628	21.6 %
4	4 = \$50,000 to \$99,999	2794	23.0 %
5	5 = \$100,000 or more	2418	19.9 %
	Total	10,787	88.6%

This variable has 10,787 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	797	6.5 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	201	1.7 %
-99977	-99977 = Missing due to a refused response on one or more component variables	344	2.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	43	0.4 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	1,385	11.4%

Percentages for both tables are based on 12,172 total cases.

Location: 466-473 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R02_PM0031: In past 12 months, total household income is above or below \$50,000

Is your total household income during the past 12 months above or below \$50,000?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a Wave 2 parent interview for another youth respondent and have not already completed a Wave 2 adult interview if the parent/guardian was also sampled as an adult respondent, who did not know or refused to report their total household income.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_P_COMP_LD != 1 AND R02_ADULT_COMP_LD != 1) AND R02_PM0130 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Above \$50,000	166	1.4 %
2	2 = Below \$50,000	105	0.9 %
	Total	271	2.2%

This variable has 271 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	91	0.7 %
-7	-7 = Refused	183	1.5 %
-1	-1 = Inapplicable	11627	95.5 %
	Total	11,901	97.8%

Percentages for both tables are based on 12,172 total cases.

Location: 474-481 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PL0040: Home is owned or rented

Do you own or rent your home?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a Wave 2 parent interview for another youth respondent and have not already completed a Wave 2 adult interview if the parent/guardian was also sampled as an adult respondent.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_P_COMP_LD != 1 AND R02_ADULT_COMP_LD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Owned	6665	54.8 %
2	2 = Rented	4347	35.7 %
3	3 = Other	298	2.4 %
	Total	11,310	92.9%

This variable has 11,310 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	797	6.5 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	43	0.4 %

	Missing Data		
	Total	862	7.1%

Percentages for both tables are based on 12,172 total cases.

Location: 482-489 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PN0001: In past 30 days, parent respondent has smoked a cigarette, cigar or pipe even one or two puffs

Please look at this picture. In the past 30 days, have you smoked a cigarette, a cigar, or a pipe, even one or two puffs?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a Wave 2 parent interview for another youth respondent and have not already completed a Wave 2 adult interview if the parent/guardian was also sampled as an adult respondent.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_P_COMP_LD != 1 AND R02_ADULT_COMP_LD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1723	14.2 %
2	2 = No	8017	65.9 %
	Total	9,740	80.0%

This variable has 9,740 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	948	7.8 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	2,432	20.0%

Percentages for both tables are based on 12,172 total cases.

Location: 490-497 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PN0002: In past 30 days, parent respondent has used smokeless tobacco even one or two times

Please look at this picture. In the past 30 days, have you used smokeless tobacco, such as chewing tobacco, snuff, snus or dip, even one or two times?

[Do not include e-cigarettes or products such as a nicotine patch, gum, inhaler, nasal spray,

lozenge or pill].

ASK: Parent/guardian respondents of all youth respondents who have not already completed a Wave 2 parent interview for another youth respondent and have not already completed a Wave 2 adult interview if the parent/guardian was also sampled as an adult respondent.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_P_COMP_LD != 1 AND R02_ADULT_COMP_LD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	189	1.6 %
2	2 = No	9552	78.5 %
	Total	9,741	80.0%

This variable has 9,741 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	948	7.8 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	2,431	20.0%

Percentages for both tables are based on 12,172 total cases.

Location: 498-505 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PN0003: In past 30 days, parent respondent has used e-cigarettes, hookah or dissolvable tobacco even one or two times

Please look at this picture. In the past 30 days, have you used e-cigarettes, a hookah, or dissolvable tobacco, even one or two times?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a Wave 2 parent interview for another youth respondent and have not already completed a Wave 2 adult interview if the parent/guardian was also sampled as an adult respondent.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND (R02_P_COMP_LD != 1 AND R02_ADULT_COMP_LD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	459	3.8 %
2	2 = No	9282	76.3 %
	Total	9,741	80.0%

This variable has 9,741 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	948	7.8 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	2,431	20.0%

Percentages for both tables are based on 12,172 total cases.

Location: 506-513 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_PT1125: Thoughts on how much people harm themselves when they use tobacco

How much do you think people harm themselves when they use tobacco? Would you say no harm, a little harm, some harm, or a lot of harm?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a Wave 2 parent interview for another youth respondent.

ASK Specification: IF (R02_NEW_BASELINE_PARENT_LD = 1 OR R02_CONTINUING_PARENT_LD = 1) AND R02_P_COMP_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = No harm	80	0.7 %
2	2 = A little harm	223	1.8 %
3	3 = Some harm	1421	11.7 %
4	4 = A lot of harm	9305	76.4 %
	Total	11,029	90.6%

This variable has 11,029 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1081	8.9 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	43	0.4 %
	Total	1,143	9.4%

Percentages for both tables are based on 12,172 total cases.

Location: 514-521 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_P_OTHPAR_INHH: DERIVED - Youth has any parental figures/guardians other than the parent/guardian in the house

Long Description: Does youth has any parental figures / guardians other than the parent/guardian live in the house?

Original Variables: R02_PT0045, R02_PM0057

Algorithm: IF R02_PT0045 = 1 OR R02_PM0057 = 1 THEN R02R_P_OTHPAR_INHH = 1; ELSE IF R02_PT0045 in (-1,2) AND R02_PM0057 = 2 THEN R02R_P_OTHPAR_INHH = 2; ELSE IF R02_PT0045 = -9 OR R02_PM0057 = -9 THEN R02R_P_OTHPAR_INHH = -99999; ELSE IF R02_PT0045 = -8 OR R02_PM0057 = -8 THEN R02R_P_OTHPAR_INHH = -99988; ELSE IF R02_PT0045 = -7 OR R02_PM0057 = -7 THEN R02R_P_OTHPAR_INHH = -99977; ELSE IF R02_PT0045 = -5 OR R02_PM0057 = -5 THEN R02R_P_OTHPAR_INHH = -99955; ELSE IF R02_PT0045 = -1 OR R02_PM0057 = -1 THEN R02R_P_OTHPAR_INHH = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	8919	73.3 %
2	2 = No	3202	26.3 %
	Total	12,121	99.6%

This variable has 12,121 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	43	0.4 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	51	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 522-529 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R02_CONTINUING_YOUTH_LD: Youth respondent at Wave 1 is a Youth respondent at Wave 2

Long Description: Respondent completed a Youth interview during Wave 1 and a Youth interview during Wave 2

Value	Label	Unweighted Frequency	%
1	1 = Yes	10081	82.8 %
2	2 = No	2091	17.2 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 12,172 total cases.

Location: 530-537 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R02_NEW_BASELINE_YOUTH_LD: Shadow Youth at Wave 1 is a Youth respondent at Wave 2

Long Description: Respondent was a Shadow Youth during Wave 1 and completed a Youth interview during Wave 2

Value	Label	Unweighted Frequency	%
1	1 = Yes	2091	17.2 %
2	2 = No	10081	82.8 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 12,172 total cases.

Location: 538-545 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R02_YC1002_NB: Ever tried cigarette smoking, even one or two puffs

[BOX ID: R02_YCT01 - The next questions are about your experience with cigarettes.]

[BOX ID: R02_YCR02 - New baseline youth respondents, go to R02_YC1002_NB.

Else, go to R02_YC1002_12M. IF R02_NEW_BASELINE_YOUTH_LD = 1, GO TO R02_YC1002_NB.

ELSE, GO TO R02_YC1002_12M.]

Have you ever tried cigarette smoking, even one or two puffs?

[Go to R02_YCV02]

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	66	0.5 %

Value	Label	Unweighted Frequency	%
2	2 = No	2022	16.6 %
	Total	2,088	17.2%

This variable has 2,088 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,084	82.8%

Percentages for both tables are based on 12,172 total cases.

Location: 546-553 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1002_12M: In past 12 months, tried cigarette smoking, even one or two puffs

In the past 12 months, have you smoked a cigarette, even one or two puffs?

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	823	6.8 %
2	2 = No	9245	76.0 %
	Total	10,068	82.7%

This variable has 10,068 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,104	17.3%

Percentages for both tables are based on 12,172 total cases.

Location: 554-561 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1103: Ever been curious about smoking a cigarette

[PROGRAM NOTE: See Box R02_YCV02 and R02__YCR01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever been curious about smoking a cigarette?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R02_EVER_USER_CIGS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	103	0.8 %
2	2 = Somewhat curious	427	3.5 %
3	3 = A little curious	1722	14.1 %
4	4 = Not at all curious	8469	69.6 %
	Total	10,721	88.1%

This variable has 10,721 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	1428	11.7 %
	Total	1,451	11.9%

Percentages for both tables are based on 12,172 total cases.

Location: 562-569 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1206: Think you will smoke a cigarette in the next year

Do you think you will smoke a cigarette in the next year?

[If probably not (3) or definitely not (4) or Don't Know (-8) or Refused (-7), Go to R02_YC1105.]

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R02_EVER_USER_CIGS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	7	0.1 %
2	2 = Probably yes	81	0.7 %

Value	Label	Unweighted Frequency	%
3	3 = Probably not	1383	11.4 %
4	4 = Definitely not	9257	76.1 %
	Total	10,728	88.1%

This variable has 10,728 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	1428	11.7 %
	Total	1,444	11.9%

Percentages for both tables are based on 12,172 total cases.

Location: 570-577 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1104: Think you will try a cigarette soon

Do you think that you will try a cigarette soon?

ASK: Youth respondents who have never smoked a cigarette and will definitely or probably smoke a cigarette in the next year.

ASK Specification: IF R02_EVER_USER_CIGS = 2 AND R02_YC1206 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2	0.0 %
2	2 = Probably yes	42	0.3 %
3	3 = Probably not	38	0.3 %
4	4 = Definitely not	5	0.0 %
	Total	87	0.7%

This variable has 87 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12084	99.3 %
	Total	12,085	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 578-585 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1105: Would smoke a cigarette if one of your best friends offered you one

If one of your best friends were to offer you a cigarette, would you smoke it?

[Go to R02_YC1124]

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R02_EVER_USER_CIGS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	9	0.1 %
2	2 = Probably yes	143	1.2 %
3	3 = Probably not	1517	12.5 %
4	4 = Definitely not	9060	74.4 %
	Total	10,729	88.1%

This variable has 10,729 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	1428	11.7 %
	Total	1,443	11.9%

Percentages for both tables are based on 12,172 total cases.

Location: 586-593 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YC1006_NB: DERIVED - Age range when first tried cigarette smoking, even one or two puffs (3 levels)

Long Description: How old were you when you first tried cigarette smoking, even one or two puffs?

Original Variables: R02_YC1006_NB, R02_YC1120_NB

Algorithm: IF R02_YC1120_NB = 1 OR (0<=R02_YC1006_NB<=11) THEN R02R_Y_YC1006_NB = 1; ELSE IF R02_YC1120_NB = 2 OR (12<=R02_YC1006_NB<=14) THEN R02R_Y_YC1006_NB = 2; ELSE IF R02_YC1120_NB = 3 OR (15<=R02_YC1006_NB<=17) THEN R02R_Y_YC1006_NB = 3; ELSE IF R02_YC1006_NB = -9 OR

R02_YC1120_NB = -9 THEN R02R_Y_YC1006_NB = -99999; ELSE IF R02_YC1006_NB = -8 OR R02_YC1120_NB = -8 THEN R02R_Y_YC1006_NB = -99988; ELSE IF R02_YC1006_NB = -7 OR R02_YC1120_NB = -7 THEN R02R_Y_YC1006_NB = -99977; ELSE IF R02_YC1006_NB = -5 THEN R02R_Y_YC1006_NB = -99955; ELSE IF R02_YC1006_NB = -1 OR R02_YC1120_NB = -1 THEN R02R_Y_YC1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	50	0.4 %
2	2 = 12 to 14 years old	16	0.1 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	66	0.5%

This variable has 66 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12106	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,106	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 594-601 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YC1108: First cigarette smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first cigarette you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YC9104.]

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1) OR R02_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	156	1.3 %
2	2 = No	131	1.1 %
3	3 = I don't know	116	1.0 %
	Total	403	3.3%

This variable has 403 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11767	96.7 %
	Total	11,769	96.7%

Percentages for both tables are based on 12,172 total cases.

Location: 602-609 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1011_01: Flavor of first cigarette smoked: Menthol or mint

What flavor was that first cigarette you smoked? If multiple flavors were mixed together, choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever smoked a cigarette and whose first cigarette was flavored, or continuing youth respondents who have initiated cigarette smoking since their last completed interview and whose first cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YC1108 = 1) OR (R02_INIT_CIGS_YOUTH = 1 AND R02_YC1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	101	0.8 %
2	2 = Not Marked	54	0.4 %
	Total	155	1.3%

This variable has 155 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12016	98.7 %
	Total	12,017	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 610-617 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1011_02: Flavor of first cigarette smoked: Clove or spice

What flavor was that first cigarette you smoked? If multiple flavors were mixed together, choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked a cigarette and whose first cigarette was flavored, or continuing youth respondents who have initiated cigarette smoking since their last completed interview and whose first cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YC1108 = 1) OR (R02_INIT_CIGS_YOUTH = 1 AND R02_YC1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	153	1.3 %
	Total	155	1.3%

This variable has 155 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12016	98.7 %
	Total	12,017	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 618-625 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1011_03: Flavor of first cigarette smoked: Fruit

What flavor was that first cigarette you smoked? If multiple flavors were mixed together, choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked a cigarette and whose first cigarette was flavored, or continuing youth respondents who have initiated cigarette smoking since their last completed interview and whose first cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YC1108 = 1) OR (R02_INIT_CIGS_YOUTH = 1 AND R02_YC1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	29	0.2 %
2	2 = Not Marked	126	1.0 %
	Total	155	1.3%

This variable has 155 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12016	98.7 %
	Total	12,017	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 626-633 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1011_04: Flavor of first cigarette smoked: Chocolate

What flavor was that first cigarette you smoked? If multiple flavors were mixed together, choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked a cigarette and whose first cigarette was flavored, or continuing youth respondents who have initiated cigarette smoking since their last completed interview and whose first cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YC1108 = 1) OR (R02_INIT_CIGS_YOUTH = 1 AND R02_YC1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	149	1.2 %

Value	Label	Unweighted Frequency	%
	Total	155	1.3%

This variable has 155 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12016	98.7 %
	Total	12,017	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 634-641 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1011_05: Flavor of first cigarette smoked: An alcoholic drink

What flavor was that first cigarette you smoked? If multiple flavors were mixed together, choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked a cigarette and whose first cigarette was flavored, or continuing youth respondents who have initiated cigarette smoking since their last completed interview and whose first cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YC1108 = 1) OR (R02_INIT_CIGS_YOUTH = 1 AND R02_YC1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	148	1.2 %
	Total	155	1.3%

This variable has 155 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12016	98.7 %
	Total	12,017	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 642-649 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1011_06: Flavor of first cigarette smoked: Candy or other sweets

What flavor was that first cigarette you smoked? If multiple flavors were mixed together, choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked a cigarette and whose first cigarette was flavored, or continuing youth respondents who have initiated cigarette smoking since their last completed interview and whose first cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YC1108 = 1) OR (R02_INIT_CIGS_YOUTH = 1 AND R02_YC1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	143	1.2 %
	Total	155	1.3%

This variable has 155 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12016	98.7 %
	Total	12,017	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 650-657 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1011_07: Flavor of first cigarette smoked: Some other flavor

What flavor was that first cigarette you smoked? If multiple flavors were mixed together, choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever smoked a cigarette and whose first cigarette was flavored, or continuing youth respondents who have initiated cigarette smoking since their last completed interview and whose first cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YC1108 = 1) OR (R02_INIT_CIGS_YOUTH = 1 AND R02_YC1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.2 %
2	2 = Not Marked	136	1.1 %
	Total	155	1.3%

This variable has 155 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12016	98.7 %
	Total	12,017	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 658-665 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9104: Pleasant sensations experienced first time you smoked a cigarette

How much did you experience pleasant sensations the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1) OR R02_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	199	1.6 %
2	2 = A little	106	0.9 %
3	3 = Somewhat	66	0.5 %
4	4 = A lot	30	0.2 %
	Total	401	3.3%

This variable has 401 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11767	96.7 %
	Total	11,771	96.7%

Percentages for both tables are based on 12,172 total cases.

Location: 666-673 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9105: Unpleasant sensations experienced first time you smoked a cigarette

How much did you experience unpleasant sensations the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1) OR R02_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	121	1.0 %
2	2 = A little	123	1.0 %
3	3 = Somewhat	81	0.7 %
4	4 = A lot	75	0.6 %
	Total	400	3.3%

This variable has 400 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11767	96.7 %
	Total	11,772	96.7%

Percentages for both tables are based on 12,172 total cases.

Location: 674-681 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9106: Felt sick to stomach after smoking cigarette for the first time

How much did you feel sick to your stomach the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1) OR R02_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	248	2.0 %
2	2 = A little	68	0.6 %
3	3 = Somewhat	40	0.3 %
4	4 = A lot	47	0.4 %
	Total	403	3.3%

This variable has 403 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11767	96.7 %
	Total	11,769	96.7%

Percentages for both tables are based on 12,172 total cases.

Location: 682-689 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1005: Number of cigarettes smoked in entire life

How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

ASK: Youth respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes in their lifetime as of their last completed interview.

ASK Specification: IF R02_EVER_USER_CIGS = 1 AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR R02_INIT_CIGS_YOUTH = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R01_YC1005 != 7)).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole cigarette	439	3.6 %
2	2 = 1 cigarette	155	1.3 %
3	3 = 2 to 10 cigarettes (about 1/2 pack total)	246	2.0 %
4	4 = 11 to 20 cigarettes (about 1/2 pack to 1 pack)	118	1.0 %
5	5 = 21 to 50 cigarettes (more than 1 pack but less than 3 packs)	107	0.9 %

Value	Label	Unweighted Frequency	%
6	6 = 51 to 99 cigarettes (more than 2 1/2 packs but less than 5 packs)	40	0.3 %
7	7 = 100 or more cigarettes (5 packs or more)	121	1.0 %
	Total	1,226	10.1%

This variable has 1,226 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	47	0.4 %
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	10873	89.3 %
	Total	10,946	89.9%

Percentages for both tables are based on 12,172 total cases.

Location: 690-697 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1100: Ever smoked cigarettes fairly regularly

Have you ever smoked cigarettes fairly regularly?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YC9022.]

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R02_EVER_USER_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	355	2.9 %
2	2 = No	1069	8.8 %
	Total	1,424	11.7%

This variable has 1,424 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10744	88.3 %
	Total	10,748	88.3%

Percentages for both tables are based on 12,172 total cases.

Location: 698-705 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YC1007: DERIVED - Age range when first started smoking cigarettes fairly regularly (3 levels)

Long Description: How old were you when you first started smoking cigarettes fairly regularly?

Original Variables: R02_YC1007, R02_YC1121

Algorithm: IF R02_YC1121 = 1 OR (0<=R02_YC1007<=11) THEN R02R_Y_YC1007 = 1; ELSE IF R02_YC1121 = 2 OR (12<=R02_YC1007<=14) THEN R02R_Y_YC1007 = 2; ELSE IF R02_YC1121 = 3 OR (15<=R02_YC1007<=17) THEN R02R_Y_YC1007 = 3; ELSE IF R02_YC1007 = -9 OR R02_YC1121 = -9 THEN R02R_Y_YC1007 = -99999; ELSE IF R02_YC1007 = -8 OR R02_YC1121 = -8 THEN R02R_Y_YC1007 = -99988; ELSE IF R02_YC1007 = -7 OR R02_YC1121 = -7 THEN R02R_Y_YC1007 = -99977; ELSE IF R02_YC1007 = -5 THEN R02R_Y_YC1007 = -99955; ELSE IF R02_YC1007 = -1 OR R02_YC1121 = -1 THEN R02R_Y_YC1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	47	0.4 %
2	2 = 12 to 14 years old	181	1.5 %
3	3 = 15 to 17 years old	127	1.0 %
	Total	355	2.9%

This variable has 355 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11817	97.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,817	97.1%

Percentages for both tables are based on 12,172 total cases.

Location: 706-713 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YC9022: Consider yourself a smoker

Do you consider yourself a smoker?

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R02_EVER_USER_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	235	1.9 %
2	2 = No	1186	9.7 %
	Total	1,421	11.7%

This variable has 1,421 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10744	88.3 %
	Total	10,751	88.3%

Percentages for both tables are based on 12,172 total cases.

Location: 714-721 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1112: Last time smoked a cigarette, even one or two puffs

When was the last time you smoked a cigarette, even one or two puffs?

[If more than 30 days (4-7), Don't Know (-8), or Refused (-7), Go to R02_YC1124.]

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R02_EVER_USER_CIGS = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have smoked in the past year (R02_YC1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	154	1.3 %
2	2 = Not today but sometime in the past 7 days	175	1.4 %
3	3 = Not in the past 7 days but sometime in the past 30 days	152	1.2 %
4	4 = Not in the past 30 days but sometime in the past 6 months	251	2.1 %
5	5 = Not in the past 6 months but sometime in the past year	225	1.8 %

Value	Label	Unweighted Frequency	%
6	6 = 1 to 4 years ago	261	2.1 %
7	7 = 5 or more years ago	130	1.1 %
	Total	1,348	11.1%

This variable has 1,348 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.4 %
-7	-7 = Refused	29	0.2 %
-1	-1 = Inapplicable	10744	88.3 %
	Total	10,824	88.9%

Percentages for both tables are based on 12,172 total cases.

Location: 722-729 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1022: In past 30 days, number of days smoked cigarettes

[PROGRAM NOTE: See Box R02_YCV01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke cigarettes?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R02_PAST30DAY_CIGS = 1.

[PROGRAM: Soft range check: 1-30 days]

This variable has 470 valid cases out of 12,172 total cases.

- Mean: 11.54
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.68

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	11	0.1 %
-5	-5 = Improbable response removed	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11691	96.0 %
	Total	11,702	96.1%

Percentages for both tables are based on 12,172 total cases.

Location: 730-737 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YC1023: In past 30 days, number of cigarettes smoked per day on the days that you smoked

In the past 30 days, on the days you smoked, how many cigarettes did you smoke per day? A pack usually has 20 cigarettes in it.

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R02_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarette per day	152	1.2 %
2	2 = 1 cigarette per day	77	0.6 %
3	3 = 2 to 5 cigarettes per day	153	1.3 %
4	4 = 6 to 10 cigarettes per day	59	0.5 %
5	5 = 11 to 20 cigarettes per day	24	0.2 %
6	6 = More than 20 cigarettes per day	8	0.1 %
	Total	473	3.9%

This variable has 473 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11691	96.0 %
	Total	11,699	96.1%

Percentages for both tables are based on 12,172 total cases.

Location: 738-745 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1130: In past 30 days, smoked cigarettes flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the cigarettes you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YC1118.]

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R02_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	254	2.1 %
2	2 = No	177	1.5 %
3	3 = I don't know	49	0.4 %
	Total	480	3.9%

This variable has 480 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11691	96.0 %
	Total	11,692	96.1%

Percentages for both tables are based on 12,172 total cases.

Location: 746-753 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1131_01: In past 30 days, smoked cigarettes flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day cigarette smokers and smoked flavored cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND R02_YC1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	222	1.8 %
2	2 = Not Marked	31	0.3 %
	Total	253	2.1%

This variable has 253 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11918	97.9 %
	Total	11,919	97.9%

Percentages for both tables are based on 12,172 total cases.

Location: 754-761 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1131_02: In past 30 days, smoked cigarettes flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day cigarette smokers and smoked flavored cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND R02_YC1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	247	2.0 %
	Total	253	2.1%

This variable has 253 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11918	97.9 %
	Total	11,919	97.9%

Percentages for both tables are based on 12,172 total cases.

Location: 762-769 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1131_03: In past 30 days, smoked cigarettes flavored to taste like fruit

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day cigarette smokers and smoked flavored cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND R02_YC1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	29	0.2 %
2	2 = Not Marked	224	1.8 %
	Total	253	2.1%

This variable has 253 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11918	97.9 %
	Total	11,919	97.9%

Percentages for both tables are based on 12,172 total cases.

Location: 770-777 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1131_04: In past 30 days, smoked cigarettes flavored to taste like chocolate

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day cigarette smokers and smoked flavored cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND R02_YC1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	244	2.0 %

Value	Label	Unweighted Frequency	%
	Total	253	2.1%

This variable has 253 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11918	97.9 %
	Total	11,919	97.9%

Percentages for both tables are based on 12,172 total cases.

Location: 778-785 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1131_05: In past 30 days, smoked cigarettes flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day cigarette smokers and smoked flavored cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND R02_YC1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	242	2.0 %
	Total	253	2.1%

This variable has 253 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11918	97.9 %
	Total	11,919	97.9%

Percentages for both tables are based on 12,172 total cases.

Location: 786-793 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1131_06: In past 30 days, smoked cigarettes flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day cigarette smokers and smoked flavored cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND R02_YC1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.2 %
2	2 = Not Marked	234	1.9 %
	Total	253	2.1%

This variable has 253 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11918	97.9 %
	Total	11,919	97.9%

Percentages for both tables are based on 12,172 total cases.

Location: 794-801 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1131_07: In past 30 days, smoked cigarettes flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day cigarette smokers and smoked flavored cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND R02_YC1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	31	0.3 %
2	2 = Not Marked	222	1.8 %
	Total	253	2.1%

This variable has 253 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11918	97.9 %
	Total	11,919	97.9%

Percentages for both tables are based on 12,172 total cases.

Location: 802-809 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1118: In past 30 days, how you usually got your own cigarettes

In the past 30 days, how did you usually get your own cigarettes?

[If someone offered me a cigarette (4), I got cigarettes some other way (7), Don't Know (-8), or Refused (-7), Go to R02_YCR03.]

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R02_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy cigarettes for me	150	1.2 %
2	2 = I bought cigarettes myself from a store	63	0.5 %
3	3 = I asked someone to give me a cigarette	93	0.8 %
4	4 = Someone offered me a cigarette	103	0.8 %
5	5 = I bought cigarettes from another person	15	0.1 %
6	6 = I took cigarettes from a store or another person	28	0.2 %
7	7 = I got cigarettes some other way	13	0.1 %
	Total	465	3.8%

This variable has 465 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11691	96.0 %
	Total	11,707	96.2%

Percentages for both tables are based on 12,172 total cases.

Location: 810-817 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1123: In past 30 days, someone refused to sell you cigarettes because of your age

In the past 30 days, did anyone refuse to sell you cigarettes because of your age?

ASK: Youth respondents who are past 30 day cigarette smokers and who usually get their own cigarettes by giving someone else money to buy for them, buying themselves from a store, asking someone to give them one, buying from another person, or taking from a store or another person.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND R02_YC1118 = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	72	0.6 %
2	2 = No	258	2.1 %
	Total	330	2.7%

This variable has 330 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	8	0.1 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11823	97.1 %
	Total	11,842	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 818-825 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1098: In past 30 days, how often used a coupon when buying cigarettes

[PROGRAM NOTE: See Box R02_YCR03 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, how often have you used a coupon when buying cigarettes?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers who usually get their own cigarettes by buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1118 = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	0	0.0 %
2	2 = Sometimes	6	0.0 %
3	3 = Rarely	4	0.0 %
4	4 = Never	45	0.4 %
	Total	55	0.5%

This variable has 55 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12116	99.5 %
	Total	12,117	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 826-833 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1030: How you usually buy your cigarettes

[When you give money to someone else, how do they/How do you] usually buy your cigarettes?

[If from the internet (2), by telephone (3), Don't Know (-8), or Refused (-7), Go to R02_YC1039.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1118 = 1, 2.

[DISPLAY: If R02_YC1118 = 1, display "When you give money to someone else, how do they";
If R02_YC1118 = 2, display "How do you".]

Value	Label	Unweighted Frequency	%
1	1 = In person	187	1.5 %
2	2 = From the internet	0	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = By telephone	0	0.0 %
	Total	187	1.5%

This variable has 187 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11983	98.4 %
	Total	11,985	98.5%

Percentages for both tables are based on 12,172 total cases.

Location: 834-841 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1032: Geographic area where you usually buy cigarettes

Do [you/they] usually buy cigarettes . . . ?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1118 = 1, 2 AND R02_YC1030 = 1.

[DISPLAY: If R02_YC1118 = 1, display "they"; If R02_YC1118 = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	185	1.5 %
2	2 = In another state	0	0.0 %
3	3 = Outside the US	2	0.0 %
	Total	187	1.5%

This variable has 187 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11985	98.5 %
	Total	11,985	98.5%

Percentages for both tables are based on 12,172 total cases.

Location: 842-849 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1033: Retail location where your cigarettes are bought most of the time

Where do [you/they] buy your cigarettes most of the time?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1118 = 1, 2 AND R02_YC1030 = 1.

[DISPLAY: If R02_YC1118 = 1, display "they"; If R02_YC1118 = 2, display "you". If R02_YC1118 = 2, display option 7 = 'A friend or relative,' if R02_YC1118 != 2, hide option 7.]

[PROGRAM: Display response option 7 'A friend or relative' ONLY if R02_YC1118 = 2.]

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	167	1.4 %
2	2 = A supermarket, grocery store, or drug store	6	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	9	0.1 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	1	0.0 %
7	7 = A friend or relative	1	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = A store on an Indian reservation	1	0.0 %
10	10 = Somewhere else	1	0.0 %
	Total	186	1.5%

This variable has 186 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11985	98.5 %
	Total	11,986	98.5%

Percentages for both tables are based on 12,172 total cases.

Location: 850-857 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1039: Usually buy cigarettes by carton, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] cigarettes.
Did you buy them by the carton, pack, or as a single cigarette?

[If Don't Know (-8) or Refused (-7), Go to R02_YC1047.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1118 = 1, 2.

[DISPLAY: If R02_YC1118 = 2, display "bought". If R02_YC1118 = 1, display "gave money to someone else to buy you".]

Value	Label	Unweighted Frequency	%
1	1 = Carton	9	0.1 %
2	2 = Pack	165	1.4 %
3	3 = Single cigarettes	14	0.1 %
	Total	188	1.5%

This variable has 188 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11983	98.4 %
	Total	11,984	98.5%

Percentages for both tables are based on 12,172 total cases.

Location: 858-865 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1034_D: Amount paid when last time bought a carton of cigarettes/pack of cigarettes/single cigarette - Dollars

How much did you pay for a [carton of cigarettes/pack of cigarettes/single cigarette]?

_____ Dollars

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and usually buy cigarettes by the carton, pack, or as single cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1118 = 1, 2 AND R02_YC1039 = 1, 2, 3.

[DISPLAY: If R02_YC1039 = 1, display "carton of cigarettes"; if R02_YC1039 = 2, display "pack of cigarettes"; if R02_YC1039 = 3, display "single cigarette".]

This variable has 184 valid cases out of 12,172 total cases.

- Mean: 10.91
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 1000.00
- Standard Deviation: 73.48

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11984	98.5 %
	Total	11,988	98.5%

Percentages for both tables are based on 12,172 total cases.

Location: 866-873 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YC1034_C: Amount paid when last time bought a carton of cigarettes/pack of cigarettes/single cigarette - Cents

How much did you pay for a [carton of cigarettes/pack of cigarettes/single cigarette]?

_____ Cents

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and usually buy cigarettes by the carton, pack, or as single cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1118 = 1, 2 AND R02_YC1039 = 1, 2, 3.

[DISPLAY: If R02_YC1039 = 1, display "carton of cigarettes"; if R02_YC1039 = 2, display "pack of cigarettes"; if R02_YC1039 = 3, display "single cigarette".]

This variable has 184 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11988	98.5 %
	Total	11,988	98.5%

Percentages for both tables are based on 12,172 total cases.

Location: 874-881 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YC1047: Have a regular brand of cigarettes you usually smoke

Do you have a regular brand of cigarettes that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	240	2.0 %
2	2 = No	93	0.8 %
	Total	333	2.7%

This variable has 333 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11839	97.3 %
	Total	11,839	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 882-889 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1048_BRAND: Brand of cigarettes usually/last smoked

What brand of cigarette [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1.

[DISPLAY: If R02_YC1047 = 1, display "do" and "usually". If R02_YC1047 = 2, -8, -7, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" cigarette smokers and selected a brand of cigarettes, go to R02_YC1070_PRODUCT. Else, youth respondents who are past 30 day "not-light" cigarette smokers and selected "something else" for their brand of cigarettes, go to R02_YC1049. Else, youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes, go to R02_YC1051. Else, go to R02_YC1124.]

[GOTO Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1048_BRAND != 9995, -8, -7, GO TO R02_YC1070_PRODUCT. ELSE, IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1048_BRAND = 9995, GO TO R02_YC1049. ELSE, IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1, GO TO R02_YC1051. ELSE, GO TO R02_YC1124.]

This variable has 332 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11839	97.3 %
	Total	11,840	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 890-897 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1070_PRODUCT: Sub-brand of cigarettesproduct usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and selected a brand of cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1048_BRAND != 9995, -8, -7.

[DISPLAY: If R02_YC1047 = 1, display "do" and "usually". If R02_YC1047 = 2, -8 or -7, display "did" and "last".]

[PROGRAM: Fill BRANDFILL with brand selected in R02_YC1048_BRAND. Show pictures or text on the touchscreen of the major products associated with the brand selected.]

[GOTO: Youth respondents who are past 30 day "not-light" cigarette smokers and selected a

brand of cigarettes and selected "something else" for their subbrand of cigarettes, go to R02_YC1071. Else, youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes, go to R02_YC1051. Else, go to R02_YC1124.]

[GOTO Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1048_BRAND != 9995, -8, -7 AND R02_YC1070_PRODUCT = 99995, GO TO R02_YC1071. ELSE, IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1, GO TO R02_YC1051. ELSE, GO TO R02_YC1124.]

This variable has 327 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11844	97.3 %
	Total	11,845	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 898-905 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1051_NN: How long smoked regular brand of cigarettes - Number

About how long have you been smoking your regular brand of cigarettes?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1.

This variable has 232 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	8	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11932	98.0 %
	Total	11,940	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 906-913 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YC1051_UN: How long smoked regular brand of cigarettes - Unit

[Units for response for R02_YC1051_NN]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1.

[NOTES: The value "1" refers to R02_YC1051_UN = Days; the value "2" refers to R02_YC1051_UN = Months; the value "3" refers to R02_YC1051_UN = Years.]

Value	Label	Unweighted Frequency	%
1	1 = Days	19	0.2 %
2	2 = Months	79	0.6 %
3	3 = Years	134	1.1 %
	Total	232	1.9%

This variable has 232 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11940	98.1 %
	Total	11,940	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 914-921 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9010_RANDOM_01: YC9010 series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R02_YC9010 through R02_YC9117) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11932	98.0 %
R02_YC9010	-	32	0.3 %

Value	Label	Unweighted Frequency	%
R02_YC9012	-	36	0.3 %
R02_YC9014	-	37	0.3 %
R02_YC9017	-	38	0.3 %
R02_YC9115	-	26	0.2 %
R02_YC9116	-	28	0.2 %
R02_YC9117	-	43	0.4 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 922-936 (width: 15; decimal: 0)

Variable Type: character

R02_YC9010_RANDOM_02: YC9010 series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R02_YC9010 through R02_YC9117) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11932	98.0 %
R02_YC9010	-	44	0.4 %
R02_YC9012	-	32	0.3 %
R02_YC9014	-	36	0.3 %
R02_YC9017	-	37	0.3 %
R02_YC9115	-	37	0.3 %
R02_YC9116	-	26	0.2 %
R02_YC9117	-	28	0.2 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 937-951 (width: 15; decimal: 0)

Variable Type: character

R02_YC9010_RANDOM_03: YC9010 series random question 3

[ICPSR NOTE: The 7 items that follow in the questionnaire (R02_YC9010 through R02_YC9117) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11932	98.0 %
R02_YC9010	-	37	0.3 %
R02_YC9012	-	31	0.3 %
R02_YC9014	-	32	0.3 %
R02_YC9017	-	31	0.3 %
R02_YC9115	-	35	0.3 %
R02_YC9116	-	34	0.3 %
R02_YC9117	-	40	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 952-966 (width: 15; decimal: 0)

Variable Type: character

R02_YC9010_RANDOM_04: YC9010 series random question 4

[ICPSR NOTE: The 7 items that follow in the questionnaire (R02_YC9010 through R02_YC9117) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11932	98.0 %
R02_YC9010	-	30	0.2 %
R02_YC9012	-	32	0.3 %
R02_YC9014	-	31	0.3 %
R02_YC9017	-	32	0.3 %
R02_YC9115	-	39	0.3 %
R02_YC9116	-	43	0.4 %
R02_YC9117	-	33	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 967-981 (width: 15; decimal: 0)

Variable Type: character

R02_YC9010_RANDOM_05: YC9010 series random question 5

[ICPSR NOTE: The 7 items that follow in the questionnaire (R02_YC9010 through R02_YC9117) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11932	98.0 %
R02_YC9010	-	31	0.3 %
R02_YC9012	-	37	0.3 %
R02_YC9014	-	39	0.3 %
R02_YC9017	-	41	0.3 %
R02_YC9115	-	22	0.2 %
R02_YC9116	-	42	0.3 %
R02_YC9117	-	28	0.2 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 982-996 (width: 15; decimal: 0)

Variable Type: character

R02_YC9010_RANDOM_06: YC9010 series random question 6

[ICPSR NOTE: The 7 items that follow in the questionnaire (R02_YC9010 through R02_YC9117) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11932	98.0 %
R02_YC9010	-	30	0.2 %
R02_YC9012	-	36	0.3 %
R02_YC9014	-	32	0.3 %
R02_YC9017	-	33	0.3 %
R02_YC9115	-	43	0.4 %
R02_YC9116	-	36	0.3 %
R02_YC9117	-	30	0.2 %

Value	Label	Unweighted Frequency	%
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 997-1011 (width: 15; decimal: 0)

Variable Type: character

R02_YC9010_RANDOM_07: YC9010 series random question 7

[ICPSR NOTE: The 7 items that follow in the questionnaire (R02_YC9010 through R02_YC9117) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11932	98.0 %
R02_YC9010	-	36	0.3 %
R02_YC9012	-	36	0.3 %
R02_YC9014	-	33	0.3 %
R02_YC9017	-	28	0.2 %
R02_YC9115	-	38	0.3 %
R02_YC9116	-	31	0.3 %
R02_YC9117	-	38	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1012-1026 (width: 15; decimal: 0)

Variable Type: character

R02_YC9010: In choosing regular brand of cigarettes, part of your decision was based on the following: It was less expensive

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

It is less expensive.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the

randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	61	0.5 %
2	2 = No	174	1.4 %
	Total	235	1.9%

This variable has 235 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11932	98.0 %
	Total	11,937	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 1027-1034 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9012: In choosing regular brand of cigarettes, part of your decision was based on the following: The design of the pack

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

The design of the pack.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	40	0.3 %
2	2 = No	199	1.6 %
	Total	239	2.0%

This variable has 239 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11932	98.0 %
	Total	11,933	98.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1035-1042 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9014: In choosing regular brand of cigarettes, part of your decision was based on the following: The taste

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

The taste.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	183	1.5 %
2	2 = No	54	0.4 %
	Total	237	1.9%

This variable has 237 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11932	98.0 %
	Total	11,935	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 1043-1050 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9017: In choosing your regular brand of cigarettes, part of your decision was based on the following: People who are important to you smoke/smoked this brand

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

People who are important to you smoke this brand.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	76	0.6 %
2	2 = No	162	1.3 %
	Total	238	2.0%

This variable has 238 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11932	98.0 %
	Total	11,934	98.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1051-1058 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9115: In choosing your regular brand of cigarettes, part of your decision was based on the following: It is a popular brand

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

Because it is a popular brand.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	64	0.5 %
2	2 = No	174	1.4 %
	Total	238	2.0%

This variable has 238 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11932	98.0 %
	Total	11,934	98.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1059-1066 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9116: In choosing your regular brand of cigarettes, part of your decision was based on the following: People in the media smoke this brand

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

People in the media smoke this brand.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	44	0.4 %
2	2 = No	195	1.6 %
	Total	239	2.0%

This variable has 239 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11932	98.0 %
	Total	11,933	98.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1067-1074 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9117: In choosing your regular brand of cigarettes, part of your decision was based on the following: This brand is easy for me to get

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

This brand is easy for you to get.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1.

[PROGRAM NOTE: Please see Box R02_YCD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	102	0.8 %
2	2 = No	137	1.1 %
	Total	239	2.0%

This variable has 239 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11932	98.0 %
	Total	11,933	98.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1075-1082 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9019: Harmfulness of brand of cigarettes usually smoked compared to other cigarette brands

Do you think the brand of cigarettes you usually smoke might be less harmful, no different, or more harmful, compared to other cigarette brands?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	21	0.2 %
2	2 = No different	187	1.5 %
3	3 = More harmful	30	0.2 %
	Total	238	2.0%

This variable has 238 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11932	98.0 %
	Total	11,934	98.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1083-1090 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1124: Likelihood of someone becoming addicted to cigarettes

How likely is someone to become addicted to cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	671	5.5 %
2	2 = Somewhat unlikely	585	4.8 %
3	3 = Neither likely nor unlikely	848	7.0 %
4	4 = Somewhat likely	3769	31.0 %

Value	Label	Unweighted Frequency	%
5	5 = Very likely	6173	50.7 %
	Total	12,046	99.0%

This variable has 12,046 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	93	0.8 %
-7	-7 = Refused	33	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	126	1.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1091-1098 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1125: Thoughts on how much people harm themselves when they smoke cigarettes

How much do you think people harm themselves when they smoke cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	83	0.7 %
2	2 = A little harm	225	1.8 %
3	3 = Some harm	1783	14.6 %
4	4 = A lot of harm	10063	82.7 %
	Total	12,154	99.9%

This variable has 12,154 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	18	0.1%

Percentages for both tables are based on 12,172 total cases.

Location: 1099-1106 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9118: Ease of smoking cigarettes that are flavored compared to non-flavored cigarettes

Are cigarettes flavored like menthol or mint easier to smoke, about the same, or harder to smoke than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1891	15.5 %
2	2 = About the same	5745	47.2 %
3	3 = Harder to smoke	1302	10.7 %
	Total	8,938	73.4%

This variable has 8,938 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3012	24.7 %
-7	-7 = Refused	222	1.8 %
-1	-1 = Inapplicable	0	0.0 %
	Total	3,234	26.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1107-1114 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC9040: Harmfulness of cigarettes flavored like menthol or mint compared to regular cigarettes

Are cigarettes flavored like menthol or mint less harmful, no different, or more harmful than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	399	3.3 %
2	2 = No different	7763	63.8 %
3	3 = More harmful	1934	15.9 %
	Total	10,096	82.9%

This variable has 10,096 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1992	16.4 %
-7	-7 = Refused	84	0.7 %
-1	-1 = Inapplicable	0	0.0 %
	Total	2,076	17.1%

Percentages for both tables are based on 12,172 total cases.

Location: 1115-1122 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1001_NB: Ever seen or heard of an e-cigarette before this study

[Box R02_YET01 - The next questions are about electronic nicotine products, such as e-cigarettes, e-cigars, e-pipes, e-hookahs, personal vaporizers, vape pens and hookah pens. These products are battery-powered, use nicotine fluid rather than tobacco leaves, and produce vapor instead of smoke. Some common brands include Fin, NJOY, Blu, e-Go and Vuse.]

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[Box R02_YER03 - New baseline youth respondents, go to R02_YE1001_NB. Else, go to R02_YO1002.]

IF R02_NEW_BASELINE_YOUTH_LD = 1, GO TO R02_YE1001_NB. ELSE, GO TO R02_YO1002.]

Have you ever seen or heard of electronic nicotine products before this study?
(Electronic nicotine products include e-cigarettes, e-cigars, e-pipes, e-hookahs, personal vaporizers, vape pens and hookah pens.)

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YGT01.]

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1669	13.7 %
2	2 = No	415	3.4 %
	Total	2,084	17.1%

This variable has 2,084 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

	Missing Data		
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,088	82.9%

Percentages for both tables are based on 12,172 total cases.

Location: 1123-1130 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YO1002: Ever use an electronic nicotine product, even one or two puffs

Have you ever used an electronic nicotine product, even one or two times?

(Electronic nicotine products include e-cigarettes, e-cigars, e-pipes, e-hookahs, personal vaporizers, vape pens and hookah pens.)

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YEV02.]

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YE1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1969	16.2 %
2	2 = No	9755	80.1 %
	Total	11,724	96.3%

This variable has 11,724 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	422	3.5 %
	Total	448	3.7%

Percentages for both tables are based on 12,172 total cases.

Location: 1131-1138 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YO9035_01: Ever used an e-cigarette (including vape pens and personal vaporizers)

Which of the following electronic nicotine products have you ever used? Choose all that apply.

E-cigarette (including vape pens and personal vaporizers)

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used electronic nicotine products, or continuing youth respondents who have ever used electronic nicotine products.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YE1001_NB = 1 AND R02_YO1002 = 1)
OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YO1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1403	11.5 %
2	2 = Not Marked	537	4.4 %
	Total	1,940	15.9%

This variable has 1,940 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	10203	83.8 %
	Total	10,232	84.1%

Percentages for both tables are based on 12,172 total cases.

Location: 1139-1146 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YO9035_02: Ever used an e-cigar

Which of the following electronic nicotine products have you ever used? Choose all that apply.

E-cigar

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used electronic nicotine products, or continuing youth respondents who have ever used electronic nicotine products.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YE1001_NB = 1 AND R02_YO1002 = 1)
OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YO1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	91	0.7 %
2	2 = Not Marked	1849	15.2 %
	Total	1,940	15.9%

This variable has 1,940 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	10203	83.8 %
	Total	10,232	84.1%

Percentages for both tables are based on 12,172 total cases.

Location: 1147-1154 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YO9035_03: Ever used an e-pipe

Which of the following electronic nicotine products have you ever used? Choose all that apply.

E-pipe

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used electronic nicotine products, or continuing youth respondents who have ever used electronic nicotine products.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YE1001_NB = 1 AND R02_YO1002 = 1)
OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YO1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	51	0.4 %
2	2 = Not Marked	1889	15.5 %
	Total	1,940	15.9%

This variable has 1,940 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	10203	83.8 %
	Total	10,232	84.1%

Percentages for both tables are based on 12,172 total cases.

Location: 1155-1162 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YO9035_04: Ever used an e-hookah (including hookah pens)

Which of the following electronic nicotine products have you ever used? Choose all that apply.

E-hookah (including hookah pens)

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used electronic nicotine products, or continuing youth respondents who have ever used electronic nicotine products.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YE1001_NB = 1 AND R02_YO1002 = 1)
OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YO1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	959	7.9 %
2	2 = Not Marked	981	8.1 %
	Total	1,940	15.9%

This variable has 1,940 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	10203	83.8 %
	Total	10,232	84.1%

Percentages for both tables are based on 12,172 total cases.

Location: 1163-1170 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YO9035_05: Ever used some other electronic nicotine product

Which of the following electronic nicotine products have you ever used? Choose all that apply.

Something else (SPECIFY)

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used electronic nicotine products, or continuing youth respondents who have ever used electronic nicotine products.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YE1001_NB = 1 AND R02_YO1002 = 1)
OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YO1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.2 %
2	2 = Not Marked	1919	15.8 %
	Total	1,940	15.9%

This variable has 1,940 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	10203	83.8 %
	Total	10,232	84.1%

Percentages for both tables are based on 12,172 total cases.

Location: 1171-1178 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YO1103: Ever been curious about using an electronic nicotine product

[PROGRAM NOTE: See Box R02_YEV02 and R02_YER01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, e-cigars, e-pipes, e-hookahs, personal vaporizers, vape pens and hookah pens.)

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products.

ASK Specification: IF R02_YE1001_NB != 2, -8, -7 AND R02_EVER_USER_EPRODS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	167	1.4 %
2	2 = Somewhat curious	451	3.7 %
3	3 = A little curious	1606	13.2 %
4	4 = Not at all curious	7543	62.0 %
	Total	9,767	80.2%

This variable has 9,767 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2391	19.6 %
	Total	2,405	19.8%

Percentages for both tables are based on 12,172 total cases.

Location: 1179-1186 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YO1206: Think you will use an electronic nicotine product in the next year

Do you think you will try an electronic nicotine product in the next year?

[If Probably not (3), Definitely not (4), Don't Know (-8), or Refused (-7), Go to R02_YO1105.]

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products.

ASK Specification: IF R02_YE1001_NB != 2, -8, -7 AND R02_EVER_USER_EPRODS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	19	0.2 %
2	2 = Probably yes	165	1.4 %
3	3 = Probably not	1650	13.6 %
4	4 = Definitely not	7926	65.1 %
	Total	9,760	80.2%

This variable has 9,760 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	2391	19.6 %
	Total	2,412	19.8%

Percentages for both tables are based on 12,172 total cases.

Location: 1187-1194 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YO1104: Think you will try an electronic nicotine product soon

Do you think that you will try an electronic nicotine product soon?

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products, and will definitely or probably try an electronic nicotine product in the next year.

ASK Specification: IF R02_YE1001_NB != 2, -8, -7 AND R02_EVER_USER_EPRODS = 2 AND R02_YO1206 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	13	0.1 %
2	2 = Probably yes	53	0.4 %
3	3 = Probably not	90	0.7 %
4	4 = Definitely not	28	0.2 %
	Total	184	1.5%

This variable has 184 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11988	98.5 %
	Total	11,988	98.5%

Percentages for both tables are based on 12,172 total cases.

Location: 1195-1202 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YO1105: Would use an electronic nicotine product if one of your best friends offered you one

If one of your best friends were to offer you an electronic nicotine product, would you try it?

[Go to R02_YET03.]

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products.

ASK Specification: IF R02_YE1001_NB != 2, -8, -7 AND R02_EVER_USER_EPRODS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	25	0.2 %
2	2 = Probably yes	308	2.5 %
3	3 = Probably not	1756	14.4 %
4	4 = Definitely not	7680	63.1 %
	Total	9,769	80.3%

This variable has 9,769 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	2391	19.6 %
	Total	2,403	19.7%

Percentages for both tables are based on 12,172 total cases.

Location: 1203-1210 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YE1006_NB: DERIVED - Age range when first tried an e-cigarette, even one or two times (3 levels)

Long Description: How old were you when you first tried an e-cigarette, even one or two times?

Original Variables: R02_YE1006_NB, R02_YE1120_NB

Algorithm: IF R02_YE1120_NB = 1 OR (0<=R02_YE1006_NB<=11) THEN R02R_Y_YE1006_NB = 1; ELSE IF R02_YE1120_NB = 2 OR (12<=R02_YE1006_NB<=14) THEN R02R_Y_YE1006_NB = 2; ELSE IF R02_YE1120_NB = 3 OR (15<=R02_YE1006_NB<=17) THEN R02R_Y_YE1006_NB = 3; ELSE IF R02_YE1006_NB = -9 OR R02_YE1120_NB = -9 THEN R02R_Y_YE1006_NB = -99999; ELSE IF R02_YE1006_NB = -8 OR R02_YE1120_NB = -8 THEN R02R_Y_YE1006_NB = -99988; ELSE IF R02_YE1006_NB = -7 OR R02_YE1120_NB = -7 THEN R02R_Y_YE1006_NB = -99977; ELSE IF R02_YE1006_NB = -5 THEN R02R_Y_YE1006_NB = -99955; ELSE IF R02_YE1006_NB = -1 OR R02_YE1120_NB = -1 THEN R02R_Y_YE1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	26	0.2 %
2	2 = 12 to 14 years old	21	0.2 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12125	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1211-1218 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YE1108: First e-cigarette used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first e-cigarette you used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YE1005.]

ASK: New baseline youth respondents who have ever used an e-cigarette, or continuing youth respondents who have initiated e-cigarette use since their last completed interview.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_ECIG = 1) OR R02_INIT_ECIG_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	687	5.6 %
2	2 = No	71	0.6 %
3	3 = I don't know	100	0.8 %
	Total	858	7.0%

This variable has 858 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	9	0.1 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11303	92.9 %

	Missing Data		
	Total	11,314	93.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1219-1226 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1011_01: Flavor of first e-cigarette used: Menthol or mint

What flavor was that first e-cigarette? If multiple flavors were mixed together, choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used an e-cigarette and whose first e-cigarette was flavored, or continuing youth respondents who have initiated e-cigarette use since their last completed interview and whose first e-cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R02_YE1108 = 1) OR (R02_INIT_ECIG_YOUTH = 1 AND R02_YE1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	99	0.8 %
2	2 = Not Marked	583	4.8 %
	Total	682	5.6%

This variable has 682 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11485	94.4 %
	Total	11,490	94.4%

Percentages for both tables are based on 12,172 total cases.

Location: 1227-1234 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1011_02: Flavor of first e-cigarette used: Clove or spice

What flavor was that first e-cigarette? If multiple flavors were mixed together, choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used an e-cigarette and whose first e-cigarette was flavored, or continuing youth respondents who have initiated e-cigarette use since their last completed interview and whose first e-cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R02_YE1108 = 1) OR (R02_INIT_ECIG_YOUTH = 1 AND R02_YE1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	672	5.5 %
	Total	682	5.6%

This variable has 682 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11485	94.4 %
	Total	11,490	94.4%

Percentages for both tables are based on 12,172 total cases.

Location: 1235-1242 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1011_03: Flavor of first e-cigarette used: Fruit

What flavor was that first e-cigarette? If multiple flavors were mixed together, choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used an e-cigarette and whose first e-cigarette was flavored, or continuing youth respondents who have initiated e-cigarette use since their last completed interview and whose first e-cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R02_YE1108 = 1) OR (R02_INIT_ECIG_YOUTH = 1 AND R02_YE1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	402	3.3 %
2	2 = Not Marked	280	2.3 %
	Total	682	5.6%

This variable has 682 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11485	94.4 %
	Total	11,490	94.4%

Percentages for both tables are based on 12,172 total cases.

Location: 1243-1250 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1011_04: Flavor of first e-cigarette used: Chocolate

What flavor was that first e-cigarette? If multiple flavors were mixed together, choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used an e-cigarette and whose first e-cigarette was flavored, or continuing youth respondents who have initiated e-cigarette use since their last completed interview and whose first e-cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R02_YE1108 = 1) OR (R02_INIT_ECIG_YOUTH = 1 AND R02_YE1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	44	0.4 %
2	2 = Not Marked	638	5.2 %
	Total	682	5.6%

This variable has 682 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11485	94.4 %
	Total	11,490	94.4%

Percentages for both tables are based on 12,172 total cases.

Location: 1251-1258 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1011_05: Flavor of first e-cigarette used: An alcoholic drink

What flavor was that first e-cigarette? If multiple flavors were mixed together, choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever used an e-cigarette and whose first e-cigarette was flavored, or continuing youth respondents who have initiated e-cigarette use since their last completed interview and whose first e-cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R02_YE1108 = 1) OR (R02_INIT_ECIG_YOUTH = 1 AND R02_YE1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1 %
2	2 = Not Marked	667	5.5 %
	Total	682	5.6%

This variable has 682 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11485	94.4 %
	Total	11,490	94.4%

Percentages for both tables are based on 12,172 total cases.

Location: 1259-1266 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1011_06: Flavor of first e-cigarette used: Candy or other sweets

What flavor was that first e-cigarette? If multiple flavors were mixed together, choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever used an e-cigarette and whose first e-cigarette was flavored, or continuing youth respondents who have initiated e-cigarette use since their last completed interview and whose first e-cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R02_YE1108 = 1) OR (R02_INIT_ECIG_YOUTH = 1 AND R02_YE1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	202	1.7 %
2	2 = Not Marked	480	3.9 %
	Total	682	5.6%

This variable has 682 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11485	94.4 %
	Total	11,490	94.4%

Percentages for both tables are based on 12,172 total cases.

Location: 1267-1274 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1011_07: Flavor of first e-cigarette used: Some other flavor

What flavor was that first e-cigarette? If multiple flavors were mixed together, choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever used an e-cigarette and whose first e-cigarette was flavored, or continuing youth respondents who have initiated e-cigarette use since their last completed interview and whose first e-cigarette was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_ECIG = 1 AND R02_YE1108 = 1) OR (R02_INIT_ECIG_YOUTH = 1 AND R02_YE1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	75	0.6 %
2	2 = Not Marked	607	5.0 %
	Total	682	5.6%

This variable has 682 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11485	94.4 %
	Total	11,490	94.4%

Percentages for both tables are based on 12,172 total cases.

Location: 1275-1282 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1005: Number of e-cigarettes/cartridges used in entire life

How many e-cigarettes have you used in your entire life? (If you refill your e-cigarette with e-liquid, count up the total milliliters you have used. Your best guess is fine.)

ASK: Youth respondents who have ever used an e-cigarette and had not used 100 or more e-cigarettes in their lifetime as of their last completed interview.

ASK Specification: IF R02_EVER_USER_ECIG = 1 AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR R02_INIT_ECIG_YOUTH = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R01_YE1005 != 7)).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	489	4.0 %
2	2 = 1	203	1.7 %
3	3 = 2 to 10	388	3.2 %
4	4 = 11 to 20	96	0.8 %
5	5 = 21 to 50	75	0.6 %
6	6 = 51 to 99	36	0.3 %
7	7 = 100 or more	74	0.6 %
	Total	1,361	11.2%

This variable has 1,361 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	16	0.1 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	10774	88.5 %
	Total	10,811	88.8%

Percentages for both tables are based on 12,172 total cases.

Location: 1283-1290 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1100: Ever used e-cigarettes fairly regularly

Have you ever used e-cigarettes fairly regularly?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YE1112.]

ASK: Youth respondents who have ever used an e-cigarette.

ASK Specification: IF R02_EVER_USER_ECIG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	303	2.5 %
2	2 = No	1082	8.9 %
	Total	1,385	11.4%

This variable has 1,385 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	13	0.1 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10769	88.5 %
	Total	10,787	88.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1291-1298 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YE1007: DERIVED - Age range when first started using e-cigarettes fairly regularly (3 levels)

Long Description: How old were you when you first started using e-cigarettes fairly regularly?

Original Variables: R02_YE1007, R02_YE1121

Algorithm: IF R02_YE1121 = 1 OR (0<=R02_YE1007<=11) THEN R02R_Y_YE1007 = 1; ELSE IF R02_YE1121 = 2 OR (12<=R02_YE1007<=14) THEN R02R_Y_YE1007 = 2; ELSE IF R02_YE1121 = 3 OR (15<=R02_YE1007<=17) THEN R02R_Y_YE1007 = 3; ELSE IF R02_YE1007 = -9 OR R02_YE1121 = -9 THEN R02R_Y_YE1007 = -99999; ELSE IF R02_YE1007 = -8 OR R02_YE1121 = -8 THEN R02R_Y_YE1007 = -99988; ELSE IF R02_YE1007 = -7 OR R02_YE1121 = -7 THEN R02R_Y_YE1007 = -99977; ELSE IF R02_YE1007 = -5 THEN R02R_Y_YE1007 = -99955; ELSE IF R02_YE1007 = -1 OR R02_YE1121 = -1 THEN R02R_Y_YE1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	13	0.1 %
2	2 = 12 to 14 years old	115	0.9 %
3	3 = 15 to 17 years old	174	1.4 %

Value	Label	Unweighted Frequency	%
	Total	302	2.5%

This variable has 302 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11869	97.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,870	97.5%

Percentages for both tables are based on 12,172 total cases.

Location: 1299-1306 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YE1112: Last time an e-cigarette was used, even one or two times

When was the last time you used an e-cigarette, even one or two times?

ASK: Youth respondents who have ever used an e-cigarette.

ASK Specification: IF R02_EVER_USER_ECIG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	71	0.6 %
2	2 = Not today but sometime in the past 7 days	148	1.2 %
3	3 = Not in the past 7 days but sometime in the past 30 days	196	1.6 %
4	4 = Not in the past 30 days but sometime in the past 6 months	397	3.3 %
5	5 = Not in the past 6 months but sometime in the past year	318	2.6 %
6	6 = 1 to 4 years ago	221	1.8 %
7	7 = 5 or more years ago	22	0.2 %
	Total	1,373	11.3%

This variable has 1,373 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	13	0.1 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	10769	88.5 %
	Total	10,799	88.7%

Percentages for both tables are based on 12,172 total cases.

Location: 1307-1314 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1090: Own an e-cigarette

[PROGRAM NOTE: See Box R02_YEV01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Do you own an e-cigarette?

ASK: Youth respondents who have ever used an e-cigarette.

ASK Specification: IF R02_EVER_USER_ECIG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	193	1.6 %
2	2 = No	1194	9.8 %
	Total	1,387	11.4%

This variable has 1,387 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	13	0.1 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10769	88.5 %
	Total	10,785	88.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1315-1322 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE9041: Someone else in home owns an e-cigarette

[Box R02_YET03 - Note: This transition text is only displayed for youth respondents who have never used an e-cigarette. [The next questions are about e-cigarettes. Please think only about

e-cigarettes as you answer these questions.]

[SHOW GENERIC IMAGE OF E-CIGARETTES]

Does anyone[else] living in your home own an e-cigarette?

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YE1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

[DISPLAY: If R02_EVER_USER_ECIG = 1, display " else". Else, do not display this text for respondents who have never used e-cigarettes.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	1418	11.6 %
2	2 = No	10268	84.4 %
	Total	11,686	96.0%

This variable has 11,686 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	56	0.5 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	422	3.5 %
	Total	486	4.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1323-1330 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE9005: Is the e-cigarette you use most of the time rechargeable

[Box R02_YER04 - Youth respondents who are past 30 day "not light" e-cigarette users, go to R02_YE9005. Else, youth respondents who are past 30 day e-cigarette users, go to Box R02_YEV03. Else, go to R02_YE1124.

IF R02_PAST30DAY_NL_ECIGS = 1, GO TO R02_YE9005. ELSE, IF R02_PAST30DAY_ECIGS = 1, GO TO BOX R02_YEV03. ELSE, GO TO R02_YE1124.]

Please think about the e-cigarette you use most of the time.

Is your e-cigarette rechargeable?

[If No (2), Go to R02_YE9009.]

ASK: Youth respondents who are past 30 day "not light" e-cigarette users.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	275	2.3 %
2	2 = No	55	0.5 %
	Total	330	2.7%

This variable has 330 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11837	97.2 %
	Total	11,842	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1331-1338 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE9008: E-cigarette used most of the time uses cartridges

Does your e-cigarette use cartridges?

[If Yes (1), Go to R02_YE9009.]

ASK: Youth respondents who are past 30 day "not light" e-cigarette users and use a rechargeable e-cigarette or did not know or refused to report whether they use a rechargeable e-cigarette.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE9005 = 1, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	99	0.8 %
2	2 = No	174	1.4 %
	Total	273	2.2%

This variable has 273 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11892	97.7 %
	Total	11,899	97.8%

Percentages for both tables are based on 12,172 total cases.

Location: 1339-1346 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE9038: E-cigarette used most of the time uses a tank system

Does your e-cigarette use a tank system?

ASK: Youth respondents who are past 30 day "not light" e-cigarette users and use a rechargeable e-cigarette or did not know or refused to report whether they use a rechargeable e-cigarette and does not use cartridges or did not know or refused to report whether they use cartridges.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE9005 = 1, -8, -7 AND R02_YE9008 = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	156	1.3 %
2	2 = No	17	0.1 %
3	3 = Not sure	6	0.0 %
	Total	179	1.5%

This variable has 179 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11991	98.5 %
	Total	11,993	98.5%

Percentages for both tables are based on 12,172 total cases.

Location: 1347-1354 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE9009: E-cigarette used most of the time can be refilled with e-liquid

Can you refill your [e-cigarette/e-cigarette cartridges] with "e-liquid"?

ASK: Youth respondents who are past 30 day "not light" e-cigarette users.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1.

[DISPLAY: If R02_YE9008 = 1, display "e-cigarette cartridges". Else, display "e-cigarette".]

[GOTO: Youth respondents who are past 30 day "not light" e-cigarette users and can refill their e-cigarette or e-cigarette cartridge with e-liquid, go to R02_YE9036. Else, youth respondents who are past 30 day "not light" e-cigarette users and use a rechargeable e-cigarette or did not know or refused to report whether they use a rechargeable e-cigarette, go to R02_YE9037. Else, youth respondents who are past 30 day "not light" e-cigarette users, go to R02_YE9032.]

[GOTO Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE9009 = 1, GO TO R02_YE9036. ELSE, IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE9005 = 1, -8, -7, GO TO R02_YE9037. ELSE, IF R02_PAST30DAY_NL_ECIGS = 1, GO TO R02_YE9032.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	283	2.3 %
2	2 = No	51	0.4 %
	Total	334	2.7%

This variable has 334 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11837	97.2 %
	Total	11,838	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1355-1362 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE9036: Method through which you usually get your e-cigarette/e-cigarette cartridge refilled with e-liquid

Who refills your [e-cigarette/e-cigarette cartridge] with e-liquid?

ASK: Youth respondents who are past 30 day "not light" e-cigarette users and can refill their e-cigarette or e-cigarette cartridge with e-liquid.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE9009 = 1.

[DISPLAY: If R02_YE9008 = 1, display "e-cigarette cartridges". Else, display "e-cigarette".]

[GOTO: Youth respondents who are past 30 day "not light" e-cigarette users and use a rechargeable e-cigarette or did not know or refused to report whether they use a

rechargeable e-cigarette, go to R02_YE9037. Else, youth respondents who are past 30 day "not light" e-cigarette users, go to R02_YE9032.]

[GOTO Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE9005 = 1, -8, -7, GO TO R02_YE9037. ELSE, IF R02_PAST30DAY_NL_ECIGS = 1, GO TO R02_YE9032.]

Value	Label	Unweighted Frequency	%
1	1 = I refill it myself	186	1.5 %
2	2 = I get it refilled at a vape shop or vapor lounge	9	0.1 %
3	3 = I buy it already filled	11	0.1 %
4	4 = I get it refilled some other way	64	0.5 %
	Total	270	2.2%

This variable has 270 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11889	97.7 %
	Total	11,902	97.8%

Percentages for both tables are based on 12,172 total cases.

Location: 1363-1370 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE9037: E-cigarette used most of the time can have voltage changed

Can you change the voltage on your e-cigarette?

ASK: Youth respondents who are past 30 day "not light" e-cigarette users and use a rechargeable e-cigarette or did not know or refused to report whether they use a rechargeable e-cigarette.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE9005 = 1, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	123	1.0 %
2	2 = No	67	0.6 %
3	3 = Not sure	87	0.7 %
	Total	277	2.3%

This variable has 277 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11892	97.7 %
	Total	11,895	97.7%

Percentages for both tables are based on 12,172 total cases.

Location: 1371-1378 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE9032: E-cigarette used most of the time has been modified at all by you

Have you modified your e-cigarette at all?

ASK: Youth respondents who are past 30 day "not light" e-cigarette users.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	82	0.7 %
2	2 = No	249	2.0 %
	Total	331	2.7%

This variable has 331 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11837	97.2 %
	Total	11,841	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1379-1386 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1022: In past 30 days, number of days used an e-cigarette

[PROGRAM NOTE: See Box R02_YEV03 and R02_YET04 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you use an e-cigarette?

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

[PROGRAM: Soft range check: 1-30 days]

This variable has 409 valid cases out of 12,172 total cases.

- Mean: 7.63
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 9.09

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	6	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,763	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1387-1394 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YE9040: In past 30 days, number of e-cigarettes/e-cigarette cartridges/milliliters of e-liquid used per day on days used

In the past 30 days, on the days you used an e-cigarette, how many [ECIGFILL1] did you use per day?

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

This variable has 183 valid cases out of 12,172 total cases.

- Mean: 3.03
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.41

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	13	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-2	-2 = Less than 1 e-cigarette/e-cigarette cartridge/ml of e-liquid per day	219	1.8 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,989	98.5%

Percentages for both tables are based on 12,172 total cases.

Location: 1395-1402 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -2 , -1

R02_YE1130: In past 30 days, used e-cigarettes/cartridges/e-liquid flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, [were/was] any of the [ECIGFILL2] you used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YE1118.]

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

[DISPLAY: If R02_ECIGTYPE = 1, 2, 5, display "were". Else, if R02_ECIGTYPE = 3, 4, display "was".]

Value	Label	Unweighted Frequency	%
1	1 = Yes	329	2.7 %
2	2 = No	42	0.3 %
3	3 = I don't know	43	0.4 %
	Total	414	3.4%

This variable has 414 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,758	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1403-1410 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1131_01: In past 30 days, used e-cigarettes/cartridges/e-liquid flavored to taste like menthol or mint

Which flavors have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day e-cigarette users and used flavored e-cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_YE1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	66	0.5 %
2	2 = Not Marked	263	2.2 %
	Total	329	2.7%

This variable has 329 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11843	97.3 %
	Total	11,843	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1411-1418 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1131_02: In past 30 days, used e-cigarettes/cartridges/e-liquid flavored to taste like clove or spice

Which flavors have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day e-cigarette users and used flavored e-cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_YE1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	313	2.6 %
	Total	329	2.7%

This variable has 329 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11843	97.3 %
	Total	11,843	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1419-1426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1131_03: In past 30 days, used e-cigarettes/cartridges/e-liquid flavored to taste like fruit

Which flavors have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day e-cigarette users and used flavored e-cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_YE1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	231	1.9 %
2	2 = Not Marked	98	0.8 %
	Total	329	2.7%

This variable has 329 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11843	97.3 %
	Total	11,843	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1427-1434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1131_04: In past 30 days, used e-cigarettes/cartridges/e-liquid flavored to taste like chocolate

Which flavors have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day e-cigarette users and used flavored e-cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_YE1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.3 %
2	2 = Not Marked	295	2.4 %
	Total	329	2.7%

This variable has 329 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11843	97.3 %
	Total	11,843	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1435-1442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1131_05: In past 30 days, used e-cigarettes/cartridges/e-liquid flavored to taste like alcohol

Which flavors have you used in the past 30 days? If multiple flavors were mixed together,

choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day e-cigarette users and used flavored e-cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_YE1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.2 %
2	2 = Not Marked	304	2.5 %
	Total	329	2.7%

This variable has 329 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11843	97.3 %
	Total	11,843	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1443-1450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1131_06: In past 30 days, used e-cigarettes/cartridges/e-liquid flavored to taste like candy or other sweets

Which flavors have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day e-cigarette users and used flavored e-cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_YE1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	160	1.3 %
2	2 = Not Marked	169	1.4 %
	Total	329	2.7%

This variable has 329 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11843	97.3 %
	Total	11,843	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1451-1458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1131_07: In past 30 days, used e-cigarettes/cartridges/e-liquid flavored to taste like some other flavor

Which flavors have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day e-cigarette users and used flavored e-cigarettes in the past 30 days.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_YE1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	77	0.6 %
2	2 = Not Marked	252	2.1 %
	Total	329	2.7%

This variable has 329 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11843	97.3 %
	Total	11,843	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1459-1466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1118: In past 30 days, how you usually got your own e-cigarettes/cartridges and e-liquid

In the past 30 days, how did you usually get your own [ECIGFILL2]?

[If Someone offered it to me (4), I got them some other way (7), Don't Know (-8), or Refused (-7), Go to R02_YER05.]

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	76	0.6 %
2	2 = I bought them myself from a store (including a vape shop or vapor lounge)	45	0.4 %
3	3 = I asked someone to give me one	45	0.4 %
4	4 = Someone offered it to me	152	1.2 %
5	5 = I bought them from another person	31	0.3 %
6	6 = I took them from a store or another person	10	0.1 %
7	7 = I got them some other way	33	0.3 %
	Total	392	3.2%

This variable has 392 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,780	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 1467-1474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1123: In past 30 days, someone refused to sell you e-cigarettes/cartridges/e-liquid because of your age

In the past 30 days, did anyone refuse to sell you [ECIGFILL2] because of your age?

ASK: Youth respondents who are past 30 day e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them, buying themselves from a store, asking someone to give them one, buying from another person, or taking from a store or another person.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_YE1118 = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	26	0.2 %
2	2 = No	173	1.4 %
	Total	199	1.6%

This variable has 199 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11965	98.3 %
	Total	11,973	98.4%

Percentages for both tables are based on 12,172 total cases.

Location: 1475-1482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1098: In past 30 days, how often used a coupon when buying e-cigarettes/cartridges/e-liquid

[Box R02_YER05 - Youth respondents who are past 30 day "not light" e-cigarette users and usually get e-cigarettes by buying themselves from a store, go to R02_YE1098. Else, youth respondents who are past 30 day "not light" e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them, go to R02_YE1030. Else, youth respondents who are past 30 day "not light" e-cigarette users, go to R02_YE1047. Else, youth respondents who are past 30 day "very-light" e-cigarette users, go to Box R02_YED02.]

IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE1118 = 2, GO TO R02_YE1098. ELSE, IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE1118 = 1, GO TO R02_YE1030. ELSE, IF R02_PAST30DAY_NL_ECIGS = 1, GO TO R02_YE1047. ELSE, IF R02_PAST30DAY_VL_ECIG = 1, GO TO BOX R02_YED02.]

In the past 30 days, how often have you used a coupon when buying [ECIGFILL2]?

ASK: Youth respondents who are past 30 day "not light" e-cigarette users and usually get e-cigarettes by buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE1118 = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	3	0.0 %
2	2 = Sometimes	4	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = Rarely	1	0.0 %
4	4 = Never	34	0.3 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12130	99.7 %
	Total	12,130	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 1483-1490 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1030: How you usually buy your e-cigarette/e-cigarette cartridges/e-liquid

[When you give money to someone else, how do they/How do you] usually buy your [ECIGFILL2]?

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R02_YER06.]

ASK: Youth respondents who are past 30 day "not light" e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE1118 = 1, 2.

[DISPLAY: If R02_YE1118 = 1, display "When you give money to someone else, how do they". Else, if R02_YE1118 = 2, display "How do you".]

Value	Label	Unweighted Frequency	%
1	1 = In person	105	0.9 %
2	2 = From the internet	10	0.1 %
3	3 = By telephone	0	0.0 %
	Total	115	0.9%

This variable has 115 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12056	99.0 %
	Total	12,057	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 1491-1498 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1032: Geographic area where you usually buy e-cigarettes/e-liquid

Do [you/they] usually buy [ECIGFILL2] . . . ?

ASK: Youth respondents who are past 30 day "not light" e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE1118 = 1, 2 AND R02_YE1030 = 1.

[DISPLAY: If R02_YE1118 = 1, display "they". Else, if R02_YE1118 = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	105	0.9 %
2	2 = In another state	0	0.0 %
3	3 = Outside the US	0	0.0 %
	Total	105	0.9%

This variable has 105 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12067	99.1 %
	Total	12,067	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 1499-1506 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1033: Retail location where your e-cigarettes/cartridges and e-liquid are bought most of the time

Where do [you/they] buy your [ECIGFILL2] most of the time?

ASK: Youth respondents who are past 30 day "not light" e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE1118 = 1, 2 AND R02_YE1030 = 1.

[DISPLAY: If R02_YE1118 = 1, display "they". Else, if R02_YE1118 = 2, display "you". If R02_YE1118 = 2, display option 8 "A friend or relative". Else, if R02_YE1118 != 2, suppress option 8.]

Value	Label	Unweighted Frequency	%
1	1 = A mall kiosk	3	0.0 %
2	2 = A convenience store or gas station	29	0.2 %
3	3 = A supermarket, grocery store, or drug store	6	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	15	0.1 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	1	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
11	11 = A vape shop or vapor lounge	47	0.4 %
	Total	101	0.8%

This variable has 101 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12067	99.1 %
	Total	12,071	99.2%

Percentages for both tables are based on 12,172 total cases.

Location: 1507-1514 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1034_D: Amount paid when last time bought e-cigarette - Dollars

[PROGRAM NOTE: See Box R02_YER06 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Think about the last time you [bought/gave money to someone else to buy you] an e-cigarette. How much did you pay for it?

_____ DOLLARS

[Go to R02_YE1047.]

ASK: Youth respondents who are past 30 day "not light" disposable e-cigarette users or unknown type of e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store and do not own an e-cigarette or did not know or refused to report whether they own an e-cigarette.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_ECIGTYPE = 1, 5 AND R02_YE1118 = 1, 2 AND R02_YE1090 = 2, -8, -7.

[DISPLAY: If R02_YE1118 = 1, display "gave money to someone else to buy you". Else, if R02_YE1118 = 2, display "bought".]

This variable has 11 valid cases out of 12,172 total cases.

- Mean: 26.64
- Median: 12.00
- Minimum: 0.00
- Maximum: 138.00
- Standard Deviation: 40.23

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12161	99.9 %
	Total	12,161	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 1515-1522 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YE1034_C: Amount paid when last time bought e-cigarette - Cents

[PROGRAM NOTE: See Box R02_YER06 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Think about the last time you [bought/gave money to someone else to buy you] an e-cigarette. How much did you pay for it?

_____ CENTS

[Go to R02_YE1047.]

ASK: Youth respondents who are past 30 day "not light" disposable e-cigarette users or unknown type of e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store and do not own an e-cigarette or did not know or refused

to report whether they own an e-cigarette.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_ECIGTYPE = 1, 5 AND R02_YE1118 = 1, 2 AND R02_YE1090 = 2, -8, -7.

[DISPLAY: If R02_YE1118 = 1, display "gave money to someone else to buy you". Else, if R02_YE1118 = 2, display "bought".]

This variable has 11 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12161	99.9 %
	Total	12,161	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 1523-1530 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YE1041_D: Amount paid for last bottle or container of e-liquid - Dollars

Think about the last time you [bought/gave money to someone else to buy you] e-liquid. How much did you pay for a bottle or container of e-liquid?

_____ DOLLARS

[Go to R02_YE1047.]

ASK: Youth respondents who are past 30 day "not light" refillable cartridge e-cigarette users or refillable tank system e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_ECIGTYPE = 3, 4 AND R02_YE1118 = 1, 2. DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles. If R02_YE1118 = 1, display.

This variable has 70 valid cases out of 12,172 total cases.

- Mean: 8.64
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 10.32

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	13	0.1 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	12085	99.3 %
	Total	12,102	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 1531-1538 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YE1041_C: Amount paid for last bottle or container of e-liquid - Cents

Think about the last time you [bought/gave money to someone else to buy you] e-liquid. How much did you pay for a bottle or container of e-liquid?

_____ CENTS

[Go to R02_YE1047.]

ASK: Youth respondents who are past 30 day "not light" refillable cartridge e-cigarette users or refillable tank system e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_ECIGTYPE = 3, 4 AND R02_YE1118 = 1, 2. DISPLAY: Display "\$" as left label; "Dollars" and "Cents" as titles. If R02_YE1118 = 1, display.

This variable has 70 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	12101	99.4 %
	Total	12,102	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 1539-1546 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YE1039: Usually buy e-cigarette cartridges by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] e-cigarette cartridges. Did you buy them by the box or pack, or as single cartridges?

[If Single cartridges (2), Don't Know (-8), or Refused (-7), Go to R02_YE1043.]

ASK: Youth respondents who are past 30 day "not light" non-refillable cartridge e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_ECIGTYPE = 2 AND R02_YE1118 = 1, 2.

[DISPLAY: If R02_YE1118 = 1, display "gave money to someone else to buy you". Else, if R02_YE1118 = 2, display "bought".]

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	1	0.0 %
2	2 = Single cartridges	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12166	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1547-1554 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1040: Number of e-cigarette cartridges in box or pack you last bought

How many e-cigarette cartridges came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not light" non-refillable cartridge e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store and last bought e-cigarette cartridges by the box or pack.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_ECIGTYPE = 2 AND R02_YE1118 = 1, 2 AND R02_YE1039 = 1.

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,171	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1555-1562 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YE1042_D: Amount paid for a box or pack of e-cigarette cartridges - Dollars

How much did you pay for a box or pack of e-cigarette cartridges?

_____ DOLLARS

[Go to R02_YE1047.]

ASK: Youth respondents who are past 30 day "not light" non-refillable cartridge e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store and last bought e-cigarette cartridges by the box or pack.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_ECIGTYPE = 2 AND R02_YE1118 = 1, 2 AND R02_YE1039 = 1.

This variable has 1 valid cases out of 12,172 total cases.

- Mean: 13.00
- Median: 13.00
- Mode: 13.00
- Minimum: 13.00
- Maximum: 13.00
- Standard Deviation: 0.00

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,171	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1563-1570 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YE1042_C: Amount paid for a box or pack of e-cigarette cartridges - Cents

How much did you pay for a box or pack of e-cigarette cartridges?

_____ CENTS

[Go to R02_YE1047.]

ASK: Youth respondents who are past 30 day "not light" non-refillable cartridge e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store and last bought e-cigarette cartridges by the box or pack.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_ECIGTYPE = 2 AND R02_YE1118 = 1, 2 AND R02_YE1039 = 1.

This variable has 1 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,171	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1571-1578 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YE1043_D: Amount paid for a single e-cigarette cartridge - Dollars

How much did you pay for a single e-cigarette cartridge?

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not light" non-refillable cartridge e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store and last bought single cartridges or did not know or refused to

report how they last bought cartridges.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_ECIGTYPE = 2 AND R02_YE1118 = 1, 2 AND R02_YE1039 = 2, -8, -7.

This variable has 5 valid cases out of 12,172 total cases.

- Mean: 9.60
- Median: 10.00
- Mode: 10.00
- Minimum: 3.00
- Maximum: 20.00
- Standard Deviation: 6.58

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12167	100.0 %
	Total	12,167	100.0 %

Percentages for both tables are based on 12,172 total cases.

Location: 1579-1586 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YE1043_C: Amount paid for a single e-cigarette cartridge - Cents

How much did you pay for a single e-cigarette cartridge?

_____ CENTS

ASK: Youth respondents who are past 30 day "not light" non-refillable cartridge e-cigarette users and usually get e-cigarettes by giving someone else money to buy for them or buying themselves from a store and last bought single cartridges or did not know or refused to report how they last bought cartridges.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_ECIGTYPE = 2 AND R02_YE1118 = 1, 2 AND R02_YE1039 = 2, -8, -7.

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12167	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 1587-1594 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YE1047: Have a regular brand of e-cigarettes/cartridges/e-liquid you usually use

Do you have a regular brand of [ECIGFILL2] that you usually use?

ASK: Youth respondents who are past 30 day "not light" e-cigarette users.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	70	0.6 %
2	2 = No	260	2.1 %
	Total	330	2.7%

This variable has 330 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11837	97.2 %
	Total	11,842	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1595-1602 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1048_BRAND: Brand of e-cigarettes/cartridges/e-liquid usually/last used

What brand of [ECIGFILL2] [do/did] you [usually/last] use?

ASK: Youth respondents who are past 30 day "not light" e-cigarette users.

ASK Specification: IF R02_PAST30DAY_NL_ECIGS = 1.

[DISPLAY: If R02_YE1047 = 1, display "do" and "usually". Else, if R02_YE1047 = 2, -8, -7, display "did" and "last".]

[PROGRAM: Show pictures of the major brands on the touchscreen. When a respondent selects a brand, go to R02_YED02.]

[GOTO: Youth respondents who are past 30 day "not light" e-cigarette users and selected "Something else" for their brand of e-cigarettes, go to R02_YE1049. Else, youth respondents who are past 30 day "not light" e-cigarette users, go to Box R02_YED02.]

[GOTO Specification: IF R02_PAST30DAY_NL_ECIGS = 1 AND R02_YE1048_BRAND = 9995, GO TO R02_YE1049. ELSE, IF R02_PAST30DAY_NL_ECIGS = 1, GO TO BOX R02_YED02.]

This variable has 269 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	56	0.5 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11837	97.2 %
	Total	11,903	97.8%

Percentages for both tables are based on 12,172 total cases.

Location: 1603-1610 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1060_RANDOM_01: YE1060 series random question 1

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	36	0.3 %
R02_YE1061	-	28	0.2 %
R02_YE1062	-	26	0.2 %
R02_YE1063	-	38	0.3 %
R02_YE1064	-	22	0.2 %
R02_YE1065	-	35	0.3 %
R02_YE1066	-	36	0.3 %
R02_YE1067	-	32	0.3 %
R02_YE1068	-	26	0.2 %

Value	Label	Unweighted Frequency	%
R02_YE1069	-	45	0.4 %
R02_YE1072	-	24	0.2 %
R02_YE1075	-	33	0.3 %
R02_YE1085	-	34	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1611-1625 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_02: YE1060 series random question 2

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	24	0.2 %
R02_YE1061	-	25	0.2 %
R02_YE1062	-	49	0.4 %
R02_YE1063	-	29	0.2 %
R02_YE1064	-	23	0.2 %
R02_YE1065	-	29	0.2 %
R02_YE1066	-	25	0.2 %
R02_YE1067	-	28	0.2 %
R02_YE1068	-	44	0.4 %
R02_YE1069	-	34	0.3 %
R02_YE1072	-	34	0.3 %
R02_YE1075	-	37	0.3 %
R02_YE1085	-	34	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1626-1640 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_03: YE1060 series random question 3

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	38	0.3 %
R02_YE1061	-	36	0.3 %
R02_YE1062	-	30	0.2 %
R02_YE1063	-	25	0.2 %
R02_YE1064	-	20	0.2 %
R02_YE1065	-	38	0.3 %
R02_YE1066	-	35	0.3 %
R02_YE1067	-	36	0.3 %
R02_YE1068	-	33	0.3 %
R02_YE1069	-	33	0.3 %
R02_YE1072	-	39	0.3 %
R02_YE1075	-	32	0.3 %
R02_YE1085	-	20	0.2 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1641-1655 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_04: YE1060 series random question 4

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	38	0.3 %
R02_YE1061	-	27	0.2 %

Value	Label	Unweighted Frequency	%
R02_YE1062	-	42	0.3 %
R02_YE1063	-	24	0.2 %
R02_YE1064	-	20	0.2 %
R02_YE1065	-	31	0.3 %
R02_YE1066	-	49	0.4 %
R02_YE1067	-	32	0.3 %
R02_YE1068	-	29	0.2 %
R02_YE1069	-	36	0.3 %
R02_YE1072	-	28	0.2 %
R02_YE1075	-	24	0.2 %
R02_YE1085	-	35	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1656-1670 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_05: YE1060 series random question 5

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	36	0.3 %
R02_YE1061	-	35	0.3 %
R02_YE1062	-	36	0.3 %
R02_YE1063	-	30	0.2 %
R02_YE1064	-	19	0.2 %
R02_YE1065	-	33	0.3 %
R02_YE1066	-	33	0.3 %
R02_YE1067	-	31	0.3 %
R02_YE1068	-	24	0.2 %
R02_YE1069	-	29	0.2 %
R02_YE1072	-	37	0.3 %
R02_YE1075	-	33	0.3 %

Value	Label	Unweighted Frequency	%
R02_YE1085	-	39	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1671-1685 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_06: YE1060 series random question 6

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	34	0.3 %
R02_YE1061	-	41	0.3 %
R02_YE1062	-	30	0.2 %
R02_YE1063	-	33	0.3 %
R02_YE1064	-	19	0.2 %
R02_YE1065	-	35	0.3 %
R02_YE1066	-	31	0.3 %
R02_YE1067	-	31	0.3 %
R02_YE1068	-	33	0.3 %
R02_YE1069	-	28	0.2 %
R02_YE1072	-	24	0.2 %
R02_YE1075	-	37	0.3 %
R02_YE1085	-	39	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1686-1700 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_07: YE1060 series random question 7

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	35	0.3 %
R02_YE1061	-	21	0.2 %
R02_YE1062	-	27	0.2 %
R02_YE1063	-	39	0.3 %
R02_YE1064	-	21	0.2 %
R02_YE1065	-	34	0.3 %
R02_YE1066	-	39	0.3 %
R02_YE1067	-	31	0.3 %
R02_YE1068	-	32	0.3 %
R02_YE1069	-	24	0.2 %
R02_YE1072	-	38	0.3 %
R02_YE1075	-	38	0.3 %
R02_YE1085	-	36	0.3 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1701-1715 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_08: YE1060 series random question 8

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	33	0.3 %
R02_YE1061	-	40	0.3 %
R02_YE1062	-	43	0.4 %
R02_YE1063	-	36	0.3 %
R02_YE1064	-	22	0.2 %

Value	Label	Unweighted Frequency	%
R02_YE1065	-	37	0.3 %
R02_YE1066	-	21	0.2 %
R02_YE1067	-	36	0.3 %
R02_YE1068	-	31	0.3 %
R02_YE1069	-	26	0.2 %
R02_YE1072	-	35	0.3 %
R02_YE1075	-	29	0.2 %
R02_YE1085	-	26	0.2 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1716-1730 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_09: YE1060 series random question 9

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	30	0.2 %
R02_YE1061	-	29	0.2 %
R02_YE1062	-	35	0.3 %
R02_YE1063	-	32	0.3 %
R02_YE1064	-	23	0.2 %
R02_YE1065	-	31	0.3 %
R02_YE1066	-	34	0.3 %
R02_YE1067	-	35	0.3 %
R02_YE1068	-	32	0.3 %
R02_YE1069	-	30	0.2 %
R02_YE1072	-	34	0.3 %
R02_YE1075	-	39	0.3 %
R02_YE1085	-	31	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1731-1745 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_10: YE1060 series random question 10

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	32	0.3 %
R02_YE1061	-	43	0.4 %
R02_YE1062	-	21	0.2 %
R02_YE1063	-	40	0.3 %
R02_YE1064	-	12	0.1 %
R02_YE1065	-	31	0.3 %
R02_YE1066	-	30	0.2 %
R02_YE1067	-	30	0.2 %
R02_YE1068	-	31	0.3 %
R02_YE1069	-	34	0.3 %
R02_YE1072	-	41	0.3 %
R02_YE1075	-	38	0.3 %
R02_YE1085	-	32	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1746-1760 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_11: YE1060 series random question 11

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 11th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	32	0.3 %
R02_YE1061	-	40	0.3 %
R02_YE1062	-	25	0.2 %
R02_YE1063	-	33	0.3 %
R02_YE1064	-	15	0.1 %
R02_YE1065	-	34	0.3 %
R02_YE1066	-	29	0.2 %
R02_YE1067	-	37	0.3 %
R02_YE1068	-	40	0.3 %
R02_YE1069	-	41	0.3 %
R02_YE1072	-	28	0.2 %
R02_YE1075	-	29	0.2 %
R02_YE1085	-	32	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1761-1775 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_12: YE1060 series random question 12

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 12th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11757	96.6 %
R02_YE1060	-	32	0.3 %
R02_YE1061	-	36	0.3 %
R02_YE1062	-	41	0.3 %
R02_YE1063	-	33	0.3 %
R02_YE1064	-	18	0.1 %
R02_YE1065	-	32	0.3 %
R02_YE1066	-	26	0.2 %
R02_YE1067	-	37	0.3 %
R02_YE1068	-	34	0.3 %

Value	Label	Unweighted Frequency	%
R02_YE1069	-	34	0.3 %
R02_YE1072	-	30	0.2 %
R02_YE1075	-	28	0.2 %
R02_YE1085	-	34	0.3 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1776-1790 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060_RANDOM_13: YE1060 series random question 13

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YE1060 to R02_YE1072) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 13th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YED02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11919	97.9 %
R02_YE1060	-	15	0.1 %
R02_YE1061	-	14	0.1 %
R02_YE1062	-	10	0.1 %
R02_YE1063	-	23	0.2 %
R02_YE1064	-	19	0.2 %
R02_YE1065	-	15	0.1 %
R02_YE1066	-	27	0.2 %
R02_YE1067	-	19	0.2 %
R02_YE1068	-	26	0.2 %
R02_YE1069	-	21	0.2 %
R02_YE1072	-	23	0.2 %
R02_YE1075	-	18	0.1 %
R02_YE1085	-	23	0.2 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 1791-1805 (width: 15; decimal: 0)

Variable Type: character

R02_YE1060: Use e-cigarettes because: They are affordable

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . They are affordable.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	208	1.7 %
2	2 = No	204	1.7 %
	Total	412	3.4%

This variable has 412 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,760	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1806-1813 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1061: Use e-cigarettes because: People in the media or other public figures use them

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . People in the media or other public figures use e-cigarettes.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	150	1.2 %
2	2 = No	260	2.1 %
	Total	410	3.4%

This variable has 410 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,762	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1814-1821 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1085: Use e-cigarettes because: They can be used in places where smoking cigarettes is not allowed

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . I can use e-cigarettes at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	242	2.0 %
2	2 = No	169	1.4 %
	Total	411	3.4%

This variable has 411 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,761	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1822-1829 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1062: Use e-cigarettes because: They might be less harmful to me than cigarettes

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . They might be less harmful to me than cigarettes.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	306	2.5 %
2	2 = No	105	0.9 %
	Total	411	3.4%

This variable has 411 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,761	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1830-1837 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1075: Use e-cigarettes because: They might be less harmful to people around me than cigarettes

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . They might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	307	2.5 %
2	2 = No	105	0.9 %

Value	Label	Unweighted Frequency	%
	Total	412	3.4%

This variable has 412 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,760	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1838-1845 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1063: Use e-cigarettes because: It comes in flavors I like

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . [ECIGFILL2] [come/comes] in flavors I like.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

[DISPLAY: If R02_ECIGTYPE = 1, 2, 5, display "come". Else, if R02_ECIGTYPE = 3, 4, display "comes".

[GOTO: Youth respondents who are past 30 day e-cigarette users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R02_YE1064. Else, youth respondents who are past 30 day e-cigarette users, go to R02_YE1065.]

[GOTO Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_YC1112 = 1, 2, 3, 4, 5, GO TO R02_YE1064. ELSE, IF R02_PAST30DAY_ECIGS = 1, GO TO R02_YE1065.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	327	2.7 %
2	2 = No	87	0.7 %
	Total	414	3.4%

This variable has 414 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,758	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1846-1853 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1064: Use e-cigarettes because: It helps people to quit smoking cigarettes

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . Using e-cigarettes helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day e-cigarette users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	162	1.3 %
2	2 = No	90	0.7 %
	Total	252	2.1%

This variable has 252 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11919	97.9 %
	Total	11,920	97.9%

Percentages for both tables are based on 12,172 total cases.

Location: 1854-1861 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1065: Use e-cigarettes because: They don't smell

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . E-cigarettes don't smell.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	229	1.9 %
2	2 = No	183	1.5 %
	Total	412	3.4%

This variable has 412 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,760	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1862-1869 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1066: Use e-cigarettes because: It feels like smoking a regular cigarette

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . Using an e-cigarette feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	107	0.9 %
2	2 = No	300	2.5 %
	Total	407	3.3%

This variable has 407 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,765	96.7%

Percentages for both tables are based on 12,172 total cases.

Location: 1870-1877 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1067: Use e-cigarettes because: They don't bother non-tobacco users

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . E-cigarettes don't bother non-tobacco users.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	229	1.9 %
2	2 = No	182	1.5 %
	Total	411	3.4%

This variable has 411 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,761	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1878-1885 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1068: Use e-cigarettes because: People who are important to me use them

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . People who are important to me use e-cigarettes.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	143	1.2 %
2	2 = No	266	2.2 %
	Total	409	3.4%

This variable has 409 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,763	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1886-1893 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1069: Use e-cigarettes because: I like socializing while using them

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . I like socializing while using an e-cigarette.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	193	1.6 %
2	2 = No	220	1.8 %
	Total	413	3.4%

This variable has 413 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,759	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1894-1901 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1072: Use e-cigarettes because: The advertising appeals to me

The next questions are about the reasons people use e-cigarettes. Please select which reasons apply to you.

I use e-cigarettes because . . . The advertising for e-cigarettes appeals to me.

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

[GOTO: Youth respondents who are past 30 day e-cigarette users and past 30 day cigarette smokers, go to R02_YE1086. Else, go to R02_YE1124.]

[GOTO Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_PAST30DAY_CIGS = 1, GO TO R02_YE1086. ELSE, GO TO R02_YE1124.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	60	0.5 %
2	2 = No	351	2.9 %
	Total	411	3.4%

This variable has 411 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,761	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1902-1909 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1086: In past 30 days, used an e-cigarette at times when or in places you could not smoke a regular cigarette

In the past 30 days, have you used an e-cigarette at times when or in places where you could not smoke regular cigarettes?

ASK: Youth respondents who are past 30 day e-cigarette users and past 30 day cigarette smokers.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1 AND R02_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	103	0.8 %
2	2 = No	67	0.6 %
	Total	170	1.4%

This variable has 170 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12002	98.6 %
	Total	12,002	98.6%

Percentages for both tables are based on 12,172 total cases.

Location: 1910-1917 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1124: Likelihood of someone becoming addicted to e-cigarettes

How likely is someone to become addicted to e-cigarettes?

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YE1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	667	5.5 %
2	2 = Somewhat unlikely	912	7.5 %

Value	Label	Unweighted Frequency	%
3	3 = Neither likely nor unlikely	1811	14.9 %
4	4 = Somewhat likely	4780	39.3 %
5	5 = Very likely	3056	25.1 %
	Total	11,226	92.2%

This variable has 11,226 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	508	4.2 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	422	3.5 %
	Total	946	7.8%

Percentages for both tables are based on 12,172 total cases.

Location: 1918-1925 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1099: Harmfulness of using e-cigarettes compared to smoking cigarettes

Is using e-cigarettes less harmful, about the same, or more harmful than smoking cigarettes?

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YE1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	4805	39.5 %
2	2 = About the same	5033	41.3 %
3	3 = More harmful	955	7.8 %
	Total	10,793	88.7%

This variable has 10,793 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	930	7.6 %
-7	-7 = Refused	27	0.2 %
-1	-1 = Inapplicable	422	3.5 %

	Missing Data		
	Total	1,379	11.3%

Percentages for both tables are based on 12,172 total cases.

Location: 1926-1933 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1125: Thoughts on how much people harm themselves when they use e-cigarettes

How much do you think people harm themselves when they use e-cigarettes?

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YE1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = No harm	675	5.5 %
2	2 = A little harm	2512	20.6 %
3	3 = Some harm	4335	35.6 %
4	4 = A lot of harm	3989	32.8 %
	Total	11,511	94.6%

This variable has 11,511 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	227	1.9 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	422	3.5 %
	Total	661	5.4%

Percentages for both tables are based on 12,172 total cases.

Location: 1934-1941 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1146: Ease of using e-cigarettes that are flavored compared to unflavored e-cigarettes

Some e-cigarettes come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Are flavored e-cigarettes easier to use, about the same, or harder to use than unflavored e-cigarettes?

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YE1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	3097	25.4 %
2	2 = About the same	5720	47.0 %
3	3 = Harder to use	710	5.8 %
	Total	9,527	78.3%

This variable has 9,527 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2149	17.7 %
-7	-7 = Refused	74	0.6 %
-1	-1 = Inapplicable	422	3.5 %
	Total	2,645	21.7%

Percentages for both tables are based on 12,172 total cases.

Location: 1942-1949 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9101_NB: Ever seen or heard of a traditional cigar, cigarillo or filtered cigar before this study

[Box R02_YGT01 - The next questions are about traditional cigars, cigarillos, and filtered cigars. These products go by lots of different names, so please use these descriptions and photos to understand what they are.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, and Arturo Fuente, but there are many others.]

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

[Box R02_YGT02 - same size as cigarettes, and some come with filters or with plastic or wooden tips. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Prime Time, and Winchester.]

[SHOW GENERIC IMAGES OF CIGARILLOS AND FILTERED CIGARS]

[Box R02_YGR03 - New baseline youth respondents, go to R02_YG9101_NB. Else, go to R02_YG1002_12M.

IF R02_NEW_BASELINE_YOUTH_LD = 1, GO TO R02_YG9101_NB. ELSE, GO TO R02_YG1002_12M.]

Have you ever seen or heard of a traditional cigar, cigarillo, or filtered cigar before this study?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YPT01.]

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1402	11.5 %
2	2 = No	685	5.6 %
	Total	2,087	17.1%

This variable has 2,087 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,085	82.9%

Percentages for both tables are based on 12,172 total cases.

Location: 1950-1957 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1002_NB: Ever smoked a traditional cigar, cigarillo or filtered cigar, even one or two puffs

Have you ever smoked a traditional cigar, cigarillo, or filtered cigar, even one or two puffs?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	1380	11.3 %
	Total	1,400	11.5%

This variable has 1,400 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10770	88.5 %
	Total	10,772	88.5%

Percentages for both tables are based on 12,172 total cases.

Location: 1958-1965 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9104_NB_01: Type of cigar ever smoked: Traditional cigars

Which type of cigar have you ever smoked?

Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, or others

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1 AND R02_YG1002_NB = 1.

[GOTO: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked cigarillos or filtered cigars, go to R02_YG9009_NB.
Else, go to Box R02_YGV04.]

[GOTO Specification: IF R02_YG9104_NB_02 = 1, GO TO R02_YG9009_NB. ELSE, GO TO BOX R02_YGV04.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	13	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12152	99.8 %
	Total	12,153	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 1966-1973 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9104_NB_02: Type of cigar ever smoked: Cigarillos or filtered cigars

Which type of cigar have you ever smoked?

Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Prime Time, Winchester, or others

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1 AND R02_YG1002_NB = 1.

[GOTO: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked cigarillos or filtered cigars, go to R02_YG9009_NB. Else, go to Box R02_YGV04.]

[GOTO Specification: IF R02_YG9104_NB_02 = 1, GO TO R02_YG9009_NB. ELSE, GO TO BOX R02_YGV04.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	8	0.1 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12152	99.8 %
	Total	12,152	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 1974-1981 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9009_NB_01: Type of cigarillos or filtered cigars ever smoked: with a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all

that apply.

The kind . . . With a plastic or wooden tip?

[Go to R02_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked cigarillos or filtered cigars.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1 AND R02_YG1002_NB = 1 AND R02_YG9104_NB_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	4	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 1982-1989 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9009_NB_02: Type of cigarillos or filtered cigars ever smoked: with a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind . . . With a filter (like a cigarette filter)?

[Go to R02_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked cigarillos or filtered cigars.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1 AND R02_YG1002_NB = 1 AND R02_YG9104_NB_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	10	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 1990-1997 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9009_NB_03: Type of cigarillos or filtered cigars ever smoked: without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind . . . Without a tip or filter?

[Go to R02_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked cigarillos or filtered cigars.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1 AND R02_YG1002_NB = 1 AND R02_YG9104_NB_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 1998-2005 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1002_12M: In past 12 months, smoked a traditional cigar, cigarillo or filtered cigar, even one or two puffs

In the past 12 months, have you smoked a traditional cigar, cigarillo, or filtered cigar, even one or two puffs?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YGV04.]

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	517	4.2 %
2	2 = No	9540	78.4 %
	Total	10,057	82.6%

This variable has 10,057 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,115	17.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2006-2013 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9104_12M_01: In past 12 months, type of cigar smoked: Traditional cigars

Which type of cigar have you smoked in the past 12 months?

Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, or others

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1 AND R02_YG1002_12M = 1.

[GOTO: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, go to R02_YG9009_12M. Else, go to Box R02_YGV04.]

[GOTO Specification: IF R02_CONTINUING_YOUTH_LD = 1 AND R02_YG1002_12M = 1 AND R02_YG9104_12M_02 = 1, GO TO R02_YG9009_12M. ELSE, GO TO BOX R02_YGV04.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	138	1.1 %
2	2 = No	367	3.0 %
	Total	505	4.1%

This variable has 505 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11655	95.8 %
	Total	11,667	95.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2014-2021 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9104_12M_02: In past 12 months, type of cigar smoked: Cigarillos or filtered cigars

Which type of cigar have you smoked in the past 12 months?

Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Prime Time, Winchester, or others

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1 AND R02_YG1002_12M = 1.

[GOTO: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, go to R02_YG9009_12M. Else, go to Box R02_YGV04.]

[GOTO Specification: IF R02_CONTINUING_YOUTH_LD = 1 AND R02_YG1002_12M = 1 AND R02_YG9104_12M_02 = 1, GO TO R02_YG9009_12M. ELSE, GO TO BOX R02_YGV04.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	415	3.4 %
2	2 = No	84	0.7 %
	Total	499	4.1%

This variable has 499 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11655	95.8 %
	Total	11,673	95.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2022-2029 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9009_12M_01: In past 12 months, type of cigarillos or filtered cigars smoked: with a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind . . . With a plastic or wooden tip?

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1 AND R02_YG1002_12M = 1 AND R02_YG9104_12M_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	253	2.1 %
2	2 = Not Marked	159	1.3 %
	Total	412	3.4%

This variable has 412 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,760	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 2030-2037 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9009_12M_02: In past 12 months, type of cigarillos or filtered cigars smoked: with a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind . . . With a filter (like a cigarette filter)?

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1 AND R02_YG1002_12M = 1 AND R02_YG9104_12M_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	120	1.0 %
2	2 = Not Marked	292	2.4 %
	Total	412	3.4%

This variable has 412 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,760	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 2038-2045 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9009_12M_03: In past 12 months, type of cigarillos or filtered cigars smoked: without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind . . . Without a tip or filter?

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1 AND R02_YG1002_12M = 1 AND R02_YG9104_12M_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	202	1.7 %
2	2 = Not Marked	210	1.7 %
	Total	412	3.4%

This variable has 412 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,760	96.6%

Percentages for both tables are based on 12,172 total cases.

Location: 2046-2053 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9010: Ever been curious about smoking a traditional cigar

[PROGRAM NOTE: See Box R02_YGV04 and R02_YGR04 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever been curious about smoking a traditional cigar?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a traditional cigar, or continuing youth respondents who have never smoked a traditional cigar.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GTRAD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	151	1.2 %

Value	Label	Unweighted Frequency	%
2	2 = Somewhat curious	387	3.2 %
3	3 = A little curious	1024	8.4 %
4	4 = Not at all curious	9625	79.1 %
	Total	11,187	91.9%

This variable has 11,187 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	957	7.9 %
	Total	985	8.1%

Percentages for both tables are based on 12,172 total cases.

Location: 2054-2061 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9020: Think you will smoke a traditional cigar in the next year

Do you think you will smoke a traditional cigar in the next year?

[If Probably not (3), Definitely not (4), Don't Know (-8), or Refused (-7), Go to R02_YG9016.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a traditional cigar, or continuing youth respondents who have never smoked a traditional cigar.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GTRAD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	41	0.3 %
2	2 = Probably yes	169	1.4 %
3	3 = Probably not	1218	10.0 %
4	4 = Definitely not	9771	80.3 %
	Total	11,199	92.0%

This variable has 11,199 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	11	0.1 %

	Missing Data		
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	957	7.9 %
	Total	973	8.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2062-2069 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9013: Think you will try a traditional cigar soon

Do you think that you will try a traditional cigar soon?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a traditional cigar, or continuing youth respondents who have never smoked a traditional cigar, and will definitely or probably smoke a traditional cigar in the next year.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GTRAD = 2 AND R02_YG9020 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	14	0.1 %
2	2 = Probably yes	96	0.8 %
3	3 = Probably not	77	0.6 %
4	4 = Definitely not	21	0.2 %
	Total	208	1.7%

This variable has 208 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11962	98.3 %
	Total	11,964	98.3%

Percentages for both tables are based on 12,172 total cases.

Location: 2070-2077 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9016: Would smoke a traditional cigar if one of your friends offered you one

If one of your best friends were to offer you a traditional cigar, would you smoke it?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a traditional cigar, or continuing youth respondents who have never smoked a traditional cigar.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GTRAD = 2.

[GOTO: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a cigarillo, or continuing youth respondents who have never smoked a cigarillo, go to R02_YG9011. Else, new baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a filtered cigar, or continuing youth respondents who have never smoked a filtered cigar, go to R02_YG9012. Else, new baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars, go to R02_YG9105_NB. Else, go to R02_YG9107.]

[GOTO Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GRILLO = 2, GO TO R02_YG9011. ELSE, IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GFILTR = 2, GO TO R02_YG9012. ELSE, IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1, GO TO R02_YG9105_NB. ELSE, GO TO R02_YG9107.]

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	83	0.7 %
2	2 = Probably yes	367	3.0 %
3	3 = Probably not	1321	10.9 %
4	4 = Definitely not	9428	77.5 %
	Total	11,199	92.0%

This variable has 11,199 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	957	7.9 %
	Total	973	8.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2078-2085 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9011: Ever been curious about smoking a cigarillo

Have you ever been curious about smoking a cigarillo?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a cigarillo, or continuing youth respondents who have never smoked a cigarillo.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GRILLO = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	83	0.7 %
2	2 = Somewhat curious	190	1.6 %
3	3 = A little curious	647	5.3 %
4	4 = Not at all curious	9899	81.3 %
	Total	10,819	88.9%

This variable has 10,819 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	1324	10.9 %
	Total	1,353	11.1%

Percentages for both tables are based on 12,172 total cases.

Location: 2086-2093 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9021: Think you will smoke a cigarillo in the next year

Do you think you will smoke a cigarillo in the next year?

[If Probably not (3), Definitely not (4), Don't Know (-8), or Refused (-7), Go to R02_YG9017.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a cigarillo, or continuing youth respondents who have never smoked a cigarillo.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GRILLO = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	21	0.2 %
2	2 = Probably yes	121	1.0 %
3	3 = Probably not	1002	8.2 %
4	4 = Definitely not	9688	79.6 %
	Total	10,832	89.0%

This variable has 10,832 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	1324	10.9 %
	Total	1,340	11.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2094-2101 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9014: Think you will try a cigarillo soon

Do you think that you will try a cigarillo soon?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a cigarillo, or continuing youth respondents who have never smoked a cigarillo, and will definitely or probably smoke a cigarillo in the next year.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GRILLO = 2 AND R02_YG9021 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	17	0.1 %
2	2 = Probably yes	63	0.5 %
3	3 = Probably not	53	0.4 %
4	4 = Definitely not	9	0.1 %
	Total	142	1.2%

This variable has 142 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12030	98.8 %
	Total	12,030	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 2102-2109 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9017: Would smoke a cigarillo if one of your friends offered you one

If one of your best friends were to offer you a cigarillo, would you smoke it?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a cigarillo, or continuing youth respondents who have never smoked a cigarillo.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GRILLO = 2.

[GOTO: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a filtered cigar, or continuing youth respondents who have never smoked a filtered cigar, go to R02_YG9012. Else, new baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars, go to R02_YG9105_NB. Else, go to R02_YG9107.]

[GOTO Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GFILTR = 2, GO TO R02_YG9012. ELSE, IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1, GO TO R02_YG9105_NB. ELSE, GO TO R02_YG9107.]

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	33	0.3 %
2	2 = Probably yes	256	2.1 %
3	3 = Probably not	1143	9.4 %
4	4 = Definitely not	9405	77.3 %
	Total	10,837	89.0%

This variable has 10,837 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	1324	10.9 %
	Total	1,335	11.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2110-2117 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9012: Ever been curious about smoking a filtered cigar

Have you ever been curious about smoking a filtered cigar?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a filtered cigar, or continuing youth respondents who have never smoked a filtered cigar.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GFILTR = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	75	0.6 %
2	2 = Somewhat curious	162	1.3 %
3	3 = A little curious	551	4.5 %
4	4 = Not at all curious	10434	85.7 %
	Total	11,222	92.2%

This variable has 11,222 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	928	7.6 %
	Total	950	7.8%

Percentages for both tables are based on 12,172 total cases.

Location: 2118-2125 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9022: Think you will smoke a filtered cigar in the next year

Do you think you will smoke a filtered cigar in the next year?

[If Probably not (3), Definitely not (4), Don't Know (-8), or Refused (-7), Go to R02_YG9018.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a filtered cigar, or continuing youth respondents who have never smoked a filtered cigar.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GFILTR = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	21	0.2 %
2	2 = Probably yes	121	1.0 %
3	3 = Probably not	1038	8.5 %
4	4 = Definitely not	10038	82.5 %
	Total	11,218	92.2%

This variable has 11,218 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	928	7.6 %
	Total	954	7.8%

Percentages for both tables are based on 12,172 total cases.

Location: 2126-2133 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9015: Think you will try a filtered cigar soon

Do you think that you will try a filtered cigar soon?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a filtered cigar, or continuing youth respondents who have never smoked a filtered cigar, and will definitely or probably smoke a filtered cigar in the next year.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GFILTR = 2 AND R02_YG9022 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	15	0.1 %
2	2 = Probably yes	62	0.5 %
3	3 = Probably not	56	0.5 %
4	4 = Definitely not	9	0.1 %
	Total	142	1.2%

This variable has 142 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12030	98.8 %
	Total	12,030	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 2134-2141 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9018: Would smoke a filtered cigar if one of your best friends offered you one

If one of your best friends were to offer you a filtered cigar, would you smoke it?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked a filtered cigar, or continuing youth respondents who have never smoked a filtered cigar.

ASK Specification: IF R02_YG9101_NB != 2, -8, -7 AND R02_EVER_USER_GFILTR = 2.

[GOTO: New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars, go to R02_YG9105_NB. Else, go to R02_YG9107.]

[GOTO Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1, GO TO R02_YG9105_NB. ELSE, GO TO R02_YG9107.]

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	39	0.3 %
2	2 = Probably yes	280	2.3 %
3	3 = Probably not	1153	9.5 %
4	4 = Definitely not	9748	80.1 %
	Total	11,220	92.2%

This variable has 11,220 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	928	7.6 %
	Total	952	7.8%

Percentages for both tables are based on 12,172 total cases.

Location: 2142-2149 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9105_NB: Ever smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it (blunt)

Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YGV01.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	1373	11.3 %
	Total	1,398	11.5%

This variable has 1,398 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10770	88.5 %
	Total	10,774	88.5%

Percentages for both tables are based on 12,172 total cases.

Location: 2150-2157 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9107: In past 12 months, smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it

[Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".]

In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? [(Remember all information you give to the PATH Study will be kept private.)]

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YGV01.]

ASK: New baseline youth respondents who have ever smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9105_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

[DISPLAY: Underline "past 12 months". If R02_CONTINUING_YOUTH_LD = 1, display "Sometimes people take tobacco out of a cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt"." and "(Remember all the information you give to the PATH Study will be kept private.)". Else, do not display this transition text.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	901	7.4 %
2	2 = No	9177	75.4 %
	Total	10,078	82.8%

This variable has 10,078 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	2066	17.0 %
	Total	2,094	17.2%

Percentages for both tables are based on 12,172 total cases.

Location: 2158-2165 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1095_01: Type of cigar usually smoked as a blunt: Group 1 (Traditional cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

Group 1

ASK: New baseline youth respondents who have ever smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it and have smoked them in the past 12 months, or continuing youth respondents who have smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9105_NB = 1 AND R02_YG9107 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YG9107 = 1).

[IMAGE: GENERIC IMAGE OF 4 CIGAR GROUPS]

[NOTES: Group 1 corresponds to traditional cigars, group 2 corresponds to cigarillos with tips, group 3 corresponds to cigarillos without tips and group 4 corresponds to filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	134	1.1 %
2	2 = Not Marked	750	6.2 %
	Total	884	7.3%

This variable has 884 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11271	92.6 %
	Total	11,288	92.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2166-2173 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1095_02: Type of cigar usually smoked as a blunt: Group 2 (Cigarillo with tip)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

Group 2

ASK: New baseline youth respondents who have ever smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it and have smoked them in the past 12 months, or continuing youth respondents who have smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9105_NB = 1 AND R02_YG9107 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YG9107 = 1).

[IMAGE: GENERIC IMAGE OF 4 CIGAR GROUPS]

[NOTES: Group 1 corresponds to traditional cigars, group 2 corresponds to cigarillos with tips, group 3 corresponds to cigarillos without tips and group 4 corresponds to filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	138	1.1 %
2	2 = Not Marked	746	6.1 %
	Total	884	7.3%

This variable has 884 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11271	92.6 %
	Total	11,288	92.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2174-2181 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1095_03: Type of cigar usually smoked as a blunt: Group 3 (Cigarillo without tip)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

Group 3

ASK: New baseline youth respondents who have ever smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it and have smoked them in the past 12 months, or continuing youth respondents who have smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9105_NB = 1 AND R02_YG9107 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YG9107 = 1).

[IMAGE: GENERIC IMAGE OF 4 CIGAR GROUPS]

[NOTES: Group 1 corresponds to traditional cigars, group 2 corresponds to cigarillos with tips, group 3 corresponds to cigarillos without tips and group 4 corresponds to filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	741	6.1 %
2	2 = Not Marked	143	1.2 %
	Total	884	7.3%

This variable has 884 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11271	92.6 %
	Total	11,288	92.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2182-2189 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1095_04: Type of cigar usually smoked as a blunt: Group 4 (Filtered cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose

all that apply.

Group 4

ASK: New baseline youth respondents who have ever smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it and have smoked them in the past 12 months, or continuing youth respondents who have smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9105_NB = 1 AND R02_YG9107 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YG9107 = 1).

[IMAGE: GENERIC IMAGE OF 4 CIGAR GROUPS]

[NOTES: Group 1 corresponds to traditional cigars, group 2 corresponds to cigarillos with tips, group 3 corresponds to cigarillos without tips and group 4 corresponds to filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	61	0.5 %
2	2 = Not Marked	823	6.8 %
	Total	884	7.3%

This variable has 884 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11271	92.6 %
	Total	11,288	92.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2190-2197 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9106TC: In past 12 months, frequency with which the tobacco in traditional cigars was replaced with marijuana

Now think about the past 12 months when you smoke the type of cigar shown below.

Traditional cigars

In the past 12 months, how often is any of the tobacco replaced with marijuana?

ASK: New baseline youth respondents who have ever smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it and have smoked them in the past 12 months and usually use traditional cigars/cigarillos with tips/ cigarillos without tips/filtered cigars to smoke blunts or continuing youth

respondents who have smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it in the past 12 months and usually use traditional cigars/ cigarillos with tips/cigarillos without tips/filtered cigars to smoke blunts. This question is repeated for every cigar type identified in R02_YG1095[_01/.../_04].

ASK Specification: FOR R02_YG9106TC: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9105_NB = 1 AND R02_YG9107 = 1 AND R02_YG1095_01 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YG9107 = 1 AND R02_YG1095_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every time	64	0.5 %
2	2 = Most of the time	15	0.1 %
3	3 = Sometimes	14	0.1 %
4	4 = Rarely	27	0.2 %
5	5 = Never	13	0.1 %
	Total	133	1.1%

This variable has 133 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12038	98.9 %
	Total	12,039	98.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2198-2205 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9106CT: In past 12 months, frequency with which the tobacco in cigarillos with tips was replaced with marijuana

Now think about the past 12 months when you smoke the type of cigar shown below.

Cigarillos with tips

In the past 12 months, how often is any of the tobacco replaced with marijuana?

ASK: New baseline youth respondents who have ever smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it and have smoked them in the past 12 months and usually use traditional cigars/cigarillos with tips/ cigarillos without tips/filtered cigars to smoke blunts or continuing youth respondents who have smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it in the past 12 months and usually use traditional cigars/ cigarillos with tips/cigarillos without tips/filtered cigars to smoke blunts. This question is repeated for every cigar type identified in R02_YG1095[_01/.../_04].

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9105_NB = 1 AND R02_YG9107 = 1 AND R02_YG1095_02 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YG9107 = 1 AND R02_YG1095_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every time	41	0.3 %
2	2 = Most of the time	18	0.1 %
3	3 = Sometimes	33	0.3 %
4	4 = Rarely	33	0.3 %
5	5 = Never	11	0.1 %
	Total	136	1.1%

This variable has 136 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12034	98.9 %
	Total	12,036	98.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2206-2213 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9106CX: In past 12 months, frequency with which the tobacco in cigarillos without tips was replaced with marijuana

Now think about the past 12 months when you smoke the type of cigar shown below.

Cigarillos without tips

In the past 12 months, how often is any of the tobacco replaced with marijuana?

ASK: New baseline youth respondents who have ever smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it and have smoked them in the past 12 months and usually use traditional cigars/cigarillos with tips/ cigarillos without tips/filtered cigars to smoke blunts or continuing youth respondents who have smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it in the past 12 months and usually use traditional cigars/ cigarillos with tips/cigarillos without tips/filtered cigars to smoke blunts. This question is repeated for every cigar type identified in R02_YG1095[_01/_.../_04].

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9105_NB = 1 AND R02_YG9107 = 1 AND R02_YG1095_03 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YG9107 = 1 AND R02_YG1095_03 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every time	382	3.1 %
2	2 = Most of the time	138	1.1 %
3	3 = Sometimes	83	0.7 %
4	4 = Rarely	105	0.9 %
5	5 = Never	27	0.2 %
	Total	735	6.0%

This variable has 735 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11431	93.9 %
	Total	11,437	94.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2214-2221 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9106FC: In past 12 months, frequency with which the tobacco in filtered cigars was replaced with marijuana

Now think about the past 12 months when you smoke the type of cigar shown below.

Filtered cigars

In the past 12 months, how often is any of the tobacco replaced with marijuana?

ASK: New baseline youth respondents who have ever smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it and have smoked them in the past 12 months and usually use traditional cigars/cigarillos with tips/ cigarillos without tips/filtered cigars to smoke blunts or continuing youth respondents who have smoked traditional cigars, cigarillos, or filtered cigars with marijuana in it in the past 12 months and usually use traditional cigars/ cigarillos with tips/cigarillos without tips/filtered cigars to smoke blunts. This question is repeated for every cigar type identified in R02_YG1095[_01/_.../_04].

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9105_NB = 1 AND R02_YG9107 = 1 AND R02_YG1095_04 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YG9107 = 1 AND R02_YG1095_04 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every time	14	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = Most of the time	9	0.1 %
3	3 = Sometimes	14	0.1 %
4	4 = Rarely	16	0.1 %
5	5 = Never	6	0.0 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12111	99.5 %
	Total	12,113	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 2222-2229 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YG1006TC_NB: DERIVED - Age range when first tried a traditional cigar, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a traditional cigar, even one or two puffs?

Original Variables: R02_YG1006TC_NB, R02_YG1120TC_NB

Algorithm: IF R02_YG1120TC_NB = 1 OR (0<=R02_YG1006TC_NB<=11) THEN R02R_Y_YG1006TC_NB = 1; ELSE IF R02_YG1120TC_NB = 2 OR (12<=R02_YG1006TC_NB<=14) THEN R02R_Y_YG1006TC_NB = 2; ELSE IF R02_YG1120TC_NB = 3 OR (15<=R02_YG1006TC_NB<=17) THEN R02R_Y_YG1006TC_NB = 3; ELSE IF R02_YG1006TC_NB = -9 OR R02_YG1120TC_NB = -9 THEN R02R_Y_YG1006TC_NB = -99999; ELSE IF R02_YG1006TC_NB = -8 OR R02_YG1120TC_NB = -8 THEN R02R_Y_YG1006TC_NB = -99988; ELSE IF R02_YG1006TC_NB = -7 OR R02_YG1120TC_NB = -7 THEN R02R_Y_YG1006TC_NB = -99977; ELSE IF R02_YG1006TC_NB = -5 THEN R02R_Y_YG1006TC_NB = -99955; ELSE IF R02_YG1006TC_NB = -1 OR R02_YG1120TC_NB = -1 THEN R02R_Y_YG1006TC_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	5	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12166	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,166	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2230-2237 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YG1108TC: First traditional cigar smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first [CIGARFILL] you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Traditional cigars

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or smoking traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview.

ASK Specification: IF LOOP = GTRAD AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GTRAD_YOUTH = 1)).

[GOTO: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, go to R02_YG1011TC. Else, new baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR

(R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GTRAD_YOUTH = 1)) AND R02_YG1108TC = 1, GO TO R02_YG1011TC. ELSE, IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND (R02_INIT_GTRAD_YOUTH = 1 OR R01_YG1005TC != 7)), GO TO R02_YG1005TC. ELSE, IF R02_EVER_USER_GTRAD = 1, GO TO R02_YG9040TC.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	36	0.3 %
2	2 = No	52	0.4 %
3	3 = I don't know	22	0.2 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12061	99.1 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 2238-2245 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TC_01: Flavor of first traditional cigar smoked: Menthol or mint

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Menthol or mint

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GTRAD_YOUTH = 1)) AND R02_YG1108TC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered

cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND (R02_INIT_GTRAD_YOUTH = 1 OR R01_YG1005TC != 7)), GO TO R02_YG1005TC. ELSE, IF R02_EVER_USER_GTRAD = 1, GO TO R02_YG9040TC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	25	0.2 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12136	99.7 %
	Total	12,136	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2246-2253 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TC_02: Flavor of first traditional cigar smoked: Clove or spice

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Clove or spice

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GTRAD_YOUTH = 1))

AND R02_YG1108TC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND (R02_INIT_GTRAD_YOUTH = 1 OR R01_YG1005TC != 7)), GO TO R02_YG1005TC. ELSE, IF R02_EVER_USER_GTRAD = 1, GO TO R02_YG9040TC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	34	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12136	99.7 %
	Total	12,136	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2254-2261 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TC_03: Flavor of first traditional cigar smoked: Fruit

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Fruit

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional

cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GTRAD_YOUTH = 1)) AND R02_YG1108TC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND (R02_INIT_GTRAD_YOUTH = 1 OR R01_YG1005TC != 7)), GO TO R02_YG1005TC. ELSE, IF R02_EVER_USER_GTRAD = 1, GO TO R02_YG9040TC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	24	0.2 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12136	99.7 %
	Total	12,136	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2262-2269 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TC_04: Flavor of first traditional cigar smoked: Chocolate

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Chocolate

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/

filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GTRAD_YOUTH = 1)) AND R02_YG1108TC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND (R02_INIT_GTRAD_YOUTH = 1 OR R01_YG1005TC != 7)), GO TO R02_YG1005TC. ELSE, IF R02_EVER_USER_GTRAD = 1, GO TO R02_YG9040TC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	34	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12136	99.7 %
	Total	12,136	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2270-2277 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TC_05: Flavor of first traditional cigar smoked: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GTRAD_YOUTH = 1)) AND R02_YG1108TC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND (R02_INIT_GTRAD_YOUTH = 1 OR R01_YG1005TC != 7)), GO TO R02_YG1005TC. ELSE, IF R02_EVER_USER_GTRAD = 1, GO TO R02_YG9040TC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	34	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12136	99.7 %
	Total	12,136	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2278-2285 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TC_06: Flavor of first traditional cigar smoked: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GTRAD_YOUTH = 1)) AND R02_YG1108TC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND (R02_INIT_GTRAD_YOUTH = 1 OR R01_YG1005TC != 7)), GO TO R02_YG1005TC. ELSE, IF R02_EVER_USER_GTRAD = 1, GO TO R02_YG9040TC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	33	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12136	99.7 %
	Total	12,136	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2286-2293 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TC_07: Flavor of first traditional cigar smoked: Some other flavor

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Some other flavor

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GTRAD_YOUTH = 1)) AND R02_YG1108TC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040TC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND (R02_INIT_GTRAD_YOUTH = 1 OR R01_YG1005TC != 7)), GO TO R02_YG1005TC. ELSE, IF R02_EVER_USER_GTRAD = 1, GO TO R02_YG9040TC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	25	0.2 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12136	99.7 %
	Total	12,136	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2294-2301 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1005TC: Number of traditional cigars smoked in entire life

How many [CIGARFILL]s have you smoked in your entire life?

Traditional cigars

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview.

ASK Specification: IF LOOP = GTRAD AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GTRAD = 1 AND (R02_INIT_GTRAD_YOUTH = 1 OR R01_YG1005TC != 7))).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	101	0.8 %
2	2 = 1	23	0.2 %
3	3 = 2 to 10	66	0.5 %
4	4 = 11 to 20	19	0.2 %
5	5 = 21 to 50	10	0.1 %
6	6 = 51 to 99	3	0.0 %
7	7 = 100 or more	10	0.1 %
	Total	232	1.9%

This variable has 232 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11925	98.0 %
	Total	11,940	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 2302-2309 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9040TC: Group most like traditional cigar usually smoked

Please look at this picture. Which group is most like the [CIGARFILL] you usually smoke?

Traditional cigars

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GTRAD AND R02_EVER_USER_GTRAD = 1.

[IMAGE: DISPLAY GENERIC IMAGE OF 4 CIGAR GROUPS.]

[NOTES: Group 1 corresponds to traditional cigars, group 2 corresponds to cigarillos with tips, group 3 corresponds to cigarillos without tips and group 4 corresponds to filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Group 1	94	0.8 %
2	2 = Group 2	68	0.6 %
3	3 = Group 3	53	0.4 %
4	4 = Group 4	23	0.2 %
	Total	238	2.0%

This variable has 238 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11920	97.9 %
	Total	11,934	98.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2310-2317 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1100TC: Ever smoked traditional cigars fairly regularly

Have you ever smoked [CIGARFILL]s fairly regularly?

Traditional cigars

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YG1112TC.]

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GTRAD AND R02_EVER_USER_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	28	0.2 %
2	2 = No	222	1.8 %
	Total	250	2.1%

This variable has 250 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11920	97.9 %
	Total	11,922	97.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2318-2325 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YG1007TC: DERIVED - Age range when first started smoking traditional cigars fairly regularly (3 levels)

Long Description: How old were you when you first started smoking traditional cigars fairly regularly?

Original Variables: R02_YG1007TC, R02_YG1121TC

Algorithm: IF R02_YG1121TC = 1 OR (0<=R02_YG1007TC<=11) THEN R02R_Y_YG1007TC = 1; ELSE IF R02_YG1121TC = 2 OR (12<=R02_YG1007TC<=14) THEN R02R_Y_YG1007TC = 2; ELSE IF R02_YG1121TC = 3 OR (15<=R02_YG1007TC<=17) THEN R02R_Y_YG1007TC = 3; ELSE IF R02_YG1007TC = -9 OR R02_YG1121TC = -9 THEN R02R_Y_YG1007TC = -99999; ELSE IF R02_YG1007TC = -8 OR R02_YG1121TC = -8 THEN R02R_Y_YG1007TC = -99988; ELSE IF R02_YG1007TC = -7 OR R02_YG1121TC = -7 THEN R02R_Y_YG1007TC = -99977; ELSE IF R02_YG1007TC = -5 THEN R02R_Y_YG1007TC = -99955; ELSE IF R02_YG1007TC = -1 OR R02_YG1121TC = -1 THEN R02R_Y_YG1007TC = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	3	0.0 %
2	2 = 12 to 14 years old	18	0.1 %
3	3 = 15 to 17 years old	6	0.0 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12144	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 2326-2333 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YG112TC: Last time smoked a traditional cigar, even one or two puffs

When was the last time you smoked a [CIGARFILL], even one or two puffs?

Traditional cigars

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or smoked traditional cigars/cigarillos/filtered cigars as blunts-only.

ASK Specification: IF LOOP = GTRAD AND R02_EVER_USER_GTRAD = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have smoked in the past year
(R02_YG1002_12M = 1 for non-blunts)]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	8	0.1 %
2	2 = Not today but sometime in the past 7 days	24	0.2 %
3	3 = Not in the past 7 days but sometime in the past 30 days	42	0.3 %
4	4 = Not in the past 30 days but sometime in the past 6 months	51	0.4 %
5	5 = Not in the past 6 months but sometime in the past year	63	0.5 %
6	6 = 1 to 4 years ago	31	0.3 %
7	7 = 5 or more years ago	16	0.1 %
	Total	235	1.9%

This variable has 235 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11920	97.9 %
	Total	11,937	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 2334-2341 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1022TC: In past 30 days, number of days smoked a traditional cigar

[PROGRAM NOTE: See Box R02_YGV02 and R02_YGR06 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke a [CIGARFILL]?

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

[PROGRAM: Soft range check: 1-30 days]

This variable has 74 valid cases out of 12,172 total cases.

- Mean: 5.26
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.27

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,098	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2342-2349 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1023TC: In past 30 days, number of traditional cigars smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a [CIGARFILL], how many [CIGARFILL]s did you smoke per day?

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 traditional cigar per day	37	0.3 %
2	2 = 1 traditional cigar per day	20	0.2 %
3	3 = 2 to 5 traditional cigars per day	14	0.1 %
4	4 = 6 to 10 traditional cigars per day	2	0.0 %
5	5 = 11 to 20 traditional cigars per day	1	0.0 %
6	6 = More than 20 traditional cigars per day	0	0.0 %
	Total	74	0.6%

This variable has 74 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,098	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2350-2357 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1130TC: In past 30 days, smoked traditional cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Traditional cigars

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YG1118TC.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.3 %
2	2 = No	35	0.3 %
3	3 = I don't know	8	0.1 %
	Total	74	0.6%

This variable has 74 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,098	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2358-2365 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TC_01: In past 30 days, smoked traditional cigars flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1 AND R02_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	26	0.2 %
	Total	31	0.3%

This variable has 31 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12141	99.7 %
	Total	12,141	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2366-2373 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TC_02: In past 30 days, smoked traditional cigars flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1 AND R02_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	31	0.3%

This variable has 31 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12141	99.7 %
	Total	12,141	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2374-2381 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TC_03: In past 30 days, smoked traditional cigars flavored to taste like fruit

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1 AND R02_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.2 %
2	2 = Not Marked	10	0.1 %
	Total	31	0.3%

This variable has 31 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12141	99.7 %
	Total	12,141	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2382-2389 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TC_04: In past 30 days, smoked traditional cigars flavored to taste like chocolate

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1 AND R02_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	28	0.2 %
	Total	31	0.3%

This variable has 31 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12141	99.7 %
	Total	12,141	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2390-2397 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TC_05: In past 30 days, smoked traditional cigars flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1 AND R02_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	28	0.2 %
	Total	31	0.3%

This variable has 31 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12141	99.7 %
	Total	12,141	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2398-2405 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TC_06: In past 30 days, smoked traditional cigars flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1 AND R02_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	31	0.3%

This variable has 31 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12141	99.7 %
	Total	12,141	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2406-2413 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TC_07: In past 30 days, smoked traditional cigars flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars

Some other flavor

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1 AND R02_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	25	0.2 %
	Total	31	0.3%

This variable has 31 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12141	99.7 %
	Total	12,141	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2414-2421 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1118TC: In past 30 days, how you usually got your own traditional cigars

In the past 30 days, how did you usually get your own [CIGARFILL]s?

Traditional cigars

[If Someone offered it to me (4), I got them some other way (7), Don't Know (-8), or Refused (-7), Go to Box R02_YGR07.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	23	0.2 %
2	2 = I bought them myself from a store (including a cigar bar)	11	0.1 %
3	3 = I asked someone to give me one	4	0.0 %
4	4 = Someone offered it to me	21	0.2 %
5	5 = I bought them from another person	4	0.0 %
6	6 = I took them from a store or another person	4	0.0 %
7	7 = I got them some other way	6	0.0 %
	Total	73	0.6%

This variable has 73 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,099	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2422-2429 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1123TC: In past 30 days, someone refused to sell you traditional cigars because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s because of your age?

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them, buying themselves from a store, asking someone to give them one, buying from another person, or taking from a store or another person.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1 AND R02_YG1118TC = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	37	0.3 %

Value	Label	Unweighted Frequency	%
	Total	46	0.4%

This variable has 46 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12126	99.6 %
	Total	12,126	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 2430-2437 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1098TC: In past 30 days, how often used a coupon when buying traditional cigars

[PROGRAM NOTE: See Box R02_YGR07 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, how often have you used a coupon when buying [CIGARFILL]s?

Traditional cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by buying themselves from a store.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1118TC = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	0	0.0 %
2	2 = Sometimes	1	0.0 %
3	3 = Rarely	1	0.0 %
4	4 = Never	1	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12169	100.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2438-2445 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1030TC: How you usually buy your traditional cigars

How do [you/they] usually buy your [CIGARFILL]s?

Traditional cigars

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7),
Go to R02_YG1039TC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1118TC = 1, 2.

[DISPLAY: If R02_YG1118TC = 1, display "they"; If R02_YG1118TC = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	16	0.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	2	0.0 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12154	99.9 %
	Total	12,154	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2446-2453 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1032TC: Geographic area where you usually buy traditional cigars

Do [you/they] usually buy [CIGARFILL]s . . . ?

Traditional cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1118TC = 1, 2 AND R02_YG1030TC = 1.

[DISPLAY: If R02_YG1118TC = 1, display "they"; If R02_YG1118TC = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	15	0.1 %
2	2 = In another state	0	0.0 %
3	3 = Outside the US	1	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12156	99.9 %
	Total	12,156	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2454-2461 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1033TC: Retail location where your traditional cigars are bought most of the time

Where do [you/they] buy your [CIGARFILL]s most of the time?

Traditional cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1118TC = 1, 2

AND R02_YG1030TC = 1.

[DISPLAY: If R02_YG1118TC = 2, display option 8'A friend or relative,' if R02_YG1118TC != 2, hide option 8. If R02_YG1118TC = 1, display "they"; If R02_YG1118TC = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	1	0.0 %
2	2 = A convenience store or gas station	11	0.1 %
3	3 = A supermarket, grocery store, or drug store	1	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	2	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	15	0.1%

This variable has 15 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12156	99.9 %
	Total	12,157	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2462-2469 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1039TC: Usually buy traditional cigars by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s.
Did you buy them by the box or pack, or as single [CIGARFILL]s?

Traditional cigars

[If Single (2), Don't Know (-8), or Refused (-7), Go to R02_YG1034TC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1118TC = 1, 2.

[DISPLAY: If R02_YG1118TC = 2, display "bought". If R02_YG1118TC = 1, display "gave money to someone else to buy you".]

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	11	0.1 %
2	2 = Single traditional cigars	6	0.0 %
	Total	17	0.1%

This variable has 17 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12154	99.9 %
	Total	12,155	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2470-2477 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1040TC: Number of traditional cigars that come in box or pack usually bought

How many [CIGARFILL]s came in the box or pack that you last bought?

Traditional cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1118TC = 1, 2 AND R02_YG1039TC = 1.

Value	Label	Unweighted Frequency	%
2	-	3	0.0 %
3	-	2	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
32	-	1	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12161	99.9 %
	Total	12,161	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2478-2485 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034TC_D: Amount paid when last time bought a box of traditional cigars/pack of traditional cigars/single traditional cigar - Dollars

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]?

Traditional cigars

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1118TC = 1, 2 AND R02_YG1039TC = 1, 2.

[DISPLAY: If R02_YG1039TC= 1, display "box or pack of [CIGARFILL]s".]

This variable has 17 valid cases out of 12,172 total cases.

- Mean: 6.29
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 9.73

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12155	99.9 %
	Total	12,155	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2486-2493 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034TC_C: Amount paid when last time bought a box of traditional cigars/pack of traditional cigars/single traditional cigar - Cents

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]]?

Traditional cigars

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1118TC = 1, 2 AND R02_YG1039TC = 1, 2.

[DISPLAY: If R02_YG1039TC= 1, display "box or pack of [CIGARFILL]s".]

This variable has 17 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12155	99.9 %
	Total	12,155	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2494-2501 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1047TC: Have a regular brand of traditional cigars you usually smoke

Do you have a regular brand of [CIGARFILL]s that you usually smoke?

Traditional cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_NL_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	10	0.1 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12145	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 2502-2509 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1048TC_BRAND: Brand of traditional cigars usually / last smoked

What brand of [CIGARFILL] [do/did] you [usually/last] smoke?

Traditional cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_NL_GTRAD = 1.

[DISPLAY: If R02_YG1047TC = 1, display "do" and "usually". If R02_YG1047TC= 2, DK or RF, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1070TC_PRODUCT. Else, youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected

"Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1049TC. Else, youth respondents who did not know or refused to report a brand of traditional cigars/cigarillos/filtered cigars, go to Box R02_YGR08.

[GOTO Specification: IF R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1048TC_BRAND != 9995, -8, -7, GO TO R02_YG1070TC_PRODUCT. ELSE, IF R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1048TC_BRAND = 9995, GO TO R02_YG1049TC. ELSE, IF R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1048TC_BRAND = -8, -7, GO TO BOX R02_YGR08.]

This variable has 25 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12145	99.8 %
	Total	12,147	99.8 %

Percentages for both tables are based on 12,172 total cases.

Location: 2510-2517 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

R02_YG1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Traditional cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1048TC_BRAND != 9995, -8, -7.

[DISPLAY: If R02_YG1047TC = 1, display "do" and "usually". If R02_YG1047TC = 2, -8 or -7, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1071TC. Else, go to Box R02_YGR08.]

[GOTO Specification: IF R02_PAST30DAY_NL_GTRAD = 1 AND R02_YG1048TC_BRAND != 9995, -8, -7 AND R02_YG1070TC_PRODUCT = 9995, GO TO R02_YG1071TC. ELSE, GO TO BOX R02_YGR08.]

This variable has 25 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12147	99.8 %
	Total	12,147	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 2518-2525 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1060TC_RANDOM_01: YG1060TC series random question 1

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060TC to R02_YG1072TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12098	99.4 %
R02_YG1060TC	-	4	0.0 %
R02_YG1061TC	-	14	0.1 %
R02_YG1062TC	-	12	0.1 %
R02_YG1063TC	-	8	0.1 %
R02_YG1064TC	-	4	0.0 %
R02_YG1066TC	-	5	0.0 %
R02_YG1068TC	-	5	0.0 %
R02_YG1069TC	-	7	0.1 %
R02_YG1072TC	-	10	0.1 %
R02_YG1085TC	-	5	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 2526-2540 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060TC_RANDOM_02: YG1060TC series random question 2

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060TC to R02_YG1072TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12098	99.4 %
R02_YG1060TC	-	10	0.1 %
R02_YG1061TC	-	5	0.0 %
R02_YG1062TC	-	9	0.1 %
R02_YG1063TC	-	8	0.1 %
R02_YG1064TC	-	5	0.0 %
R02_YG1066TC	-	10	0.1 %
R02_YG1068TC	-	10	0.1 %
R02_YG1069TC	-	3	0.0 %
R02_YG1072TC	-	5	0.0 %
R02_YG1085TC	-	9	0.1 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 2541-2555 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060TC_RANDOM_03: YG1060TC series random question 3

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060TC to R02_YG1072TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12098	99.4 %
R02_YG1060TC	-	7	0.1 %
R02_YG1061TC	-	7	0.1 %
R02_YG1062TC	-	11	0.1 %
R02_YG1063TC	-	5	0.0 %
R02_YG1064TC	-	5	0.0 %
R02_YG1066TC	-	7	0.1 %
R02_YG1068TC	-	8	0.1 %

Value	Label	Unweighted Frequency	%
R02_YG1069TC	-	8	0.1 %
R02_YG1072TC	-	7	0.1 %
R02_YG1085TC	-	9	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 2556-2570 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060TC_RANDOM_04: YG1060TC series random question 4

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060TC to R02_YG1072TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12098	99.4 %
R02_YG1060TC	-	5	0.0 %
R02_YG1061TC	-	3	0.0 %
R02_YG1062TC	-	7	0.1 %
R02_YG1063TC	-	9	0.1 %
R02_YG1064TC	-	12	0.1 %
R02_YG1066TC	-	9	0.1 %
R02_YG1068TC	-	5	0.0 %
R02_YG1069TC	-	8	0.1 %
R02_YG1072TC	-	8	0.1 %
R02_YG1085TC	-	8	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 2571-2585 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060TC_RANDOM_05: YG1060TC series random question 5

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060TC to R02_YG1072TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12098	99.4 %
R02_YG1060TC	-	11	0.1 %
R02_YG1061TC	-	5	0.0 %
R02_YG1062TC	-	5	0.0 %
R02_YG1063TC	-	10	0.1 %
R02_YG1064TC	-	6	0.0 %
R02_YG1066TC	-	10	0.1 %
R02_YG1068TC	-	9	0.1 %
R02_YG1069TC	-	5	0.0 %
R02_YG1072TC	-	9	0.1 %
R02_YG1085TC	-	4	0.0 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 2586-2600 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060TC_RANDOM_06: YG1060TC series random question 6

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060TC to R02_YG1072TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12098	99.4 %
R02_YG1060TC	-	8	0.1 %
R02_YG1061TC	-	11	0.1 %
R02_YG1062TC	-	4	0.0 %
R02_YG1063TC	-	7	0.1 %
R02_YG1064TC	-	7	0.1 %
R02_YG1066TC	-	10	0.1 %
R02_YG1068TC	-	10	0.1 %
R02_YG1069TC	-	6	0.0 %
R02_YG1072TC	-	6	0.0 %
R02_YG1085TC	-	5	0.0 %

Value	Label	Unweighted Frequency	%
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 2601-2615 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060TC_RANDOM_07: YG1060TC series random question 7

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060TC to R02_YG1072TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12098	99.4 %
R02_YG1060TC	-	7	0.1 %
R02_YG1061TC	-	9	0.1 %
R02_YG1062TC	-	5	0.0 %
R02_YG1063TC	-	8	0.1 %
R02_YG1064TC	-	2	0.0 %
R02_YG1066TC	-	5	0.0 %
R02_YG1068TC	-	8	0.1 %
R02_YG1069TC	-	8	0.1 %
R02_YG1072TC	-	6	0.0 %
R02_YG1085TC	-	16	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 2616-2630 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060TC_RANDOM_08: YG1060TC series random question 8

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060TC to R02_YG1072TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12098	99.4 %
R02_YG1060TC	-	6	0.0 %
R02_YG1061TC	-	10	0.1 %
R02_YG1062TC	-	5	0.0 %
R02_YG1063TC	-	2	0.0 %
R02_YG1064TC	-	7	0.1 %
R02_YG1066TC	-	8	0.1 %
R02_YG1068TC	-	9	0.1 %
R02_YG1069TC	-	11	0.1 %
R02_YG1072TC	-	11	0.1 %
R02_YG1085TC	-	5	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 2631-2645 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060TC_RANDOM_09: YG1060TC series random question 9

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060TC to R02_YG1072TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12098	99.4 %
R02_YG1060TC	-	12	0.1 %
R02_YG1061TC	-	6	0.0 %
R02_YG1062TC	-	10	0.1 %
R02_YG1063TC	-	9	0.1 %
R02_YG1064TC	-	2	0.0 %
R02_YG1066TC	-	2	0.0 %
R02_YG1068TC	-	8	0.1 %
R02_YG1069TC	-	11	0.1 %
R02_YG1072TC	-	8	0.1 %
R02_YG1085TC	-	6	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 2646-2660 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060TC_RANDOM_10: YG1060TC series random question 10

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060TC to R02_YG1072TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12114	99.5 %
R02_YG1060TC	-	4	0.0 %
R02_YG1061TC	-	4	0.0 %
R02_YG1062TC	-	6	0.0 %
R02_YG1063TC	-	8	0.1 %
R02_YG1064TC	-	8	0.1 %
R02_YG1066TC	-	8	0.1 %
R02_YG1068TC	-	2	0.0 %
R02_YG1069TC	-	7	0.1 %
R02_YG1072TC	-	4	0.0 %
R02_YG1085TC	-	7	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 2661-2675 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060TC: Smoke traditional cigars because: They are affordable

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . They are affordable.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.3 %
2	2 = No	40	0.3 %
	Total	72	0.6%

This variable has 72 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,100	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2676-2683 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1061TC: Smoke traditional cigars because: People in the media or other public figures smoke them

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . People in the media or other public figures smoke [CIGARFILL]s.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2 %
2	2 = No	51	0.4 %
	Total	72	0.6%

This variable has 72 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,100	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2684-2691 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1085TC: Smoke traditional cigars because: I can smoke them in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . can smoke [CIGARFILL]s at times when or in places where smoking cigarettes isn't allowed.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	63	0.5 %
	Total	73	0.6%

This variable has 73 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,099	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2692-2699 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1062TC: Smoke traditional cigars because: They might be less harmful than cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which

reasons apply to you.

I smoke [CIGARFILL]s because . . . They might be less harmful than cigarettes.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	59	0.5 %
	Total	73	0.6%

This variable has 73 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,099	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2700-2707 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1063TC: Smoke traditional cigars because: They come in flavors I like

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . [CIGARFILL]s come in flavors I like.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

[GOTO: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R02_YG1064TC. Else, youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers, go to R02_YG1066TC.]

[GOTO Specification: IF R02_PAST30DAY_GTRAD = 1 AND R02_YC1112 = 1, 2, 3, 4, 5, GO TO

R02_YG1064TC. ELSE, IF R02_PAST30DAY_GTRAD = 1, GO TO R02_YG1066TC.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.3 %
2	2 = No	39	0.3 %
	Total	73	0.6%

This variable has 73 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,099	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2708-2715 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1064TC: Smoke traditional cigars because: It helps people to quit smoking cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . Smoking [CIGARFILL]s helps people quit smoking cigarettes.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1 AND R02_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	53	0.4 %
	Total	57	0.5%

This variable has 57 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12114	99.5 %
	Total	12,115	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 2716-2723 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1066TC: Smoke traditional cigars because: It feels like smoking a regular cigarette

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . Smoking a [CIGARFILL] feels like smoking a regular cigarette.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	61	0.5 %
	Total	72	0.6%

This variable has 72 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,100	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2724-2731 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1068TC: Smoke traditional cigars because: People who are important to me smoke them

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . People who are important to me smoke [CIGARFILL]s.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	55	0.5 %
	Total	72	0.6%

This variable has 72 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,100	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2732-2739 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1069TC: Smoke traditional cigars because: I like socializing while smoking them

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . I like socializing while smoking a [CIGARFILL].

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	35	0.3 %

Value	Label	Unweighted Frequency	%
	Total	73	0.6%

This variable has 73 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,099	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2740-2747 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1072TC: Smoke traditional cigars because: The advertising appeals to me

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . The advertising for [CIGARFILL]s appeals to me.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R02_PAST30DAY_GTRAD = 1.

[GOTO: Youth respondents who have remaining loops to complete for non-blunt cigar types, go back to Box R02_YGT04 and repeat section. Else, youth respondents who have loops to complete for blunt-only cigar types, go back to Box R02_YGT04 and loop through subsections for any blunt-only cigar types. Else, youth respondents who have no more remaining loops to complete for either cigars or blunts, go to Box R02_YGT03.]

[GOTO Specification: IF LOOP = GTRAD AND THERE ARE REMAINING NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO BACK TO BOX R02_YGT04 AND REPEAT SECTION. ELSE, IF THERE ARE BLUNT-ONLY CIGAR LOOPS LEFT TO BE COMPLETED, GO BACK TO BOX R02_YGT04 AND LOOP THROUGH SUBSECTION FOR ANY BLUNT-ONLY CIGAR TYPES. ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED FOR CIGARS OR BLUNTS, GO TO BOX R02_YGT03.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	63	0.5 %
	Total	74	0.6%

This variable has 74 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,098	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2748-2755 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YG1006CL_NB: DERIVED - Age range when first tried a cigarillo, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a cigarillo, even one or two puffs?

Original Variables: R02_YG1006CL_NB, R02_YG1120CL_NB

Algorithm: IF R02_YG1120CL_NB = 1 OR (0<=R02_YG1006CL_NB<=11) THEN R02R_Y_YG1006CL_NB = 1; ELSE IF R02_YG1120CL_NB = 2 OR (12<=R02_YG1006CL_NB<=14) THEN R02R_Y_YG1006CL_NB = 2; ELSE IF R02_YG1120CL_NB = 3 OR (15<=R02_YG1006CL_NB<=17) THEN R02R_Y_YG1006CL_NB = 3; ELSE IF R02_YG1006CL_NB = -9 OR R02_YG1120CL_NB = -9 THEN R02R_Y_YG1006CL_NB = -99999; ELSE IF R02_YG1006CL_NB = -8 OR R02_YG1120CL_NB = -8 THEN R02R_Y_YG1006CL_NB = -99988; ELSE IF R02_YG1006CL_NB = -7 OR R02_YG1120CL_NB = -7 THEN R02R_Y_YG1006CL_NB = -99977; ELSE IF R02_YG1006CL_NB = -5 THEN R02R_Y_YG1006CL_NB = -99955; ELSE IF R02_YG1006CL_NB = -1 OR R02_YG1120CL_NB = -1 THEN R02R_Y_YG1006CL_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	4	0.0 %
2	2 = 12 to 14 years old	6	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12161	99.9 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,162	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2756-2763 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YG1108CL: First cigarillo smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first [CIGARFILL] you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Cigarillos

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or smoking traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview.

ASK Specification: IF LOOP = GRILLO AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GRILLO_YOUTH = 1)).

[GOTO: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, go to R02_YG1011CL. Else, new baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GRILLO_YOUTH = 1)) AND R02_YG1108CL = 1, GO TO R02_YG1011CL. ELSE, IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND (R02_INIT_GRILLO_YOUTH = 1 OR R01_YG1005CL != 7)), GO TO R02_YG1005CL. ELSE, IF R02_EVER_USER_GRILLO = 1, GO TO R02_YG9040CL.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	80	0.7 %
2	2 = No	57	0.5 %

Value	Label	Unweighted Frequency	%
3	3 = I don't know	26	0.2 %
	Total	163	1.3%

This variable has 163 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12007	98.6 %
	Total	12,009	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2764-2771 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011CL_01: Flavor of first cigarillo smoked: Menthol or mint

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Cigarillos

Menthol or mint

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GRILLO_YOUTH = 1)) AND R02_YG1108CL = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND (R02_INIT_GRILLO_YOUTH = 1

OR R01_YG1005CL != 7)), GO TO R02_YG1005CL. ELSE, IF R02_EVER_USER_GRILLO = 1, GO TO R02_YG9040CL.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	67	0.6 %
	Total	78	0.6%

This variable has 78 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	99.3 %
	Total	12,094	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2772-2779 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011CL_02: Flavor of first cigarillo smoked: Clove or spice

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Cigarillos

Clove or spice

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GRILLO_YOUTH = 1)) AND R02_YG1108CL = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars,

go to R02_YG9040CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND (R02_INIT_GRILLO_YOUTH = 1 OR R01_YG1005CL != 7)), GO TO R02_YG1005CL. ELSE, IF R02_EVER_USER_GRILLO = 1, GO TO R02_YG9040CL.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	76	0.6 %
	Total	78	0.6%

This variable has 78 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	99.3 %
	Total	12,094	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2780-2787 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011CL_03: Flavor of first cigarillo smoked: Fruit

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Cigarillos

Fruit

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GRILLO_YOUTH = 1)) AND R02_YG1108CL = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/

filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND (R02_INIT_GRILLO_YOUTH = 1 OR R01_YG1005CL != 7)), GO TO R02_YG1005CL. ELSE, IF R02_EVER_USER_GRILLO = 1, GO TO R02_YG9040CL.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	39	0.3 %
2	2 = Not Marked	39	0.3 %
	Total	78	0.6%

This variable has 78 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	99.3 %
	Total	12,094	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2788-2795 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011CL_04: Flavor of first cigarillo smoked: Chocolate

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Cigarillos

Chocolate

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GRILLO_YOUTH = 1)) AND R02_YG1108CL = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND (R02_INIT_GRILLO_YOUTH = 1 OR R01_YG1005CL != 7)), GO TO R02_YG1005CL. ELSE, IF R02_EVER_USER_GRILLO = 1, GO TO R02_YG9040CL.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	72	0.6 %
	Total	78	0.6%

This variable has 78 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	99.3 %
	Total	12,094	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2796-2803 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011CL_05: Flavor of first cigarillo smoked: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Cigarillos

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking

traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GRILLO_YOUTH = 1)) AND R02_YG1108CL = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND (R02_INIT_GRILLO_YOUTH = 1 OR R01_YG1005CL != 7)), GO TO R02_YG1005CL. ELSE, IF R02_EVER_USER_GRILLO = 1, GO TO R02_YG9040CL.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	68	0.6 %
	Total	78	0.6%

This variable has 78 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	99.3 %
	Total	12,094	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2804-2811 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011CL_06: Flavor of first cigarillo smoked: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Cigarillos

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GRILLO_YOUTH = 1)) AND R02_YG1108CL = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND (R02_INIT_GRILLO_YOUTH = 1 OR R01_YG1005CL != 7)), GO TO R02_YG1005CL. ELSE, IF R02_EVER_USER_GRILLO = 1, GO TO R02_YG9040CL.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	65	0.5 %
	Total	78	0.6%

This variable has 78 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	99.3 %
	Total	12,094	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2812-2819 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011CL_07: Flavor of first cigarillo smoked: Some other flavor

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together,

choose all that apply.

Cigarillos

Some other flavor

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GRILLO_YOUTH = 1)) AND R02_YG1108CL = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040CL. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND (R02_INIT_GRILLO_YOUTH = 1 OR R01_YG1005CL != 7)), GO TO R02_YG1005CL. ELSE, IF R02_EVER_USER_GRILLO = 1, GO TO R02_YG9040CL.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	70	0.6 %
	Total	78	0.6%

This variable has 78 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	99.3 %
	Total	12,094	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2820-2827 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1005CL: Number of cigarillos smoked in entire life

How many [CIGARFILL]s have you smoked in your entire life?

Cigarillos

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview.

ASK Specification: IF LOOP = GRILLO AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GRILLO = 1 AND (R02_INIT_GRILLO_YOUTH = 1 OR R01_YG1005CL != 7))).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	162	1.3 %
2	2 = 1	46	0.4 %
3	3 = 2 to 10	127	1.0 %
4	4 = 11 to 20	54	0.4 %
5	5 = 21 to 50	26	0.2 %
6	6 = 51 to 99	11	0.1 %
7	7 = 100 or more	15	0.1 %
	Total	441	3.6%

This variable has 441 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	11695	96.1 %
	Total	11,731	96.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2828-2835 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9040CL: Group most like cigarillo usually smoked

Please look at this picture. Which group is most like the [CIGARFILL] you usually smoke?

Cigarillos

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GRILLO AND R02_EVER_USER_GRILLO = 1.

[IMAGE: DISPLAY GENERIC IMAGE OF 4 CIGAR GROUPS.]

[NOTES: Group 1 corresponds to traditional cigars, group 2 corresponds to cigarillos with tips, group 3 corresponds to cigarillos without tips and group 4 corresponds to filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Group 1	26	0.2 %
2	2 = Group 2	226	1.9 %
3	3 = Group 3	137	1.1 %
4	4 = Group 4	49	0.4 %
	Total	438	3.6%

This variable has 438 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.3 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11689	96.0 %
	Total	11,734	96.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2836-2843 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1100CL: Ever smoked cigarillos fairly regularly

Have you ever smoked [CIGARFILL]s fairly regularly?

Cigarillos

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YG1112CL.]

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GRILLO AND R02_EVER_USER_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	53	0.4 %
2	2 = No	427	3.5 %
	Total	480	3.9%

This variable has 480 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11689	96.0 %
	Total	11,692	96.1%

Percentages for both tables are based on 12,172 total cases.

Location: 2844-2851 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YG1007CL: DERIVED - Age range when first started smoking cigarillos fairly regularly (3 levels)

Long Description: How old were you when you first started smoking cigarillos fairly regularly?

Original Variables: R02_YG1007CL, R02_YG1121CL

Algorithm: IF R02_YG1121CL = 1 OR (0<=R02_YG1007CL<=11) THEN R02R_Y_YG1007CL = 1; ELSE IF R02_YG1121CL = 2 OR (12<=R02_YG1007CL<=14) THEN R02R_Y_YG1007CL = 2; ELSE IF R02_YG1121CL = 3 OR (15<=R02_YG1007CL<=17) THEN R02R_Y_YG1007CL = 3; ELSE IF R02_YG1007CL = -9 OR R02_YG1121CL = -9 THEN R02R_Y_YG1007CL = -99999; ELSE IF R02_YG1007CL = -8 OR R02_YG1121CL = -8 THEN R02R_Y_YG1007CL = -99988; ELSE IF R02_YG1007CL = -7 OR R02_YG1121CL = -7 THEN R02R_Y_YG1007CL = -99977; ELSE IF R02_YG1007CL = -5 THEN R02R_Y_YG1007CL = -99955; ELSE IF R02_YG1007CL = -1 OR R02_YG1121CL = -1 THEN R02R_Y_YG1007CL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	0	0.0 %
2	2 = 12 to 14 years old	27	0.2 %
3	3 = 15 to 17 years old	26	0.2 %
	Total	53	0.4%

This variable has 53 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12119	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,119	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 2852-2859 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YG112CL: Last time smoked a cigarillo, even one or two puffs

When was the last time you smoked a [CIGARFILL], even one or two puffs?

Cigarillos

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or smoked traditional cigars/cigarillos/filtered cigars as blunts-only.

ASK Specification: IF LOOP = GRILLO AND R02_EVER_USER_GRILLO = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have smoked in the past year
(R02_YG1002_12M = 1 for non-blunts)]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	14	0.1 %
2	2 = Not today but sometime in the past 7 days	40	0.3 %
3	3 = Not in the past 7 days but sometime in the past 30 days	67	0.6 %
4	4 = Not in the past 30 days but sometime in the past 6 months	114	0.9 %
5	5 = Not in the past 6 months but sometime in the past year	117	1.0 %
6	6 = 1 to 4 years ago	72	0.6 %
7	7 = 5 or more years ago	30	0.2 %
	Total	454	3.7%

This variable has 454 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11689	96.0 %
	Total	11,718	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 2860-2867 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1022CL: In past 30 days, number of days smoked a cigarillo

[PROGRAM NOTE: See Box R02_YGV02 and R02_YGR06 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke a [CIGARFILL]?

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

[PROGRAM: Soft range check: 1-30 days]

This variable has 119 valid cases out of 12,172 total cases.

- Mean: 4.10
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 5.56

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,053	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2868-2875 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1023CL: In past 30 days, number of cigarillos smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a [CIGARFILL], how many [CIGARFILL]s did you smoke per day?

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarillo per day	54	0.4 %
2	2 = 1 cigarillo per day	40	0.3 %
3	3 = 2 to 5 cigarillos per day	21	0.2 %
4	4 = 6 to 10 cigarillos per day	1	0.0 %
5	5 = 11 to 20 cigarillos per day	3	0.0 %
6	6 = More than 20 cigarillos per day	0	0.0 %
	Total	119	1.0%

This variable has 119 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,053	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2876-2883 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1130CL: In past 30 days, smoked cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Cigarillos

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YG1118CL.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	62	0.5 %
2	2 = No	43	0.4 %
3	3 = I don't know	16	0.1 %

Value	Label	Unweighted Frequency	%
	Total	121	1.0%

This variable has 121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,051	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2884-2891 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131CL_01: In past 30 days, smoked cigarillos flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1 AND R02_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	54	0.4 %
	Total	62	0.5%

This variable has 62 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12110	99.5 %
	Total	12,110	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 2892-2899 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131CL_02: In past 30 days, smoked cigarillos flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1 AND R02_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	60	0.5 %
	Total	62	0.5%

This variable has 62 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12110	99.5 %
	Total	12,110	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 2900-2907 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131CL_03: In past 30 days, smoked cigarillos flavored to taste like fruit

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1 AND R02_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	41	0.3 %
2	2 = Not Marked	21	0.2 %
	Total	62	0.5%

This variable has 62 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12110	99.5 %
	Total	12,110	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 2908-2915 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131CL_04: In past 30 days, smoked cigarillos flavored to taste like chocolate

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1 AND R02_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	53	0.4 %
	Total	62	0.5%

This variable has 62 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12110	99.5 %
	Total	12,110	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 2916-2923 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131CL_05: In past 30 days, smoked cigarillos flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1 AND R02_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	49	0.4 %
	Total	62	0.5%

This variable has 62 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12110	99.5 %
	Total	12,110	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 2924-2931 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131CL_06: In past 30 days, smoked cigarillos flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1 AND R02_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.2 %
2	2 = Not Marked	42	0.3 %
	Total	62	0.5%

This variable has 62 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12110	99.5 %
	Total	12,110	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 2932-2939 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131CL_07: In past 30 days, smoked cigarillos flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos

Some other flavor

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1 AND R02_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	52	0.4 %
	Total	62	0.5%

This variable has 62 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12110	99.5 %
	Total	12,110	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 2940-2947 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1118CL: In past 30 days, how you usually got your own cigarillos

In the past 30 days, how did you usually get your own [CIGARFILL]s?

Cigarillos

[If Someone offered it to me (4), I got them some other way (7), Don't Know (-8), or Refused (-7), Go to Box R02_YGR07.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	38	0.3 %
2	2 = I bought them myself from a store (including a cigar bar)	20	0.2 %
3	3 = I asked someone to give me one	11	0.1 %
4	4 = Someone offered it to me	44	0.4 %
5	5 = I bought them from another person	3	0.0 %
6	6 = I took them from a store or another person	2	0.0 %
7	7 = I got them some other way	0	0.0 %
	Total	118	1.0%

This variable has 118 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,054	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 2948-2955 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1123CL: In past 30 days, someone refused to sell you cigarillos because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s because of your age?

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them, buying themselves from a store, asking someone to give them one, buying from another person, or taking from a store or another person.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1 AND R02_YG1118CL = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	65	0.5 %
	Total	73	0.6%

This variable has 73 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,099	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 2956-2963 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1098CL: In past 30 days, how often used a coupon when buying cigarillos

[PROGRAM NOTE: See Box R02_YGR07 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, how often have you used a coupon when buying [CIGARFILL]s?

Cigarillos

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by buying themselves from a store.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1118CL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	0	0.0 %
2	2 = Sometimes	1	0.0 %
3	3 = Rarely	0	0.0 %
4	4 = Never	12	0.1 %
	Total	13	0.1%

This variable has 13 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12159	99.9 %
	Total	12,159	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 2964-2971 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1030CL: How you usually buy your cigarillos

How do [you/they] usually buy your [CIGARFILL]s?

Cigarillos

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7),
Go to R02_YG1039CL.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered

cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1118CL = 1, 2.

[DISPLAY: If R02_YG1118CL = 1, display "they"; If R02_YG1118CL = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	35	0.3 %
2	2 = From the internet	2	0.0 %
3	3 = By telephone	0	0.0 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2972-2979 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1032CL: Geographic area where you usually buy cigarillos

Do [you/they] usually buy [CIGARFILL]s . . . ?

Cigarillos

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1118CL = 1, 2 AND R02_YG1030CL = 1.

[DISPLAY: If R02_YG1118CL = 1, display "they"; If R02_YG1118CL = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	33	0.3 %

Value	Label	Unweighted Frequency	%
2	2 = In another state	1	0.0 %
3	3 = Outside the US	0	0.0 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12137	99.7 %
	Total	12,138	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2980-2987 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1033CL: Retail location where your cigarillos are bought most of the time

Where do [you/they] buy your [CIGARFILL]s most of the time?

Cigarillos

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1118CL = 1, 2 AND R02_YG1030CL = 1.

[DISPLAY: If R02_YG1118CL = 2, display option 8 'friend or relative,' if R02_YG1118CL != 2, hide option 8. If R02_YG1118CL = 1, display "they"; If R02_YG1118CL = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	26	0.2 %
3	3 = A supermarket, grocery store, or drug store	4	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	4	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %

Value	Label	Unweighted Frequency	%
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12137	99.7 %
	Total	12,138	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2988-2995 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1039CL: Usually buy cigarillos by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s.
Did you buy them by the box or pack, or as single [CIGARFILL]s?

Cigarillos

[If Single (2), Don't Know (-8), or Refused (-7), Go to R02_YG1034CL.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1118CL = 1, 2.

[DISPLAY: If R02_YG1118CL = 2, display "bought". If R02_YG1118CL = 1, display "gave money to someone else to buy you".]

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	10	0.1 %
2	2 = Single cigarillos	28	0.2 %
	Total	38	0.3%

This variable has 38 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,134	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 2996-3003 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1040CL: Number of cigarillos that come in box or pack usually bought

How many [CIGARFILL]s came in the box or pack that you last bought?

Cigarillos

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1118CL = 1, 2 AND R02_YG1039CL = 1.

Value	Label	Unweighted Frequency	%
2	-	6	0.0 %
4	-	3	0.0 %
20	-	1	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,162	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 3004-3011 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034CL_D: Amount paid when last time bought a box of cigarillos/pack of cigarillos/single cigarillo - Dollars

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]]?

Cigarillos

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1118CL = 1, 2 AND R02_YG1039CL = 1, 2.

[DISPLAY: If R02_YG1039CL = 1, display "box or pack of [CIGARFILL]s".]

This variable has 38 valid cases out of 12,172 total cases.

- Mean: 0.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.74

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,134	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3012-3019 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034CL_C: Amount paid when last time bought a box of cigarillos/pack of cigarillos/single cigarillo - Cents

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]]?

Cigarillos

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1118CL = 1, 2 AND R02_YG1039CL = 1, 2.

[DISPLAY: If R02_YG1039CL = 1, display "box or pack of [CIGARFILL]s".]

This variable has 38 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,134	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3020-3027 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1047CL: Have a regular brand of cigarillos you usually smoke

Do you have a regular brand of [CIGARFILL]s that you usually smoke?

Cigarillos

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_NL_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	16	0.1 %
	Total	54	0.4%

This variable has 54 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12118	99.6 %
	Total	12,118	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3028-3035 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1048CL_BRAND: Brand of cigarillos usually/last smoked

What brand of [CIGARFILL] [do/did] you [usually/last] smoke?

Cigarillos

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_NL_GRILLO = 1.

[DISPLAY: If R02_YG1047CL = 1, display "do" and "usually". If R02_YG1047CL = 2, DK or RF, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1070CL_PRODUCT. Else, youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1049CL. Else, youth respondents who did not know or refused to report a brand of traditional cigars/cigarillos/filtered cigars, go to Box R02_YGR08.

[GOTO Specification: IF R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1048CL_BRAND != 9995, -8, -7, GO TO R02_YG1070CL_PRODUCT. ELSE, IF R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1048CL_BRAND = 9995, GO TO R02_YG1049CL. ELSE, IF R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1048CL_BRAND = -8, -7, GO TO BOX R02_YGR08.]

This variable has 54 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12118	99.6 %
	Total	12,118	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3036-3043 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1070CL_PRODUCT: Sub-brand of cigarillo product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Cigarillos

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1048CL_BRAND != 9995, -8, -7.

[DISPLAY: If R02_YG1047CL = 1, display "do" and "usually". If R02_YG1047CL = 2, -8 or -7, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1071CL. Else, go to Box R02_YGR08.]

[GOTO Specification: IF R02_PAST30DAY_NL_GRILLO = 1 AND R02_YG1048CL_BRAND != 9995, -8, -7 AND R02_YG1070CL_PRODUCT = 99995, GO TO R02_YG1071CL. ELSE, GO TO BOX R02_YGR08.]

This variable has 53 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12119	99.6 %
	Total	12,119	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3044-3051 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1060CL_RANDOM_01: YG1060CL series random question 1

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060CL to R02_YG1072CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12051	99.0 %
R02_YG1060CL	-	14	0.1 %
R02_YG1061CL	-	14	0.1 %
R02_YG1062CL	-	15	0.1 %
R02_YG1063CL	-	10	0.1 %
R02_YG1064CL	-	7	0.1 %
R02_YG1066CL	-	14	0.1 %
R02_YG1068CL	-	12	0.1 %
R02_YG1069CL	-	13	0.1 %
R02_YG1072CL	-	5	0.0 %
R02_YG1085CL	-	17	0.1 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3052-3066 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060CL_RANDOM_02: YG1060CL series random question 2

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060CL to R02_YG1072CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12051	99.0 %
R02_YG1060CL	-	11	0.1 %
R02_YG1061CL	-	12	0.1 %
R02_YG1062CL	-	12	0.1 %
R02_YG1063CL	-	11	0.1 %
R02_YG1064CL	-	10	0.1 %
R02_YG1066CL	-	8	0.1 %
R02_YG1068CL	-	19	0.2 %
R02_YG1069CL	-	16	0.1 %
R02_YG1072CL	-	12	0.1 %

Value	Label	Unweighted Frequency	%
R02_YG1085CL	-	10	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3067-3081 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060CL_RANDOM_03: YG1060CL series random question 3

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060CL to R02_YG1072CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12051	99.0 %
R02_YG1060CL	-	11	0.1 %
R02_YG1061CL	-	13	0.1 %
R02_YG1062CL	-	13	0.1 %
R02_YG1063CL	-	14	0.1 %
R02_YG1064CL	-	8	0.1 %
R02_YG1066CL	-	12	0.1 %
R02_YG1068CL	-	11	0.1 %
R02_YG1069CL	-	9	0.1 %
R02_YG1072CL	-	18	0.1 %
R02_YG1085CL	-	12	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3082-3096 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060CL_RANDOM_04: YG1060CL series random question 4

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060CL to R02_YG1072CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12051	99.0 %
R02_YG1060CL	-	10	0.1 %
R02_YG1061CL	-	14	0.1 %
R02_YG1062CL	-	5	0.0 %
R02_YG1063CL	-	17	0.1 %
R02_YG1064CL	-	11	0.1 %
R02_YG1066CL	-	14	0.1 %
R02_YG1068CL	-	8	0.1 %
R02_YG1069CL	-	8	0.1 %
R02_YG1072CL	-	22	0.2 %
R02_YG1085CL	-	12	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3097-3111 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060CL_RANDOM_05: YG1060CL series random question 5

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060CL to R02_YG1072CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12051	99.0 %
R02_YG1060CL	-	12	0.1 %
R02_YG1061CL	-	12	0.1 %
R02_YG1062CL	-	17	0.1 %
R02_YG1063CL	-	18	0.1 %
R02_YG1064CL	-	10	0.1 %
R02_YG1066CL	-	10	0.1 %
R02_YG1068CL	-	7	0.1 %
R02_YG1069CL	-	9	0.1 %
R02_YG1072CL	-	11	0.1 %
R02_YG1085CL	-	15	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3112-3126 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060CL_RANDOM_06: YG1060CL series random question 6

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060CL to R02_YG1072CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12051	99.0 %
R02_YG1060CL	-	17	0.1 %
R02_YG1061CL	-	12	0.1 %
R02_YG1062CL	-	12	0.1 %
R02_YG1063CL	-	9	0.1 %
R02_YG1064CL	-	10	0.1 %
R02_YG1066CL	-	11	0.1 %
R02_YG1068CL	-	15	0.1 %
R02_YG1069CL	-	11	0.1 %
R02_YG1072CL	-	15	0.1 %
R02_YG1085CL	-	9	0.1 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3127-3141 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060CL_RANDOM_07: YG1060CL series random question 7

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060CL to R02_YG1072CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12051	99.0 %
R02_YG1060CL	-	14	0.1 %

Value	Label	Unweighted Frequency	%
R02_YG1061CL	-	14	0.1 %
R02_YG1062CL	-	15	0.1 %
R02_YG1063CL	-	11	0.1 %
R02_YG1064CL	-	6	0.0 %
R02_YG1066CL	-	13	0.1 %
R02_YG1068CL	-	17	0.1 %
R02_YG1069CL	-	12	0.1 %
R02_YG1072CL	-	7	0.1 %
R02_YG1085CL	-	12	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3142-3156 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060CL_RANDOM_08: YG1060CL series random question 8

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060CL to R02_YG1072CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12051	99.0 %
R02_YG1060CL	-	12	0.1 %
R02_YG1061CL	-	14	0.1 %
R02_YG1062CL	-	13	0.1 %
R02_YG1063CL	-	14	0.1 %
R02_YG1064CL	-	8	0.1 %
R02_YG1066CL	-	18	0.1 %
R02_YG1068CL	-	8	0.1 %
R02_YG1069CL	-	15	0.1 %
R02_YG1072CL	-	9	0.1 %
R02_YG1085CL	-	10	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3157-3171 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060CL_RANDOM_09: YG1060CL series random question 9

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060CL to R02_YG1072CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12051	99.0 %
R02_YG1060CL	-	11	0.1 %
R02_YG1061CL	-	9	0.1 %
R02_YG1062CL	-	11	0.1 %
R02_YG1063CL	-	7	0.1 %
R02_YG1064CL	-	12	0.1 %
R02_YG1066CL	-	13	0.1 %
R02_YG1068CL	-	13	0.1 %
R02_YG1069CL	-	14	0.1 %
R02_YG1072CL	-	15	0.1 %
R02_YG1085CL	-	16	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3172-3186 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060CL_RANDOM_10: YG1060CL series random question 10

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060CL to R02_YG1072CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12080	99.2 %
R02_YG1060CL	-	9	0.1 %
R02_YG1061CL	-	7	0.1 %
R02_YG1062CL	-	8	0.1 %
R02_YG1063CL	-	10	0.1 %

Value	Label	Unweighted Frequency	%
R02_YG1064CL	-	10	0.1 %
R02_YG1066CL	-	8	0.1 %
R02_YG1068CL	-	11	0.1 %
R02_YG1069CL	-	14	0.1 %
R02_YG1072CL	-	7	0.1 %
R02_YG1085CL	-	8	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3187-3201 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060CL: Smoke cigarillos because: They are affordable

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . They are affordable.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	69	0.6 %
2	2 = No	52	0.4 %
	Total	121	1.0%

This variable has 121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,051	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 3202-3209 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1061CL: Smoke cigarillos because: People in the media or other public figures smoke them

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . People in the media or other public figures smoke [CIGARFILL]s.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	26	0.2 %
2	2 = No	95	0.8 %
	Total	121	1.0%

This variable has 121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,051	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 3210-3217 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1085CL: Smoke cigarillos because: I can smoke them in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . I can smoke [CIGARFILL]s at times when or in places where smoking cigarettes isn't allowed.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	107	0.9 %
	Total	121	1.0%

This variable has 121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,051	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 3218-3225 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1062CL: Smoke cigarillos because: They might be less harmful than cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . They might be less harmful than cigarettes.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	26	0.2 %
2	2 = No	95	0.8 %
	Total	121	1.0%

This variable has 121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,051	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 3226-3233 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1063CL: Smoke cigarillos because: They come in flavors I like

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . [CIGARFILL]s come in flavors I like.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

[GOTO: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R02_YG1064CL. Else, youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers, go to R02_YG1066CL.]

[GOTO Specification: IF R02_PAST30DAY_GRILLO = 1 AND R02_YC1112 = 1, 2, 3, 4, 5, GO TO R02_YG1064CL. ELSE, IF R02_PAST30DAY_GRILLO = 1, GO TO R02_YG1066CL.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	78	0.6 %
2	2 = No	43	0.4 %
	Total	121	1.0%

This variable has 121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,051	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 3234-3241 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1064CL: Smoke cigarillos because: It helps people to quit smoking cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . Smoking [CIGARFILL]s helps people quit smoking cigarettes.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1 AND R02_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	82	0.7 %
	Total	92	0.8%

This variable has 92 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,080	99.2%

Percentages for both tables are based on 12,172 total cases.

Location: 3242-3249 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1066CL: Smoke cigarillos because: It feels like smoking a regular cigarette

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . Smoking a [CIGARFILL] feels like smoking a regular cigarette.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2 %
2	2 = No	100	0.8 %
	Total	121	1.0%

This variable has 121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,051	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 3250-3257 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1068CL: Smoke cigarillos because: People who are important to me smoke them

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . People who are important to me smoke [CIGARFILL]s.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.3 %
2	2 = No	90	0.7 %
	Total	121	1.0%

This variable has 121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,051	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 3258-3265 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1069CL: Smoke cigarillos because: I like socializing while smoking them

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . I like socializing while smoking a [CIGARFILL].

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	52	0.4 %
2	2 = No	69	0.6 %
	Total	121	1.0%

This variable has 121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,051	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 3266-3273 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1072CL: Smoke cigarillos because: The advertising appeals to me

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which

reasons apply to you.

I smoke [CIGARFILL]s because . . . The advertising for [CIGARFILL]s appeals to me.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R02_PAST30DAY_GRILLO = 1.

[GOTO: Youth respondents who have remaining loops to complete for non-blunt cigar types, go back to Box R02_YGT04 and repeat section. Else, youth respondents who have loops to complete for blunt-only cigar types, go back to Box R02_YGT04 and loop through subsections for any blunt-only cigar types. Else, youth respondents who have no more remaining loops to complete for either cigars or blunts, go to Box R02_YGT03.]

[GOTO Specification: IF LOOP = GRILLO AND THERE ARE REMAINING NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO BACK TO BOX R02_YGT04 AND REPEAT SECTION. ELSE, IF THERE ARE BLUNT-ONLY CIGAR LOOPS LEFT TO BE COMPLETED, GO BACK TO BOX R02_YGT04 AND LOOP THROUGH SUBSECTION FOR ANY BLUNT-ONLY CIGAR TYPES. ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED FOR CIGARS OR BLUNTS, GO TO BOX R02_YGT03.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	111	0.9 %
	Total	121	1.0%

This variable has 121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,051	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 3274-3281 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YG1006FC_NB: DERIVED - Age range when first tried a filtered cigar, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a filtered cigar, even one or two puffs?

Original Variables: R02_YG1006FC_NB, R02_YG1120FC_NB

Algorithm: IF R02_YG1120FC_NB = 1 OR (0<=R02_YG1006FC_NB<=11) THEN R02R_Y_YG1006FC_NB = 1; ELSE

IF R02_YG1120FC_NB = 2 OR (12<=R02_YG1006FC_NB<=14) THEN R02R_Y_YG1006FC_NB = 2; ELSE IF R02_YG1120FC_NB = 3 OR (15<=R02_YG1006FC_NB<=17) THEN R02R_Y_YG1006FC_NB = 3; ELSE IF R02_YG1006FC_NB = -9 OR R02_YG1120FC_NB = -9 THEN R02R_Y_YG1006FC_NB = -99999; ELSE IF R02_YG1006FC_NB = -8 OR R02_YG1120FC_NB = -8 THEN R02R_Y_YG1006FC_NB = -99988; ELSE IF R02_YG1006FC_NB = -7 OR R02_YG1120FC_NB = -7 THEN R02R_Y_YG1006FC_NB = -99977; ELSE IF R02_YG1006FC_NB = -5 THEN R02R_Y_YG1006FC_NB = -99955; ELSE IF R02_YG1006FC_NB = -1 OR R02_YG1120FC_NB = -1 THEN R02R_Y_YG1006FC_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0 %
2	2 = 12 to 14 years old	0	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12170	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,170	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 3282-3289 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YG1108FC: First filtered cigar smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first [CIGARFILL] you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Filtered cigars

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or smoking traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview.

ASK Specification: IF LOOP = GFILTR AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND

R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GFILTR_YOUTH = 1)).

[GOTO: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, go to R02_YG1011FC. Else, new baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GFILTR_YOUTH = 1)) AND R02_YG1108FC = 1, GO TO R02_YG1011FC. ELSE, IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND (R02_INIT_GRILLO_YOUTH = 1 OR R01_YG1005FC != 7)), GO TO R02_YG1005FC. ELSE, IF R02_EVER_USER_GFILTR = 1, GO TO R02_YG9040FC.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.3 %
2	2 = No	20	0.2 %
3	3 = I don't know	18	0.1 %
	Total	75	0.6%

This variable has 75 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12097	99.4 %
	Total	12,097	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 3290-3297 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FC_01: Flavor of first filtered cigar smoked: Menthol or mint

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Menthol or mint

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GFILTR_YOUTH = 1)) AND R02_YG1108FC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND (R02_INIT_GFILTR_YOUTH = 1 OR R01_YG1005FC != 7)), GO TO R02_YG1005FC. ELSE, IF R02_EVER_USER_GFILTR = 1, GO TO R02_YG9040FC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	29	0.2 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12135	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3298-3305 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FC_02: Flavor of first filtered cigar smoked: Clove or spice

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Clove or spice

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GFILTR_YOUTH = 1)) AND R02_YG1108FC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND (R02_INIT_GFILTR_YOUTH = 1 OR R01_YG1005FC != 7)), GO TO R02_YG1005FC. ELSE, IF R02_EVER_USER_GFILTR = 1, GO TO R02_YG9040FC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	37	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12135	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3306-3313 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FC_03: Flavor of first filtered cigar smoked: Fruit

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Fruit

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GFILTR_YOUTH = 1)) AND R02_YG1108FC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND (R02_INIT_GFILTR_YOUTH = 1 OR R01_YG1005FC != 7)), GO TO R02_YG1005FC. ELSE, IF R02_EVER_USER_GFILTR = 1, GO TO R02_YG9040FC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.2 %
2	2 = Not Marked	14	0.1 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12135	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3314-3321 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FC_04: Flavor of first filtered cigar smoked: Chocolate

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Chocolate

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GFILTR_YOUTH = 1)) AND R02_YG1108FC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND (R02_INIT_GFILTR_YOUTH = 1 OR R01_YG1005FC != 7)), GO TO R02_YG1005FC. ELSE, IF R02_EVER_USER_GFILTR = 1, GO TO R02_YG9040FC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	36	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12135	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3322-3329 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FC_05: Flavor of first filtered cigar smoked: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GFILTR_YOUTH = 1)) AND R02_YG1108FC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND (R02_INIT_GFILTR_YOUTH = 1 OR R01_YG1005FC != 7)), GO TO R02_YG1005FC. ELSE, IF R02_EVER_USER_GFILTR = 1, GO TO R02_YG9040FC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	35	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12135	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3330-3337 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FC_06: Flavor of first filtered cigar smoked: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GFILTR_YOUTH = 1)) AND R02_YG1108FC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR

(R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND (R02_INIT_GFILTR_YOUTH = 1 OR R01_YG1005FC != 7)), GO TO R02_YG1005FC. ELSE, IF R02_EVER_USER_GFILTR = 1, GO TO R02_YG9040FC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	35	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12135	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3338-3345 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FC_07: Flavor of first filtered cigar smoked: Some other flavor

What flavor was that first [CIGARFILL] you smoked? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Some other flavor

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_GFILTR_YOUTH = 1)) AND R02_YG1108FC = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005FC. Else,

youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040FC. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112[TJ/GJ/FJ].]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND (R02_INIT_GFILTR_YOUTH = 1 OR R01_YG1005FC != 7)), GO TO R02_YG1005FC. ELSE, IF R02_EVER_USER_GFILTR = 1, GO TO R02_YG9040FC.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	34	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12135	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3346-3353 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1005FC: Number of filtered cigars smoked in entire life

How many [CIGARFILL]s have you smoked in your entire life?

Filtered cigars

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview.

ASK Specification: IF LOOP = GFILTR AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_GFILTR = 1 AND (R02_INIT_GFILTR_YOUTH = 1 OR R01_YG1005FC != 7))).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	72	0.6 %
2	2 = 1	22	0.2 %

Value	Label	Unweighted Frequency	%
3	3 = 2 to 10	68	0.6 %
4	4 = 11 to 20	22	0.2 %
5	5 = 21 to 50	18	0.1 %
6	6 = 51 to 99	8	0.1 %
7	7 = 100 or more	7	0.1 %
	Total	217	1.8%

This variable has 217 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11941	98.1 %
	Total	11,955	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 3354-3361 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9040FC: Group most like filtered cigar usually smoked

Please look at this picture. Which group is most like the [CIGARFILL] you usually smoke?

Filtered cigars

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GFILTR AND R02_EVER_USER_GFILTR = 1.

[IMAGE: DISPLAY GENERIC IMAGE OF 4 CIGAR GROUPS.]

[NOTES: Group 1 corresponds to traditional cigars, group 2 corresponds to cigarillos with tips, group 3 corresponds to cigarillos without tips and group 4 corresponds to filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Group 1	11	0.1 %
2	2 = Group 2	70	0.6 %
3	3 = Group 3	31	0.3 %
4	4 = Group 4	112	0.9 %
	Total	224	1.8%

This variable has 224 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11936	98.1 %
	Total	11,948	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 3362-3369 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1100FC: Ever smoked filtered cigars fairly regularly

Have you ever smoked [CIGARFILL]s fairly regularly?

Filtered cigars

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YG1112FC.]

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GFILTR AND R02_EVER_USER_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	207	1.7 %
	Total	236	1.9%

This variable has 236 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11936	98.1 %
	Total	11,936	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 3370-3377 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YG1007FC: DERIVED - Age range when first started smoking filtered cigars fairly regularly (3 levels)

Long Description: How old were you when you first started smoking filtered cigars fairly regularly?

Original Variables: R02_YG1007FC, R02_YG1121FC

Algorithm: IF R02_YG1121FC = 1 OR (0<=R02_YG1007FC<=11) THEN R02R_Y_YG1007FC = 1; ELSE IF R02_YG1121FC = 2 OR (12<=R02_YG1007FC<=14) THEN R02R_Y_YG1007FC = 2; ELSE IF R02_YG1121FC = 3 OR (15<=R02_YG1007FC<=17) THEN R02R_Y_YG1007FC = 3; ELSE IF R02_YG1007FC = -9 OR R02_YG1121FC = -9 THEN R02R_Y_YG1007FC = -99999; ELSE IF R02_YG1007FC = -8 OR R02_YG1121FC = -8 THEN R02R_Y_YG1007FC = -99988; ELSE IF R02_YG1007FC = -7 OR R02_YG1121FC = -7 THEN R02R_Y_YG1007FC = -99977; ELSE IF R02_YG1007FC = -5 THEN R02R_Y_YG1007FC = -99955; ELSE IF R02_YG1007FC = -1 OR R02_YG1121FC = -1 THEN R02R_Y_YG1007FC = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	1	0.0 %
2	2 = 12 to 14 years old	11	0.1 %
3	3 = 15 to 17 years old	17	0.1 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12143	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,143	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3378-3385 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YG112FC: Last time smoked a filtered cigar, even one or two puffs

When was the last time you smoked a [CIGARFILL], even one or two puffs?

Filtered cigars

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or smoked traditional cigars/cigarillos/filtered cigars as blunts-only.

ASK Specification: IF LOOP = GFILTR AND R02_EVER_USER_GFILTR = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have smoked in the past year
(R02_YG1002_12M = 1 for non-blunts)]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	4	0.0 %
2	2 = Not today but sometime in the past 7 days	14	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	31	0.3 %
4	4 = Not in the past 30 days but sometime in the past 6 months	72	0.6 %
5	5 = Not in the past 6 months but sometime in the past year	60	0.5 %
6	6 = 1 to 4 years ago	34	0.3 %
7	7 = 5 or more years ago	8	0.1 %
	Total	223	1.8%

This variable has 223 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11936	98.1 %
	Total	11,949	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 3386-3393 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1022FC: In past 30 days, number of days smoked a filtered cigar

[PROGRAM NOTE: See Box R02_YGV02 and R02_YGR06 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke a [CIGARFILL]?

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

[PROGRAM: Soft range check: 1-30 days]

This variable has 49 valid cases out of 12,172 total cases.

- Mean: 6.27
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.82

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3394-3401 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1023FC: In past 30 days, number of filtered cigars smoked on days smoked

In the past 30 days, on the days you smoked a [CIGARFILL], how many [CIGARFILL]s did you smoke per day?

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 filtered cigar per day	19	0.2 %
2	2 = 1 filtered cigar per day	11	0.1 %
3	3 = 2 to 5 filtered cigars per day	15	0.1 %
4	4 = 6 to 10 filtered cigars per day	2	0.0 %
5	5 = 11 to 20 filtered cigars per day	1	0.0 %
6	6 = More than 20 filtered cigars per day	0	0.0 %
	Total	48	0.4%

This variable has 48 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,124	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3402-3409 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1130FC: In past 30 days, smoked filtered cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Filtered cigars

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YG1118FC.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	17	0.1 %
3	3 = I don't know	7	0.1 %
	Total	49	0.4%

This variable has 49 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3410-3417 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FC_01: In past 30 days, smoked filtered cigars flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1 AND R02_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	25	0.2%

This variable has 25 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12147	99.8 %
	Total	12,147	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3418-3425 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FC_02: In past 30 days, smoked filtered cigars flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1 AND R02_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	24	0.2 %
	Total	25	0.2%

This variable has 25 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12147	99.8 %
	Total	12,147	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3426-3433 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FC_03: In past 30 days, smoked filtered cigars flavored to taste like fruit

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1 AND R02_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	7	0.1 %
	Total	25	0.2%

This variable has 25 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12147	99.8 %
	Total	12,147	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3434-3441 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FC_04: In past 30 days, smoked filtered cigars flavored to taste like chocolate

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1 AND R02_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	24	0.2 %
	Total	25	0.2%

This variable has 25 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12147	99.8 %
	Total	12,147	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3442-3449 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FC_05: In past 30 days, smoked filtered cigars flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1 AND R02_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	25	0.2%

This variable has 25 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12147	99.8 %
	Total	12,147	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3450-3457 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FC_06: In past 30 days, smoked filtered cigars flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1 AND R02_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	17	0.1 %
	Total	25	0.2%

This variable has 25 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12147	99.8 %
	Total	12,147	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3458-3465 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FC_07: In past 30 days, smoked filtered cigars flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars

Some other flavor

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1 AND R02_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	24	0.2 %
	Total	25	0.2%

This variable has 25 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12147	99.8 %
	Total	12,147	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3466-3473 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG118FC: In past 30 days, how you usually got your own filtered cigars

In the past 30 days, how did you usually get your own [CIGARFILL]s?

Filtered cigars

[If Someone offered it to me (4), I got them some other way (7), Don't Know (-8), or Refused (-7), Go to Box R02_YGR07.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	12	0.1 %
2	2 = I bought them myself from a store (including a cigar bar)	5	0.0 %
3	3 = I asked someone to give me one	7	0.1 %
4	4 = Someone offered it to me	15	0.1 %
5	5 = I bought them from another person	2	0.0 %
6	6 = I took them from a store or another person	3	0.0 %
7	7 = I got them some other way	3	0.0 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3474-3481 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1123FC: In past 30 days, someone refused to sell you filtered cigars because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s because of your age?

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them, buying themselves from a store, asking someone to give them one, buying from another person, or taking from a store or another person.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1 AND R02_YG1118FC = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	20	0.2 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12143	99.8 %
	Total	12,143	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3482-3489 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1098FC: In past 30 days, how often used a coupon when buying filtered cigars

[PROGRAM NOTE: See Box R02_YGR07 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, how often have you used a coupon when buying [CIGARFILL]s?

Filtered cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by buying themselves from a store.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1118FC = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	0	0.0 %
2	2 = Sometimes	0	0.0 %
3	3 = Rarely	0	0.0 %
4	4 = Never	3	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12169	100.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 3490-3497 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1030FC: How you usually buy your filtered cigars

How do [you/they] usually buy your [CIGARFILL]s?

Filtered cigars

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7),
Go to R02_YG1039FC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1118FC = 1, 2.

[DISPLAY: If R02_YG1118FC = 1, display "they"; If R02_YG1118FC = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	12	0.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 3498-3505 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1032FC: Geographic area where you usually buy filtered cigars

Do [you/they] usually buy [CIGARFILL]s . . . ?

Filtered cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1118FC = 1, 2 AND R02_YG1030FC = 1.

[DISPLAY: If R02_YG1118FC = 1, display "they"; If R02_YG1118FC = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	11	0.1 %
2	2 = In another state	1	0.0 %
3	3 = Outside the US	0	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 3506-3513 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1033FC: Retail location where your filtered cigars are bought most of the time

Where do [you/they] buy your [CIGARFILL]s most of the time?

Filtered cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1118FC = 1, 2 AND R02_YG1030FC = 1.

[DISPLAY: If R02_YG1118FC = 2, display option 8 'friend or relative,' if R02_YG1118FC != 2, hide option 8. If R02_YG1118FC = 1, display "they"; If R02_YG1118FC = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	10	0.1 %
3	3 = A supermarket, grocery store, or drug store	1	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	1	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 3514-3521 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1039FC: Usually buy filtered cigars by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s.
Did you buy them by the box or pack, or as single [CIGARFILL]s?

Filtered cigars

[If Single (2), Don't Know (-8), or Refused (-7), Go to R02_YG1034FC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1118FC = 1, 2.

[DISPLAY: If R02_YG1118FC = 2, display "bought". If R02_YG1118FC = 1, display "gave money to someone else to buy you".]

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	9	0.1 %
2	2 = Single filtered cigars	3	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 3522-3529 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1040FC: Number of filtered cigars that come in box or pack usually bought

How many [CIGARFILL]s came in the box or pack that you last bought?

Filtered cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1118FC = 1, 2 AND R02_YG1039FC = 1.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
5	-	1	0.0 %
10	-	1	0.0 %
18	-	1	0.0 %
20	-	4	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12163	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 3530-3537 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034FC_D: Amount paid when last time bought a box of filtered cigars/pack of filtered cigars/single filtered cigar - Dollars

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]?

Filtered cigars

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1118FC = 1, 2 AND R02_YG1039FC = 1, 2.

[DISPLAY: If R02_YG1039FC = 1, display "box or pack of [CIGARFILL]s".]

This variable has 12 valid cases out of 12,172 total cases.

- Mean: 4.00
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 8.40

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 3538-3545 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034FC_C: Amount paid when last time bought a box of filtered cigars/pack of filtered cigars/single filtered cigar - Cents

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]]?

Filtered cigars

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1118FC = 1, 2 AND R02_YG1039FC = 1, 2.

[DISPLAY: If R02_YG1039FC = 1, display "box or pack of [CIGARFILL]s".]

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 3546-3553 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1047FC: Have a regular brand of filtered cigars you usually smoke

Do you have a regular brand of [CIGARFILL]s that you usually smoke?

Filtered cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_NL_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	11	0.1 %
	Total	25	0.2%

This variable has 25 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12146	99.8 %
	Total	12,147	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3554-3561 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1048FC_BRAND: Brand of filtered cigars usually / last smoked

What brand of [CIGARFILL] [do/did] you [usually/last] smoke?

Filtered cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_NL_GFILTR = 1.

[DISPLAY: If R02_YG1047FC = 1, display "do" and "usually". If R02_YG1047FC = 2, DK or RF, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1070FC_PRODUCT. Else, youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1049FC. Else, youth respondents who did not know or refused to report a brand of traditional cigars/cigarillos/filtered cigars, go to Box R02_YGR08.

[GOTO Specification: IF R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1048FC_BRAND != 9995, -8, -7, GO TO R02_YG1070FC_PRODUCT. ELSE, IF R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1048FC_BRAND = 9995, GO TO R02_YG1049FC. ELSE, IF R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1048FC_BRAND = -8, -7, GO TO BOX R02_YGR08.]

This variable has 26 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12146	99.8 %
	Total	12,146	99.8 %

Percentages for both tables are based on 12,172 total cases.

Location: 3562-3569 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Filtered cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1048FC_BRAND != 9995, -8, -7.

[DISPLAY: If R02_YG1047FC = 1, display "do" and "usually". If R02_YG1047FC = 2, -8 or -7, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1071FC. Else, go to Box R02_YGR08.]

[GOTO Specification: IF R02_PAST30DAY_NL_GFILTR = 1 AND R02_YG1048FC_BRAND != 9995, -8, -7 AND R02_YG1070FC_PRODUCT = 99995, GO TO R02_YG1071FC. ELSE, GO TO BOX R02_YGR08.]

This variable has 25 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12147	99.8 %
	Total	12,147	99.8 %

Percentages for both tables are based on 12,172 total cases.

Location: 3570-3577 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1060FC_RANDOM_01: YG1060FC series random question 1

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060FC to R02_YG1072FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12123	99.6 %
R02_YG1060FC	-	8	0.1 %

Value	Label	Unweighted Frequency	%
R02_YG1061FC	-	6	0.0 %
R02_YG1062FC	-	7	0.1 %
R02_YG1063FC	-	6	0.0 %
R02_YG1064FC	-	3	0.0 %
R02_YG1066FC	-	3	0.0 %
R02_YG1068FC	-	7	0.1 %
R02_YG1069FC	-	5	0.0 %
R02_YG1072FC	-	2	0.0 %
R02_YG1085FC	-	2	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3578-3592 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060FC_RANDOM_02: YG1060FC series random question 2

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060FC to R02_YG1072FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12123	99.6 %
R02_YG1060FC	-	4	0.0 %
R02_YG1061FC	-	4	0.0 %
R02_YG1062FC	-	3	0.0 %
R02_YG1063FC	-	8	0.1 %
R02_YG1064FC	-	5	0.0 %
R02_YG1066FC	-	7	0.1 %
R02_YG1068FC	-	3	0.0 %
R02_YG1069FC	-	2	0.0 %
R02_YG1072FC	-	6	0.0 %
R02_YG1085FC	-	7	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3593-3607 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060FC_RANDOM_03: YG1060FC series random question 3

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060FC to R02_YG1072FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12123	99.6 %
R02_YG1060FC	-	9	0.1 %
R02_YG1061FC	-	3	0.0 %
R02_YG1062FC	-	5	0.0 %
R02_YG1063FC	-	6	0.0 %
R02_YG1064FC	-	4	0.0 %
R02_YG1066FC	-	3	0.0 %
R02_YG1068FC	-	4	0.0 %
R02_YG1069FC	-	5	0.0 %
R02_YG1072FC	-	7	0.1 %
R02_YG1085FC	-	3	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3608-3622 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060FC_RANDOM_04: YG1060FC series random question 4

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060FC to R02_YG1072FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12123	99.6 %
R02_YG1060FC	-	2	0.0 %
R02_YG1061FC	-	6	0.0 %
R02_YG1062FC	-	7	0.1 %
R02_YG1063FC	-	6	0.0 %

Value	Label	Unweighted Frequency	%
R02_YG1064FC	-	3	0.0 %
R02_YG1066FC	-	7	0.1 %
R02_YG1068FC	-	4	0.0 %
R02_YG1069FC	-	5	0.0 %
R02_YG1072FC	-	2	0.0 %
R02_YG1085FC	-	7	0.1 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3623-3637 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060FC_RANDOM_05: YG1060FC series random question 5

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060FC to R02_YG1072FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12123	99.6 %
R02_YG1060FC	-	5	0.0 %
R02_YG1061FC	-	6	0.0 %
R02_YG1062FC	-	4	0.0 %
R02_YG1063FC	-	4	0.0 %
R02_YG1064FC	-	6	0.0 %
R02_YG1066FC	-	6	0.0 %
R02_YG1068FC	-	5	0.0 %
R02_YG1069FC	-	6	0.0 %
R02_YG1072FC	-	6	0.0 %
R02_YG1085FC	-	1	0.0 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3638-3652 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060FC_RANDOM_06: YG1060FC series random question 6

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060FC to R02_YG1072FC) were

randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12123	99.6 %
R02_YG1060FC	-	4	0.0 %
R02_YG1061FC	-	4	0.0 %
R02_YG1062FC	-	8	0.1 %
R02_YG1063FC	-	5	0.0 %
R02_YG1064FC	-	1	0.0 %
R02_YG1066FC	-	3	0.0 %
R02_YG1068FC	-	5	0.0 %
R02_YG1069FC	-	4	0.0 %
R02_YG1072FC	-	9	0.1 %
R02_YG1085FC	-	6	0.0 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3653-3667 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060FC_RANDOM_07: YG1060FC series random question 7

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060FC to R02_YG1072FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12123	99.6 %
R02_YG1060FC	-	5	0.0 %
R02_YG1061FC	-	3	0.0 %
R02_YG1062FC	-	3	0.0 %
R02_YG1063FC	-	1	0.0 %
R02_YG1064FC	-	6	0.0 %
R02_YG1066FC	-	6	0.0 %
R02_YG1068FC	-	8	0.1 %

Value	Label	Unweighted Frequency	%
R02_YG1069FC	-	4	0.0 %
R02_YG1072FC	-	6	0.0 %
R02_YG1085FC	-	7	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3668-3682 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060FC_RANDOM_08: YG1060FC series random question 8

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060FC to R02_YG1072FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12123	99.6 %
R02_YG1060FC	-	3	0.0 %
R02_YG1061FC	-	3	0.0 %
R02_YG1062FC	-	8	0.1 %
R02_YG1063FC	-	5	0.0 %
R02_YG1064FC	-	3	0.0 %
R02_YG1066FC	-	6	0.0 %
R02_YG1068FC	-	5	0.0 %
R02_YG1069FC	-	7	0.1 %
R02_YG1072FC	-	2	0.0 %
R02_YG1085FC	-	7	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3683-3697 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060FC_RANDOM_09: YG1060FC series random question 9

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060FC to R02_YG1072FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12123	99.6 %
R02_YG1060FC	-	5	0.0 %
R02_YG1061FC	-	8	0.1 %
R02_YG1062FC	-	3	0.0 %
R02_YG1063FC	-	3	0.0 %
R02_YG1064FC	-	6	0.0 %
R02_YG1066FC	-	6	0.0 %
R02_YG1068FC	-	5	0.0 %
R02_YG1069FC	-	5	0.0 %
R02_YG1072FC	-	4	0.0 %
R02_YG1085FC	-	4	0.0 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3698-3712 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060FC_RANDOM_10: YG1060FC series random question 10

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YG1060FC to R02_YG1072FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12129	99.6 %
R02_YG1060FC	-	4	0.0 %
R02_YG1061FC	-	6	0.0 %
R02_YG1062FC	-	1	0.0 %
R02_YG1063FC	-	5	0.0 %
R02_YG1064FC	-	6	0.0 %
R02_YG1066FC	-	2	0.0 %
R02_YG1068FC	-	3	0.0 %
R02_YG1069FC	-	6	0.0 %
R02_YG1072FC	-	5	0.0 %
R02_YG1085FC	-	5	0.0 %

Value	Label	Unweighted Frequency	%
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 3713-3727 (width: 15; decimal: 0)

Variable Type: character

R02_YG1060FC: Smoke filtered cigars because: They are affordable

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . They are affordable.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	24	0.2 %
	Total	49	0.4%

This variable has 49 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3728-3735 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1061FC: Smoke filtered cigars because: People in the media or other public figures smoke them

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . People in the media or other public figures smoke

[CIGARFILL]s.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	35	0.3 %
	Total	49	0.4%

This variable has 49 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3736-3743 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1085FC: Smoke filtered cigars because: I can smoke them in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . I can smoke [CIGARFILL]s at times when or in places where smoking cigarettes isn't allowed.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	43	0.4 %
	Total	49	0.4%

This variable has 49 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3744-3751 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1062FC: Smoke filtered cigars because: They might be less harmful than cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . They might be less harmful than cigarettes.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	41	0.3 %
	Total	49	0.4%

This variable has 49 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3752-3759 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1063FC: Smoke filtered cigars because: They come in flavors I like

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . [CIGARFILL]s come in flavors I like.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

[GOTO: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R02_YG1064FC. Else, youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers, go to R02_YG1066FC.]

[GOTO Specification: IF R02_PAST30DAY_GFILTR = 1 AND R02_YC1112 = 1, 2, 3, 4, 5, GO TO R02_YG1064FC. ELSE, IF R02_PAST30DAY_GFILTR = 1, GO TO R02_YG1066FC.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.2 %
2	2 = No	19	0.2 %
	Total	49	0.4%

This variable has 49 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3760-3767 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1064FC: Smoke filtered cigars because: It helps people to quit smoking cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . Smoking [CIGARFILL]s helps people quit smoking cigarettes.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1 AND R02_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	37	0.3 %
	Total	43	0.4%

This variable has 43 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12129	99.6 %
	Total	12,129	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3768-3775 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1066FC: Smoke filtered cigars because: It feels like smoking a regular cigarette

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . Smoking a [CIGARFILL] feels like smoking a regular cigarette.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	32	0.3 %
	Total	49	0.4%

This variable has 49 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3776-3783 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1068FC: Smoke filtered cigars because: People who are important to me smoke them

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . People who are important to me smoke [CIGARFILL]s.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	39	0.3 %
	Total	49	0.4%

This variable has 49 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3784-3791 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1069FC: Smoke filtered cigars because: I like socializing while smoking them

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . I like socializing while smoking a [CIGARFILL].

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2 %
2	2 = No	27	0.2 %
	Total	49	0.4%

This variable has 49 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3792-3799 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1072FC: Smoke filtered cigars because: The advertising appeals to me

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . . The advertising for [CIGARFILL]s appeals to me.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R02_PAST30DAY_GFILTR = 1.

[GOTO: Youth respondents who have remaining loops to complete for non-blunt cigar types, go back to Box R02_YGT04 and repeat section. Else, youth respondents who have loops to complete for blunt-only cigar types, go back to Box R02_YGT04 and loop through subsections for any blunt-only cigar types. Else, youth respondents who have no more remaining loops to complete

for either cigars or blunts, go to Box R02_YGT03.]

[GOTO Specification: IF LOOP = GFILTR AND THERE ARE BLUNT-ONLY CIGAR LOOPS LEFT TO BE COMPLETED, GO BACK TO BOX R02_YGT04 AND LOOP THROUGH SUBSECTION FOR ANY BLUNT-ONLY CIGAR TYPES. ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED FOR CIGARS OR BLUNTS, GO TO BOX R02_YGT03.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	42	0.3 %
	Total	49	0.4%

This variable has 49 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 3800-3807 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1108TJ: First traditional cigar smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first [CIGARFILL] you smoked [as a blunt] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Traditional cigars for blunts

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or smoking traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview.

ASK Specification: IF LOOP = BTRAD AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BTRAD_YOUTH = 1)).

[GOTO: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was

flavored, go to R02_YG1011TJ. Else, new baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112TJ.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BTRAD_YOUTH = 1)) AND R02_YG1108TJ = 1, GO TO R02_YG1011TJ ELSE, GO TO R02_YG1112TJ.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2 %
2	2 = No	14	0.1 %
3	3 = I don't know	7	0.1 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12130	99.7 %
	Total	12,130	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3808-3815 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TJ_01: Flavor of first traditional cigar smoked as a blunt: Menthol or mint

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Menthol or mint

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BTRAD AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BTRAD_YOUTH = 1)) AND R02_YG1108TJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112TJ.]

[GOTO Specification: GO TO R02_YG1112TJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12151	99.8 %
	Total	12,151	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3816-3823 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TJ_02: Flavor of first traditional cigar smoked as a blunt: Clove or spice

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Clove or spice

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was

flavored.

ASK Specification: IF LOOP = BTRAD AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BTRAD_YOUTH = 1)) AND R02_YG1108TJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112TJ.]

[GOTO Specification: GO TO R02_YG1112TJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12151	99.8 %
	Total	12,151	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3824-3831 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TJ_03: Flavor of first traditional cigar smoked as a blunt: Fruit

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Fruit

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional

cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BTRAD AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BTRAD_YOUTH = 1)) AND R02_YG1108TJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112TJ.]

[GOTO Specification: GO TO R02_YG1112TJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1 %
2	2 = Not Marked	6	0.0 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12151	99.8 %
	Total	12,151	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3832-3839 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TJ_04: Flavor of first traditional cigar smoked as a blunt: Chocolate

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Chocolate

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered

cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BTRAD AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BTRAD_YOUTH = 1)) AND R02_YG1108TJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112TJ.]

[GOTO Specification: GO TO R02_YG1112TJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12151	99.8 %
	Total	12,151	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3840-3847 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TJ_05: Flavor of first traditional cigar smoked as a blunt: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking

traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BTRAD AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BTRAD_YOUTH = 1)) AND R02_YG1108TJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112TJ.]

[GOTO Specification: GO TO R02_YG1112TJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12151	99.8 %
	Total	12,151	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3848-3855 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TJ_06: Flavor of first traditional cigar smoked as a blunt: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered

cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BTRAD AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BTRAD_YOUTH = 1)) AND R02_YG1108TJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112TJ.]

[GOTO Specification: GO TO R02_YG1112TJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12151	99.8 %
	Total	12,151	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3856-3863 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011TJ_07: Flavor of first traditional cigar smoked as a blunt: Some other flavor

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Some other flavor

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose

first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BTRAD AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BTRAD_YOUTH = 1)) AND R02_YG1108TJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112TJ.]

[GOTO Specification: GO TO R02_YG1112TJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12151	99.8 %
	Total	12,151	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3864-3871 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1112TJ: Last time smoked a traditional cigar as a blunt, even one or two puffs

When was the last time you smoked a [CIGARFILL][as a blunt], even one or two puffs?

Traditional cigars for blunts

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or smoked traditional cigars/cigarillos/filtered cigars as blunts-only.

ASK Specification: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have smoked in the past year
(R02_YG9107 = 1 for blunts-only).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	6	0.0 %
2	2 = Not today but sometime in the past 7 days	21	0.2 %
3	3 = Not in the past 7 days but sometime in the past 30 days	8	0.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	14	0.1 %
5	5 = Not in the past 6 months but sometime in the past year	14	0.1 %
6	6 = 1 to 4 years ago	0	0.0 %
7	7 = 5 or more years ago	0	0.0 %
	Total	63	0.5%

This variable has 63 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12108	99.5 %
	Total	12,109	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 3872-3879 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1130TJ: In past 30 days, smoked traditional cigars as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked [as a blunt] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Traditional cigars for blunts

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YG1118TJ.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	14	0.1 %
3	3 = I don't know	2	0.0 %
	Total	35	0.3%

This variable has 35 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12137	99.7 %
	Total	12,137	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3880-3887 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TJ_01: In past 30 days, smoked traditional cigars as blunts flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1130TJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	12	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12153	99.8 %
	Total	12,153	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3888-3895 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TJ_02: In past 30 days, smoked traditional cigars as blunts flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1130TJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	16	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12153	99.8 %
	Total	12,153	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3896-3903 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TJ_03: In past 30 days, smoked traditional cigars as blunts flavored to taste like fruit

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1130TJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1 %
2	2 = Not Marked	4	0.0 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12153	99.8 %
	Total	12,153	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3904-3911 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TJ_04: In past 30 days, smoked traditional cigars as blunts flavored to taste like chocolate

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1130TJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	13	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12153	99.8 %
	Total	12,153	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3912-3919 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TJ_05: In past 30 days, smoked traditional cigars as blunts flavored to taste like an alcohol drink

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1130TJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	13	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12153	99.8 %
	Total	12,153	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3920-3927 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TJ_06: In past 30 days, smoked traditional cigars as a blunt flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1130TJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	11	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12153	99.8 %
	Total	12,153	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3928-3935 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131TJ_07: In past 30 days, smoked traditional cigars as blunts flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Traditional cigars for blunts

Some other flavor

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1130TJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	14	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12153	99.8 %
	Total	12,153	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3936-3943 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1118TJ: In past 30 days, how you usually got your own traditional cigars as a blunt

In the past 30 days, how did you usually get your own [CIGARFILL]s [for when you smoke blunts]?

Traditional cigars for blunts

[If Someone offered it to me (4), I got them some other way (7), Don't Know (-8), or Refused (-7), Go to Box R02_YGR07.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	8	0.1 %
2	2 = I bought them myself from a store (including a cigar bar)	10	0.1 %
3	3 = I asked someone to give me one	6	0.0 %
4	4 = Someone offered it to me	10	0.1 %
5	5 = I bought them from another person	0	0.0 %
6	6 = I took them from a store or another person	1	0.0 %
7	7 = I got them some other way	0	0.0 %
	Total	35	0.3%

This variable has 35 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12137	99.7 %
	Total	12,137	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3944-3951 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1123TJ: In past 30 days, someone refused to sell you traditional cigars for blunts because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s [for blunts] because of your age?

Traditional cigars for blunts

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them, buying themselves from a store, asking someone to give them one, buying from another person, or taking from a store or another person.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1118TJ = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = No	18	0.1 %
	Total	24	0.2%

This variable has 24 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12147	99.8 %
	Total	12,148	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3952-3959 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1030TJ: How you usually buy your traditional cigars for blunts

How do [you/they] usually buy your [CIGARFILL]s [for when you smoke blunts]?

Traditional cigars for blunts

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R02_YG1039TJ.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1.

[DISPLAY: If R02_YG1118TJ = 1, display "they"; If R02_YG1118TJ = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	30	0.2 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	2	0.0 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12137	99.7 %
	Total	12,140	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 3960-3967 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1032TJ: Geographic area where you usually buy traditional cigars for blunts

Do [you/they] usually buy [CIGARFILL]s [for blunts] . . . ?

Traditional cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1118TJ = 1, 2 AND R02_YG1030TJ = 1.

[DISPLAY: If R02_YG1118TJ = 1, display "they"; If R02_YG1118TJ = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	18	0.1 %
2	2 = In another state	0	0.0 %
3	3 = Outside the US	0	0.0 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12154	99.9 %
	Total	12,154	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 3968-3975 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1033TJ: Retail location where your traditional cigars for blunts are bought most of the time

Where do [you/they] buy your [CIGARFILL]s [for blunts] most of the time?

Traditional cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1118TJ = 1, 2 AND R02_YG1030TJ = 1.

[DISPLAY: If R02_YG1118TJ = 2, display option 8'A friend or relative,' if R02_YG1118TJ != 2, hide option 8. If R02_YG1118TJ = 1, display "they"; If R02_YG1118TJ = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	1	0.0 %
2	2 = A convenience store or gas station	15	0.1 %
3	3 = A supermarket, grocery store, or drug store	1	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	17	0.1%

This variable has 17 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12154	99.9 %
	Total	12,155	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 3976-3983 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1039TJ: Usually buy traditional cigars for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s [for blunts]. Did you buy them by the box or pack, or as single [CIGARFILL]s?

Traditional cigars for blunts

[If Single (2), Don't Know (-8), or Refused (-7), Go to R02_YG1034TJ.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1.

[DISPLAY: If R02_YG1118TJ = 2, display "bought". If R02_YG1118TJ = 1, display "gave money to someone else to buy you".]

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	10	0.1 %
2	2 = Single traditional cigars	19	0.2 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12137	99.7 %
	Total	12,143	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 3984-3991 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1040TJ: Number of traditional cigars that come in box or pack usually bought for blunts

How many [CIGARFILL]s came in the box or pack that you last bought [for blunts]?

Traditional cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought

traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1039TJ = 1.

Value	Label	Unweighted Frequency	%
2	-	5	0.0 %
3	-	1	0.0 %
4	-	2	0.0 %
5	-	1	0.0 %
20	-	1	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,162	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 3992-3999 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034TJ_D: Amount paid when last time bought a box of traditional cigars for blunts/pack of traditional cigars for blunts/single traditional cigar for blunts - Dollars

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]?

Traditional cigars for blunts

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1039TJ = 1, 2.

[DISPLAY: If R02_YG1039TJ = 1, display "box or pack of [CIGARFILL]s"; if R02_YG1039TJ = 2, display "single [CIGARFILL]".]

This variable has 26 valid cases out of 12,172 total cases.

- Mean: 3.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 5.87

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12143	99.8 %
	Total	12,146	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4000-4007 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034TJ_C: Amount paid when last time bought a box of traditional cigars for blunts/pack of traditional cigars for blunts/single traditional cigar for blunts - Cents

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]?

Traditional cigars for blunts

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = BTRAD AND R02_30DBLUNT_ONLY_BTRAD = 1 AND R02_YG1039TJ = 1, 2.

[DISPLAY: If R02_YG1039TJ = 1, display "box or pack of [CIGARFILL]s"; if R02_YG1039TJ = 2, display "single [CIGARFILL]".]

This variable has 26 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12146	99.8 %
	Total	12,146	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4008-4015 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1047TJ: Have a regular brand of traditional cigars you usually smoke as blunts

Do you have a regular brand of [CIGARFILL]s that you usually smoke [as blunts]?

Traditional cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	23	0.2 %
2	2 = No	41	0.3 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12108	99.5 %
	Total	12,108	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 4016-4023 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1048TJ_BRAND: Brand of traditional cigars usually / last smoked as blunts

What brand of [CIGARFILL] [do/did] you [usually/last] smoke [as a blunt]?

Traditional cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered

cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1.

[DISPLAY: If R02_YG1047TJ = 1, display "do" and "usually". If R02_YG1047TJ = 2, DK or RF, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1070TJ_PRODUCT. Else, youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1049TJ. Else, youth respondents who did not know or refused to report a brand of traditional cigars/cigarillos/filtered cigars, go to Box R02_YGR08.]

[GOTO Specification: IF R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_YG1048TJ_BRAND != 9995, -8, -7, GO TO R02_YG1070TJ_PRODUCT. ELSE, IF R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_YG1048TJ_BRAND = 9995, GO TO R02_YG1049TJ. ELSE, IF R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_YG1048TJ_BRAND = -8, -7, GO TO BOX R02_YGR08.]

This variable has 52 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12108	99.5 %
	Total	12,120	99.6 %

Percentages for both tables are based on 12,172 total cases.

Location: 4024-4031 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1070TJ_PRODUCT: Sub-brand of traditional cigar product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke [as a blunt]?

Traditional cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BTRAD AND R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_YG1048TJ_BRAND != 9995, -8, -7.

[DISPLAY: If R02_YG1047TJ = 1, display "do" and "usually". If R02_YG1047TJ = 2, -8 or -7, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1071TJ. Else, go to Box R02_YGR08.]

[GOTO Specification: IF R02_12MBLUNT_ONLY_BTRAD = 1 AND R02_YG1048TJ_BRAND != 9995, -8, -7 AND R02_YG1070TJ_PRODUCT = 99995, GO TO R02_YG1071TJ.]

This variable has 44 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12125	99.6 %
	Total	12,128	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 4032-4039 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1108GJ: First cigarillo smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first [CIGARFILL] you smoked [as a blunt] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Cigarillos for blunts

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or smoking traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview.

ASK Specification: IF LOOP = BRILLO AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BRILLO_YOUTH = 1)).

[GOTO: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, go to R02_YG1011GJ. Else, new baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100

or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112GJ.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BRILLO_YOUTH = 1)) AND R02_YG1108GJ = 1, GO TO R02_YG1011GJ. ELSE, GO TO R02_YG1112GJ.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	115	0.9 %
2	2 = No	93	0.8 %
3	3 = I don't know	45	0.4 %
	Total	253	2.1%

This variable has 253 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11919	97.9 %
	Total	11,919	97.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4040-4047 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011GJ_01: Flavor of first cigarillo smoked as a blunt: Menthol or mint

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Menthol or mint

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BRILLO AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BRILLO_YOUTH = 1)) AND R02_YG1108GJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112GJ.]

[GOTO Specification: GO TO R02_YG1112GJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	111	0.9 %
	Total	115	0.9%

This variable has 115 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12057	99.1 %
	Total	12,057	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4048-4055 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011GJ_02: Flavor of first cigarillo smoked as a blunt: Clove or spice

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Clove or spice

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BRILLO AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BRILLO_YOUTH = 1)) AND R02_YG1108GJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112GJ.]

[GOTO Specification: GO TO R02_YG1112GJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	113	0.9 %
	Total	115	0.9%

This variable has 115 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12057	99.1 %
	Total	12,057	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4056-4063 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011GJ_03: Flavor of first cigarillo smoked as a blunt: Fruit

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Fruit

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BRILLO AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR

(R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BRILLO_YOUTH = 1)) AND R02_YG1108GJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112GJ.]

[GOTO Specification: GO TO R02_YG1112GJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	75	0.6 %
2	2 = Not Marked	40	0.3 %
	Total	115	0.9%

This variable has 115 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12057	99.1 %
	Total	12,057	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4064-4071 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011GJ_04: Flavor of first cigarillo smoked as a blunt: Chocolate

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Chocolate

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BRILLO AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BRILLO_YOUTH = 1)) AND R02_YG1108GJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112GJ.]

[GOTO Specification: GO TO R02_YG1112GJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	104	0.9 %
	Total	115	0.9%

This variable has 115 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12057	99.1 %
	Total	12,057	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4072-4079 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011GJ_05: Flavor of first cigarillo smoked as a blunt: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BRILLO AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BRILLO_YOUTH = 1)) AND R02_YG1108GJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112GJ.]

[GOTO Specification: GO TO R02_YG1112GJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	110	0.9 %
	Total	115	0.9%

This variable has 115 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12057	99.1 %
	Total	12,057	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4080-4087 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011GJ_06: Flavor of first cigarillo smoked as a blunt: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was

flavored.

ASK Specification: IF LOOP = BRILLO AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BRILLO_YOUTH = 1)) AND R02_YG1108GJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112GJ.]

[GOTO Specification: GO TO R02_YG1112GJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.2 %
2	2 = Not Marked	89	0.7 %
	Total	115	0.9%

This variable has 115 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12057	99.1 %
	Total	12,057	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4088-4095 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011GJ_07: Flavor of first cigarillo smoked as a blunt: Some other flavor

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Some other flavor

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional

cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BRILLO AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BRILLO_YOUTH = 1)) AND R02_YG1108GJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112GJ.]

[GOTO Specification: GO TO R02_YG1112GJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.2 %
2	2 = Not Marked	95	0.8 %
	Total	115	0.9%

This variable has 115 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12057	99.1 %
	Total	12,057	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4096-4103 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1112GJ: Last time smoked a cigarillo as a blunt, even one or two puffs

When was the last time you smoked a [CIGARFILL][as a blunt], even one or two puffs?

Cigarillos for blunts

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or smoked traditional cigars/cigarillos/filtered cigars as blunts-only.

ASK Specification: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have smoked in the past year (R02_YG9107 = 1 for blunts-only).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	29	0.2 %
2	2 = Not today but sometime in the past 7 days	104	0.9 %
3	3 = Not in the past 7 days but sometime in the past 30 days	86	0.7 %
4	4 = Not in the past 30 days but sometime in the past 6 months	103	0.8 %
5	5 = Not in the past 6 months but sometime in the past year	72	0.6 %
6	6 = 1 to 4 years ago	0	0.0 %
7	7 = 5 or more years ago	0	0.0 %
	Total	394	3.2%

This variable has 394 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11773	96.7 %
	Total	11,778	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4104-4111 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1130GJ: In past 30 days, smoked cigarillos as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked [as a blunt] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Cigarillos for blunts

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YG1118GJ.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	145	1.2 %
2	2 = No	55	0.5 %
3	3 = I don't know	19	0.2 %

Value	Label	Unweighted Frequency	%
	Total	219	1.8%

This variable has 219 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11953	98.2 %
	Total	11,953	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 4112-4119 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131GJ_01: In past 30 days, smoked cigarillos as blunts flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1130GJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	132	1.1 %
	Total	144	1.2%

This variable has 144 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12027	98.8 %

	Missing Data		
	Total	12,028	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4120-4127 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131GJ_02: In past 30 days, smoked cigarillos as blunts flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1130GJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	139	1.1 %
	Total	144	1.2%

This variable has 144 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12027	98.8 %
	Total	12,028	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4128-4135 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131GJ_03: In past 30 days, smoked cigarillos as blunts flavored to taste like fruit

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1130GJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	116	1.0 %
2	2 = Not Marked	28	0.2 %
	Total	144	1.2%

This variable has 144 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12027	98.8 %
	Total	12,028	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4136-4143 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131GJ_04: In past 30 days, smoked cigarillos as blunts flavored to taste like chocolate

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1130GJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.2 %
2	2 = Not Marked	121	1.0 %
	Total	144	1.2%

This variable has 144 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12027	98.8 %
	Total	12,028	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4144-4151 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131GJ_05: In past 30 days, smoked cigarillos as blunts flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1130GJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	137	1.1 %
	Total	144	1.2%

This variable has 144 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12027	98.8 %
	Total	12,028	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4152-4159 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131GJ_06: In past 30 days, smoked cigarillos as a blunt flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1130GJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	54	0.4 %
2	2 = Not Marked	90	0.7 %
	Total	144	1.2%

This variable has 144 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12027	98.8 %
	Total	12,028	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4160-4167 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131GJ_07: In past 30 days, smoked cigarillos as blunts flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Cigarillos for blunts

Some other flavor

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1130GJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.2 %
2	2 = Not Marked	119	1.0 %
	Total	144	1.2%

This variable has 144 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12027	98.8 %
	Total	12,028	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4168-4175 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1118GJ: In past 30 days, how you usually got your own cigarillo as a blunt

In the past 30 days, how did you usually get your own [CIGARFILL]s [for when you smoke blunts]?

Cigarillos for blunts

[If Someone offered it to me (4), I got them some other way (7), Don't Know (-8), or Refused (-7), Go to Box R02_YGR07.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	69	0.6 %
2	2 = I bought them myself from a store (including a cigar bar)	45	0.4 %
3	3 = I asked someone to give me one	13	0.1 %
4	4 = Someone offered it to me	70	0.6 %
5	5 = I bought them from another person	12	0.1 %
6	6 = I took them from a store or another person	3	0.0 %
7	7 = I got them some other way	6	0.0 %
	Total	218	1.8%

This variable has 218 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11953	98.2 %
	Total	11,954	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 4176-4183 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1123GJ: In past 30 days, someone refused to sell you cigarillo for blunts because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s [for blunts] because of your age?

Cigarillos for blunts

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them, buying themselves from a store, asking someone to give them one, buying from another person, or taking from a store or another person.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1118GJ = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	23	0.2 %
2	2 = No	119	1.0 %
	Total	142	1.2%

This variable has 142 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12030	98.8 %
	Total	12,030	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4184-4191 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1030GJ: How you usually buy your cigarillos for blunts

How do [you/they] usually buy your [CIGARFILL]s [for when you smoke blunts]?

Cigarillos for blunts

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R02_YG1039GJ.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1.

[DISPLAY: If R02_YG1118GJ = 1, display "they"; If R02_YG1118GJ = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	184	1.5 %
2	2 = From the internet	3	0.0 %
3	3 = By telephone	13	0.1 %
	Total	200	1.6%

This variable has 200 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11953	98.2 %
	Total	11,972	98.4%

Percentages for both tables are based on 12,172 total cases.

Location: 4192-4199 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1032GJ: Geographic area where you usually buy cigarillos for blunts

Do [you/they] usually buy [CIGARFILL]s [for blunts] . . . ?

Cigarillos for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1118GJ = 1, 2 AND R02_YG1030GJ = 1.

[DISPLAY: If R02_YG1118GJ = 1, display "they"; If R02_YG1118GJ = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	109	0.9 %
2	2 = In another state	0	0.0 %
3	3 = Outside the US	0	0.0 %
	Total	109	0.9%

This variable has 109 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12062	99.1 %
	Total	12,063	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4200-4207 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1033GJ: Retail location where your cigarillos for blunts are bought most of the time

Where do [you/they] buy your [CIGARFILL]s [for blunts] most of the time?

Cigarillos for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered

cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1118GJ = 1, 2 AND R02_YG1030GJ = 1.

[DISPLAY: If R02_YG1118GJ = 2, display option 8'A friend or relative,' if R02_YG1118GJ != 2, hide option 8. If R02_YG1118GJ = 1, display "they"; If R02_YG1118GJ = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	93	0.8 %
3	3 = A supermarket, grocery store, or drug store	5	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	10	0.1 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	1	0.0 %
	Total	109	0.9%

This variable has 109 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12062	99.1 %
	Total	12,063	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4208-4215 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1039GJ: Usually buy cigarillos for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s [for blunts]. Did you buy them by the box or pack, or as single [CIGARFILL]s?

Cigarillos for blunts

[If Single (2), Don't Know (-8), or Refused (-7), Go to R02_YG1034GJ.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1.

[DISPLAY: If R02_YG1118GJ = 2, display "bought". If R02_YG1118GJ = 1, display "gave money to someone else to buy you".]

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	92	0.8 %
2	2 = Single cigarillos	122	1.0 %
	Total	214	1.8%

This variable has 214 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11953	98.2 %
	Total	11,958	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 4216-4223 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1040GJ: Number of cigarillos that come in box or pack usually bought for blunts

How many [CIGARFILL]s came in the box or pack that you last bought [for blunts]?

Cigarillos for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1039GJ = 1.

Value	Label	Unweighted Frequency	%
2	-	60	0.5 %
3	-	18	0.1 %

Value	Label	Unweighted Frequency	%
4	-	4	0.0 %
5	-	2	0.0 %
8	-	1	0.0 %
15	-	1	0.0 %
20	-	1	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %
89	-	1	0.0 %
99	-	1	0.0 %
	Total	92	0.8%

This variable has 92 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,080	99.2%

Percentages for both tables are based on 12,172 total cases.

Location: 4224-4231 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034GJ_D: Amount paid when last time bought a box of cigarillos for blunts/pack of cigarillos for blunts/single cigarillo for blunts - Dollars

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]]?

Cigarillos for blunts

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1039GJ = 1, 2.

[DISPLAY: If R02_YG1039GJ = 1, display "box or pack of [CIGARFILL]s"; if R02_YG1039GJ = 2,

display "single [CIGARFILL]".]

This variable has 189 valid cases out of 12,172 total cases.

- Mean: 3.17
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 10.37

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	24	0.2 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	11958	98.2 %
	Total	11,983	98.4 %

Percentages for both tables are based on 12,172 total cases.

Location: 4232-4239 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034GJ_C: Amount paid when last time bought a box of cigarillos for blunts/pack of cigarillos for blunts/single cigarillo for blunts - Cents

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]?

Cigarillos for blunts

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = BRILLO AND R02_30DBLUNT_ONLY_BRILLO = 1 AND R02_YG1039GJ = 1, 2.

[DISPLAY: If R02_YG1039GJ = 1, display "box or pack of [CIGARFILL]s"; if R02_YG1039GJ = 2, display "single [CIGARFILL]".]

This variable has 190 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11982	98.4 %
	Total	11,982	98.4%

Percentages for both tables are based on 12,172 total cases.

Location: 4240-4247 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1047GJ: Have a regular brand of cigarillos you usually smoke as blunts

Do you have a regular brand of [CIGARFILL]s that you usually smoke [as blunts]?

Cigarillos for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	164	1.3 %
2	2 = No	229	1.9 %
	Total	393	3.2%

This variable has 393 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11773	96.7 %
	Total	11,779	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4248-4255 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1048GJ_BRAND: Brand of cigarillos usually / last smoked as blunts

What brand of [CIGARFILL] [do/did] you [usually/last] smoke [as a blunt]?

Cigarillos for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1.

[DISPLAY: If R02_YG1047GJ = 1, display "do" and "usually". If R02_YG1047GJ = 2, DK or RF, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1070GJ_PRODUCT. Else, youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1049GJ. Else, youth respondents who did not know or refused to report a brand of traditional cigars/cigarillos/filtered cigars, go to Box R02_YGR08.]

[GOTO Specification: IF R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_YG1048GJ_BRAND != 9995, -8, -7, GO TO R02_YG1070GJ_PRODUCT. ELSE, IF R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_YG1048GJ_BRAND = 9995, GO TO R02_YG1049GJ. ELSE, IF R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_YG1048GJ_BRAND = -8, -7, GO TO BOX R02_YGR08.]

This variable has 364 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11773	96.7 %
	Total	11,808	97.0 %

Percentages for both tables are based on 12,172 total cases.

Location: 4256-4263 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1070GJ_PRODUCT: Sub-brand of cigarillo product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke [as a blunt]?

Cigarillos for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BRILLO AND R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_YG1048GJ_BRAND != 9995, -8, -7.

[DISPLAY: If R02_YG1047GJ = 1, display "do" and "usually". If R02_YG1047GJ = 2, -8 or -7, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1071GJ. Else, go to Box R02_YGR08.]

[GOTO Specification: IF R02_12MBLUNT_ONLY_BRILLO = 1 AND R02_YG1048GJ_BRAND != 9995, -8, -7 AND R02_YG1070GJ_PRODUCT = 99995, GO TO R02_YG1071GJ. ELSE, GO TO BOX R02_YGR08.]

This variable has 335 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11828	97.2 %
	Total	11,837	97.2%

Percentages for both tables are based on 12,172 total cases.

Location: 4264-4271 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1108FJ: First filtered cigar smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first [CIGARFILL] you smoked [as a blunt] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Filtered cigars for blunts

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or smoking traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview.

ASK Specification: IF LOOP = BFILTR AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BFILTR_YOUTH = 1)).

[GOTO: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, go to R02_YG1011FJ. Else, new baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever

smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112FJ.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BFILTR_YOUTH = 1)) AND R02_YG1108FJ = 1, GO TO R02_YG1011FJ. ELSE, GO TO R02_YG1112FJ.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	4	0.0 %
3	3 = I don't know	3	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4272-4279 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FJ_01: Flavor of first filtered cigar smoked as a blunt: Menthol or mint

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

Menthol or mint

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BFILTR AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR

(R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BFILTER_YOUTH = 1)) AND R02_YG1108FJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112FJ.]

[GOTO Specification: GO TO R02_YG1112FJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12167	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4280-4287 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FJ_02: Flavor of first filtered cigar smoked as a blunt: Clove or spice

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

Clove or spice

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BFILTR AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BFILTR_YOUTH = 1)) AND R02_YG1108FJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112FJ.]

[GOTO Specification: GO TO R02_YG1112FJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12167	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4288-4295 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FJ_03: Flavor of first filtered cigar smoked as a blunt: Fruit

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

Fruit

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BFILTR AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BFILTR_YOUTH = 1)) AND R02_YG1108FJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112FJ.]

[GOTO Specification: GO TO R02_YG1112FJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	2	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12167	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4296-4303 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FJ_04: Flavor of first filtered cigar smoked as a blunt: Chocolate

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

Chocolate

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was

flavored.

ASK Specification: IF LOOP = BFILTR AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BFILTR_YOUTH = 1)) AND R02_YG1108FJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112FJ.]

[GOTO Specification: GO TO R02_YG1112FJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12167	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4304-4311 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FJ_05: Flavor of first filtered cigar smoked as a blunt: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional

cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BFILTR AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BFILTR_YOUTH = 1)) AND R02_YG1108FJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112FJ.]

[GOTO Specification: GO TO R02_YG1112FJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12167	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4312-4319 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FJ_06: Flavor of first filtered cigar smoked as a blunt: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered

cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BFILTR AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BFILTR_YOUTH = 1)) AND R02_YG1108FJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112FJ.]

[GOTO Specification: GO TO R02_YG1112FJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12167	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4320-4327 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1011FJ_07: Flavor of first filtered cigar smoked as a blunt: Some other flavor

What flavor was that first [CIGARFILL] you smoked [as a blunt]? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

Some other flavor

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored, or continuing youth respondents who initiated smoking

traditional cigars/cigarillos/filtered cigars or traditional cigars/cigarillos/filtered cigars as blunts-only since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar or traditional cigar/cigarillo/filtered cigar as blunt was flavored.

ASK Specification: IF LOOP = BFILTR AND (R02_NEW_BASELINE_YOUTH_LD = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_BLUNT_BFILTR_YOUTH = 1)) AND R02_YG1108FJ = 1.

[GOTO: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R02_YG1005[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, go to R02_YG9040[TC/CL/FC]. Else, youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars as blunts-only, go to R02_YG1112FJ.]

[GOTO Specification: GO TO R02_YG1112FJ.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12167	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4328-4335 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1112FJ: Last time smoked a filtered cigar as a blunt, even one or two puffs

When was the last time you smoked a [CIGARFILL][as a blunt], even one or two puffs?

Filtered cigars for blunts

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars or smoked traditional cigars/cigarillos/filtered cigars as blunts-only.

ASK Specification: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR= 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have smoked in the past year

(R02_YG9107 = 1 for blunts-only).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	1	0.0 %
2	2 = Not today but sometime in the past 7 days	4	0.0 %
3	3 = Not in the past 7 days but sometime in the past 30 days	1	0.0 %
4	4 = Not in the past 30 days but sometime in the past 6 months	4	0.0 %
5	5 = Not in the past 6 months but sometime in the past year	4	0.0 %
6	6 = 1 to 4 years ago	0	0.0 %
7	7 = 5 or more years ago	0	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12158	99.9 %
	Total	12,158	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4336-4343 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1130FJ: In past 30 days, smoked filtered cigars as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked [as a blunt] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Filtered cigars for blunts

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YG1118FJ.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	4	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = I don't know	1	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12166	100.0 %
	Total	12,166	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4344-4351 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FJ_01: In past 30 days, smoked filtered cigars as blunts flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND R02_YG1130FJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,171	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4352-4359 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FJ_02: In past 30 days, smoked filtered cigars as blunts flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND R02_YG1130FJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,171	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4360-4367 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FJ_03: In past 30 days, smoked filtered cigars as blunts flavored to taste like fruit

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed

together, choose all that apply.

Filtered cigars for blunts

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND R02_YG1130FJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,171	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4368-4375 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FJ_04: In past 30 days, smoked filtered cigars as blunts flavored to taste like chocolate

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND R02_YG1130FJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,171	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4376-4383 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FJ_05: In past 30 days, smoked filtered cigars as blunts flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND R02_YG1130FJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,171	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4384-4391 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FJ_06: In past 30 days, smoked filtered cigars as a blunt flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND R02_YG1130FJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,171	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4392-4399 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1131FJ_07: In past 30 days, smoked filtered cigars as blunts flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Filtered cigars for blunts

Some other flavor

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND R02_YG1130FJ = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	1	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,171	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4400-4407 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1118FJ: In past 30 days, how you usually got your own filtered cigars as a blunt

In the past 30 days, how did you usually get your own [CIGARFILL]s [for when you smoke blunts]?

Filtered cigars for blunts

[If Someone offered it to me (4), I got them some other way (7), Don't Know (-8), or Refused (-7), Go to Box R02_YGR07.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	3	0.0 %
2	2 = I bought them myself from a store (including a cigar bar)	0	0.0 %
3	3 = I asked someone to give me one	0	0.0 %
4	4 = Someone offered it to me	2	0.0 %
5	5 = I bought them from another person	0	0.0 %
6	6 = I took them from a store or another person	0	0.0 %
7	7 = I got them some other way	1	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12166	100.0 %
	Total	12,166	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4408-4415 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1123FJ: In past 30 days, someone refused to sell you filtered cigars for blunts because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s [for blunts] because of your age?

Filtered cigars for blunts

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them, buying themselves from a store, asking someone to give them one, buying from another person, or taking from a store or another person.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND R02_YG1118FJ = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	3	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12169	100.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4416-4423 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1030FJ: How you usually buy your filtered cigars for blunts

How do [you/they] usually buy your [CIGARFILL]s [for when you smoke blunts]?

Filtered cigars for blunts

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R02_YG1039FJ.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1.

[DISPLAY: If R02_YG1118FJ = 1, display "they"; If R02_YG1118FJ = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	5	0.0 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12166	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4424-4431 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1032FJ: Geographic area where you usually buy filtered cigars for blunts

Do [you/they] usually buy [CIGARFILL]s [for blunts] . . . ?

Filtered cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND R02_YG1118FJ = 1, 2 AND R02_YG1030FJ = 1.

[DISPLAY: If R02_YG1118FJ = 1, display "they"; If R02_YG1118FJ = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	3	0.0 %
2	2 = In another state	0	0.0 %
3	3 = Outside the US	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12169	100.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4432-4439 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1033FJ: Retail location where your filtered cigars for blunts are bought most of the time

Where do [you/they] buy your [CIGARFILL]s [for blunts] most of the time?

Filtered cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND R02_YG1118FJ = 1, 2 AND R02_YG1030FJ = 1.

[DISPLAY: If R02_YG1118FJ = 2, display option 8'A friend or relative,' if R02_YG1118FJ != 2, hide option 8. If R02_YG1118FJ = 1, display "they"; If R02_YG1118FJ = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	1	0.0 %
2	2 = A convenience store or gas station	1	0.0 %
3	3 = A supermarket, grocery store, or drug store	0	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	1	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12169	100.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4440-4447 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1039FJ: Usually buy filtered cigars for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s [for blunts]. Did you buy them by the box or pack, or as single [CIGARFILL]s?

Filtered cigars for blunts

[If Single (2), Don't Know (-8), or Refused (-7), Go to R02_YG1034FJ.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1.

[DISPLAY: If R02_YG1118FJ = 2, display "bought". If R02_YG1118FJ = 1, display "gave money to someone else to buy you".]

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	3	0.0 %
2	2 = Single filtered cigars	3	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12166	100.0 %
	Total	12,166	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4448-4455 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1040FJ: Number of filtered cigars that come in box or pack usually bought for blunts

How many [CIGARFILL]s came in the box or pack that you last bought [for blunts]?

Filtered cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND R02_YG1039FJ = 1.

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
36	-	1	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12169	100.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4456-4463 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034FJ_D: Amount paid when last time bought a box of filtered cigars for blunts/pack of filtered cigars for blunts/single filtered cigar for blunts - Dollars

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]]?

Filtered cigars for blunts

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND YG1039FJ = 1, 2.

[DISPLAY: If R02_YG1039FJ = 1, display "box or pack of [CIGARFILL]s"; if R02_YG1039FJ = 2, display "single [CIGARFILL]".]

This variable has 5 valid cases out of 12,172 total cases.

- Mean: 6.00
- Median: 5.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 8.22

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12166	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4464-4471 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1034FJ_C: Amount paid when last time bought a box of filtered cigars for blunts/pack of filtered cigars for blunts/single filtered cigar for blunts - Cents

How much did you pay for a [[box or pack of [CIGARFILL]s/single [CIGARFILL]]]?

Filtered cigars for blunts

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, or youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and last bought traditional cigars/cigarillos/filtered cigars by the box or pack or as single cigars.

ASK Specification: IF LOOP = BFILTR AND R02_30DBLUNT_ONLY_BFILTR = 1 AND YG1039FJ = 1, 2.

[DISPLAY: If R02_YG1039FJ = 1, display "box or pack of [CIGARFILL]s"; if R02_YG1039FJ = 2, display "single [CIGARFILL]".]

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12167	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4472-4479 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YG1047FJ: Have a regular brand of filtered cigars you usually smoke as blunts

Do you have a regular brand of [CIGARFILL]s that you usually smoke [as blunts]?

Filtered cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	11	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12158	99.9 %
	Total	12,158	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4480-4487 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1048FJ_BRAND: Brand of filtered cigars usually / last smoked as blunts

What brand of [CIGARFILL] [do/did] you [usually/last] smoke [as a blunt]?

Filtered cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1.

[DISPLAY: If R02_YG1047FJ = 1, display "do" and "usually". If R02_YG1047FJ = 2, DK or RF, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1070FJ_PRODUCT. Else, youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected

"Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1049FJ. Else, youth respondents who did not know or refused to report a brand of traditional cigars/cigarillos/filtered cigars, go to Box R02_YGR08.]

[GOTO Specification: IF R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_YG1048FJ_BRAND != 9995, -8, -7, GO TO R02_YG1070FJ_PRODUCT. ELSE, IF R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_YG1048FJ_BRAND = 9995, GO TO R02_YG1049FJ. ELSE, IF R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_YG1048FJ_BRAND = -8, -7, GO TO BOX R02_YGR08.]

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12158	99.9 %
	Total	12,160	99.9 %

Percentages for both tables are based on 12,172 total cases.

Location: 4488-4495 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG1070FJ_PRODUCT: Sub-brand of filtered cigar product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke [as a blunt]?

Filtered cigars for blunts

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BFILTR AND R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_YG1048FJ_BRAND != 9995, -8, -7.

[DISPLAY: If R02_YG1047FJ = 1, display "do" and "usually". If R02_YG1047FJ = 2, -8 or -7, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers or blunt-only traditional cigar/cigarillo/filtered cigar smokers and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars, go to R02_YG1071FJ. Else, go to Box R02_YGR08.]

[GOTO Specification: IF R02_12MBLUNT_ONLY_BFILTR = 1 AND R02_YG1048FJ_BRAND != 9995, -8, -7 AND R02_YG1070FJ_PRODUCT = 99995, GO TO R02_YG1071FJ. ELSE, GO TO BOX R02_YGR08.]

This variable has 8 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12163	99.9 %
	Total	12,164	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4496-4503 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9124: Likeliness of someone getting addicted to traditional cigars

[Bo R02_YGT03 - The next questions ask about traditional cigars, cigarillos and filtered cigars that are filled with tobacco.

Please do not think about "blunts", cigars filled with marijuana, when answering these questions.]

How likely is someone to become addicted to traditional cigars?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	415	3.4 %
2	2 = Somewhat unlikely	606	5.0 %
3	3 = Neither likely nor unlikely	1175	9.7 %
4	4 = Somewhat likely	4219	34.7 %
5	5 = Very likely	4603	37.8 %
	Total	11,018	90.5%

This variable has 11,018 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	449	3.7 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	689	5.7 %
	Total	1,154	9.5%

Percentages for both tables are based on 12,172 total cases.

Location: 4504-4511 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9097: Harmfulness of smoking traditional cigars compared to cigarettes

Is smoking traditional cigars less harmful, about the same, or more harmful than smoking cigarettes?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	927	7.6 %
2	2 = About the same	6191	50.9 %
3	3 = More harmful	3294	27.1 %
	Total	10,412	85.5%

This variable has 10,412 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	1040	8.5 %
-7	-7 = Refused	30	0.2 %
-1	-1 = Inapplicable	689	5.7 %
	Total	1,760	14.5%

Percentages for both tables are based on 12,172 total cases.

Location: 4512-4519 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9025: How much people harm themselves when they smoke traditional cigars

How much do you think people harm themselves when they smoke traditional cigars?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = No harm	132	1.1 %
2	2 = A little harm	718	5.9 %
3	3 = Some harm	3110	25.6 %
4	4 = A lot of harm	7327	60.2 %
	Total	11,287	92.7%

This variable has 11,287 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	181	1.5 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	689	5.7 %
	Total	885	7.3%

Percentages for both tables are based on 12,172 total cases.

Location: 4520-4527 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9146: Ease of smoking flavored traditional cigars compared to unflavored traditional cigars

Some traditional cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Are flavored traditional cigars easier to smoke, about the same, or harder to smoke than unflavored traditional cigars?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1878	15.4 %
2	2 = About the same	6253	51.4 %
3	3 = Harder to smoke	1159	9.5 %
	Total	9,290	76.3%

This variable has 9,290 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	2127	17.5 %
-7	-7 = Refused	65	0.5 %
-1	-1 = Inapplicable	689	5.7 %
	Total	2,882	23.7%

Percentages for both tables are based on 12,172 total cases.

Location: 4528-4535 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9125: Likeliness of someone getting addicted to cigarillos

How likely is someone to become addicted to cigarillos?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	279	2.3 %
2	2 = Somewhat unlikely	447	3.7 %
3	3 = Neither likely nor unlikely	1153	9.5 %
4	4 = Somewhat likely	4228	34.7 %
5	5 = Very likely	4806	39.5 %
	Total	10,913	89.7%

This variable has 10,913 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	554	4.6 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	689	5.7 %
	Total	1,259	10.3%

Percentages for both tables are based on 12,172 total cases.

Location: 4536-4543 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9098: Harmfulness of smoking cigarillos compared to cigarettes

Is smoking cigarillos less harmful, about the same, or more harmful than smoking cigarettes?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	657	5.4 %
2	2 = About the same	7514	61.7 %
3	3 = More harmful	2091	17.2 %
	Total	10,262	84.3%

This variable has 10,262 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	1195	9.8 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	689	5.7 %
	Total	1,910	15.7%

Percentages for both tables are based on 12,172 total cases.

Location: 4544-4551 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9026: How much people harm themselves when they smoke cigarillos

How much do you think people harm themselves when they smoke cigarillos?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = No harm	125	1.0 %
2	2 = A little harm	664	5.5 %
3	3 = Some harm	3420	28.1 %

Value	Label	Unweighted Frequency	%
4	4 = A lot of harm	7012	57.6 %
	Total	11,221	92.2%

This variable has 11,221 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	254	2.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	689	5.7 %
	Total	951	7.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4552-4559 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9147: Ease of smoking flavored cigarillos compared to unflavored cigarillos

Some cigarillos come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Are flavored cigarillos easier to smoke, about the same, or harder to smoke than unflavored cigarillos?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1913	15.7 %
2	2 = About the same	6338	52.1 %
3	3 = Harder to smoke	1095	9.0 %
	Total	9,346	76.8%

This variable has 9,346 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	2075	17.0 %
-7	-7 = Refused	61	0.5 %

	Missing Data		
-1	-1 = Inapplicable	689	5.7 %
	Total	2,826	23.2%

Percentages for both tables are based on 12,172 total cases.

Location: 4560-4567 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9126: Likelihood of someone getting addicted to filtered cigars

How likely is someone to become addicted to filtered cigars?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	254	2.1 %
2	2 = Somewhat unlikely	409	3.4 %
3	3 = Neither likely nor unlikely	1214	10.0 %
4	4 = Somewhat likely	4342	35.7 %
5	5 = Very likely	4759	39.1 %
	Total	10,978	90.2%

This variable has 10,978 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	490	4.0 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	689	5.7 %
	Total	1,194	9.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4568-4575 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9099: Harmfulness of smoking filtered cigars compared to cigarettes

Is smoking filtered cigars less harmful, about the same, or more harmful than smoking cigarettes?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1086	8.9 %
2	2 = About the same	7394	60.7 %
3	3 = More harmful	1846	15.2 %
	Total	10,326	84.8%

This variable has 10,326 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	1119	9.2 %
-7	-7 = Refused	37	0.3 %
-1	-1 = Inapplicable	689	5.7 %
	Total	1,846	15.2%

Percentages for both tables are based on 12,172 total cases.

Location: 4576-4583 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9027: How much people harm themselves when they smoke filtered cigars

How much do you think people harm themselves when they smoke filtered cigars?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = No harm	127	1.0 %
2	2 = A little harm	838	6.9 %
3	3 = Some harm	3813	31.3 %
4	4 = A lot of harm	6444	52.9 %
	Total	11,222	92.2%

This variable has 11,222 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	248	2.0 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	689	5.7 %
	Total	950	7.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4584-4591 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YG9148: Ease of smoking flavored filtered cigars compared to unflavored filtered cigars

Some filtered cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Are flavored filtered cigars easier to smoke, about the same, or harder to smoke than unflavored filtered cigars?

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9101_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1887	15.5 %
2	2 = About the same	6403	52.6 %
3	3 = Harder to smoke	1129	9.3 %
	Total	9,419	77.4%

This variable has 9,419 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	2001	16.4 %
-7	-7 = Refused	62	0.5 %
-1	-1 = Inapplicable	689	5.7 %
	Total	2,753	22.6%

Percentages for both tables are based on 12,172 total cases.

Location: 4592-4599 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1001_NB: Ever seen or heard of a pipe before this study

[Box R02_YPT01 - The next set of questions are about smoking tobacco in a pipe. Pipes come in many shapes and sizes. They all have a bowl that holds the tobacco and a stem. Pipe tobacco is often sold loose in packages or tins. In the following section, we are only asking about smoking pipes filled with tobacco. The picture below shows a typical pipe and some pipe tobacco.]

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

[Box R02_YPR02 - New baseline youth respondents, go to R02_YP1001_NB. Else, go to R02_YP1002_12M. IF R02_NEW_BASELINE_YOUTH_LD = 1, GO TO R02_YP1001_NB. ELSE, GO TO R02_YP1002_12M.]

Have you ever seen or heard of a pipe before this study?

[If No (2) or Don't Know (-8) or Refused (-7), Go to R02_YHT01.]

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1569	12.9 %
2	2 = No	512	4.2 %
	Total	2,081	17.1%

This variable has 2,081 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,091	82.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4600-4607 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1002_NB: Ever smoked a pipe filled with tobacco, even one or two puffs

Have you ever smoked a pipe filled with tobacco, even one or two puffs?

[Go to R02_YPV01]

ASK: New baseline youth respondents who have ever seen or heard of a pipe.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YP1001_NB = 1.

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	1557	12.8 %
	Total	1,568	12.9%

This variable has 1,568 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10603	87.1 %
	Total	10,604	87.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4608-4615 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1002_12M: In past 12 months, smoked a pipe filled with tobacco, even one or two puffs

In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

Value	Label	Unweighted Frequency	%
1	1 = Yes	83	0.7 %
2	2 = No	9964	81.9 %
	Total	10,047	82.5%

This variable has 10,047 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	16	0.1 %

	Missing Data		
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,125	17.5%

Percentages for both tables are based on 12,172 total cases.

Location: 4616-4623 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1112: Last time smoked a pipe, even one or two puffs

[PROGRAM NOTE: See Box R02_YPV01 and R02_YPR01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

When was the last time you smoked a pipe, even one or two puffs?

[If more than 30 days ago (4-7) or Don't Know (-8) or Refused (-7), Go to R02_YHT01.]

ASK: Youth respondents who have ever smoked a pipe.

ASK Specification: IF R02_EVER_USER_PIPE = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have smoked in the past year (R02_YP1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	6	0.0 %
2	2 = Not today but sometime in the past 7 days	9	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	14	0.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	34	0.3 %
5	5 = Not in the past 6 months but sometime in the past year	43	0.4 %
6	6 = 1 to 4 years ago	36	0.3 %
7	7 = 5 or more years ago	29	0.2 %
	Total	171	1.4%

This variable has 171 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11958	98.2 %
	Total	12,001	98.6%

Percentages for both tables are based on 12,172 total cases.

Location: 4624-4631 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1022: In past 30 days, number of days smoked a pipe

[Box R02_YPV02 - R02_PAST30DAY_PIPE = "Past 30 day pipe smokers" Youth respondents who have smoked a pipe in the past 30 days.

R02_PAST30DAY_PIPE: IF R02_YP1112 = 1 OR 2 OR 3, THEN R02_PAST30DAY_PIPE = 1. ELSE, R02_PAST30DAY_PIPE = 2.]

In the past 30 days, on how many days did you smoke a pipe?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R02_PAST30DAY_PIPE = 1.

[PROGRAM: Soft range check: 1-30 days]

This variable has 28 valid cases out of 12,172 total cases.

- Mean: 9.18
- Median: 4.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 10.69

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12143	99.8 %
	Total	12,144	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4632-4639 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YP1023: In past 30 days, number of bowls filled with pipe tobacco smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a pipe, how many bowls filled with tobacco did you smoke per day?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R02_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 bowl per day	11	0.1 %
2	2 = 1 bowl per day	5	0.0 %
3	3 = 2 to 5 bowls per day	3	0.0 %
4	4 = 6 to 10 bowls per day	5	0.0 %
5	5 = 11 to 20 bowls per day	2	0.0 %
6	6 = More than 20 bowls per day	3	0.0 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12143	99.8 %
	Total	12,143	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4640-4647 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1118: In past 30 days, how you usually got your own pipe tobacco

In the past 30 days, how did you usually get your own pipe tobacco?

[If someone offered it to you (4) or you got it some other way (7) or Don't Know (-8) or Refused (-7), Go to R02_YHT01.]

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R02_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	7	0.1 %
2	2 = I bought it myself from a store	3	0.0 %
3	3 = I asked someone to give me some	6	0.0 %
4	4 = Someone offered it to me	9	0.1 %
5	5 = I bought it from another person	1	0.0 %

Value	Label	Unweighted Frequency	%
6	6 = I took it from a store or another person	1	0.0 %
7	7 = I got it some other way	2	0.0 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12143	99.8 %
	Total	12,143	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4648-4655 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1123: In past 30 days, someone refused to sell you pipe tobacco because of your age

In the past 30 days, did anyone refuse to sell you pipe tobacco because of your age?

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them, buying themselves from a store, asking someone to give them some, buying from another person, or taking from a store or another person.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND R02_YP1118 = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	9	0.1 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12154	99.9 %
	Total	12,154	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4656-4663 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1098: In past 30 days, how often used a coupon when buying pipe tobacco

[Box R02_YPR03 - Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by buying themselves from a store, go to R02_YP1098. Else, youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them, go to R02_YP1030. Else, go to Box R02_YHT01.

IF R02_PAST30DAY_PIPE = 1 AND R02_YP1118 = 2, GO TO R02_YP1098. ELSE, IF R02_PAST30DAY_PIPE = 1 AND R02_YP1118 = 1, GO TO R02_YP1030. ELSE, GO TO BOX R02_YHT01.]

In the past 30 days, how often have you used a coupon when buying pipe tobacco?

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND R02_YP1118 = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	0	0.0 %
2	2 = Sometimes	0	0.0 %
3	3 = Rarely	1	0.0 %
4	4 = Never	2	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12169	100.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4664-4671 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1030: How you usually buy your pipe tobacco

[When you give money to someone else, how do they/How do you] usually buy your

pipe tobacco?

[If from the internet (2), by telephone (3), by Don't Know (-8), or Refused (-7),
Go to R02_YP1034.]

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND R02_YP1118 = 1, 2.

DISPLAY: If R02_YP1118 = 1, display "When you give money to someone else, how do they"; If R02_YP1118 = 2, display "How do you"].]

Value	Label	Unweighted Frequency	%
1	1 = In person	8	0.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	2	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,162	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4672-4679 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1032: Geographic area where you usually buy pipe tobacco

Do [you/they] usually buy pipe tobacco . . . ?

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND R02_YP1118 = 1, 2 AND R02_YP1030 = 1.

[DISPLAY: If R02_YP1118 = 1, display "they"; If R02_YP1118 = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	7	0.1 %
2	2 = In another state	0	0.0 %
3	3 = Outside the US	1	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12164	99.9 %
	Total	12,164	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4680-4687 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1033: Retail location where your pipe tobacco are bought most of the time

Where do [you/they] buy your pipe tobacco most of the time?

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND R02_YP1118 = 1, 2 AND R02_YP1030 = 1.

[DISPLAY: If R02_YP1118 = 1, display "they"; If R02_YP1118=2, display "you".
If R02_YP1118 = 2, display option 7 ='A friend or relative,' if R02_YP1118 != 2, hide option 7.]

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	4	0.0 %
2	2 = A supermarket, grocery store, or drug store	1	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	1	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	0	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	0	0.0 %

Value	Label	Unweighted Frequency	%
	Total	6	0.0%

This variable has 6 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12164	99.9 %
	Total	12,166	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4688-4695 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YP1034_D: Amount paid when last time bought pipe tobacco - Dollars

Think about the last time you [bought/gave money to someone else to buy you] pipe tobacco.
How much did you pay for it?

_____ Dollars

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND R02_YP1118 = 1, 2.

[DISPLAY: If R02_YP1118 = 1, display "gave money to someone else to buy you". If R02_YP1118 = 2, display "bought".]

This variable has 10 valid cases out of 12,172 total cases.

- Mean: 12.80
- Median: 10.00
- Mode: 10.00
- Minimum: 2.00
- Maximum: 40.00
- Standard Deviation: 11.51

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12162	99.9 %

	Missing Data		
	Total	12,162	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4696-4703 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YP1034_C: Amount paid when last time bought pipe tobacco - Cents

Think about the last time you [bought/gave money to someone else to buy you] pipe tobacco.

How much did you pay for it?

_____ Cents

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND R02_YP1118 = 1, 2.

[DISPLAY: If R02_YP1118 = 1, display "gave money to someone else to buy you". If R02_YP1118 = 2, display "bought".]

This variable has 10 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,162	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4704-4711 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YH1001_NB: Ever seen or heard of a hookah before this study

[Box R02_YHT01 - The next questions are about smoking tobacco in a hookah, which is a type of water pipe. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe. There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafés or in hookah bars. People smoke shisha or hookah tobacco in a hookah. Shisha comes in many different flavors. Some types of shisha contain tobacco and some do not.]

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

[Box R02_YHR01 - New baseline youth respondents, go to R02_YH1001_NB. Else, go to

R02_YH1002_12M.

IF R02_NEW_BASELINE_YOUTH_LD = 1, GO TO R02_YH1001_NB. ELSE, GO TO R02_YH1002_12M.]

Have you ever seen or heard of a hookah before this study?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YST01.]

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	784	6.4 %
2	2 = No	1302	10.7 %
	Total	2,086	17.1%

This variable has 2,086 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,086	82.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4712-4719 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1002_NB: Ever smoked tobacco in a hookah, even one or two puffs

Have you ever smoked tobacco in a hookah, even one or two puffs?

[Go to R02_YHV01.]

ASK: New baseline youth respondents who have ever seen or heard of a hookah.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YH1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	771	6.3 %
	Total	783	6.4%

This variable has 783 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11388	93.6 %
	Total	11,389	93.6%

Percentages for both tables are based on 12,172 total cases.

Location: 4720-4727 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1002_12M: In past 12 months, smoked tobacco in a hookah, even one or two puffs

In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	512	4.2 %
2	2 = No	9552	78.5 %
	Total	10,064	82.7%

This variable has 10,064 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,108	17.3%

Percentages for both tables are based on 12,172 total cases.

Location: 4728-4735 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1103: Ever been curious about smoking tobacco in a hookah

[PROGRAM NOTE: See Box R02_YHV01 and R02_YHR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever been curious about smoking tobacco in a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never used hookah, or continuing youth respondents who have never used hookah.

ASK Specification: IF R02_YH1001_NB != 2, -8, -7 AND R02_EVER_USER_HOOK = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	283	2.3 %
2	2 = Somewhat curious	516	4.2 %
3	3 = A little curious	1423	11.7 %
4	4 = Not at all curious	7817	64.2 %
	Total	10,039	82.5%

This variable has 10,039 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	2107	17.3 %
	Total	2,133	17.5%

Percentages for both tables are based on 12,172 total cases.

Location: 4736-4743 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1206: Think you will smoke hookah tobacco in the next year

Do you think you will smoke tobacco in a hookah in the next year?

[If Probably not (3), Definitely not (4), Don't Know (-8), or Refused (-7), Go to R02_YH1105.]

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never used hookah, or continuing youth respondents who have never used hookah.

ASK Specification: IF R02_YH1001_NB != 2, -8, -7 AND R02_EVER_USER_HOOK = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	44	0.4 %
2	2 = Probably yes	251	2.1 %
3	3 = Probably not	1502	12.3 %
4	4 = Definitely not	8259	67.9 %

Value	Label	Unweighted Frequency	%
	Total	10,056	82.6%

This variable has 10,056 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	2107	17.3 %
	Total	2,116	17.4%

Percentages for both tables are based on 12,172 total cases.

Location: 4744-4751 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1104: Think you will try smoking tobacco in a hookah soon

Do you think you will try smoking tobacco in a hookah soon?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never used hookah, or continuing youth respondents who have never used hookah, and will definitely or probably smoke hookah in the next year.

ASK Specification: IF R02_YH1001_NB != 2, -8, -7 AND R02_EVER_USER_HOOK = 2 AND R02_YH1206 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	29	0.2 %
2	2 = Probably yes	121	1.0 %
3	3 = Probably not	123	1.0 %
4	4 = Definitely not	21	0.2 %
	Total	294	2.4%

This variable has 294 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11877	97.6 %
	Total	11,878	97.6%

Percentages for both tables are based on 12,172 total cases.

Location: 4752-4759 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1105: Would smoke a hookah if one of your best friends offered you one

If one of your best friends were to offer you a hookah, would you try it?

[Go to R02_YH9041.]

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never used hookah, or continuing youth respondents who have never used hookah.

ASK Specification: IF R02_YH1001_NB != 2, -8, -7 AND R02_EVER_USER_HOOK = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	144	1.2 %
2	2 = Probably yes	613	5.0 %
3	3 = Probably not	1609	13.2 %
4	4 = Definitely not	7682	63.1 %
	Total	10,048	82.6%

This variable has 10,048 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	2107	17.3 %
	Total	2,124	17.4%

Percentages for both tables are based on 12,172 total cases.

Location: 4760-4767 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YH1006_NB: DERIVED - Age range when first tried smoking hookah, even one or two puffs (3 levels)

Long Description: How old were you when you first tried smoking hookah, even one or two puffs?

Original Variables: R02_YH1006_NB, R02_YH1120_NB

Algorithm: IF R02_YH1120_NB = 1 OR (0<=R02_YH1006_NB<=11) THEN R02R_Y_YH1006_NB = 1; ELSE IF R02_YH1120_NB = 2 OR (12<=R02_YH1006_NB<=14) THEN R02R_Y_YH1006_NB = 2; ELSE IF

R02_YH1120_NB = 3 OR (15<=R02_YH1006_NB<=17) THEN R02R_Y_YH1006_NB = 3; ELSE IF R02_YH1006_NB = -9 OR R02_YH1120_NB = -9 THEN R02R_Y_YH1006_NB = -99999; ELSE IF R02_YH1006_NB = -8 OR R02_YH1120_NB = -8 THEN R02R_Y_YH1006_NB = -99988; ELSE IF R02_YH1006_NB = -7 OR R02_YH1120_NB = -7 THEN R02R_Y_YH1006_NB = -99977; ELSE IF R02_YH1006_NB = -5 THEN R02R_Y_YH1006_NB = -99955; ELSE IF R02_YH1006_NB = -1 OR R02_YH1120_NB = -1 THEN R02R_Y_YH1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	4	0.0 %
2	2 = 12 to 14 years old	8	0.1 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12160	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4768-4775 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YH1108: First shisha or hookah tobacco used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YH1005.]

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have initiated hookah smoking since their last completed interview.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_HOOK = 1) OR R02_INIT_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	233	1.9 %
2	2 = No	29	0.2 %
3	3 = I don't know	41	0.3 %
	Total	303	2.5%

This variable has 303 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11869	97.5 %
	Total	11,869	97.5%

Percentages for both tables are based on 12,172 total cases.

Location: 4776-4783 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1011_01: Flavor of first shisha or hookah tobacco smoked: Menthol or mint

What flavor was that first shisha or hookah tobacco you smoked? If multiple flavors were mixed together, choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R02_YH1108 = 1) OR (R02_INIT_HOOK_YOUTH = 1 AND R02_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.4 %
2	2 = Not Marked	183	1.5 %
	Total	232	1.9%

This variable has 232 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11939	98.1 %
	Total	11,940	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4784-4791 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1011_02: Flavor of first shisha or hookah tobacco smoked: Clove or spice

What flavor was that first shisha or hookah tobacco you smoked? If multiple flavors were mixed together, choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R02_YH1108 = 1) OR (R02_INIT_HOOK_YOUTH = 1 AND R02_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	226	1.9 %
	Total	232	1.9%

This variable has 232 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11939	98.1 %
	Total	11,940	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4792-4799 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1011_03: Flavor of first shisha or hookah tobacco smoked: Fruit

What flavor was that first shisha or hookah tobacco you smoked? If multiple flavors were mixed

together, choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R02_YH1108 = 1) OR (R02_INIT_HOOK_YOUTH = 1 AND R02_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	159	1.3 %
2	2 = Not Marked	73	0.6 %
	Total	232	1.9%

This variable has 232 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11939	98.1 %
	Total	11,940	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4800-4807 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1011_04: Flavor of first shisha or hookah tobacco smoked: Chocolate

What flavor was that first shisha or hookah tobacco you smoked? If multiple flavors were mixed together, choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R02_YH1108 = 1) OR (R02_INIT_HOOK_YOUTH = 1 AND R02_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.2 %
2	2 = Not Marked	210	1.7 %
	Total	232	1.9%

This variable has 232 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11939	98.1 %
	Total	11,940	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4808-4815 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1011_05: Flavor of first shisha or hookah tobacco smoked: An alcoholic drink

What flavor was that first shisha or hookah tobacco you smoked? If multiple flavors were mixed together, choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R02_YH1108 = 1) OR (R02_INIT_HOOK_YOUTH = 1 AND R02_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	223	1.8 %
	Total	232	1.9%

This variable has 232 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11939	98.1 %
	Total	11,940	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4816-4823 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1011_06: Flavor of first shisha or hookah tobacco smoked: Candy or other sweets

What flavor was that first shisha or hookah tobacco you smoked? If multiple flavors were mixed together, choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R02_YH1108 = 1) OR (R02_INIT_HOOK_YOUTH = 1 AND R02_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	69	0.6 %
2	2 = Not Marked	163	1.3 %
	Total	232	1.9%

This variable has 232 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11939	98.1 %
	Total	11,940	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4824-4831 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1011_07: Flavor of first shisha or hookah tobacco smoked: Some other flavor

What flavor was that first shisha or hookah tobacco you smoked? If multiple flavors were mixed together, choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_HOOK = 1 AND R02_YH1108 = 1) OR (R02_INIT_HOOK_YOUTH = 1 AND R02_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.2 %
2	2 = Not Marked	211	1.7 %
	Total	232	1.9%

This variable has 232 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11939	98.1 %
	Total	11,940	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4832-4839 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1005: Number of times smoked tobacco in a hookah in entire life

How many times have you smoked tobacco in a hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and have initiated hookah smoking since their last completed interview or had not smoked 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_HOOK = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_HOOK = 1 AND (R02_INIT_HOOK_YOUTH = 1 OR R01_YH1005 != 6)).

Value	Label	Unweighted Frequency	%
1	1 = 1	269	2.2 %
2	2 = 2 to 10	258	2.1 %

Value	Label	Unweighted Frequency	%
3	3 = 11 to 20	81	0.7 %
4	4 = 21 to 50	51	0.4 %
5	5 = 51 to 99	16	0.1 %
6	6 = 100 or more	24	0.2 %
	Total	699	5.7%

This variable has 699 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	58	0.5 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	11395	93.6 %
	Total	11,473	94.3%

Percentages for both tables are based on 12,172 total cases.

Location: 4840-4847 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1100: Ever smoked a hookah fairly regularly

Have you ever smoked hookah fairly regularly?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YH1112.]

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R02_EVER_USER_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	106	0.9 %
2	2 = No	687	5.6 %
	Total	793	6.5%

This variable has 793 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11373	93.4 %

	Missing Data		
	Total	11,379	93.5%

Percentages for both tables are based on 12,172 total cases.

Location: 4848-4855 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YH1007: DERIVED - Age range when first started smoking a hookah fairly regularly (3 levels)

Long Description: How old were you when you first started smoking hookah fairly regularly?

Original Variables: R02_YH1007, R02_YH1121

Algorithm: IF R02_YH1121 = 1 OR (0<=R02_YH1007<=11) THEN R02R_Y_YH1007 = 1; ELSE IF R02_YH1121 = 2 OR (12<=R02_YH1007<=14) THEN R02R_Y_YH1007 = 2; ELSE IF R02_YH1121 = 3 OR (15<=R02_YH1007<=17) THEN R02R_Y_YH1007 = 3; ELSE IF R02_YH1007 = -9 OR R02_YH1121 = -9 THEN R02R_Y_YH1007 = -99999; ELSE IF R02_YH1007 = -8 OR R02_YH1121 = -8 THEN R02R_Y_YH1007 = -99988; ELSE IF R02_YH1007 = -7 OR R02_YH1121 = -7 THEN R02R_Y_YH1007 = -99977; ELSE IF R02_YH1007 = -5 THEN R02R_Y_YH1007 = -99955; ELSE IF R02_YH1007 = -1 OR R02_YH1121 = -1 THEN R02R_Y_YH1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	11	0.1 %
2	2 = 12 to 14 years old	45	0.4 %
3	3 = 15 to 17 years old	50	0.4 %
	Total	106	0.9%

This variable has 106 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12066	99.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,066	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4856-4863 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YH1112: Last time smoked tobacco in a hookah, even one or two puffs

When was the last time you smoked tobacco in a hookah, even one or two puffs?

[If more than one year ago (6-7), Go to R02_YH9031.]

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R02_EVER_USER_HOOK = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have smoked in the past year
(R02_YH1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	11	0.1 %
2	2 = Not today but sometime in the past 7 days	39	0.3 %
3	3 = Not in the past 7 days but sometime in the past 30 days	103	0.8 %
4	4 = Not in the past 30 days but sometime in the past 6 months	207	1.7 %
5	5 = Not in the past 6 months but sometime in the past year	211	1.7 %
6	6 = 1 to 4 years ago	106	0.9 %
7	7 = 5 or more years ago	43	0.4 %
	Total	720	5.9%

This variable has 720 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	57	0.5 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	11373	93.4 %
	Total	11,452	94.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4864-4871 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9003: How often you usually smoke hookah

[Box R02_YHV02 - R02_PAST30DAY_HOOK = "Past 30 day hookah smokers"

Youth respondents who have smoked hookah in the past 30 days.

R02_PAST30DAY_HOOK: IF R02_YH1112 = 1 OR 2 OR 3, THEN R02_PAST30DAY_HOOK = 1.
ELSE, R02_PAST30DAY_HOOK = 2.]

Which of the following choices best describes your hookah smoking? Usually I smoke
hookah . . . ?

[If Weekly (2), Go to R02_YH9005. If Monthly (3), Go to R02_YH9004. If Every couple of months (4), About once a year (5), Don't Know (-8), or Refused (-7), Go to R02_YH9031.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah in the past year or did not know or refused to report when they last smoked hookah.

ASK Specification: IF R02_EVER_USER_HOOK = 1 AND R02_YH1112 != 6, 7.

Value	Label	Unweighted Frequency	%
1	1 = Every day	13	0.1 %
2	2 = Weekly	35	0.3 %
3	3 = Monthly	60	0.5 %
4	4 = Every couple of months	186	1.5 %
5	5 = About once a year	261	2.1 %
	Total	555	4.6%

This variable has 555 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	62	0.5 %
-7	-7 = Refused	33	0.3 %
-1	-1 = Inapplicable	11522	94.7 %
	Total	11,617	95.4%

Percentages for both tables are based on 12,172 total cases.

Location: 4872-4879 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9006: Average number of times you smoke tobacco in a hookah each day

On average, about how many times do you smoke tobacco in a hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[Go to R02_YH9031.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah in the past year or did not know or refused to report when they last smoked hookah and usually smokes hookah everyday.

ASK Specification: IF R02_EVER_USER_HOOK = 1 AND R02_YH1112 != 6, 7 AND R02_YH9003 = 1.

This variable has 13 valid cases out of 12,172 total cases.

- Mean: 15.85

- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 26.17

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12159	99.9 %
	Total	12,159	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 4880-4887 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YH9005: Average number of times you smoke tobacco in a hookah in a week

On average, about how many times do you smoke tobacco in a hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[Go to R02_YH9031.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah in the past year or did not know or refused to report when they last smoked hookah and usually smokes hookah weekly.

ASK Specification: IF R02_EVER_USER_HOOK = 1 AND R02_YH1112 != 6, 7 AND R02_YH9003 = 2.

This variable has 35 valid cases out of 12,172 total cases.

- Mean: 4.94
- Median: 3.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 5.53

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12137	99.7 %
	Total	12,137	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 4888-4895 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YH9004: Average number of times you smoke tobacco in a hookah in a month

On average, about how many times do you smoke tobacco in a hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

ASK: Youth respondents who have ever smoked hookah and last smoked hookah in the past year or did not know or refused to report when they last smoked hookah usually smokes hookah monthly.

ASK Specification: IF R02_EVER_USER_HOOK = 1 AND R02_YH1112 != 6, 7 AND R02_YH9003 = 3.

This variable has 59 valid cases out of 12,172 total cases.

- Mean: 5.98
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 11.87

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12112	99.5 %
	Total	12,113	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 4896-4903 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YH9031: Ever smoked marijuana from a hookah

Have you ever smoked marijuana from a hookah?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R02_EVER_USER_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	159	1.3 %
2	2 = No	635	5.2 %
	Total	794	6.5%

This variable has 794 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11373	93.4 %
	Total	11,378	93.5%

Percentages for both tables are based on 12,172 total cases.

Location: 4904-4911 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1090: Owns a hookah

Do you own a hookah?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R02_EVER_USER_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.6 %
2	2 = No	717	5.9 %
	Total	792	6.5%

This variable has 792 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11373	93.4 %
	Total	11,380	93.5%

Percentages for both tables are based on 12,172 total cases.

Location: 4912-4919 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9041: Someone else in home owns a hookah

Does anyone[else] living in your home own a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YH1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

[DISPLAY: If R02_EVER_USER_HOOK = 1, display " else". Else, do not display this text for respondents who have never smoked hookah.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	280	2.3 %
2	2 = No	10537	86.6 %
	Total	10,817	88.9%

This variable has 10,817 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	37	0.3 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	1307	10.7 %
	Total	1,355	11.1%

Percentages for both tables are based on 12,172 total cases.

Location: 4920-4927 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9012: Usually share the same hookah with others

[Box R02_YHR03 - Youth respondents who are past 30 day hookah smokers, go to R02_YH9012. Else, go to R02_YH1124.

IF R02_PAST30DAY_HOOK = 1, GO TO R02_YH9012. ELSE, GO TO R02_YH1124.]

Do you usually share a hookah with others when you smoke?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YH9014.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	127	1.0 %
2	2 = No	25	0.2 %
	Total	152	1.2%

This variable has 152 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,020	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4928-4935 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9013: Number of people hookah is usually shared with

How many people do you usually share a hookah with?

ASK: Youth respondents who are past 30 day hookah smokers and share a hookah with others when they smoke.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH9012 = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 other person	7	0.1 %
2	2 = 2 other people	29	0.2 %
3	3 = 3 other people	41	0.3 %
4	4 = 4 or more other people	50	0.4 %
	Total	127	1.0%

This variable has 127 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12045	99.0 %
	Total	12,045	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 4936-4943 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9014: Average length of hookah session

On average, how long is one hookah session for you[and the people you share it with]?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

[DISPLAY: If R02_YH9012 = 1, display " and the people you share it with". Else, do not display bracketed text.]

Value	Label	Unweighted Frequency	%
1	1 = Less than 30 minutes	41	0.3 %
2	2 = More than 30 minutes up to 1 hour	59	0.5 %
3	3 = 1 to 2 hours	29	0.2 %
4	4 = More than 2 hours	20	0.2 %
	Total	149	1.2%

This variable has 149 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,023	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4944-4951 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9015: Number of times hookah is refilled with tobacco

On average, when you [smoke/share a] hookah, how many times is the hookah refilled with tobacco during a session?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

[DISPLAY: If R02_YH9012 = 1, display "share a". Else, display "smoke".]

Value	Label	Unweighted Frequency	%
1	1 = 0 times	38	0.3 %
2	2 = 1 time	44	0.4 %
3	3 = 2 to 3 times	53	0.4 %
4	4 = 4 or more times	13	0.1 %
	Total	148	1.2%

This variable has 148 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,024	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 4952-4959 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9016: How often you personally set up the hookah

How often do you personally set up the hookah?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	9	0.1 %
2	2 = Most of the time	24	0.2 %
3	3 = Some of the time	25	0.2 %
4	4 = Rarely	31	0.3 %
5	5 = Never, someone else always sets it up for me	64	0.5 %
	Total	153	1.3%

This variable has 153 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,019	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 4960-4967 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9011_01: Usually smoke hookah: At home

Where do you usually smoke hookah? Choose all that apply.

At home

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	38	0.3 %
2	2 = Not Marked	115	0.9 %
	Total	153	1.3%

This variable has 153 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,019	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 4968-4975 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9011_02: Usually smoke hookah: In a hookah bar or café?

Where do you usually smoke hookah? Choose all that apply.

In a hookah bar or café

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	41	0.3 %
2	2 = Not Marked	112	0.9 %
	Total	153	1.3%

This variable has 153 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,019	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 4976-4983 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9011_03: Usually smoke hookah: At a friend's house

Where do you usually smoke hookah? Choose all that apply.

At a friend's home

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	112	0.9 %
2	2 = Not Marked	41	0.3 %
	Total	153	1.3%

This variable has 153 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,019	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 4984-4991 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9011_04: Usually smoke hookah: Somewhere else

Where do you usually smoke hookah? Choose all that apply.

Somewhere else (SPECIFY)

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %
2	2 = Not Marked	136	1.1 %
	Total	153	1.3%

This variable has 153 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,019	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 4992-4999 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1130: In past 30 days, used shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YH1118.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	108	0.9 %
2	2 = No	26	0.2 %
3	3 = I don't know	19	0.2 %
	Total	153	1.3%

This variable has 153 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,019	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5000-5007 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1131_01: In past 30 days, smoked hookah tobacco flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.3 %
2	2 = Not Marked	73	0.6 %
	Total	107	0.9%

This variable has 107 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.1 %
	Total	12,065	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 5008-5015 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1131_02: In past 30 days, smoked hookah tobacco flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	104	0.9 %
	Total	107	0.9%

This variable has 107 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.1 %
	Total	12,065	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 5016-5023 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1131_03: In past 30 days, smoked hookah tobacco flavored to taste like fruit

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	86	0.7 %
2	2 = Not Marked	21	0.2 %
	Total	107	0.9%

This variable has 107 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.1 %
	Total	12,065	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 5024-5031 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1131_04: In past 30 days, smoked hookah tobacco flavored to taste like chocolate

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	99	0.8 %

Value	Label	Unweighted Frequency	%
	Total	107	0.9%

This variable has 107 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.1 %
	Total	12,065	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 5032-5039 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1131_05: In past 30 days, smoked hookah tobacco flavored to taste like an alcohol drink

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	93	0.8 %
	Total	107	0.9%

This variable has 107 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.1 %
	Total	12,065	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 5040-5047 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1131_06: In past 30 days, smoked hookah tobacco flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.4 %
2	2 = Not Marked	58	0.5 %
	Total	107	0.9%

This variable has 107 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.1 %
	Total	12,065	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 5048-5055 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1131_07: In past 30 days, smoked hookah tobacco flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	94	0.8 %
	Total	107	0.9%

This variable has 107 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.1 %
	Total	12,065	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 5056-5063 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1118: In past 30 days, how you usually got your own shisha or hookah tobacco

In the past 30 days, how did you usually get your own shisha or hookah tobacco?

[If Someone offered it to me (4), I got it some other way (7), Don't Know (-8), or Refused (-7), Go to R02_YHR04.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	28	0.2 %
2	2 = I bought it myself from a store (including a hookah bar or café?)	13	0.1 %
3	3 = I asked someone to give me some	10	0.1 %
4	4 = Someone offered it to me	72	0.6 %
5	5 = I bought it from another person	7	0.1 %
6	6 = I took it from a store or another person	5	0.0 %
7	7 = I got it some other way	11	0.1 %
	Total	146	1.2%

This variable has 146 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,026	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5064-5071 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1123: In past 30 days, someone refused to sell you shisha or hookah tobacco because of your age

In the past 30 days, did anyone refuse to sell you shisha or hookah tobacco because of your age?

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them, buying themselves from a store, asking someone to give them some, buying from another person, or taking from a store or another person.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1118 = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	52	0.4 %
	Total	61	0.5%

This variable has 61 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12109	99.5 %
	Total	12,111	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 5072-5079 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1098: In past 30 days, how often used a coupon when buying shisha or hookah tobacco

[Box R02_YHR04 - Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by buying it themselves from a store, go to R02_YH1098.

Else, youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy it for them, go to R02_YH1030.

Else, youth respondents who are past 30 day hookah smokers, go to R02_YH1047.

IF R02_PAST30DAY_HOOK = 1 AND R02_YH1118 = 2, GO TO R02_YH1098. ELSE, IF R02_PAST30DAY_HOOK = 1 AND R02_YH1118 = 1, GO TO R02_YH1030. ELSE, IF R02_PAST30DAY_HOOK = 1, GO TO R02_YH1047.]

In the past 30 days, how often have you used a coupon when buying shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1118 = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	1	0.0 %
2	2 = Sometimes	0	0.0 %
3	3 = Rarely	0	0.0 %
4	4 = Never	11	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12159	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 5080-5087 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1030: How you usually buy your shisha or hookah tobacco

[When you give money to someone else, how do they/How do you] usually buy your shisha or hookah tobacco?

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R02_YH1034.]

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1118 = 1, 2.

[DISPLAY: If R02_YH1118 = 1, display "When you give money to someone else, how do they";
If R02_YH1118 = 2, display "How do you".]

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or hookah bar)	38	0.3 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	2	0.0 %
	Total	40	0.3%

This variable has 40 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12131	99.7 %
	Total	12,132	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5088-5095 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1032: Geographic area where you usually buy shisha or hookah tobacco

Do [you/they] usually buy shisha or hookah tobacco . . . ?

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1118 = 1, 2 AND R02_YH1030 = 1.

[DISPLAY: If R02_YH1118 = 1, display "they"; If R02_YH1118 = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	37	0.3 %
2	2 = In another state	0	0.0 %
3	3 = Outside the US	1	0.0 %
	Total	38	0.3%

This variable has 38 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,134	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5096-5103 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1033: Retail location where your shisha or hookah tobacco is bought most of the time

Where do [you/they] buy your shisha or hookah tobacco most of the time?

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1118 = 1, 2 AND R02_YH1030 = 1.

[DISPLAY: If R02_YH1118 = 1, display "they"; If R02_YH1118=2, display "you";
If R02_YH1118 = 2, display option 8'A friend or relative,' if R02_YH1118 != 2,
hide option 8.]

Value	Label	Unweighted Frequency	%
1	1 = A hookah bar or café?	12	0.1 %
2	2 = A convenience store or gas station	3	0.0 %
3	3 = A supermarket, grocery store, or drug store	2	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	1	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	17	0.1 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	2	0.0 %
10	10 = Somewhere else	1	0.0 %
	Total	38	0.3%

This variable has 38 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,134	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5104-5111 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1034_D: Amount paid when last time bought shisha or hookah tobacco - Dollars

Think about the last time you [bought/gave money to someone else to buy you] shisha or hookah tobacco. How much did you pay for it?

_____ DOLLARS

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1118 = 1, 2.

[DISPLAY: If R02_YH1118 = 1, display "gave money to someone else to buy you". Else, if R02_YH1118 = 2, display "bought".]

This variable has 38 valid cases out of 12,172 total cases.

- Mean: 27.55
- Median: 10.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 500.00
- Standard Deviation: 80.45

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12131	99.7 %
	Total	12,134	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5112-5119 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YH1034_C: Amount paid when last time bought shisha or hookah tobacco - Cents

Think about the last time you [bought/gave money to someone else to buy you] shisha or hookah tobacco. How much did you pay for it?

_____ CENTS

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1118 = 1, 2.

[DISPLAY: If R02_YH1118 = 1, display "gave money to someone else to buy you". Else, if R02_YH1118 = 2, display "bought".]

This variable has 38 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,134	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5120-5127 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YH1047: Have a regular brand of shisha or hookah tobacco you usually smoke

Do you have a regular brand of shisha or hookah tobacco that you usually smoke?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.2 %
2	2 = No	119	1.0 %
	Total	149	1.2%

This variable has 149 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,023	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5128-5135 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1048_BRAND: Brand of shisha or hookah tobacco usually / last smoked

What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

[GOTO: Youth respondents who are past 30 day hookah smokers and selected a brand of shisha or hookah tobacco, go to R02_YH1070_PRODUCT. Else, youth respondents who are past 30 day hookah smokers and selected "Something else" for their brand of shisha or hookah tobacco, go to R02_YH1049. Else, youth respondents who are past 30 day hookah smokers, go to Box R02_YHD01.]

[GOTO Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1048_BRAND != 9995, -8, -7, GO TO R02_YH1070_PRODUCT. ELSE, IF R02_PAST30DAY_HOOK = 1 AND R02_YH1048_BRAND = 9995, GO TO R02_YH1049. ELSE, IF R02_PAST30DAY_HOOK = 1, GO TO BOX R02_YHD01.]

This variable has 120 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.2 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,052	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 5136-5143 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1070_PRODUCT: Sub-brand of hookah tobacco product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day hookah smokers and selected a brand of shisha or hookah tobacco.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1048_BRAND != 9995, -8, -7.

DISPLAY: If R02_YH1047 = 1, display "do" and "usually". If R02_YH1047 = 2, -8 or -7, display "did" and "last". [If multiple screens] Display: If you do not see it below, touch the button marked "NEXT". [If single screen OR last screen of multiple screens] Display: If you do not see it below, touch the box marked "Something else".]

[PROGRAM: Fill BRANDFILL with brand selected in R02_YH1048_BRAND. Show pictures or text on the touchscreen of the major products associated with the brand selected.]

[GOTO: Youth respondents who are past 30 day hookah smokers and selected a brand of shisha or hookah tobacco and selected "Something else" for their subbrand of shisha or hookah tobacco, go to R02_YH1071. Else, youth respondents who are past 30 day hookah smokers and selected "Something else" for their brand of shisha or hookah tobacco and reported the brand name, go to R02_YH9108.]

[GOTO Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YH1048_BRAND != 9995, -8, -7 AND R02_YH1070_PRODUCT = 9995, GO TO R02_YH1071. ELSE, IF R02_PAST30DAY_HOOK = 1 AND R02_YH1048_BRAND = 9995 AND R02_YH1049 != -8, -7, GO TO R02_YH9108.]

This variable has 96 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12073	99.2 %
	Total	12,076	99.2%

Percentages for both tables are based on 12,172 total cases.

Location: 5144-5151 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9108: This brand of shisha contains tobacco

Does this brand of shisha contain tobacco?

ASK: Youth respondents who are past 30 day hookah smokers and selected a brand of shisha

or hookah tobacco, or selected "Something else" for their brand of shisha or hookah tobacco and reported the brand name.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_YH1048_BRAND != 9995, -8, -7 OR (R02_YH1048_BRAND = 9995 AND R02_YH1049 != -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.5 %
2	2 = No	41	0.3 %
	Total	97	0.8%

This variable has 97 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12069	99.2 %
	Total	12,075	99.2%

Percentages for both tables are based on 12,172 total cases.

Location: 5152-5159 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1060_RANDOM_01: YH1060 series random question 1

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YH1060 to R02_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12019	98.7 %
R02_YH1060	-	16	0.1 %
R02_YH1061	-	10	0.1 %
R02_YH1062	-	13	0.1 %
R02_YH1063	-	15	0.1 %
R02_YH1064	-	12	0.1 %
R02_YH1068	-	27	0.2 %
R02_YH1069	-	16	0.1 %

Value	Label	Unweighted Frequency	%
R02_YH1072	-	14	0.1 %
R02_YH1073	-	15	0.1 %
R02_YH1085	-	15	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5160-5174 (width: 15; decimal: 0)

Variable Type: character

R02_YH1060_RANDOM_02: YH1060 series random question 2

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YH1060 to R02_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12019	98.7 %
R02_YH1060	-	15	0.1 %
R02_YH1061	-	20	0.2 %
R02_YH1062	-	15	0.1 %
R02_YH1063	-	14	0.1 %
R02_YH1064	-	10	0.1 %
R02_YH1068	-	10	0.1 %
R02_YH1069	-	19	0.2 %
R02_YH1072	-	16	0.1 %
R02_YH1073	-	12	0.1 %
R02_YH1085	-	22	0.2 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5175-5189 (width: 15; decimal: 0)

Variable Type: character

R02_YH1060_RANDOM_03: YH1060 series random question 3

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YH1060 to R02_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12019	98.7 %
R02_YH1060	-	21	0.2 %
R02_YH1061	-	18	0.1 %
R02_YH1062	-	15	0.1 %
R02_YH1063	-	10	0.1 %
R02_YH1064	-	5	0.0 %
R02_YH1068	-	9	0.1 %
R02_YH1069	-	16	0.1 %
R02_YH1072	-	23	0.2 %
R02_YH1073	-	17	0.1 %
R02_YH1085	-	19	0.2 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5190-5204 (width: 15; decimal: 0)

Variable Type: character

R02_YH1060_RANDOM_04: YH1060 series random question 4

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YH1060 to R02_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12019	98.7 %
R02_YH1060	-	15	0.1 %
R02_YH1061	-	17	0.1 %
R02_YH1062	-	19	0.2 %
R02_YH1063	-	15	0.1 %
R02_YH1064	-	5	0.0 %
R02_YH1068	-	25	0.2 %
R02_YH1069	-	17	0.1 %
R02_YH1072	-	15	0.1 %
R02_YH1073	-	13	0.1 %
R02_YH1085	-	12	0.1 %

Value	Label	Unweighted Frequency	%
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5205-5219 (width: 15; decimal: 0)

Variable Type: character

R02_YH1060_RANDOM_05: YH1060 series random question 5

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YH1060 to R02_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12019	98.7 %
R02_YH1060	-	19	0.2 %
R02_YH1061	-	18	0.1 %
R02_YH1062	-	11	0.1 %
R02_YH1063	-	14	0.1 %
R02_YH1064	-	8	0.1 %
R02_YH1068	-	17	0.1 %
R02_YH1069	-	20	0.2 %
R02_YH1072	-	15	0.1 %
R02_YH1073	-	15	0.1 %
R02_YH1085	-	16	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5220-5234 (width: 15; decimal: 0)

Variable Type: character

R02_YH1060_RANDOM_06: YH1060 series random question 6

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YH1060 to R02_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12019	98.7 %
R02_YH1060	-	12	0.1 %
R02_YH1061	-	15	0.1 %
R02_YH1062	-	16	0.1 %
R02_YH1063	-	17	0.1 %
R02_YH1064	-	10	0.1 %
R02_YH1068	-	21	0.2 %
R02_YH1069	-	10	0.1 %
R02_YH1072	-	19	0.2 %
R02_YH1073	-	22	0.2 %
R02_YH1085	-	11	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5235-5249 (width: 15; decimal: 0)

Variable Type: character

R02_YH1060_RANDOM_07: YH1060 series random question 7

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YH1060 to R02_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12019	98.7 %
R02_YH1060	-	17	0.1 %
R02_YH1061	-	10	0.1 %
R02_YH1062	-	20	0.2 %
R02_YH1063	-	9	0.1 %
R02_YH1064	-	9	0.1 %
R02_YH1068	-	15	0.1 %
R02_YH1069	-	22	0.2 %
R02_YH1072	-	13	0.1 %
R02_YH1073	-	16	0.1 %
R02_YH1085	-	22	0.2 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5250-5264 (width: 15; decimal: 0)

Variable Type: character

R02_YH1060_RANDOM_08: YH1060 series random question 8

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YH1060 to R02_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12019	98.7 %
R02_YH1060	-	21	0.2 %
R02_YH1061	-	18	0.1 %
R02_YH1062	-	14	0.1 %
R02_YH1063	-	22	0.2 %
R02_YH1064	-	7	0.1 %
R02_YH1068	-	7	0.1 %
R02_YH1069	-	13	0.1 %
R02_YH1072	-	16	0.1 %
R02_YH1073	-	17	0.1 %
R02_YH1085	-	18	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5265-5279 (width: 15; decimal: 0)

Variable Type: character

R02_YH1060_RANDOM_09: YH1060 series random question 9

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YH1060 to R02_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12019	98.7 %
R02_YH1060	-	11	0.1 %

Value	Label	Unweighted Frequency	%
R02_YH1061	-	17	0.1 %
R02_YH1062	-	19	0.2 %
R02_YH1063	-	20	0.2 %
R02_YH1064	-	15	0.1 %
R02_YH1068	-	12	0.1 %
R02_YH1069	-	14	0.1 %
R02_YH1072	-	15	0.1 %
R02_YH1073	-	17	0.1 %
R02_YH1085	-	13	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5280-5294 (width: 15; decimal: 0)

Variable Type: character

R02_YH1060_RANDOM_10: YH1060 series random question 10

[ICPSR NOTE: The 10 items that follow in the questionnaire (R02_YH1060 to R02_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12083	99.3 %
R02_YH1060	-	6	0.0 %
R02_YH1061	-	10	0.1 %
R02_YH1062	-	11	0.1 %
R02_YH1063	-	17	0.1 %
R02_YH1064	-	8	0.1 %
R02_YH1068	-	10	0.1 %
R02_YH1069	-	6	0.0 %
R02_YH1072	-	7	0.1 %
R02_YH1073	-	9	0.1 %
R02_YH1085	-	5	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5295-5309 (width: 15; decimal: 0)

Variable Type: character

R02_YH1060: Smoke hookah because: It is affordable

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because . . . It is affordable.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	69	0.6 %
2	2 = No	81	0.7 %
	Total	150	1.2%

This variable has 150 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,022	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5310-5317 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1061: Smoke hookah because: People in the media or other public figures smoke it

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because . . . People in the media or other public figures smoke hookah.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	57	0.5 %
2	2 = No	92	0.8 %
	Total	149	1.2%

This variable has 149 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,023	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5318-5325 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1085: Smoke hookah because: It can be smoked in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because . . . can smoke hookah at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	49	0.4 %
2	2 = No	100	0.8 %
	Total	149	1.2%

This variable has 149 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,023	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5326-5333 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1062: Smoke hookah because: It might be less harmful than smoking cigarettes

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because . . . It might be less harmful than smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	95	0.8 %
2	2 = No	57	0.5 %
	Total	152	1.2%

This variable has 152 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,020	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5334-5341 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1063: Smoke hookah because: It comes in flavors I like

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because . . . Shisha or hookah tobacco comes in flavors I like.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

[GOTO: Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R02_YH1064. Else, youth respondents who are past 30 day hookah smokers, go to R02_YH1068.]

[GOTO Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YC1112 = 1, 2, 3, 4, 5, GO TO R02_YH1064. ELSE, IF R02_PAST30DAY_HOOK = 1, GO TO R02_YH1068.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	122	1.0 %
2	2 = No	30	0.2 %
	Total	152	1.2%

This variable has 152 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,020	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5342-5349 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1064: Smoke hookah because: It helps people to quit smoking cigarettes

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because . . . Smoking hookah helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.3 %
2	2 = No	56	0.5 %
	Total	88	0.7%

This variable has 88 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12083	99.3 %

	Missing Data		
	Total	12,084	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 5350-5357 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1068: Smoke hookah because: People who are important to me smoke them

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because . . . People who are important to me smoke hookah.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.5 %
2	2 = No	97	0.8 %
	Total	153	1.3%

This variable has 153 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,019	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5358-5365 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1069: Smoke hookah because: I like socializing while smoking it

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because . . . like socializing while smoking hookah.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	117	1.0 %
2	2 = No	35	0.3 %
	Total	152	1.2%

This variable has 152 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,020	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5366-5373 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1072: Smoke hookah because: The advertising appeals to me

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because . . . The advertising for hookah appeals to me.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.4 %
2	2 = No	107	0.9 %
	Total	153	1.3%

This variable has 153 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,019	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5374-5381 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1124: Likeliness of someone becoming addicted to shisha or hookah tobacco

How likely is someone to become addicted to shisha or hookah tobacco?

ASK: New baseline youth respondents who have seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YH1001_NB = 1)
OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	442	3.6 %
2	2 = Somewhat unlikely	610	5.0 %
3	3 = Neither likely nor unlikely	1443	11.9 %
4	4 = Somewhat likely	3687	30.3 %
5	5 = Very likely	4140	34.0 %
	Total	10,322	84.8%

This variable has 10,322 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	534	4.4 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	1307	10.7 %
	Total	1,850	15.2%

Percentages for both tables are based on 12,172 total cases.

Location: 5382-5389 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1099: Harmfulness of smoking a hookah compared to smoking cigarettes

Is smoking hookah less harmful, about the same, or more harmful than smoking cigarettes?

ASK: New baseline youth respondents who have seen or heard of hookah, or continuing youth

respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YH1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2256	18.5 %
2	2 = About the same	5304	43.6 %
3	3 = More harmful	2309	19.0 %
	Total	9,869	81.1%

This variable has 9,869 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	984	8.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	1307	10.7 %
	Total	2,303	18.9%

Percentages for both tables are based on 12,172 total cases.

Location: 5390-5397 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1125: Thoughts on how much people harm themselves when they smoke hookah

How much do you think people harm themselves when they smoke hookah?

ASK: New baseline youth respondents who have seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YH1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = No harm	367	3.0 %
2	2 = A little harm	1712	14.1 %
3	3 = Some harm	3311	27.2 %
4	4 = A lot of harm	5219	42.9 %
	Total	10,609	87.2%

This variable has 10,609 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	248	2.0 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	1307	10.7 %
	Total	1,563	12.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5398-5405 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH1146: Ease of smoking shisha or hookah tobacco that are flavored compared to unflavored shisha or hookah tobacco

Some shisha or hookah tobacco comes in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Is flavored shisha or hookah tobacco easier to smoke, about the same, or harder to smoke than unflavored shisha or hookah tobacco?

ASK: New baseline youth respondents who have seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YH1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	2459	20.2 %
2	2 = About the same	5475	45.0 %
3	3 = Harder to smoke	1093	9.0 %
	Total	9,027	74.2%

This variable has 9,027 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	1789	14.7 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	1307	10.7 %
	Total	3,145	25.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5406-5413 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YH9110: Harmfulness of shisha that contains tobacco compared to shisha that does not contain tobacco

Is shisha that does not contain tobacco less harmful, about the same, or more harmful than shisha that does contain tobacco?

ASK: New baseline youth respondents who have seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YH1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	4517	37.1 %
2	2 = About the same	4156	34.1 %
3	3 = More harmful	1147	9.4 %
	Total	9,820	80.7%

This variable has 9,820 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	1016	8.3 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	1307	10.7 %
	Total	2,352	19.3%

Percentages for both tables are based on 12,172 total cases.

Location: 5414-5421 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1001_NB: Ever seen or heard of smokeless tobacco before this study

[Box R02_YST01 - The next questions ask about smokeless tobacco which you put in your mouth. Frequently you chew, suck or spit while using smokeless tobacco, although there is no need to do so for some types. Snus, for instance, is a type of smokeless tobacco that comes in a small pouch that you put inside your lip.

There are many kinds of smokeless tobacco, such as snus pouches, loose snus, moist snuff, dip, spit, and chewing tobacco. Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly, Nordic Ice and Copenhagen.]

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO]

[Box R02_YSR01 - New baseline youth respondents, go to R02_YS1001_NB. Else, go to R02_YS1002_12M.

IF R02_NEW_BASELINE_YOUTH_LD = 1, GO TO R02_YS1001_NB. ELSE, GO TO R02_YS1002_12M.]

Have you ever seen or heard of smokeless tobacco, such as snus pouches, loose snus, moist snuff, dip, spit or chewing tobacco, before this study?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YDT01.]

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1281	10.5 %
2	2 = No	805	6.6 %
	Total	2,086	17.1%

This variable has 2,086 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,086	82.9%

Percentages for both tables are based on 12,172 total cases.

Location: 5422-5429 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1002_NB_01: Ever used, even one or two times: Snus pouches

Have you ever used any of the following smokeless tobacco products, even one or two times?
Choose all that apply.

Snus pouches

[Go to Box R02_YUR29.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YS1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	1258	10.3 %
	Total	1,264	10.4%

This variable has 1,264 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10891	89.5 %
	Total	10,908	89.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5430-5437 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1002_NB_02: Ever used, even one or two times: Loose snus, moist snuff, dip, spit or chewing tobacco

Have you ever used any of the following smokeless tobacco products, even one or two times?
Choose all that apply.

Loose snus, moist snuff, dip, spit, or chewing tobacco

[Go to Box R02_YUR29.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YS1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	1248	10.3 %
	Total	1,264	10.4%

This variable has 1,264 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10891	89.5 %
	Total	10,908	89.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5438-5445 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1002_NB_03: Ever used, even one or two times: Never used a smokeless tobacco product

Have you ever used any of the following smokeless tobacco products, even one or two times?
Choose all that apply.

I have never used a smokeless tobacco product

[Go to Box R02_YUR29.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YS1001_NB = 1.

[PROGRAM: Allow respondent to choose all that apply. Option 3 cannot be selected with options 1 or 2.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1244	10.2 %
2	2 = Not Marked	20	0.2 %
	Total	1,264	10.4%

This variable has 1,264 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10891	89.5 %
	Total	10,908	89.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5446-5453 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1002_12M_01: In past 12 months, used, even one or two times: Snus pouches

In the past 12 months, have you used any of the following smokeless tobacco products, even one or two times? Choose all that apply.

Snus pouches

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	105	0.9 %
2	2 = Not Marked	9803	80.5 %
	Total	9,908	81.4%

This variable has 9,908 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	125	1.0 %
-7	-7 = Refused	47	0.4 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,264	18.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5454-5461 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1002_12M_02: In past 12 months, used, even one or two times: Loose snus, moist snuff, dip, spit or chewing tobacco

In the past 12 months, have you used any of the following smokeless tobacco products, even one or two times? Choose all that apply.

Loose snus, moist snuff, dip, spit, or chewing tobacco

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	252	2.1 %
2	2 = Not Marked	9656	79.3 %
	Total	9,908	81.4%

This variable has 9,908 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	125	1.0 %
-7	-7 = Refused	47	0.4 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,264	18.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5462-5469 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1002_12M_03: In past 12 months, used, even one or two times: Did not use a smokeless tobacco product in past 12 months

In the past 12 months, have you used any of the following smokeless tobacco products, even one or two times? Choose all that apply.

I have not used a smokeless tobacco product

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

[PROGRAM: Allow respondent to choose all that apply. Option 3 cannot be selected with options 1 or 2.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9609	78.9 %
2	2 = Not Marked	299	2.5 %
	Total	9,908	81.4%

This variable has 9,908 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	125	1.0 %
-7	-7 = Refused	47	0.4 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,264	18.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5470-5477 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YU1003: Used a brand of snus pouches called Skoal Bandits

[Box R02_YUR29 - New baseline youth respondents who have ever used snus pouches and continuing youth respondents who have used snus pouches in the past 12 months, go to Box R02_YUV02. Else, go to Box R02_YSV03.]

IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YS1001_NB = 1 AND R02_YS1002_NB_01 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YS1002_12M_01 = 1), GO TO BOX R02_YUV02. ELSE, GO TO BOX R02_YSV03.]

[Box R02_YUV02 - DEFINE VARIABLE [OTHPOUCH] to capture names of types of smokeless tobacco pouches other than snus pouches. OTHPOUCH = "Skoal Bandits".]

You mentioned that you have used snus pouches. There are many brands of snus pouches. Have you ever used the brand called "[OTHPOUCH]"?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have ever used snus pouches, or continuing youth respondents who have used snus pouches in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YS1001_NB = 1 AND R02_YS1002_NB_01 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YS1002_12M_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes, I have used only Skoal Bandits	9	0.1 %
2	2 = Yes, I have used both Skoal Bandits and other brands of snus pouches	24	0.2 %
3	3 = No, I have not used Skoal Bandits	78	0.6 %
	Total	111	0.9%

This variable has 111 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.1 %
	Total	12,061	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 5478-5485 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1103: Ever been curious about using smokeless tobacco

[PROGRAM NOTE: See Box R02_YSV03 and R02_YSR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever been curious about using smokeless tobacco?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used snus pouches and have never used smokeless tobacco, or continuing youth respondents who have never used snus pouches and have never used smokeless tobacco.

ASK Specification: IF R02_YS1001_NB != 2, -8, -7 AND R02_EVER_USER_SNUS = 2 AND R02_EVER_USER_SMKLS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	64	0.5 %
2	2 = Somewhat curious	114	0.9 %
3	3 = A little curious	570	4.7 %
4	4 = Not at all curious	10062	82.7 %
	Total	10,810	88.8%

This variable has 10,810 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	1335	11.0 %
	Total	1,362	11.2%

Percentages for both tables are based on 12,172 total cases.

Location: 5486-5493 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1206: Think you will use a smokeless tobacco in the next year

Do you think you will try smokeless tobacco in the next year?

[If Probably not (3), Definitely not (4), Don't Know (-8), or Refused (-7), Go to R02_YS1105.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used snus pouches and have never used smokeless tobacco, or continuing youth respondents who have never used snus pouches and have never used smokeless tobacco.

ASK Specification: IF R02_YS1001_NB != 2, -8, -7 AND R02_EVER_USER_SNUS = 2 AND R02_EVER_USER_SMKLS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	11	0.1 %
2	2 = Probably yes	39	0.3 %
3	3 = Probably not	647	5.3 %
4	4 = Definitely not	10117	83.1 %
	Total	10,814	88.8%

This variable has 10,814 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	1335	11.0 %
	Total	1,358	11.2%

Percentages for both tables are based on 12,172 total cases.

Location: 5494-5501 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1104: Think you will try smokeless tobacco soon

Do you think you will try smokeless tobacco soon?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used snus pouches and have never used smokeless tobacco, or continuing youth respondents who have never used snus pouches and have never used smokeless tobacco, and will definitely or probably try smokeless tobacco in the next year.

ASK Specification: IF R02_YS1001_NB != 2, -8, -7 AND R02_EVER_USER_SNUS = 2 AND R02_EVER_USER_SMKLS = 2 AND R02_YS1206 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	7	0.1 %
2	2 = Probably yes	22	0.2 %
3	3 = Probably not	16	0.1 %
4	4 = Definitely not	5	0.0 %
	Total	50	0.4%

This variable has 50 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12122	99.6 %
	Total	12,122	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5502-5509 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1105: Would use smokeless tobacco if one of your best friends offered you one

If one of your best friends were to offer you smokeless tobacco, would you use it?

[Go to R02_YS1124.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used snus pouches and have never used smokeless tobacco, or continuing youth respondents who have never used snus pouches and have never used smokeless tobacco.

ASK Specification: IF R02_YS1001_NB != 2, -8, -7 AND R02_EVER_USER_SNUS = 2 AND R02_EVER_USER_SMKLS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	12	0.1 %
2	2 = Probably yes	103	0.8 %
3	3 = Probably not	794	6.5 %
4	4 = Definitely not	9914	81.4 %
	Total	10,823	88.9%

This variable has 10,823 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1335	11.0 %
	Total	1,349	11.1%

Percentages for both tables are based on 12,172 total cases.

Location: 5510-5517 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YS1006SU_NB: DERIVED - Age range when first tried snus pouches, even one or two times (3 levels)

Long Description: How old were you when you first tried snus pouches, even one or two times?

Original Variables: R02_YS1006SU_NB, R02_YS1120SU_NB

Algorithm: IF R02_YS1120SU_NB = 1 OR (0<=R02_YS1006SU_NB<=11) THEN R02R_Y_YS1006SU_NB = 1; ELSE IF R02_YS1120SU_NB = 2 OR (12<=R02_YS1006SU_NB<=14) THEN R02R_Y_YS1006SU_NB = 2; ELSE IF R02_YS1120SU_NB = 3 OR (15<=R02_YS1006SU_NB<=17) THEN R02R_Y_YS1006SU_NB = 3; ELSE IF R02_YS1006SU_NB = -9 OR R02_YS1120SU_NB = -9 THEN R02R_Y_YS1006SU_NB = -99999; ELSE IF R02_YS1006SU_NB = -8 OR R02_YS1120SU_NB = -8 THEN R02R_Y_YS1006SU_NB = -99988; ELSE IF R02_YS1006SU_NB = -7 OR R02_YS1120SU_NB = -7 THEN R02R_Y_YS1006SU_NB = -99977; ELSE IF R02_YS1006SU_NB = -5 THEN R02R_Y_YS1006SU_NB = -99955; ELSE IF R02_YS1006SU_NB = -1 OR

R02_YS1120SU_NB = -1 THEN R02R_Y_YS1006SU_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12169	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 5518-5525 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YS1108SU: First snus pouch used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first snus pouch you used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview.

ASK Specification: IF LOOP = SNUS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1) OR R02_INIT_SNUS_YOUTH = 1).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored, go to R02_YS1011SU. Else, new baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more times as of their last completed interview,

go to R02_YS100SU. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SU.]

[GOTO Specification: IF ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1) OR R02_INIT_SNUS_YOUTH = 1) AND R02_YS1108SU = 1, GO TO R02_YS1011SU. ELSE, IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1) OR R02_INIT_SNUS_YOUTH = 1 OR (R02_CONTINUING_YOUTH_LD = 1 AND R01_YS1005SU != 6), GO TO R02_YS1005SU. ELSE, IF R02_EVER_USER_SNUS = 1, GO TO R02_YS1100SU.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	48	0.4 %
2	2 = No	17	0.1 %
3	3 = I don't know	7	0.1 %
	Total	72	0.6%

This variable has 72 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12093	99.4 %
	Total	12,100	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 5526-5533 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SU_01: Flavor of first snus pouch used: Menthol or mint

What flavor was that first snus pouch you used? If multiple flavors were mixed together, choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SNUS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R02_YS1108SU = 1) OR (R02_INIT_SNUS_YOUTH = 1 AND R02_YS1108SU = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_YS1005SU. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SU.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND (R02_INIT_SNUS_YOUTH = 1 OR R01_YS1005SU != 6)), GO TO R02_YS1005SU. ELSE, IF R02_EVER_USER_SNUS = 1, GO TO R02_YS1100SU.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	42	0.3 %
2	2 = Not Marked	5	0.0 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5534-5541 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SU_02: Flavor of first snus pouch used: Clove or spice

What flavor was that first snus pouch you used? If multiple flavors were mixed together, choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SNUS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R02_YS1108SU = 1) OR (R02_INIT_SNUS_YOUTH = 1 AND R02_YS1108SU = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_YS1005SU. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SU.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND (R02_INIT_SNUS_YOUTH = 1 OR R01_YS1005SU != 6)), GO TO R02_YS1005SU. ELSE, IF R02_EVER_USER_SNUS = 1, GO TO R02_YS1100SU.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	46	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5542-5549 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SU_03: Flavor of first snus pouch used: Fruit

What flavor was that first snus pouch you used? If multiple flavors were mixed together, choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SNUS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R02_YS1108SU = 1) OR (R02_INIT_SNUS_YOUTH = 1 AND R02_YS1108SU = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_YS1005SU. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SU.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND (R02_INIT_SNUS_YOUTH = 1 OR R01_YS1005SU != 6)), GO TO R02_YS1005SU. ELSE, IF R02_EVER_USER_SNUS = 1, GO TO R02_YS1100SU.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	44	0.4 %

Value	Label	Unweighted Frequency	%
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5550-5557 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SU_04: Flavor of first snus pouch used: Chocolate

What flavor was that first snus pouch you used? If multiple flavors were mixed together, choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SNUS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R02_YS1108SU = 1) OR (R02_INIT_SNUS_YOUTH = 1 AND R02_YS1108SU = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_YS1005SU. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SU.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND (R02_INIT_SNUS_YOUTH = 1 OR R01_YS1005SU != 6)), GO TO R02_YS1005SU. ELSE, IF R02_EVER_USER_SNUS = 1, GO TO R02_YS1100SU.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	45	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5558-5565 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_Y51011SU_05: Flavor of first snus pouch used: An alcoholic drink

What flavor was that first snus pouch you used? If multiple flavors were mixed together, choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SNUS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R02_Y51108SU = 1) OR (R02_INIT_SNUS_YOUTH = 1 AND R02_Y51108SU = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_Y51005SU. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_Y51100SU.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND (R02_INIT_SNUS_YOUTH = 1 OR R01_Y51005SU != 6)), GO TO R02_Y51005SU. ELSE, IF R02_EVER_USER_SNUS = 1, GO TO R02_Y51100SU.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	45	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5566-5573 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SU_06: Flavor of first snus pouch used: Candy or other sweets

What flavor was that first snus pouch you used? If multiple flavors were mixed together, choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SNUS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R02_YS1108SU = 1) OR (R02_INIT_SNUS_YOUTH = 1 AND R02_YS1108SU = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_YS1005SU. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SU.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND (R02_INIT_SNUS_YOUTH = 1 OR R01_YS1005SU != 6)), GO TO R02_YS1005SU. ELSE, IF R02_EVER_USER_SNUS = 1, GO TO R02_YS1100SU.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	44	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5574-5581 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SU_07: Flavor of first snus pouch used: Some other flavor

What flavor was that first snus pouch you used? If multiple flavors were mixed together, choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SNUS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND R02_YS1108SU = 1) OR (R02_INIT_SNUS_YOUTH = 1 AND R02_YS1108SU = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_YS1005SU. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SU.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND (R02_INIT_SNUS_YOUTH = 1 OR R01_YS1005SU != 6)), GO TO R02_YS1005SU. ELSE, IF R02_EVER_USER_SNUS = 1, GO TO R02_YS1100SU.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	43	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12124	99.6 %

	Missing Data		
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5582-5589 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1005SU: Number of snus pouches used in entire life

How many snus pouches have you used in your entire life?

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches in their lifetime/smokeless tobacco 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF LOOP = SNUS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SNUS = 1 AND (R02_INIT_SNUS_YOUTH = 1 OR R01_YS1005SU != 6))).

Value	Label	Unweighted Frequency	%
1	1 = 1	49	0.4 %
2	2 = 2 to 10	56	0.5 %
3	3 = 11 to 20	20	0.2 %
4	4 = 21 to 50	13	0.1 %
5	5 = 51 to 99	7	0.1 %
6	6 = 100 or more	11	0.1 %
	Total	156	1.3%

This variable has 156 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11996	98.6 %
	Total	12,016	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5590-5597 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1100SU: Ever used snus pouches fairly regularly

Have you ever used [SMKLSSFILL] fairly regularly?

Snus

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YS1112SU.]

ASK: Youth respondents who have ever used snus pouches/smokeless tobacco.

ASK Specification: IF LOOP = SNUS AND R02_EVER_USER_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	44	0.4 %
2	2 = No	138	1.1 %
	Total	182	1.5%

This variable has 182 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11988	98.5 %
	Total	11,990	98.5%

Percentages for both tables are based on 12,172 total cases.

Location: 5598-5605 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YS1007SU: DERIVED - Age range when first started using snus pouches fairly regularly (3 levels)

Long Description: How old were you when you first started using snus pouches fairly regularly?

Original Variables: R02_YS1007SU, R02_YS1121SU

Algorithm: IF R02_YS1121SU = 1 OR (0<=R02_YS1007SU<=11) THEN R02R_Y_YS1007SU = 1; ELSE IF R02_YS1121SU = 2 OR (12<=R02_YS1007SU<=14) THEN R02R_Y_YS1007SU = 2; ELSE IF R02_YS1121SU = 3 OR (15<=R02_YS1007SU<=17) THEN R02R_Y_YS1007SU = 3; ELSE IF R02_YS1007SU = -9 OR R02_YS1121SU = -9 THEN R02R_Y_YS1007SU = -99999; ELSE IF R02_YS1007SU = -8 OR R02_YS1121SU = -8 THEN R02R_Y_YS1007SU = -99988; ELSE IF R02_YS1007SU = -7 OR R02_YS1121SU = -7 THEN R02R_Y_YS1007SU = -99977; ELSE IF R02_YS1007SU = -5 THEN R02R_Y_YS1007SU = -99955; ELSE IF R02_YS1007SU = -1 OR R02_YS1121SU = -1 THEN R02R_Y_YS1007SU = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	11	0.1 %
2	2 = 12 to 14 years old	17	0.1 %
3	3 = 15 to 17 years old	16	0.1 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12128	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,128	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5606-5613 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YS112SU: Last time used snus pouches, even one or two times

When did you last use [SMKLSSFILL], even one or two times?

Snus

[If more than 30 days ago (4-7), Don't Know (-8), or Refused (-7), Go to R02_YS1124.]

ASK: Youth respondents who have ever used snus pouches/smokeless tobacco.

ASK Specification: IF LOOP = SNUS AND R02_EVER_USER_SNUS = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have used in the past year ((LOOP = SNUS AND R02_YS1002_12M_01 = 1) OR (LOOP = SMKLS AND R02_YS1002_12M_02 = 1)).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	8	0.1 %
2	2 = Not today but sometime in the past 7 days	14	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	17	0.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	35	0.3 %

Value	Label	Unweighted Frequency	%
5	5 = Not in the past 6 months but sometime in the past year	45	0.4 %
6	6 = 1 to 4 years ago	40	0.3 %
7	7 = 5 or more years ago	8	0.1 %
	Total	167	1.4%

This variable has 167 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11988	98.5 %
	Total	12,005	98.6%

Percentages for both tables are based on 12,172 total cases.

Location: 5614-5621 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1022SU: In past 30 days, number of days used snus pouches

[PROGRAM NOTE: See Box R02_YSV02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you use [SMKLSSFILL]?

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

[PROGRAM: Soft range check: 1-30 days]

This variable has 39 valid cases out of 12,172 total cases.

- Mean: 8.85
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 9.44

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5622-5629 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YS1023SU: In past 30 days, number of times snus pouches used per day on the days that you used

In the past 30 days, on the days you used [SMKLSSFILL], how many snus pouches did you use per day?

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

This variable has 39 valid cases out of 12,172 total cases.

- Mean: 6.82
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 55.00
- Standard Deviation: 10.83

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5630-5637 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YS1130SU: In past 30 days, used snus pouches flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, [was/were] any of the snus pouches you used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other

sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YS1118SU.]

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

[DISPLAY: If LOOP = SNUS, display "were" and "snus pouches"]

Value	Label	Unweighted Frequency	%
1	1 = Yes	27	0.2 %
2	2 = No	8	0.1 %
3	3 = I don't know	4	0.0 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5638-5645 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SU_01: In past 30 days, used snus pouches flavored to taste like menthol or mint

Which flavors [of snus] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_YS1130SU = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.2 %
2	2 = Not Marked	3	0.0 %
	Total	26	0.2%

This variable has 26 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12145	99.8 %
	Total	12,146	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5646-5653 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SU_02: In past 30 days, used snus pouches flavored to taste like clove or spice

Which flavors [of snus] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_YS1130SU = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	23	0.2 %
	Total	26	0.2%

This variable has 26 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12145	99.8 %
	Total	12,146	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5654-5661 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SU_03: In past 30 days, used snus pouches flavored to taste like fruit

Which flavors [of snus] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_YS1130SU = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	22	0.2 %
	Total	26	0.2%

This variable has 26 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12145	99.8 %
	Total	12,146	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5662-5669 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SU_04: In past 30 days, used snus pouches flavored to taste like chocolate

Which flavors [of snus] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_YS1130SU = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	25	0.2 %

Value	Label	Unweighted Frequency	%
	Total	26	0.2%

This variable has 26 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12145	99.8 %
	Total	12,146	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5670-5677 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SU_05: In past 30 days, used snus pouches flavored to taste like an alcoholic drink

Which flavors [of snus] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_YS1130SU = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	22	0.2 %
	Total	26	0.2%

This variable has 26 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12145	99.8 %
	Total	12,146	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5678-5685 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_Y51131SU_06: In past 30 days, used snus pouches flavored to taste like candy or other sweets

Which flavors [of snus] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_Y51130SU = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	23	0.2 %
	Total	26	0.2%

This variable has 26 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12145	99.8 %
	Total	12,146	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5686-5693 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_Y51131SU_07: In past 30 days, used snus pouches flavored to taste like some other flavor

Which flavors [of snus] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_YS1130SU = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	26	0.2%

This variable has 26 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12145	99.8 %
	Total	12,146	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5694-5701 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1118SU: In past 30 days, how you usually got your own snus pouches

In the past 30 days, how did you usually get your own [SMKLSSFILL]?

Snus

[If Someone offered it to me (4), I got it some other way (7), Don't Know (-8), or Refused (-7),
Go to Box R02_YSR04.]

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	13	0.1 %
2	2 = I bought it myself from a store	6	0.0 %
3	3 = I asked someone to give me some	9	0.1 %
4	4 = Someone offered it to me	8	0.1 %
5	5 = I bought it from another person	3	0.0 %
6	6 = I took it from a store or another person	0	0.0 %
7	7 = I got it some other way	0	0.0 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5702-5709 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1123SU: In past 30 days, someone refused to sell you snus pouches because of your age

In the past 30 days, did anyone refuse to sell you [SMKLSSFILL] because of your age?

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and who usually get their own snus pouches/smokeless tobacco by giving someone else money to buy for them, buying themselves from a store, asking someone to give them one, buying from another person, or taking from a store or another person.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_YS1118SU = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	22	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12141	99.7 %
	Total	12,142	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5710-5717 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1098SU: In past 30 days, how often used a coupon when buying snus pouches

[PROGRAM NOTE: See Box R02_YSR04 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, how often have you used a coupon when buying [SMKLSSFILL]?

Snus

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by buying themselves from a store.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_NL_SNUS = 1 AND R02_YS1118SU = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	1	0.0 %
2	2 = Sometimes	1	0.0 %
3	3 = Rarely	1	0.0 %
4	4 = Never	2	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12167	100.0 %
	Total	12,167	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 5718-5725 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1030SU: How you usually buy your snus pouches

[When you give money to someone else, how do they/How do you] usually buy your [SMKLSSFILL]?

Snus

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R02_YS1034SU.]

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_NL_SNUS = 1 AND R02_YS1118SU = 1, 2.

[DISPLAY: If R02_YS1118SU = 1, display "When you give money to someone else, how do they";
If R02_YS1118SU = 2, display "How do you".]

Value	Label	Unweighted Frequency	%
1	1 = In person	14	0.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	1	0.0 %
	Total	15	0.1%

This variable has 15 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12155	99.9 %
	Total	12,157	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 5726-5733 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1032SU: Geographic area where you usually buy snus pouches

Do [you/they] usually buy it . . . ?

Snus

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_NL_SNUS = 1
AND R02_YS1118SU = 1, 2 AND R02_YS1030SU = 1.

[DISPLAY: If R02_YS1118SU = 1, display "they"; If R02_YS1118SU = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	12	0.1 %
2	2 = In another state	0	0.0 %
3	3 = Outside the US	1	0.0 %
	Total	13	0.1%

This variable has 13 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12158	99.9 %
	Total	12,159	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 5734-5741 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1033SU: Retail location where your snus pouches are bought most of the time

Where do [you/they] buy your [SMKLSSFILL] most of the time?

Snus

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_NL_SNUS = 1
AND R02_YS1118SU = 1, 2 AND R02_YS1030SU = 1.

[DISPLAY: If R02_YS1118SU = 1, display "they" and do not display option 7 = 'friend or relative'; If R02_YS1118SU = 2, display "you" and display option 7 = 'friend or relative'.]

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	12	0.1 %
2	2 = A supermarket, grocery store, or drug store	2	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	0	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	0	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12158	99.9 %
	Total	12,158	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 5742-5749 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1034SU_D: Amount paid when last time bought snus - Dollars

Think about the last time you [bought/gave money to someone else to buy you] [SMKLSSFILL]. How much did you pay for a container of [SMKLSSFILL]?

Snus

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_NL_SMOKELESS = 1 AND R02_YS1118SM = 1, 2.

[DISPLAY: If R02_YS1118SM = 1, display "gave money to someone else to buy you";
if YS1118SM = 2, display "bought".]

[GOTO: Go to R02_YS1047SM.

[GOTO Specification: GO TO R02_YS1047SM.]

This variable has 15 valid cases out of 12,172 total cases.

- Mean: 5.67
- Median: 5.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 3.13

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12155	99.9 %
	Total	12,157	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 5750-5757 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YS1034SU_C: Amount paid when last time bought snus - Cents

Think about the last time you [bought/gave money to someone else to buy you] [SMKLSSFILL]. How much did you pay for a container of [SMKLSSFILL]?

Snus

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_NL_SNUS = 1 AND R02_YS1118SU = 1, 2.

[DISPLAY: If R02_YS1118SU = 1, display "gave money to someone else to buy you";
if YS1118SU = 2, display "bought".]

[GOTO: Go to R02_YU9001.

[GOTO Specification: GO TO R02_YU9001.]

This variable has 15 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12157	99.9 %
	Total	12,157	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 5758-5765 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YU9001: Number of snus pouches in container you usually buy

How many pouches are in the container of snus that you usually buy?

ASK: Youth respondents who are past 30 day "not-light" snus pouch users who buy snus pouches for themselves or someone else buys for them.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_NL_SNUS = 1 AND R02_YS1118SU = 1, 2.

[PROGRAM: This is only asked if LOOP = SNUS; This is not asked of smokeless tobacco users where LOOP = SMKLS.]

This variable has 15 valid cases out of 12,172 total cases.

- Mean: 15.73
- Median: 15.00
- Mode: 15.00
- Minimum: 5.00
- Maximum: 28.00
- Standard Deviation: 5.86

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12155	99.9 %
	Total	12,157	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 5766-5773 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YS1047SU: Have a regular brand of snus pouches you usually use

Do you have a regular brand of [SMKLSSFILL] that you usually use?

Snus

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_NL_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	7	0.1 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12145	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5774-5781 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1048SU_BRAND: Brand of snus pouches usually/last used

What brand of [SMKLSSFILL] [do/did] you [usually/last] use?

Snus

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_NL_SNUS = 1.

[DISPLAY: If R02_YS1047SU = 1 display "do" and "usually". If R02_YS1047SU = 2, -8 or -7, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and selected a brand of snus pouches/smokeless tobacco, go to R02_YS1070SU_PRODUCT. Else, youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and selected "Something else" for their brand of snus pouches/smokeless tobacco, go to R02_YS1049SU. Else, youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users, go to Box R02_YSD02.]

[GOTO Specification: IF R02_PAST30DAY_NL_SNUS = 1 AND R02_YS1048SU_BRAND != 9995, -8, -7, GO TO R02_YS1070SU_PRODUCT. ELSE, IF R02_PAST30DAY_NL_SNUS = 1 AND R02_YS1048SU_BRAND = 9995, GO TO R02_YS1049SU. ELSE, IF R02_PAST30DAY_NL_SNUS = 1, GO TO BOX R02_YSD02.]

This variable has 26 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12145	99.8 %
	Total	12,146	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5782-5789 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1070SU_PRODUCT: Sub-brand of snus pouch product usually/last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Snus

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and selected a brand of snus pouches/smokeless tobacco.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_NL_SNUS = 1 AND R02_YS1048SU_BRAND != 9995, -8, -7.

[DISPLAY: If R02_YS1047SU = 1, display "do" and "usually". If R02_YS1047SU = 2, -8, -7, display "did" and "last".]

[PROGRAM: Fill BRANDFILL with brand selected in R02_YS1048SU_BRAND. Show pictures or text on the touchscreen of the major products associated with the brand selected.]

[GOTO: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and selected a brand of snus pouches/smokeless tobacco and selected "Something else" for their subbrand of snus pouches/smokeless tobacco, go to R02_YS1071SU. Else, youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users, go to Box R02_YSD02.]

[GOTO Specification: IF R02_PAST30DAY_NL_SNUS = 1 AND R02_YS1048SU_BRAND != 9995, -8, -7 AND R02_YS1070SU_PRODUCT = 99995, GO TO R02_YS1071SU. ELSE, IF R02_PAST30DAY_NL_SNUS = 1, GO TO BOX R02_YSD02.]

This variable has 23 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12148	99.8 %
	Total	12,149	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 5790-5797 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1060SU_RANDOM_01: YS1060SU series random question 1

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12133	99.7 %
-9	-	1	0.0 %
R02_YS1060SU	-	3	0.0 %
R02_YS1061SU	-	4	0.0 %
R02_YS1062SU	-	1	0.0 %
R02_YS1063SU	-	2	0.0 %
R02_YS1064SU	-	2	0.0 %
R02_YS1065SU	-	6	0.0 %
R02_YS1068SU	-	5	0.0 %
R02_YS1072SU	-	2	0.0 %
R02_YS1075SU	-	3	0.0 %
R02_YS1085SU	-	4	0.0 %
R02_YU1070	-	2	0.0 %
R02_YU1076	-	4	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5798-5812 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU_RANDOM_02: YS1060SU series random question 2

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12133	99.7 %
-9	-	1	0.0 %
R02_YS1060SU	-	4	0.0 %
R02_YS1061SU	-	3	0.0 %
R02_YS1062SU	-	2	0.0 %
R02_YS1063SU	-	7	0.1 %
R02_YS1064SU	-	2	0.0 %
R02_YS1065SU	-	4	0.0 %
R02_YS1067SU	-	2	0.0 %
R02_YS1068SU	-	1	0.0 %

Value	Label	Unweighted Frequency	%
R02_YS1072SU	-	3	0.0 %
R02_YS1075SU	-	2	0.0 %
R02_YS1085SU	-	5	0.0 %
R02_YU1076	-	3	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5813-5827 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU_RANDOM_03: YS1060SU series random question 3

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12133	99.7 %
-9	-	1	0.0 %
R02_YS1060SU	-	4	0.0 %
R02_YS1061SU	-	1	0.0 %
R02_YS1062SU	-	3	0.0 %
R02_YS1063SU	-	5	0.0 %
R02_YS1064SU	-	1	0.0 %
R02_YS1065SU	-	4	0.0 %
R02_YS1067SU	-	4	0.0 %
R02_YS1068SU	-	2	0.0 %
R02_YS1072SU	-	3	0.0 %
R02_YS1075SU	-	4	0.0 %
R02_YS1085SU	-	3	0.0 %
R02_YU1070	-	1	0.0 %
R02_YU1076	-	3	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5828-5842 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU_RANDOM_04: YS1060SU series random question 4

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12133	99.7 %
-9	-	1	0.0 %
R02_YS1060SU	-	6	0.0 %
R02_YS1061SU	-	4	0.0 %
R02_YS1062SU	-	6	0.0 %
R02_YS1063SU	-	3	0.0 %
R02_YS1064SU	-	1	0.0 %
R02_YS1065SU	-	2	0.0 %
R02_YS1067SU	-	2	0.0 %
R02_YS1068SU	-	5	0.0 %
R02_YS1072SU	-	4	0.0 %
R02_YS1085SU	-	2	0.0 %
R02_YU1070	-	1	0.0 %
R02_YU1076	-	2	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5843-5857 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU_RANDOM_05: YS1060SU series random question 5

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12133	99.7 %
-9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
R02_YS1060SU	-	4	0.0 %
R02_YS1061SU	-	2	0.0 %
R02_YS1062SU	-	1	0.0 %
R02_YS1063SU	-	6	0.0 %
R02_YS1065SU	-	4	0.0 %
R02_YS1067SU	-	3	0.0 %
R02_YS1068SU	-	5	0.0 %
R02_YS1072SU	-	2	0.0 %
R02_YS1075SU	-	3	0.0 %
R02_YS1085SU	-	3	0.0 %
R02_YU1070	-	2	0.0 %
R02_YU1076	-	3	0.0 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5858-5872 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU_RANDOM_06: YS1060SU series random question 6

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12133	99.7 %
-9	-	1	0.0 %
R02_YS1060SU	-	4	0.0 %
R02_YS1061SU	-	3	0.0 %
R02_YS1062SU	-	1	0.0 %
R02_YS1063SU	-	3	0.0 %
R02_YS1064SU	-	2	0.0 %
R02_YS1065SU	-	1	0.0 %
R02_YS1067SU	-	5	0.0 %
R02_YS1068SU	-	4	0.0 %
R02_YS1072SU	-	1	0.0 %
R02_YS1075SU	-	6	0.0 %

Value	Label	Unweighted Frequency	%
R02_YS1085SU	-	3	0.0 %
R02_YU1070	-	1	0.0 %
R02_YU1076	-	4	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5873-5887 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU_RANDOM_07: YS1060SU series random question 7

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12133	99.7 %
-9	-	1	0.0 %
R02_YS1060SU	-	4	0.0 %
R02_YS1061SU	-	3	0.0 %
R02_YS1062SU	-	7	0.1 %
R02_YS1063SU	-	4	0.0 %
R02_YS1064SU	-	1	0.0 %
R02_YS1065SU	-	3	0.0 %
R02_YS1067SU	-	7	0.1 %
R02_YS1068SU	-	1	0.0 %
R02_YS1072SU	-	2	0.0 %
R02_YS1075SU	-	1	0.0 %
R02_YS1085SU	-	2	0.0 %
R02_YU1070	-	1	0.0 %
R02_YU1076	-	2	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5888-5902 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU_RANDOM_08: YS1060SU series random question 8

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12133	99.7 %
-9	-	1	0.0 %
R02_YS1060SU	-	1	0.0 %
R02_YS1061SU	-	5	0.0 %
R02_YS1062SU	-	4	0.0 %
R02_YS1064SU	-	1	0.0 %
R02_YS1065SU	-	4	0.0 %
R02_YS1067SU	-	2	0.0 %
R02_YS1068SU	-	3	0.0 %
R02_YS1072SU	-	7	0.1 %
R02_YS1075SU	-	5	0.0 %
R02_YS1085SU	-	4	0.0 %
R02_YU1076	-	2	0.0 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5903-5917 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU_RANDOM_09: YS1060SU series random question 9

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12133	99.7 %
-9	-	1	0.0 %
R02_YS1060SU	-	1	0.0 %
R02_YS1061SU	-	3	0.0 %

Value	Label	Unweighted Frequency	%
R02_YS1062SU	-	5	0.0 %
R02_YS1063SU	-	4	0.0 %
R02_YS1064SU	-	2	0.0 %
R02_YS1065SU	-	2	0.0 %
R02_YS1067SU	-	2	0.0 %
R02_YS1068SU	-	1	0.0 %
R02_YS1072SU	-	1	0.0 %
R02_YS1075SU	-	10	0.1 %
R02_YS1085SU	-	1	0.0 %
R02_YU1070	-	5	0.0 %
R02_YU1076	-	1	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5918-5932 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU_RANDOM_10: YS1060SU series random question 10

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12133	99.7 %
-9	-	1	0.0 %
R02_YS1060SU	-	2	0.0 %
R02_YS1061SU	-	1	0.0 %
R02_YS1062SU	-	5	0.0 %
R02_YS1063SU	-	1	0.0 %
R02_YS1064SU	-	1	0.0 %
R02_YS1065SU	-	5	0.0 %
R02_YS1067SU	-	4	0.0 %
R02_YS1068SU	-	6	0.0 %
R02_YS1072SU	-	3	0.0 %
R02_YS1075SU	-	1	0.0 %
R02_YS1085SU	-	2	0.0 %

Value	Label	Unweighted Frequency	%
R02_YU1070	-	3	0.0 %
R02_YU1076	-	4	0.0 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5933-5947 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU_RANDOM_11: YS1060SU series random question 11

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

11th mention

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12133	99.7 %
-9	-	1	0.0 %
R02_YS1060SU	-	5	0.0 %
R02_YS1061SU	-	4	0.0 %
R02_YS1062SU	-	3	0.0 %
R02_YS1063SU	-	3	0.0 %
R02_YS1064SU	-	1	0.0 %
R02_YS1065SU	-	1	0.0 %
R02_YS1067SU	-	1	0.0 %
R02_YS1068SU	-	3	0.0 %
R02_YS1072SU	-	5	0.0 %
R02_YS1075SU	-	1	0.0 %
R02_YS1085SU	-	6	0.0 %
R02_YU1070	-	1	0.0 %
R02_YU1076	-	4	0.0 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5948-5962 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU_RANDOM_12: YS1060SU series random question 12

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_YS1060SU to R02_1072SU) were

randomized by the computer as to the order that they were asked.]

12th mention

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12142	99.8 %
-9	-	13	0.1 %
R02_Y51061SU	-	3	0.0 %
R02_Y51064SU	-	3	0.0 %
R02_Y51065SU	-	2	0.0 %
R02_Y51067SU	-	1	0.0 %
R02_Y51068SU	-	1	0.0 %
R02_Y51072SU	-	2	0.0 %
R02_Y51085SU	-	3	0.0 %
R02_YU1076	-	2	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5963-5977 (width: 15; decimal: 0)

Variable Type: character

R02_Y51060SU_RANDOM_13: Y51060SU series random question 13

[ICPSR NOTE: The 13 items that follow in the questionnaire (R02_Y51060SU to R02_1072SU) were randomized by the computer as to the order that they were asked.]

13th mention

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12154	99.9 %
-9	-	1	0.0 %
R02_Y51061SU	-	2	0.0 %
R02_Y51067SU	-	5	0.0 %
R02_Y51068SU	-	1	0.0 %
R02_Y51072SU	-	3	0.0 %
R02_Y51075SU	-	2	0.0 %
R02_YU1076	-	4	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 5978-5992 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SU: Use snus pouches because: It is affordable

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . It is affordable.

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	19	0.2 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 5993-6000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1061SU: Use snus pouches because: People in the media or other public figures use them

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . People in the media or other public figures use [SMKLSSFILL].

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	30	0.2 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6001-6008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1085SU: Use snus pouches because: They can be used in places where smoking cigarettes is not allowed

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . I can use [SMKLSSFILL] at times when or in places where smoking cigarettes isn't allowed.

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2 %
2	2 = No	17	0.1 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6009-6016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1062SU: Use snus pouches because: They might be less harmful to me than cigarettes

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . They might be less harmful to me than cigarettes.

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	20	0.2 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6017-6024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1075SU: Use snus pouches because: They might be less harmful to people around me than cigarettes

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons

apply to you.

I use [SMKLSSFILL] because . . . They might be less harmful to me than cigarettes.

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2 %
2	2 = No	17	0.1 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6025-6032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1063SU: Use snus pouches because: They come in flavors I like

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . Snus pouches come in flavors I like.

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

[GOTO: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R02_YS1064SU. Else, youth respondents who are past 30 day snus pouch/smokeless tobacco users, go to R02_YS1065SU.]

[GOTO Specification: IF R02_PAST30DAY_SNUS = 1 AND R02_YC1112 = 1, 2, 3, 4, 5, GO TO R02_YS1064SU. ELSE, IF R02_PAST30DAY_SNUS = 1, GO TO R02_YS1065SU.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	26	0.2 %
2	2 = No	13	0.1 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6033-6040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1064SU: Use snus pouches because: It helps people to quit smoking cigarettes

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . Using [SMKLSSFILL] helps people quit smoking cigarettes.

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	12	0.1 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	12	0.1 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12142	99.8 %
	Total	12,154	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6041-6048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1065SU: Use snus pouches because: They don't smell

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . Snus pouches don't smell.

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	29	0.2 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6049-6056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1067SU: Use snus pouches because: They don't bother non-tobacco users

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . Snus pouches don't bother non-tobacco users.

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	22	0.2 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6057-6064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1068SU: Use snus pouches because: People who are important to me use them

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . People who are important to me use [SMKLSSFILL].

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

[GOTO: Go to R02_YU1076.]

[GOTO Specification: GO TO R02_YU1076.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	28	0.2 %

Value	Label	Unweighted Frequency	%
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6065-6072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YU1076: Use snus pouches because: No one can tell when I am using it

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . No one can tell when I am using a snus pouch.

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

[PROGRAM: This is only asked if LOOP = SNUS; This is not asked of smokeless tobacco users where LOOP = SMKLS.]

[GOTO: Youth respondents who are past 30 day snus pouch users and are past 30 day cigarette smokers, go to R02_YU1070. Else, youth respondents who are past 30 day snus pouch users, go to R02_YS1072SU.]

[GOTO Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_PAST30DAY_CIGS = 1, GO TO R02_YU1070. ELSE, IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1, GO TO R02_YS1072SU.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2 %
2	2 = No	16	0.1 %
	Total	38	0.3%

This variable has 38 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,134	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6073-6080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YU1070: Use snus pouches because: The sensations are stronger or more pleasurable than cigarettes

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . The sensations are stronger or more pleasurable than cigarettes.

Snus

ASK: Youth respondents who are past 30 day snus pouch users and are past 30 day cigarette smokers.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_PAST30DAY_CIGS = 1.

[PROGRAM: This is only asked if LOOP = SNUS; This is not asked of smokeless tobacco users where LOOP = SMKLS.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	10	0.1 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12154	99.9 %
	Total	12,154	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6081-6088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1072SU: Use snus pouches because: The advertising appeals to me

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . The advertising for [SMKLSSFILL] appeals to me.

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1.

[GOTO: From R02_YS1072SU: Youth respondents who are past 30 day snus pouch users and past 30 day cigarette smokers, go to R02_YS1086SU. Else, youth respondents who have ever used BOTH snus pouches and smokeless tobacco, go back to Box R02_YSR03 to complete the loop for smokeless tobacco. Else, youth respondents who have ever used snus pouches and never used smokeless tobacco, go to R02_YS1124.]

[GOTO Specification: IF R02_PAST30DAY_SNUS = 1 AND R02_PAST30DAY_CIGS = 1, GO TO R02_YS1086SU. ELSE, IF SMKLSSTYPE[3] = 1, GO BACK TO BOX R02_YSR03. ELSE, IF SMKLSSTYPE[2] = 1, GO TO R02_YS1124.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	29	0.2 %
	Total	39	0.3%

This variable has 39 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12133	99.7 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6089-6096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1086SU: In past 30 days, used snus pouches at times when or in places you could not smoke cigarettes

In the past 30 days, have you used [SMKLSSFILL] at times when or in places where you could not smoke cigarettes?

Snus

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and past 30 day cigarette smokers.

ASK Specification: FOR R02_YS1086SU: IF LOOP = SNUS AND R02_PAST30DAY_SNUS = 1 AND R02_PAST30DAY_CIGS = 1.

[GOTO: Youth respondents who have ever used BOTH snus pouches and smokeless tobacco, go back to Box R02_YSR03 to complete the loop for smokeless tobacco. Else, youth respondents who have ever used snus pouches and never used smokeless tobacco, go to R02_YS1124.]

[GOTO Specification: IF SMKLSSTYPE[3] = 1, GO BACK TO BOX R02_YSR03. ELSE, IF SMKLSSTYPE[2] = 1, GO TO R02_YS1124.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	4	0.0 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12154	99.9 %
	Total	12,154	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6097-6104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YS1006SM_NB: DERIVED - Age range when first tried smokeless tobacco, even one or two times (3 levels)

Long Description: How old were you when you first tried smokeless tobacco, even one or two times?

Original Variables: R02_YS1006SM_NB, R02_YS1120SM_NB

Algorithm: IF R02_YS1120SM_NB = 1 OR 0<=R02_YS1006SM_NB<=11 THEN R02R_Y_YS1006SM_NB = 1; ELSE IF R02_YS1120SM_NB = 2 OR 12<=R02_YS1006SM_NB<=14 THEN R02R_Y_YS1006SM_NB = 2; ELSE IF R02_YS1120SM_NB = 3 OR 15<=R02_YS1006SM_NB<=17 THEN R02R_Y_YS1006SM_NB = 3; ELSE IF R02_YS1006SM_NB = -9 OR R02_YS1120SM_NB = -9 THEN R02R_Y_YS1006SM_NB = -99999; ELSE IF R02_YS1006SM_NB = -8 OR R02_YS1120SM_NB = -8 THEN R02R_Y_YS1006SM_NB = -99988; ELSE IF R02_YS1006SM_NB = -7 OR R02_YS1120SM_NB = -7 THEN R02R_Y_YS1006SM_NB = -99977; ELSE IF R02_YS1006SM_NB = -5 THEN R02R_Y_YS1006SM_NB = -99955; ELSE IF R02_YS1006SM_NB = -1 OR R02_YS1120SM_NB = -1 THEN R02R_Y_YS1006SM_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	13	0.1 %
2	2 = 12 to 14 years old	5	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12153	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,154	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6105-6112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YS1108SM: First smokeless tobacco used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first smokeless tobacco product you used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview.

ASK Specification: IF LOOP = SMKLS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR R02_INIT_SMKLS_YOUTH = 1).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and

whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored, go to R02_YS1011SM. Else, new baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more times as of their last completed interview, go to R02_YS100SM. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SM.]

[GOTO Specification: IF ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR R02_INIT_SMKLS_YOUTH = 1) AND R02_YS1108SM = 1, GO TO R02_YS1011SM. ELSE, IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND (R02_INIT_SMKLS_YOUTH = 1 OR R01_YS1005SM != 6)), GO TO R02_YS1005SM. ELSE, IF R02_EVER_USER_SMKLS = 1, GO TO R02_YS1100SM.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	92	0.8 %
2	2 = No	38	0.3 %
3	3 = I don't know	28	0.2 %
	Total	158	1.3%

This variable has 158 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12013	98.7 %
	Total	12,014	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6113-6120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SM_01: Flavor of first smokeless tobacco product used: Menthol or mint

What flavor was that first smokeless tobacco product you used? If multiple flavors were mixed together, choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SMKLS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_YS1108SM = 1) OR (R02_INIT_SMKLS_YOUTH = 1 AND

R02_YS1108SM = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_YS1005SM. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SM.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND (R02_INIT_SMKLS_YOUTH = 1 OR R01_YS1005SM != 6)), GO TO R02_YS1005SM. ELSE, IF R02_EVER_USER_SMKLS = 1, GO TO R02_YS1100SM.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	74	0.6 %
2	2 = Not Marked	17	0.1 %
	Total	91	0.7%

This variable has 91 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,081	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6121-6128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SM_02: Flavor of first smokeless tobacco product used: Clove or spice

What flavor was that first smokeless tobacco product you used? If multiple flavors were mixed together, choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SMKLS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_YS1108SM = 1) OR (R02_INIT_SMKLS_YOUTH = 1 AND R02_YS1108SM = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or

continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_YS1005SM. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SM.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND (R02_INIT_SMKLS_YOUTH = 1 OR R01_YS1005SM != 6)), GO TO R02_YS1005SM. ELSE, IF R02_EVER_USER_SMKLS = 1, GO TO R02_YS1100SM.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	88	0.7 %
	Total	91	0.7%

This variable has 91 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,081	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6129-6136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SM_03: Flavor of first smokeless tobacco product used: Fruit

What flavor was that first smokeless tobacco product you used? If multiple flavors were mixed together, choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SMKLS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_YS1108SM = 1) OR (R02_INIT_SMKLS_YOUTH = 1 AND R02_YS1108SM = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed

interview, go to R02_YS1005SM. Else, youth respondents who have ever used snus pouches/
smokeless tobacco, go to R02_YS1100SM.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR
(R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND (R02_INIT_SMKLS_YOUTH = 1
OR R01_YS1005SM != 6)), GO TO R02_YS1005SM. ELSE, IF R02_EVER_USER_SMKLS = 1, GO TO
R02_YS1100SM.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	79	0.6 %
	Total	91	0.7%

This variable has 91 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,081	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6137-6144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SM_04: Flavor of first smokeless tobacco product used: Chocolate

What flavor was that first smokeless tobacco product you used? If multiple flavors were
mixed together, choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and
whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have
initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus
pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SMKLS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND
R02_EVER_USER_SMKLS = 1 AND R02_YS1108SM = 1) OR (R02_INIT_SMKLS_YOUTH = 1 AND
R02_YS1108SM = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or
continuing youth respondents who have ever used snus pouches/smokeless tobacco and have
initiated snus pouch/smokeless tobacco use since their last completed interview or had not
used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed
interview, go to R02_YS1005SM. Else, youth respondents who have ever used snus pouches/
smokeless tobacco, go to R02_YS1100SM.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND (R02_INIT_SMKLS_YOUTH = 1 OR R01_YS1005SM != 6)), GO TO R02_YS1005SM. ELSE, IF R02_EVER_USER_SMKLS = 1, GO TO R02_YS1100SM.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	87	0.7 %
	Total	91	0.7%

This variable has 91 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,081	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6145-6152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SM_05: Flavor of first smokeless tobacco product used: An alcoholic drink

What flavor was that first smokeless tobacco product you used? If multiple flavors were mixed together, choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SMKLS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_YS1108SM = 1) OR (R02_INIT_SMKLS_YOUTH = 1 AND R02_YS1108SM = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_YS1005SM. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SM.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND (R02_INIT_SMKLS_YOUTH = 1 OR R01_YS1005SM != 6)), GO TO R02_YS1005SM. ELSE, IF R02_EVER_USER_SMKLS = 1, GO TO

R02_YS1100SM.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	87	0.7 %
	Total	91	0.7%

This variable has 91 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,081	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6153-6160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SM_06: Flavor of first smokeless tobacco product used: Candy or other sweets

What flavor was that first smokeless tobacco product you used? If multiple flavors were mixed together, choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SMKLS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_YS1108SM = 1) OR (R02_INIT_SMKLS_YOUTH = 1 AND R02_YS1108SM = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_YS1005SM. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SM.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND (R02_INIT_SMKLS_YOUTH = 1 OR R01_YS1005SM != 6)), GO TO R02_YS1005SM. ELSE, IF R02_EVER_USER_SMKLS = 1, GO TO R02_YS1100SM.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	87	0.7 %
	Total	91	0.7%

This variable has 91 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,081	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6161-6168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1011SM_07: Flavor of first smokeless tobacco product used: Some other flavor

What flavor was that first smokeless tobacco product you used? If multiple flavors were mixed together, choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco and whose first snus pouch/smokeless tobacco was flavored, or continuing youth respondents who have initiated snus pouch/smokeless tobacco use since their last completed interview and whose first snus pouch/smokeless tobacco was flavored.

ASK Specification: IF LOOP = SMKLS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND R02_YS1108SM = 1) OR (R02_INIT_SMKLS_YOUTH = 1 AND R02_YS1108SM = 1)).

[GOTO: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches or used smokeless tobacco 100 or more as of their last completed interview, go to R02_YS1005SM. Else, youth respondents who have ever used snus pouches/smokeless tobacco, go to R02_YS1100SM.]

[GOTO Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND (R02_INIT_SMKLS_YOUTH = 1 OR R01_YS1005SM != 6)), GO TO R02_YS1005SM. ELSE, IF R02_EVER_USER_SMKLS = 1, GO TO R02_YS1100SM.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	82	0.7 %
	Total	91	0.7%

This variable has 91 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,081	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6169-6176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1005SM: Number of times used smokeless tobacco in entire life

How many snus pouches have you used in your entire life?

ASK: New baseline youth respondents who have ever used snus pouches/smokeless tobacco, or continuing youth respondents who have ever used snus pouches/smokeless tobacco and have initiated snus pouch/smokeless tobacco use since their last completed interview or had not used 100 or more snus pouches in their lifetime/smokeless tobacco 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF LOOP = SMKLS AND ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_EVER_USER_SMKLS = 1 AND (R02_INIT_SMKLS_YOUTH = 1 OR R01_YS1005SM != 6))).

Value	Label	Unweighted Frequency	%
1	1 = 1	120	1.0 %
2	2 = 2 to 10	120	1.0 %
3	3 = 11 to 20	38	0.3 %
4	4 = 21 to 50	33	0.3 %
5	5 = 51 to 99	14	0.1 %
6	6 = 100 or more	29	0.2 %
	Total	354	2.9%

This variable has 354 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	7	0.1 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	11747	96.5 %
	Total	11,818	97.1%

Percentages for both tables are based on 12,172 total cases.

Location: 6177-6184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1100SM: Ever used smokeless tobacco fairly regularly

Have you ever used [SMKLSSFILL] fairly regularly?

Smokeless tobacco

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YS1112SM.]

ASK: Youth respondents who have ever used snus pouches/smokeless tobacco.

ASK Specification: IF LOOP = SMKLS AND R02_EVER_USER_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	111	0.9 %
2	2 = No	343	2.8 %
	Total	454	3.7%

This variable has 454 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	11	0.1 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11703	96.1 %
	Total	11,718	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6185-6192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YS1007SM: DERIVED - Age range when first started using smokeless tobacco fairly regularly (3 levels)

Long Description: How old were you when you first started using smokeless tobacco fairly regularly?

Original Variables: R02_YS1007SM, R02_YS1121SM

Algorithm: IF R02_YS1121SM = 1 OR 0<=R02_YS1007SM<=11 THEN R02R_Y_YS1007SM = 1; ELSE IF R02_YS1121SM = 2 OR 12<=R02_YS1007SM<=14 THEN R02R_Y_YS1007SM = 2; ELSE IF R02_YS1121SM = 3 OR 15<=R02_YS1007SM<=17 THEN R02R_Y_YS1007SM = 3; ELSE IF R02_YS1007SM = -9 OR R02_YS1121SM = -9 THEN R02R_Y_YS1007SM = -99999; ELSE IF R02_YS1007SM = -8 OR R02_YS1121SM = -8 THEN R02R_Y_YS1007SM = -99988; ELSE IF R02_YS1007SM = -7 OR R02_YS1121SM = -7 THEN R02R_Y_YS1007SM = -99977; ELSE IF R02_YS1007SM = -5 OR R02_YS1121SM = -5 THEN R02R_Y_YS1007SM = -99955; ELSE IF R02_YS1007SM = -1 OR R02_YS1121SM = -1 THEN R02R_Y_YS1007SM = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	17	0.1 %
2	2 = 12 to 14 years old	61	0.5 %
3	3 = 15 to 17 years old	32	0.3 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12061	99.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 6193-6200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YS1112SM: Last time used smokeless tobacco, even one or two times

When did you last use [SMKLSSFILL], even one or two times?

Smokeless tobacco

[If more than 30 days ago (4-7), Don't Know (-8), or Refused (-7), Go to R02_YS1124.]

ASK: Youth respondents who have ever used snus pouches/smokeless tobacco.

ASK Specification: IF LOOP = SMKLS AND R02_EVER_USER_SMKLS = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have used in the past year ((LOOP = SNUS AND R02_YS1002_12M_01 = 1) OR (LOOP = SMKLS AND R02_YS1002_12M_02 = 1)).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	43	0.4 %
2	2 = Not today but sometime in the past 7 days	34	0.3 %
3	3 = Not in the past 7 days but sometime in the past 30 days	47	0.4 %
4	4 = Not in the past 30 days but sometime in the past 6 months	74	0.6 %
5	5 = Not in the past 6 months but sometime in the past year	84	0.7 %
6	6 = 1 to 4 years ago	76	0.6 %
7	7 = 5 or more years ago	36	0.3 %
	Total	394	3.2%

This variable has 394 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	11	0.1 %
-8	-8 = Don't know	45	0.4 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	11703	96.1 %
	Total	11,778	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 6201-6208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1022SM: In past 30 days, number of days used smokeless tobacco

[PROGRAM NOTE: See Box R02_YSV02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you use [SMKLSSFILL]?

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

[PROGRAM: Soft range check: 1-30 days]

This variable has 119 valid cases out of 12,172 total cases.

- Mean: 13.53
- Median: 8.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 12.14

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,053	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6209-6216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YS1023SM: In past 30 days, number of times smokeless tobacco used per day on the days that you used

In the past 30 days, on the days you used [SMKLSSFILL], how many times did you use smokeless tobacco per day?

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

This variable has 122 valid cases out of 12,172 total cases.

- Mean: 6.54
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 96.00
- Standard Deviation: 13.12

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12048	99.0 %

	Missing Data		
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6217-6224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YS1130SM: In past 30 days, used smokeless tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, [was/were] any of the smokeless tobacco you used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R02_YS1118SM.]

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

[DISPLAY: If LOOP = SMKLS, display "was" and "smokeless tobacco"]

Value	Label	Unweighted Frequency	%
1	1 = Yes	76	0.6 %
2	2 = No	39	0.3 %
3	3 = I don't know	8	0.1 %
	Total	123	1.0%

This variable has 123 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,049	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6225-6232 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SM_01: In past 30 days, used smokeless tobacco flavored to taste like menthol or mint

Which flavors [of smokeless tobacco] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1 AND R02_YS1130SM = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	56	0.5 %
2	2 = Not Marked	20	0.2 %
	Total	76	0.6%

This variable has 76 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	99.4 %
	Total	12,096	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 6233-6240 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SM_02: In past 30 days, used smokeless tobacco flavored to taste like clove or spice

Which flavors [of smokeless tobacco] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1 AND R02_YS1130SM = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	70	0.6 %
	Total	76	0.6%

This variable has 76 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	99.4 %
	Total	12,096	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 6241-6248 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SM_03: In past 30 days, used smokeless tobacco flavored to taste like fruit

Which flavors [of smokeless tobacco] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1 AND R02_YS1130SM = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	62	0.5 %
	Total	76	0.6%

This variable has 76 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	99.4 %
	Total	12,096	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 6249-6256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SM_04: In past 30 days, used smokeless tobacco flavored to taste like chocolate

Which flavors [of smokeless tobacco] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1 AND R02_YS1130SM = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	72	0.6 %
	Total	76	0.6%

This variable has 76 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	99.4 %
	Total	12,096	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 6257-6264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SM_05: In past 30 days, used smokeless tobacco flavored to taste like an alcoholic drink

Which flavors [of smokeless tobacco] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1 AND R02_YS1130SM = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	70	0.6 %

Value	Label	Unweighted Frequency	%
	Total	76	0.6%

This variable has 76 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	99.4 %
	Total	12,096	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 6265-6272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SM_06: In past 30 days, used smokeless tobacco flavored to taste like candy or other sweets

Which flavors [of smokeless tobacco] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1 AND R02_YS1130SM = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	69	0.6 %
	Total	76	0.6%

This variable has 76 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	99.4 %
	Total	12,096	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 6273-6280 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1131SM_07: In past 30 days, used smokeless tobacco flavored to taste like some other flavor

Which flavors [of smokeless tobacco] have you used in the past 30 days? If multiple flavors were mixed together, choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and have used flavored snus pouches/smokeless tobacco in the past 30 days.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1 AND R02_YS1130SM = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2 %
2	2 = Not Marked	52	0.4 %
	Total	76	0.6%

This variable has 76 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	99.4 %
	Total	12,096	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 6281-6288 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1118SM: In past 30 days, how you usually got your own smokeless tobacco

In the past 30 days, how did you usually get your own [SMKLSSFILL]?

Smokeless tobacco

[If Someone offered it to me (4), I got it some other way (7), Don't Know (-8), or Refused (-7), Go to Box R02_YSR04.]

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	37	0.3 %
2	2 = I bought it myself from a store	20	0.2 %
3	3 = I asked someone to give me some	25	0.2 %
4	4 = Someone offered it to me	26	0.2 %
5	5 = I bought it from another person	6	0.0 %
6	6 = I took it from a store or another person	0	0.0 %
7	7 = I got it some other way	4	0.0 %
	Total	118	1.0%

This variable has 118 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,054	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6289-6296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1123SM: In past 30 days, someone refused to sell you smokeless tobacco because of your age

In the past 30 days, did anyone refuse to sell you [SMKLSSFILL] because of your age?

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and who usually get their own snus pouches/smokeless tobacco by giving someone else money to buy for them, buying themselves from a store, asking someone to give them one, buying from another person, or taking from a store or another person.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1 AND R02_YS1118SM = 1, 2, 3, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2 %
2	2 = No	66	0.5 %

Value	Label	Unweighted Frequency	%
	Total	88	0.7%

This variable has 88 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12084	99.3 %
	Total	12,084	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6297-6304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1098SM: In past 30 days, how often used a coupon when buying smokeless tobacco

[PROGRAM NOTE: See Box R02_YSR04 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, how often have you used a coupon when buying [SMKLSSFILL]?

Smokeless tobacco

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by buying themselves from a store.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_NL_SMOKELESS = 1 AND R02_YS1118SM = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	0	0.0 %
2	2 = Sometimes	2	0.0 %
3	3 = Rarely	2	0.0 %
4	4 = Never	4	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	10	0.1 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12154	99.9 %
	Total	12,164	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6305-6312 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1030SM: How you usually buy your smokeless tobacco

[When you give money to someone else, how do they/How do you] usually buy your [SMKLSSFILL]?

Smokeless tobacco

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R02_YS1034SM.]

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_NL_SMOKELESS = 1 AND R02_YS1118SM = 1, 2.

[DISPLAY: If R02_YS1118SM = 1, display "When you give money to someone else, how do they";
If R02_YS1118SM = 2, display "How do you".]

Value	Label	Unweighted Frequency	%
1	1 = In person	29	0.2 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	1	0.0 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	22	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12120	99.6 %
	Total	12,142	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 6313-6320 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1032SM: Geographic area where you usually buy smokeless tobacco

Do [you/they] usually buy it . . . ?

Smokeless tobacco

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_NL_SMOKELESS = 1 AND R02_YS1118SM = 1, 2 AND R02_YS1030SM = 1.

[DISPLAY: If R02_YS1118SM = 1, display "they"; If R02_YS1118SM = 2, display "you".]

Value	Label	Unweighted Frequency	%
1	1 = In your own state	28	0.2 %
2	2 = In another state	1	0.0 %
3	3 = Outside the US	0	0.0 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12143	99.8 %
	Total	12,143	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 6321-6328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1033SM: Retail location where your smokeless tobacco is bought most of the time

Where do [you/they] buy your [SMKLSSFILL] most of the time?

Smokeless tobacco

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_NL_SMOKELESS = 1 AND R02_YS1118SM = 1, 2 AND R02_YS1030SM = 1.

[DISPLAY: If R02_YS1118SM = 1, display "they" and do not display option 7 = 'friend or relative'; If R02_YS1118SM = 2, display "you" and display option 7 = 'friend or relative'.]

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	26	0.2 %
2	2 = A supermarket, grocery store, or drug store	2	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	1	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	0	0.0 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12143	99.8 %
	Total	12,143	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 6329-6336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1034SM_D: Amount paid when last time bought smokeless tobacco - Dollars

Think about the last time you [bought/gave money to someone else to buy you] [SMKLSSFILL]. How much did you pay for a container of [SMKLSSFILL]?

Smokeless tobacco

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_NL_SMOKELESS = 1 AND R02_YS1118SM = 1, 2.

[DISPLAY: If R02_YS1118SM = 1, display "gave money to someone else to buy you";
if YS1118SM = 2, display "bought".]

[GOTO: Go to R02_YS1047SM.

[GOTO Specification: GO TO R02_YS1047SM.]

This variable has 30 valid cases out of 12,172 total cases.

- Mean: 4.43
- Median: 3.50
- Mode: 3.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 4.30

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	22	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12120	99.6 %
	Total	12,142	99.8 %

Percentages for both tables are based on 12,172 total cases.

Location: 6337-6344 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YS1034SM_C: Amount paid when last time bought smokeless tobacco - Cents

Think about the last time you [bought/gave money to someone else to buy you] [SMKLSSFILL]. How much did you pay for a container of [SMKLSSFILL]?

Smokeless tobacco

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and usually get snus pouches/smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_NL_SMOKELESS = 1 AND R02_YS1118SM = 1, 2.

[DISPLAY: If R02_YS1118SM = 1, display "gave money to someone else to buy you";
if YS1118SM = 2, display "bought".]

[GOTO: Go to R02_YS1047SM.

[GOTO Specification: GO TO R02_YS1047SM.]

This variable has 30 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12142	99.8 %
	Total	12,142	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 6345-6352 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YS1047SM: Have a regular brand of smokeless tobacco you usually use

Do you have a regular brand of [SMKLSSFILL] that you usually use?

Smokeless tobacco

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_NL_SMOKELESS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.6 %
2	2 = No	16	0.1 %
	Total	91	0.7%

This variable has 91 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,081	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6353-6360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1048SM_BRAND: Brand of smokeless tobacco usually / last used

What brand of [SMKLSSFILL] [do/did] you [usually/last] use?

Smokeless tobacco

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_NL_SMOKELESS = 1.

[DISPLAY: If R02_YS1047SM = 1 display "do" and "usually". If R02_YS1047SM = 2, -8 or -7, display "did" and "last".]

[GOTO: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and selected a brand of snus pouches/smokeless tobacco, go to R02_YS1070SM_PRODUCT. Else, youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and selected "Something else" for their brand of snus pouches/smokeless tobacco, go to R02_YS1049SM. Else, youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users, go to Box R02_YSD02.]

[GOTO Specification: IF R02_PAST30DAY_NL_SMOKELESS = 1 AND R02_YS1048SM_BRAND != 9995, -8, -7, GO TO R02_YS1070SM_PRODUCT. ELSE, IF R02_PAST30DAY_NL_SMOKELESS = 1 AND R02_YS1048SM_BRAND = 9995, GO TO R02_YS1049SM. ELSE, IF R02_PAST30DAY_NL_SMOKELESS = 1, GO TO BOX R02_YSD02.]

This variable has 92 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,080	99.2%

Percentages for both tables are based on 12,172 total cases.

Location: 6361-6368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1070SM_PRODUCT: Sub-brand of smokeless tobacco product usually/last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Smokeless tobacco

ASK: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users and selected a brand of snus pouches/smokeless tobacco.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_NL_SMOKELESS = 1 AND R02_YS1048SM_BRAND != 9995, -8, -7.

[DISPLAY: If R02_YS1047SM = 1, display "do" and "usually". If R02_YS1047SM = 2, -8, -7, display "did" and "last".]

[PROGRAM: Fill BRANDFILL with brand selected in R02_YS1048SM_BRAND. Show pictures or text on the touchscreen of the major products associated with the brand selected.]

[GOTO: Youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users

and selected a brand of snus pouches/smokeless tobacco and selected "Something else" for their subbrand of snus pouches/smokeless tobacco, go to R02_YS1071SM. Else, youth respondents who are past 30 day "not-light" snus pouch/smokeless tobacco users, go to Box R02_YSD02.]

[GOTO Specification: IF R02_PAST30DAY_NL_SMOKELESS = 1 AND R02_YS1048SM_BRAND != 9995, -8, -7 AND R02_YS1070SM_PRODUCT = 99995, GO TO R02_YS1071SM. ELSE, IF R02_PAST30DAY_NL_SMOKELESS = 1, GO TO BOX R02_YSD02.]

This variable has 91 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12080	99.2 %
	Total	12,081	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6369-6376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1060SM_RANDOM_01: YS1060SM series random question 1

[ICPSR NOTE: The 11 items that follow in the questionnaire (R02_YS1060SM to R02_1072SM) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12048	99.0 %
R02_YS1060SM	-	14	0.1 %
R02_YS1061SM	-	8	0.1 %
R02_YS1062SM	-	18	0.1 %
R02_YS1063SM	-	8	0.1 %
R02_YS1064SM	-	2	0.0 %
R02_YS1065SM	-	11	0.1 %
R02_YS1067SM	-	18	0.1 %
R02_YS1068SM	-	13	0.1 %
R02_YS1072SM	-	9	0.1 %
R02_YS1075SM	-	13	0.1 %
R02_YS1085SM	-	10	0.1 %

Value	Label	Unweighted Frequency	%
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6377-6391 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SM_RANDOM_02: YS1060SM series random question 2

[ICPSR NOTE: The 11 items that follow in the questionnaire (R02_YS1060SM to R02_1072SM) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12048	99.0 %
R02_YS1060SM	-	11	0.1 %
R02_YS1061SM	-	14	0.1 %
R02_YS1062SM	-	10	0.1 %
R02_YS1063SM	-	9	0.1 %
R02_YS1064SM	-	5	0.0 %
R02_YS1065SM	-	10	0.1 %
R02_YS1067SM	-	12	0.1 %
R02_YS1068SM	-	19	0.2 %
R02_YS1072SM	-	12	0.1 %
R02_YS1075SM	-	9	0.1 %
R02_YS1085SM	-	13	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6392-6406 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SM_RANDOM_03: YS1060SM series random question 3

[ICPSR NOTE: The 11 items that follow in the questionnaire (R02_YS1060SM to R02_1072SM) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12048	99.0 %
R02_YS1060SM	-	15	0.1 %
R02_YS1061SM	-	17	0.1 %
R02_YS1062SM	-	5	0.0 %
R02_YS1063SM	-	15	0.1 %
R02_YS1064SM	-	7	0.1 %
R02_YS1065SM	-	14	0.1 %
R02_YS1067SM	-	7	0.1 %
R02_YS1068SM	-	8	0.1 %
R02_YS1072SM	-	15	0.1 %
R02_YS1075SM	-	13	0.1 %
R02_YS1085SM	-	8	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6407-6421 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SM_RANDOM_04: YS1060SM series random question 4

[ICPSR NOTE: The 11 items that follow in the questionnaire (R02_YS1060SM to R02_1072SM) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12048	99.0 %
R02_YS1060SM	-	15	0.1 %
R02_YS1061SM	-	14	0.1 %
R02_YS1062SM	-	14	0.1 %
R02_YS1063SM	-	15	0.1 %
R02_YS1064SM	-	2	0.0 %
R02_YS1065SM	-	13	0.1 %
R02_YS1067SM	-	12	0.1 %
R02_YS1068SM	-	8	0.1 %
R02_YS1072SM	-	9	0.1 %
R02_YS1075SM	-	11	0.1 %
R02_YS1085SM	-	11	0.1 %

Value	Label	Unweighted Frequency	%
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6422-6436 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SM_RANDOM_05: YS1060SM series random question 5

[ICPSR NOTE: The 11 items that follow in the questionnaire (R02_YS1060SM to R02_1072SM) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12048	99.0 %
R02_YS1060SM	-	12	0.1 %
R02_YS1061SM	-	11	0.1 %
R02_YS1062SM	-	10	0.1 %
R02_YS1063SM	-	13	0.1 %
R02_YS1064SM	-	2	0.0 %
R02_YS1065SM	-	14	0.1 %
R02_YS1067SM	-	17	0.1 %
R02_YS1068SM	-	15	0.1 %
R02_YS1072SM	-	13	0.1 %
R02_YS1075SM	-	9	0.1 %
R02_YS1085SM	-	8	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6437-6451 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SM_RANDOM_06: YS1060SM series random question 6

[ICPSR NOTE: The 11 items that follow in the questionnaire (R02_YS1060SM to R02_1072SM) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12048	99.0 %
R02_YS1060SM	-	11	0.1 %
R02_YS1061SM	-	14	0.1 %
R02_YS1062SM	-	12	0.1 %
R02_YS1063SM	-	11	0.1 %
R02_YS1064SM	-	6	0.0 %
R02_YS1065SM	-	11	0.1 %
R02_YS1067SM	-	13	0.1 %
R02_YS1068SM	-	14	0.1 %
R02_YS1072SM	-	11	0.1 %
R02_YS1075SM	-	9	0.1 %
R02_YS1085SM	-	12	0.1 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6452-6466 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SM_RANDOM_07: YS1060SM series random question 7

[ICPSR NOTE: The 11 items that follow in the questionnaire (R02_YS1060SM to R02_1072SM) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12048	99.0 %
R02_YS1060SM	-	11	0.1 %
R02_YS1061SM	-	14	0.1 %
R02_YS1062SM	-	13	0.1 %
R02_YS1063SM	-	10	0.1 %
R02_YS1064SM	-	8	0.1 %
R02_YS1065SM	-	11	0.1 %
R02_YS1067SM	-	9	0.1 %
R02_YS1068SM	-	15	0.1 %
R02_YS1072SM	-	7	0.1 %
R02_YS1075SM	-	16	0.1 %
R02_YS1085SM	-	10	0.1 %

Value	Label	Unweighted Frequency	%
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6467-6481 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SM_RANDOM_08: YS1060SM series random question 8

[ICPSR NOTE: The 11 items that follow in the questionnaire (R02_YS1060SM to R02_1072SM) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12048	99.0 %
R02_YS1060SM	-	13	0.1 %
R02_YS1061SM	-	10	0.1 %
R02_YS1062SM	-	8	0.1 %
R02_YS1063SM	-	13	0.1 %
R02_YS1064SM	-	3	0.0 %
R02_YS1065SM	-	11	0.1 %
R02_YS1067SM	-	10	0.1 %
R02_YS1068SM	-	9	0.1 %
R02_YS1072SM	-	15	0.1 %
R02_YS1075SM	-	15	0.1 %
R02_YS1085SM	-	17	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6482-6496 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SM_RANDOM_09: YS1060SM series random question 9

[ICPSR NOTE: The 11 items that follow in the questionnaire (R02_YS1060SM to R02_1072SM) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12048	99.0 %
R02_YS1060SM	-	9	0.1 %
R02_YS1061SM	-	9	0.1 %
R02_YS1062SM	-	11	0.1 %
R02_YS1063SM	-	15	0.1 %
R02_YS1064SM	-	5	0.0 %
R02_YS1065SM	-	11	0.1 %
R02_YS1067SM	-	11	0.1 %
R02_YS1068SM	-	9	0.1 %
R02_YS1072SM	-	13	0.1 %
R02_YS1075SM	-	12	0.1 %
R02_YS1085SM	-	19	0.2 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6497-6511 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SM_RANDOM_10: YS1060SM series random question 10

[ICPSR NOTE: The 11 items that follow in the questionnaire (R02_YS1060SM to R02_1072SM) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12048	99.0 %
R02_YS1060SM	-	10	0.1 %
R02_YS1061SM	-	12	0.1 %
R02_YS1062SM	-	14	0.1 %
R02_YS1063SM	-	13	0.1 %
R02_YS1064SM	-	4	0.0 %
R02_YS1065SM	-	13	0.1 %
R02_YS1067SM	-	12	0.1 %
R02_YS1068SM	-	7	0.1 %
R02_YS1072SM	-	13	0.1 %
R02_YS1075SM	-	13	0.1 %
R02_YS1085SM	-	13	0.1 %

Value	Label	Unweighted Frequency	%
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6512-6526 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SM_RANDOM_11: YS1060SM series random question 11

[ICPSR NOTE: The 11 items that follow in the questionnaire (R02_YS1060SM to R02_1072SM) were randomized by the computer as to the order that they were asked.]

11th mention

[PROGRAM NOTE: Please see Box R02_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12095	99.4 %
-9	-	26	0.2 %
R02_YS1060SM	-	3	0.0 %
R02_YS1061SM	-	1	0.0 %
R02_YS1062SM	-	9	0.1 %
R02_YS1063SM	-	2	0.0 %
R02_YS1064SM	-	7	0.1 %
R02_YS1065SM	-	5	0.0 %
R02_YS1067SM	-	3	0.0 %
R02_YS1068SM	-	7	0.1 %
R02_YS1072SM	-	7	0.1 %
R02_YS1075SM	-	4	0.0 %
R02_YS1085SM	-	3	0.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6527-6541 (width: 15; decimal: 0)

Variable Type: character

R02_YS1060SM: Use smokeless tobacco because: It is affordable

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . It is affordable.

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	70	0.6 %
2	2 = No	53	0.4 %
	Total	123	1.0%

This variable has 123 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,049	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6542-6549 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1061SM: Use smokeless tobacco because: People in the media or other public figures use it

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . People in the media or other public figures use [SMKLSSFILL].

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	43	0.4 %
2	2 = No	80	0.7 %
	Total	123	1.0%

This variable has 123 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,049	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6550-6557 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1085SM: Use smokeless tobacco because: It can be used in places where smoking cigarettes is not allowed

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . I can use [SMKLSSFILL] at times when or in places where smoking cigarettes isn't allowed.

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	85	0.7 %
2	2 = No	39	0.3 %
	Total	124	1.0%

This variable has 124 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,048	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6558-6565 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1062SM: Use smokeless tobacco because: It might be less harmful to me than cigarettes

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . It might be less harmful to me than cigarettes.

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	63	0.5 %
2	2 = No	59	0.5 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6566-6573 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1075SM: Use smokeless tobacco because: It might be less harmful to people around me than cigarettes

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . It might be less harmful to people around me than cigarettes.

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	80	0.7 %
2	2 = No	42	0.3 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6574-6581 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1063SM: Use smokeless tobacco because: It comes in flavors I like

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . Smokeless tobacco comes in flavors I like.

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

[GOTO: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R02_YS1064SM. Else, youth respondents who are past 30 day snus pouch/smokeless tobacco users, go to R02_YS1065SM.]

[GOTO Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND R02_YC1112 = 1, 2, 3, 4, 5, GO TO R02_YS1064SM. ELSE, IF R02_PAST30DAY_SMOKELESS = 1, GO TO R02_YS1065SM.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	85	0.7 %
2	2 = No	38	0.3 %
	Total	123	1.0%

This variable has 123 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,049	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6582-6589 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1064SM: Use smokeless tobacco because: It helps people to quit smoking cigarettes

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . Using [SMKLSSFILL] helps people quit smoking cigarettes.

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1 AND R02_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2 %
2	2 = No	29	0.2 %
	Total	51	0.4%

This variable has 51 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	26	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12095	99.4 %
	Total	12,121	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 6590-6597 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1065SM: Use smokeless tobacco because: It doesn't smell

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . Smokeless tobacco doesn't smell.

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.3 %
2	2 = No	85	0.7 %
	Total	124	1.0%

This variable has 124 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,048	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6598-6605 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1067SM: Use smokeless tobacco because: It doesn't bother non-tobacco users

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . Smokeless tobacco doesn't bother non-tobacco users.

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	59	0.5 %
2	2 = No	64	0.5 %

Value	Label	Unweighted Frequency	%
	Total	123	1.0%

This variable has 123 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,049	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6606-6613 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1068SM: Use smokeless tobacco because: People who are important to me use them

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . People who are important to me use [SMKLSSFILL].

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

[GOTO: Go to R02_YS1072SM.]

[GOTO Specification: GO TO R02_YS1072SM.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	52	0.4 %
2	2 = No	71	0.6 %
	Total	123	1.0%

This variable has 123 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,049	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6614-6621 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1072SM: Use smokeless tobacco because: The advertising appeals to me

The next questions are about the reasons people use [SMKLSSFILL]. Please select which reasons apply to you.

I use [SMKLSSFILL] because . . . The advertising for [SMKLSSFILL] appeals to me.

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1.

[GOTO: Youth respondents who are past 30 day smokeless tobacco users and past 30 day cigarette smokers, go to R02_YS1086SM. Else, youth respondents who have ever used smokeless tobacco, go to R02_YS1124.]

[GOTO Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND R02_PAST30DAY_CIGS = 1, GO TO R02_YS1086SM. ELSE, IF SMKLSSTYPE[1] = 1, GO TO R02_YS1124.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.3 %
2	2 = No	87	0.7 %
	Total	121	1.0%

This variable has 121 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12048	99.0 %
	Total	12,051	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6622-6629 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1086SM: In past 30 days, used smokeless tobacco at times when or in places you could not smoke cigarettes

In the past 30 days, have you used [SMKLSSFILL] at times when or in places where you could not smoke cigarettes?

Smokeless tobacco

ASK: Youth respondents who are past 30 day snus pouch/smokeless tobacco users and past 30 day cigarette smokers.

ASK Specification: IF LOOP = SMKLS AND R02_PAST30DAY_SMOKELESS = 1 AND R02_PAST30DAY_CIGS = 1.

[GOTO: R02_YS1124.]

[GOTO Specification: GO TO R02_YS1124.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	13	0.1 %
	Total	51	0.4%

This variable has 51 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12121	99.6 %
	Total	12,121	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 6630-6637 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1124: Likelihood of someone becoming addicted to smokeless tobacco

[The next questions are about smokeless tobacco, including snus pouches.]

How likely is someone to become addicted to smokeless tobacco?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YS1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

[DISPLAY: If respondent has ever used smokeless tobacco or snus pouches, display transition

text "[The next questions are about smokeless tobacco, including snus pouches.]"

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	268	2.2 %
2	2 = Somewhat unlikely	301	2.5 %
3	3 = Neither likely nor unlikely	959	7.9 %
4	4 = Somewhat likely	3431	28.2 %
5	5 = Very likely	6051	49.7 %
	Total	11,010	90.5%

This variable has 11,010 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	335	2.8 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	810	6.7 %
	Total	1,162	9.5%

Percentages for both tables are based on 12,172 total cases.

Location: 6638-6645 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1099: Harmfulness of using smokeless tobacco compared to smoking cigarettes

Is using smokeless tobacco less harmful, about the same, or more harmful than smoking cigarettes?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YS1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1171	9.6 %
2	2 = About the same	6114	50.2 %
3	3 = More harmful	3198	26.3 %
	Total	10,483	86.1%

This variable has 10,483 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	858	7.0 %
-7	-7 = Refused	21	0.2 %
-1	-1 = Inapplicable	810	6.7 %
	Total	1,689	13.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6646-6653 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1125: Thoughts on how much people harm themselves when they use smokeless tobacco

How much do you think people harm themselves when they use smokeless tobacco?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YS1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = No harm	168	1.4 %
2	2 = A little harm	820	6.7 %
3	3 = Some harm	2946	24.2 %
4	4 = A lot of harm	7203	59.2 %
	Total	11,137	91.5%

This variable has 11,137 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	217	1.8 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	810	6.7 %
	Total	1,035	8.5%

Percentages for both tables are based on 12,172 total cases.

Location: 6654-6661 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1146: Ease of smoking smokeless tobacco that are flavored compared to unflavored smokeless tobacco

Some smokeless tobacco comes in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Is flavored smokeless tobacco easier to use, about the same, or harder to use than unflavored smokeless tobacco?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco, or continuing youth respondents.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YS1001_NB = 1) OR R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2350	19.3 %
2	2 = About the same	5850	48.1 %
3	3 = Harder to use	1177	9.7 %
	Total	9,377	77.0%

This variable has 9,377 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1941	15.9 %
-7	-7 = Refused	44	0.4 %
-1	-1 = Inapplicable	810	6.7 %
	Total	2,795	23.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6662-6669 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YD1001_NB: Ever seen or heard of dissolvable tobacco before this study

[BOX ID: R02_YDT01 - The next questions ask about another type of tobacco called dissolvable tobacco. You don't smoke dissolvable tobacco products - they are made of finely ground flavored tobacco that dissolves in your mouth.

Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, or Camel Orbs, Sticks or Strips.

SHOW GENERIC IMAGES OF DISSOLVABLES]

[BOX ID: R02_YDR01 - New baseline youth respondents, go to R02_YD1001_NB. Else, go to R02_YD1002_12M.

IF R02_NEW_BASELINE_YOUTH_LD = 1, GO TO R02_YD1001_NB. ELSE, GO TO R02_YD1002_12M.]

Have you ever seen or heard of dissolvable tobacco before this study?

[If No or Don't Know (-8) or Refused (-7), Go to R02_YBT01.]

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	129	1.1 %
2	2 = No	1958	16.1 %
	Total	2,087	17.1%

This variable has 2,087 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,085	82.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6670-6677 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YD1002_NB: Ever used dissolvable tobacco products, even one or two times

Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[GO TO R02_YDV01]

ASK: New baseline youth respondents who have ever seen or heard of dissolvable tobacco.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YD1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	126	1.0 %
	Total	128	1.1%

This variable has 128 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12043	98.9 %
	Total	12,044	98.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6678-6685 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YD1002_12M: In past 12 months, used dissolvable tobacco products, even one or two times

In the past 12 months, have you used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	10036	82.5 %
	Total	10,055	82.6%

This variable has 10,055 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.2 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,117	17.4%

Percentages for both tables are based on 12,172 total cases.

Location: 6686-6693 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YD1112: Last time used dissolvable tobacco, even one or two times

[PROGRAM NOTE: See Box in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

When did you last use dissolvable tobacco, even one or two times?

ASK: Youth respondents who have ever used dissolvable tobacco.

ASK Specification: IF R02_EVER_USER_DISSBL = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have used in the past year (R02_YD1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	2	0.0 %
2	2 = Not today but sometime in the past 7 days	3	0.0 %
3	3 = Not in the past 7 days but sometime in the past 30 days	3	0.0 %
4	4 = Not in the past 30 days but sometime in the past 6 months	4	0.0 %
5	5 = Not in the past 6 months but sometime in the past year	9	0.1 %
6	6 = 1 to 4 years ago	1	0.0 %
7	7 = 5 or more years ago	1	0.0 %
	Total	23	0.2%

This variable has 23 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,149	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 6694-6701 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YD1022: In past 30 days, number of days used a dissolvable tobacco product

[PROGRAM NOTE: See Box in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you use dissolvable tobacco?

ASK: Youth respondents who are past 30 day dissolvable tobacco users.

ASK Specification: IF R02_PAST30DAY_DISS = 1.

[PROGRAM: Soft range check: 1-30 days]

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
5	-	1	0.0 %
10	-	1	0.0 %
30	-	2	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12164	99.9 %
	Total	12,164	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6702-6709 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YD1023: In past 30 days, number of pieces of dissolvable tobacco used per day on the days that you used

In the past 30 days, on the days you used dissolvable tobacco, how many pieces did you use per day?

ASK: Youth respondents who are past 30 day dissolvable tobacco users.

ASK Specification: IF R02_PAST30DAY_DISS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 piece per day	1	0.0 %
2	2 = 1 piece per day	3	0.0 %
3	3 = 2 to 5 pieces per day	0	0.0 %
4	4 = 6 to 10 pieces per day	1	0.0 %
5	5 = 11 to 20 pieces per day	1	0.0 %
6	6 = More than 20 pieces per day	2	0.0 %

Value	Label	Unweighted Frequency	%
	Total	8	0.1%

This variable has 8 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12164	99.9 %
	Total	12,164	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6710-6717 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB9101_NB_01: Ever heard of bidis before this study

[Box R02_YBT01 - The next questions are about bidis or kreteks. Bidis are small brown cigarettes wrapped in a leaf and typically tied on one or both ends with string. Kreteks are clove cigarettes.]

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

[Box R01_YBR01 - New baseline youth respondents, go to R02_YB9101_NB. Else, go to R02_YB9102_12M. IF R02_NEW_BASELINE_YOUTH_LD = 1, GO TO R02_YB9101_NB. ELSE, GO TO R02_YB9102_12M.]

Which of the following tobacco products have you ever seen or heard of before this study? Choose all that apply.

Bidis

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	68	0.6 %
2	2 = Not Marked	2003	16.5 %
	Total	2,071	17.0%

This variable has 2,071 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,101	83.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6718-6725 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB9101_NB_02: Ever heard of kreteks before this study

[Box R02_YBT01 - The next questions are about bidis or kreteks. Bidis are small brown cigarettes wrapped in a leaf and typically tied on one or both ends with string. Kreteks are clove cigarettes.]

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

[Box R01_YBR01 - New baseline youth respondents, go to R02_YB9101_NB. Else, go to R02_YB9102_12M. IF R02_NEW_BASELINE_YOUTH_LD = 1, GO TO R02_YB9101_NB. ELSE, GO TO R02_YB9102_12M.]

Which of the following tobacco products have you ever seen or heard of before this study? Choose all that apply.

Kreteks

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	80	0.7 %
2	2 = Not Marked	1991	16.4 %
	Total	2,071	17.0%

This variable has 2,071 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,101	83.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6726-6733 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB9101_NB_03: Never heard of bidis or kreteks

[Box R02_YBT01 - The next questions are about bidis or kreteks. Bidis are small brown cigarettes wrapped in a leaf and typically tied on one or both ends with string. Kreteks are clove cigarettes.]

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

[Box R01_YBR01 - New baseline youth respondents, go to R02_YB9101_NB. Else, go to R02_YB9102_12M. IF R02_NEW_BASELINE_YOUTH_LD = 1, GO TO R02_YB9101_NB. ELSE, GO TO R02_YB9102_12M.]

Which of the following tobacco products have you ever seen or heard of before this study? Choose all that apply.

Never seen or heard of either of these products

[If never seen or heard of either product (3), Don't Know (-8), or Refused, Go to R02_YYV01.]

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1956	16.1 %
2	2 = Not Marked	115	0.9 %
	Total	2,071	17.0%

This variable has 2,071 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,101	83.0%

Percentages for both tables are based on 12,172 total cases.

Location: 6734-6741 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB9102_NB_01: Ever tried bidis, even one or two times

Which of the following tobacco products have you ever tried, even one or two times?
Choose all that apply.

Bidis

[GO TO R02_YBV01]

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_YB9101_NB_01 = 1 OR R02_YB9101_NB_02 = 1).

[DISPLAY: SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	111	0.9 %
	Total	114	0.9%

This variable has 114 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12057	99.1 %
	Total	12,058	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 6742-6749 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB9102_NB_02: Ever tried kreteks, even one or two times

Which of the following tobacco products have you ever tried, even one or two times?
Choose all that apply.

Kreteks

[GO TO R02_YBV01]

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_YB9101_NB_01 = 1 OR R02_YB9101_NB_02 = 1).

[DISPLAY: SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	114	0.9 %
	Total	114	0.9%

This variable has 114 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12057	99.1 %
	Total	12,058	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 6750-6757 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB9102_NB_03: Never tried bidis or kreteks

Which of the following tobacco products have you ever tried, even one or two times?
Choose all that apply.

I have not tried either of these products

[GO TO R02_YBV01]

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_YB9101_NB_01 = 1 OR R02_YB9101_NB_02 = 1).

[DISPLAY: SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	111	0.9 %
2	2 = Not Marked	3	0.0 %
	Total	114	0.9%

This variable has 114 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12057	99.1 %
	Total	12,058	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 6758-6765 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB9102_12M_01: In past 12 months, tried bidis even one or two times

In the past 12 months, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

Bidis

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

[DISPLAY: SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	9989	82.1 %
	Total	10,007	82.2%

This variable has 10,007 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	52	0.4 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,165	17.8%

Percentages for both tables are based on 12,172 total cases.

Location: 6766-6773 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB9102_12M_02: In past 12 months, tried kreteks even one or two times

In the past 12 months, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

Kreteks

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

[DISPLAY: SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.3 %
2	2 = Not Marked	9974	81.9 %
	Total	10,007	82.2%

This variable has 10,007 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	52	0.4 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,165	17.8%

Percentages for both tables are based on 12,172 total cases.

Location: 6774-6781 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB9102_12M_03: In past 12 months, never tried bidis or kreteks

In the past 12 months, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

I have not tried either of these products

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

[DISPLAY: SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9956	81.8 %
2	2 = Not Marked	51	0.4 %
	Total	10,007	82.2%

This variable has 10,007 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	52	0.4 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,165	17.8%

Percentages for both tables are based on 12,172 total cases.

Location: 6782-6789 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB112BD: Last time you smoked a bidi, even one or two puffs

[PROGRAM NOTE: See Box R02_YBV01 and Box R02_YBR02 and R02_YBD02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

When was the last time you smoked a bidi, even one or two puffs?

ASK: Youth respondents who have ever smoked a bidi/kretek.

ASK Specification: IF R02_EVER_USER_BIDI = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have smoked bidis in the past year (LOOP = BIDI AND R02_YB9102_12M_01 = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	1	0.0 %
2	2 = Not today but sometime in the past 7 days	4	0.0 %
3	3 = Not in the past 7 days but sometime in the past 30 days	3	0.0 %
4	4 = Not in the past 30 days but sometime in the past 6 months	5	0.0 %
5	5 = Not in the past 6 months but sometime in the past year	6	0.0 %
6	6 = 1 to 4 years ago	7	0.1 %
7	7 = 5 or more years ago	7	0.1 %
	Total	33	0.3%

This variable has 33 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	12132	99.7 %
	Total	12,139	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6790-6797 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB1022BD: In past 30 days, number of days smoked a bidi on days smoked

[PROGRAM NOTE: See Box R02_YBV02 and Box R02_YBR03 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke a bidi?

ASK: Youth respondents who are past 30 day bidi/kretek smokers.

ASK Specification: IF LOOP = BIDI AND R02_PAST30DAY_BIDI = 1.

[PROGRAM: Soft range check 1-30 days]

This variable has 8 valid cases out of 12,172 total cases.

- Mean: 6.00
- Median: 2.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 23.00
- Standard Deviation: 7.80

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12164	99.9 %
	Total	12,164	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6798-6805 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YB1023BD: In past 30 days, number of bidis smoked on days smoked

In the past 30 days, on the days you smoked a bidi, how many bidis did you smoke per day?

ASK: Youth respondents who are past 30 day bidi/kretek smokers.

ASK Specification: IF LOOP = BIDI AND R02_PAST30DAY_BIDI = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 bidi per day	2	0.0 %
2	2 = 1 bidi per day	1	0.0 %
3	3 = 2 to 5 bidis per day	1	0.0 %
4	4 = 6 to 10 bidis per day	0	0.0 %
5	5 = 11 to 20 bidis per day	1	0.0 %
6	6 = More than 20 bidis per day	3	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12164	99.9 %
	Total	12,164	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6806-6813 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB1112KK: Last time you smoked a kretek, even one or two puffs

[PROGRAM NOTE: See Box R02_YBV01 and Box R02_YBR02 and R02_YBD02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

When was the last time you smoked a kretek, even one or two puffs?

ASK: Youth respondents who have ever smoked a bidi/kretek.

ASK Specification: IF R02_EVER_USER_KRETEK = 1.

[PROGRAM: Suppress options 6 & 7 for respondents that have smoked kreteks in the past year (LOOP = KRET AND R02_YB9102_12M_02 = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	2	0.0 %
2	2 = Not today but sometime in the past 7 days	4	0.0 %
3	3 = Not in the past 7 days but sometime in the past 30 days	5	0.0 %
4	4 = Not in the past 30 days but sometime in the past 6 months	5	0.0 %
5	5 = Not in the past 6 months but sometime in the past year	17	0.1 %
6	6 = 1 to 4 years ago	0	0.0 %
7	7 = 5 or more years ago	12	0.1 %
	Total	45	0.4%

This variable has 45 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	12112	99.5 %
	Total	12,127	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 6814-6821 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YB1022KK: In past 30 days, number of days smoked a kretek on days smoked

[PROGRAM NOTE: See Box R02_YBV02 and Box R02_YBR03 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke a kretek?

ASK: Youth respondents who are past 30 day bidi/kretek smokers.

ASK Specification: IF LOOP = KRETEK AND R02_PAST30DAY_KRETEK = 1.

[PROGRAM: Soft range check 1-30 days]

This variable has 10 valid cases out of 12,172 total cases.

- Mean: 5.20
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 22.00
- Standard Deviation: 6.23

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12161	99.9 %
	Total	12,162	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6822-6829 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YB1023KK: In past 30 days, number of kreteks smoked on days smoked

In the past 30 days, on the days you smoked a kretek, how many kreteks did you smoke per day?

ASK: Youth respondents who are past 30 day bidi/kretek smokers.

ASK Specification: IF LOOP = KRETEK AND R02_PAST30DAY_KRETEK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 kretek per day	4	0.0 %
2	2 = 1 kretek per day	1	0.0 %
3	3 = 2 to 5 kreteks per day	2	0.0 %
4	4 = 6 to 10 kreteks per day	1	0.0 %
5	5 = 11 to 20 kreteks per day	1	0.0 %
6	6 = More than 20 kreteks per day	1	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12161	99.9 %
	Total	12,162	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6830-6837 (width: 8; decimal: 0)

Variable Type: numeric

R02_YY0601: First type of tobacco you tried

[PROGRAM NOTE: See Box R02_YYV01 and Box R02_YYR01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

You mentioned that you started using [LIST OF ALL PRODUCTS USED AT EARLIEST AGE] [in the past 12 months/at age {EARLIEST AGE}]. Which type of tobacco did you try first?

ASK: New baseline youth respondents who started using 2 or more products at the same age or continuing youth respondents who initiated use of 2 or more products at the same age.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND MIN VALID AGE IN (R02_YC1006_NB OR R02_YE1006_NB OR R02_YG1006TC_NB OR R02_YG1006CL_NB OR R02_YG1006FC_NB OR R02_YH1006_NB OR R02_YS1006SM_NB OR R02_YS1006SU_NB) = AGE AT FIRST USE OF 2 OR MORE PRODUCTS) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_INIT_[PRODUCT]_YOUTH = 1 FOR 2 OR MORE PRODUCTS).

[DISPLAY: If R02_CONTINUING_YOUTH_LD = 1, display "in the past 12 months"; for [LIST OF ALL PRODUCTS USED AT EARLIEST AGE], list all the products for which R02_INIT_[PRODUCT]_YOUTH = 1.

If R02_NEW_BASELINE_YOUTH_LD = 1, display "at age {EARLIEST AGE}" and fill {EARLIEST AGE} with the age the respondent first started using tobacco; for [LIST OF ALL PRODUCTS USED AT EARLIEST AGE], list all the products for which R02_Y*1006_NB = earliest age of tobacco use.

IF [LIST OF ALL PRODUCTS USED AT EARLIEST AGE] HAS TWO PRODUCTS, CONNECT THE PRODUCTS WITH "and".

IF [LIST OF ALL PRODUCTS USED AT EARLIEST AGE] HAS THREE OR MORE PRODUCTS, CONNECT THE PRODUCTS WITH COMMAS AND INCLUDE "and" BEFORE THE FINAL PRODUCT.

If [LIST OF ALL PRODUCTS USED AT EARLIEST AGE] includes smokeless tobacco but not snus pouches, display "smokeless tobacco" as smokeless tobacco fill in [LIST OF ALL PRODUCTS USED AT EARLIEST AGE]

If [LIST OF ALL PRODUCTS USED AT EARLIEST AGE] includes smokeless tobacco and snus pouches, display "other smokeless tobacco" as smokeless tobacco fill in [LIST OF ALL PRODUCTS USED AT EARLIEST AGE]

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes	154	1.3 %
2	2 = E-cigarettes	121	1.0 %
3	3 = Traditional cigars	8	0.1 %
4	4 = Cigarillos	30	0.2 %
5	5 = Filtered cigars	9	0.1 %
6	6 = Pipe tobacco	0	0.0 %
7	7 = Hookah	68	0.6 %
8	8 = Smokeless tobacco (other than snus pouches)	20	0.2 %

Value	Label	Unweighted Frequency	%
9	9 = Snus pouches (other than Skoal Bandits)	23	0.2 %
10	10 = Dissolvable tobacco	0	0.0 %
11	11 = Bidis	0	0.0 %
12	12 = Kreteks	0	0.0 %
14	14 = Other	11	0.1 %
	Total	444	3.6%

This variable has 444 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	14	0.1 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11701	96.1 %
	Total	11,728	96.4%

Percentages for both tables are based on 12,172 total cases.

Location: 6838-6845 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0037_RANDOM_01: YX0037 series random question 1

[ICPSR NOTE: The 6 items that follow in the questionnaire (R02_YX0037 to R02_YX0044) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YXD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
R02_YX0037	-	2084	17.1 %
R02_YX0040	-	1978	16.3 %
R02_YX0041	-	1973	16.2 %
R02_YX0042	-	2037	16.7 %
R02_YX0043	-	2052	16.9 %
R02_YX0044	-	2048	16.8 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6846-6860 (width: 15; decimal: 0)

Variable Type: character

R02_YX0037_RANDOM_02: YX0037 series random question 2

[ICPSR NOTE: The 6 items that follow in the questionnaire (R02_YX0037 to R02_YX0044) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YXD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
R02_YX0037	-	1998	16.4 %
R02_YX0040	-	2135	17.5 %
R02_YX0041	-	2085	17.1 %
R02_YX0042	-	2000	16.4 %
R02_YX0043	-	1960	16.1 %
R02_YX0044	-	1994	16.4 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6861-6875 (width: 15; decimal: 0)

Variable Type: character

R02_YX0037_RANDOM_03: YX0037 series random question 3

[ICPSR NOTE: The 6 items that follow in the questionnaire (R02_YX0037 to R02_YX0044) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YXD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
R02_YX0037	-	2033	16.7 %
R02_YX0040	-	1929	15.8 %
R02_YX0041	-	2055	16.9 %
R02_YX0042	-	2020	16.6 %
R02_YX0043	-	2079	17.1 %
R02_YX0044	-	2056	16.9 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6876-6890 (width: 15; decimal: 0)

Variable Type: character

R02_YX0037_RANDOM_04: YX0037 series random question 4

[ICPSR NOTE: The 6 items that follow in the questionnaire (R02_YX0037 to R02_YX0044) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YXD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
R02_YX0037	-	1989	16.3 %
R02_YX0040	-	2107	17.3 %
R02_YX0041	-	1966	16.2 %
R02_YX0042	-	2093	17.2 %
R02_YX0043	-	2010	16.5 %
R02_YX0044	-	2007	16.5 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6891-6905 (width: 15; decimal: 0)

Variable Type: character

R02_YX0037_RANDOM_05: YX0037 series random question 5

[ICPSR NOTE: The 6 items that follow in the questionnaire (R02_YX0037 to R02_YX0044) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YXD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
R02_YX0037	-	2049	16.8 %
R02_YX0040	-	2016	16.6 %
R02_YX0041	-	2064	17.0 %
R02_YX0042	-	1992	16.4 %
R02_YX0043	-	2017	16.6 %
R02_YX0044	-	2034	16.7 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6906-6920 (width: 15; decimal: 0)

Variable Type: character

R02_YX0037_RANDOM_06: YX0037 series random question 6

[ICPSR NOTE: The 6 items that follow in the questionnaire (R02_YX0037 to R02_YX0044) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YXD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
R02_YX0037	-	2019	16.6 %
R02_YX0040	-	2007	16.5 %
R02_YX0041	-	2029	16.7 %
R02_YX0042	-	2030	16.7 %
R02_YX0043	-	2054	16.9 %
R02_YX0044	-	2033	16.7 %
	Total	12,172	100.0 %

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 6921-6935 (width: 15; decimal: 0)

Variable Type: character

R02_YX0037: Agree/Disagree: I think I would enjoy using tobacco

[Box R02_YXT01 - The next few questions are statements about tobacco. Please tell me how much you agree or disagree with the following statements.]

I think I would enjoy using tobacco.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	127	1.0 %
2	2 = Agree	485	4.0 %
3	3 = Disagree	2577	21.2 %
4	4 = Strongly disagree	8901	73.1 %
	Total	12,090	99.3 %

This variable has 12,090 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	70	0.6 %

	Missing Data		
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	82	0.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6936-6943 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0040: Agree/Disagree: Using tobacco would be energizing

[Box R02_YXT01 - The next few questions are statements about tobacco. Please tell me how much you agree or disagree with the following statements.]

I think using tobacco would be energizing.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	60	0.5 %
2	2 = Agree	441	3.6 %
3	3 = Disagree	3095	25.4 %
4	4 = Strongly disagree	8424	69.2 %
	Total	12,020	98.8%

This variable has 12,020 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	142	1.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	152	1.2%

Percentages for both tables are based on 12,172 total cases.

Location: 6944-6951 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0041: Agree/Disagree: Using tobacco would help me reduce or handle stress

[Box R02_YXT01 - The next few questions are statements about tobacco. Please tell me how much you agree or disagree with the following statements.]

I think using tobacco would help me reduce or handle stress.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	260	2.1 %
2	2 = Agree	1274	10.5 %
3	3 = Disagree	3151	25.9 %
4	4 = Strongly disagree	7330	60.2 %
	Total	12,015	98.7%

This variable has 12,015 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	143	1.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	157	1.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6952-6959 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0042: Agree/Disagree: Using tobacco would help me calm down when I am angry

[Box R02_YXT01 - The next few questions are statements about tobacco. Please tell me how much you agree or disagree with the following statements.]

I think using tobacco would help me calm down when I am angry.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	288	2.4 %
2	2 = Agree	1253	10.3 %
3	3 = Disagree	3019	24.8 %
4	4 = Strongly disagree	7442	61.1 %
	Total	12,002	98.6%

This variable has 12,002 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	152	1.2 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	170	1.4%

Percentages for both tables are based on 12,172 total cases.

Location: 6960-6967 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0043: Agree/Disagree: Using tobacco would help me control my weight

[Box R02_YXT01 - The next few questions are statements about tobacco. Please tell me how much you agree or disagree with the following statements.]

I think using tobacco would help me control my weight.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	66	0.5 %
2	2 = Agree	324	2.7 %
3	3 = Disagree	2785	22.9 %
4	4 = Strongly disagree	8840	72.6 %
	Total	12,015	98.7%

This variable has 12,015 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	142	1.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	157	1.3%

Percentages for both tables are based on 12,172 total cases.

Location: 6968-6975 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0044: Agree/Disagree: Using tobacco would help me feel more comfortable at parties

[Box R02_YXT01 - The next few questions are statements about tobacco. Please tell me how

much you agree or disagree with the following statements.]

I think using tobacco would help me to feel more comfortable at parties.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	111	0.9 %
2	2 = Agree	705	5.8 %
3	3 = Disagree	3033	24.9 %
4	4 = Strongly disagree	8214	67.5 %
	Total	12,063	99.1%

This variable has 12,063 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	94	0.8 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	109	0.9%

Percentages for both tables are based on 12,172 total cases.

Location: 6976-6983 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1175: How much you think people harm themselves when they smoke cigarettes every day

How much do you think people harm themselves when they smoke cigarettes every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	71	0.6 %
2	2 = A little harm	199	1.6 %
3	3 = Some harm	988	8.1 %
4	4 = A lot of harm	10842	89.1 %
	Total	12,100	99.4%

This variable has 12,100 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	64	0.5 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	72	0.6%

Percentages for both tables are based on 12,172 total cases.

Location: 6984-6991 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1170: How much you think people harm themselves when they smoke cigarettes some days but not every day

How much do you think people harm themselves when they smoke cigarettes some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	97	0.8 %
2	2 = A little harm	673	5.5 %
3	3 = Some harm	4422	36.3 %
4	4 = A lot of harm	6898	56.7 %
	Total	12,090	99.3%

This variable has 12,090 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	71	0.6 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	82	0.7%

Percentages for both tables are based on 12,172 total cases.

Location: 6992-6999 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1180: How long you think someone has to smoke cigarettes before it harms their health

How long do you think someone has to smoke cigarettes before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	95	0.8 %
2	2 = Less than a year	7796	64.0 %
3	3 = 1 year	1881	15.5 %
4	4 = 5 years	1109	9.1 %
5	5 = 10 years	510	4.2 %
6	6 = 20 years or more	557	4.6 %
	Total	11,948	98.2%

This variable has 11,948 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	211	1.7 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	224	1.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7000-7007 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1175: How much you think people harm themselves when they use smokeless tobacco every day

How much do you think people harm themselves when they use smokeless tobacco every day?

(Smokeless tobacco includes snus, chewing tobacco, snuff, or dip.)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	106	0.9 %
2	2 = A little harm	520	4.3 %
3	3 = Some harm	2320	19.1 %
4	4 = A lot of harm	9037	74.2 %
	Total	11,983	98.4%

This variable has 11,983 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	175	1.4 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	189	1.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7008-7015 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YS1170: How much you think people harm themselves when they use smokeless tobacco some days but not every day

How much do you think people harm themselves when they use smokeless tobacco some days but not everyday?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	154	1.3 %
2	2 = A little harm	1119	9.2 %
3	3 = Some harm	4479	36.8 %
4	4 = A lot of harm	6234	51.2 %
	Total	11,986	98.5%

This variable has 11,986 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	166	1.4 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	186	1.5%

Percentages for both tables are based on 12,172 total cases.

Location: 7016-7023 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0625: How long you think someone has to use smokeless tobacco before it harms their health

How long do you think someone has to use smokeless tobacco before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	141	1.2 %
2	2 = Less than a year	6797	55.8 %
3	3 = 1 year	2601	21.4 %
4	4 = 5 years	1249	10.3 %
5	5 = 10 years	581	4.8 %
6	6 = 20 years or more	484	4.0 %
	Total	11,853	97.4%

This variable has 11,853 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	298	2.4 %
-7	-7 = Refused	21	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	319	2.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7024-7031 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YE1180: How long you think someone has to use e-cigarettes before it harms their health

How long do you think someone has to use e-cigarettes before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	874	7.2 %
2	2 = Less than a year	5024	41.3 %
3	3 = 1 year	2741	22.5 %
4	4 = 5 years	1616	13.3 %
5	5 = 10 years	727	6.0 %

Value	Label	Unweighted Frequency	%
6	6 = 20 years or more	707	5.8 %
	Total	11,689	96.0%

This variable has 11,689 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	460	3.8 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	483	4.0%

Percentages for both tables are based on 12,172 total cases.

Location: 7032-7039 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YD1180: How long you think someone has to use dissolvable tobacco before it harms their health

How long do you think someone has to use dissolvable tobacco before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	150	1.2 %
2	2 = Less than a year	6853	56.3 %
3	3 = 1 year	2462	20.2 %
4	4 = 5 years	1163	9.6 %
5	5 = 10 years	521	4.3 %
6	6 = 20 years or more	449	3.7 %
	Total	11,598	95.3%

This variable has 11,598 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	556	4.6 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	574	4.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7040-7047 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0620: How long you think someone has to use other kinds of smoked tobacco (cigars, pipes, hookah, bidis, kreteks) before it harms their health

For other tobacco products that are burned, such as cigars, pipes, hookah, bidis, or kreteks, how long do you think someone has to smoke them before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	146	1.2 %
2	2 = Less than a year	7123	58.5 %
3	3 = 1 year	2344	19.3 %
4	4 = 5 years	1191	9.8 %
5	5 = 10 years	554	4.6 %
6	6 = 20 years or more	471	3.9 %
	Total	11,829	97.2%

This variable has 11,829 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	326	2.7 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	343	2.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7048-7055 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0300EC: Considered switching completely from using e-cigarettes to smoking cigarettes

[PROGRAM NOTE: See Box R02_YXV01 and R02_YYR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1-11)] to smoking cigarettes.

Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-11)] users and have ever smoked a cigarette. This question asks about switching from each product the respondent has used in the past 30 days, to cigarettes.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND R02_EVER_USER_CIGS = 1.

[PROGRAM: EXCLUDE USEPROD(12)=CIGARETTES from USEPROD list for this question. This question is asked one time about each product the respondent has used in the past 30 days, excluding cigarettes. It asks about switching from each product the respondent has used in the past 30 days, to cigarettes.]

[GOTO: Youth respondents who are past 30 day users of [USEPROD(1-12)] and have heard of but never used at least one other product, go to R02_YX0307[E/.../C]. Else, youth respondents who have used any tobacco in the past year, go to R02_YN0703.]

[GOTO Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SMKLS = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_BIDI = 1 OR R02_NEVER_USER_KRETEK = 1), GO TO R02_YX0307E.]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	13	0.1 %
2	2 = Agree	32	0.3 %
3	3 = Neither agree nor disagree	58	0.5 %
4	4 = Disagree	49	0.4 %
5	5 = Strongly disagree	118	1.0 %
	Total	270	2.2%

This variable has 270 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11899	97.8 %
	Total	11,902	97.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7056-7063 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0300TC: Considered switching completely from using traditional cigars to smoking cigarettes

[PROGRAM NOTE: See Box R02_YXV01 and R02_YYR02 in the questionnaire for important information

about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1-11)] to smoking cigarettes.

Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-11)] users and have ever smoked a cigarette. This question asks about switching from each product the respondent has used in the past 30 days, to cigarettes.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND R02_EVER_USER_CIGS = 1.

[PROGRAM: EXCLUDE USEPROD(12)=CIGARETTES from USEPROD list for this question. This question is asked one time about each product the respondent has used in the past 30 days, excluding cigarettes. It asks about switching from each product the respondent has used in the past 30 days, to cigarettes.]

[GOTO: Youth respondents who are past 30 day users of [USEPROD(1-12)] and have heard of but never used at least one other product, go to R02_YX0307[E/.../C]. Else, youth respondents who have used any tobacco in the past year, go to R02_YN0703.]

[GOTO Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SMKLS = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_BIDI = 1 OR R02_NEVER_USER_KRETEK = 1), GO TO R02_YX0307T.]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	2	0.0 %
2	2 = Agree	7	0.1 %
3	3 = Neither agree nor disagree	20	0.2 %
4	4 = Disagree	11	0.1 %
5	5 = Strongly disagree	21	0.2 %
	Total	61	0.5%

This variable has 61 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12111	99.5 %
	Total	12,111	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 7064-7071 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0300GC: Considered switching completely from using cigarillos to smoking cigarettes

[PROGRAM NOTE: See Box R02_YXV01 and R02_YYR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1-11)] to smoking cigarettes.

Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-11)] users and have ever smoked a cigarette. This question asks about switching from each product the respondent has used in the past 30 days, to cigarettes.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND R02_EVER_USER_CIGS = 1.

[PROGRAM: EXCLUDE USEPROD(12)=CIGARETTES from USEPROD list for this question. This question is asked one time about each product the respondent has used in the past 30 days, excluding cigarettes. It asks about switching from each product the respondent has used in the past 30 days, to cigarettes.]

[GOTO: Youth respondents who are past 30 day users of [USEPROD(1-12)] and have heard of but never used at least one other product, go to R02_YX0307[E/.../C]. Else, youth respondents who have used any tobacco in the past year, go to R02_YN0703.]

[GOTO Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SMKLS = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_BIDI = 1 OR R02_NEVER_USER_KRETEK = 1), GO TO R02_YX0307G.]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	2	0.0 %
2	2 = Agree	6	0.0 %
3	3 = Neither agree nor disagree	27	0.2 %
4	4 = Disagree	23	0.2 %
5	5 = Strongly disagree	35	0.3 %
	Total	93	0.8%

This variable has 93 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.2 %
	Total	12,079	99.2%

Percentages for both tables are based on 12,172 total cases.

Location: 7072-7079 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0300FC: Considered switching completely from using filtered cigars to smoking cigarettes

[PROGRAM NOTE: See Box R02_YXV01 and R02_YYR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1-11)] to smoking cigarettes.

Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-11)] users and have ever smoked a cigarette. This question asks about switching from each product the respondent has used in the past 30 days, to cigarettes.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND R02_EVER_USER_CIGS = 1.

[PROGRAM: EXCLUDE USEPROD(12)=CIGARETTES from USEPROD list for this question. This question is asked one time about each product the respondent has used in the past 30 days, excluding cigarettes. It asks about switching from each product the respondent has used in the past 30 days, to cigarettes.]

[GOTO: Youth respondents who are past 30 day users of [USEPROD(1-12)] and have heard of but never used at least one other product, go to R02_YX0307[E/.../C]. Else, youth respondents who have used any tobacco in the past year, go to R02_YN0703.]

[GOTO Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SMKLS = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_BIDI = 1 OR R02_NEVER_USER_KRETEK = 1), GO TO R02_YX0307F.]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	4	0.0 %
2	2 = Agree	5	0.0 %
3	3 = Neither agree nor disagree	16	0.1 %
4	4 = Disagree	7	0.1 %
5	5 = Strongly disagree	11	0.1 %
	Total	43	0.4 %

This variable has 43 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12129	99.6 %
	Total	12,129	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7080-7087 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0300PC: Considered switching completely from using pipes to smoking cigarettes

[PROGRAM NOTE: See Box R02_YXV01 and R02_YYR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1-11)] to smoking cigarettes.

Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-11)] users and have ever smoked a cigarette. This question asks about switching from each product the respondent has used in the past 30 days, to cigarettes.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND R02_EVER_USER_CIGS = 1.

[PROGRAM: EXCLUDE USEPROD(12)=CIGARETTES from USEPROD list for this question. This question is asked one time about each product the respondent has used in the past 30 days, excluding cigarettes. It asks about switching from each product the respondent has used in the past 30 days, to cigarettes.]

[GOTO: Youth respondents who are past 30 day users of [USEPROD(1-12)] and have heard of but never used at least one other product, go to R02_YX0307[E/.../C]. Else, youth respondents who have used any tobacco in the past year, go to R02_YN0703.]

[GOTO Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SMKLS = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_BIDI = 1 OR R02_NEVER_USER_KRETEK = 1), GO TO R02_YX0307P.]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	4	0.0 %
2	2 = Agree	5	0.0 %
3	3 = Neither agree nor disagree	5	0.0 %
4	4 = Disagree	2	0.0 %
5	5 = Strongly disagree	6	0.0 %
	Total	22	0.2%

This variable has 22 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12150	99.8 %
	Total	12,150	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7088-7095 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0300HC: Considered switching completely from using hookahs to smoking cigarettes

[PROGRAM NOTE: See Box R02_YXV01 and R02_YYR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1-11)] to smoking cigarettes.

Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-11)] users and have ever smoked a cigarette. This question asks about switching from each product the respondent has used in the past 30 days, to cigarettes.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND R02_EVER_USER_CIGS = 1.

[PROGRAM: EXCLUDE USEPROD(12)=CIGARETTES from USEPROD list for this question. This question is asked one time about each product the respondent has used in the past 30 days, excluding cigarettes. It asks about switching from each product the respondent has used in the past 30 days, to cigarettes.]

[GOTO: Youth respondents who are past 30 day users of [USEPROD(1-12)] and have heard of but never used at least one other product, go to R02_YX0307[E/.../C]. Else, youth respondents who have used any tobacco in the past year, go to R02_YN0703.]

[GOTO Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_SMKLS = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_BIDI = 1 OR R02_NEVER_USER_KRETEK = 1), GO TO R02_YX0307H.]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	5	0.0 %
2	2 = Agree	11	0.1 %
3	3 = Neither agree nor disagree	23	0.2 %

Value	Label	Unweighted Frequency	%
4	4 = Disagree	21	0.2 %
5	5 = Strongly disagree	39	0.3 %
	Total	99	0.8%

This variable has 99 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12073	99.2 %
	Total	12,073	99.2%

Percentages for both tables are based on 12,172 total cases.

Location: 7096-7103 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0300UC: Considered switching completely from using snus to smoking cigarettes

[PROGRAM NOTE: See Box R02_YXV01 and R02_YYR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1-11)] to smoking cigarettes.

Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-11)] users and have ever smoked a cigarette. This question asks about switching from each product the respondent has used in the past 30 days, to cigarettes.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND R02_EVER_USER_CIGS = 1.

[PROGRAM: EXCLUDE USEPROD(12)=CIGARETTES from USEPROD list for this question. This question is asked one time about each product the respondent has used in the past 30 days, excluding cigarettes. It asks about switching from each product the respondent has used in the past 30 days, to cigarettes.]

[GOTO: Youth respondents who are past 30 day users of [USEPROD(1-12)] and have heard of but never used at least one other product, go to R02_YX0307[E/.../C]. Else, youth respondents who have used any tobacco in the past year, go to R02_YN0703.]

[GOTO Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SMKLS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_BIDI = 1 OR R02_NEVER_USER_KRETEK = 1), GO TO R02_YX0307U.]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	2	0.0 %
2	2 = Agree	3	0.0 %
3	3 = Neither agree nor disagree	7	0.1 %
4	4 = Disagree	5	0.0 %
5	5 = Strongly disagree	15	0.1 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12140	99.7 %
	Total	12,140	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7104-7111 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0300DC: Considered switching completely from using dissolvable tobacco to smoking cigarettes

[PROGRAM NOTE: See Box R02_YXV01 and R02_YYR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1-11)] to smoking cigarettes.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-11)] users and have ever smoked a cigarette. This question asks about switching from each product the respondent has used in the past 30 days, to cigarettes.

ASK Specification: IF R02_PAST30DAY DISS = 1 AND R02_EVER_USER_CIGS = 1.

[PROGRAM: EXCLUDE USEPROD(12)=CIGARETTES from USEPROD list for this question. This question is asked one time about each product the respondent has used in the past 30 days, excluding cigarettes. It asks about switching from each product the respondent has used in the past 30 days, to cigarettes.]

[GOTO: Youth respondents who are past 30 day users of [USEPROD(1-12)] and have heard of but never used at least one other product, go to R02_YX0307[E/.../C]. Else, youth respondents who have used any tobacco in the past year, go to R02_YN0703.]

[GOTO Specification: IF R02_PAST30DAY_DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SMKLS = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_BIDI = 1 OR R02_NEVER_USER_KRETEK = 1), GO TO R02_YX0307D.]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	1	0.0 %
2	2 = Agree	1	0.0 %
3	3 = Neither agree nor disagree	2	0.0 %
4	4 = Disagree	0	0.0 %
5	5 = Strongly disagree	3	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7112-7119 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0300BC: Considered switching completely from using bidis to smoking cigarettes

[PROGRAM NOTE: See Box R02_YXV01 and R02_YYR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1-11)] to smoking cigarettes.

Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-11)] users and have ever smoked a cigarette. This question asks about switching from each product the respondent has used in the past 30 days, to cigarettes.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND R02_EVER_USER_CIGS = 1.

[PROGRAM: EXCLUDE USEPROD(12)=CIGARETTES from USEPROD list for this question. This question is asked one time about each product the respondent has used in the past 30 days, excluding cigarettes. It asks about switching from each product the respondent has used in the past 30 days, to cigarettes.]

[GOTO: Youth respondents who are past 30 day users of [USEPROD(1-12)] and have heard of but never used at least one other product, go to R02_YX0307[E/.../C]. Else, youth respondents who have used any tobacco in the past year, go to R02_YN0703.]

[GOTO Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SMKLS = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_KRETEK = 1), GO TO R02_YX0307B.]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	0	0.0 %
2	2 = Agree	2	0.0 %
3	3 = Neither agree nor disagree	1	0.0 %
4	4 = Disagree	1	0.0 %
5	5 = Strongly disagree	2	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12166	100.0 %
	Total	12,166	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 7120-7127 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0300KC: Considered switching completely from using kreteks to smoking cigarettes

[PROGRAM NOTE: See Box R02_YXV01 and R02_YYR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1-11)] to smoking cigarettes.

Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-11)] users and have ever smoked a cigarette. This question asks about switching from each product the respondent has used in the past 30 days, to cigarettes.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND R02_EVER_USER_CIGS = 1.

[PROGRAM: EXCLUDE USEPROD(12)=CIGARETTES from USEPROD list for this question. This question is asked one time about each product the respondent has used in the past 30 days, excluding cigarettes. It asks about switching from each product the respondent has used in the past 30 days, to cigarettes.]

[GOTO: Youth respondents who are past 30 day users of [USEPROD(1-12)] and have heard of but never used at least one other product, go to R02_YX0307[E/.../C]. Else, youth respondents who have used any tobacco in the past year, go to R02_YN0703.]

[GOTO Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SMKLS = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_BIDI = 1), GO TO R02_YX0307K.]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	2	0.0 %
2	2 = Agree	0	0.0 %
3	3 = Neither agree nor disagree	2	0.0 %
4	4 = Disagree	1	0.0 %
5	5 = Strongly disagree	2	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7128-7135 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0300SC: Considered switching completely from using smokeless tobacco to smoking cigarettes

[PROGRAM NOTE: See Box R02_YXV01 and R02_YYR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1-11)] to smoking cigarettes.

Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-11)] users and have ever smoked a cigarette. This question asks about switching from each product the respondent has used in the past 30 days, to cigarettes.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND R02_EVER_USER_CIGS = 1.

[PROGRAM: EXCLUDE USEPROD(12)=CIGARETTES from USEPROD list for this question. This question is asked one time about each product the respondent has used in the past 30 days, excluding cigarettes. It asks about switching from each product the respondent has used in the past 30 days, to cigarettes.]

[GOTO: Youth respondents who are past 30 day users of [USEPROD(1-12)] and have heard of but never used at least one other product, go to R02_YX0307[E/.../C]. Else, youth respondents who have used any tobacco in the past year, go to R02_YN0703.]

[GOTO Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR R02_NEVER_USER_ECIG = 1 OR R02_NEVER_USER_GTRAD = 1 OR R02_NEVER_USER_GRILLO = 1 OR R02_NEVER_USER_GFILTR = 1 OR R02_NEVER_USER_PIPE = 1 OR R02_NEVER_USER_HOOK = 1 OR R02_NEVER_USER_SNUS = 1 OR R02_NEVER_USER_DISSBL = 1 OR R02_NEVER_USER_BIDI = 1 OR R02_NEVER_USER_KRETEK = 1), GO TO R02_YX0307S.]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	4	0.0 %
2	2 = Agree	7	0.1 %
3	3 = Neither agree nor disagree	16	0.1 %
4	4 = Disagree	20	0.2 %
5	5 = Strongly disagree	44	0.4 %
	Total	91	0.7%

This variable has 91 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12079	99.2 %
	Total	12,081	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 7136-7143 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307E_01: Have not considered switching from e-cigarettes to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Have not considered switching from Electronic cigarettes to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	347	2.9 %
2	2 = Not Marked	37	0.3 %
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %
	Total	11,788	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7144-7151 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307E_02: Considered switching from e-cigarettes to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?

Choose all that apply.

Electronic cigarettes to Cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	382	3.1 %
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %
	Total	11,788	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7152-7159 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307E_04: Considered switching from e-cigarettes to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Electronic cigarettes to Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	374	3.1 %
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %
	Total	11,788	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7160-7167 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307E_05: Considered switching from e-cigarettes to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Electronic cigarettes to Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	381	3.1 %
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %
	Total	11,788	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7168-7175 (width: 8; decimal: 0)

Variable Type: numeric

R02_YX0307E_06: Considered switching from e-cigarettes to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Electronic cigarettes to Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	379	3.1 %
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %
	Total	11,788	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7176-7183 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307E_07: Considered switching from e-cigarettes to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Electronic cigarettes to Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	374	3.1 %
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %
	Total	11,788	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7184-7191 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307E_08: Considered switching from e-cigarettes to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Electronic cigarettes to Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTER = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	373	3.1 %
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %

	Missing Data		
	Total	11,788	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7192-7199 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307E_09: Considered switching from e-cigarettes to snus pouches

Have you considered switching from [USEPROD(1-12)] to any of the following products?

Choose all that apply.

Electronic cigarettes to Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	380	3.1 %
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %
	Total	11,788	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7200-7207 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307E_10: Considered switching from e-cigarettes to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Electronic cigarettes to Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	382	3.1 %
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %
	Total	11,788	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7208-7215 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307E_11: Considered switching from e-cigarettes to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Electronic cigarettes to Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	382	3.1 %
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %
	Total	11,788	96.8 %

Percentages for both tables are based on 12,172 total cases.

Location: 7216-7223 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307E_12: Considered switching from e-cigarettes to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Electronic cigarettes to Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	382	3.1 %

Value	Label	Unweighted Frequency	%
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %
	Total	11,788	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7224-7231 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307E_13: Considered switching from e-cigarettes to smokeless tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Electronic cigarettes to Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_ECIG = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	380	3.1 %
	Total	384	3.2%

This variable has 384 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11758	96.6 %
	Total	11,788	96.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7232-7239 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_01: Have not considered switching from traditional cigars to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?

Choose all that apply.

Have not considered switching from Traditional cigars to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from

the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	50	0.4 %
2	2 = Not Marked	19	0.2 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 7240-7247 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_02: Considered switching from traditional cigars to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Traditional cigars to Cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same

tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	69	0.6 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 7248-7255 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_03: Considered switching from traditional cigars to e-cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Traditional cigars to Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	61	0.5 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 7256-7263 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_05: Considered switching from traditional cigars to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Traditional cigars to Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12).

Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	69	0.6 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 7264-7271 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_06: Considered switching from traditional cigars to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Traditional cigars to Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco

product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	67	0.6 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 7272-7279 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_07: Considered switching from traditional cigars to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Traditional cigars to Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	66	0.5 %
	Total	69	0.6 %

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4 %

Percentages for both tables are based on 12,172 total cases.

Location: 7280-7287 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_08: Considered switching from traditional cigars to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Traditional cigars to Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR

(R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	61	0.5 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 7288-7295 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_09: Considered switching from traditional cigars to snus pouches

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Traditional cigars to Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND

R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	69	0.6 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 7296-7303 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_10: Considered switching from traditional cigars to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Traditional cigars to Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE

= 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	69	0.6 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 7304-7311 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_11: Considered switching from traditional cigars to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Traditional cigars to Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB

!= 2, -8, -7 AND R02_NEVER_USER_GRILLO= 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	67	0.6 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 7312-7319 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_12: Considered switching from traditional cigars to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Traditional cigars to Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	69	0.6 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 7320-7327 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307T_13: Considered switching from traditional cigars to smokeless tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Traditional cigars to Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each

product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	69	0.6 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12099	99.4 %
	Total	12,103	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 7328-7335 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307G_01: Have not considered switching from cigarillos to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Have not considered switching from Cigarillos to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	91	0.7 %
2	2 = Not Marked	19	0.2 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7336-7343 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307G_02: Considered switching from cigarillos to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarillos to Cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	108	0.9 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7344-7351 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307G_03: Considered switching from cigarillos to e-cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?

Choose all that apply.

Cigarillos to Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	101	0.8 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7352-7359 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307G_04: Considered switching from cigarillos to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarillos to Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	109	0.9 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7360-7367 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307G_06: Considered switching from cigarillos to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarillos to Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	107	0.9 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7368-7375 (width: 8; decimal: 0)

Variable Type: numeric

R02_YX0307G_07: Considered switching from cigarillos to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarillos to Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	107	0.9 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7376-7383 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307G_08: Considered switching from cigarillos to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarillos to Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	105	0.9 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7384-7391 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307G_09: Considered switching from cigarillos to snus pouches

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarillos to Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	109	0.9 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %

	Missing Data		
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7392-7399 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307G_10: Considered switching from cigarillos to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarillos to Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	109	0.9 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7400-7407 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307G_11: Considered switching from cigarillos to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarillos to Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	109	0.9 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7408-7415 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307G_12: Considered switching from cigarillos to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarillos to Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	110	0.9 %
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7416-7423 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307G_13: Considered switching from cigarillos to smokeless tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarillos to Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	109	0.9 %

Value	Label	Unweighted Frequency	%
	Total	110	0.9%

This variable has 110 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12052	99.0 %
	Total	12,062	99.1%

Percentages for both tables are based on 12,172 total cases.

Location: 7424-7431 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_01: Have not considered switching from filtered cigars to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Have not considered switching from Filtered cigars to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	36	0.3 %
2	2 = Not Marked	11	0.1 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7432-7439 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_02: Considered switching from filtered cigars to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Filtered cigars to Cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from

the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	47	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7440-7447 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_03: Considered switching from filtered cigars to e-cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Filtered cigars to Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same

tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	45	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7448-7455 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_04: Considered switching from filtered cigars to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Filtered cigars to Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	45	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7456-7463 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_05: Considered switching from filtered cigars to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Filtered cigars to Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12).

Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	45	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7464-7471 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_07: Considered switching from filtered cigars to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Filtered cigars to Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco

product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	44	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7472-7479 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_08: Considered switching from filtered cigars to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Filtered cigars to Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	43	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7480-7487 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_09: Considered switching from filtered cigars to snus pouches

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Filtered cigars to Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR

(R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	47	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7488-7495 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_10: Considered switching from filtered cigars to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Filtered cigars to Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND

R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	47	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7496-7503 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_11: Considered switching from filtered cigars to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Filtered cigars to Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE

= 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	45	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7504-7511 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_12: Considered switching from filtered cigars to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Filtered cigars to Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB !=

2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	47	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7512-7519 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307F_13: Considered switching from filtered cigars to smokeless tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Filtered cigars to Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	47	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12124	99.6 %
	Total	12,125	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 7520-7527 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307P_01: Have not considered switching from pipes to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Have not considered switching from Pipe tobacco to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each

product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	9	0.1 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7528-7535 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307P_02: Considered switching from pipes to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Pipe tobacco to Cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7536-7543 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307P_03: Considered switching from pipes to e-cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Pipe tobacco to Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	25	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7544-7551 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307P_04: Considered switching from pipes to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?

Choose all that apply.

Pipe tobacco to Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7552-7559 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307P_05: Considered switching from pipes to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Pipe tobacco to Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	26	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7560-7567 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307P_06: Considered switching from pipes to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Pipe tobacco to Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	25	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7568-7575 (width: 8; decimal: 0)

Variable Type: numeric

R02_YX0307P_08: Considered switching from pipes to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Pipe tobacco to Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	24	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7576-7583 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307P_09: Considered switching from pipes to snus pouches

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Pipe tobacco to Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7584-7591 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307P_10: Considered switching from pipes to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Pipe tobacco to Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	25	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %

	Missing Data		
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7592-7599 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307P_11: Considered switching from pipes to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products?

Choose all that apply.

Pipe tobacco to Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	24	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7600-7607 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307P_12: Considered switching from pipes to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Pipe tobacco to Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7608-7615 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307P_13: Considered switching from pipes to smokeless tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Pipe tobacco to Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_PIPE = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12144	99.8 %
	Total	12,145	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7616-7623 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307H_01: Have not considered switching from hookahs to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Have not considered switching from Hookah to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	123	1.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	24	0.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7624-7631 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307H_02: Considered switching from hookahs to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Hookah to Cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from

the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	147	1.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7632-7639 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307H_03: Considered switching from hookahs to e-cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Hookah to Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	141	1.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7640-7647 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307H_04: Considered switching from hookahs to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Hookah to Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTER = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco

product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	146	1.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7648-7655 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307H_05: Considered switching from hookahs to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Hookah to Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND

R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	145	1.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7656-7663 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307H_06: Considered switching from hookahs to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Hookah to Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND

R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND
R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND
R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND
R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND
R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	144	1.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7664-7671 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307H_07: Considered switching from hookahs to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Hookah to Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB !=

2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	142	1.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7672-7679 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307H_09: Considered switching from hookahs to snus pouches

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Hookah to Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each

product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	146	1.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7680-7687 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307H_10: Considered switching from hookahs to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Hookah to Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	144	1.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7688-7695 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307H_11: Considered switching from hookahs to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Hookah to Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	143	1.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7696-7703 (width: 8; decimal: 0)

Variable Type: numeric

R02_YX0307H_12: Considered switching from hookahs to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Hookah to Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	146	1.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7704-7711 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307H_13: Considered switching from hookahs to smokeless tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Hookah to Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_HOOK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTER = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1)

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	145	1.2 %
	Total	147	1.2%

This variable has 147 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,025	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 7712-7719 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_01: Have not considered switching from snus pouches to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Have not considered switching from Snus pouches to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	36	0.3 %
2	2 = Not Marked	1	0.0 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7720-7727 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_02: Considered switching from snus pouches to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Snus pouches to Cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	37	0.3 %

Value	Label	Unweighted Frequency	%
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7728-7735 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_03: Considered switching from snus pouches to e-cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Snus pouches to Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	37	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7736-7743 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_04: Considered switching from snus pouches to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Snus pouches to Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13,

one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	37	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7744-7751 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_05: Considered switching from snus pouches to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Snus pouches to Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may

be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	37	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7752-7759 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_06: Considered switching from snus pouches to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Snus pouches to Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses

to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	37	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7760-7767 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_07: Considered switching from snus pouches to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Snus pouches to Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND

R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	37	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7768-7775 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_08: Considered switching from snus pouches to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Snus pouches to Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND

R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND
R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND
R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND
R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND
R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND
R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	36	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7776-7783 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_10: Considered switching from snus pouches to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Snus pouches to Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR

(R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	37	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7784-7791 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_11: Considered switching from snus pouches to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Snus pouches to Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but

never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	37	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7792-7799 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_12: Considered switching from snus pouches to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Snus pouches to Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	37	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7800-7807 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307U_13: Considered switching from snus pouches to smokeless tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Snus pouches to Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SNUS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	37	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12134	99.7 %
	Total	12,135	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 7808-7815 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_01: Have not considered switching from dissolvable tobacco to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Have not considered switching from Dissolvable tobacco to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7816-7823 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_02: Considered switching from dissolvable tobacco to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Dissolvable tobacco to Cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7824-7831 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_03: Considered switching from dissolvable tobacco to e-cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Dissolvable tobacco to Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %

Value	Label	Unweighted Frequency	%
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7832-7839 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_04: Considered switching from dissolvable tobacco to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Dissolvable tobacco to Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7840-7847 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_05: Considered switching from dissolvable tobacco to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Dissolvable tobacco to Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13,

one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7848-7855 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_06: Considered switching from dissolvable tobacco to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Dissolvable tobacco to Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may

be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7856-7863 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_07: Considered switching from dissolvable tobacco to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Dissolvable tobacco to Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses

to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7864-7871 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_08: Considered switching from dissolvable tobacco to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Dissolvable tobacco to Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND

R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7872-7879 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_09: Considered switching from dissolvable tobacco to snus pouches

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Dissolvable tobacco to Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND

R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND
R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND
R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND
R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND
R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND
R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7880-7887 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_11: Considered switching from dissolvable tobacco to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Dissolvable tobacco to Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR

(R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7888-7895 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_12: Considered switching from dissolvable tobacco to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Dissolvable tobacco to Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but

never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7896-7903 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307D_13: Considered switching from dissolvable tobacco to smokeless tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Dissolvable tobacco to Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_DISS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7904-7911 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_01: Have not considered switching from bidis to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Have not considered switching from Bidis to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7912-7919 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_02: Considered switching from bidis to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Bidis to Cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %

	Missing Data		
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7920-7927 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_03: Considered switching from bidis to e-cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?

Choose all that apply.

Bidis to Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7928-7935 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_04: Considered switching from bidis to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Bidis to Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7936-7943 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_05: Considered switching from bidis to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Bidis to Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	6	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7944-7951 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_06: Considered switching from bidis to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Bidis to Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from

the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7952-7959 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_07: Considered switching from bidis to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Bidis to Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7960-7967 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_08: Considered switching from bidis to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Bidis to Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco

product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7968-7975 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_09: Considered switching from bidis to snus pouches

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Bidis to Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND

R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7976-7983 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_10: Considered switching from bidis to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Bidis to Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND

R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND
R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND
R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND
R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND
R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7984-7991 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_12: Considered switching from bidis to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Bidis to Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB

!= 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 7992-7999 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307B_13: Considered switching from bidis to smokeless tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Bidis to Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each

product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12165	99.9 %
	Total	12,165	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8000-8007 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307K_01: Have not considered switching from kreteks to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Have not considered switching from Kreteks to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8008-8015 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307K_02: Considered switching from kreteks to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Kreteks to Cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8016-8023 (width: 8; decimal: 0)

Variable Type: numeric

R02_YX0307K_03: Considered switching from kreteks to e-cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Kreteks to Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8024-8031 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307K_04: Considered switching from kreteks to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Kreteks to Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8032-8039 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307K_05: Considered switching from kreteks to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Kreteks to Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8040-8047 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307K_06: Considered switching from kreteks to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Kreteks to Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %

Value	Label	Unweighted Frequency	%
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8048-8055 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307K_07: Considered switching from kreteks to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Kreteks to Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8056-8063 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307K_08: Considered switching from kreteks to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Kreteks to Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13,

one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8064-8071 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307K_09: Considered switching from kreteks to snus pouches

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Kreteks to Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may

be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8072-8079 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307K_10: Considered switching from kreteks to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Kreteks to Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses

to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8080-8087 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307K_11: Considered switching from kreteks to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Kreteks to Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND

R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8088-8095 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307K_13: Considered switching from kreteks to smokeless tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Kreteks to Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_KRETEK = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND

R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND
R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND
R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND
R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND
R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND
R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12162	99.9 %
	Total	12,163	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8096-8103 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_01: Have not considered switching from smokeless tobacco to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Have not considered switching from Smokeless tobacco to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR

(R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	99	0.8 %
2	2 = Not Marked	23	0.2 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8104-8111 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_02: Considered switching from smokeless tobacco to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Smokeless tobacco to Cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but

never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	121	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8112-8119 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_03: Considered switching from smokeless tobacco to e-cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Smokeless tobacco to Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	120	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8120-8127 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_04: Considered switching from smokeless tobacco to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Smokeless tobacco to Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	120	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8128-8135 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_05: Considered switching from smokeless tobacco to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Smokeless tobacco to Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	121	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %

	Missing Data		
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8136-8143 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_06: Considered switching from smokeless tobacco to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Smokeless tobacco to Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	121	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8144-8151 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_07: Considered switching from smokeless tobacco to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Smokeless tobacco to Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	116	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8152-8159 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_08: Considered switching from smokeless tobacco to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Smokeless tobacco to Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	119	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8160-8167 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_09: Considered switching from smokeless tobacco to snus pouches

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Smokeless tobacco to Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from

the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	118	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8168-8175 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_10: Considered switching from smokeless tobacco to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Smokeless tobacco to Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	119	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8176-8183 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_11: Considered switching from smokeless tobacco to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Smokeless tobacco to Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco

product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	120	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8184-8191 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307S_12: Considered switching from smokeless tobacco to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Smokeless tobacco to Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_SMOKELESS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTER = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND

R02_NEVER_USER_BIDI = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	119	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12049	99.0 %
	Total	12,050	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8192-8199 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_01: Have not considered switching from cigarettes to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Have not considered switching from Cigarettes to another product

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND

R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND
R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND
R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND
R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND
R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND
R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	374	3.1 %
2	2 = Not Marked	81	0.7 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8200-8207 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_03: Considered switching from cigarettes to e-cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarettes to Electronic cigarettes

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR

(R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.2 %
2	2 = Not Marked	430	3.5 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8208-8215 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_04: Considered switching from cigarettes to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarettes to Traditional cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	448	3.7 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8216-8223 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_05: Considered switching from cigarettes to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarettes to Cigarillos

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	448	3.7 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8224-8231 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_06: Considered switching from cigarettes to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarettes to Filtered cigars

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	443	3.6 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %

	Missing Data		
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8232-8239 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_07: Considered switching from cigarettes to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarettes to Pipe tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	446	3.7 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8240-8247 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_08: Considered switching from cigarettes to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarettes to Hookah

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.2 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	434	3.6 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8248-8255 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_09: Considered switching from cigarettes to snus pouches

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarettes to Snus pouches

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13,

one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	449	3.7 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8256-8263 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_10: Considered switching from cigarettes to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarettes to Dissolvable tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12).

Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	449	3.7 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8264-8271 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_11: Considered switching from cigarettes to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarettes to Bidis

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	451	3.7 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8272-8279 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_12: Considered switching from cigarettes to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarettes to Kreteks

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND

R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND
R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND
R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND
R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND
R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	453	3.7 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8280-8287 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0307C_13: Considered switching from cigarettes to smokeless tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products?
Choose all that apply.

Cigarettes to Smokeless tobacco

ASK: Youth respondents who are past 30 day [USEPROD(1-12)] users and have heard of but never used at least one other product. This question asks about switching from each product the respondent uses to any of the products they have heard of but never used.

ASK Specification: IF R02_PAST30DAY_CIGS = 1 AND (R02_NEVER_USER_CIG = 1 OR (R02_YE1001_NB != 2, -8, -7 AND R02_NEVER_USER_ECIG = 1) OR (R02_YG9101_NB

!= 2, -8, -7 AND R02_NEVER_USER_GTRAD = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GRILLO = 1) OR (R02_YG9101_NB != 2, -8, -7 AND R02_NEVER_USER_GFILTR = 1) OR (R02_YP1001_NB != 2, -8, -7 AND R02_NEVER_USER_PIPE = 1) OR (R02_YH1001_NB != 2, -8, -7 AND R02_NEVER_USER_HOOK = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SMKLS = 1) OR (R02_YS1001_NB != 2, -8, -7 AND R02_NEVER_USER_SNUS = 1) OR (R02_YD1001_NB != 2, -8, -7 AND R02_NEVER_USER_DISSBL = 1) OR (R02_YB9101_NB_01 != 2, -8, -7 AND R02_NEVER_USER_BIDI = 1) OR (R02_YB9101_NB_02 != 2, -8, -7 AND R02_NEVER_USER_KRETEK = 1).

[PROGRAM: This question will ask about switching from each product the respondent uses to each product they have never used. If the respondent has ever used every tobacco product, do not ask this question. Ask the question one time for each product in USEPROD(1-12). Each time the question is asked, fill response options with NUPROD(1-12). Allow respondent to choose all that apply. If option 1 is selected, no other options may be selected.]

[NOTE: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R02_YX0307#_01 through R02_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	449	3.7 %
	Total	455	3.7%

This variable has 455 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11692	96.1 %
	Total	11,717	96.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8288-8295 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0703: Time to wanting to use first tobacco product after waking

The next questions ask about your experience with tobacco products.

How soon after you wake up do you want to use tobacco?

ASK: Youth respondents who have used any tobacco product in the past 12 months.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Within 5 minutes	93	0.8 %
2	2 = From 6 to 30 minutes	108	0.9 %
3	3 = From more than 30 minutes to 1 hour	77	0.6 %
4	4 = After more than 1 hour but less than 24 hours	114	0.9 %
5	5 = Rarely want to use tobacco	1382	11.4 %
	Total	1,774	14.6%

This variable has 1,774 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.8 %
-7	-7 = Refused	42	0.3 %
-1	-1 = Inapplicable	10260	84.3 %
	Total	10,398	85.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8296-8303 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0704: Ever have strong cravings to use tobacco

Do you ever have strong cravings to use tobacco?

ASK: Youth respondents who have used any tobacco product in the past 12 months.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	317	2.6 %
2	2 = No	1591	13.1 %
	Total	1,908	15.7%

This variable has 1,908 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10260	84.3 %
	Total	10,264	84.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8304-8311 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0705: Ever felt like you really needed to use tobacco

Have you ever felt like you really needed to use tobacco?

ASK: Youth respondents who have used any tobacco product in the past 12 months.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	360	3.0 %
2	2 = No	1544	12.7 %
	Total	1,904	15.6%

This variable has 1,904 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	10260	84.3 %
	Total	10,268	84.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8312-8319 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0055: Level of agreement: Find myself reaching for a tobacco product without thinking about it

Please rate your level of agreement for each statement using the following scale:

1 = Not true of me at all

5 = Extremely true of me

I find myself reaching for a tobacco product without thinking about it.

ASK: Youth respondents who have used any tobacco product in the past 12 months.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1366	11.2 %
2	2 = 2 on a scale of 1 to 5	177	1.5 %
3	3 = 3 on a scale of 1 to 5	168	1.4 %
4	4 = 4 on a scale of 1 to 5	70	0.6 %
5	5 = Extremely true of me	103	0.8 %
	Total	1,884	15.5%

This variable has 1,884 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	10260	84.3 %
	Total	10,288	84.5%

Percentages for both tables are based on 12,172 total cases.

Location: 8320-8327 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0025_RANDOM_01: YN0025 series random question 1

[ICPSR NOTE: The 5 items (R02_YN0025 to R01_YN0080) that follow in the questionnaire were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YND01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10260	84.3 %
R02_YN0025	-	345	2.8 %
R02_YN0045	-	385	3.2 %
R02_YN0070	-	383	3.1 %
R02_YN0075	-	379	3.1 %
R02_YN0080	-	420	3.5 %

Value	Label	Unweighted Frequency	%
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 8328-8342 (width: 15; decimal: 0)

Variable Type: character

R02_YN0025_RANDOM_02: YN0025 series random question 2

[ICPSR NOTE: The 5 items (R02_YN0025 to R01_YN0080) that follow in the questionnaire were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YND01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10260	84.3 %
R02_YN0025	-	353	2.9 %
R02_YN0045	-	384	3.2 %
R02_YN0070	-	401	3.3 %
R02_YN0075	-	404	3.3 %
R02_YN0080	-	370	3.0 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 8343-8357 (width: 15; decimal: 0)

Variable Type: character

R02_YN0025_RANDOM_03: YN0025 series random question 3

[ICPSR NOTE: The 5 items (R02_YN0025 to R01_YN0080) that follow in the questionnaire were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YND01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10260	84.3 %
R02_YN0025	-	421	3.5 %
R02_YN0045	-	366	3.0 %

Value	Label	Unweighted Frequency	%
R02_YN0070	-	388	3.2 %
R02_YN0075	-	383	3.1 %
R02_YN0080	-	354	2.9 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 8358-8372 (width: 15; decimal: 0)

Variable Type: character

R02_YN0025_RANDOM_04: YN0025 series random question 4

[ICPSR NOTE: The 5 items (R02_YN0025 to R01_YN0080) that follow in the questionnaire were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YND01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10260	84.3 %
R02_YN0025	-	382	3.1 %
R02_YN0045	-	383	3.1 %
R02_YN0070	-	369	3.0 %
R02_YN0075	-	368	3.0 %
R02_YN0080	-	410	3.4 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 8373-8387 (width: 15; decimal: 0)

Variable Type: character

R02_YN0025_RANDOM_05: YN0025 series random question 5

[ICPSR NOTE: The 5 items (R02_YN0025 to R01_YN0080) that follow in the questionnaire were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YND01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10260	84.3 %
R02_YN0025	-	411	3.4 %
R02_YN0045	-	394	3.2 %
R02_YN0070	-	371	3.0 %
R02_YN0075	-	378	3.1 %
R02_YN0080	-	358	2.9 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 8388-8402 (width: 15; decimal: 0)

Variable Type: character

R02_YN0025: Level of agreement: Frequently crave tobacco

Please rate your level of agreement for each statement using the following scale:

1 = Not true of me at all

5 = Extremely true of me

I frequently crave tobacco.

ASK: Youth respondents who have used any tobacco product in the past 12 months.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1499	12.3 %
2	2 = 2 on a scale of 1 to 5	149	1.2 %
3	3 = 3 on a scale of 1 to 5	116	1.0 %
4	4 = 4 on a scale of 1 to 5	52	0.4 %
5	5 = Extremely true of me	76	0.6 %
	Total	1,892	15.5%

This variable has 1,892 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	10260	84.3 %
	Total	10,280	84.5%

Percentages for both tables are based on 12,172 total cases.

Location: 8403-8410 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0045: Level of agreement: My tobacco use is out of control

Please rate your level of agreement for each statement using the following scale:

1 = Not true of me at all
5 = Extremely true of me

My tobacco use is out of control

ASK: Youth respondents who have used any tobacco product in the past 12 months.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1655	13.6 %
2	2 = 2 on a scale of 1 to 5	103	0.8 %
3	3 = 3 on a scale of 1 to 5	67	0.6 %
4	4 = 4 on a scale of 1 to 5	27	0.2 %
5	5 = Extremely true of me	38	0.3 %
	Total	1,890	15.5%

This variable has 1,890 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10260	84.3 %
	Total	10,282	84.5%

Percentages for both tables are based on 12,172 total cases.

Location: 8411-8418 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0070: Level of agreement: Using tobacco helps me feel better if feeling down

Please rate your level of agreement for each statement using the following scale:

1 = Not true of me at all
5 = Extremely true of me

Using tobacco really helps me feel better if I've been feeling down.

ASK: Youth respondents who have used any tobacco product in the past 12 months.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1303	10.7 %
2	2 = 2 on a scale of 1 to 5	198	1.6 %
3	3 = 3 on a scale of 1 to 5	167	1.4 %
4	4 = 4 on a scale of 1 to 5	112	0.9 %
5	5 = Extremely true of me	111	0.9 %
Total		1,891	15.5%

This variable has 1,891 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	10260	84.3 %
Total		10,281	84.5%

Percentages for both tables are based on 12,172 total cases.

Location: 8419-8426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0075: Level of agreement: Using tobacco helps me think better

Please rate your level of agreement for each statement using the following scale:

1 = Not true of me at all

5 = Extremely true of me

Using tobacco helps me think better.

ASK: Youth respondents who have used any tobacco product in the past 12 months.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1485	12.2 %
2	2 = 2 on a scale of 1 to 5	148	1.2 %
3	3 = 3 on a scale of 1 to 5	138	1.1 %
4	4 = 4 on a scale of 1 to 5	54	0.4 %

Value	Label	Unweighted Frequency	%
5	5 = Extremely true of me	70	0.6 %
	Total	1,895	15.6%

This variable has 1,895 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	10260	84.3 %
	Total	10,277	84.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8427-8434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0080: Level of agreement: Would feel alone without my tobacco

Please rate your level of agreement for each statement using the following scale:

1 = Not true of me at all

5 = Extremely true of me

I would feel alone without my tobacco.

ASK: Youth respondents who have used any tobacco product in the past 12 months.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1.

[GOTO: Youth respondents who have used any tobacco product in the past 12 months and did not report rarely wanting to use tobacco after they wake up, go to R02_YN0060. Else, youth respondents who have used any tobacco product in the past 12 months and used an e-cigarette today, in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R02_YN0032. Else, youth respondents who have used any tobacco product in the past 12 months, go to R02_YN0255.]

[GOTO Specification: IF R02_PASTYEAR_TOB_USE = 1 AND R02_YN0703 != 5, GO TO R02_YN0060. ELSE, IF R02_PASTYEAR_TOB_USE = 1 AND R02_YE1112 = 1, 2, 3, 4, 5, GO TO R02_YN0332. ELSE, IF R02_PASTYEAR_TOB_USE = 1, GO TO R02_YN0255.]

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1691	13.9 %
2	2 = 2 on a scale of 1 to 5	91	0.7 %
3	3 = 3 on a scale of 1 to 5	48	0.4 %
4	4 = 4 on a scale of 1 to 5	20	0.2 %

Value	Label	Unweighted Frequency	%
5	5 = Extremely true of me	36	0.3 %
	Total	1,886	15.5%

This variable has 1,886 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	10260	84.3 %
	Total	10,286	84.5%

Percentages for both tables are based on 12,172 total cases.

Location: 8435-8442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0060: Level of agreement: Usually want to use tobacco after waking up

Please rate your level of agreement for each statement using the following scale:

1 = Not true of me at all

5 = Extremely true of me

I usually want to use tobacco right after I wake up.

ASK: Youth respondents who have used any tobacco product in the past 12 months and did not report rarely wanting to use tobacco after they wake up.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1 AND R02_YN0703 != 5.

[GOTO: Youth respondents who have used any tobacco product in the past 12 months and used an e-cigarette today, in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R02_YN0332. Else, youth respondents who have used any tobacco product in the past 12 months, go to R02_YN0255.]

[GOTO Specification: IF R02_PASTYEAR_TOB_USE = 1 AND R02_YE1112 = 1, 2, 3, 4, 5, GO TO R02_YN0332. ELSE, IF R02_PASTYEAR_TOB_USE = 1, GO TO R02_YN0255.]

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	286	2.3 %
2	2 = 2 on a scale of 1 to 5	69	0.6 %
3	3 = 3 on a scale of 1 to 5	57	0.5 %
4	4 = 4 on a scale of 1 to 5	30	0.2 %
5	5 = Extremely true of me	75	0.6 %

Value	Label	Unweighted Frequency	%
	Total	517	4.2%

This variable has 517 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11642	95.6 %
	Total	11,655	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 8443-8450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0332: Level of agreement: Most of the people I spend time with are e-cigarette users

Please rate your level of agreement for each statement using the following scale:

1 = Not true of me at all

5 = Extremely true of me

Most of the people I spend time with use e-cigarettes.

ASK: Youth respondents who have used any tobacco product in the past 12 months and used an e-cigarette today, in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1 AND R02_YE1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	454	3.7 %
2	2 = 2 on a scale of 1 to 5	279	2.3 %
3	3 = 3 on a scale of 1 to 5	201	1.7 %
4	4 = 4 on a scale of 1 to 5	93	0.8 %
5	5 = Extremely true of me	95	0.8 %
	Total	1,122	9.2%

This variable has 1,122 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

	Missing Data		
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11042	90.7 %
	Total	11,050	90.8%

Percentages for both tables are based on 12,172 total cases.

Location: 8451-8458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0255: Level of agreement: Most of the people I spend time with are tobacco users

Please rate your level of agreement for each statement using the following scale:

1 = Not true of me at all

5 = Extremely true of me

Most of the people I spend time with use tobacco.

ASK: Youth respondents who have used any tobacco product in the past 12 months.

ASK Specification: IF R02_PASTYEAR_TOB_USE = 1.

[GOTO: Youth respondents who are past 30 day "not-light" cigarette smokers, go to R02_YC1210.

Else, go to Box R02_YNR01.]

[GOTO Specification: IF R02_PAST30DAY_NL_CIGS = 1, GO TO R02_YC1210.

ELSE, GO TO BOX R02_YNR01.]

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	818	6.7 %
2	2 = 2 on a scale of 1 to 5	349	2.9 %
3	3 = 3 on a scale of 1 to 5	289	2.4 %
4	4 = 4 on a scale of 1 to 5	194	1.6 %
5	5 = Extremely true of me	244	2.0 %
	Total	1,894	15.6%

This variable has 1,894 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	10260	84.3 %
	Total	10,278	84.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8459-8466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1210: Wants to completely stop smoking cigarettes

Do you want to completely stop smoking cigarettes?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	176	1.4 %
2	2 = No	150	1.2 %
	Total	326	2.7%

This variable has 326 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11839	97.3 %
	Total	11,846	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8467-8474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1215: In past 12 months, tried to completely stop smoking cigarettes

In the past 12 months, have you tried to completely stop smoking cigarettes?

[If No or Don't Know (-8) or Refused (-7), Go to R02_YC1230.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	164	1.3 %
2	2 = No	166	1.4 %

Value	Label	Unweighted Frequency	%
	Total	330	2.7%

This variable has 330 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11839	97.3 %
	Total	11,842	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8475-8482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1220: In past 12 months, number of times you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good

In the past 12 months, how many times have you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop smoking cigarettes in the past 12 months.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1215 = 1.

This variable has 154 valid cases out of 12,172 total cases.

- Mean: 10.09
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 154.00
- Standard Deviation: 19.81

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	10	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12008	98.7 %
	Total	12,018	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 8483-8490 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YC1225: When you last tried to quit for good, how long did you stay off cigarettes

When you last tried to quit for good, how long did you stay off cigarettes?
Please choose the first answer that fits.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop smoking cigarettes in the past 12 months.
ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1 AND R02_YC1215 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than one day	21	0.2 %
2	2 = 1 to 7 days	48	0.4 %
3	3 = More than 7 days but less than 30 days	30	0.2 %
4	4 = More than 30 days but less than 6 months	38	0.3 %
5	5 = More than 6 months but less than 1 year	16	0.1 %
6	6 = 1 year or more	10	0.1 %
	Total	163	1.3%

This variable has 163 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12008	98.7 %
	Total	12,009	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 8491-8498 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YC1230: How likely is it that you would succeed if you decided to quit cigarettes for good

If you decided to quit cigarettes for good, how likely is it that you would succeed?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R02_PAST30DAY_NL_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	132	1.1 %
2	2 = Somewhat likely	100	0.8 %
3	3 = Somewhat unlikely	60	0.5 %
4	4 = Very unlikely	40	0.3 %
	Total	332	2.7%

This variable has 332 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11839	97.3 %
	Total	11,840	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8499-8506 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0126: In past 12 months, tried to completely stop use of all tobacco products

[PROGRAM NOTE: See Box R02_YNR01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you tried to completely stop using all tobacco products within the past 12 months?

[If No or Don't Know (-8) or Refused (-7), Go to R02_YN0127.]

ASK: Youth respondents who have used any tobacco product in the past 30 days and are past 30 day "not light" e-cigarette users, past 30 day "not light" traditional cigar smokers, past 30 day "not light" cigarillo smokers, past 30 day "not light" filtered cigar smokers, past 30 day pipe smokers, past 30 day hookah smokers, past 30 day "not light" snus pouch users, past 30 day "not light" smokeless tobacco users, past 30 day dissolvable tobacco users, past 30 day bidi smokers, or past 30 day kretek smokers.

ASK Specification: IF R02_PAST30DAY_TOB = 1 AND (R02_PAST30DAY_NL_ECIGS = 1 OR R02_PAST30DAY_NL_GTRAD = 1 OR R02_PAST30DAY_NL_GRILLO = 1 OR R02_PAST30DAY_NL_GFILTR = 1 OR R02_PAST30DAY_PIPE = 1 OR R02_PAST30DAY_HOOK = 1 OR R02_PAST30DAY_NL_SMOKELESS = 1 OR R02_PAST30DAY_NL_SNUS = 1 OR R02_PAST30DAY_DISS = 1 OR R02_PAST30DAY_BIDI = 1 OR R02_PAST30DAY_KRETEK = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	233	1.9 %
2	2 = No	308	2.5 %

Value	Label	Unweighted Frequency	%
	Total	541	4.4%

This variable has 541 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	18	0.1 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11588	95.2 %
	Total	11,631	95.6%

Percentages for both tables are based on 12,172 total cases.

Location: 8507-8514 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0120: In past 12 months, stopped using all tobacco products for one day or longer because you were trying to quit for good

In the past 12 months, have you stopped using all tobacco products for one day or longer because you were trying to quit for good?

ASK: Youth respondents who have used any tobacco product in the past 30 days and are past 30 day "not light" e-cigarette users, past 30 day "not light" traditional cigar smokers, past 30 day "not light" cigarillo smokers, past 30 day "not light" filtered cigar smokers, past 30 day pipe smokers, past 30 day hookah smokers, past 30 day "not light" snus pouch users, past 30 day "not light" smokeless tobacco users, past 30 day dissolvable tobacco users, past 30 day bidi smokers, or past 30 day kretek smokers and stopped using all tobacco products for one day or longer because they were trying to quit for good.

ASK Specification: IF R02_PAST30DAY_TOB = 1 AND (R02_PAST30DAY_NL_ECIGS = 1 OR R02_PAST30DAY_NL_GTRAD = 1 OR R02_PAST30DAY_NL_GRILLO = 1 OR R02_PAST30DAY_NL_GFILTR = 1 OR R02_PAST30DAY_PIPE = 1 OR R02_PAST30DAY_HOOK = 1 OR R02_PAST30DAY_NL_SMOKELESS = 1 OR R02_PAST30DAY_NL_SNUS = 1 OR R02_PAST30DAY DISS = 1 OR R02_PAST30DAY_BIDI = 1 OR R02_PAST30DAY_KRETEK = 1) AND R02_YN0126 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	190	1.6 %
2	2 = No	38	0.3 %
	Total	228	1.9%

This variable has 228 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11939	98.1 %
	Total	11,944	98.1%

Percentages for both tables are based on 12,172 total cases.

Location: 8515-8522 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YN0127: Seriously thinking about quitting cigarettes/all tobacco products

Are you seriously thinking about quitting [cigarettes/all tobacco products/cigarettes and tobacco products]?

ASK: Youth respondents who have used any tobacco product in the past 30 days and are past 30 day "not light" cigarette smokers, past 30 day "not light" e-cigarette users, past 30 day "not light" traditional cigar smokers, past 30 day "not light" cigarillo smokers, past 30 day "not light" filtered cigar smokers, past 30 day pipe smokers, past 30 day hookah smokers, past 30 day "not light" snus pouch users, past 30 day "not light" smokeless tobacco users, past 30 day dissolvable tobacco users, past 30 day bidi smokers, or past 30 day kretek smokers.

ASK Specification: IF R02_PAST30DAY_TOB = 1 AND (R02_PAST30DAY_NL_CIGS = 1 OR R02_PAST30DAY_NL_ECIGS = 1 OR R02_PAST30DAY_NL_GTRAD = 1 OR R02_PAST30DAY_NL_GRILLO = 1 OR R02_PAST30DAY_NL_GFILTR = 1 OR R02_PAST30DAY_PIPE = 1 OR R02_PAST30DAY_HOOK = 1 OR R02_PAST30DAY_NL_SMOKELESS = 1 OR R02_PAST30DAY_NL_SNUS = 1 OR R02_PAST30DAY DISS = 1 OR R02_PAST30DAY_BIDI = 1 OR R02_PAST30DAY_KRETEK = 1).

DISPLAY: If cigarette smoker only [(R02_PAST30DAY_NL_CIGS = 1) AND ((R02_PAST30DAY_ECIGS = 2) AND (R02_PAST30DAY_CIGARFILL = 2) AND (R02_PAST30DAY_PIPE = 2) AND (R02_PAST30DAY_HOOK = 2) AND (R02_PAST30DAY_SMKLSSFILL = 2) AND (R02_PAST30DAY DISS = 2) AND (R02_PAST30DAY_BKFFILL = 2))], display "cigarettes". If non-cigarette tobacco user [(R02_PAST30DAY_NL_CIGS = 2) AND ((R02_PAST30DAY_NL_ECIGS = 1) OR (R02_PAST30DAY_NL_CIGARFILL = 1) OR (R02_PAST30DAY_PIPE = 1) OR (R02_PAST30DAY_HOOK = 1) OR (R02_PAST30DAY_NL_SMKLSSFILL = 1) OR (R02_PAST30DAY DISS = 1) OR (R02_PAST30DAY_BKFFILL = 1))], display "all tobacco products". If cigarette and other tobacco user [(R02_PAST30DAY_NL_CIGS = 1) AND (R02_PAST30DAY_NL_ECIGS = 1) OR (R02_PAST30DAY_NL_CIGARFILL = 1) OR (R02_PAST30DAY_PIPE = 1) OR (R02_PAST30DAY_HOOK = 1) OR (R02_PAST30DAY_NL_SMKLSSFILL = 1) OR (R02_PAST30DAY DISS = 1) OR (R02_PAST30DAY_BKFFILL = 1)], display "cigarettes and tobacco products".

Value	Label	Unweighted Frequency	%
1	1 = Yes, within the next 30 days	203	1.7 %
2	2 = Yes, within the next 6 months	59	0.5 %
3	3 = Yes, within the year	82	0.7 %
4	4 = Yes, but not within the year	99	0.8 %
5	5 = No, I am not seriously thinking about quitting	233	1.9 %
	Total	676	5.6%

This variable has 676 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	13	0.1 %
-8	-8 = Don't know	36	0.3 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	11434	93.9 %
	Total	11,496	94.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8523-8530 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0141: In past 12 months, how often have you seen a list of the chemicals contained in tobacco products

[BOX ID: R02_YRT01 - The next questions ask about things you may have seen or read on tobacco product packages.]

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	5375	44.2 %
2	2 = Rarely	3269	26.9 %
3	3 = Sometimes	1889	15.5 %
4	4 = Often	779	6.4 %
5	5 = Very often	644	5.3 %
	Total	11,956	98.2%

This variable has 11,956 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	201	1.7 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	216	1.8%

Percentages for both tables are based on 12,172 total cases.

Location: 8531-8538 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0142: In past 12 months, how often have you thought about the chemicals contained in tobacco

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	5696	46.8 %
2	2 = Rarely	3015	24.8 %
3	3 = Sometimes	1952	16.0 %
4	4 = Often	791	6.5 %
5	5 = Very often	593	4.9 %
	Total	12,047	99.0%

This variable has 12,047 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	105	0.9 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	125	1.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8539-8546 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0005: In past 30 days, how often noticed health warnings on cigarette packages

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packages?

ASK: All youth respondents.

[GOTO: New baseline youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days, go to R02_YR0202_NB. Else, youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days, go to R02_YR0010. Else, new baseline youth respondents who have never smoked a cigarette and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days, go to R02_YR0055_NB. Else, go to R02_YR0060.]

[GOTO Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YR0005 = 2, 3, 4, 5, GO TO R02_YR0202_NB. ELSE, IF R02_EVER_USER_CIGS = 1 AND R02_YR0005 = 2, 3, 4, 5, GO TO R02_YR0010. ELSE, IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_NEVER_USER_CIGS = 1 AND R02_YR0005 = 2, 3, 4, 5, GO TO R02_YR0055_NB. ELSE, GO TO R02_YR0060.]

Value	Label	Unweighted Frequency	%
1	1 = Never	6435	52.9 %
2	2 = Rarely	2025	16.6 %
3	3 = Sometimes	1410	11.6 %
4	4 = Often	1038	8.5 %
5	5 = Very often	998	8.2 %
	Total	11,906	97.8%

This variable has 11,906 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	242	2.0 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	266	2.2%

Percentages for both tables are based on 12,172 total cases.

Location: 8547-8554 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0202_NB: In past 30 days, how often have you read or looked closely at the health warnings on cigarette packages

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packages?

ASK: New baseline youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YR0005 = 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Never	14	0.1 %
2	2 = Rarely	10	0.1 %
3	3 = Sometimes	5	0.0 %
4	4 = Often	9	0.1 %

Value	Label	Unweighted Frequency	%
5	5 = Very often	6	0.0 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12128	99.6 %
	Total	12,128	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 8555-8562 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0010: In past 30 days, how often have health warnings stopped you from having a cigarette when you were about to smoke one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF R02_EVER_USER_CIGS = 1 AND R02_YR0005 = 2, 3, 4, 5.

[GOTO: New baseline youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days, go to R02_YR0015_NB. Else, go to R02_YR0203.]

[GOTO Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YR0005 = 2, 3, 4, 5, GO TO R02_YR0015_NB. ELSE, GO TO R02_YR0203.]

Value	Label	Unweighted Frequency	%
1	1 = Never	347	2.9 %
2	2 = Rarely	151	1.2 %
3	3 = Sometimes	115	0.9 %
4	4 = Often	86	0.7 %
5	5 = Very often	183	1.5 %
	Total	882	7.2%

This variable has 882 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	11248	92.4 %
	Total	11,290	92.8%

Percentages for both tables are based on 12,172 total cases.

Location: 8563-8570 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0015_NB: In past 30 days, tried to avoid looking at or thinking about the health warnings on cigarette packs

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

ASK: New baseline youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YR0005 = 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	22	0.2 %
	Total	41	0.3%

This variable has 41 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12128	99.6 %
	Total	12,131	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 8571-8578 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0025_NB: Believability of health warnings on cigarette packs

How believable do you consider the health warnings on cigarette packs to be?

ASK: New baseline youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YR0005 = 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	3	0.0 %
2	2 = A little believable	5	0.0 %
3	3 = Somewhat believable	4	0.0 %
4	4 = Very believable	13	0.1 %
5	5 = Extremely believable	18	0.1 %
	Total	43	0.4%

This variable has 43 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12128	99.6 %
	Total	12,129	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 8579-8586 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0035_NB: Extent to which health warnings on cigarette packs make you think about the health risks of smoking

To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

ASK: New baseline youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_EVER_USER_CIGS = 1 AND R02_YR0005 = 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	3	0.0 %
2	2 = A little	6	0.0 %
3	3 = Somewhat	10	0.1 %
4	4 = A lot	22	0.2 %
	Total	41	0.3%

This variable has 41 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12128	99.6 %
	Total	12,131	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 8587-8594 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0203: Extent to which health warnings on cigarette packs make you never want to smoke again

To what extent, if at all, do the health warnings on cigarette packs make you never want to smoke again?

[GO TO R02_YR0060]

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF R02_EVER_USER_CIGS = 1 AND R02_YR0005 = 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	240	2.0 %
2	2 = A little	189	1.6 %
3	3 = Somewhat	177	1.5 %
4	4 = A lot	292	2.4 %
	Total	898	7.4%

This variable has 898 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.2 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11248	92.4 %
	Total	11,274	92.6%

Percentages for both tables are based on 12,172 total cases.

Location: 8595-8602 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0055_NB: Extent to which health warnings on cigarette packs made you less likely to start smoking

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

ASK: New baseline youth respondents who have never smoked a cigarette and have noticed health warnings on cigarette packages rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_NEVER_USER_CIGS = 1 AND R02_YR0005 = 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	148	1.2 %
2	2 = A little	34	0.3 %
3	3 = Somewhat	80	0.7 %
4	4 = A lot	474	3.9 %
	Total	736	6.0%

This variable has 736 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.4 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11384	93.5 %
	Total	11,436	94.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8603-8610 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0060: In past 30 days, how often noticed health warnings on packages of smokeless tobacco products

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of smokeless tobacco products like snus, moist snuff, dip, spit and chew?

ASK: All youth respondents.

[GOTO: New baseline youth respondents who have ever used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days, go to R02_YR0205_NB. Else, youth respondents who have ever used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days, go to R02_YR0065. Else, new baseline youth respondents who have never used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days, go to R02_YR0220_NB. Else, youth respondents who are past 30 day e-cigarette users, go to R02_YR0110. Else, youth respondents who are past 30 day traditional cigar smokers, go to R02_YR0115. Else, youth respondents who are past 30 day cigarillo smokers, go to R02_YR0120. Else, youth respondents who are past 30 day filtered cigar smokers, go to R02_YR0125. Else, youth respondents who are past 30 day pipe smokers, go to R02_YR0130. Else, youth respondents who are past 30 day hookah smokers, go to R02_YR0135. Else, youth respondents who are past 30 day dissolvable tobacco users, go to R02_YR0140. Else, youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers, go to R02_YR0230. Else, go to R02_YX0667.]

[GOTO Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5, GO TO R02_YR0205_NB. ELSE, IF (R02_EVER_USER_SMKLS = 1 OR R02_EVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5, GO TO R02_YR0065. ELSE, IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_NEVER_USER_SMKLS = 1 AND R02_NEVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5, GO TO R02_YR0220_NB. ELSE, IF R02_PAST30DAY_ECIGS = 1, GO TO R02_YR0110. ELSE, IF R02_PAST30DAY_GTRAD = 1, GO TO R02_YR0115. ELSE, IF R02_PAST30DAY_GRILLO = 1, GO TO R02_YR0120. ELSE, IF R02_PAST30DAY_GFILTR = 1, GO TO R02_YR0125. ELSE, IF R02_PAST30DAY_PIPE = 1, GO TO R02_YR0130. ELSE, IF R02_PAST30DAY_HOOK = 1, GO TO R02_YR0135. ELSE, IF R02_PAST30DAY DISS = 1, GO TO R02_YR0140. ELSE, IF R02_PAST30DAY_KRETEK = 1 OR R02_PAST30DAY_BIDI = 1, GO TO R02_YR0230. ELSE, GO TO R02_YX0667.]

Value	Label	Unweighted Frequency	%
1	1 = Never	7882	64.8 %
2	2 = Rarely	1570	12.9 %
3	3 = Sometimes	1011	8.3 %
4	4 = Often	660	5.4 %
5	5 = Very often	674	5.5 %
	Total	11,797	96.9%

This variable has 11,797 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	339	2.8 %

	Missing Data		
-7	-7 = Refused	36	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	375	3.1%

Percentages for both tables are based on 12,172 total cases.

Location: 8611-8618 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0205_NB: In past 30 days, how often have you read or looked closely at the health warnings on smokeless tobacco packages

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

ASK: New baseline youth respondents who have ever used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_EVER_USER_SMKLS =1 OR R02_EVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Never	1	0.0 %
2	2 = Rarely	2	0.0 %
3	3 = Sometimes	5	0.0 %
4	4 = Often	1	0.0 %
5	5 = Very often	3	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8619-8626 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0065: In past 30 days, how often have health warnings stopped you from having a smokeless tobacco product when about to use one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

ASK: Youth respondents who have ever used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF (R02_EVER_USER_SMKLS =1 OR R02_EVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5.

[GOTO: New baseline youth respondents who have ever used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days, go to R02_YR0070_NB. Else, go to R02_YR0085.]

[GOTO Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_EVER_USER_SMKLS =1 OR R02_EVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5, GO TO R02_YR0070_NB. ELSE, GO TO R02_YR0085.]

Value	Label	Unweighted Frequency	%
1	1 = Never	104	0.9 %
2	2 = Rarely	52	0.4 %
3	3 = Sometimes	60	0.5 %
4	4 = Often	42	0.3 %
5	5 = Very often	64	0.5 %
	Total	322	2.6%

This variable has 322 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11835	97.2 %
	Total	11,850	97.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8627-8634 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0070_NB: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings

on packages of smokeless tobacco products - such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

ASK: New baseline youth respondents who have ever used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_EVER_USER_SMKLS =1 OR R02_EVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	7	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,161	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8635-8642 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0075_NB: Believability of health warnings on packages of smokeless tobacco products

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

ASK: New baseline youth respondents who have ever used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products in the past 30 days.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_EVER_USER_SMKLS =1 OR R02_EVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	1	0.0 %
2	2 = A little believable	1	0.0 %
3	3 = Somewhat believable	3	0.0 %
4	4 = Very believable	2	0.0 %

Value	Label	Unweighted Frequency	%
5	5 = Extremely believable	5	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8643-8650 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0085: Extent to which health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

ASK: Youth respondents who have ever used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF (R02_EVER_USER_SMKLS =1 OR EVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5.

[GOTO: New baseline youth respondents who have ever used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days, go to R02_YR0218_NB. Else, youth respondents who are past 30 day e-cigarette users, go to R02_YR0110. Else, youth respondents who are past 30 day traditional cigar smokers, go to R02_YR0115. Else, youth respondents who are past 30 day cigarillo smokers, go to R02_YR0120. Else, youth respondents who are past 30 day filtered cigar smokers, go to R02_YR0125. Else, youth respondents who are past 30 day pipe smokers, go to R02_YR0130. Else, youth respondents who are past 30 day hookah smokers, go to R02_YR0135. Else, youth respondents who are past 30 day dissolvable tobacco users, go to R02_YR0140. Else, youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers, go to R02_YR0230. Else, go to R02_YX0667.]

[GOTO Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_EVER_USER_SMKLS =1 OR EVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5, GO TO R02_YR0218_NB. ELSE, IF R02_PAST30DAY_ECIGS = 1, GO TO R02_YR0110. ELSE, IF R02_PAST30DAY_GTRAD = 1, GO TO R02_YR0115. ELSE, IF R02_PAST30DAY_GRILLO = 1, GO TO R02_YR0120. ELSE, IF R02_PAST30DAY_GFILTR = 1, GO TO R02_YR0125. ELSE, IF R02_PAST30DAY_PIPE = 1, GO TO R02_YR0130. ELSE, IF R02_PAST30DAY_HOOK = 1, GO TO R02_YR0135. ELSE, IF R02_PAST30DAY DISS = 1, GO TO R02_YR0140. ELSE, IF R02_PAST30DAY_KRETEK = 1 OR R02_PAST30DAY_BIDI = 1, GO TO R02_YR0230. ELSE, GO TO R02_YX0667.]

Value	Label	Unweighted Frequency	%
1	1 = Not at all	67	0.6 %
2	2 = A little	75	0.6 %
3	3 = Somewhat	94	0.8 %
4	4 = A lot	93	0.8 %
	Total	329	2.7%

This variable has 329 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11835	97.2 %
	Total	11,843	97.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8651-8658 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0218_NB: Extent to which health warnings on packages of smokeless tobacco products make you never want to use smokeless tobacco again

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you never want to use smokeless tobacco again?

ASK: New baseline youth respondents who have ever used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_EVER_USER_SMKLS =1 OR EVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5.

[GOTO: Youth respondents who are past 30 day e-cigarette users, go to R02_YR0110.

Else, youth respondents who are past 30 day traditional cigar smokers, go to R02_YR0115.

Else, youth respondents who are past 30 day cigarillo smokers, go to R02_YR0120.

Else, youth respondents who are past 30 day filtered cigar smokers, go to R02_YR0125.

Else, youth respondents who are past 30 day pipe smokers, go to R02_YR0130.

Else, youth respondents who are past 30 day hookah smokers, go to R02_YR0135.

Else, youth respondents who are past 30 day dissolvable tobacco users, go to R02_YR0140.

Else, youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers, go to R02_YR0230. Else, go to R02_YX0667.]

[GOTO Specification: IF R02_PAST30DAY_ECIGS = 1, GO TO R02_YR0110. ELSE, IF R02_PAST30DAY_GTRAD = 1, GO TO R02_YR0115. ELSE, IF R02_PAST30DAY_GRILLO = 1, GO TO R02_YR0120. ELSE, IF R02_PAST30DAY_GFILTR = 1, GO TO R02_YR0125. ELSE, IF R02_PAST30DAY_PIPE = 1, GO TO R02_YR0130. ELSE, IF R02_PAST30DAY_HOOK = 1, GO TO R02_YR0135. ELSE, IF R02_PAST30DAY DISS = 1, GO TO R02_YR0140. ELSE, IF R02_PAST30DAY_KRETEK = 1 OR R02_PAST30DAY_BIDI = 1, GO TO R02_YR0230. ELSE, GO TO

R02_YX0667.]

Value	Label	Unweighted Frequency	%
1	1 = Not at all	3	0.0 %
2	2 = A little	2	0.0 %
3	3 = Somewhat	3	0.0 %
4	4 = A lot	4	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12160	99.9 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8659-8666 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0220_NB: Extent to which health warnings on packages of smokeless tobacco products make you less likely to start using smokeless tobacco

To what extent, if at all, have the health warnings on smokeless tobacco packages made you less likely to start using smokeless tobacco?

ASK: New baseline youth respondents who have never used smokeless tobacco or snus pouches and have noticed health warnings on packages of smokeless tobacco products rarely, sometimes, often, or very often in the past 30 days.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_NEVER_USER_SMKLS =1 AND R02_NEVER_USER_SNUS = 1) AND R02_YR0060 = 2, 3, 4, 5.

[GOTO: Youth respondents who are past 30 day e-cigarette users, go to R02_YR0110.

Else, youth respondents who are past 30 day traditional cigar smokers, go to R02_YR0115.

Else, youth respondents who are past 30 day cigarillo smokers, go to R02_YR0120.

Else, youth respondents who are past 30 day filtered cigar smokers, go to R02_YR0125.

Else, youth respondents who are past 30 day pipe smokers, go to R02_YR0130.

Else, youth respondents who are past 30 day hookah smokers, go to R02_YR0135.

Else, youth respondents who are past 30 day dissolvable tobacco users, go to R02_YR0140.

Else, youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers, go to R02_YR0230. Else, go to R02_YX0667.]

[GOTO Specification: IF R02_PAST30DAY_ECIGS = 1, GO TO R02_YR0110. ELSE, IF R02_PAST30DAY_GTRAD = 1, GO TO R02_YR0115. ELSE, IF R02_PAST30DAY_GRILLO = 1, GO TO R02_YR0120. ELSE, IF R02_PAST30DAY_GFILTR = 1, GO TO R02_YR0125. ELSE, IF

R02_PAST30DAY_PIPE = 1, GO TO R02_YR0130. ELSE, IF R02_PAST30DAY_HOOK = 1, GO TO R02_YR0135. ELSE, IF R02_PAST30DAY_DISS = 1, GO TO R02_YR0140. ELSE, IF R02_PAST30DAY_KRETEK = 1 OR R02_PAST30DAY_BIDI = 1, GO TO R02_YR0230. ELSE, GO TO R02_YX0667.]

Value	Label	Unweighted Frequency	%
1	1 = Not at all	51	0.4 %
2	2 = A little	20	0.2 %
3	3 = Somewhat	40	0.3 %
4	4 = A lot	199	1.6 %
	Total	310	2.5%

This variable has 310 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	163	1.3 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11686	96.0 %
	Total	11,862	97.5%

Percentages for both tables are based on 12,172 total cases.

Location: 8667-8674 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0110: In past 30 days, how often noticed health warnings on packages of e-cigarettes

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes?

ASK: Youth respondents who are past 30 day e-cigarette users.

ASK Specification: IF R02_PAST30DAY_ECIGS = 1.

[GOTO: Youth respondents who are past 30 day traditional cigar smokers, go to R02_YR0115. Else, youth respondents who are past 30 day cigarillo smokers, go to R02_YR0120. Else, youth respondents who are past 30 day filtered cigar smokers, go to R02_YR0125. Else, youth respondents who are past 30 day pipe smokers, go to R02_YR0130. Else, youth respondents who are past 30 day hookah smokers, go to R02_YR0135. Else, youth respondents who are past 30 day dissolvable tobacco users, go to R02_YR0140. Else, youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers, go to R02_YR0230. Else, go to R02_YX0667.]

[GOTO Specification: IF R02_PAST30DAY_GTRAD = 1, GO TO R02_YR0115. ELSE, IF R02_PAST30DAY_GRILLO = 1, GO TO R02_YR0120. ELSE, IF R02_PAST30DAY_GFILTR = 1, GO TO R02_YR0125. ELSE, IF R02_PAST30DAY_PIPE = 1, GO TO R02_YR0130. ELSE, IF R02_PAST30DAY_HOOK = 1, GO TO R02_YR0135. ELSE, IF R02_PAST30DAY_DISS = 1, GO TO R02_YR0140. ELSE, IF R02_PAST30DAY_KRETEK = 1 OR R02_PAST30DAY_BIDI = 1, GO

TO R02_YR0230. ELSE, GO TO R02_YX0667.]

Value	Label	Unweighted Frequency	%
1	1 = Never	217	1.8 %
2	2 = Rarely	94	0.8 %
3	3 = Sometimes	48	0.4 %
4	4 = Often	24	0.2 %
5	5 = Very often	20	0.2 %
	Total	403	3.3%

This variable has 403 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11757	96.6 %
	Total	11,769	96.7%

Percentages for both tables are based on 12,172 total cases.

Location: 8675-8682 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0115: In past 30 days, how often noticed health warnings on packages of traditional cigars

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R02_PAST30DAY_GTRAD = 1.

[GOTO: Youth respondents who are past 30 day cigarillo smokers, go to R02_YR0120.

Else, youth respondents who are past 30 day filtered cigar smokers, go to R02_YR0125.

Else, youth respondents who are past 30 day pipe smokers, go to R02_YR0130.

Else, youth respondents who are past 30 day hookah smokers, go to R02_YR0135.

Else, youth respondents who are past 30 day dissolvable tobacco users, go to R02_YR0140.

Else, youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers, go to R02_YR0230. Else, go to R02_YX0667.]

[GOTO Specification: IF R02_PAST30DAY_GRILLO = 1, GO TO R02_YR0120. ELSE, IF R02_PAST30DAY_GFILTR = 1, GO TO R02_YR0125. ELSE, IF R02_PAST30DAY_PIPE = 1, GO TO R02_YR0130. ELSE, IF R02_PAST30DAY_HOOK = 1, GO TO R02_YR0135. ELSE, IF R02_PAST30DAY_DISS = 1, GO TO R02_YR0140. ELSE, IF R02_PAST30DAY_KRETEK = 1 OR R02_PAST30DAY_BIDI = 1, GO TO R02_YR0230. ELSE, GO TO R02_YX0667.]

Value	Label	Unweighted Frequency	%
1	1 = Never	26	0.2 %
2	2 = Rarely	12	0.1 %
3	3 = Sometimes	15	0.1 %
4	4 = Often	10	0.1 %
5	5 = Very often	11	0.1 %
	Total	74	0.6%

This variable has 74 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	99.4 %
	Total	12,098	99.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8683-8690 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0120: In past 30 days, how often noticed health warnings on packages of cigarillos

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R02_PAST30DAY_GRILLO = 1.

[GOTO: Youth respondents who are past 30 day filtered cigar smokers, go to R02_YR0125.

Else, youth respondents who are past 30 day pipe smokers, go to R02_YR0130.

Else, youth respondents who are past 30 day hookah smokers, go to R02_YR0135.

Else, youth respondents who are past 30 day dissolvable tobacco users, go to R02_YR0140.

Else, youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers, go to R02_YR0230. Else, go to R02_YX0667.]

[GOTO Specification: IF R02_PAST30DAY_GFILTR = 1, GO TO R02_YR0125. ELSE, IF R02_PAST30DAY_PIPE = 1, GO TO R02_YR0130. ELSE, IF R02_PAST30DAY_HOOK = 1, GO TO R02_YR0135. ELSE, IF R02_PAST30DAY_DISS = 1, GO TO R02_YR0140. ELSE, IF R02_PAST30DAY_KRETEK = 1 OR R02_PAST30DAY_BIDI = 1, GO TO R02_YR0230. ELSE, GO TO R02_YX0667.]

Value	Label	Unweighted Frequency	%
1	1 = Never	47	0.4 %

Value	Label	Unweighted Frequency	%
2	2 = Rarely	23	0.2 %
3	3 = Sometimes	24	0.2 %
4	4 = Often	9	0.1 %
5	5 = Very often	14	0.1 %
	Total	117	1.0%

This variable has 117 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12051	99.0 %
	Total	12,055	99.0%

Percentages for both tables are based on 12,172 total cases.

Location: 8691-8698 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0125: In past 30 days, how often noticed health warnings on packages of filtered cigars

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R02_PAST30DAY_GFILTR = 1.

[GOTO: Youth respondents who are past 30 day pipe smokers, go to R02_YR0130. Else, youth respondents who are past 30 day hookah smokers, go to R02_YR0135. Else, youth respondents who are past 30 day dissolvable tobacco users, go to R02_YR0140. Else, youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers, go to R02_YR0230. Else, go to R02_YX0667.]

[GOTO Specification: IF R02_PAST30DAY_PIPE = 1, GO TO R02_YR0130. ELSE, IF R02_PAST30DAY_HOOK = 1, GO TO R02_YR0135. ELSE, IF R02_PAST30DAY DISS = 1, GO TO R02_YR0140. ELSE, IF R02_PAST30DAY_KRETEK = 1 OR R02_PAST30DAY_BIDI = 1, GO TO R02_YR0230. ELSE, GO TO R02_YX0667.]

Value	Label	Unweighted Frequency	%
1	1 = Never	20	0.2 %
2	2 = Rarely	5	0.0 %
3	3 = Sometimes	12	0.1 %

Value	Label	Unweighted Frequency	%
4	4 = Often	6	0.0 %
5	5 = Very often	6	0.0 %
	Total	49	0.4%

This variable has 49 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12123	99.6 %
	Total	12,123	99.6%

Percentages for both tables are based on 12,172 total cases.

Location: 8699-8706 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0130: In past 30 days, how often noticed health warnings on packages of pipe tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R02_PAST30DAY_PIPE = 1.

[GOTO: Youth respondents who are past 30 day hookah smokers, go to R02_YR0135.
Else, youth respondents who are past 30 day dissolvable tobacco users, go to R02_YR0140. Else, youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers, go to R02_YR0230. Else, go to R02_YX0667.]

[GOTO Specification: IF R02_PAST30DAY_HOOK = 1, GO TO R02_YR0135.
ELSE, IF R02_PAST30DAY_DISS = 1, GO TO R02_YR0140. ELSE, IF R02_PAST30DAY_KRETEK = 1 OR R02_PAST30DAY_BIDI = 1, GO TO R02_YR0230. ELSE, GO TO R02_YX0667.]

Value	Label	Unweighted Frequency	%
1	1 = Never	12	0.1 %
2	2 = Rarely	3	0.0 %
3	3 = Sometimes	7	0.1 %
4	4 = Often	3	0.0 %
5	5 = Very often	4	0.0 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12143	99.8 %
	Total	12,143	99.8%

Percentages for both tables are based on 12,172 total cases.

Location: 8707-8714 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0135: In past 30 days, how often noticed health warnings on packages of shisha or hookah tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R02_PAST30DAY_HOOK = 1.

[GOTO: Youth respondents who are past 30 day dissolvable tobacco users, go to R02_YR0140. Else, youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers, go to R02_YR0230. Else, go to R02_YX0667.]

[GOTO Specification: IF R02_PAST30DAY_DISS = 1, GO TO R02_YR0140. ELSE, IF R02_PAST30DAY_KRETEK = 1 OR R02_PAST30DAY_BIDI = 1, GO TO R02_YR0230. ELSE, GO TO R02_YX0667.]

Value	Label	Unweighted Frequency	%
1	1 = Never	80	0.7 %
2	2 = Rarely	29	0.2 %
3	3 = Sometimes	17	0.1 %
4	4 = Often	12	0.1 %
5	5 = Very often	11	0.1 %
	Total	149	1.2%

This variable has 149 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12019	98.7 %
	Total	12,023	98.8%

Percentages for both tables are based on 12,172 total cases.

Location: 8715-8722 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0140: In past 30 days, how often noticed health warnings on packages of dissolvable tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of dissolvable tobacco?

ASK: Youth respondents who are past 30 day dissolvable tobacco users.

ASK Specification: IF R02_PAST30DAY_DISS = 1.

[GOTO: Youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers, go to R02_YR0230. Else, go to R02_YX0667.]

[GOTO Specification: IF R02_PAST30DAY_KRETEK = 1 OR R02_PAST30DAY_BIDI = 1, GO TO R02_YR0230. ELSE, GO TO R02_YX0667.]

Value	Label	Unweighted Frequency	%
1	1 = Never	1	0.0 %
2	2 = Rarely	0	0.0 %
3	3 = Sometimes	3	0.0 %
4	4 = Often	2	0.0 %
5	5 = Very often	2	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12164	99.9 %
	Total	12,164	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8723-8730 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR0230: In past 30 days, how often noticed health warnings on packages of bidis or kreteks

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of bidis or kreteks?

ASK: Youth respondents who are past 30 day bidi smokers or are past 30 day kretek smokers.

ASK Specification: IF R02_PAST30DAY_BIDI = 1 OR R02_PAST30DAY_KRETEK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	7	0.1 %
2	2 = Rarely	2	0.0 %
3	3 = Sometimes	3	0.0 %
4	4 = Often	1	0.0 %
5	5 = Very often	5	0.0 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12154	99.9 %
	Total	12,154	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8731-8738 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0667: Agree/disagree: Some tobacco products are safer than others

The next few questions are statements about tobacco. Please tell me how much you agree or disagree with the following statements.

Some tobacco products are safer than others.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	468	3.8 %
2	2 = Agree	2341	19.2 %

Value	Label	Unweighted Frequency	%
3	3 = Neither agree nor disagree	2529	20.8 %
4	4 = Disagree	2576	21.2 %
5	5 = Strongly disagree	4021	33.0 %
	Total	11,935	98.1%

This variable has 11,935 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	219	1.8 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	237	1.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8739-8746 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0669: In past 12 months, seen any tobacco products that claim to be safer than other tobacco products

In the past 12 months, have you seen any tobacco products that claim to be safer than other tobacco products?

[If No or Don't Know (-8) or Refused (-7), Go to R02_YXT05.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4665	38.3 %
2	2 = No	7343	60.3 %
	Total	12,008	98.7%

This variable has 12,008 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	151	1.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	164	1.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8747-8754 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0670: Likeliness you will use one of the tobacco products that claim to be safer in the next 30 days

How likely is it that you will use one of these tobacco products that claim to be safer in the next 30 days?

ASK: Youth respondents who have seen any tobacco products that claim to be safer than other tobacco products in the past 12 months.

ASK Specification: IF R02_YX0669 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	97	0.8 %
2	2 = Somewhat likely	269	2.2 %
3	3 = Somewhat unlikely	401	3.3 %
4	4 = Very unlikely	3867	31.8 %
	Total	4,634	38.1%

This variable has 4,634 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	7507	61.7 %
	Total	7,538	61.9%

Percentages for both tables are based on 12,172 total cases.

Location: 8755-8762 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0494: Hours spent watching TV on a typical day

[BOX ID: R02_YXT05 - The next questions ask about your TV, radio, internet and cell phone use.]

About how long do you watch TV on a typical day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	980	8.1 %
2	2 = Less than 1 hour	2805	23.0 %
3	3 = 1 to 2 hours	4563	37.5 %
4	4 = 3 to 4 hours	2377	19.5 %
5	5 = More than 4 hours	1395	11.5 %
	Total	12,120	99.6%

This variable has 12,120 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	52	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8763-8770 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0060: Number of hours spent listening to the radio on a typical day

About how long do you listen to the radio on a typical day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	2030	16.7 %
2	2 = Less than 1 hour	5251	43.1 %
3	3 = 1 to 2 hours	2743	22.5 %
4	4 = 3 to 4 hours	994	8.2 %
5	5 = More than 4 hours	1110	9.1 %
	Total	12,128	99.6%

This variable has 12,128 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	44	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8771-8778 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0315: Ever go online to access the Internet or send and receive email

Do you ever go online to access the Internet or World Wide Web, or to send and receive e-mail?

[If No or Don't Know (-8) or Refused (-7), Go to R02_YX0498.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10690	87.8 %
2	2 = No	1447	11.9 %
	Total	12,137	99.7%

This variable has 12,137 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	35	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8779-8786 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0062: Has a Facebook, Google Plus, MySpace, Twitter or other social networking account

Sometimes people use the Internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, MySpace, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called "social media".

Do you have a social media account?

[If No or Don't Know (-8) or Refused (-7), Go to R02_YX0489.]

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9711	79.8 %
2	2 = No	957	7.9 %
	Total	10,668	87.6%

This variable has 10,668 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,504	12.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8787-8794 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0317: How often you visit your social media accounts

About how often do you visit your social media accounts?

[If Never or Don't Know (-8) or Refused (-7), Go to R02_YX0321.]

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Several times a day	6334	52.0 %
2	2 = About once a day	1679	13.8 %
3	3 = 3 - 5 days a week	514	4.2 %
4	4 = 1 - 2 days a week	341	2.8 %
5	5 = Every few weeks	347	2.9 %
6	6 = Less often	392	3.2 %
7	7 = Never	90	0.7 %
	Total	9,697	79.7%

This variable has 9,697 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,475	20.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8795-8802 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0320: How much time spent on social media sites on a typical day

On a typical day, about how much total time do you spend on social media sites?

Your best guess is fine.

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1 AND R02_YX0317 = 1, 2, 3, 4, 5, 6.

Value	Label	Unweighted Frequency	%
1	1 = Up to 30 minutes	3761	30.9 %
2	2 = More than 30 minutes, up to 3 hours	3502	28.8 %
3	3 = More than 3 hours, up to 6 hours	1360	11.2 %
4	4 = More than 6 hours	922	7.6 %
	Total	9,545	78.4%

This variable has 9,545 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.4 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	2565	21.1 %
	Total	2,627	21.6%

Percentages for both tables are based on 12,172 total cases.

Location: 8803-8810 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0321: In past 12 months, seen content posted about tobacco products on social media sites

In the past 12 months, have you seen content posted about tobacco products (including e-cigarettes) on social media sites?

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4419	36.3 %
2	2 = No	5259	43.2 %
	Total	9,678	79.5%

This variable has 9,678 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,494	20.5%

Percentages for both tables are based on 12,172 total cases.

Location: 8811-8818 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0506: In past 12 months, posted content about tobacco products on any social media accounts

In the past 12 months, have you posted content about tobacco products (including e-cigarettes) on any of your social media accounts?

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	415	3.4 %
2	2 = No	9274	76.2 %
	Total	9,689	79.6%

This variable has 9,689 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,483	20.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8819-8826 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0489_01: In past 12 months, online activity: Signed up for email alerts about tobacco products, including e-cigarettes

In the past 12 months, have you done any of the following online? Choose all that apply.

Signed up for any email alerts about tobacco products, including e-cigarettes

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

[PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1-3 may not be selected.]

[GOTO: Youth respondents who ever go online and have a social media account, go to R02_YX0686. Else, go to R02_YX0688.]

[GOTO Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1, GO TO R02_YX0686. ELSE, GO TO R02_YX0688.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	39	0.3 %
2	2 = Not Marked	10594	87.0 %
	Total	10,633	87.4%

This variable has 10,633 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.4 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	1482	12.2 %

	Missing Data		
	Total	1,539	12.6%

Percentages for both tables are based on 12,172 total cases.

Location: 8827-8834 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0489_02: In past 12 months, online activity: Read articles online about tobacco products, including e-cigarettes

In the past 12 months, have you done any of the following online? Choose all that apply.

Read any articles online about tobacco products, including e-cigarettes

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

[PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1-3 may not be selected.]

[GOTO: Youth respondents who ever go online and have a social media account, go to R02_YX0686. Else, go to R02_YX0688.]

[GOTO Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1, GO TO R02_YX0686. ELSE, GO TO R02_YX0688.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	906	7.4 %
2	2 = Not Marked	9727	79.9 %
	Total	10,633	87.4%

This variable has 10,633 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.4 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,539	12.6%

Percentages for both tables are based on 12,172 total cases.

Location: 8835-8842 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0489_03: In past 12 months, online activity: Watched a video online about tobacco products, including e-cigarettes

In the past 12 months, have you done any of the following online? Choose all that apply.

Watched a video online about tobacco products, including e-cigarettes

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

[PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1-3 may not be selected.]

[GOTO: Youth respondents who ever go online and have a social media account, go to R02_YX0686. Else, go to R02_YX0688.]

[GOTO Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1, GO TO R02_YX0686. ELSE, GO TO R02_YX0688.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1184	9.7 %
2	2 = Not Marked	9449	77.6 %
	Total	10,633	87.4%

This variable has 10,633 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.4 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,539	12.6%

Percentages for both tables are based on 12,172 total cases.

Location: 8843-8850 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0489_04: In past 12 months, online activity: None of the above

In the past 12 months, have you done any of the following online? Choose all that apply.

None of the above

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

[PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1-3 may not be selected.]

[GOTO: Youth respondents who ever go online and have a social media account, go to R02_YX0686. Else, go to R02_YX0688.]

[GOTO Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1, GO TO R02_YX0686. ELSE, GO TO R02_YX0688.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9001	73.9 %
2	2 = Not Marked	1632	13.4 %
	Total	10,633	87.4%

This variable has 10,633 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.4 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,539	12.6%

Percentages for both tables are based on 12,172 total cases.

Location: 8851-8858 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0686_01: In past 12 months, liked or followed on social media sites: Camel

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites?

Camel

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	264	2.2 %
2	2 = No	9420	77.4 %
	Total	9,684	79.6%

This variable has 9,684 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,488	20.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8859-8866 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0686_02: In past 12 months, liked or followed on social media sites: Marlboro

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites?

Marlboro

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	264	2.2 %
2	2 = No	9343	76.8 %
	Total	9,607	78.9%

This variable has 9,607 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	65	0.5 %
-7	-7 = Refused	36	0.3 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,565	21.1%

Percentages for both tables are based on 12,172 total cases.

Location: 8867-8874 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0686_03: In past 12 months, liked or followed on social media sites: Newport

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites?

Newport

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	235	1.9 %
2	2 = No	9449	77.6 %
	Total	9,684	79.6%

This variable has 9,684 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,488	20.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8875-8882 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0686_04: In past 12 months, liked or followed on social media sites: Swisher Sweets

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites?

Swisher Sweets

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	302	2.5 %
2	2 = No	9383	77.1 %
	Total	9,685	79.6%

This variable has 9,685 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	19	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,487	20.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8883-8890 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0686_05: In past 12 months, liked or followed on social media sites: Blu

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites?

Blu

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	307	2.5 %
2	2 = No	9384	77.1 %
	Total	9,691	79.6%

This variable has 9,691 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,481	20.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8891-8898 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0686_06: In past 12 months, liked or followed on social media sites: Fin

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites?

Fin

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	73	0.6 %
2	2 = No	9617	79.0 %
	Total	9,690	79.6%

This variable has 9,690 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,482	20.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8899-8906 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0686_07: In past 12 months, liked or followed on social media sites: Vuse

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites?

Vuse

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	129	1.1 %
2	2 = No	9568	78.6 %
	Total	9,697	79.7%

This variable has 9,697 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,475	20.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8907-8914 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0686_08: In past 12 months, liked or followed on social media sites: NJOY

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites?

NJOY

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	106	0.9 %
2	2 = No	9589	78.8 %
	Total	9,695	79.7%

This variable has 9,695 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,477	20.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8915-8922 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0687_01: In past 12 months, sent a link or information on social media sites to others about: Camel

In the past 12 months, have you sent a link or information about any of the following brands to others on Facebook, Twitter or other social media sites?

Camel

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	147	1.2 %
2	2 = No	9539	78.4 %
	Total	9,686	79.6%

This variable has 9,686 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,486	20.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8923-8930 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0687_02: In past 12 months, sent a link or information on social media sites to others about: Marlboro

In the past 12 months, have you sent a link or information about any of the following brands to others on Facebook, Twitter or other social media sites?

Marlboro

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	139	1.1 %
2	2 = No	9545	78.4 %
	Total	9,684	79.6%

This variable has 9,684 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,488	20.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8931-8938 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0687_03: In past 12 months, sent a link or information on social media sites to others about: Newport

In the past 12 months, have you sent a link or information about any of the following brands to others on Facebook, Twitter or other social media sites?

Newport

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	136	1.1 %
2	2 = No	9562	78.6 %
	Total	9,698	79.7%

This variable has 9,698 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,474	20.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8939-8946 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0687_04: In past 12 months, sent a link or information on social media sites to others about: Swisher Sweets

In the past 12 months, have you sent a link or information about any of the following brands to others on Facebook, Twitter or other social media sites?

Swisher Sweets

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	131	1.1 %
2	2 = No	9566	78.6 %
	Total	9,697	79.7%

This variable has 9,697 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,475	20.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8947-8954 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0687_05: In past 12 months, sent a link or information on social media sites to others about: Blu

In the past 12 months, have you sent a link or information about any of the following brands to others on Facebook, Twitter or other social media sites?

Blu

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	148	1.2 %

Value	Label	Unweighted Frequency	%
2	2 = No	9550	78.5 %
	Total	9,698	79.7%

This variable has 9,698 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,474	20.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8955-8962 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0687_06: In past 12 months, sent a link or information on social media sites to others about: Fin

In the past 12 months, have you sent a link or information about any of the following brands to others on Facebook, Twitter or other social media sites?

Fin

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	52	0.4 %
2	2 = No	9648	79.3 %
	Total	9,700	79.7%

This variable has 9,700 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,472	20.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8963-8970 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0687_07: In past 12 months, sent a link or information on social media sites to others about: Vuse

In the past 12 months, have you sent a link or information about any of the following brands to others on Facebook, Twitter or other social media sites?

Vuse

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	64	0.5 %
2	2 = No	9636	79.2 %
	Total	9,700	79.7%

This variable has 9,700 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,472	20.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8971-8978 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0687_08: In past 12 months, sent a link or information on social media sites to others about: NJOY

In the past 12 months, have you sent a link or information about any of the following brands to others on Facebook, Twitter or other social media sites?

NJOY

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R02_YX0315 = 1 AND R02_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	57	0.5 %
2	2 = No	9642	79.2 %
	Total	9,699	79.7%

This variable has 9,699 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	2461	20.2 %
	Total	2,473	20.3%

Percentages for both tables are based on 12,172 total cases.

Location: 8979-8986 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0688_01: In past 12 months, played an online game related to: Camel

In the past 12 months, have you played an online game related to any of the following brands?

Camel

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	154	1.3 %
2	2 = No	10505	86.3 %
	Total	10,659	87.6%

This variable has 10,659 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	22	0.2 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,513	12.4%

Percentages for both tables are based on 12,172 total cases.

Location: 8987-8994 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0688_02: In past 12 months, played an online game related to: Marlboro

In the past 12 months, have you played an online game related to any of the following brands?

Marlboro

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	161	1.3 %
2	2 = No	10492	86.2 %
	Total	10,653	87.5%

This variable has 10,653 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,519	12.5%

Percentages for both tables are based on 12,172 total cases.

Location: 8995-9002 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0688_03: In past 12 months, played an online game related to: Newport

In the past 12 months, have you played an online game related to any of the following brands?

Newport

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	132	1.1 %
2	2 = No	10537	86.6 %
	Total	10,669	87.7%

This variable has 10,669 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,503	12.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9003-9010 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0688_04: In past 12 months, played an online game related to: Swisher Sweets

In the past 12 months, have you played an online game related to any of the following brands?

Swisher Sweets

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	119	1.0 %
2	2 = No	10553	86.7 %
	Total	10,672	87.7%

This variable has 10,672 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,500	12.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9011-9018 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0688_05: In past 12 months, played an online game related to: Blu

In the past 12 months, have you played an online game related to any of the following brands?

Blu

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	104	0.9 %
2	2 = No	10564	86.8 %
	Total	10,668	87.6%

This variable has 10,668 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,504	12.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9019-9026 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0688_06: In past 12 months, played an online game related to: Fin

In the past 12 months, have you played an online game related to any of the following brands?

Fin

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.4 %
2	2 = No	10623	87.3 %
	Total	10,669	87.7%

This variable has 10,669 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,503	12.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9027-9034 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0688_07: In past 12 months, played an online game related to: Vuse

In the past 12 months, have you played an online game related to any of the following brands?

Fuse

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	58	0.5 %
2	2 = No	10612	87.2 %
	Total	10,670	87.7%

This variable has 10,670 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,502	12.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9035-9042 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0688_08: In past 12 months, played an online game related to: NJOY

In the past 12 months, have you played an online game related to any of the following brands?

NJOY

ASK: Youth respondents who ever go online.

ASK Specification: IF R02_YX0315 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.5 %
2	2 = No	10612	87.2 %
	Total	10,668	87.6%

This variable has 10,668 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	1482	12.2 %
	Total	1,504	12.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9043-9050 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0498_01_MOVIE: MOVIE1: Movie ID

[DISPLAY MOVIE TITLES (DRAWN FROM A POOL OF RECENTLY RELEASED MOVIES)]

This variable has 12,172 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9051-9058 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -1

R02_YX0498_01: Number of times seen Movie 1

How many times have you seen this movie?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9499	78.0 %
2	2 = Once	1529	12.6 %
3	3 = Twice	577	4.7 %
4	4 = 3 or more times	495	4.1 %
	Total	12,100	99.4%

This variable has 12,100 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	63	0.5 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	72	0.6%

Percentages for both tables are based on 12,172 total cases.

Location: 9059-9066 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0498_02_MOVIE: MOVIE2: Movie ID

[DISPLAY MOVIE TITLES (DRAWN FROM A POOL OF RECENTLY RELEASED MOVIES)]

This variable has 12,172 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9067-9074 (width: 8; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -1

R02_YX0498_02: Number of times seen Movie 2

How many times have you seen this movie?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	10035	82.4 %
2	2 = Once	1401	11.5 %
3	3 = Twice	387	3.2 %
4	4 = 3 or more times	284	2.3 %
	Total	12,107	99.5%

This variable has 12,107 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	59	0.5 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	65	0.5%

Percentages for both tables are based on 12,172 total cases.

Location: 9075-9082 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0498_03_MOVIE: MOVIE3: Movie ID

[DISPLAY MOVIE TITLES (DRAWN FROM A POOL OF RECENTLY RELEASED MOVIES)]

This variable has 12,172 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9083-9090 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -1

R02_YX0498_03: Number of times seen Movie 3

How many times have you seen this movie?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	8436	69.3 %
2	2 = Once	1790	14.7 %
3	3 = Twice	989	8.1 %
4	4 = 3 or more times	921	7.6 %
	Total	12,136	99.7%

This variable has 12,136 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.3 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	36	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9091-9098 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0498_04_MOVIE: MOVIE4: Movie ID

[DISPLAY MOVIE TITLES (DRAWN FROM A POOL OF RECENTLY RELEASED MOVIES)]

This variable has 12,172 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9099-9106 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -1

R02_YX0498_04: Number of times seen Movie 4

How many times have you seen this movie?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	8748	71.9 %
2	2 = Once	1915	15.7 %
3	3 = Twice	720	5.9 %
4	4 = 3 or more times	743	6.1 %
	Total	12,126	99.6%

This variable has 12,126 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.3 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	46	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9107-9114 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0498_05_MOVIE: MOVIE5: Movie ID

[DISPLAY MOVIE TITLES (DRAWN FROM A POOL OF RECENTLY RELEASED MOVIES)]

This variable has 12,172 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9115-9122 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -1

R02_YX0498_05: Number of times seen Movie 5

How many times have you seen this movie?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	10220	84.0 %
2	2 = Once	1268	10.4 %
3	3 = Twice	349	2.9 %
4	4 = 3 or more times	297	2.4 %
	Total	12,134	99.7%

This variable has 12,134 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	38	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9123-9130 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0503_01: Electronic mobile device possession: Has a tablet computer

Please indicate if you have any of the following. Choose all that apply.

Tablet computer, such as an iPad, Samsung Galaxy, Motorola Xoom, or Kindle Fire

ASK: All youth respondents.

[PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1, 2, 3 should be disabled.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6757	55.5 %
2	2 = Not Marked	5369	44.1 %
	Total	12,126	99.6%

This variable has 12,126 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	46	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9131-9138 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0503_02: Electronic mobile device possession: Has a smartphone

Please indicate if you have any of the following. Choose all that apply.

Smartphone, such as an iPhone, Android, Blackberry, or Windows phone

ASK: All youth respondents.

[PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1, 2, 3 should be disabled.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8317	68.3 %
2	2 = Not Marked	3809	31.3 %
	Total	12,126	99.6%

This variable has 12,126 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	46	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9139-9146 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0503_03: Electronic mobile device possession: Has a cell phone

Please indicate if you have any of the following. Choose all that apply.

Cell phone

[If Marked or Don't Know (-8) or Refused -7), Go to R02_YXT02.]

ASK: All youth respondents.

[PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1, 2, 3 should be disabled.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4730	38.9 %
2	2 = Not Marked	7396	60.8 %
	Total	12,126	99.6%

This variable has 12,126 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	46	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9147-9154 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0503_04: Electronic mobile device possession: None of the above

Please indicate if you have any of the following. Choose all that apply.

I do not have any of the above

[If Marked or Don't Know (-8) or Refused -7), Go to R02_YXT02.]

ASK: All youth respondents.

[PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1, 2, 3 should be disabled.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	882	7.2 %
2	2 = Not Marked	11244	92.4 %
	Total	12,126	99.6%

This variable has 12,126 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	46	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9155-9162 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0504: Ever used a tobacco-related application on tablet computer or smartphone

Have you ever used a tobacco-related application (or app) on your tablet computer or smartphone?

ASK: Youth respondents who have a tablet computer or smartphone.

ASK Specification: IF R02_YX0503_01 = 1 OR R02_YX0503_02 = 1.

[GOTO: Youth respondents who have ever used any tobacco product and have a tablet computer or smartphone, go to R02_YX0505. Else, new baseline youth respondents who have a smartphone, go to R02_YX0496_NB. Else, go to Box R02_YXT02.]

[GOTO Specification: IF R02_EVER_USE_TOB = 1 AND (R02_YX0503_01 = 1 OR R02_YX0503_02 = 1), GO TO R02_YX0505. ELSE, IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0503_02 = 1, GO TO R02_YX0496_NB. ELSE, GO TO BOX R02_YXT02.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	177	1.5 %
2	2 = No	10056	82.6 %
	Total	10,233	84.1%

This variable has 10,233 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1931	15.9 %
	Total	1,939	15.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9163-9170 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0505: Ever used an application on tablet computer or smartphone to help quit using tobacco

Have you ever used an app on your tablet computer or smartphone to help you quit using tobacco?

ASK: Youth respondents who have ever used any tobacco product and have a tablet computer or smartphone.

ASK Specification: IF R02_EVER_USE_TOB = 1 AND (R02_YX0503_01 = 1 OR R02_YX0503_02 = 1).

[GOTO: New baseline youth respondents who have a smartphone, go to R02_YX0496_NB.
Else, go to Box R02_YXT02.]

[GOTO Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0503_02 = 1, GO TO R02_YX0496_NB. ELSE, GO TO BOX R02_YXT02.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.4 %
2	2 = No	2052	16.9 %
	Total	2,099	17.2%

This variable has 2,099 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10064	82.7 %
	Total	10,073	82.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9171-9178 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0496_NB: Ever used a smart phone to scan a QR code for a tobacco product or to enter a sweepstakes or drawing from a tobacco company

A Quick Response code is a white square with black dots in it, sometimes called a QR code.

[INSERT GENERIC IMAGE OF QR CODE FOR PATH WEBSITE]

Have you ever used a smartphone to scan a QR code for a tobacco product or to enter a sweepstakes or drawing from a tobacco company?

[If No or Don't Know (-8) or Refused (-7), Go to R02_YXT02.]

ASK: New baseline youth respondents who have a smartphone.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0503_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	1009	8.3 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11145	91.6 %
	Total	11,150	91.6%

Percentages for both tables are based on 12,172 total cases.

Location: 9179-9186 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0497_NB: QR code took you to a tobacco company website

Did this code take you to a tobacco company web site?

ASK: New baseline youth respondents who have a smartphone and have scanned a QR code for a tobacco product or to enter a sweepstakes or drawing from a tobacco company.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0503_02 = 1 AND R02_YX0496_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	10	0.1 %
	Total	13	0.1%

This variable has 13 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12159	99.9 %
	Total	12,159	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9187-9194 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YX0671: DERIVED - Anyone who lives with you now use tobacco (3 levels)

Long Description: Does anyone who lives with you now do any of the following: Smoke cigarettes, use smokeless tobacco, smoke cigars, cigarillos or filtered cigars or use any other form of tobacco?

Original Variables: R02_YX0671_01, R02_YX0671_02, R02_YX0671_03, R02_YX0671_04, R02_YX0671_05

Algorithm: IF R02_YX0671_01 = 1 OR R02_YX0671_03 = 1 THEN R02R_Y_YX0671 = 1; ELSE IF R02_YX0671_02 = 1 OR R02_YX0671_04 = 1 THEN R02R_Y_YX0671 = 2; ELSE IF R02_YX0671_05 = 1 THEN R02R_Y_YX0671 = 3; ELSE IF (R02_YX0671_01 = -9 OR R02_YX0671_02 = -9 OR R02_YX0671_03 = -9 OR R02_YX0671_04 = -9 OR R02_YX0671_05 = -9) THEN R02R_Y_YX0671 = -99999; ELSE IF (R02_YX0671_01 = -8 OR R02_YX0671_02 = -8 OR R02_YX0671_03 = -8 OR R02_YX0671_04 = -8 OR R02_YX0671_05 = -8) THEN R02R_Y_YX0671 = -99988; ELSE IF (R02_YX0671_01 = -7 OR R02_YX0671_02 = -7 OR R02_YX0671_03 = -7 OR R02_YX0671_04 = -7 OR R02_YX0671_05 = -7) THEN R02R_Y_YX0671 = -99977; ELSE IF (R02_YX0671_01 = -1 OR R02_YX0671_02 = -1 OR R02_YX0671_03 = -1 OR R02_YX0671_04 = -1 OR R02_YX0671_05 = -1) THEN R02R_Y_YX0671 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes, cigars, cigarillos or filtered cigars	3333	27.4 %
2	2 = Smokeless or other tobacco only	518	4.3 %
3	3 = No one living in the home uses tobacco	8178	67.2 %
	Total	12,029	98.8%

This variable has 12,029 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	100	0.8 %
-99977	-99977 = Missing due to a refused response on one or more component variables	43	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	143	1.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9195-9202 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R02_YR1045: Statement that best describes the rules about using combustible tobacco products inside your home

Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah, which statement best describes the rules about smoking a tobacco product inside your home?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9663	79.4 %
2	2 = It is allowed in some places or at some times inside my home	1290	10.6 %
3	3 = It is allowed anywhere and at any time inside my home	1039	8.5 %
	Total	11,992	98.5%

This variable has 11,992 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	180	1.5%

Percentages for both tables are based on 12,172 total cases.

Location: 9203-9210 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YR1050: Statement that best describes rules about using non-combustible tobacco products inside your home

Now think about other tobacco products that are not burned, like snus and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9542	78.4 %
2	2 = It is allowed in some places or at some times inside my home	1143	9.4 %
3	3 = It is allowed anywhere and at any time inside my home	1216	10.0 %
	Total	11,901	97.8%

This variable has 11,901 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	216	1.8 %
-7	-7 = Refused	55	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	271	2.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9211-9218 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0068: In past 7 days, number of hours that you were in close contact with others when they were smoking

During the past seven days, about how many hours were you around others who were smoking [whether or not you were smoking yourself]? Include time in your home, in a car, at school, or outdoors.

ASK: All youth respondents.

[DISPLAY: IF R02_PAST30DAY_CIGS = 1 OR R02_PAST30DAY_GTRAD = 1 OR R02_PAST30DAY_GRILLO = 1 OR R02_PAST30DAY_GFILTR = 1 OR R02_PAST30DAY_PIPE = 1 OR R02_PAST30DAY_HOOK = 1 OR R02_PAST30DAY_BIDI = 1 OR R02_PAST30DAY_KRETEK = 1, display, "whether or not you were smoking yourself". Display "Number of hours" as a title.]

This variable has 11,810 valid cases out of 12,172 total cases.

- Mean: 3.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 13.48

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	362	3.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	362	3.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9219-9226 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YX0090: Self perception of physical health

The next questions ask about some basic medical information that is important for the study.

In general, how would you rate your physical health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	4809	39.5 %
2	2 = Very good	4106	33.7 %
3	3 = Good	2400	19.7 %
4	4 = Fair	637	5.2 %
5	5 = Poor	155	1.3 %
	Total	12,107	99.5%

This variable has 12,107 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	65	0.5%

Percentages for both tables are based on 12,172 total cases.

Location: 9227-9234 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0091: Self perception of mental health, including stress, depression, and problems with emotions

In general, how would you rate your mental health, which includes stress, depression,

and problems with emotions?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	3674	30.2 %
2	2 = Very good	3403	28.0 %
3	3 = Good	2731	22.4 %
4	4 = Fair	1570	12.9 %
5	5 = Poor	673	5.5 %
	Total	12,051	99.0%

This variable has 12,051 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	85	0.7 %
-7	-7 = Refused	36	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	121	1.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9235-9242 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0088: Self perception of overall health

In general, would you say your overall health is . . . ?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	4686	38.5 %
2	2 = Very good	4072	33.5 %
3	3 = Good	2616	21.5 %
4	4 = Fair	627	5.2 %
5	5 = Poor	113	0.9 %
	Total	12,114	99.5%

This variable has 12,114 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.3 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	58	0.5%

Percentages for both tables are based on 12,172 total cases.

Location: 9243-9250 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0241: In past 7 days, how many days was physically active for at least 60 minutes per day

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	1041	8.6 %
2	2 = 1 day	919	7.6 %
3	3 = 2 days	1110	9.1 %
4	4 = 3 days	1531	12.6 %
5	5 = 4 days	1342	11.0 %
6	6 = 5 days	2107	17.3 %
7	7 = 6 days	1021	8.4 %
8	8 = 7 days	2944	24.2 %
	Total	12,015	98.7%

This variable has 12,015 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	131	1.1 %
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	157	1.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9251-9258 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0242: In past 7 days, how many days exercised or participated in physical activity for at least 20 minutes that made you sweat and breathe hard

On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	1348	11.1 %
2	2 = 1 day	1117	9.2 %
3	3 = 2 days	1247	10.2 %
4	4 = 3 days	1532	12.6 %
5	5 = 4 days	1226	10.1 %
6	6 = 5 days	1938	15.9 %
7	7 = 6 days	946	7.8 %
8	8 = 7 days	2700	22.2 %
	Total	12,054	99.0%

This variable has 12,054 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	94	0.8 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	118	1.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9259-9266 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0243: In past 7 days, how many days did exercises to strengthen or tone your muscles

On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	3050	25.1 %
2	2 = 1 day	1371	11.3 %
3	3 = 2 days	1449	11.9 %
4	4 = 3 days	1439	11.8 %
5	5 = 4 days	1069	8.8 %
6	6 = 5 days	1529	12.6 %
7	7 = 6 days	517	4.2 %
8	8 = 7 days	1639	13.5 %
	Total	12,063	99.1%

This variable has 12,063 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.6 %
-7	-7 = Refused	35	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	109	0.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9267-9274 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0240: Harder to exercise compared to peers

Is it hard to exercise compared to your peers?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2145	17.6 %
2	2 = No	9778	80.3 %
	Total	11,923	98.0%

This variable has 11,923 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	207	1.7 %
-7	-7 = Refused	42	0.3 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9275-9282 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0239: Has shortness of breath compared to peers

Do you have shortness of breath compared to your peers?

ASK: All youth respondents.

[GOTO: Emancipated youth respondents, go to R02_YX0302. Else, go to R02_YX0046.]

[GOTO Specification: IF R02_E_YOUTH_LD = 1, GO TO R02_YX0302. ELSE, GO TO R02_YX0046.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	2549	20.9 %
2	2 = No	9429	77.5 %
	Total	11,978	98.4%

This variable has 11,978 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	165	1.4 %
-7	-7 = Refused	29	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	194	1.6%

Percentages for both tables are based on 12,172 total cases.

Location: 9283-9290 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0046: Ever had wheezing or whistling in chest at any time in past

Have you ever had wheezing or whistling in the chest at any time in the past?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YX0052.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2788	22.9 %
2	2 = No	9236	75.9 %
	Total	12,024	98.8%

This variable has 12,024 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	126	1.0 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	148	1.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9291-9298 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0047: In past 12 months, had wheezing or whistling in chest

Have you had wheezing or whistling in the chest in the past 12 months?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YX0052.]

ASK: Youth respondents who had wheezing or whistling in the chest at any time in the past.

ASK Specification: IF R02_YX0046 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1678	13.8 %
2	2 = No	1097	9.0 %
	Total	2,775	22.8%

This variable has 2,775 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	9384	77.1 %
	Total	9,397	77.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9299-9306 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0048: In past 12 months, number of times had wheezing in chest

How many attacks of wheezing have you had in the past 12 months?

ASK: Youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF R02_YX0046 = 1 AND R02_YX0047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = None	350	2.9 %
2	2 = 1 to 3	1003	8.2 %
3	3 = 4 to 12	230	1.9 %
4	4 = More than 12	79	0.6 %
	Total	1,662	13.7%

This variable has 1,662 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10494	86.2 %
	Total	10,510	86.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9307-9314 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0049: In past 12 months, how often had sleep disturbed due to wheezing

In the past 12 months, how often, on average has your sleep been disturbed due to wheezing?

ASK: Youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF R02_YX0046 = 1 AND R02_YX0047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never woken with wheezing	1320	10.8 %

Value	Label	Unweighted Frequency	%
2	2 = Less than one night per week	260	2.1 %
3	3 = One or more nights per week	90	0.7 %
	Total	1,670	13.7%

This variable has 1,670 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10494	86.2 %
	Total	10,502	86.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9315-9322 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0050: In past 12 months, had speech limited to only one or two words between breaths due to wheezing

In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?

ASK: Youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF R02_YX0046 = 1 AND R02_YX0047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	390	3.2 %
2	2 = No	1279	10.5 %
	Total	1,669	13.7%

This variable has 1,669 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10494	86.2 %
	Total	10,503	86.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9323-9330 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0052: In past 12 months, chest has sounded wheezy during or after exercise

In the past 12 months, has your chest sounded wheezy during or after exercise?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1838	15.1 %
2	2 = No	10213	83.9 %
	Total	12,051	99.0%

This variable has 12,051 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.8 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	121	1.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9331-9338 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0053: In past 12 months, had a dry cough at night not associated with a cold or chest infection

In the past 12 months, have you had a dry cough at night, apart from a cough associated with a cold or chest infection?

ASK: All youth respondents.

[GOTO: Continuing emancipated youth respondents, go to R02_YT0031_12M. Else, go to R02_YT0031_NB.]

[GOTO Specification: IF R02_CONTINUING_EYOUTH_LD = 1, GO TO R02_YT0031_12M. ELSE, GO TO R02_YT0031_NB.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	1766	14.5 %
2	2 = No	10302	84.6 %
	Total	12,068	99.1%

This variable has 12,068 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	91	0.7 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	104	0.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9339-9346 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YT0031_NB: Ever been told by a doctor, nurse or other health professional that you have asthma

Have you ever been told by a doctor, nurse or other health professional that you have asthma?

ASK: New baseline and continuing youth respondents who are not continuing emancipated youth.

ASK Specification: IF R02_CONTINUING_EYOUTH_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2162	17.8 %
2	2 = No	9957	81.8 %
	Total	12,119	99.6%

This variable has 12,119 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.3 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	53	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9347-9354 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YT0038_NB: DERIVED - Age range when you were first told you had asthma (3 levels)

Long Description: How old were you when you were first told you had asthma?

Original Variables: R02_YT0038_NB, R02_YT0260_NB

Algorithm: IF R02_YT0260_NB = 1 OR (0<=R02_YT0038_NB<=11) THEN R02R_Y_YT0038_NB = 1; ELSE IF R02_YT0260_NB = 2 OR (12<=R02_YT0038_NB<=14) THEN R02R_Y_YT0038_NB = 2; ELSE IF R02_YT0260_NB = 3 OR (15<=R02_YT0038_NB<=17) THEN R02R_Y_YT0038_NB = 3; ELSE IF R02_YT0038_NB = -9 OR R02_YT0260_NB = -9 THEN R02R_Y_YT0038_NB = -99999; ELSE IF R02_YT0038_NB = -8 OR R02_YT0260_NB = -8 THEN R02R_Y_YT0038_NB = -99988; ELSE IF R02_YT0038_NB = -7 OR R02_YT0260_NB = -7 THEN R02R_Y_YT0038_NB = -99977; ELSE IF R02_YT0038_NB = -5 THEN R02R_Y_YT0038_NB = -99955; ELSE IF R02_YT0038_NB = -1 OR R02_YT0260_NB = -1 THEN R02R_Y_YT0038_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	1540	12.7 %
2	2 = 12 to 14 years old	193	1.6 %
3	3 = 15 to 17 years old	40	0.3 %
	Total	1,773	14.6%

This variable has 1,773 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	371	3.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	4	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	10010	82.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	10,399	85.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9355-9362 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YX0227: In past 30 days, how much time your asthma kept you from getting as much done at work, school, or home

In the past 30 days, how much of the time did your asthma keep you from getting as much

done at work, school or at home?

ASK: Youth respondents who have asthma.

ASK Specification: IF R02_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	28	0.2 %
2	2 = Most of the time	59	0.5 %
3	3 = Some of the time	178	1.5 %
4	4 = A little of the time	458	3.8 %
5	5 = None of the time	1425	11.7 %
	Total	2,148	17.6%

This variable has 2,148 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10010	82.2 %
	Total	10,024	82.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9363-9370 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0228: In past 30 days, how often had shortness of breath

In the past 30 days, how often have you had shortness of breath?

ASK: Youth respondents who have asthma.

ASK Specification: IF R02_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	55	0.5 %
2	2 = Once a day	144	1.2 %
3	3 = 3 - 6 times a week	125	1.0 %
4	4 = Once or twice a week	598	4.9 %
5	5 = None at all	1222	10.0 %
	Total	2,144	17.6%

This variable has 2,144 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	10010	82.2 %
	Total	10,028	82.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9371-9378 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0229: In past 30 days, how often asthma symptoms woke you up at night or earlier than usual in the morning

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness or pain) wake you up at night or earlier than usual in the morning?

ASK: Youth respondents who have asthma.

ASK Specification: IF R02_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 4 or more nights a week	40	0.3 %
2	2 = 2 or 3 nights	70	0.6 %
3	3 = Once a week	68	0.6 %
4	4 = Once or twice	288	2.4 %
5	5 = None at all	1679	13.8 %
	Total	2,145	17.6%

This variable has 2,145 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	10010	82.2 %
	Total	10,027	82.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9379-9386 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YT0022: In past 12 months, took medications for asthma regularly

In the past 12 months, have you taken medications regularly for asthma?

(Taken regularly means according to a health care provider's instructions.)

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YT0127.]

ASK: Youth respondents who have asthma.

ASK Specification: IF R02_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	706	5.8 %
2	2 = No	1439	11.8 %
	Total	2,145	17.6%

This variable has 2,145 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	10010	82.2 %
	Total	10,027	82.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9387-9394 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YT0036_01: In past 12 months, medications taken for asthma: Quick-relief inhaler

In the past 12 months, which of the following medications did you regularly take for asthma?

Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)

[Go to R02_YT0127.]

ASK: Youth respondents who have asthma and took medications regularly for asthma in the past 12 months.

ASK Specification: IF R02_YOUTH_ASTHMA = 1 AND R02_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	603	5.0 %
2	2 = No	92	0.8 %
	Total	695	5.7%

This variable has 695 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11466	94.2 %
	Total	11,477	94.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9395-9402 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YT0036_02: In past 12 months, medications taken for asthma: Controller/long-acting inhaler

In the past 12 months, which of the following medications did you regularly take for asthma?

Controller or long-acting inhaler including steroid inhaler - for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)

[Go to R02_YT0127.]

ASK: Youth respondents who have asthma and took medications regularly for asthma in the past 12 months.

ASK Specification: IF R02_YOUTH_ASTHMA = 1 AND R02_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	336	2.8 %
2	2 = No	360	3.0 %
	Total	696	5.7%

This variable has 696 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11466	94.2 %
	Total	11,476	94.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9403-9410 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YT0036_03: In past 12 months, medications taken for asthma: Other controlling medication

In the past 12 months, which of the following medications did you regularly take for asthma?

Other controlling medication - for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)

[Go to R02_YT0127.]

ASK: Youth respondents who have asthma and took medications regularly for asthma in the past 12 months.

ASK Specification: IF R02_YOUTH_ASTHMA = 1 AND R02_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	204	1.7 %
2	2 = No	494	4.1 %
	Total	698	5.7%

This variable has 698 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11466	94.2 %
	Total	11,474	94.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9411-9418 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YT0036_04: In past 12 months, medications taken for asthma: Oral or injected steroid medication

In the past 12 months, which of the following medications did you regularly take for asthma?

Oral or injected steroid medication - for example: prednisone, prednisolone (Orapred), dexamethasone (Decadron)

[Go to R02_YT0127.]

ASK: Youth respondents who have asthma and took medications regularly for asthma in the past 12 months.

ASK Specification: IF R02_YOUTH_ASTHMA = 1 AND R02_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	85	0.7 %
2	2 = No	612	5.0 %
	Total	697	5.7%

This variable has 697 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11466	94.2 %
	Total	11,475	94.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9419-9426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YT0036_05: In past 12 months, medications taken for asthma: Oxygen therapy

In the past 12 months, which of the following medications did you regularly take for asthma?

Oxygen therapy

[Go to R02_YT0127.]

ASK: Youth respondents who have asthma and took medications regularly for asthma in the past 12 months.

ASK Specification: IF R02_YOUTH_ASTHMA = 1 AND R02_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	93	0.8 %

Value	Label	Unweighted Frequency	%
2	2 = No	606	5.0 %
	Total	699	5.7%

This variable has 699 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11466	94.2 %
	Total	11,473	94.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9427-9434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YT0036_06: In past 12 months, medications taken for asthma: Other asthma medication

In the past 12 months, which of the following medications did you regularly take for asthma?

Other asthma medication

[Go to R02_YT0127.]

ASK: Youth respondents who have asthma and took medications regularly for asthma in the past 12 months.

ASK Specification: IF R02_YOUTH_ASTHMA = 1 AND R02_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	152	1.2 %
2	2 = No	543	4.5 %
	Total	695	5.7%

This variable has 695 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11466	94.2 %
	Total	11,477	94.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9435-9442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YT0125: In past 12 months, had an asthma attack that required use of an oral or injected steroid medication at the time of the attack

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack? Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YT0127.]

ASK: Youth respondents who have asthma and took medications regularly for asthma in the past 12 months and regularly took oral or injected steroid medications in the past 12 months.

ASK Specification: IF R02_YOUTH_ASTHMA = 1 AND R02_YT0022 = 1 AND R02_YT0036_04 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	44	0.4 %
2	2 = No	40	0.3 %
	Total	84	0.7%

This variable has 84 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.3 %
	Total	12,088	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9443-9450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YT0039: In past 12 months, number of asthma attacks that required use of an oral or injected steroid medication

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

ASK: Youth respondents who have asthma and took medications regularly for asthma in the past 12 months and regularly took oral or injected steroid medications in the past 12 months and had an asthma attack in the past 12 months that required use of an oral or

injected steroid medication.

ASK Specification: IF R02_YOUTH_ASTHMA = 1 AND R02_YT0022 = 1 AND R02_YT0036_04 = 1 AND R02_YT0125 = 1.

This variable has 39 valid cases out of 12,172 total cases.

- Mean: 6.92
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 14.37

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12128	99.6 %
	Total	12,133	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 9451-9458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YT0127: In past 12 months, visited an emergency room or urgent care center because of asthma

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YX0230.]

ASK: All youth respondents who have asthma.

ASK Specification: IF R02_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	193	1.6 %
2	2 = No	1964	16.1 %
	Total	2,157	17.7%

This variable has 2,157 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10010	82.2 %
	Total	10,015	82.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9459-9466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YT0282: In past 12 months, number of times you visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

ASK: Youth respondents who have asthma and have had to visit an emergency room because of asthma in the past 12 months.

ASK Specification: IF R02_YOUTH_ASTHMA = 1 AND R02_YT0127 = 1.

This variable has 192 valid cases out of 12,172 total cases.

- Mean: 2.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 62.00
- Standard Deviation: 6.09

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11979	98.4 %
	Total	11,980	98.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9467-9474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YX0230: In past 30 days, how often used a rescue inhaler, nebulizer treatment, or other controlling medication

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

ASK: Youth respondents who have asthma.

ASK Specification: IF R02_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 3 or more times per day	43	0.4 %
2	2 = 1 or 2 times per day	118	1.0 %
3	3 = 2 or 3 times per week	119	1.0 %
4	4 = Once a week or less	367	3.0 %
5	5 = Not at all	1491	12.2 %
	Total	2,138	17.6%

This variable has 2,138 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10010	82.2 %
	Total	10,034	82.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9475-9482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0231: In past 30 days, how would you rate your asthma control

How would you rate your asthma control during the past 30 days?

ASK: Youth respondents who have asthma.

ASK Specification: IF R02_YOUTH_ASTHMA = 1.

[GOTO: Continuing emancipated youth respondents, go to R02_YT0033_12M.

Else, new baseline emancipated youth respondents, go to R02_YT0040_NB.

Else, youth respondents who are female and aged 15 years or older, go to R02_YX0136. Else, go to Box R02_YXT03.]

[GOTO Specification: IF R02_CONTINUING_EYOUTH_LD = 1, GO TO R02_YT0033_12M.

ELSE, IF R02_NEW_BASELINE_EYOUTH_LD = 1, GO TO R02_YT0040_NB. ELSE, IF

R02R_Y_SEX = 2 AND R02R_Y_AGE >= 15, GO TO R02_YX0136. ELSE, GO TO BOX R02_YXT03.]

Value	Label	Unweighted Frequency	%
1	1 = Not controlled at all	30	0.2 %
2	2 = Poorly controlled	26	0.2 %
3	3 = Somewhat controlled	179	1.5 %
4	4 = Well controlled	658	5.4 %
5	5 = Completely controlled	1250	10.3 %
	Total	2,143	17.6%

This variable has 2,143 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	10010	82.2 %
	Total	10,029	82.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9483-9490 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0475: In past 30 days, seen a tobacco sweepstakes ad

[BOX ID: R02_YXT03 - The next questions ask about tobacco advertising that you may have seen or received.]

In the past 30 days, have you seen a tobacco sweepstakes ad?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2380	19.6 %
2	2 = No	9717	79.8 %
	Total	12,097	99.4%

This variable has 12,097 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	64	0.5 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	75	0.6%

Percentages for both tables are based on 12,172 total cases.

Location: 9491-9498 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0476: In past 30 days, participated in a tobacco sponsored sweepstakes

In the past 30 days, have you participated in a tobacco sponsored sweepstakes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	144	1.2 %
2	2 = No	11968	98.3 %
	Total	12,112	99.5%

This variable has 12,112 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.4 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	60	0.5%

Percentages for both tables are based on 12,172 total cases.

Location: 9499-9506 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0477: In past 30 days, received a discount coupon for any tobacco product

In the past 30 days, have you received any discount coupons or promotions for tobacco products or e-cigarettes, whether it was online or some other way?

[If No or Don't Know (-8) or Refused (-7), Go to R02_YX0526.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	519	4.3 %
2	2 = No	11588	95.2 %

Value	Label	Unweighted Frequency	%
	Total	12,107	99.5%

This variable has 12,107 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	45	0.4 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	65	0.5%

Percentages for both tables are based on 12,172 total cases.

Location: 9507-9514 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0478_01: Received discount coupons from: The mail

Where did you get discount coupons or promotions from? Choose all that apply.

The mail

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days.

ASK Specification: IF R02_YX0477 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days, go to R02_YX0216. Else, youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_01 = 1, GO TO R02_YX0216. ELSE, IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	170	1.4 %
2	2 = Not Marked	339	2.8 %
	Total	509	4.2%

This variable has 509 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11653	95.7 %
	Total	11,663	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9515-9522 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0478_02: Received discount coupons from: E-mail

Where did you get discount coupons or promotions from? Choose all that apply.

E-mail

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days.

ASK Specification: IF R02_YX0477 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days, go to R02_YX0216. Else, youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_01 = 1, GO TO R02_YX0216. ELSE, IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	148	1.2 %
2	2 = Not Marked	361	3.0 %
	Total	509	4.2%

This variable has 509 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11653	95.7 %
	Total	11,663	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9523-9530 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0478_03: Received discount coupons from: The Internet

Where did you get discount coupons or promotions from? Choose all that apply.

The Internet

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days.

ASK Specification: IF R02_YX0477 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days, go to R02_YX0216. Else, youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_01 = 1, GO TO R02_YX0216. ELSE, IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	223	1.8 %
2	2 = Not Marked	286	2.3 %
	Total	509	4.2%

This variable has 509 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11653	95.7 %
	Total	11,663	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9531-9538 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0478_04: Received discount coupons from: Social Networks (such as Facebook and Twitter)

Where did you get discount coupons or promotions from? Choose all that apply.

Social Networks (such as Facebook and Twitter)

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days.

ASK Specification: IF R02_YX0477 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days, go to R02_YX0216. Else, youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_01 = 1, GO TO R02_YX0216. ELSE, IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	161	1.3 %
2	2 = Not Marked	348	2.9 %
	Total	509	4.2%

This variable has 509 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11653	95.7 %
	Total	11,663	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9539-9546 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0478_05: Received discount coupons from: A text message

Where did you get discount coupons or promotions from? Choose all that apply.

A text message

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days.

ASK Specification: IF R02_YX0477 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days, go to R02_YX0216. Else, youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_01 = 1, GO TO R02_YX0216. ELSE, IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.2 %
2	2 = Not Marked	481	4.0 %
	Total	509	4.2%

This variable has 509 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11653	95.7 %
	Total	11,663	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9547-9554 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0478_06: Received discount coupons from: On a cigarette pack or other tobacco product

Where did you get discount coupons or promotions from? Choose all that apply.

On a cigarette pack or other tobacco product

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days.

ASK Specification: IF R02_YX0477 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days, go to R02_YX0216. Else, youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_01 = 1, GO TO R02_YX0216. ELSE, IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	69	0.6 %
2	2 = Not Marked	440	3.6 %
	Total	509	4.2%

This variable has 509 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11653	95.7 %
	Total	11,663	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9555-9562 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0478_07: Received discount coupons from: From a friend or other person

Where did you get discount coupons or promotions from? Choose all that apply.

From a friend or other person

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days.

ASK Specification: IF R02_YX0477 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days, go to R02_YX0216. Else, youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_01 = 1, GO TO R02_YX0216. ELSE, IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	38	0.3 %
2	2 = Not Marked	471	3.9 %
	Total	509	4.2%

This variable has 509 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11653	95.7 %
	Total	11,663	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9563-9570 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0478_08: Received discount coupons from: Some other way

Where did you get discount coupons or promotions from? Choose all that apply.

Some other way (SPECIFY)

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days.

ASK Specification: IF R02_YX0477 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days, go to R02_YX0216. Else, youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_01 = 1, GO TO R02_YX0216. ELSE, IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	45	0.4 %
2	2 = Not Marked	464	3.8 %
	Total	509	4.2%

This variable has 509 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11653	95.7 %
	Total	11,663	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9571-9578 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0216_01: Received discount coupons or promotions in the mail for: Cigarettes

Did you receive discount coupons or promotions in the mail for any of the following products?
Choose all that apply.

Cigarettes

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days.

ASK Specification: IF R02_YX0477 = 1 AND R02_YX0478_01 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	131	1.1 %
2	2 = Not Marked	29	0.2 %
	Total	160	1.3%

This variable has 160 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12002	98.6 %
	Total	12,012	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 9579-9586 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0216_02: Received discount coupons or promotions in the mail for: E-cigarettes

Did you receive discount coupons or promotions in the mail for any of the following products?
Choose all that apply.

E-cigarettes

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days.

ASK Specification: IF R02_YX0477 = 1 AND R02_YX0478_01 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	68	0.6 %
2	2 = Not Marked	92	0.8 %
	Total	160	1.3%

This variable has 160 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12002	98.6 %
	Total	12,012	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 9587-9594 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0216_03: Received discount coupons or promotions in the mail for: Cigars

Did you receive discount coupons or promotions in the mail for any of the following products?

Choose all that apply.

Cigars

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days.

ASK Specification: IF R02_YX0477 = 1 AND R02_YX0478_01 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.2 %
2	2 = Not Marked	133	1.1 %
	Total	160	1.3%

This variable has 160 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %

	Missing Data		
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12002	98.6 %
	Total	12,012	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 9595-9602 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0216_04: Received discount coupons or promotions in the mail for: Smokeless tobacco

Did you receive discount coupons or promotions in the mail for any of the following products?
Choose all that apply.

Smokeless tobacco

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days.

ASK Specification: IF R02_YX0477 = 1 AND R02_YX0478_01 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	43	0.4 %
2	2 = Not Marked	117	1.0 %
	Total	160	1.3%

This variable has 160 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12002	98.6 %
	Total	12,012	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 9603-9610 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0216_05: Received discount coupons or promotions in the mail for: Other tobacco products

Did you receive discount coupons or promotions in the mail for any of the following products?
Choose all that apply.

Other tobacco products

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the mail in the past 30 days.

ASK Specification: IF R02_YX0477 = 1 AND R02_YX0478_01 = 1.

GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days, go to R02_YX0204. Else, go to R02_YX0526.

GOTO Specification: IF R02_YX0478_02 = 1, GO TO R02_YX0204. ELSE, GO TO R02_YX0526.

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.2 %
2	2 = Not Marked	141	1.2 %
	Total	160	1.3%

This variable has 160 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12002	98.6 %
	Total	12,012	98.7%

Percentages for both tables are based on 12,172 total cases.

Location: 9611-9618 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0204_01: Received discount coupons or promotions in an e-mail for: Cigarettes

Did you receive discount coupons or promotions in an e-mail for any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days.

ASK Specification: IF R02_YX0477 = 1 AND R02_YX0478_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	91	0.7 %
2	2 = Not Marked	48	0.4 %
	Total	139	1.1%

This variable has 139 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12024	98.8 %
	Total	12,033	98.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9619-9626 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0204_02: Received discount coupons or promotions in an e-mail for: E-cigarettes

Did you receive discount coupons or promotions in an e-mail for any of the following products? Choose all that apply.

E-cigarettes

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days.

ASK Specification: IF R02_YX0477 = 1 AND R02_YX0478_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	98	0.8 %
2	2 = Not Marked	41	0.3 %
	Total	139	1.1%

This variable has 139 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12024	98.8 %
	Total	12,033	98.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9627-9634 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0204_03: Received discount coupons or promotions in an e-mail for: Cigars

Did you receive discount coupons or promotions in an e-mail for any of the following products? Choose all that apply.

Cigars

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days.

ASK Specification: IF R02_YX0477 = 1 AND R02_YX0478_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.2 %
2	2 = Not Marked	109	0.9 %
	Total	139	1.1%

This variable has 139 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12024	98.8 %
	Total	12,033	98.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9635-9642 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0204_04: Received discount coupons or promotions in an e-mail for: Smokeless tobacco

Did you receive discount coupons or promotions in an e-mail for any of the following products? Choose all that apply.

Smokeless tobacco

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days.

ASK Specification: IF R02_YX0477 = 1 AND R02_YX0478_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	31	0.3 %
2	2 = Not Marked	108	0.9 %
	Total	139	1.1%

This variable has 139 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12024	98.8 %
	Total	12,033	98.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9643-9650 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0204_05: Received discount coupons or promotions in an e-mail for: Other tobacco products

Did you receive discount coupons or promotions in an e-mail for any of the following products? Choose all that apply.

Other tobacco products

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes via e-mail in the past 30 days.

ASK Specification: IF R02_YX0477 = 1 AND R02_YX0478_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.2 %
2	2 = Not Marked	119	1.0 %
	Total	139	1.1%

This variable has 139 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12024	98.8 %
	Total	12,033	98.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9651-9658 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0526: In past 30 days, received information from a tobacco company other than discount coupons or promotions

In the past 30 days, did you receive any information from a tobacco company, other than discount coupons or promotions?

ASK: All youth respondents.

[GOTO: Youth respondents who received any information from a tobacco company other than coupons or promotions in the past 30 days, go to R02_YX0480. Else, youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days, go to R02_YX0479. Else, youth respondents who have ever used an e-cigarette, go to R02_YX0678. Else, go to R02_YX0481.]

[GOTO Specification: IF R02_YX0526 = 1, GO TO R02_YX0480. ELSE, IF R02_YX0477 = 1, GO TO R02_YX0479. ELSE, IF R02_EVER_USER_ECIG = 1, GO TO R02_YX0678. ELSE, GO TO R02_YX0481.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	225	1.8 %
2	2 = No	11889	97.7 %
	Total	12,114	99.5%

This variable has 12,114 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.3 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	58	0.5%

Percentages for both tables are based on 12,172 total cases.

Location: 9659-9666 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0480_01: How tobacco company sent you the information other than coupons: The mail

How did a tobacco company send you any information other than discount coupons or promotions?
Choose all that apply.

The mail

ASK: Youth respondents who received any information from a tobacco company, other than coupons or promotions in the past 30 days.

ASK Specification: IF R02_YX0526 = 1.

[GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days, go to R02_YX0479. Else, youth respondents who have ever used an e-cigarette, go to R02_YX0678. Else, go to R02_YX0481.]

[GOTO Specification: IF R02_YX0477 = 1, GO TO R02_YX0479. ELSE, IF R02_EVER_USER_ECIG = 1, GO TO R02_YX0678. ELSE, GO TO R02_YX0481.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	56	0.5 %
2	2 = Not Marked	162	1.3 %
	Total	218	1.8%

This variable has 218 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11947	98.2 %
	Total	11,954	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9667-9674 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0480_02: How tobacco company sent you the information other than coupons: E-mail

How did a tobacco company send you any information other than discount coupons or promotions?
Choose all that apply.

E-mail

ASK: Youth respondents who received any information from a tobacco company, other than coupons or promotions in the past 30 days.

ASK Specification: IF R02_YX0526 = 1.

[GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days, go to R02_YX0479. Else, youth respondents who have ever used an e-cigarette, go to R02_YX0678. Else, go to R02_YX0481.]

[GOTO Specification: IF R02_YX0477 = 1, GO TO R02_YX0479. ELSE, IF R02_EVER_USER_ECIG = 1, GO TO R02_YX0678. ELSE, GO TO R02_YX0481.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	73	0.6 %
2	2 = Not Marked	145	1.2 %
	Total	218	1.8%

This variable has 218 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11947	98.2 %
	Total	11,954	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9675-9682 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0480_03: How tobacco company sent you the information other than coupons: The Internet

How did a tobacco company send you any information other than discount coupons or promotions?
Choose all that apply.

The Internet

ASK: Youth respondents who received any information from a tobacco company, other than coupons or promotions in the past 30 days.

ASK Specification: IF R02_YX0526 = 1.

[GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days, go to R02_YX0479. Else, youth respondents who have ever used an e-cigarette, go to R02_YX0678. Else, go to R02_YX0481.]

[GOTO Specification: IF R02_YX0477 = 1, GO TO R02_YX0479. ELSE, IF R02_EVER_USER_ECIG = 1, GO TO R02_YX0678. ELSE, GO TO R02_YX0481.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	92	0.8 %
2	2 = Not Marked	126	1.0 %
	Total	218	1.8%

This variable has 218 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11947	98.2 %
	Total	11,954	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9683-9690 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0480_04: How tobacco company sent you the information other than coupons: Social Networks (such as Facebook and Twitter)

How did a tobacco company send you any information other than discount coupons or promotions?
Choose all that apply.

Social Networks (such as Facebook and Twitter)

ASK: Youth respondents who received any information from a tobacco company, other than coupons or promotions in the past 30 days.

ASK Specification: IF R02_YX0526 = 1.

[GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days, go to R02_YX0479. Else, youth respondents who have ever used an e-cigarette, go to R02_YX0678. Else, go to R02_YX0481.]

[GOTO Specification: IF R02_YX0477 = 1, GO TO R02_YX0479. ELSE, IF R02_EVER_USER_ECIG = 1, GO TO R02_YX0678. ELSE, GO TO R02_YX0481.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	74	0.6 %
2	2 = Not Marked	144	1.2 %
	Total	218	1.8%

This variable has 218 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11947	98.2 %
	Total	11,954	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9691-9698 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0480_05: How tobacco company sent you the information other than coupons: A text message

How did a tobacco company send you any information other than discount coupons or promotions?
Choose all that apply.

A text message

ASK: Youth respondents who received any information from a tobacco company, other than coupons or promotions in the past 30 days.

ASK Specification: IF R02_YX0526 = 1.

[GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days, go to R02_YX0479. Else, youth respondents who have ever used an e-cigarette, go to R02_YX0678. Else, go to R02_YX0481.]

[GOTO Specification: IF R02_YX0477 = 1, GO TO R02_YX0479. ELSE, IF R02_EVER_USER_ECIG = 1, GO TO R02_YX0678. ELSE, GO TO R02_YX0481.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	204	1.7 %
	Total	218	1.8%

This variable has 218 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11947	98.2 %
	Total	11,954	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9699-9706 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0480_06: How tobacco company sent you the information other than coupons: Some other way

How did a tobacco company send you any information other than discount coupons or promotions?
Choose all that apply.

Some other way (SPECIFY)

ASK: Youth respondents who received any information from a tobacco company, other than coupons or promotions in the past 30 days.

ASK Specification: IF R02_YX0526 = 1.

[GOTO: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days, go to R02_YX0479. Else, youth respondents who have ever used an e-cigarette, go to R02_YX0678. Else, go to R02_YX0481.]

[GOTO Specification: IF R02_YX0477 = 1, GO TO R02_YX0479. ELSE, IF R02_EVER_USER_ECIG = 1, GO TO R02_YX0678. ELSE, GO TO R02_YX0481.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.2 %
2	2 = Not Marked	192	1.6 %
	Total	218	1.8%

This variable has 218 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11947	98.2 %
	Total	11,954	98.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9707-9714 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0479: In past 30 days, used a discount coupon to purchase a tobacco product

In the past 30 days, have you used a discount coupon or promotion to purchase a tobacco product?

ASK: Youth respondents who have received a discount coupon or promotion for tobacco products or e-cigarettes in the past 30 days.

ASK Specification: IF R02_YX0477 = 1.

[GOTO: Youth respondents who have ever used an e-cigarette, go to R02_YX0678. Else, go to R02_YX0481.]

[GOTO Specification: IF R02_EVER_USER_ECIG = 1, GO TO R02_YX0678. ELSE, GO TO R02_YX0481.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	40	0.3 %
2	2 = No	479	3.9 %
	Total	519	4.3%

This variable has 519 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11653	95.7 %
	Total	11,653	95.7%

Percentages for both tables are based on 12,172 total cases.

Location: 9715-9722 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0678: In past 30 days, received a free sample of an e-cigarette or e-liquid

In the past 30 days, have you gotten a free sample of an e-cigarette or e-liquid?

ASK: Youth respondents who have ever used an e-cigarette.

ASK Specification: IF R02_EVER_USER_ECIG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	87	0.7 %
2	2 = No	1295	10.6 %
	Total	1,382	11.4%

This variable has 1,382 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	13	0.1 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10769	88.5 %
	Total	10,790	88.6%

Percentages for both tables are based on 12,172 total cases.

Location: 9723-9730 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0481: In past 30 days, obtained a free sample of a tobacco product

In the past 30 days, have you gotten a free sample of a tobacco product?

ASK: All youth respondents.

[GOTO: Youth respondents who are past 30 day "not light" cigarette smokers, past 30 day "not light" e-cigarette users, past 30 day "not light" traditional cigar smokers, past 30 day "not light" cigarillo smokers, past 30 day "not light" filtered cigar smokers, past 30 day pipe smokers, past 30 day hookah smokers, past 30 day "not light" snus pouch users, past 30 day "not light" smokeless tobacco users, past 30 day dissolvable tobacco users, past 30 day bidi smokers, or past 30 day kretek smokers, go to R02_YX0209. Else, go to R02_YX0182.]

[GOTO Specification: IF PAST30DAY_NL_CIGS = 1 OR PAST30DAY_NL_ECIGS = 1 OR PAST30DAY_NL_GTRAD = 1 OR PAST30DAY_NL_GRILLO = 1 OR PAST30DAY_NL_GFILTR = 1 OR PAST30DAY_PIPE = 1 OR PAST30DAY_HOOK = 1 OR PAST30DAY_NL_SMOKELESS = 1 OR PAST30DAY_NL_SNUS = 1 OR PAST30DAY_DISS = 1 OR PAST30DAY_BIDI = 1 OR PAST30DAY_KRETEK = 1, GO TO R02_YX0209. ELSE, GO TO R02_YX0182.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	89	0.7 %
2	2 = No	12042	98.9 %
	Total	12,131	99.7%

This variable has 12,131 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	41	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9731-9738 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0209: In past 30 days, bought a brand of tobacco product because you noticed a promotion for it

In the past 30 days, have you bought a brand of tobacco product because you noticed a promotion for it?

ASK: Youth respondents who are past 30 day "not light" cigarette smokers, past 30 day "not light" e-cigarette users, past 30 day "not light" traditional cigar smokers, past 30 day "not light" cigarillo smokers, past 30 day "not light" filtered cigar smokers, past 30 day pipe smokers, past 30 day hookah smokers, past 30 day "not light" snus pouch users, past 30 day "not light" smokeless tobacco users, past 30 day dissolvable tobacco users, past 30 day bidi smokers, or past 30 day kretek smokers.

ASK Specification: IF PAST30DAY_NL_CIGS = 1 OR PAST30DAY_NL_ECIGS = 1 OR PAST30DAY_NL_GTRAD = 1 OR PAST30DAY_NL_GRILLO = 1 OR PAST30DAY_NL_GFILTR = 1 OR PAST30DAY_PIPE = 1 OR PAST30DAY_HOOK = 1 OR PAST30DAY_NL_SMOKELESS = 1 OR PAST30DAY_NL_SNUS = 1 OR PAST30DAY_DISS = 1 OR PAST30DAY_BIDI = 1 OR PAST30DAY_KRETEK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	681	5.6 %
	Total	719	5.9%

This variable has 719 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	13	0.1 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11434	93.9 %
	Total	11,453	94.1%

Percentages for both tables are based on 12,172 total cases.

Location: 9739-9746 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0182: In past 30 days, how often visited a convenience store, small market, or liquor store

In the past 30 days, how often did you visit a convenience store, small market,

or liquor store?

[If Never (1), Go to R02_YX0203.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	3743	30.8 %
2	2 = Once a month	1759	14.5 %
3	3 = 2 - 3 times per month	2199	18.1 %
4	4 = Once a week	1843	15.1 %
5	5 = 2 - 3 times per week	1734	14.2 %
6	6 = Almost every day	724	5.9 %
	Total	12,002	98.6%

This variable has 12,002 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	143	1.2 %
-7	-7 = Refused	27	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	170	1.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9747-9754 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0183: In past 30 days, how often noticed ads for e-cigarettes when visiting convenience stores, small markets, or liquor stores

In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for e-cigarettes?

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days, or did not know or refused to report how often they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R02_YX0182 = 2, 3, 4, 5, 6, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Never	1414	11.6 %
2	2 = Rarely	2236	18.4 %
3	3 = Sometimes	2714	22.3 %

Value	Label	Unweighted Frequency	%
4	4 = Often	2001	16.4 %
	Total	8,365	68.7%

This variable has 8,365 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	52	0.4 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	3743	30.8 %
	Total	3,807	31.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9755-9762 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0203_01: In past 30 days, has noticed e-cigarettes being advertised: On posters or billboards

In the past 30 days, have you noticed e-cigarettes being advertised in any of the following places?

On posters or billboards

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5449	44.8 %
2	2 = No	6682	54.9 %
	Total	12,131	99.7%

This variable has 12,131 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	41	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9763-9770 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0203_02: In past 30 days, has noticed e-cigarettes being advertised: In newspapers or magazines

In the past 30 days, have you noticed e-cigarettes being advertised in any of the following places?

In newspapers or magazines

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4629	38.0 %
2	2 = No	7450	61.2 %
	Total	12,079	99.2%

This variable has 12,079 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.6 %
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	93	0.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9771-9778 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0203_03: In past 30 days, has noticed e-cigarettes being advertised: On websites or social media sites

In the past 30 days, have you noticed e-cigarettes being advertised in any of the following places?

On websites or social media sites

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5057	41.5 %
2	2 = No	7074	58.1 %

Value	Label	Unweighted Frequency	%
	Total	12,131	99.7%

This variable has 12,131 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	41	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9779-9786 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0203_04: In past 30 days, has noticed e-cigarettes being advertised: On radio

In the past 30 days, have you noticed e-cigarettes being advertised in any of the following places?

On radio

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1955	16.1 %
2	2 = No	10189	83.7 %
	Total	12,144	99.8%

This variable has 12,144 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	28	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9787-9794 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0203_05: In past 30 days, has noticed e-cigarettes being advertised: On television

In the past 30 days, have you noticed e-cigarettes being advertised in any of the following places?

On television

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5691	46.8 %
2	2 = No	6453	53.0 %
	Total	12,144	99.8%

This variable has 12,144 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	28	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9795-9802 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0203_06: In past 30 days, has noticed e-cigarettes being advertised: At events such as fairs, festivals, or sporting events

In the past 30 days, have you noticed e-cigarettes being advertised in any of the following places?

At events such as fairs, festivals, or sporting events

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1807	14.8 %
2	2 = No	10336	84.9 %
	Total	12,143	99.8%

This variable has 12,143 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	29	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9803-9810 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0297: Brand of your favorite e-cigarette advertisement

What is the brand of your favorite e-cigarette advertisement? Choose only one.

If you do not see the brand listed below, select "Something else".

ASK: All youth respondents.

[GOTO: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days, or did not know or refused to report how often they visited a convenience store, small market, or liquor store in the past 30 days, go to R02_YX0178. Else, go to R02_YX0677.]

[GOTO Specification: IF R02_YX0182 != 1, GO TO R02_YX0178. ELSE, GO TO R02_YX0677.]

Value	Label	Unweighted Frequency	%
1	1 = I do not have a favorite e-cigarette advertisement	10342	85.0 %
2	2 = Blu	540	4.4 %
3	3 = eSmoke	47	0.4 %
4	4 = Fin	8	0.1 %
5	5 = GreenSmoke	15	0.1 %
6	6 = Logic	11	0.1 %
7	7 = MarkTen	10	0.1 %
8	8 = NJOY	28	0.2 %
9	9 = ProVape	94	0.8 %
10	10 = Smoking Everywhere	12	0.1 %
11	11 = Vapor King	64	0.5 %
12	12 = Vuse	56	0.5 %
13	13 = V2Cigs	15	0.1 %
14	14 = Something else	95	0.8 %
	Total	11,337	93.1%

This variable has 11,337 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	652	5.4 %
-7	-7 = Refused	183	1.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	835	6.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9811-9818 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0178: In past 30 days, how often noticed tobacco ads when visiting convenience stores, small markets, or liquor stores

In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for tobacco products?

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days, or did not know or refused to report how often they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R02_YX0182 = 2, 3, 4, 5, 6, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Never	1593	13.1 %
2	2 = Rarely	2078	17.1 %
3	3 = Sometimes	2423	19.9 %
4	4 = Often	2258	18.6 %
	Total	8,352	68.6%

This variable has 8,352 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.5 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	3743	30.8 %
	Total	3,820	31.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9819-9826 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0677_01: In past 30 days, noticed cigarettes or other tobacco products being advertised: On posters or billboards

In the past 30 days, have you noticed cigarettes or other tobacco products being advertised in any of the following places?

On posters or billboards

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5390	44.3 %
2	2 = No	6738	55.4 %
	Total	12,128	99.6%

This variable has 12,128 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	27	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	1	0.0 %
	Total	44	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9827-9834 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0677_02: In past 30 days, noticed cigarettes or other tobacco products being advertised: In newspapers or magazines

In the past 30 days, have you noticed cigarettes or other tobacco products being advertised in any of the following places?

In newspapers or magazines

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4294	35.3 %
2	2 = No	7833	64.4 %
	Total	12,127	99.6%

This variable has 12,127 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	31	0.3 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	1	0.0 %
	Total	45	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 9835-9842 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0677_03: In past 30 days, noticed cigarettes or other tobacco products being advertised: On websites or social media sites

In the past 30 days, have you noticed cigarettes or other tobacco products being advertised in any of the following places?

On websites or social media sites

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4393	36.1 %
2	2 = No	7753	63.7 %
	Total	12,146	99.8%

This variable has 12,146 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	1	0.0 %
	Total	26	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9843-9850 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0677_04: In past 30 days, noticed cigarettes or other tobacco products being advertised: On radio

In the past 30 days, have you noticed cigarettes or other tobacco products being advertised in any of the following places?

On radio

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1962	16.1 %
2	2 = No	10182	83.7 %
	Total	12,144	99.8%

This variable has 12,144 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	1	0.0 %
	Total	28	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9851-9858 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0677_05: In past 30 days, noticed cigarettes or other tobacco products being advertised: On television

In the past 30 days, have you noticed cigarettes or other tobacco products being advertised in any of the following places?

On television

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4842	39.8 %
2	2 = No	7301	60.0 %
	Total	12,143	99.8%

This variable has 12,143 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	1	0.0 %
	Total	29	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9859-9866 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0677_06: In past 30 days, noticed cigarettes or other tobacco products being advertised: At events such as fairs, festivals, or sporting events

In the past 30 days, have you noticed cigarettes or other tobacco products being advertised in any of the following places?

At events such as fairs, festivals, or sporting events

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1864	15.3 %
2	2 = No	10277	84.4 %
	Total	12,141	99.7%

This variable has 12,141 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	1	0.0 %
	Total	31	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9867-9874 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0197: Brand of favorite tobacco advertisement

What is the brand of your favorite tobacco advertisement? Choose only one.
If you do not see the brand listed below, select "Something else".

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = I do not have a favorite tobacco advertisement	10509	86.3 %
2	2 = American Spirit	31	0.3 %
3	3 = Basic	5	0.0 %
4	4 = Beechnut	1	0.0 %
5	5 = Benson & Hedges	1	0.0 %
6	6 = Black & Mild	50	0.4 %
7	7 = Camel	175	1.4 %
8	8 = Capri	1	0.0 %
9	9 = Copenhagen	33	0.3 %
10	10 = Doral	0	0.0 %
11	11 = Dutch Masters	7	0.1 %
12	12 = Grizzly	83	0.7 %
13	13 = Kool	17	0.1 %
14	14 = Levi Garrett	3	0.0 %
15	15 = Liggett Select	3	0.0 %
16	16 = Marlboro	193	1.6 %
17	17 = Maverick	8	0.1 %
18	18 = Misty	4	0.0 %
19	19 = Newport	117	1.0 %
20	20 = Pall Mall	9	0.1 %
21	21 = Parliament	4	0.0 %
22	22 = Phillies Blunts	2	0.0 %
23	23 = Prime Time	8	0.1 %
24	24 = Redman	11	0.1 %
25	25 = Salem	4	0.0 %
26	26 = Skoal	11	0.1 %
27	27 = Sonoma	2	0.0 %
28	28 = Swisher Sweets	62	0.5 %
29	29 = USA Gold	13	0.1 %
30	30 = Virginia Slims	10	0.1 %
31	31 = Winchester	16	0.1 %
32	32 = Winston	8	0.1 %
33	33 = Something else	51	0.4 %
	Total	11,452	94.1%

This variable has 11,452 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	549	4.5 %
-7	-7 = Refused	170	1.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	720	5.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9875-9882 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0192: In past 12 months, seen or heard the Tips campaign slogan or theme

In the past 12 months, have you seen or heard the following slogan or theme?

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3533	29.0 %
2	2 = No	6656	54.7 %
3	3 = Not sure	1957	16.1 %
	Total	12,146	99.8%

This variable has 12,146 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	26	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9883-9890 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0199: In past 12 months, seen or heard the Truth campaign slogan or theme

In the past 12 months, have you seen or heard the following slogan or theme?

[DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5000	41.1 %
2	2 = No	5928	48.7 %
3	3 = Not sure	1214	10.0 %
	Total	12,142	99.8%

This variable has 12,142 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	30	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9891-9898 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0201: In past 12 months, seen or heard the Real Cost campaign slogan or theme

In the past 12 months, have you seen or heard the following slogan or theme?

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6977	57.3 %
2	2 = No	4221	34.7 %
3	3 = Not sure	958	7.9 %
	Total	12,156	99.9%

This variable has 12,156 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	16	0.1%

Percentages for both tables are based on 12,172 total cases.

Location: 9899-9906 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0234: In past 12 months, seen or heard ads on television, the internet, or radio with the following slogan: A Tip From a Former Smoker

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"A Tip From a Former Smoker"

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3772	31.0 %
2	2 = No	6950	57.1 %
3	3 = Not sure	1414	11.6 %
	Total	12,136	99.7%

This variable has 12,136 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	36	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9907-9914 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0235: In past 12 months, seen or heard ads on television, the internet, or radio with the Truth campaign logo

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

[DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3598	29.6 %
2	2 = No	7333	60.2 %
3	3 = Not sure	1218	10.0 %
	Total	12,149	99.8%

This variable has 12,149 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	23	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 9915-9922 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0236: In past 12 months, seen or heard ads on television, the internet, or radio with the following slogan: What are cigarettes costing you (Real Cost campaign)?

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"What are cigarettes costing you?"

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6942	57.0 %
2	2 = No	4346	35.7 %

Value	Label	Unweighted Frequency	%
3	3 = Not sure	848	7.0 %
	Total	12,136	99.7%

This variable has 12,136 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	36	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9923-9930 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0674: In past 12 months, seen or heard ads on television, the internet, or radio with the following slogan: Cigarettes are Bullies, Don't let tobacco control you (Real Cost Campaign)

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Cigarettes are Bullies. Don't let tobacco control you."

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7534	61.9 %
2	2 = No	3878	31.9 %
3	3 = Not sure	722	5.9 %
	Total	12,134	99.7%

This variable has 12,134 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	38	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 9931-9938 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0680: How many of your best friends smoke cigarettes

How many of your best friends smoke cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	9020	74.1 %
2	2 = A few	2161	17.8 %
3	3 = Some	590	4.8 %
4	4 = Most	243	2.0 %
5	5 = All	78	0.6 %
	Total	12,092	99.3%

This variable has 12,092 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	70	0.6 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	80	0.7%

Percentages for both tables are based on 12,172 total cases.

Location: 9939-9946 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0681: How many of your best friends use e-cigarettes

How many of your best friends use e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	9331	76.7 %
2	2 = A few	1829	15.0 %
3	3 = Some	615	5.1 %

Value	Label	Unweighted Frequency	%
4	4 = Most	236	1.9 %
5	5 = All	63	0.5 %
	Total	12,074	99.2%

This variable has 12,074 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	84	0.7 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	98	0.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9947-9954 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0682: How many of your best friends smoke traditional cigars

How many of your best friends smoke traditional cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10994	90.3 %
2	2 = A few	772	6.3 %
3	3 = Some	202	1.7 %
4	4 = Most	69	0.6 %
5	5 = All	40	0.3 %
	Total	12,077	99.2%

This variable has 12,077 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	82	0.7 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	95	0.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9955-9962 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0683: How many of your best friends smoke cigarillos

How many of your best friends smoke cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11000	90.4 %
2	2 = A few	679	5.6 %
3	3 = Some	236	1.9 %
4	4 = Most	100	0.8 %
5	5 = All	48	0.4 %
	Total	12,063	99.1%

This variable has 12,063 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	90	0.7 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	109	0.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9963-9970 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0684: How many of your best friends smoke filtered cigars

How many of your best friends smoke filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11216	92.1 %
2	2 = A few	543	4.5 %
3	3 = Some	181	1.5 %

Value	Label	Unweighted Frequency	%
4	4 = Most	87	0.7 %
5	5 = All	38	0.3 %
	Total	12,065	99.1%

This variable has 12,065 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	84	0.7 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	107	0.9%

Percentages for both tables are based on 12,172 total cases.

Location: 9971-9978 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0685: How many of your best friends use smokeless tobacco

How many of your best friends use smokeless tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10607	87.1 %
2	2 = A few	941	7.7 %
3	3 = Some	316	2.6 %
4	4 = Most	160	1.3 %
5	5 = All	48	0.4 %
	Total	12,072	99.2%

This variable has 12,072 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	87	0.7 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	100	0.8%

Percentages for both tables are based on 12,172 total cases.

Location: 9979-9986 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0500: In past 12 months, parents or guardians talked with you, even once, about not using any type of tobacco product

In the past 12 months, have your parents or guardians talked with you, even once, about not using any type of tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5518	45.3 %
2	2 = No	6534	53.7 %
	Total	12,052	99.0%

This variable has 12,052 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	92	0.8 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	120	1.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9987-9994 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0200: Reaction if parent/guardian found you using tobacco

If your parents or guardians found you using tobacco, how do you think they would react?
Would they . . . ?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Be very upset	11081	91.0 %
2	2 = Not be too upset	666	5.5 %
3	3 = Have no reaction	306	2.5 %
	Total	12,053	99.0%

This variable has 12,053 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	90	0.7 %
-7	-7 = Refused	29	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	119	1.0%

Percentages for both tables are based on 12,172 total cases.

Location: 9995-10002 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0499: How easy you think it is for people your age to buy tobacco products in a store

How easy do you think it is for people your age to buy tobacco products in a store?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very easy	1365	11.2 %
2	2 = Somewhat easy	3054	25.1 %
3	3 = Somewhat difficult	3335	27.4 %
4	4 = Very difficult	4064	33.4 %
	Total	11,818	97.1%

This variable has 11,818 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	326	2.7 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	354	2.9%

Percentages for both tables are based on 12,172 total cases.

Location: 10003-10010 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0501: In next 30 days, likeliness that you will try to purchase cigarettes

How likely is it that you will try to purchase cigarettes within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	10962	90.1 %
2	2 = Somewhat unlikely	229	1.9 %
3	3 = Neither likely nor unlikely	394	3.2 %
4	4 = Somewhat likely	186	1.5 %
5	5 = Very likely	267	2.2 %
	Total	12,038	98.9%

This variable has 12,038 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	95	0.8 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	134	1.1%

Percentages for both tables are based on 12,172 total cases.

Location: 10011-10018 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0502: In next 30 days, likeliness that you will try to purchase tobacco products other than cigarettes

How likely is it that you will try to purchase tobacco products other than cigarettes within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	11014	90.5 %
2	2 = Somewhat unlikely	241	2.0 %
3	3 = Neither likely nor unlikely	411	3.4 %
4	4 = Somewhat likely	165	1.4 %
5	5 = Very likely	204	1.7 %
	Total	12,035	98.9%

This variable has 12,035 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	100	0.8 %
-7	-7 = Refused	37	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	137	1.1%

Percentages for both tables are based on 12,172 total cases.

Location: 10019-10026 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0161: Last time you had significant problems with: Feeling very trapped, lonely, sad, blue, depressed or hopeless about the future

[R02_YX0488 - The next questions are about common psychological, behavioral, and personal problems. These problems are considered significant when you have them for two or more weeks, when they keep coming back, when they keep you from meeting your responsibilities, or when they make you feel like you can't go on.

After each of the following questions, please tell us the last time, if ever, you had the problem, by answering whether it was in the past month, 2-12 months ago, over a year ago, or never.]

When was the last time that you had significant problems with . . . Feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3262	26.8 %
2	2 = 2 to 12 months ago	1589	13.1 %
3	3 = Over a year ago	1272	10.5 %
4	4 = Never	5915	48.6 %
	Total	12,038	98.9%

This variable has 12,038 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	76	0.6 %
-7	-7 = Refused	58	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	134	1.1%

Percentages for both tables are based on 12,172 total cases.

Location: 10027-10034 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0162: Last time you had significant problems with: Sleep trouble - such as bad dreams, sleeping restlessly or falling asleep during the day

When was the last time that you had significant problems with . . . Sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4209	34.6 %
2	2 = 2 to 12 months ago	1491	12.2 %
3	3 = Over a year ago	954	7.8 %
4	4 = Never	5412	44.5 %
	Total	12,066	99.1%

This variable has 12,066 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	69	0.6 %
-7	-7 = Refused	37	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	106	0.9%

Percentages for both tables are based on 12,172 total cases.

Location: 10035-10042 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0163: Last time you had significant problems with: Feeling very anxious, nervous, tense, scared, panicked or like something bad was going to happen

When was the last time that you had significant problems with . . . Feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3965	32.6 %

Value	Label	Unweighted Frequency	%
2	2 = 2 to 12 months ago	1663	13.7 %
3	3 = Over a year ago	1004	8.2 %
4	4 = Never	5404	44.4 %
	Total	12,036	98.9%

This variable has 12,036 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.7 %
-7	-7 = Refused	50	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	136	1.1%

Percentages for both tables are based on 12,172 total cases.

Location: 10043-10050 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0164: Last time you had significant problems with: Becoming very distressed and upset when something reminded you of the past

When was the last time that you had significant problems with . . . Becoming very distressed and upset when something reminded you of the past?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3213	26.4 %
2	2 = 2 to 12 months ago	1483	12.2 %
3	3 = Over a year ago	1028	8.4 %
4	4 = Never	6318	51.9 %
	Total	12,042	98.9%

This variable has 12,042 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	81	0.7 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	130	1.1%

Percentages for both tables are based on 12,172 total cases.

Location: 10051-10058 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0165: Last time you did the following two or more times: Lied or conned to get things you wanted or to avoid having to do something

When was the last time that you did the following things two or more times?

Lied or conned to get things you wanted or to avoid having to do something.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3154	25.9 %
2	2 = 2 to 12 months ago	1937	15.9 %
3	3 = Over a year ago	1393	11.4 %
4	4 = Never	5465	44.9 %
	Total	11,949	98.2%

This variable has 11,949 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	154	1.3 %
-7	-7 = Refused	69	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	Total	223	1.8%

Percentages for both tables are based on 12,172 total cases.

Location: 10059-10066 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0166: Last time you did the following two or more times: Had a hard time paying attention at school, work or home

When was the last time that you did the following things two or more times?

Had a hard time paying attention at school, work, or home.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3903	32.1 %
2	2 = 2 to 12 months ago	1932	15.9 %
3	3 = Over a year ago	1007	8.3 %
4	4 = Never	5226	42.9 %
	Total	12,068	99.1%

This variable has 12,068 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	68	0.6 %
-7	-7 = Refused	36	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	104	0.9%

Percentages for both tables are based on 12,172 total cases.

Location: 10067-10074 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0167: Last time you did the following two or more times: Had a hard time listening to instructions at school, work or home

When was the last time that you did the following things two or more times?

Had a hard time listening to instructions at school, work, or home.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3132	25.7 %
2	2 = 2 to 12 months ago	1719	14.1 %
3	3 = Over a year ago	1032	8.5 %
4	4 = Never	6178	50.8 %
	Total	12,061	99.1%

This variable has 12,061 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	72	0.6 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	111	0.9%

Percentages for both tables are based on 12,172 total cases.

Location: 10075-10082 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0168: Last time you did the following two or more times: Were a bully or threatened other people

When was the last time that you did the following things two or more times?

Were a bully or threatened other people.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	644	5.3 %
2	2 = 2 to 12 months ago	622	5.1 %
3	3 = Over a year ago	1123	9.2 %
4	4 = Never	9678	79.5 %
	Total	12,067	99.1%

This variable has 12,067 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	57	0.5 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	105	0.9%

Percentages for both tables are based on 12,172 total cases.

Location: 10083-10090 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0169: Last time you did the following two or more times: Started physical fights with other people

When was the last time that you did the following things two or more times?

Started physical fights with other people.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	468	3.8 %
2	2 = 2 to 12 months ago	571	4.7 %
3	3 = Over a year ago	1132	9.3 %
4	4 = Never	9906	81.4 %
	Total	12,077	99.2%

This variable has 12,077 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.4 %
-7	-7 = Refused	44	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	95	0.8%

Percentages for both tables are based on 12,172 total cases.

Location: 10091-10098 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0250: Last time you did the following two or more times: Felt restless or the need to run around or climb on things

When was the last time that you did the following things two or more times?

Felt restless or the need to run around or climb on things.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	2589	21.3 %
2	2 = 2 to 12 months ago	1241	10.2 %
3	3 = Over a year ago	805	6.6 %
4	4 = Never	7424	61.0 %
	Total	12,059	99.1%

This variable has 12,059 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.6 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	113	0.9%

Percentages for both tables are based on 12,172 total cases.

Location: 10099-10106 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0251: Last time you did the following two or more times: Gave answers before the other person finished asking the question

When was the last time that you did the following things two or more times?

Gave answers before the other person finished asking the question.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4203	34.5 %
2	2 = 2 to 12 months ago	1521	12.5 %
3	3 = Over a year ago	747	6.1 %
4	4 = Never	5545	45.6 %
	Total	12,016	98.7%

This variable has 12,016 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	121	1.0 %
-7	-7 = Refused	35	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	156	1.3%

Percentages for both tables are based on 12,172 total cases.

Location: 10107-10114 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0084_NB: Ever used alcohol at all

[Box R02_YXR05 - New baseline youth respondents, go to R02_YX0084_NB. Else, go to R02_YX0084_12M.]

IF R02_NEW_BASELINE_YOUTH_LD = 1, GO TO R02_YX0084_NB. ELSE, GO TO R02_YX0084_12M.]

The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

Have you ever used alcohol at all, including sips of someone's drink or your own drink?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YXR06.]

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	297	2.4 %
2	2 = No	1773	14.6 %
	Total	2,070	17.0%

This variable has 2,070 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,102	83.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10115-10122 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YX0086_NB: DERIVED - Age range when first drank alcohol at all, counting small tastes or sips (3 levels)

Long Description: About how old were you when you first drank alcohol at all, counting small tastes or sips?

Original Variables: R02_YX0086_NB, R02_YX0087_NB

Algorithm: IF R02_YX0087_NB = 1 OR (0 <= R02_YX0086_NB <= 11) THEN R02R_Y_YX0086_NB = 1 ;
ELSE IF R02_YX0087_NB = 2 OR (12 <= R02_YX0086_NB <= 14) THEN R02R_Y_YX0086_NB = 2 ; ELSE
IF R02_YX0087_NB = 3 OR (15 <= R02_YX0086_NB <= 17) THEN R02R_Y_YX0086_NB = 3 ; ELSE IF
R02_YX0087_NB = -9 OR R02_YX0086_NB = -9 THEN R02R_Y_YX0086_NB = -99999; ELSE IF R02_YX0087_NB
= -8 OR R02_YX0086_NB = -8 THEN R02R_Y_YX0086_NB = -99988; ELSE IF R02_YX0087_NB = -7 OR
R02_YX0086_NB = -7 THEN R02R_Y_YX0086_NB = -99977; ELSE IF R02_YX0086_NB = -5 THEN

R02R_Y_YX0086_NB = -99955; ELSE IF R02_YX0087_NB = -1 OR R02_YX0086_NB = -1 THEN
R02R_Y_YX0086_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	233	1.9 %
2	2 = 12 to 14 years old	49	0.4 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	282	2.3%

This variable has 282 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	14	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11875	97.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,890	97.7%

Percentages for both tables are based on 12,172 total cases.

Location: 10123-10130 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02R_Y_YX0074_NB: DERIVED - Age range when had first alcoholic drink, other than small tastes or sips (3 levels)

Long Description: About how old were you when you had your first alcoholic drink, other than small tastes or sips?

Original Variables: R02_YX0074_NB, R02_YX0270_NB

Algorithm: IF R02_YX0270_NB = 1 OR (0 <= R02_YX0074_NB <= 11) THEN R02R_Y_YX0074_NB = 1 ; ELSE IF R02_YX0270_NB = 2 OR (12 <= R02_YX0074_NB <= 14) THEN R02R_Y_YX0074_NB = 2 ; ELSE IF R02_YX0270_NB = 3 OR (15 <= R02_YX0074_NB <= 17) THEN R02R_Y_YX0074_NB = 3 ; ELSE IF R02_YX0074_NB = -2 THEN R02R_Y_YX0074_NB = -2; ELSE IF R02_YX0270_NB = -9 OR R02_YX0074_NB = -9 THEN R02R_Y_YX0074_NB = -99999; ELSE IF R02_YX0270_NB = -8 OR R02_YX0074_NB = -8 THEN R02R_Y_YX0074_NB = -99988; ELSE IF R02_YX0270_NB = -7 OR R02_YX0074_NB = -7 THEN R02R_Y_YX0074_NB = -99977; ELSE IF R02_YX0074_NB = -5 THEN R02R_Y_YX0074_NB = -99955; ELSE IF R02_YX0270_NB = -1 OR R02_YX0074_NB = -1 THEN R02R_Y_YX0074_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	57	0.5 %
2	2 = 12 to 14 years old	24	0.2 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	81	0.7%

This variable has 81 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11875	97.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-2	-2 = I have never had an alcoholic drink other than small tastes or sips	213	1.7 %
	Total	12,091	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 10131-10138 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777 , -2

R02_YX0077_NB: At the age you first started drinking, did you also smoke cigarettes or use any other tobacco products

When you first used alcohol when you were {AGE OF FIRST ALCOHOL USE} years old, did you also [smoke cigarettes | use tobacco products | smoke cigarettes or use other tobacco products]?

[Go to R02_YX0673.]

ASK: New baseline youth respondents who have ever used alcohol and have ever used tobacco, and whose age of first tobacco use precedes age of first alcohol use.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0084_NB = 1 AND R02_EVER_USE_TOB = 1 AND R02_YX0074_NB != -2, -8, -7 AND R02_YX0074_NB > MIN VALID AGE IN (R02_YC1006_NB OR R02_YE1006_NB OR R02_YG1006TC_NB OR R02_YG1006CL_NB OR R02_YG1006FC_NB OR R02_YH1006_NB OR R02_YS1006SM_NB OR R02_YS1006SU_NB).

[DISPLAY: FILL {AGE OF ALCOHOL USE} with age reported in R02_YX0074_NB.

If cigarette-only user (R02_EVER_USE_CIGSONLY = 1), display "smoke cigarettes".

If non-cigarette tobacco user (R02_EVER_USE_TOBXCIGS = 1), display "use tobacco products".

If cigarette and tobacco user (R02_EVER_USE_DUAL = 1), display "smoke cigarettes or use

other tobacco products".]

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	5	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12166	100.0 %
	Total	12,166	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10139-10146 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0084_12M: In past 12 months, used alcohol at all

The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

In the past 12 months, have you used any alcohol, including small sips or tastes?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YXR06.]

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2704	22.2 %
2	2 = No	7332	60.2 %
	Total	10,036	82.5%

This variable has 10,036 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %

	Missing Data		
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,136	17.5%

Percentages for both tables are based on 12,172 total cases.

Location: 10147-10154 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0673: In past 30 days, used alcohol

Have you used alcohol in the past 30 days?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YXR06.]

ASK: New baseline youth respondents who have ever used alcohol or continuing youth respondents who have used alcohol in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0084_NB = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YX0084_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1157	9.5 %
2	2 = No	1841	15.1 %
	Total	2,998	24.6%

This variable has 2,998 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9171	75.3 %
	Total	9,174	75.4%

Percentages for both tables are based on 12,172 total cases.

Location: 10155-10162 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0075: In past 30 days, number of days drank one or more alcoholic beverages

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

ASK: New baseline youth respondents who have ever used alcohol or continuing youth respondents who have used alcohol in the past 12 months, and have used alcohol in the past 30 days.

ASK Specification: IF ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0084_NB = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YX0084_12M = 1)) AND R02_YX0673 = 1.

[PROGRAM: Range: 1-30]

[GOTO: New baseline youth respondents who have ever used alcohol or continuing youth respondents who have used alcohol in the past 12 months, and who have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days, go to R02_YX0076. Else, go to Box R02_YXR06.]

[GOTO Specification: IF ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0084_NB = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YX0084_12M = 1)) AND R02_YX0673 = 1 AND R02_YX0075 > = 1, GO TO R02_YX0076. ELSE, GO TO BOX R02_YXR06.]

This variable has 1,141 valid cases out of 12,172 total cases.

- Mean: 3.38
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.89

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	6	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11015	90.5 %
	Total	11,031	90.6 %

Percentages for both tables are based on 12,172 total cases.

Location: 10163-10170 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YX0076: In past 30 days, number of drinks usually consumed on days drank

On average, on those days that you drank in the past 30 days, how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

ASK: New baseline youth respondents who have ever used alcohol or continuing youth respondents who have used alcohol in the past 12 months, and have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days.

ASK Specification: IF ((R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0084_NB = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YX0084_12M = 1))AND R02_YX0673 = 1 AND R02_YX0075 >= 1.

[PROGRAM: Range: 0-90]

This variable has 983 valid cases out of 12,172 total cases.

- Mean: 2.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 69.00
- Standard Deviation: 4.34

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	12	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11177	91.8 %
	Total	11,189	91.9 %

Percentages for both tables are based on 12,172 total cases.

Location: 10171-10178 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R02_YX0085_NB: Ever used marijuana, hash, THC or grass

[Box R02_YX\$06 - New baseline youth respondents who have not ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or did not know or refused to report if they had ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it, and who have not ever smoked marijuana from a hookah or did not know or refused to report if they had ever smoked marijuana from a hookah, go to R02_YX0085_NB. Else, new baseline youth respondents who have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah, go to R02_YX0079_NB. Else, continuing youth respondents who did not smoke part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or did not know or refused to report if they had ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it, go to R02_YX0085_12M. Else, new baseline youth respondents who have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or youth respondents who have smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months, or youth respondents who have ever smoked marijuana from a hookah, or new baseline youth respondents who have ever used marijuana, hash, THC, grass, pot or weed, or continuing youth respondents who have used marijuana, hash, THC, grass, pot or weed in the past 12 months, go to R02_YX0675.

IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9105_NB != 1 AND R02_YH9031 != 1, GO TO R02_YX0085_NB. ELSE, IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_YG9105_NB = 1 OR R02_YH9031 = 1), GO TO R02_YX0079_NB. ELSE, IF R02_CONTINUING_YOUTH_LD = 1 AND

R02_YG9107 = 2, -8, -7, GO TO R02_YX0085_12M. ELSE, IF R02_YG9105_NB = 1 OR R02_YG9107 = 1 OR R02_YH9031 = 1 OR (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0085_NB = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YX0085_12M = 1), GO TO R02_YX0675.]

Have you ever used marijuana, hash, THC, grass, pot or weed?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YXD02.]

ASK: New baseline youth respondents who have not ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or did not know or refused to report if they had ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it, and who have not ever smoked marijuana from a hookah or did not know or refused to report if they had ever smoked marijuana from a hookah.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YG9105_NB != 1 AND R02_YH9031 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	2043	16.8 %
	Total	2,060	16.9%

This variable has 2,060 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10106	83.0 %
	Total	10,112	83.1%

Percentages for both tables are based on 12,172 total cases.

Location: 10179-10186 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YX0079_NB: DERIVED - Age range when first used marijuana, hash, THC or grass (3 levels)

Long Description: How old were you when you first used marijuana, hash, THC, grass, pot or weed?

Original Variables: R02_YX0079_NB, R02_YX0271_NB

Algorithm: IF R02_YX0271_NB = 1 OR (0 <= R02_YX0079_NB <= 11) THEN R02R_Y_YX0079_NB = 1 ; ELSE IF R02_YX0271_NB = 2 OR (12 <= R02_YX0079_NB <= 14) THEN R02R_Y_YX0079_NB = 2 ; ELSE IF R02_YX0271_NB = 3 OR (15 <= R02_YX0079_NB <= 17) THEN R02R_Y_YX0079_NB = 3 ; ELSE IF R02_YX0271_NB = -9 OR R02_YX0079_NB = -9 THEN R02R_Y_YX0079_NB = -99999; ELSE IF R02_YX0271_NB = -8 OR R02_YX0079_NB = -8 THEN R02R_Y_YX0079_NB = -99988; ELSE IF R02_YX0271_NB = -7 OR R02_YX0079_NB = -7 THEN R02R_Y_YX0079_NB = -99977; ELSE IF R02_YX0079_NB = -5 THEN R02R_Y_YX0079_NB = -99955; ELSE IF R02_YX0271_NB = -1 OR R02_YX0079_NB = -1 THEN R02R_Y_YX0079_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	22	0.2 %
2	2 = 12 to 14 years old	12	0.1 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12130	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,138	99.7%

Percentages for both tables are based on 12,172 total cases.

Location: 10187-10194 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YX0080_NB: At the age you first started using marijuana, hash, THC or grass, did you also smoke cigarettes or use any other tobacco products

When you first used marijuana when you were {AGE OF FIRST MARIJUANA USE} years old, did you also [smoke cigarettes | use tobacco products | smoke cigarettes or use other tobacco products]?

[Go to R02_YX0675.]

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot or weed or have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah and have ever used tobacco, and whose age of first marijuana use is after the age of first tobacco use.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_YX0085_NB = 1 OR R02_YG9105_NB = 1 OR R02_YH9031 = 1) AND R02_EVER_USE_TOB = 1 AND R02_YX0079_NB != -8, -7 AND R02_YX0079_NB > MIN_VALID_AGE_IN (R02_YC1006_NB OR R02_YE1006_NB OR R02_YG1006TC_NB OR R02_YG1006CL_NB OR R02_YG1006FC_NB OR R02_YH1006_NB OR R02_YS1006SM_NB OR R02_YS1006SU_NB).

[DISPLAY: FILL {AGE OF FIRST MARIJUANA USE} with age reported in R02_YX0079_NB.

If cigarette-only user (R02_EVER_USE_CIGSONLY = 1), display "smoke cigarettes".

If non-cigarette tobacco user (R02_EVER_USE_TOBXCIGS = 1), display "use tobacco products".

If cigarette and tobacco user (R02_EVER_USE_DUAL = 1), display "smoke cigarettes or use

other tobacco products".

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	1	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12169	100.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10195-10202 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0085_12M: In past 12 months, used marijuana, hash, THC or grass

In the past 12 months, have you used marijuana, hash, THC, grass, pot or weed?

[If No (2), Don't Know (-8), or Refused (-7), Go to R02_YXD03.]

ASK: Continuing youth respondents who did not smoke part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report if they smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1 AND R02_YG9107 = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	425	3.5 %
2	2 = No	8723	71.7 %
	Total	9,148	75.2%

This variable has 9,148 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %

	Missing Data		
-7	-7 = Refused	21	0.2 %
-1	-1 = Inapplicable	2987	24.5 %
	Total	3,024	24.8%

Percentages for both tables are based on 12,172 total cases.

Location: 10203-10210 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0675: In past 30 days, used marijuana

Have you used marijuana in the past 30 days?

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot or weed or have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah, or continuing youth respondents smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months or used marijuana, hash, THC, grass, pot or weed in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND (R02_YG9105_NB = 1 OR R02_YH9031 = 1 OR R02_YX0085_NB = 1)) OR (R02_CONTINUING_YOUTH_LD = 1 AND (R02_YG9107 = 1 OR R02_YX0085_12M = 1)).

[GOTO: All new baseline youth respondents, go to Box R02_YXD02. Else, go to Box R02_YXD03.]

[GOTO Specification: IF R02_NEW_BASELINE_YOUTH = 1, GO TO R02_YXD02. ELSE, GO TO BOX R02_YXD03.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	663	5.4 %
2	2 = No	716	5.9 %
	Total	1,379	11.3%

This variable has 1,379 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10789	88.6 %
	Total	10,793	88.7%

Percentages for both tables are based on 12,172 total cases.

Location: 10211-10218 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0089_NB_01: Ever used prescription drug not prescribed to you: Ritalin® or Adderall®

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Ritalin® or Adderall®

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	2057	16.9 %
	Total	2,070	17.0%

This variable has 2,070 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,102	83.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10219-10226 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YX0082_NB_01: DERIVED - Age range when first used: Ritalin® or Adderall® (3 levels)

Long Description: How old were you when you first used Ritalin® or Adderall®?

Original Variables: R02_YX0082_NB_01, R02_YX0272_NB_01

Algorithm: IF R02_YX0272_NB_01 = 1 OR (0 <= R02_YX0082_NB_01 <= 11) THEN R02R_Y_YX0082_NB_01 = 1 ; ELSE IF R02_YX0272_NB_01 = 2 OR (12 <= R02_YX0082_NB_01 <= 14) THEN R02R_Y_YX0082_NB_01 = 2 ; ELSE IF R02_YX0272_NB_01 = 3 OR (15 <= R02_YX0082_NB_01 <= 17) THEN R02R_Y_YX0082_NB_01 = 3 ; ELSE IF R02_YX0272_NB_01 = -9 OR R02_YX0082_NB_01 = -9 THEN R02R_Y_YX0082_NB_01 = -99999; ELSE IF R02_YX0272_NB_01 = -8 OR R02_YX0082_NB_01 = -8 THEN R02R_Y_YX0082_NB_01 = -99988; ELSE IF R02_YX0272_NB_01 = -7 OR R02_YX0082_NB_01 = -7 THEN R02R_Y_YX0082_NB_01 = -99977; ELSE IF R02_YX0082_NB_01 = -5 THEN R02R_Y_YX0082_NB_01 = -99955; ELSE IF R02_YX0272_NB_01 = -1 OR R02_YX0082_NB_01 = -1 THEN R02R_Y_YX0082_NB_01 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	9	0.1 %
2	2 = 12 to 14 years old	2	0.0 %
3	3 = 15 to 17 years old	1	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12159	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,160	99.9%

Percentages for both tables are based on 12,172 total cases.

Location: 10227-10234 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YX0083_NB_01: At the age you first started using Ritalin® or Adderall®, did you also smoke cigarettes or use any other tobacco products

When you first used [SUBSTANCEFILL] when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes | use tobacco products | smoke cigarettes or use other tobacco products]?

Ritalin® or Adderall®

[Go to R02_YX0676_01.]

ASK: New baseline youth respondents who have ever used a substance and have ever used tobacco, and whose age of first tobacco use precedes age of first substance use.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0089_NB_01 = 1 AND R02_EVER_USE_TOB = 1 AND (R02_YX0082_NB_01 != -8, -7 AND R02_YX0082_NB_01 > MIN VALID AGE IN (R02_YC1006_NB OR R02_YE1006_NB OR R02_YG1006TC_NB OR R02_YG1006CL_NB OR R02_YG1006FC_NB OR R02_YH1006_NB OR R02_YS1006SM_NB OR R02_YS1006SU_NB)).

[DISPLAY: FILL {AGE OF FIRST SUBSTANCE USE} with age reported in R02_YX0082_NB_01/.../_05].
If cigarette-only user (R02_EVER_USE_CIGSONLY = 1), display "smoke cigarettes". If non-cigarette tobacco user (R02_EVER_USE_TOBXCIGS = 1), display "use tobacco products". If cigarette and tobacco user (R02_EVER_USE_DUAL = 1), display "smoke cigarettes or use other

tobacco products".]

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12172	100.0 %
	Total	12,172	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10235-10242 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0089_NB_02: Ever used prescription drug not prescribed to you: Painkillers, sedatives or tranquilizers

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Painkillers, sedatives, or tranquilizers

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	82	0.7 %
2	2 = No	1985	16.3 %
	Total	2,067	17.0%

This variable has 2,067 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.2 %
-7	-7 = Refused	5	0.0 %

	Missing Data		
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,105	83.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10243-10250 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YX0082_NB_02: DERIVED - Age range when first used: Painkillers, sedatives or tranquilizers (3 levels)

Long Description: How old were you when you first used painkillers, sedatives or tranquilizers?

Original Variables: R02_YX0082_NB_02, R02_YX0272_NB_02

Algorithm: IF R02_YX0272_NB_02 = 1 OR (0 <= R02_YX0082_NB_02 <= 11) THEN R02R_Y_YX0082_NB_02 = 1 ;
ELSE IF R02_YX0272_NB_02 = 2 OR (12 <= R02_YX0082_NB_02 <= 14) THEN R02R_Y_YX0082_NB_02 = 2 ;
ELSE IF R02_YX0272_NB_02 = 3 OR (15 <= R02_YX0082_NB_02 <= 17) THEN R02R_Y_YX0082_NB_02 = 3 ;
ELSE IF R02_YX0272_NB_02 = -9 OR R02_YX0082_NB_02 = -9 THEN R02R_Y_YX0082_NB_02 = -99999; ELSE
IF R02_YX0272_NB_02 = -8 OR R02_YX0082_NB_02 = -8 THEN R02R_Y_YX0082_NB_02 = -99988; ELSE IF
R02_YX0272_NB_02 = -7 OR R02_YX0082_NB_02 = -7 THEN R02R_Y_YX0082_NB_02 = -99977; ELSE IF
R02_YX0082_NB_02 = -5 THEN R02R_Y_YX0082_NB_02 = -99955; ELSE IF R02_YX0272_NB_02 = -1 OR
R02_YX0082_NB_02 = -1 THEN R02R_Y_YX0082_NB_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	61	0.5 %
2	2 = 12 to 14 years old	20	0.2 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	81	0.7%

This variable has 81 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12090	99.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,091	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 10251-10258 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YX0083_NB_02: At the age you first started using painkillers, sedatives or tranquilizers, did you also smoke cigarettes or use any other tobacco products

When you first used [SUBSTANCEFILL] when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes | use tobacco products | smoke cigarettes or use other tobacco products]?

Painkillers, sedatives, or tranquilizers

[Go to R02_YX0676_02.]

ASK: New baseline youth respondents who have ever used a substance and have ever used tobacco, and whose age of first tobacco use precedes age of first substance use.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0089_NB_02 = 1 AND R02_EVER_USE_TOB = 1 AND (R02_YX0082_NB_02 != -8, -7 AND R02_YX0082_NB_02 > MIN VALID AGE IN (R02_YC1006_NB OR R02_YE1006_NB OR R02_YG1006TC_NB OR R02_YG1006CL_NB OR R02_YG1006FC_NB OR R02_YH1006_NB OR R02_YS1006SM_NB OR R02_YS1006SU_NB)).

[DISPLAY: FILL {AGE OF FIRST SUBSTANCE USE} with age reported in R02_YX0082_NB[01/.../05]. If cigarette-only user (R02_EVER_USE_CIGSONLY = 1), display "smoke cigarettes". If non-cigarette tobacco user (R02_EVER_USE_TOBXCIGS = 1), display "use tobacco products". If cigarette and tobacco user (R02_EVER_USE_DUAL = 1), display "smoke cigarettes or use other tobacco products".]

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	2	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12169	100.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10259-10266 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0220_NB_01: Ever used substance: Cocaine or crack

[PROGRAM NOTE: See Box R02_YXR01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever used any of the following substances?

Cocaine or crack

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	2079	17.1 %
	Total	2,085	17.1%

This variable has 2,085 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,087	82.9%

Percentages for both tables are based on 12,172 total cases.

Location: 10267-10274 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YX0082_NB_03: DERIVED - Age range when first used: Cocaine or crack (3 levels)

Long Description: How old were you when you first used cocaine or crack?

Original Variables: R02_YX0082_NB_03, R02_YX0272_NB_03

Algorithm: IF R02_YX0272_NB_03 = 1 OR (0 <= R02_YX0082_NB_03 <= 11) THEN R02R_Y_YX0082_NB_03 = 1 ; ELSE IF R02_YX0272_NB_03 = 2 OR (12 <= R02_YX0082_NB_03 <= 14) THEN R02R_Y_YX0082_NB_03 = 2 ; ELSE IF R02_YX0272_NB_03 = 3 OR (15 <= R02_YX0082_NB_03 <= 17) THEN R02R_Y_YX0082_NB_03 = 3 ; ELSE IF R02_YX0272_NB_03 = -9 OR R02_YX0082_NB_03 = -9 THEN R02R_Y_YX0082_NB_03 = -99999; ELSE IF R02_YX0272_NB_03 = -8 OR R02_YX0082_NB_03 = -8 THEN R02R_Y_YX0082_NB_03 = -99988; ELSE IF R02_YX0272_NB_03 = -7 OR R02_YX0082_NB_03 = -7 THEN R02R_Y_YX0082_NB_03 = -99977; ELSE IF R02_YX0082_NB_03 = -5 THEN R02R_Y_YX0082_NB_03 = -99955; ELSE IF R02_YX0272_NB_03 = -1 OR R02_YX0082_NB_03 = -1 THEN R02R_Y_YX0082_NB_03 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12166	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10275-10282 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YX0083_NB_03: At the age you first started using cocaine or crack, did you also smoke cigarettes or use any other tobacco products

When you first used [SUBSTANCEFILL] when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes | use tobacco products | smoke cigarettes or use other tobacco products]?

Cocaine or crack

[Go to R02_YX0676_03.]

ASK: New baseline youth respondents who have ever used a substance and have ever used tobacco, and whose age of first tobacco use precedes age of first substance use.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0220_NB_01 = 1 AND R02_EVER_USE_TOB = 1 AND (R02_YX0082_NB_03 != -8, -7 AND R02_YX0082_NB_03 > MIN VALID AGE IN (R02_YC1006_NB OR R02_YE1006_NB OR R02_YG1006TC_NB OR R02_YG1006CL_NB OR R02_YG1006FC_NB OR R02_YH1006_NB OR R02_YS1006SM_NB OR R02_YS1006SU_NB)).

[DISPLAY: FILL {AGE OF FIRST SUBSTANCE USE} with age reported in R02_YX0082_NB_01/.../_05]. If cigarette-only user (R02_EVER_USE_CIGSONLY = 1), display "smoke cigarettes". If non-cigarette tobacco user (R02_EVER_USE_TOBXCIGS = 1), display "use tobacco products". If cigarette and tobacco user (R02_EVER_USE_DUAL = 1), display "smoke cigarettes or use other

tobacco products".]

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12172	100.0 %
	Total	12,172	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10283-10290 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0220_NB_02: Ever used substance: Stimulants like methamphetamine or speed

[PROGRAM NOTE: See Box R02_YXR01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever used any of the following substances?

Stimulants like methamphetamine or speed

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	2076	17.1 %
	Total	2,080	17.1%

This variable has 2,080 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %

	Missing Data		
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,092	82.9%

Percentages for both tables are based on 12,172 total cases.

Location: 10291-10298 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YX0082_NB_04: DERIVED - Age range when first used: Stimulants like methamphetamine or speed (3 levels)

Long Description: How old were you when you first used stimulants like methamphetamine or speed?

Original Variables: R02_YX0082_NB_04, R02_YX0272_NB_04

Algorithm: IF R02_YX0272_NB_04 = 1 OR (0 <= R02_YX0082_NB_04 <= 11) THEN R02R_Y_YX0082_NB_04 = 1 ;
ELSE IF R02_YX0272_NB_04 = 2 OR (12 <= R02_YX0082_NB_04 <= 14) THEN R02R_Y_YX0082_NB_04 = 2 ;
ELSE IF R02_YX0272_NB_04 = 3 OR (15 <= R02_YX0082_NB_04 <= 17) THEN R02R_Y_YX0082_NB_04 = 3 ;
ELSE IF R02_YX0272_NB_04 = -9 OR R02_YX0082_NB_04 = -9 THEN R02R_Y_YX0082_NB_04 = -99999; ELSE
IF R02_YX0272_NB_04 = -8 OR R02_YX0082_NB_04 = -8 THEN R02R_Y_YX0082_NB_04 = -99988; ELSE IF
R02_YX0272_NB_04 = -7 OR R02_YX0082_NB_04 = -7 THEN R02R_Y_YX0082_NB_04 = -99977; ELSE IF
R02_YX0082_NB_04 = -5 THEN R02R_Y_YX0082_NB_04 = -99955; ELSE IF R02_YX0272_NB_04 = -1 OR
R02_YX0082_NB_04 = -1 THEN R02R_Y_YX0082_NB_04 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	3	0.0 %
2	2 = 12 to 14 years old	0	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12168	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10299-10306 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YX0083_NB_04: At the age you first started using stimulants such as, methamphetamine or speed, did you also smoke cigarettes or use any other tobacco products

When you first used [SUBSTANCEFILL] when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes | use tobacco products | smoke cigarettes or use other tobacco products]?

Stimulants like methamphetamine or speed

[Go to R02_YX0676_04.]

ASK: New baseline youth respondents who have ever used a substance and have ever used tobacco, and whose age of first tobacco use precedes age of first substance use.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0220_NB_01 = 1 AND R02_EVER_USE_TOB = 1 AND (R02_YX0082_NB_04 != -8, -7 AND R02_YX0082_NB_04 > MIN VALID AGE IN (R02_YC1006_NB OR R02_YE1006_NB OR R02_YG1006TC_NB OR R02_YG1006CL_NB OR R02_YG1006FC_NB OR R02_YH1006_NB OR R02_YS1006SM_NB OR R02_YS1006SU_NB)).

[DISPLAY: FILL {AGE OF FIRST SUBSTANCE USE} with age reported in R02_YX0082_NB_01/.../05]. If cigarette-only user (R02_EVER_USE_CIGSONLY = 1), display "smoke cigarettes". If non-cigarette tobacco user (R02_EVER_USE_TOBXCIGS = 1), display "use tobacco products". If cigarette and tobacco user (R02_EVER_USE_DUAL = 1), display "smoke cigarettes or use other tobacco products".]

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12172	100.0 %
	Total	12,172	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10307-10314 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0220_NB_03: Ever used substance: Any other drugs like heroin, inhalants, solvents or hallucinogens

[PROGRAM NOTE: See Box R02_YXR01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever used any of the following substances?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: New baseline youth respondents.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	2082	17.1 %
	Total	2,086	17.1%

This variable has 2,086 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10081	82.8 %
	Total	10,086	82.9%

Percentages for both tables are based on 12,172 total cases.

Location: 10315-10322 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YX0082_NB_05: DERIVED - Age range when first used: Any other drugs like heroin, inhalants, solvents or hallucinogens (3 levels)

Long Description: How old were you when you first used any other drugs like heroin, inhalants, solvents or hallucinogens?

Original Variables: R02_YX0082_NB_05, R02_YX0272_NB_05

Algorithm: IF R02_YX0272_NB_05 = 1 OR (0 <= R02_YX0082_NB_05 <= 11) THEN R02R_Y_YX0082_NB_05 = 1 ;
ELSE IF R02_YX0272_NB_05 = 2 OR (12 <= R02_YX0082_NB_05 <= 14) THEN R02R_Y_YX0082_NB_05 = 2 ;
ELSE IF R02_YX0272_NB_05 = 3 OR (15 <= R02_YX0082_NB_05 <= 17) THEN R02R_Y_YX0082_NB_05 = 3 ;
ELSE IF R02_YX0272_NB_05 = -9 OR R02_YX0082_NB_05 = -9 THEN R02R_Y_YX0082_NB_05 = -99999; ELSE IF
R02_YX0272_NB_05 = -8 OR R02_YX0082_NB_05 = -8 THEN R02R_Y_YX0082_NB_05 = -99988; ELSE IF
R02_YX0272_NB_05 = -7 OR R02_YX0082_NB_05 = -7 THEN R02R_Y_YX0082_NB_05 = -99977; ELSE IF
R02_YX0082_NB_05 = -5 THEN R02R_Y_YX0082_NB_05 = -99955; ELSE IF R02_YX0272_NB_05 = -1 OR

R02_YX0082_NB_05 = -1 THEN R02R_Y_YX0082_NB_05 =
-99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12168	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,169	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10323-10330 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02_YX0083_NB_05: At the age you first started using any other drugs such as, heroin, inhalants, solvents or hallucinogens, methamphetamine or speed, did you also smoke cigarettes or use any other tobacco products

When you first used [SUBSTANCEFILL] when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes | use tobacco products | smoke cigarettes or use other tobacco products]?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

[Go to R02_YX0676_05.]

ASK: New baseline youth respondents who have ever used a substance and have ever used tobacco, and whose age of first tobacco use precedes age of first substance use.

ASK Specification: IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0220_NB_03 = 1 AND R02_EVER_USE_TOB = 1 AND (R02_YX0082_NB_05 != -8, -7 AND R02_YX0082_NB_05 > MIN VALID AGE IN (R02_YC1006_NB OR R02_YE1006_NB OR R02_YG1006TC_NB OR R02_YG1006CL_NB OR R02_YG1006FC_NB OR R02_YH1006_NB OR R02_YS1006SM_NB OR R02_YS1006SU_NB)).

[DISPLAY: FILL {AGE OF FIRST SUBSTANCE USE} with age reported in R02_YX0082_NB[_01/.../_05].
 If cigarette-only user (R02_EVER_USE_CIGSONLY = 1), display "smoke cigarettes". If
 non-cigarette tobacco user (R02_EVER_USE_TOBXCIGS = 1), display "use tobacco products". If
 cigarette and tobacco user (R02_EVER_USE_DUAL = 1), display "smoke cigarettes or use other
 tobacco products".]

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	1	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12171	100.0 %
	Total	12,171	100.0%

Percentages for both tables are based on 12,172 total cases.

Location: 10331-10338 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0089_12M_01: In past 12 months, used prescription drug not prescribed to you: Ritalin® or Adderall®

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Ritalin® or Adderall®

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	201	1.7 %
2	2 = No	9851	80.9 %
	Total	10,052	82.6%

This variable has 10,052 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,120	17.4%

Percentages for both tables are based on 12,172 total cases.

Location: 10339-10346 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0676_01: In past 30 days, used: Ritalin® or Adderall®

[PROGRAM NOTE: See Box R02_YXR08 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you used [SUBSTANCEFILL] in the past 30 days?

Ritalin® or Adderall®

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens, or continuing youth respondents who have used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0089_NB_01 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YX0089_12M_01 = 1).

[GOTO: New baseline youth respondents who have used another substance, go back to Box R02_YXR01, R02_YX0220_NB or Box R02_YXR07. Else, continuing youth respondents who have used another substance, go back to Box R02_YXR08, until R02_YX0676[_01/.../_05] has been asked about for all selected substances. Else, go to Box R02_YXV02.]

[GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND R02_YX0089_NB_02 = 1, GO TO R02_YXR01. ELSE, IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_YX0220_NB. ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND R02_YX0089_12M_02 = 1, GO TO R02_YX0676_02. ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND R02_YX0220_12M_01 = 1, GO TO R02_YX0676_03. ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND R02_YX0220_12M_01 = 1, GO TO R02_YX0676_04. ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND R02_YX0220_12M_01 = 1, GO TO R02_YX0676_05. ELSE, GO TO BOX R02_YXV02.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	81	0.7 %
2	2 = No	129	1.1 %
	Total	210	1.7%

This variable has 210 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11958	98.2 %
	Total	11,962	98.3%

Percentages for both tables are based on 12,172 total cases.

Location: 10347-10354 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0089_12M_02: In past 12 months, used prescription drug not prescribed to you: Painkillers, sedatives or tranquilizers

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Painkillers, sedatives, or tranquilizers

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	752	6.2 %
2	2 = No	9297	76.4 %
	Total	10,049	82.6%

This variable has 10,049 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,123	17.4%

Percentages for both tables are based on 12,172 total cases.

Location: 10355-10362 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0676_02: In past 30 days, used: Painkillers, sedatives or tranquilizers

[PROGRAM NOTE: See Box R02_YXR08 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you used [SUBSTANCEFILL] in the past 30 days?

Painkillers, sedatives, or tranquilizers

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens, or continuing youth respondents who have used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0089_NB_02 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YX0089_12M_02 = 1).

[GOTO: New baseline youth respondents who have used another substance, go back to Box R02_YXR01, R02_YX0220_NB or Box R02_YXR07. Else, continuing youth respondents who have used another substance, go back to Box R02_YXR08, until R02_YX0676[_01/_.../_05] has been asked about for all selected substances. Else, go to Box R02_YXV02.]

[GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1, GO TO R02_YX0220_NB.
ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND R02_YX0220_12M_01 = 1, GO TO R02_YX0676_03.
ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND R02_YX0220_12M_01 = 1, GO TO R02_YX0676_04.
ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND R02_YX0220_12M_01 = 1, GO TO R02_YX0676_05.
ELSE, GO TO BOX R02_YXV02.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	543	4.5 %
2	2 = No	285	2.3 %
	Total	828	6.8%

This variable has 828 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11338	93.1 %
	Total	11,344	93.2%

Percentages for both tables are based on 12,172 total cases.

Location: 10363-10370 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0220_12M_01: In past 12 months, used substance: Cocaine or crack

In the past 12 months, have you used any of the following substances?

Cocaine or crack

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	84	0.7 %
2	2 = No	9968	81.9 %
	Total	10,052	82.6%

This variable has 10,052 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,120	17.4%

Percentages for both tables are based on 12,172 total cases.

Location: 10371-10378 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0676_03: In past 30 days, used: Cocaine or crack

[PROGRAM NOTE: See Box R02_YXR08 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you used [SUBSTANCEFILL] in the past 30 days?

Cocaine or crack

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens, or continuing youth respondents who have used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0220_NB_01 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YX0220_12M_01 = 1).

[GOTO: New baseline youth respondents who have used another substance, go back to Box R02_YXR01, R02_YX0220_NB or Box R02_YXR07. Else, continuing youth respondents who have used another substance, go back to Box R02_YXR08, until R02_YX0676[_01/.../_05] has been asked about for all selected substances. Else, go to Box R02_YXV02.]

[GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND, GO TO BOX R02_YXR07.
ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND R02_YX0220_12M_01 = 1, GO TO R02_YX0676_04.
ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND R02_YX0220_12M_01 = 1, GO TO R02_YX0676_05.
ELSE, GO TO BOX R02_YXV02.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	64	0.5 %
	Total	89	0.7%

This variable has 89 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12082	99.3 %
	Total	12,083	99.3%

Percentages for both tables are based on 12,172 total cases.

Location: 10379-10386 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0220_12M_02: In past 12 months, used substance: Stimulants like methamphetamine or speed

In the past 12 months, have you used any of the following substances?

Stimulants like methamphetamine or speed

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.5 %
2	2 = No	9994	82.1 %
	Total	10,050	82.6%

This variable has 10,050 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,122	17.4%

Percentages for both tables are based on 12,172 total cases.

Location: 10387-10394 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0676_04: In past 30 days, used: Stimulants like methamphetamine or speed

[PROGRAM NOTE: See Box R02_YXR08 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you used [SUBSTANCEFILL] in the past 30 days?

Stimulants like methamphetamine or speed

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens, or continuing youth respondents who have used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0220_NB_02 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YX0220_12M_02 = 1).

[GOTO: New baseline youth respondents who have used another substance, go back to Box R02_YXR01, R02_YX0220_NB or Box R02_YXR07. Else, continuing youth respondents who have used another substance, go back to Box R02_YXR08, until R02_YX0676[_01/.../_05] has been asked about for all selected substances. Else, go to Box R02_YXV02.]

[GOTO Specification: IF R02_NEW_BASELINE_ADULT_LD = 1 AND, GO TO BOX R02_YXR07. ELSE, IF R02_CONTINUING_ADULT_LD = 1 AND R02_YX0220_12M_01 = 1, GO TO R02_YX0676_05. ELSE, GO TO BOX R02_YXV02.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	26	0.2 %
2	2 = No	34	0.3 %
	Total	60	0.5%

This variable has 60 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12112	99.5 %
	Total	12,112	99.5%

Percentages for both tables are based on 12,172 total cases.

Location: 10395-10402 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0220_12M_03: In past 12 months, used substance: Any other drugs like heroin, inhalants, solvents or hallucinogens

In the past 12 months, have you used any of the following substances?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Continuing youth respondents.

ASK Specification: IF R02_CONTINUING_YOUTH_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	97	0.8 %
2	2 = No	9959	81.8 %
	Total	10,056	82.6%

This variable has 10,056 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	2091	17.2 %
	Total	2,116	17.4%

Percentages for both tables are based on 12,172 total cases.

Location: 10403-10410 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0676_05: In past 30 days, used: Any other drugs like heroin, inhalants, solvents or hallucinogens

[PROGRAM NOTE: See Box R02_YXR08 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you used [SUBSTANCEFILL] in the past 30 days?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens, or continuing youth respondents who have used Ritalin® or Adderall®, painkillers, sedatives, or tranquilizers not prescribed for them, cocaine or crack, stimulants like methamphetamine or speed, or other drugs like heroin, inhalants, solvents, or hallucinogens in the past 12 months.

ASK Specification: IF (R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YX0220_NB_03 = 1) OR (R02_CONTINUING_YOUTH_LD = 1 AND R02_YX0220_12M_03 = 1).

[GOTO: New baseline youth respondents who have used another substance, go back to Box R02_YXR01, R02_YX0220_NB or Box R02_YXR07. Else, continuing youth respondents who have used another substance, go back to Box R02_YXR08, until R02_YX0676[_01/.../_05] has been asked about for all selected substances. Else, go to Box R02_YXV02.]

[GOTO Specification: GO TO BOX R02_YXV02.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.3 %
2	2 = No	61	0.5 %
	Total	100	0.8%

This variable has 100 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12071	99.2 %
	Total	12,072	99.2%

Percentages for both tables are based on 12,172 total cases.

Location: 10411-10418 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0170: Last time that you used alcohol or other drugs weekly or more often

[PROGRAM NOTE: See Box R02_YXV02 and R02_YXR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

When was the last time that . . .

You used alcohol or other drugs weekly or more often?

ASK: Youth respondents who have ever used alcohol or have ever used drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	456	3.7 %
2	2 = 2 to 12 months ago	515	4.2 %
3	3 = Over a year ago	321	2.6 %
4	4 = Never	3931	32.3 %
	Total	5,223	42.9%

This variable has 5,223 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	204	1.7 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	6715	55.2 %
	Total	6,949	57.1%

Percentages for both tables are based on 12,172 total cases.

Location: 10419-10426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0175_01: Substance used weekly or more often: Alcohol

[Box R02_YXR03 - Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R02_YX0175. Else, go to R02_YX0171.]

IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2, GO TO R02_YX0175. ELSE, GO TO R02_YX0171.]

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent

previously indicated he/she used. Display option 1 if R02_EVER_USER_ALC = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	419	3.4 %
2	2 = Not Marked	466	3.8 %
	Total	885	7.3%

This variable has 885 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	11249	92.4 %
	Total	11,287	92.7%

Percentages for both tables are based on 12,172 total cases.

Location: 10427-10434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0175_02: Substance used weekly or more often: Marijuana, hash, THC, grass, pot, or weed

[Box R02_YXR03 - Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R02_YX0175. Else, go to R02_YX0171.]

IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2, GO TO R02_YX0175. ELSE, GO TO R02_YX0171.]

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana, hash, THC, grass, pot, or weed

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 2 if R02_EVER_USER_MJ = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	609	5.0 %
2	2 = Not Marked	276	2.3 %

Value	Label	Unweighted Frequency	%
	Total	885	7.3%

This variable has 885 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	11249	92.4 %
	Total	11,287	92.7%

Percentages for both tables are based on 12,172 total cases.

Location: 10435-10442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0175_03: Substance used weekly or more often: Ritalin® or Adderall®

[Box R02_YXR03 - Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R02_YX0175. Else, go to R02_YX0171.]

IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2, GO TO R02_YX0175. ELSE, GO TO R02_YX0171.]

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin® or Adderall®

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 3 if R02_EVER_USER_RIT= 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.2 %
2	2 = Not Marked	857	7.0 %
	Total	885	7.3%

This variable has 885 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	11249	92.4 %
	Total	11,287	92.7%

Percentages for both tables are based on 12,172 total cases.

Location: 10443-10450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0175_04: Substance used weekly or more often: Painkillers, sedatives or tranquilizers

[Box R02_YXR03 - Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R02_YX0175. Else, go to R02_YX0171.]

IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2, GO TO R02_YX0175. ELSE, GO TO R02_YX0171.]

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 4 if R02_EVER_USER_PK= 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	102	0.8 %
2	2 = Not Marked	783	6.4 %
	Total	885	7.3%

This variable has 885 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	11249	92.4 %
	Total	11,287	92.7%

Percentages for both tables are based on 12,172 total cases.

Location: 10451-10458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0175_05: Substance used weekly or more often: Cocaine or crack

[Box R02_YXR03 - Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R02_YX0175. Else, go to R02_YX0171.]

IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2, GO TO R02_YX0175. ELSE, GO TO R02_YX0171.]

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 5 if R02_EVER_USER_COC = 1;.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	871	7.2 %
	Total	885	7.3%

This variable has 885 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	11249	92.4 %
	Total	11,287	92.7%

Percentages for both tables are based on 12,172 total cases.

Location: 10459-10466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0175_06: Substance used weekly or more often: Stimulants like methamphetamine or speed

[Box R02_YXR03 - Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R02_YX0175. Else, go to R02_YX0171.]

IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2, GO TO R02_YX0175. ELSE, GO TO R02_YX0171.]

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 6 if R02_EVER_USER_STIM = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1 %
2	2 = Not Marked	870	7.1 %
	Total	885	7.3%

This variable has 885 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	11249	92.4 %
	Total	11,287	92.7%

Percentages for both tables are based on 12,172 total cases.

Location: 10467-10474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0175_07: Substance used weekly or more often: Any other drugs like heroin, inhalants, solvents or hallucinogens

[Box R02_YXR03 - Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R02_YX0175. Else, go to R02_YX0171.]

IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2, GO TO R02_YX0175. ELSE, GO TO R02_YX0171.]

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which

substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R02_YX0170 = 1, 2, 3 AND R02_SUBSTANCE_COUNT >= 2.

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 7 if R02_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.2 %
2	2 = Not Marked	860	7.1 %
	Total	885	7.3%

This variable has 885 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	11249	92.4 %
	Total	11,287	92.7%

Percentages for both tables are based on 12,172 total cases.

Location: 10475-10482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0171: Last time that you spent a lot of time either getting alcohol or other drugs

When was the last time that . . .

You spent a lot of time getting alcohol or other drugs?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	259	2.1 %
2	2 = 2 to 12 months ago	305	2.5 %
3	3 = Over a year ago	238	2.0 %

Value	Label	Unweighted Frequency	%
4	4 = Never	4414	36.3 %
	Total	5,216	42.9%

This variable has 5,216 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	204	1.7 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	6715	55.2 %
	Total	6,956	57.1%

Percentages for both tables are based on 12,172 total cases.

Location: 10483-10490 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0172: Last time that you kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people

When was the last time that . . .

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	111	0.9 %
2	2 = 2 to 12 months ago	135	1.1 %
3	3 = Over a year ago	175	1.4 %
4	4 = Never	4795	39.4 %
	Total	5,216	42.9%

This variable has 5,216 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	204	1.7 %
-8	-8 = Don't know	19	0.2 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	6715	55.2 %

	Missing Data		
	Total	6,956	57.1%

Percentages for both tables are based on 12,172 total cases.

Location: 10491-10498 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0173: Last time that your use of alcohol or other drugs caused you to reduce your involvement in activities at work, school, home or social events

When was the last time that . . .

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	95	0.8 %
2	2 = 2 to 12 months ago	146	1.2 %
3	3 = Over a year ago	136	1.1 %
4	4 = Never	4826	39.6 %
	Total	5,203	42.7%

This variable has 5,203 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	204	1.7 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	21	0.2 %
-1	-1 = Inapplicable	6715	55.2 %
	Total	6,969	57.3%

Percentages for both tables are based on 12,172 total cases.

Location: 10499-10506 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0193: Last time that you spent a lot of time using or recovering from alcohol or other drugs

When was the last time that . . .

You spent a lot of time using or recovering from alcohol or other drugs?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	103	0.8 %
2	2 = 2 to 12 months ago	141	1.2 %
3	3 = Over a year ago	115	0.9 %
4	4 = Never	4861	39.9 %
	Total	5,220	42.9%

This variable has 5,220 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	204	1.7 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	6715	55.2 %
	Total	6,952	57.1%

Percentages for both tables are based on 12,172 total cases.

Location: 10507-10514 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0174: Last time that you had withdrawal problems

When was the last time that . . .

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	312	2.6 %
2	2 = 2 to 12 months ago	204	1.7 %
3	3 = Over a year ago	165	1.4 %
4	4 = Never	4534	37.2 %
	Total	5,215	42.8%

This variable has 5,215 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	204	1.7 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	6715	55.2 %
	Total	6,957	57.2%

Percentages for both tables are based on 12,172 total cases.

Location: 10515-10522 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0194: Last time that you used alcohol or other drugs to stop being sick or avoid withdrawal problems

When was the last time that . . .

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 1.

[GOTO: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, go to R02_YX0176. Else, go to Box R02_YMT01.]

[GOTO Specification: IF R02_SUBSTANCE_COUNT >= 2 AND (R02_YX0193 = 1, 2, 3 OR R02_YX0172 = 1, 2, 3 OR R02_YX0173 = 1, 2, 3 OR R02_YX0174 = 1, 2, 3 OR R02_YX0194 = 1, 2, 3), GO TO R02_YX0176. ELSE, GO TO BOX R02_YMT01.]

Value	Label	Unweighted Frequency	%
1	1 = Past month	102	0.8 %
2	2 = 2 to 12 months ago	94	0.8 %
3	3 = Over a year ago	86	0.7 %
4	4 = Never	4939	40.6 %
	Total	5,221	42.9%

This variable has 5,221 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	204	1.7 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	6715	55.2 %
	Total	6,951	57.1%

Percentages for both tables are based on 12,172 total cases.

Location: 10523-10530 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0176_01: Substance that caused some problems for you: Alcohol

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 2 AND (R02_YX0193 = 1, 2, 3 OR R02_YX0172 = 1, 2, 3 OR R02_YX0173 = 1, 2, 3 OR R02_YX0174 = 1, 2, 3 OR R02_YX0194 = 1, 2, 3).

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option R02_EVER_USER_ALC = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	267	2.2 %
2	2 = Not Marked	249	2.0 %
	Total	516	4.2%

This variable has 516 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %

	Missing Data		
-8	-8 = Don't know	69	0.6 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	11535	94.8 %
	Total	11,656	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 10531-10538 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0176_02: Substance that caused some problems for you: Marijuana, hash, THC, grass, pot or weed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana, hash, THC, grass, pot, or weed

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 2 AND (R02_YX0193 = 1, 2, 3 OR R02_YX0172 = 1, 2, 3 OR R02_YX0173 = 1, 2, 3 OR R02_YX0174 = 1, 2, 3 OR R02_YX0194 = 1, 2, 3).

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 2 if R02_EVER_USER_MJ = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	227	1.9 %
2	2 = Not Marked	289	2.4 %
	Total	516	4.2%

This variable has 516 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	69	0.6 %
-7	-7 = Refused	48	0.4 %

	Missing Data		
-1	-1 = Inapplicable	11535	94.8 %
	Total	11,656	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 10539-10546 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0176_03: Substance that caused some problems for you: Ritalin® or Adderall®

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin® or Adderall®

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 2 AND (R02_YX0193 = 1, 2, 3 OR R02_YX0172 = 1, 2, 3 OR R02_YX0173 = 1, 2, 3 OR R02_YX0174 = 1, 2, 3 OR R02_YX0194 = 1, 2, 3).

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 3 if R02_EVER_USER_RIT= 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.2 %
2	2 = Not Marked	494	4.1 %
	Total	516	4.2%

This variable has 516 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	69	0.6 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	11535	94.8 %
	Total	11,656	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 10547-10554 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0176_04: Substance that caused some problems for you: Painkillers, sedatives or tranquilizers

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 2 AND (R02_YX0193 = 1, 2, 3 OR R02_YX0172 = 1, 2, 3 OR R02_YX0173 = 1, 2, 3 OR R02_YX0174 = 1, 2, 3 OR R02_YX0194 = 1, 2, 3).

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 4 if R02_EVER_USER_PK= 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	81	0.7 %
2	2 = Not Marked	435	3.6 %
	Total	516	4.2%

This variable has 516 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	69	0.6 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	11535	94.8 %
	Total	11,656	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 10555-10562 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0176_05: Substance that caused some problems for you: Cocaine or crack

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 2 AND (R02_YX0193 = 1, 2, 3 OR R02_YX0172 = 1, 2, 3 OR R02_YX0173 = 1, 2, 3 OR R02_YX0174 = 1, 2, 3 OR R02_YX0194 = 1, 2, 3).

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 5 if R02_EVER_USER_COC = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	503	4.1 %
	Total	516	4.2%

This variable has 516 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	69	0.6 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	11535	94.8 %
	Total	11,656	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 10563-10570 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0176_06: Substance that caused some problems for you: Stimulants like methamphetamine or speed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that

apply.

Stimulants like methamphetamine or speed

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 2 AND (R02_YX0193 = 1, 2, 3 OR R02_YX0172 = 1, 2, 3 OR R02_YX0173 = 1, 2, 3 OR R02_YX0174 = 1, 2, 3 OR R02_YX0194 = 1, 2, 3).

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 6 if R02_EVER_USER_STIM = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	504	4.1 %
	Total	516	4.2%

This variable has 516 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	69	0.6 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	11535	94.8 %
	Total	11,656	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 10571-10578 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YX0176_07: Substance that caused some problems for you: Any other drugs like heroin, inhalants, solvents or hallucinogens

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Youth respondents who have used two or more substances and kept using alcohol or other

drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R02_SUBSTANCE_COUNT >= 2 AND (R02_YX0193 = 1, 2, 3 OR R02_YX0172 = 1, 2, 3 OR R02_YX0173 = 1, 2, 3 OR R02_YX0174 = 1, 2, 3 OR R02_YX0194 = 1, 2, 3).

[PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 7 if R02_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2 %
2	2 = Not Marked	492	4.0 %
	Total	516	4.2%

This variable has 516 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	69	0.6 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	11535	94.8 %
	Total	11,656	95.8%

Percentages for both tables are based on 12,172 total cases.

Location: 10579-10586 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02R_Y_YM0018: DERIVED - Grade level (If on holiday or break - grade level entering when returning to school) (7 levels)

Long Description: What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.

Original Variables: R02_YM0019, R02_YM0018

Algorithm: IF (1 <= R02_YM0018 <= 3) THEN R02R_Y_YM0018 = 1; ELSE IF R02_YM0018 = 4 THEN R02R_Y_YM0018 = 2; ELSE IF R02_YM0018 = 5 THEN R02R_Y_YM0018 = 3; ELSE IF R02_YM0018 = 6 THEN R02R_Y_YM0018 = 4; ELSE IF R02_YM0018 = 7 THEN R02R_Y_YM0018 = 5; ELSE IF R02_YM0018 = 8 THEN R02R_Y_YM0018 = 6; ELSE IF (9 <= R02_YM0018 <= 13) OR (R02_YM0019=2) THEN R02R_Y_YM0018 = 7; ELSE IF R02_YM0018 = -9 OR R02_YM0019 = -9 THEN R02R_Y_YM0018 = -99999; ELSE IF R02_YM0018 = -8 OR R02_YM0019 = -8 THEN R02R_Y_YM0018 = -99988; ELSE IF R02_YM0018 = -7 OR R02_YM0019 = -7 THEN R02R_Y_YM0018 = -99977;

ELSE IF R02_YM0018 = -1 OR R02_YM0019 = -1 THEN R02R_Y_YM0018 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = 6th grade or below	748	6.1 %
2	2 = 7th grade	1854	15.2 %
3	3 = 8th grade	1994	16.4 %
4	4 = 9th grade	2024	16.6 %
5	5 = 10th grade	1998	16.4 %
6	6 = 11th grade	1775	14.6 %
7	7 = Other (not enrolled this year or last, home schooled, school not graded, 12th grade, college or vocational school)	1735	14.3 %
	Total	12,128	99.6%

This variable has 12,128 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	31	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	44	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 10587-10594 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R02_YM0032: Worked for pay in past 30 days for someone outside home

In the past 30 days, did you work for pay for anyone outside your home? This includes both regular jobs and things like baby-sitting or yard work.

ASK: All youth respondents.

[GOTO: Emancipated youth respondents, go to R02_YM0030. Else, go to R02_YM0008.]

[GOTO Specification: IF R02_E_YOUTH_LD = 1, GO TO R02_YM0030. ELSE, GO TO R02_YM0008.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	4498	37.0 %
2	2 = No	7644	62.8 %

Value	Label	Unweighted Frequency	%
	Total	12,142	99.8%

This variable has 12,142 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	30	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 10595-10602 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R02_YM0008: Money received in total during an average week

During an average week, how much money do you receive in total? Please include money from a job, your family, an allowance, or any other sources.

ASK: Youth respondents who are not emancipated.

ASK Specification: IF R02_E_YOUTH_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = None	3814	31.3 %
2	2 = Less than \$1	421	3.5 %
3	3 = \$1 to \$5	1373	11.3 %
4	4 = \$6 to \$10	1355	11.1 %
5	5 = \$11 to \$20	1990	16.3 %
6	6 = \$21 to \$50	1364	11.2 %
7	7 = \$51 to \$100	786	6.5 %
8	8 = \$101 to \$150	406	3.3 %
9	9 = \$151 or more	519	4.3 %
	Total	12,028	98.8%

This variable has 12,028 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	99	0.8 %

	Missing Data		
-7	-7 = Refused	45	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	144	1.2%

Percentages for both tables are based on 12,172 total cases.

Location: 10603-10610 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

VARPSU: PSU Indicator for Variance Estimation

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10611-10618 (width: 8; decimal: 0)

Variable Type: numeric

VARSTRAT: Stratum Indicator for Variance Estimation

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10619-10626 (width: 8; decimal: 0)

Variable Type: numeric

R02_Y_PWGT: Wave 2 Youth Longitudinal Weight

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10627-10634 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT1: Wave 2 Youth Longitudinal Replicate Weight 1

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10635-10642 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT2: Wave 2 Youth Longitudinal Replicate Weight 2

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10643-10650 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT3: Wave 2 Youth Longitudinal Replicate Weight 3

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10651-10658 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT4: Wave 2 Youth Longitudinal Replicate Weight 4

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10659-10666 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT5: Wave 2 Youth Longitudinal Replicate Weight 5

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10667-10674 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT6: Wave 2 Youth Longitudinal Replicate Weight 6

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10675-10682 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT7: Wave 2 Youth Longitudinal Replicate Weight 7

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10683-10690 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT8: Wave 2 Youth Longitudinal Replicate Weight 8

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10691-10698 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT9: Wave 2 Youth Longitudinal Replicate Weight 9

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10699-10706 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT10: Wave 2 Youth Longitudinal Replicate Weight 10

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10707-10714 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT11: Wave 2 Youth Longitudinal Replicate Weight 11

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10715-10722 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT12: Wave 2 Youth Longitudinal Replicate Weight 12

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10723-10730 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT13: Wave 2 Youth Longitudinal Replicate Weight 13

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10731-10738 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT14: Wave 2 Youth Longitudinal Replicate Weight 14

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10739-10746 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT15: Wave 2 Youth Longitudinal Replicate Weight 15

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10747-10754 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT16: Wave 2 Youth Longitudinal Replicate Weight 16

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10755-10762 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT17: Wave 2 Youth Longitudinal Replicate Weight 17

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10763-10770 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT18: Wave 2 Youth Longitudinal Replicate Weight 18

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10771-10778 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT19: Wave 2 Youth Longitudinal Replicate Weight 19

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10779-10786 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT20: Wave 2 Youth Longitudinal Replicate Weight 20

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10787-10794 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT21: Wave 2 Youth Longitudinal Replicate Weight 21

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10795-10802 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT22: Wave 2 Youth Longitudinal Replicate Weight 22

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10803-10810 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT23: Wave 2 Youth Longitudinal Replicate Weight 23

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10811-10818 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT24: Wave 2 Youth Longitudinal Replicate Weight 24

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10819-10826 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT25: Wave 2 Youth Longitudinal Replicate Weight 25

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10827-10834 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT26: Wave 2 Youth Longitudinal Replicate Weight 26

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10835-10842 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT27: Wave 2 Youth Longitudinal Replicate Weight 27

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10843-10850 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT28: Wave 2 Youth Longitudinal Replicate Weight 28

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10851-10858 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT29: Wave 2 Youth Longitudinal Replicate Weight 29

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10859-10866 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT30: Wave 2 Youth Longitudinal Replicate Weight 30

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10867-10874 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT31: Wave 2 Youth Longitudinal Replicate Weight 31

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10875-10882 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT32: Wave 2 Youth Longitudinal Replicate Weight 32

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10883-10890 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT33: Wave 2 Youth Longitudinal Replicate Weight 33

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10891-10898 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT34: Wave 2 Youth Longitudinal Replicate Weight 34

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10899-10906 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT35: Wave 2 Youth Longitudinal Replicate Weight 35

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10907-10914 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT36: Wave 2 Youth Longitudinal Replicate Weight 36

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10915-10922 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT37: Wave 2 Youth Longitudinal Replicate Weight 37

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10923-10930 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT38: Wave 2 Youth Longitudinal Replicate Weight 38

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10931-10938 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT39: Wave 2 Youth Longitudinal Replicate Weight 39

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10939-10946 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT40: Wave 2 Youth Longitudinal Replicate Weight 40

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10947-10954 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT41: Wave 2 Youth Longitudinal Replicate Weight 41

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10955-10962 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT42: Wave 2 Youth Longitudinal Replicate Weight 42

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10963-10970 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT43: Wave 2 Youth Longitudinal Replicate Weight 43

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10971-10978 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT44: Wave 2 Youth Longitudinal Replicate Weight 44

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10979-10986 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT45: Wave 2 Youth Longitudinal Replicate Weight 45

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10987-10994 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT46: Wave 2 Youth Longitudinal Replicate Weight 46

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 10995-11002 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT47: Wave 2 Youth Longitudinal Replicate Weight 47

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11003-11010 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT48: Wave 2 Youth Longitudinal Replicate Weight 48

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11011-11018 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT49: Wave 2 Youth Longitudinal Replicate Weight 49

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11019-11026 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT50: Wave 2 Youth Longitudinal Replicate Weight 50

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11027-11034 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT51: Wave 2 Youth Longitudinal Replicate Weight 51

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11035-11042 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT52: Wave 2 Youth Longitudinal Replicate Weight 52

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11043-11050 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT53: Wave 2 Youth Longitudinal Replicate Weight 53

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11051-11058 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT54: Wave 2 Youth Longitudinal Replicate Weight 54

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11059-11066 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT55: Wave 2 Youth Longitudinal Replicate Weight 55

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11067-11074 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT56: Wave 2 Youth Longitudinal Replicate Weight 56

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11075-11082 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT57: Wave 2 Youth Longitudinal Replicate Weight 57

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11083-11090 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT58: Wave 2 Youth Longitudinal Replicate Weight 58

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11091-11098 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT59: Wave 2 Youth Longitudinal Replicate Weight 59

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11099-11106 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT60: Wave 2 Youth Longitudinal Replicate Weight 60

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11107-11114 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT61: Wave 2 Youth Longitudinal Replicate Weight 61

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11115-11122 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT62: Wave 2 Youth Longitudinal Replicate Weight 62

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11123-11130 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT63: Wave 2 Youth Longitudinal Replicate Weight 63

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11131-11138 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT64: Wave 2 Youth Longitudinal Replicate Weight 64

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11139-11146 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT65: Wave 2 Youth Longitudinal Replicate Weight 65

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11147-11154 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT66: Wave 2 Youth Longitudinal Replicate Weight 66

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11155-11162 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT67: Wave 2 Youth Longitudinal Replicate Weight 67

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11163-11170 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT68: Wave 2 Youth Longitudinal Replicate Weight 68

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11171-11178 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT69: Wave 2 Youth Longitudinal Replicate Weight 69

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11179-11186 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT70: Wave 2 Youth Longitudinal Replicate Weight 70

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11187-11194 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT71: Wave 2 Youth Longitudinal Replicate Weight 71

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11195-11202 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT72: Wave 2 Youth Longitudinal Replicate Weight 72

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11203-11210 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT73: Wave 2 Youth Longitudinal Replicate Weight 73

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11211-11218 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT74: Wave 2 Youth Longitudinal Replicate Weight 74

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11219-11226 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT75: Wave 2 Youth Longitudinal Replicate Weight 75

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11227-11234 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT76: Wave 2 Youth Longitudinal Replicate Weight 76

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11235-11242 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT77: Wave 2 Youth Longitudinal Replicate Weight 77

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11243-11250 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT78: Wave 2 Youth Longitudinal Replicate Weight 78

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11251-11258 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT79: Wave 2 Youth Longitudinal Replicate Weight 79

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11259-11266 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT80: Wave 2 Youth Longitudinal Replicate Weight 80

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11267-11274 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT81: Wave 2 Youth Longitudinal Replicate Weight 81

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11275-11282 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT82: Wave 2 Youth Longitudinal Replicate Weight 82

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11283-11290 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT83: Wave 2 Youth Longitudinal Replicate Weight 83

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11291-11298 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT84: Wave 2 Youth Longitudinal Replicate Weight 84

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11299-11306 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT85: Wave 2 Youth Longitudinal Replicate Weight 85

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11307-11314 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT86: Wave 2 Youth Longitudinal Replicate Weight 86

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11315-11322 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT87: Wave 2 Youth Longitudinal Replicate Weight 87

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11323-11330 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT88: Wave 2 Youth Longitudinal Replicate Weight 88

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11331-11338 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT89: Wave 2 Youth Longitudinal Replicate Weight 89

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11339-11346 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT90: Wave 2 Youth Longitudinal Replicate Weight 90

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11347-11354 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT91: Wave 2 Youth Longitudinal Replicate Weight 91

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11355-11362 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT92: Wave 2 Youth Longitudinal Replicate Weight 92

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11363-11370 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT93: Wave 2 Youth Longitudinal Replicate Weight 93

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11371-11378 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT94: Wave 2 Youth Longitudinal Replicate Weight 94

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11379-11386 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT95: Wave 2 Youth Longitudinal Replicate Weight 95

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11387-11394 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT96: Wave 2 Youth Longitudinal Replicate Weight 96

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11395-11402 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT97: Wave 2 Youth Longitudinal Replicate Weight 97

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11403-11410 (width: 8; decimal: 2)

Variable Type: numeric

R02_Y_PWGT98: Wave 2 Youth Longitudinal Replicate Weight 98

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11411-11418 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT99: Wave 2 Youth Longitudinal Replicate Weight 99

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11419-11426 (width: 8; decimal: 2)
Variable Type: numeric

R02_Y_PWGT100: Wave 2 Youth Longitudinal Replicate Weight 100

This variable has 12,172 valid cases out of 12,172 total cases.

Location: 11427-11434 (width: 8; decimal: 2)
Variable Type: numeric

R02R_Y_AGE CAT2: DERIVED - Age range when interviewed (2 levels)

Long Description: Age (in years) at the time of interview.

Original Variables: R02R_Y_AGE

Algorithm: [STEP1: Create intermediate variable R02R_Y_AGE: JIF (R02_CPT07 [Corrected Date of Birth] != .) THEN R02R_Y_AGE = R02_YouthInterviewDT [Youth Interview Date] - R02_CPT07; ELSE IF (R01_CPT07 != .) THEN R02R_Y_AGE = R02_YouthInterviewDT - R01_CPT07; [STEP2: Create R02R_Y_AGE CAT2: JIF (12 <= R02R_Y_AGE <= 14) THEN R02R_Y_AGE CAT2 = 1; ELSE IF (15 <= R02R_Y_AGE <= 17) THEN R02R_Y_AGE CAT2 = 2; ELSE IF R02_CPT07 = . THEN R02R_Y_AGE CAT2 = -99999;

Value	Label	Unweighted Frequency	%
1	1 = 12 to 14 years old	6266	51.5 %
2	2 = 15 to 17 years old	5906	48.5 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 12,172 total cases.

Location: 11435-11442 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -99999 , -97777

R02R_Y_AGE_CHECK: DERIVED - Youth respondent's age (in years) at Wave 2 is within the expected range

Long Description: Youth respondent's age (in years) at the time of the Wave 2 interview is within the expected range.

Algorithm: IF (WAVE1_INTERVIEW = 2) THEN DO; IF (R02R_Y_AGE >= 0 AND R01R_Y_AGE >= 0) THEN DO; IF (((R02R_Y_AGE - R01R_Y_AGE) >= 0) AND ((R02R_Y_AGE - R01R_Y_AGE) <= 2))) THEN R02R_Y_AGE_CHECK = 1; ELSE R02R_Y_AGE_CHECK = 2; END; END; ELSE IF (WAVE1_INTERVIEW = 3) THEN DO; IF (R02R_Y_AGE IN (12, 13)) THEN R02R_Y_AGE_CHECK = 1; ELSE R02R_Y_AGE_CHECK = 2; END;

[Notes: All shadow youth were between ages 9 and 11 at Wave 1. Wave 2 new baseline youth are assumed to be between 12 and 13 years old.]

Value	Label	Unweighted Frequency	%
1	1 = Age is within expected range	12157	99.9 %
2	2 = Age is not within expected range	15	0.1 %
	Total	12,172	100.0%

This variable has 12,172 valid cases out of 12,172 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 12,172 total cases.

Location: 11443-11450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R02R_Y_SEX: DERIVED - Wave 2 Youth Gender

Long Description: Wave 2 Youth gender from the interview.

Algorithm: IF R02_CONTINUING_YOUTH_LD = 1 THEN R02R_Y_SEX = R01R_Y_SEX; ELSE IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YM0004_NB >= 1 THEN R02R_Y_SEX = R02_YM0004_NB; ELSE IF R02_YM0004_NB = -9 THEN R02R_Y_SEX = -99999; ELSE IF R02_YM0004_NB = -8 THEN R02R_Y_SEX = -99988; ELSE IF R02_YM0004_NB = -7 THEN R02R_Y_SEX = -99977;

Value	Label	Unweighted Frequency	%
1	1 = Male	6225	51.1 %
2	2 = Female	5918	48.6 %
	Total	12,143	99.8%

This variable has 12,143 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	29	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 11451-11458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -97777

R02R_Y_HISP: DERIVED - Wave 2 Youth Hispanic Origin (2 levels)

Long Description: Wave 2 Youth Hispanic origin from the interview (2 levels).

Original Variables: R02_YM0005_NB_01, R02_YM0005_NB_02, R02_YM0005_NB_03,
R02_YM0005_NB_04, R02_YM0005_NB_05

Algorithm: IF R02_CONTINUING_YOUTH_LD = 1 THEN R02R_Y_HISP = R01R_Y_HISP; ELSE IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YM0005_NB_01 = 1 (Youth Ethnic origin Not Hispanic, Latino or Spanish) THEN R02R_Y_HISP = 2; ELSE IF R02_NEW_BASELINE_YOUTH_LD = 1 AND R02_YM0005_NB_01 = 2 THEN R02R_Y_HISP = 1; ELSE IF R02_YM0005_NB_01 = -9 THEN R02R_Y_HISP=-99999; ELSE IF R02_YM0005_NB_01 = -8 THEN R02R_Y_HISP=-99988; ELSE IF R02_YM0005_NB_01 = -7 THEN R02R_Y_HISP=-99977.

Value	Label	Unweighted Frequency	%
1	1 = Hispanic	3502	28.8 %
2	2 = Not Hispanic	8382	68.9 %
	Total	11,884	97.6%

This variable has 11,884 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	225	1.8 %
-99977	-99977 = Missing due to a refused response on one or more component variables	63	0.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	288	2.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11459-11466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -97777

R02R_Y_RACECAT3: DERIVED - Race from the interview (3 levels)

Long Description: Race (3 levels).

Original Variables: R02_YM0006_NB_01, R02_YM0006_NB_02, R02_YM0006_NB_03, R02_YM0006_NB_04, R02_YM0006_NB_05, R02_YM0006_NB_06, R02_YM0006_NB_07, R02_YM0006_NB_08, R02_YM0006_NB_09, R02_YM0006_NB_10, R02_YM0006_NB_11, R02_YM0006_NB_12, R02_YM0006_NB_13, R02_YM0006_NB_14

Algorithm: IF R02_CONTINUING_YOUTH_LD = 1 THEN R02R_Y_RACECAT3 = R01R_Y_RACECAT3; ELSE IF R02_NEW_BASELINE_YOUTH_LD = 1 THEN DO; IF ALL R02_YM0006_NB_xx variables (Youth Race Categories) have values (1,2) THEN do the following: [STEP 1: Create intermediate variable MULT_RACE:]IF more than one of the variables in the list = 1 THEN MULT_RACE = 1 ; ELSE MULT_RACE = 2;

[STEP 2: Assign R02R_Y_RACECAT3:]IF R02_YM0006_NB_01 = 1 (Youth Race is White) AND MULT_RACE = 2 THEN R02R_Y_RACECAT3 = 1; ELSE IF R02_YM0006_NB_02 = 1 (Youth Race is African American) AND MULT_RACE = 2 THEN R02R_Y_RACECAT3 = 2; ELSE R02R_Y_RACECAT3 = 3;

[STEP 3: Handle missing values:] IF ALL R02_YM0006_NB_xx variables (Youth Race Categories) have values = -9 THEN R02R_Y_RACECAT3 = -99999; ELSE IF ALL R02_YM0006_NB_xx variables (Youth Race Categories) have values = -8 THEN R02R_Y_RACECAT3 = -99988; ELSE IF ALL R02_YM0006_NB_xx variables (Youth Race Categories) have values = -7 THEN R02R_Y_RACECAT3 = -99977.

Value	Label	Unweighted Frequency	%
1	1 = White alone	7832	64.3 %
2	2 = Black alone	1826	15.0 %
3	3 = Other	1823	15.0 %
	Total	11,481	94.3%

This variable has 11,481 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	539	4.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	152	1.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	691	5.7%

Percentages for both tables are based on 12,172 total cases.

Location: 11467-11474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R02R_Y_BMI: DERIVED - Body mass index

Long Description: Body mass index.

Original Variables: R02_PT0007_FT, R02_PT0007_IN, R02_PT0007_MT, R02_PT0008_LB, R02_PT0008_KG, R02_YX0310, R02_YT0007_FT, R02_YT0007_IN, R02_YX0311, R02_YT0008, R02_YX0312

Algorithm: [STEP 1: Create intermediate variable R02R_P_HTINCH: JIF R02_PT0007_IN < 0 AND R02_PT0007_FT < 0 AND R02_PT0007_MT < 0 THEN R02R_P_HTINCH = . ; ELSE IF R02_PT0007_FT >= 0 OR R02_PT0007_IN >= 0 THEN R02R_P_HTINCH = (R02_PT0007_FT*12 + R02_PT0007_IN); ELSE IF R02_PT0007_MT >= 0 THEN R02R_P_HTINCH = (R02_PT0007_MT*39.3701);

[STEP 2: Create intermediate variable R02R_P_WTPNDS: JIF R02_PT0008_LB < 0 AND R02_PT0008_KG < 0 THEN R02R_P_WTPNDS = . ; ELSE IF R02_PT0008_LB >= 0 THEN R02R_P_WTPNDS = R02_PT0008_LB; ELSE IF R02_PT0008_KG >= 0 THEN R02R_P_WTPNDS = (R02_PT0008_KG*2.20462);

[STEP 3: Create intermediate variable R02R_Y_HTINCH:]JIF R02_YX0310 = 1, -7, -8 THEN (IF R02_YT0007_FT >= 0 AND R02_YT0007_IN >= 0 THEN R02R_Y_HTINCH = (R02_YT0007_FT*12 + R02_YT0007_IN) IF R02_YT0007_FT < 0 THEN R02R_Y_HTINCH = .)IF R02_YX0310 = 2 THEN (IF R02_YX0311 >= 0 THEN R02R_Y_HTINCH = R02_YX0311*39.3701 IF R02_YX0311 < 0 THEN R02R_Y_HTINCH= .);

[STEP 4: Create intermediate variable R02R_Y_WTPNDS:]JIF R02_YX0310 = 1 OR < 0 AND R02_YT0008 < 0 THEN R02R_Y_WTPNDS = . IF R02_YX0310 = 1 OR < 0 AND R02_YT0008 >= 0 THEN R02R_Y_WTPNDS = R02_YT0008 IF R02_YX0310 = 2 AND R02_YX0312 < 0 THEN R02R_Y_WTPNDS = . IF R02_YX0310 = 2 AND R02_YX0312 >= 0 THEN R02R_Y_WTPNDS = R02_YX0312*2.20462;

[STEP 5: Create R02R_Y_BMI:] IF not missing(R02R_P_HTINCH) and not missing(R02R_P_WTPNDS) THEN R02R_Y_BMI = 703 * (R02R_P_WTPNDS / (R02R_P_HTINCH * R02R_P_HTINCH)); ELSE IF not missing(R02R_P_HTINCH) and not missing(R02R_Y_WTPNDS) THEN R02R_Y_BMI = 703 * (R02R_Y_WTPNDS / (R02R_P_HTINCH * R02R_P_HTINCH)); ELSE IF not missing(R02R_Y_HTINCH) and not missing(R02R_P_WTPNDS) THEN R02R_Y_BMI = 703 * (R02R_P_WTPNDS / (R02R_Y_HTINCH * R02R_Y_HTINCH)); ELSE IF not missing(R02R_Y_HTINCH) and not missing(R02R_Y_WTPNDS) THEN R02R_Y_BMI = 703 * (R02R_Y_WTPNDS / (R02R_Y_HTINCH * R02R_Y_HTINCH)); ELSE IF (R02_PT0007_FT = -9 OR R02_PT0007_IN = -9 OR R02_PT0007_MT = -9 OR R02_PT0008_LB = -9 OR R02_PT0008_KG = -9 OR R02_YT0007_FT = -9 OR R02_YT0007_IN = -9 OR R02_YT0008 = -9 OR R02_YX0311 = -9 OR R02_YX0312 = -9) THEN R02R_Y_BMI = -99999; ELSE IF (R02_PT0007_FT = -8 OR R02_PT0007_IN = -8 OR R02_PT0007_MT = -8 OR R02_PT0008_LB = -8 OR R02_PT0008_KG = -8 OR R02_YT0007_FT = -8 OR R02_YT0007_IN = -8 OR R02_YT0008 = -8 OR R02_YX0311 = -8 OR R02_YX0312 = -8) THEN R02R_Y_BMI = -99988; ELSE IF (R02_PT0007_FT = -7 OR R02_PT0007_IN = -7 OR R02_PT0007_MT = -7 OR R02_PT0008_LB = -7 OR R02_PT0008_KG = -7 OR R02_YT0007_FT = -7 OR R02_YT0007_IN = -7 OR R02_YT0008 = -7 OR R02_YX0311 = -7 OR R02_YX0312 = -7) THEN R02R_Y_BMI = -99977; ELSE IF (R02_PT0007_FT = -5 OR R02_PT0007_IN = -5 OR R02_PT0007_MT = -5 OR R02_PT0008_LB = -5 OR R02_PT0008_KG = -5 OR R02_YT0007_FT = -5 OR R02_YT0007_IN = -5 OR R02_YT0008 = -5 OR R02_YX0311 = -5 OR R02_YX0312 = -5) THEN R02R_Y_BMI = -99955; ELSE IF (R02_PT0007_FT = -1 OR R02_PT0007_IN = -1 OR R02_PT0007_MT = -1 OR R02_PT0008_LB = -1 OR R02_PT0008_KG = -1 OR R02_YT0007_FT = -1 OR R02_YT0007_IN = -1 OR R02_YT0008 = -1 OR R02_YX0311 = -1 OR R02_YX0312 = -1) THEN R02R_Y_BMI = -99911; IF R02R_Y_BMI > 60 THEN R02R_Y_BMI = 60;

This variable has 12,121 valid cases out of 12,172 total cases.

- Mean: 22.67
- Minimum: 8.58
- Maximum: 58.10
- Standard Deviation: 5.21

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	33	0.3 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	51	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11475-11483 (width: 9; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02R_Y_EVR_CIGS: DERIVED - Wave 2 Youth Ever Cigarette Smoker

Long Description: Wave 2 Youth respondents who have ever smoked a cigarette.

Algorithm: IF R02_YC1002_NB = 1 OR R02_YC1002_12M = 1 OR R01R_Y_EVR_CIGS = 1, THEN R02R_Y_EVR_CIGS = 1; ELSE IF R02_YC1002_NB = 2 OR (R01R_Y_EVR_CIGS = 2 AND R02_YC1002_12M = 2), THEN R02R_Y_EVR_CIGS = 2; ELSE IF R02_YC1002_NB=-9 OR R02_YC1002_12M=-9, THEN R02R_Y_EVR_CIGS = -99999; ELSE IF R02_YC1002_NB=-8 OR R02_YC1002_12M=-8, THEN R02R_Y_EVR_CIGS = -99988; ELSE IF R02_YC1002_NB=-7 OR R02_YC1002_12M=-7, THEN R02R_Y_EVR_CIGS = -99977; ELSE IF R01R_Y_EVR_CIGS in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_EVR_CIGS = -99966; ELSE IF R02_YC1002_NB=-1 OR R02_YC1002_12M=-1, THEN R02R_Y_EVR_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1428	11.7 %
2	2 = No	10720	88.1 %
	Total	12,148	99.8%

This variable has 12,148 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	12	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	24	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 11484-11491 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_CIGS: DERIVED - Wave 2 Youth Never to Ever Cigarette Smoker

Long Description: Wave 2 Youth respondents who started smoking cigarettes between waves.

Algorithm: IF R01R_Y_EVR_CIGS = 2 AND R02_YC1002_12M = 1, THEN R02R_Y_NEW_CIGS = 1; ELSE IF R01R_Y_EVR_CIGS = 1 OR R02_YC1002_12M = 2, THEN R02R_Y_NEW_CIGS = 2; ELSE IF R02_YC1002_12M=-1, THEN R02R_Y_NEW_CIGS = -99933; ELSE IF R02_YC1002_12M=-9, THEN R02R_Y_NEW_CIGS = -99999; ELSE IF R02_YC1002_12M=-8, THEN R02R_Y_NEW_CIGS = -99988; ELSE IF R02_YC1002_12M=-7, THEN R02R_Y_NEW_CIGS = -99977; ELSE IF R01R_Y_EVR_CIGS in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_NEW_CIGS = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	338	2.8 %
2	2 = No	9733	80.0 %
	Total	10,071	82.7%

This variable has 10,071 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,101	17.3%

Percentages for both tables are based on 12,172 total cases.

Location: 11492-11499 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_EVR_THRSH_CIGS: DERIVED - Wave 2 Youth Cigarette Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 2 Youth respondents who have smoked 100 or more cigarettes in their lifetime.

Algorithm: IF R02R_Y_EVR_CIGS=1 AND (R01_YC1005=7 OR R02_YC1005=7) THEN R02R_Y_EVR_THRSH_CIGS=1; ELSE IF

```

R02R_Y_EVR_CIGS=2 OR (R02R_Y_EVR_CIGS=1 AND R02_YC1005 in (1,2,3,4,5,6))
THEN R02R_Y_EVR_THRSH_CIGS=2; ELSE IF
R02R_Y_EVR_CIGS=-99999 OR R02_YC1005=-9 THEN R02R_Y_EVR_THRSH_CIGS=-99999;
ELSE IF R02R_Y_EVR_CIGS=-99988
OR R02_YC1005=-8 THEN R02R_Y_EVR_THRSH_CIGS=-99988; ELSE IF
R02R_Y_EVR_CIGS=-99977 OR R02_YC1005=-7 THEN
R02R_Y_EVR_THRSH_CIGS=-99977; ELSE IF R02R_Y_EVR_CIGS=-99966
THEN R02R_Y_EVR_THRSH_CIGS=-99966; ELSE IF
R02R_Y_EVR_CIGS=-99911 OR R02_YC1005=-1 THEN
R02R_Y_EVR_THRSH_CIGS=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	250	2.1 %
2	2 = No	11825	97.1 %
	Total	12,075	99.2%

This variable has 12,075 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	52	0.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	33	0.3 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	12	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	97	0.8%

Percentages for both tables are based on 12,172 total cases.

Location: 11500-11507 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_CUR_CIGS: DERIVED - Wave 2 Youth Current Cigarette Smoker

Long Description: Wave 2 Youth respondents who have ever smoked a cigarette and have smoked in the past 30 days.

Algorithm: IF R02R_Y_EVR_CIGS = 1 AND R02_YC1112 in (1, 2, 3), THEN R02R_Y_CUR_CIGS = 1; ELSE IF R02R_Y_EVR_CIGS = 2 OR (R02R_Y_EVR_CIGS = 1 AND R02_YC1112 in (4, 5, 6, 7)) OR R02_YC1002_12M=2, THEN R02R_Y_CUR_CIGS = 2; ELSE IF R02R_Y_EVR_CIGS=-99999 OR R02_YC1112=-9 OR R02_YC1002_12M=-9, THEN R02R_Y_CUR_CIGS = -99999; ELSE IF R02R_Y_EVR_CIGS=-99988 OR R02_YC1112=-8 OR R02_YC1002_12M=-8, THEN R02R_Y_CUR_CIGS = -99988; ELSE IF R02R_Y_EVR_CIGS=-99977 OR R02_YC1112=-7 OR R02_YC1002_12M=-7, THEN R02R_Y_CUR_CIGS = -99977; ELSE IF R02R_Y_EVR_CIGS=-99966, THEN R02R_Y_CUR_CIGS = -99966; ELSE IF R02R_Y_EVR_CIGS=-99911 OR R02_YC1112=-1 OR R02_YC1002_12M=-1, THEN R02R_Y_CUR_CIGS

= -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	481	4.0 %
2	2 = No	11670	95.9 %
	Total	12,151	99.8%

This variable has 12,151 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	21	0.2%

Percentages for both tables are based on 12,172 total cases.

Location: 11508-11515 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_DAYSREG_CIGS: DERIVED - Wave 2 Youth number of days smoking regular brand of cigarettes

Long Description: Wave 2 Youth recode of length of time smoking regular brand of cigarettes into days.

IF R02_YC1051_UN=1, THEN R02R_Y_DAYSREG_CIGS=R02_YC1051_NN; ELSE IF R02_YC1051_UN=2, THEN R02R_Y_DAYSREG_CIGS=R02_YC1051_NN*30.4375; ELSE IF R02_YC1051_UN=3, THEN R02R_Y_DAYSREG_CIGS=R02_YC1051_NN*365.25; ELSE IF R02_YC1051_NN=-9, THEN R02R_Y_DAYSREG_CIGS=-99999; ELSE IF R02_YC1051_NN=-8, THEN R02R_Y_DAYSREG_CIGS=-99988; ELSE IF R02_YC1051_NN=-7, THEN R02R_Y_DAYSREG_CIGS=-99977; ELSE IF R02_YC1051_NN=-5, THEN R02R_Y_DAYSREG_CIGS=-99955; ELSE IF R02_YC1051_NN=-1, THEN R02R_Y_DAYSREG_CIGS=-99911;

This variable has 232 valid cases out of 12,172 total cases.

- Mean: 610.31
- Median: 365.25
- Mode: 365.25
- Minimum: 1.00
- Maximum: 6209.25

- Standard Deviation: 732.17

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11932	98.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,940	98.1 %

Percentages for both tables are based on 12,172 total cases.

Location: 11516-11524 (width: 9; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R02R_Y_EVR_EPRODS: DERIVED - Wave 2 Youth Ever Electronic Nicotine Product User - 3 Categories

Long Description: Wave 2 Youth respondents who have ever used any electronic nicotine products.

Algorithm: IF R02_YO1002 = 1 OR (R01R_Y_EVR_ECIG =1 AND R02_YO1002 != 2), THEN R02R_Y_EVR_EPRODS = 1; ELSE IF R02_YE1001_NB = 2 OR (R02_YE1001_NB=1 AND R02_YO1002=2) OR (R02_YO1002 = 2 AND R01R_Y_EVR_ECIG=2), THEN R02R_Y_EVR_EPRODS = 2; ELSE IF R01R_Y_EVR_ECIG=1 AND R02_YO1002=2, THEN R02R_Y_EVR_EPRODS=3; ELSE IF R02_YO1002=-9 OR R02_YE1001_NB=-9, THEN R02R_Y_EVR_EPRODS = -99999; ELSE IF R02_YO1002=-8 OR R02_YE1001_NB=-8, THEN R02R_Y_EVR_EPRODS = -99988; ELSE IF R02_YO1002=-7 OR R02_YE1001_NB=-7, THEN R02R_Y_EVR_EPRODS = -99977; ELSE IF R01R_Y_EVR_ECIG in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_EVR_EPRODS = -99966; ELSE IF R02_YO1002=-1 OR R02_YE1001_NB=-1, THEN R02R_Y_EVR_EPRODS = -99911;

Notes: Analytically, the first [1 = Ever (Non-Recanter)] and third [3 = Wave 1 Ever, Wave 2 Never] categories are treated as ever users. If a respondent has ever said he/she used the product (in Wave 1 or 2), they are treated as an ever user.

Value	Label	Unweighted Frequency	%
1	1 = Wave 1 Ever or Wave 2 Ever	1972	16.2 %
2	2 = Wave 1 Never and Wave 2 Never	9948	81.7 %
3	3 = Wave 1 Ever and Wave 2 Never	194	1.6 %
	Total	12,114	99.5 %

This variable has 12,114 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	28	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	58	0.5%

Percentages for both tables are based on 12,172 total cases.

Location: 11525-11532 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_EVR_ECIG: DERIVED - Wave 2 Youth Ever E-Cigarette User - 3 Categories

Long Description: Wave 2 Youth respondents who have ever used an e-cigarette.

Algorithm: IF R02_YO9035_01 = 1 OR (R01R_Y_EVR_ECIG=1 AND R02_YO1002 !=2 AND R02_YO9035_01 != 2), THEN R02R_Y_EVR_ECIG = 1; ELSE IF R02_YE1001_NB = 2 OR ((R02_YO1002 = 2 OR R02_YO9035_01 = 2) AND R01R_Y_EVR_ECIG != 1), THEN R02R_Y_EVR_ECIG = 2; ELSE IF R01R_Y_EVR_ECIG=1 AND (R02_YO1002=2 OR R02_YO9035_01=2), THEN R02R_Y_EVR_ECIG=3; ELSE IF R02_YO9035_01=-9 OR R02_YE1001_NB=-9 OR R02_YO1002=-9, THEN R02R_Y_EVR_ECIG = -99999; ELSE IF R02_YO9035_01=-8 OR R02_YE1001_NB=-8 OR R02_YO1002=-8, THEN R02R_Y_EVR_ECIG = -99988; ELSE IF R02_YO9035_01=-7 OR R02_YE1001_NB=-7 OR R02_YO1002=-7, THEN R02R_Y_EVR_ECIG = -99977; ELSE IF R01R_Y_EVR_ECIG in (-99999, -99988, -99977, -99955, -99911), THEN R02R_Y_EVR_ECIG = -99966; ELSE IF R02_YO9035_01=-1 OR R02_YE1001_NB=-1 OR R02_YO1002=-1, THEN R02R_Y_EVR_ECIG = -99911;

Notes: Analytically, the first [1 = Ever (Non-Recanter)] and third [3 = Wave 1 Ever, Wave 2 Never] categories are treated as ever users. If a respondent has ever said he/she used the product (in Wave 1 or 2), they are treated as an ever user.

Value	Label	Unweighted Frequency	%
1	1 = Wave 1 Ever or Wave 2 Ever	1406	11.6 %
2	2 = Wave 1 Never and Wave 2 Never	10398	85.4 %
3	3 = Wave 1 Ever and Wave 2 Never	309	2.5 %
	Total	12,113	99.5%

This variable has 12,113 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	32	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	27	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	59	0.5%

Percentages for both tables are based on 12,172 total cases.

Location: 11533-11540 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_ECIG: DERIVED - Wave 2 Youth Never to Ever E-Cigarette User

Long Description: Wave 2 Youth respondents who started e-cigarette use between waves.

Algorithm: IF R01R_Y_EVR_ECIG = 2 AND R02_YO9035_01 = 1, THEN R02R_Y_NEW_ECIG = 1; ELSE IF R01R_Y_EVR_ECIG = 1 OR (R02_YE1001_NB = -1 AND (R02_YO1002 = 2 OR R02_YO9035_01 = 2)), THEN R02R_Y_NEW_ECIG = 2; ELSE IF R02_YE1001_NB != -1, THEN R02R_Y_NEW_ECIG = -99933; ELSE IF R02_YO9035_01 = -9 OR R02_YO1002 = -9, THEN R02R_Y_NEW_ECIG = -99999; ELSE IF R02_YO9035_01 = -8 OR R02_YO1002 = -8, THEN R02R_Y_NEW_ECIG = -99988; ELSE IF R02_YO9035_01 = -7 OR R02_YO1002 = -7, THEN R02R_Y_NEW_ECIG = -99977; ELSE IF R01R_Y_EVR_ECIG in (-99999, -99988, -99977, -99955, -99911), THEN R02R_Y_NEW_ECIG = -99966; ELSE IF R02_YO9035_01 = -1 OR R02_YO1002 = -1, THEN R02R_Y_NEW_ECIG = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	819	6.7 %
2	2 = No	9217	75.7 %
	Total	10,036	82.5%

This variable has 10,036 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	3	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,136	17.5%

Percentages for both tables are based on 12,172 total cases.

Location: 11541-11548 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_EVR_THRSH_ECIG: DERIVED - Wave 2 Youth E-Cigarette Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 2 Youth respondents who have ever used e-cigarettes fairly regularly.

Algorithm: IF R02R_Y_EVR_ECIG=1 AND R02_YE1100=1 THEN R02R_Y_EVR_THRSH_ECIG=1;
ELSE IF R02R_Y_EVR_ECIG in
(2,3) OR (R02R_Y_EVR_ECIG=1 AND R02_YE1100=2) THEN R02R_Y_EVR_THRSH_ECIG=2;
ELSE IF R02R_Y_EVR_ECIG=-99999
OR R02_YE1100=-9 THEN R02R_Y_EVR_THRSH_ECIG = -99999; ELSE IF
R02R_Y_EVR_ECIG=-99988 OR R02_YE1100=-8 THEN
R02R_Y_EVR_THRSH_ECIG = -99988; ELSE IF R02R_Y_EVR_ECIG=-99977 OR
R02_YE1100=-7 THEN R02R_Y_EVR_THRSH_ECIG = -99977;
ELSE IF R02R_Y_EVR_ECIG=-99966 THEN R02R_Y_EVR_THRSH_ECIG = -99966;
ELSE IF R02R_Y_EVR_ECIG=-99911 OR R02_YE1100=-1
THEN R02R_Y_EVR_THRSH_ECIG = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	303	2.5 %
2	2 = No	11789	96.9 %
	Total	12,092	99.3%

This variable has 12,092 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	13	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	34	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	30	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	80	0.7%

Percentages for both tables are based on 12,172 total cases.

Location: 11549-11556 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_CUR_ECIG: DERIVED - Wave 2 Youth Current E-Cigarette User

Long Description: Wave 2 Youth respondents who have ever used an e-cigarette and have used in the past 30 days.

Algorithm: IF R02R_Y_EVR_ECIG = 1 AND R02_YE1112 in (1, 2, 3), THEN R02R_Y_CUR_ECIG = 1; ELSE IF R02R_Y_EVR_ECIG = 2 OR (R02R_Y_EVR_ECIG = 1 AND R02_YE1112 in (4, 5, 6, 7)) OR R02R_Y_EVR_ECIG = 3, THEN R02R_Y_CUR_ECIG = 2; ELSE IF R02R_Y_EVR_ECIG=-99999 OR R02_YE1112=-9 OR R02_YO9035_01=-9 OR R02_YO1002=-9, THEN R02R_Y_CUR_ECIG = -99999; ELSE IF R02R_Y_EVR_ECIG=-99988 OR R02_YE1112=-8 OR R02_YO9035_01=-8 OR R02_YO1002=-8, THEN R02R_Y_CUR_ECIG = -99988; ELSE IF R02R_Y_EVR_ECIG=-99977 OR R02_YE1112=-7 OR R02_YO9035_01=-7 OR R02_YO1002=-7, THEN R02R_Y_CUR_ECIG = -99977; ELSE IF R02R_Y_EVR_ECIG=-99966, THEN R02R_Y_CUR_ECIG = -99966; ELSE IF R02R_Y_EVR_ECIG=-99911 OR R02_YE1112=-1 OR R02_YO9035_01=-1 OR R02_YO1002=-1, THEN R02R_Y_CUR_ECIG = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	415	3.4 %
2	2 = No	11665	95.8 %
	Total	12,080	99.2%

This variable has 12,080 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	13	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	41	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	38	0.3 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	92	0.8%

Percentages for both tables are based on 12,172 total cases.

Location: 11557-11564 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_EVR_GTRAD: DERIVED - Wave 2 Youth Ever Traditional Cigar Smoker

Long Description: Wave 2 Youth respondents who have ever smoked a traditional cigar.

Algorithm: IF R01R_Y_EVR_GTRAD = 1 OR (R02_YG1002_NB = 1 AND R02_YG9104_NB_01 = 1) OR (R02_YG1002_12M = 1 AND R02_YG9104_12M_01 = 1), THEN R02R_Y_EVR_GTRAD = 1; ELSE IF R02_YG9101_NB = 2 OR R02_YG1002_NB = 2 OR R02_YG9104_NB_01 = 2 OR ((R02_YG1002_12M = 2 OR R02_YG9104_12M_01 = 2) AND R01R_Y_EVR_GTRAD = 2), THEN R02R_Y_EVR_GTRAD = 2; ELSE IF R02_YG1002_NB=-9 OR R02_YG9104_NB_01=-9 OR R02_YG1002_12M=-9 OR R02_YG9104_12M_01=-9 OR R02_YG9101_NB=-9, THEN R02R_Y_EVR_GTRAD = -99999; ELSE IF R02_YG1002_NB=-8 OR R02_YG9104_NB_01=-8 OR R02_YG1002_12M=-8 OR R02_YG9104_12M_01=-8 OR R02_YG9101_NB=-8, THEN R02R_Y_EVR_GTRAD = -99988; ELSE IF R02_YG1002_NB=-7 OR R02_YG9104_NB_01=-7 OR R02_YG1002_12M=-7 OR R02_YG9104_12M_01=-7 OR R02_YG9101_NB=-7, THEN R02R_Y_EVR_GTRAD = -99977; ELSE IF R01R_Y_EVR_GTRAD in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_EVR_GTRAD = -99966; ELSE IF R02_YG1002_NB=-1 OR R02_YG9104_NB_01=-1 OR R02_YG1002_12M=-1 OR R02_YG9104_12M_01=-1 OR R02_YG9101_NB=-1, THEN R02R_Y_EVR_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	268	2.2 %
2	2 = No	11670	95.9 %
	Total	11,938	98.1%

This variable has 11,938 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	195	1.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	234	1.9%

Percentages for both tables are based on 12,172 total cases.

Location: 11565-11572 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_GTRAD: DERIVED - Wave 2 Youth Never to Ever Traditional Cigar Smoker

Long Description: Wave 2 Youth respondents who started smoking traditional cigars between waves.

Algorithm: IF R01R_Y_EVR_GTRAD = 2 AND (R02_YG1002_12M = 1 AND R02_YG9104_12M_01 = 1), THEN R02R_Y_NEW_GTRAD = 1; ELSE IF R01R_Y_EVR_GTRAD = 1 OR R02_YG1002_12M = 2 OR R02_YG9104_12M_01 = 2, THEN R02R_Y_NEW_GTRAD = 2; ELSE IF R02_YG1002_12M=-1, THEN R02R_Y_NEW_GTRAD = -99933; ELSE IF R02_YG1002_12M=-9 OR R02_YG9104_12M_01=-9, THEN R02R_Y_NEW_GTRAD = -99999; ELSE IF R02_YG1002_12M=-8 OR R02_YG9104_12M_01=-8, THEN

R02R_Y_NEW_GTRAD = -99988; ELSE IF R02_YG1002_12M=-7 OR R02_YG9104_12M_01=-7, THEN
R02R_Y_NEW_GTRAD = -99977; ELSE IF R01R_Y_EVR_GTRAD in (-99999,-99988,-99977,-99955,-99911),
THEN R02R_Y_NEW_GTRAD = -99966; ELSE IF R02_YG9104_12M_01=-1, THEN R02R_Y_NEW_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	108	0.9 %
2	2 = No	9939	81.7 %
	Total	10,047	82.5%

This variable has 10,047 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,125	17.5%

Percentages for both tables are based on 12,172 total cases.

Location: 11573-11580 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_EVR_THRSH_GTRAD: DERIVED - Wave 2 Youth Traditional Cigar Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 2 Youth respondents who have ever smoked traditional cigars fairly regularly.

Algorithm: IF R02R_Y_EVR_GTRAD=1 AND R02_YG1100TC=1 THEN R02R_Y_EVR_THRSH_GTRAD=1;
ELSE IF R02R_Y_EVR_GTRAD=2
OR (R02R_Y_EVR_GTRAD=1 AND R02_YG1100TC=2) THEN R02R_Y_EVR_THRSH_GTRAD=2;
ELSE IF R02R_Y_EVR_GTRAD=-99999 OR
R02_YG1100TC=-9 THEN R02R_Y_EVR_THRSH_GTRAD = -99999; ELSE IF
R02R_Y_EVR_GTRAD=-99988 OR R02_YG1100TC=-8 THEN
R02R_Y_EVR_THRSH_GTRAD = -99988; ELSE IF R02R_Y_EVR_GTRAD=-99977
OR R02_YG1100TC=-7 THEN R02R_Y_EVR_THRSH_GTRAD
= -99977; ELSE IF R02R_Y_EVR_GTRAD=-99966 THEN R02R_Y_EVR_THRSH_GTRAD
= -99966; ELSE IF R02R_Y_EVR_GTRAD=-99911 OR
R02_YG1100TC=-1 THEN R02R_Y_EVR_THRSH_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	28	0.2 %
2	2 = No	11892	97.7 %
	Total	11,920	97.9%

This variable has 11,920 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	195	1.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	16	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	252	2.1%

Percentages for both tables are based on 12,172 total cases.

Location: 11581-11588 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_CUR_GTRAD: DERIVED - Wave 2 Youth Current Traditional Cigar Smoker

Long Description: Wave 2 Youth respondents who have ever smoked a traditional cigar and have smoked in the past 30 days. Does not include respondents who smoked traditional cigars only as blunts.

Algorithm: IF R02R_Y_EVR_GTRAD = 1 AND R02_YG1112TC in (1, 2, 3), THEN R02R_Y_CUR_GTRAD = 1; ELSE IF R02R_Y_EVR_GTRAD = 2 OR (R02R_Y_EVR_GTRAD = 1 AND R02_YG1112TC in (4, 5, 6, 7)) OR (R02R_Y_EVR_GTRAD = 1 AND R02_YG9106TC = 1 AND R02_YG1112TC = -1) OR R02_YG1002_12M = 2 OR R02_YG9104_12M_01 = 2, THEN R02R_Y_CUR_GTRAD = 2; ELSE IF R02R_Y_EVR_GTRAD = -99999 OR R02_YG1112TC = -9 OR R02_YG9106TC = -9 OR R02_YG1002_12M = -9 OR R02_YG9104_12M_01 = -9, THEN R02R_Y_CUR_GTRAD = -99999; ELSE IF R02R_Y_EVR_GTRAD = -99988 OR R02_YG1112TC = -8 OR R02_YG9106TC = -8 OR R02_YG1002_12M = -8 OR R02_YG9104_12M_01 = -8, THEN R02R_Y_CUR_GTRAD = -99988; ELSE IF R02R_Y_EVR_GTRAD = -99977 OR R02_YG1112TC = -7 OR R02_YG9106TC = -7 OR R02_YG1002_12M = -7 OR R02_YG9104_12M_01 = -7, THEN R02R_Y_CUR_GTRAD = -99977; ELSE IF R02R_Y_EVR_GTRAD = -99966, THEN R02R_Y_CUR_GTRAD = -99966; ELSE IF R02R_Y_EVR_GTRAD = -99911 OR R02_YG1112TC = -1 OR R02_YG9106TC = -1 OR R02_YG1002_12M = -1 OR R02_YG9104_12M_01 = -1, THEN R02R_Y_CUR_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	74	0.6 %
2	2 = No	12052	99.0 %
	Total	12,126	99.6%

This variable has 12,126 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	27	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	46	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11589-11596 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_EVR_GRILLO: DERIVED - Wave 2 Youth Ever Cigarillo Smoker

Long Description: Wave 2 Youth respondents who have ever smoked a cigarillo.

Algorithm: IF R01R_Y_EVR_GRILLO = 1 OR (R02_YG9104_NB_02 = 1 AND (R02_YG9009_NB_01 = 1 OR R02_YG9009_NB_03 = 1)) OR (R02_YG9104_12M_02 = 1 AND (R02_YG9009_12M_01 = 1 OR R02_YG9009_12M_03 = 1)), THEN R02R_Y_EVR_GRILLO = 1; ELSE IF R02_YG9101_NB = 2 OR R02_YG1002_NB = 2 OR R02_YG9104_NB_02 = 2 OR (R02_YG9009_NB_01 = 2 AND R02_YG9009_NB_03 = 2) OR (R01R_Y_EVR_GRILLO = 2 AND (R02_YG1002_12M = 2 OR R02_YG9104_12M_02 = 2 OR (R02_YG9009_12M_01 = 2 AND R02_YG9009_12M_03 = 2))), THEN R02R_Y_EVR_GRILLO = 2; ELSE IF R02_YG9104_NB_02=-9 OR R02_YG9009_NB_01=-9 OR R02_YG9009_NB_03=-9 OR R02_YG9104_12M_02=-9 OR R02_YG9009_12M_01=-9 OR R02_YG9009_12M_03=-9 OR R02_YG9101_NB=-9 OR R02_YG1002_NB=-9 OR R02_YG1002_12M=-9, THEN R02R_Y_EVR_GRILLO = -99999; ELSE IF R02_YG9104_NB_02=-8 OR R02_YG9009_NB_01=-8 OR R02_YG9009_NB_03=-8 OR R02_YG9104_12M_02=-8 OR R02_YG9009_12M_01=-8 OR R02_YG9009_12M_03=-8 OR R02_YG9101_NB=-8 OR R02_YG1002_NB=-8 OR R02_YG1002_12M=-8, THEN R02R_Y_EVR_GRILLO = -99988; ELSE IF R02_YG9104_NB_02=-7 OR R02_YG9009_NB_01=-7 OR R02_YG9009_NB_03=-7 OR R02_YG9104_12M_02=-7 OR R02_YG9009_12M_01=-7 OR R02_YG9009_12M_03=-7 OR R02_YG9101_NB=-7 OR R02_YG1002_NB=-7 OR R02_YG1002_12M=-7, THEN R02R_Y_EVR_GRILLO = -99977; ELSE IF R01R_Y_EVR_GRILLO in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_EVR_GRILLO = -99966; ELSE IF R02_YG9104_NB_02=-1 OR R02_YG9009_NB_01=-1 OR R02_YG9009_NB_03=-1 OR R02_YG9104_12M_02=-1 OR R02_YG9009_12M_01=-1 OR R02_YG9009_12M_03=-1 OR R02_YG9101_NB=-1 OR R02_YG1002_NB=-1 OR R02_YG1002_12M=-1, THEN R02R_Y_EVR_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	635	5.2 %
2	2 = No	11243	92.4 %
	Total	11,878	97.6%

This variable has 11,878 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	23	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	247	2.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	294	2.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11597-11604 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_GRILLO: DERIVED - Wave 2 Youth Never to Ever Cigarillo Smoker

Long Description: Wave 2 Youth respondents who started smoking cigarillos between waves.

Algorithm: IF R01R_Y_EVR_GRILLO = 2 AND (R02_YG9104_12M_02 = 1 AND (R02_YG9009_12M_01 = 1 OR R02_YG9009_12M_03 = 1)), THEN R02R_Y_NEW_GRILLO = 1; ELSE IF R01R_Y_EVR_GRILLO = 1 OR (R02_YG1002_12M = 2 OR R02_YG9104_12M_02 = 2 OR (R02_YG9009_12M_01 = 2 AND R02_YG9009_12M_03 = 2)), THEN R02R_Y_NEW_GRILLO = 2; ELSE IF R02_YG1002_12M=-1, THEN R02R_Y_NEW_GRILLO = -99933; ELSE IF R02_YG9104_12M_02=-9 OR R02_YG9009_12M_01=-9 OR R02_YG9009_12M_03=-9 OR R02_YG1002_12M=-9, THEN R02R_Y_NEW_GRILLO = -99999; ELSE IF R02_YG9104_12M_02=-8 OR R02_YG9009_12M_01=-8 OR R02_YG9009_12M_03=-8 OR R02_YG1002_12M=-8, THEN R02R_Y_NEW_GRILLO = -99988; ELSE IF R02_YG9104_12M_02=-7 OR R02_YG9009_12M_01=-7 OR R02_YG9009_12M_03=-7 OR R02_YG1002_12M=-7, THEN R02R_Y_NEW_GRILLO = -99977; ELSE IF R01R_Y_EVR_GRILLO in (-99999,-99988,-99977,-99955,-99911) THEN R02R_Y_NEW_GRILLO = -99966; ELSE IF R02_YG9104_12M_02=-1 OR R02_YG9009_12M_01=-1 OR R02_YG9009_12M_03=-1, THEN R02R_Y_NEW_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	219	1.8 %
2	2 = No	9817	80.7 %
	Total	10,036	82.5%

This variable has 10,036 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	20	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	21	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	4	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,136	17.5%

Percentages for both tables are based on 12,172 total cases.

Location: 11605-11612 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_EVR_THRSH_GRILLO: DERIVED - Wave 2 Youth Cigarillo Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 2 Youth respondents who have ever smoked cigarillos fairly regularly.

Algorithm: IF R02R_Y_EVR_GRILLO=1 AND R02_YG1100CL=1 THEN R02R_Y_EVR_THRSH_GRILLO=1;
ELSE IF R02R_Y_EVR_GRILLO=2
OR (R02R_Y_EVR_GRILLO=1 AND R02_YG1100CL=2) THEN R02R_Y_EVR_THRSH_GRILLO=2;
ELSE IF R02R_Y_EVR_GRILLO=-99999 OR
R02_YG1100CL=-9 THEN R02R_Y_EVR_THRSH_GRILLO = -99999; ELSE IF R02R_Y_EVR_GRILLO=-99988
OR R02_YG1100CL=-8 THEN
R02R_Y_EVR_THRSH_GRILLO = -99988; ELSE IF R02R_Y_EVR_GRILLO=-99977 OR R02_YG1100CL=-7
THEN R02R_Y_EVR_THRSH_GRILLO
= -99977; ELSE IF R02R_Y_EVR_GRILLO=-99966 THEN R02R_Y_EVR_THRSH_GRILLO = -99966;
ELSE IF R02R_Y_EVR_GRILLO=-99911 OR
R02_YG1100CL=-1 THEN R02R_Y_EVR_THRSH_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	53	0.4 %
2	2 = No	11670	95.9 %
	Total	11,723	96.3%

This variable has 11,723 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	26	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.2 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	247	2.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	152	1.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	449	3.7%

Percentages for both tables are based on 12,172 total cases.

Location: 11613-11620 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_CUR_GRILLO: DERIVED - Wave 2 Youth Current Cigarillo Smoker

Long Description: Wave 2 Youth respondents who have ever smoked a cigarillo and have smoked in the past 30 days. Does not include respondents who smoked cigarillos only as blunts.

Algorithm: IF R02R_Y_EVR_GRILLO = 1 AND R02_YG1112CL in (1, 2, 3), THEN R02R_Y_CUR_GRILLO = 1; ELSE IF R02R_Y_EVR_GRILLO = 2 OR (R02R_Y_EVR_GRILLO = 1 AND R02_YG1112CL in (4, 5, 6, 7) AND R02_YG9106CT ! in (-7,-8,-9) AND R02_YG9106CX ! in (-7,-8,-9)) OR (R02R_Y_EVR_GRILLO = 1 AND (R02_YG9009_12M_01=1 AND R02_YG9009_12M_03=2 AND R02_YG9106CT=1) OR (R02_YG9009_12M_01=2 AND R02_YG9009_12M_03=1 AND R02_YG9106CX=1) OR (R02_YG9106CT=1 AND R02_YG9106CX=1) OR (R02_YG9009_NB_01=1 AND R02_YG9009_NB_03=2 AND R02_YG9106CT=1) OR (R02_YG9009_NB_01=2 AND R02_YG9009_NB_03=1 AND R02_YG9106CX=1)) OR ((R02_YG1002_NB=2 OR R02_YG9104_NB_02=2 OR (R02_YG9009_NB_01=2 AND R02_YG9009_NB_03=2)) AND (R02_YG9106CT=1 OR R02_YG9106CX=1)) OR R02_YG1002_12M=2 OR R02_YG9104_12M_02=2 OR (R02_YG9009_12M_01=2 AND R02_YG9009_12M_03=2), THEN R02R_Y_CUR_GRILLO = 2; ELSE IF R02R_Y_EVR_GRILLO=-99999 OR R02_YG1112CL=-9 OR R02_YG9106CT=-9 OR R02_YG9106CX=-9 OR R02_YG9009_12M_01=-9 OR R02_YG9009_12M_03=-9 OR R02_YG9009_NB_01=-9 OR R02_YG9009_NB_03=-9 OR R02_YG9106CT=-9 OR R02_YG9106CX=-9 OR R02_YG1002_NB=-9 OR R02_YG9104_NB_02=-9 OR R02_YG1002_12M=-9 OR R02_YG9104_12M_02=-9, THEN R02R_Y_CUR_GRILLO = -99999; ELSE IF R02R_Y_EVR_GRILLO=-99988 OR R02_YG1112CL=-8 OR R02_YG9106CT=-8 OR R02_YG9106CX=-8 OR R02_YG9009_12M_01=-8 OR R02_YG9009_12M_03=-8 OR R02_YG9009_NB_01=-8 OR R02_YG9009_NB_03=-8 OR R02_YG9106CT=-8 OR R02_YG9106CX=-8 OR R02_YG1002_NB=-8 OR R02_YG9104_NB_02=-8 OR R02_YG1002_12M=-8 OR R02_YG9104_12M_02=-8, THEN R02R_Y_CUR_GRILLO = -99988; ELSE IF R02R_Y_EVR_GRILLO=-99977 OR R02_YG1112CL=-7 OR R02_YG9106CT=-7 OR R02_YG9106CX=-7 OR R02_YG9009_12M_01=-7 OR R02_YG9009_12M_03=-7 OR R02_YG9009_NB_01=-7 OR R02_YG9009_NB_03=-7 OR R02_YG9106CT=-7 OR R02_YG9106CX=-7 OR R02_YG1002_NB=-7 OR R02_YG9104_NB_02=-7 OR R02_YG1002_12M=-7 OR R02_YG9104_12M_02=-7, THEN R02R_Y_CUR_GRILLO = -9997799; ELSE IF R02R_Y_EVR_GRILLO=-99966, THEN R02R_Y_CUR_GRILLO = -99966; ELSE IF R02R_Y_EVR_GRILLO=-99911 OR R02_YG1112CL=-1 OR R02_YG9106CT=-1 OR R02_YG9106CX=-1 OR R02_YG9009_12M_01=-1 OR R02_YG9009_12M_03=-1 OR R02_YG9009_NB_01=-1 OR R02_YG9009_NB_03=-1 OR R02_YG9106CT=-1 OR R02_YG9106CX=-1 OR R02_YG1002_NB=-1 OR R02_YG9104_NB_02=-1 OR R02_YG1002_12M=-1 OR R02_YG9104_12M_02=-1, THEN R02R_Y_CUR_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	121	1.0 %
2	2 = No	11943	98.1 %
	Total	12,064	99.1%

This variable has 12,064 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	27	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	25	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	56	0.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	108	0.9%

Percentages for both tables are based on 12,172 total cases.

Location: 11621-11628 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_EVR_GFILTR: DERIVED - Wave 2 Youth Ever Filtered Cigar Smoker

Long Description: Wave 2 Youth respondents who have ever smoked a filtered cigar.

Algorithm: IF R01R_Y_EVR_GFILTR = 1 OR R02_YG9009_NB_02 = 1 OR R02_YG9009_12M_02 = 1, THEN R02R_Y_EVR_GFILTR = 1; ELSE IF R02_YG9101_NB = 2 OR R02_YG1002_NB = 2 OR R02_YG9104_NB_02 = 2 OR R02_YG9009_NB_02 = 2 OR (R01R_Y_EVR_GFILTR = 2 AND (R02_YG1002_12M = 2 OR R02_YG9104_12M_02 = 2 OR R02_YG9009_12M_02 = 2)), THEN R02R_Y_EVR_GFILTR = 2; ELSE IF R02_YG9009_NB_02=-9 OR R02_YG9009_12M_02=-9 OR R02_YG9101_NB=-9 OR R02_YG1002_NB=-9 OR R02_YG9104_NB_02=-9 OR R02_YG1002_12M=-9 OR R02_YG9104_12M_02=-9, THEN R02R_Y_EVR_GFILTR = -99999; ELSE IF R02_YG9009_NB_02=-8 OR R02_YG9009_12M_02=-8 OR R02_YG9101_NB=-8 OR R02_YG1002_NB=-8 OR R02_YG9104_NB_02=-8 OR R02_YG1002_12M=-8 OR R02_YG9104_12M_02=-8, THEN R02R_Y_EVR_GFILTR = -99988; ELSE IF R02_YG9009_NB_02=-7 OR R02_YG9009_12M_02=-7 OR R02_YG9101_NB=-7 OR R02_YG1002_NB=-7 OR R02_YG9104_NB_02=-7 OR R02_YG1002_12M=-7 OR R02_YG9104_12M_02=-7, THEN R02R_Y_EVR_GFILTR = -99977; ELSE IF R01R_Y_EVR_GFILTR in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_EVR_GFILTR = -99966; ELSE IF R02_YG9009_NB_02=-1 OR R02_YG9009_12M_02=-1 OR R02_YG9101_NB=-1 OR R02_YG1002_NB=-1 OR R02_YG9104_NB_02=-1 OR R02_YG1002_12M=-1 OR R02_YG9104_12M_02=-1, THEN R02R_Y_EVR_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	239	2.0 %
2	2 = No	11632	95.6 %
	Total	11,871	97.5%

This variable has 11,871 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	27	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	251	2.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	301	2.5%

Percentages for both tables are based on 12,172 total cases.

Location: 11629-11636 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_GFILTR: DERIVED - Wave 2 Youth Never to Ever Filtered Cigar Smoker

Long Description: Wave 2 Youth respondents who started smoking filtered cigars between waves.

Algorithm: IF R01R_Y_EVR_GFILTR = 2 AND R02_YG9009_12M_02 = 1, THEN R02R_Y_NEW_GFILTR = 1; ELSE IF R01R_Y_EVR_GFILTR = 1 OR R02_YG1002_12M = 2 OR R02_YG9104_12M_02 = 2 OR R02_YG9009_12M_02 = 2, THEN R02R_Y_NEW_GFILTR = 2; ELSE IF R02_YG1002_12M=-1, THEN R02R_Y_NEW_GFILTR = -99933; ELSE IF R02_YG9009_12M_02=-9 OR R02_YG1002_12M=-9 OR R02_YG9104_12M_02=-9, THEN R02R_Y_NEW_GFILTR = -99999; ELSE IF R02_YG9009_12M_02=-8 OR R02_YG1002_12M=-8 OR R02_YG9104_12M_02=-8, THEN R02R_Y_NEW_GFILTR = -99988; ELSE IF R02_YG9009_12M_02=-7 OR R02_YG1002_12M=-7 OR R02_YG9104_12M_02=-7, THEN R02R_Y_NEW_GFILTR = -99977; ELSE IF R01R_Y_EVR_GFILTR in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_NEW_GFILTR = -99966; ELSE IF R02_YG9009_12M_02=-1 OR R02_YG9104_12M_02=-1, THEN R02R_Y_NEW_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	100	0.8 %
2	2 = No	9937	81.6 %
	Total	10,037	82.5%

This variable has 10,037 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.2 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,135	17.5%

Percentages for both tables are based on 12,172 total cases.

Location: 11637-11644 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_EVR_THRSH_GFILTR: DERIVED - Wave 2 Youth Filtered Cigar Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 2 Youth respondents who have ever smoked filtered cigars fairly regularly.

Algorithm: IF R02R_Y_EVR_GFILTR=1 AND R02_YG1100FC=1 THEN R02R_Y_EVR_THRSH_GFILTR=1;
ELSE IF R02R_Y_EVR_GFILTR=2
OR (R02R_Y_EVR_GFILTR=1 AND R02_YG1100FC=2) THEN R02R_Y_EVR_THRSH_GFILTR=2;
ELSE IF R02R_Y_EVR_GFILTR=-99999 OR
R02_YG1100FC=-9 THEN R02R_Y_EVR_THRSH_GFILTR = -99999; ELSE IF
R02R_Y_EVR_GFILTR=-99988 OR R02_YG1100FC=-8 THEN
R02R_Y_EVR_THRSH_GFILTR = -99988; ELSE IF R02R_Y_EVR_GFILTR=-99977 OR
R02_YG1100FC=-7 THEN R02R_Y_EVR_THRSH_GFILTR
= -99977; ELSE IF R02R_Y_EVR_GFILTR=-99966 THEN R02R_Y_EVR_THRSH_GFILTR
= -99966; ELSE IF R02R_Y_EVR_GFILTR=-99911 OR
R02_YG1100FC=-1 THEN R02R_Y_EVR_THRSH_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	11839	97.3 %
	Total	11,868	97.5%

This variable has 11,868 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	27	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	251	2.1 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	304	2.5%

Percentages for both tables are based on 12,172 total cases.

Location: 11645-11652 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_CUR_GFILTR: DERIVED - Wave 2 Youth Current Filtered Cigar Smoker

Long Description: Wave 2 Youth respondents who have ever smoked a filtered cigar and have smoked in the past 30 days. Does not include respondents who smoked filtered cigars only as blunts.

Algorithm: IF R02R_Y_EVR_GFILTR = 1 AND R02_YG1112FC in (1, 2, 3), THEN R02R_Y_CUR_GFILTR = 1; ELSE IF R02R_Y_EVR_GFILTR = 2 OR (R02R_Y_EVR_GFILTR = 1 AND R02_YG1112FC in (4, 5, 6, 7)) OR (R02R_Y_EVR_GFILTR = 1 AND R02_YG9106FC = 1 AND R02_YG1112FC = -1) OR R02_YG1002_12M = 2 OR R02_YG9104_12M_02 = 2 OR R02_YG9009_12M_02 = 2, THEN R02R_Y_CUR_GFILTR = 2; ELSE IF R02R_Y_EVR_GFILTR=-99999 OR R02_YG1112FC=-9 OR R02_YG9106FC=-9 OR R02_YG1002_12M=-9 OR R02_YG9104_12M_02=-9 OR R02_YG9009_12M_02=-9, THEN R02R_Y_CUR_GFILTR = -99999; ELSE IF R02R_Y_EVR_GFILTR=-99988 OR R02_YG1112FC=-8 OR R02_YG9106FC=-8 OR R02_YG1002_12M=-8 OR R02_YG9104_12M_02=-8 OR R02_YG9009_12M_02=-8, THEN R02R_Y_CUR_GFILTR = -99988; ELSE IF R02R_Y_EVR_GFILTR=-99977 OR R02_YG1112FC=-7 OR R02_YG9106FC=-7 OR R02_YG1002_12M=-7 OR R02_YG9104_12M_02=-7 OR R02_YG9009_12M_02=-7, THEN R02R_Y_CUR_GFILTR = -99977; ELSE IF R02R_Y_EVR_GFILTR=-99966, THEN R02R_Y_CUR_GFILTR = -99966; ELSE IF R02R_Y_EVR_GFILTR=-99911 OR R02_YG1112FC=-1 OR R02_YG9106FC=-1 OR R02_YG1002_12M=-1 OR R02_YG9104_12M_02=-1 OR R02_YG9009_12M_02=-1, THEN R02R_Y_CUR_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	49	0.4 %
2	2 = No	12071	99.2 %
	Total	12,120	99.6%

This variable has 12,120 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	28	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	23	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
	Total	52	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11653-11660 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_EVR_PIPE: DERIVED - Wave 2 Youth Ever Pipe Smoker

Long Description: Wave 2 Youth respondents who have ever smoked a pipe.

Algorithm: IF R01R_Y_EVR_PIPE = 1 OR R02_YP1002_NB = 1 OR R02_YP1002_12M = 1, THEN R02R_Y_EVR_PIPE = 1; ELSE IF (R02_YP1001_NB = 2 OR R02_YP1002_NB = 2) OR (R02_YP1002_12M = 2 AND R01R_Y_EVR_PIPE = 2), THEN R02R_Y_EVR_PIPE = 2; ELSE IF R02_YP1002_NB=-9 OR R02_YP1002_12M=-9 OR R02_YP1001_NB=-9, THEN R02R_Y_EVR_PIPE = -99999; ELSE IF R02_YP1002_NB=-8 OR R02_YP1002_12M=-8 OR R02_YP1001_NB=-8, THEN R02R_Y_EVR_PIPE = -99988; ELSE IF R02_YP1002_NB=-7 OR R02_YP1002_12M=-7 OR R02_YP1001_NB=-7, THEN R02R_Y_EVR_PIPE = -99977; ELSE IF R01R_Y_EVR_PIPE in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_EVR_PIPE = -99966; ELSE IF R02_YP1002_NB=-1 OR R02_YP1002_12M=-1 OR R02_YP1001_NB=-1, THEN R02R_Y_EVR_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	214	1.8 %
2	2 = No	11888	97.7 %
	Total	12,102	99.4%

This variable has 12,102 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	29	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	70	0.6%

Percentages for both tables are based on 12,172 total cases.

Location: 11661-11668 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_PIPE: DERIVED - Wave 2 Youth Never to Ever Pipe Smoker

Long Description: Wave 2 Youth respondents who started smoking pipes between waves.

Algorithm: IF R01R_Y_EVR_PIPE = 2 AND R02_YP1002_12M = 1, THEN R02R_Y_NEW_PIPE = 1; ELSE IF R01R_Y_EVR_PIPE = 1 OR R02_YP1002_12M = 2, THEN R02R_Y_NEW_PIPE = 2; ELSE IF R02_YP1002_12M=-1, THEN R02R_Y_NEW_PIPE = -99933; ELSE IF R02_YP1002_12M=-9, THEN R02R_Y_NEW_PIPE = -99999; ELSE IF R02_YP1002_12M=-8, THEN R02R_Y_NEW_PIPE = -99988; ELSE IF R02_YP1002_12M=-7, THEN R02R_Y_NEW_PIPE = -99977; ELSE IF R01R_Y_EVR_PIPE in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_NEW_PIPE = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	67	0.6 %
2	2 = No	9984	82.0 %
	Total	10,051	82.6%

This variable has 10,051 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,121	17.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11669-11676 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_CUR_PIPE: DERIVED - Wave 2 Youth Current Pipe Smoker

Long Description: Wave 2 Youth respondents who have ever smoked a pipe and have smoked in the past 30 days.

Algorithm: IF R02R_Y_EVR_PIPE = 1 AND R02_YP1112 in (1, 2, 3), THEN R02R_Y_CUR_PIPE = 1; ELSE IF R02R_Y_EVR_PIPE = 2 OR (R02R_Y_EVR_PIPE = 1 AND R02_YP1112 in (4, 5, 6, 7)) OR R02_YP1002_12M = 2, THEN R02R_Y_CUR_PIPE = 2; ELSE IF R02R_Y_EVR_PIPE=-99999 OR R02_YP1112=-9 OR R02_YP1002_12M=-9, THEN R02R_Y_CUR_PIPE = -99999; ELSE IF R02R_Y_EVR_PIPE=-99988 OR R02_YP1112=-8 OR R02_YP1002_12M=-8, THEN R02R_Y_CUR_PIPE = -99988; ELSE IF R02R_Y_EVR_PIPE=-99977 OR R02_YP1112=-7 OR R02_YP1002_12M=-7, THEN R02R_Y_CUR_PIPE = -99977; ELSE IF

R02R_Y_EVR_PIPE=-99966, THEN R02R_Y_CUR_PIPE = -99966; ELSE IF R02R_Y_EVR_PIPE=-99911 OR R02_YP1112=-1 OR R02_YP1002_12M=-1, THEN R02R_Y_CUR_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	12097	99.4 %
	Total	12,126	99.6%

This variable has 12,126 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	27	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	46	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11677-11684 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_EVR_HOOK: DERIVED - Wave 2 Youth Ever Hookah Smoker

Long Description: Wave 2 Youth respondents who have ever smoked a hookah.

Algorithm: IF R01R_Y_EVR_HOOK = 1 OR R02_YH1002_NB = 1 OR R02_YH1002_12M = 1, THEN R02R_Y_EVR_HOOK = 1; ELSE IF R02_YH1001_NB= 2 OR R02_YH1002_NB = 2 OR (R02_YH1002_12M = 2 AND R01R_Y_EVR_HOOK = 2), THEN R02R_Y_EVR_HOOK = 2; ELSE IF R02_YH1002_NB=-9 OR R02_YH1002_12M=-9 OR R02_YH1001_NB=-9, THEN R02R_Y_EVR_HOOK = -99999; ELSE IF R02_YH1002_NB=-8 OR R02_YH1002_12M=-8 OR R02_YH1001_NB=-8, THEN R02R_Y_EVR_HOOK = -99988; ELSE IF R02_YH1002_NB=-7 OR R02_YH1002_12M=-7 OR R02_YH1001_NB=-7, THEN R02R_Y_EVR_HOOK = -99977; ELSE IF R01R_Y_EVR_HOOK in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_EVR_HOOK = -99966; ELSE IF R02_YH1002_NB=-1 OR R02_YH1002_12M=-1 OR R02_YH1001_NB=-1, THEN R02R_Y_EVR_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	799	6.6 %
2	2 = No	11334	93.1 %
	Total	12,133	99.7%

This variable has 12,133 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	19	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	39	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 11685-11692 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_HOOK: DERIVED - Wave 2 Youth Never to Ever Hookah Smoker

Long Description: Wave 2 Youth respondents who started smoking hookah between waves.

Algorithm: IF R01R_Y_EVR_HOOK = 2 AND R02_YH1002_12M = 1, THEN R02R_Y_NEW_HOOK = 1; ELSE IF R01R_Y_EVR_HOOK = 1 OR R02_YH1002_12M = 2, THEN R02R_Y_NEW_HOOK = 2; ELSE IF R02_YH1002_12M=-1, THEN R02R_Y_NEW_HOOK = -99933; ELSE IF R02_YH1002_12M=-9, THEN R02R_Y_NEW_HOOK = -99999; ELSE IF R02_YH1002_12M=-8, THEN R02R_Y_NEW_HOOK = -99988; ELSE IF R02_YH1002_12M=-7, THEN R02R_Y_NEW_HOOK = -99977; ELSE IF R01R_Y_EVR_HOOK in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_NEW_HOOK = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	290	2.4 %
2	2 = No	9776	80.3 %
	Total	10,066	82.7%

This variable has 10,066 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1	0.0 %

	Missing Data		
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,106	17.3%

Percentages for both tables are based on 12,172 total cases.

Location: 11693-11700 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_EVR_THRSH_HOOK: DERIVED - Wave 2 Youth Hookah Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 2 Youth respondents who have ever smoked hookah fairly regularly.

Algorithm: IF R02R_Y_EVR_HOOK=1 AND R02_YH1100=1 THEN R02R_Y_EVR_THRSH_HOOK=1;
ELSE IF R02R_Y_EVR_HOOK=2
OR (R02R_Y_EVR_HOOK=1 AND R02_YH1100=2) THEN R02R_Y_EVR_THRSH_HOOK=2;
ELSE IF R02R_Y_EVR_HOOK=-99999 OR
R02_YH1100=-9 THEN R02R_Y_EVR_THRSH_HOOK = -99999; ELSE IF R02R_Y_EVR_HOOK=-99988
OR R02_YH1100=-8 THEN
R02R_Y_EVR_THRSH_HOOK = -99988; ELSE IF R02R_Y_EVR_HOOK=-99977 OR R02_YH1100=-7
THEN R02R_Y_EVR_THRSH_HOOK = -99977;
ELSE IF R02R_Y_EVR_HOOK=-99966 THEN R02R_Y_EVR_THRSH_HOOK = -99966; ELSE IF
R02R_Y_EVR_HOOK=-99911 OR R02_YH1100=-1
THEN R02R_Y_EVR_THRSH_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	106	0.9 %
2	2 = No	12021	98.8 %
	Total	12,127	99.6%

This variable has 12,127 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	19	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
	Total	45	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11701-11708 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_CUR_HOOK: DERIVED - Wave 2 Youth Current Hookah Smoker

Long Description: Wave 2 Youth respondents who have ever smoked hookah and have smoked in the past 30 days.

Algorithm: IF R02R_Y_EVR_HOOK = 1 AND R02_YH1112 in (1, 2, 3), THEN R02R_Y_CUR_HOOK = 1; ELSE IF R02R_Y_EVR_HOOK = 2 OR (R02R_Y_EVR_HOOK = 1 AND R02_YH1112 in (4, 5, 6, 7)) OR R02_YH1002_12M = 2, THEN R02R_Y_CUR_HOOK = 2; ELSE IF R02R_Y_EVR_HOOK=-99999 OR R02_YH1112=-9 OR R02_YH1002_12M=-9, THEN R02R_Y_CUR_HOOK = -99999; ELSE IF R02R_Y_EVR_HOOK=-99988 OR R02_YH1112=-8 OR R02_YH1002_12M=-8, THEN R02R_Y_CUR_HOOK = -99988; ELSE IF R02R_Y_EVR_HOOK=-99977 OR R02_YH1112=-7 OR R02_YH1002_12M=-7, THEN R02R_Y_CUR_HOOK = -99977; ELSE IF R02R_Y_EVR_HOOK=-99966, THEN R02R_Y_CUR_HOOK = -99966; ELSE IF R02R_Y_EVR_HOOK=-99911 OR R02_YH1112=-1 OR R02_YH1002_12M=-1, THEN R02R_Y_CUR_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	153	1.3 %
2	2 = No	11985	98.5 %
	Total	12,138	99.7%

This variable has 12,138 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	20	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	34	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 11709-11716 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_EVR_SMKLS: DERIVED - Wave 2 Youth Ever Smokeless Tobacco User

Long Description: Wave 2 Youth respondents who have ever used smokeless tobacco.

Algorithm: IF R01R_Y_EVR_SMKLS = 1 OR R02_YS1002_NB_02 = 1 OR R02_YS1002_12M_02 = 1 OR R02_YU1003 in (1,2), THEN R02R_Y_EVR_SMKLS = 1; ELSE IF (R02_YS1001_NB = 2 OR (R02_YS1002_NB_02 = 2 AND R02_YU1003 in (-1,3))) OR (R02_YS1002_12M_02 = 2 AND R02_YU1003 in (-1,3) AND R01R_Y_EVR_SMKLS = 2), THEN R02R_Y_EVR_SMKLS = 2; ELSE IF R02_YS1001_NB=-9 OR R02_YS1002_NB_02=-9 OR R02_YS1002_12M_02=-9 OR R02_YU1003=-9, THEN R02R_Y_EVR_SMKLS = -99999; ELSE IF R02_YS1001_NB=-8 OR R02_YS1002_NB_02=-8 OR R02_YS1002_12M_02=-8 OR R02_YU1003=-8, THEN R02R_Y_EVR_SMKLS = -99988; ELSE IF R02_YS1001_NB=-7 OR R02_YS1002_NB_02=-7 OR R02_YS1002_12M_02=-7 OR R02_YU1003=-7, THEN R02R_Y_EVR_SMKLS = -99977; ELSE IF R01R_Y_EVR_SMKLS in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_EVR_SMKLS = -99966; ELSE IF R02_YS1001_NB=-1 OR R02_YS1002_NB_02=-1 OR R02_YS1002_12M_02=-1 OR R02_YU1003=-1, THEN R02R_Y_EVR_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	469	3.9 %
2	2 = No	11415	93.8 %
	Total	11,884	97.6%

This variable has 11,884 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	142	1.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	47	0.4 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	99	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	288	2.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11717-11724 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_SMKLS: DERIVED - Wave 2 Youth Never to Ever Smokeless Tobacco User

Long Description: Wave 2 Youth respondents who started smokeless tobacco use between waves.

Algorithm: IF R01R_Y_EVR_SMKLS = 2 AND (R02_YS1002_12M_02 = 1 OR R02_YU1003 IN (1,2)), THEN R02R_Y_NEW_SMKLS = 1; ELSE IF R01R_Y_EVR_SMKLS = 1 OR (R02_YS1002_12M_02 = 2 AND R02_YU1003 in (-1,3)), THEN R02R_Y_NEW_SMKLS = 2; ELSE IF R02_YS1002_12M_02=-1, THEN

R02R_Y_NEW_SMKLS = -99933; ELSE IF R02_YS1002_12M_02=-9 OR R02_YU1003=-9, THEN
R02R_Y_NEW_SMKLS = -99999; ELSE IF R02_YS1002_12M_02=-8 OR R02_YU1003=-8, THEN
R02R_Y_NEW_SMKLS = -99988; ELSE IF R02_YS1002_12M_02=-7 OR R02_YU1003=-7, THEN
R02R_Y_NEW_SMKLS = -99977; ELSE IF R01R_Y_EVR_SMKLS in (-99999,-99988,-99977,-99955,-99911),
THEN R02R_Y_NEW_SMKLS = -99966; ELSE IF R02_YU1003=-1, THEN R02R_Y_NEW_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	137	1.1 %
2	2 = No	9774	80.3 %
	Total	9,911	81.4%

This variable has 9,911 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	123	1.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	44	0.4 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	3	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,261	18.6%

Percentages for both tables are based on 12,172 total cases.

Location: 11725-11732 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_EVR_THRSH_SMKLS: DERIVED - Wave 2 Youth Smokeless Tobacco Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 2 Youth respondents who have ever used smokeless tobacco fairly regularly.

Algorithm: IF R02R_Y_EVR_SMKLS=1 AND R02_YS1100SM=1 THEN R02R_Y_EVR_THRSH_SMKLS=1;
ELSE IF R02R_Y_EVR_SMKLS=2
OR (R02R_Y_EVR_SMKLS=1 AND R02_YS1100SM=2) THEN R02R_Y_EVR_THRSH_SMKLS=2;
ELSE IF R02R_Y_EVR_SMKLS=-99999 OR
R02_YS1100SM=-9 THEN R02R_Y_EVR_THRSH_SMKLS = -99999; ELSE IF
R02R_Y_EVR_SMKLS=-99988 OR R02_YS1100SM=-8 THEN
R02R_Y_EVR_THRSH_SMKLS = -99988; ELSE IF R02R_Y_EVR_SMKLS=-99977 OR
R02_YS1100SM=-7 THEN R02R_Y_EVR_THRSH_SMKLS
= -99977; ELSE IF R02R_Y_EVR_SMKLS=-99966 THEN R02R_Y_EVR_THRSH_SMKLS
= -99966; ELSE IF R02R_Y_EVR_SMKLS=-99911 OR

R02_YS1100SM=-1 THEN R02R_Y_EVR_THRSH_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	111	0.9 %
2	2 = No	11758	96.6 %
	Total	11,869	97.5%

This variable has 11,869 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	11	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	145	1.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	48	0.4 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	99	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	303	2.5%

Percentages for both tables are based on 12,172 total cases.

Location: 11733-11740 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_CUR_SMKLS: DERIVED - Wave 2 Youth Current Smokeless Tobacco User

Long Description: Wave 2 Youth respondents who have ever used smokeless tobacco and have used in the past 30 days.

Algorithm: IF R02R_Y_EVR_SMKLS = 1 AND R02_YS1112SM in (1, 2, 3), THEN R02R_Y_CUR_SMKLS = 1; ELSE IF R02R_Y_EVR_SMKLS= 2 OR (R02R_Y_EVR_SMKLS = 1 AND R02_YS1112SM in (4, 5, 6, 7)) OR (R02_YS1002_12M_02 = 2 AND R02_YU1003 ! in (1,2)), THEN R02R_Y_CUR_SMKLS = 2; ELSE IF R02R_Y_EVR_SMKLS=-99999 OR R02_YS1112SM=-9 OR R02_YS1002_12M_02=-9 OR R02_YU1003=-9, THEN R02R_Y_CUR_SMKLS = -99999; ELSE IF R02R_Y_EVR_SMKLS=-99988 OR R02_YS1112SM=-8 OR R02_YS1002_12M_02=-8 OR R02_YU1003=-8, THEN R02R_Y_CUR_SMKLS = -99988; ELSE IF R02R_Y_EVR_SMKLS=-99977 OR R02_YS1112SM=-7 OR R02_YS1002_12M_02=-7 OR R02_YU1003=-7, THEN R02R_Y_CUR_SMKLS = -99977; ELSE IF R02R_Y_EVR_SMKLS=-99966, THEN R02R_Y_CUR_SMKLS = -99966; ELSE IF R02R_Y_EVR_SMKLS=-99911 OR R02_YS1112SM=-1 OR R02_YS1002_12M_02=-1 OR R02_YU1003=-1, THEN R02R_Y_CUR_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	124	1.0 %
2	2 = No	11851	97.4 %

Value	Label	Unweighted Frequency	%
	Total	11,975	98.4%

This variable has 11,975 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	146	1.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	51	0.4 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	197	1.6%

Percentages for both tables are based on 12,172 total cases.

Location: 11741-11748 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_EVR_SNUS: DERIVED - Wave 2 Youth Ever Snus Pouch User

Long Description: Wave 2 Youth respondents who have ever used snus.

Algorithm: IF R01R_Y_EVR_SNUS = 1 OR ((R02_YS1002_NB_01 = 1 OR R02_YS1002_12M_01 = 1) AND R02_YU1003 in (2,3)), THEN R02R_Y_EVR_SNUS = 1; ELSE IF R02_YS1001_NB = 2 OR R02_YS1002_NB_01 = 2 OR (R02_YS1002_NB_01 = 1 AND R02_YU1003 = 1) OR ((R02_YS1002_12M_01 = 2 OR R02_YU1003 = 1) AND R01R_Y_EVR_SNUS = 2), THEN R02R_Y_EVR_SNUS = 2; ELSE IF R02_YS1002_NB_01=-9 OR R02_YS1002_12M_01=-9 OR R02_YU1003=-9 OR R02_YS1001_NB=-9, THEN R02R_Y_EVR_SNUS = -99999; ELSE IF R02_YS1002_NB_01=-8 OR R02_YS1002_12M_01=-8 OR R02_YU1003=-8 OR R02_YS1001_NB=-8, THEN R02R_Y_EVR_SNUS = -99988; ELSE IF R02_YS1002_NB_01=-7 OR R02_YS1002_12M_01=-7 OR R02_YU1003=-7 OR R02_YS1001_NB=-7, THEN R02R_Y_EVR_SNUS = -99977; ELSE IF R01R_Y_EVR_SNUS in (-99999,-99988,-99977,-99955,-99911), then R02R_Y_EVR_SNUS = -99966; ELSE IF R02_YS1002_NB_01=-1 OR R02_YS1002_12M_01=-1 OR R02_YU1003=-1 OR R02_YS1001_NB=-1, THEN R02R_Y_EVR_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	184	1.5 %
2	2 = No	11693	96.1 %
	Total	11,877	97.6%

This variable has 11,877 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	143	1.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	50	0.4 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	101	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	295	2.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11749-11756 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_SNUS: DERIVED - Wave 2 Youth Never to Ever Snus Pouch User

Long Description: Wave 2 Youth respondents who started using snus between waves.

Algorithm: IF R01R_Y_EVR_SNUS = 2 AND (R02_YS1002_12M_01 = 1 AND R02_YU1003 IN (2,3)), THEN R02R_Y_NEW_SNUS= 1; ELSE IF R01R_Y_EVR_SNUS = 1 OR (R02_YS1002_12M_01 = 2 OR (R02_YS1002_12M_01 = 1 AND R02_YU1003 = 1)), THEN R02R_Y_NEW_SNUS = 2; ELSE IF R02_YS1002_12M_01=-1, THEN R02R_Y_NEW_SNUS = -99933; ELSE IF R02_YS1002_12M_01=-9 OR R02_YU1003=-9, THEN R02R_Y_NEW_SNUS = -99999; ELSE IF R02_YS1002_12M_01=-8 OR R02_YU1003=-8, THEN R02R_Y_NEW_SNUS = -99988; ELSE IF R02_YS1002_12M_01=-7 OR R02_YU1003=-7, THEN R02R_Y_NEW_SNUS = -99977; ELSE IF R01R_Y_EVR_SNUS in (-99999,-99988,-99977,-99955,-99911), then R02R_Y_NEW_SNUS = -99966; ELSE IF R02_YU1003=-1, THEN R02R_Y_NEW_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	74	0.6 %
2	2 = No	9833	80.8 %
	Total	9,907	81.4%

This variable has 9,907 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	124	1.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	47	0.4 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,265	18.6%

Percentages for both tables are based on 12,172 total cases.

Location: 11757-11764 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_EVR_THRSH_SNUS: DERIVED - Wave 2 Youth Snus Pouch Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 2 Youth respondents who have ever used snus pouches fairly regularly.

Algorithm: IF R02R_Y_EVR_SNUS=1 AND R02_YS1100SU=1 THEN R02R_Y_EVR_THRSH_SNUS=1;
ELSE IF R02R_Y_EVR_SNUS=2
OR (R02R_Y_EVR_SNUS=1 AND R02_YS1100SU=2) THEN R02R_Y_EVR_THRSH_SNUS=2;
ELSE IF R02R_Y_EVR_SNUS=-99999 OR
R02_YS1100SU=-9 THEN R02R_Y_EVR_THRSH_SNUS = -99999; ELSE IF
R02R_Y_EVR_SNUS=-99988 OR R02_YS1100SU=-8 THEN
R02R_Y_EVR_THRSH_SNUS = -99988; ELSE IF R02R_Y_EVR_SNUS=-99977
OR R02_YS1100SU=-7 THEN R02R_Y_EVR_THRSH_SNUS
= -99977; ELSE IF R02R_Y_EVR_SNUS=-99966 THEN R02R_Y_EVR_THRSH_SNUS
= -99966; ELSE IF R02R_Y_EVR_SNUS=-99911 OR
R02_YS1100SU=-1 THEN R02R_Y_EVR_THRSH_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	44	0.4 %
2	2 = No	11831	97.2 %
	Total	11,875	97.6%

This variable has 11,875 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	145	1.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	50	0.4 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	101	0.8 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	297	2.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11765-11772 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_CUR_SNUS: DERIVED - Wave 2 Youth Current Snus Pouch User

Long Description: Wave 2 Youth respondents who have ever used snus and have used in the past 30 days.

Algorithm: IF R02R_Y_EVR_SNUS = 1 AND R02_YS1112SU in (1, 2, 3), THEN R02R_Y_CUR_SNUS = 1; ELSE IF R02R_Y_EVR_SNUS = 2 OR (R02R_Y_EVR_SNUS = 1 AND R02_YS1112SU in (4, 5, 6, 7)) OR R02_YS1002_12M_01 = 2 OR R02_YU1003 = 1, THEN R02R_Y_CUR_SNUS = 2; ELSE IF R02R_Y_EVR_SNUS = -99999 OR R02_YS1112SU = -9 OR R02_YS1002_12M_01 = -9 OR R02_YU1003 = -9, THEN R02R_Y_CUR_SNUS = -99999; ELSE IF R02R_Y_EVR_SNUS = -99988 OR R02_YS1112SU = -8 OR R02_YS1002_12M_01 = -8 OR R02_YU1003 = -8, THEN R02R_Y_CUR_SNUS = -99988; ELSE IF R02R_Y_EVR_SNUS = -99977 OR R02_YS1112SU = -7 OR R02_YS1002_12M_01 = -7 OR R02_YU1003 = -7, THEN R02R_Y_CUR_SNUS = -99977; ELSE IF R02R_Y_EVR_SNUS = -99966, THEN R02R_Y_CUR_SNUS = -99966; ELSE IF R02R_Y_EVR_SNUS = -99911 OR R02_YS1112SU = -1 OR R02_YS1002_12M_01 = -1 OR R02_YU1003 = -1, THEN R02R_Y_CUR_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.3 %
2	2 = No	11936	98.1 %
	Total	11,975	98.4%

This variable has 11,975 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	146	1.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	50	0.4 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	197	1.6%

Percentages for both tables are based on 12,172 total cases.

Location: 11773-11780 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_EVR_DISSBL: DERIVED - Wave 2 Youth Ever Dissolvable Tobacco User

Long Description: Wave 2 Youth respondents who have ever used dissolvable tobacco.

Algorithm: IF R01R_Y_EVR_DISSBL = 1 OR R02_YD1002_NB = 1 OR R02_YD1002_12M = 1, THEN R02R_Y_EVR_DISSBL = 1; ELSE IF R02_YD1001_NB = 2 OR R02_YD1002_NB = 2 OR (R02_YD1002_12M = 2 AND R01R_Y_EVR_DISSBL = 2), THEN R02R_Y_EVR_DISSBL = 2; ELSE IF R02_YD1002_NB = -9 OR R02_YD1002_12M = -9 OR R02_YD1001_NB = -9, THEN R02R_Y_EVR_DISSBL = -99999; ELSE IF R02_YD1002_NB = -8 OR R02_YD1002_12M = -8 OR R02_YD1001_NB = -8, THEN R02R_Y_EVR_DISSBL = -99988; ELSE IF R02_YD1002_NB = -7 OR R02_YD1002_12M = -7 OR R02_YD1001_NB = -7, THEN R02R_Y_EVR_DISSBL = -99977; ELSE IF R01R_Y_EVR_DISSBL in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_EVR_DISSBL = -99966; ELSE IF R02_YD1002_NB = -1 OR R02_YD1002_12M = -1 OR R02_YD1001_NB = -1, THEN R02R_Y_EVR_DISSBL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	28	0.2 %
2	2 = No	12097	99.4 %
	Total	12,125	99.6%

This variable has 12,125 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	16	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	47	0.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11781-11788 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_DISSBL: DERIVED - Wave 2 Youth Never to Ever Dissolvable Tobacco User

Long Description: Wave 2 Youth respondents who started using dissolvable tobacco between waves.

Algorithm: IF R01R_Y_EVR_DISSBL = 2 AND R02_YD1002_12M = 1, THEN R02R_Y_NEW_DISSBL = 1;

ELSE IF R01R_Y_EVR_DISSBL = 1 OR R02_YD1002_12M = 2, THEN R02R_Y_NEW_DISSBL = 2; ELSE IF R02_YD1002_12M=-1, THEN R02R_Y_NEW_DISSBL = -99933; ELSE IF R02_YD1002_12M=-9, THEN R02R_Y_NEW_DISSBL = -99999; ELSE IF R02_YD1002_12M=-8, THEN R02R_Y_NEW_DISSBL = -99988; ELSE IF R02_YD1002_12M=-7, THEN R02R_Y_NEW_DISSBL = -99977; ELSE IF R01R_Y_EVR_DISSBL in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_NEW_DISSBL = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	10036	82.5 %
	Total	10,055	82.6%

This variable has 10,055 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,117	17.4%

Percentages for both tables are based on 12,172 total cases.

Location: 11789-11796 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_CUR_DISSBL: DERIVED - Wave 2 Youth Current Dissolvable User

Long Description: Wave 2 Youth respondents who have ever used dissolvable and have used in the past 30 days.

Algorithm: IF R02R_Y_EVR_DISSBL = 1 AND R02_YD1112 in (1, 2, 3), THEN R02R_Y_CUR_DISSBL = 1; ELSE IF R02R_Y_EVR_DISSBL = 2 OR (R02R_Y_EVR_DISSBL = 1 AND R02_YD1112 in (4, 5, 6, 7)) OR R02_YD1002_12M = 2, THEN R02R_Y_CUR_DISSBL = 2; ELSE IF R02R_Y_EVR_DISSBL=-99999 OR R02_YD1112=-9 OR R02_YD1002_12M=-9, THEN R02R_Y_CUR_DISSBL = -99999; ELSE IF R02R_Y_EVR_DISSBL=-99988 OR R02_YD1112=-8 OR R02_YD1002_12M=-8, THEN R02R_Y_CUR_DISSBL = -99988; ELSE IF R02R_Y_EVR_DISSBL=-99977 OR R02_YD1112=-7 OR R02_YD1002_12M=-7, THEN R02R_Y_CUR_DISSBL = -99977; ELSE IF R02R_Y_EVR_DISSBL=-99966, THEN R02R_Y_CUR_DISSBL = -99966; ELSE IF R02R_Y_EVR_DISSBL=-99911 OR R02_YD1112=-1 OR R02_YD1002_12M=-1, THEN R02R_Y_CUR_DISSBL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	12131	99.7 %
	Total	12,139	99.7%

This variable has 12,139 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	33	0.3%

Percentages for both tables are based on 12,172 total cases.

Location: 11797-11804 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_EVR_BIDI: DERIVED - Wave 2 Youth Ever Bidi Smoker

Long Description: Wave 2 Youth respondents who have ever smoked bidis.

Algorithm: IF R01R_Y_EVR_BIDI = 1 OR R02_YB9102_NB_01 = 1 OR R02_YB9102_12M_01 = 1, THEN R02R_Y_EVR_BIDI = 1; ELSE IF (R02_YB9101_NB_01 = 2 OR (R02_YB9101_NB_01 = 1 AND R02_YB9102_NB_01 = 2)) OR (R02_YB9102_12M_01 = 2 AND R01R_Y_EVR_BIDI = 2), THEN R02R_Y_EVR_BIDI = 2; ELSE IF R02_YB9102_NB_01=-9 OR R02_YB9102_12M_01=-9 OR R02_YB9101_NB_01=-9, THEN R02R_Y_EVR_BIDI = -99999; ELSE IF R02_YB9102_NB_01=-8 OR R02_YB9102_12M_01=-8 OR R02_YB9101_NB_01=-8, THEN R02R_Y_EVR_BIDI = -99988; ELSE IF R02_YB9102_NB_01=-7 OR R02_YB9102_12M_01=-7 OR R02_YB9101_NB_01=-7, THEN R02R_Y_EVR_BIDI = -99977; ELSE IF R01R_Y_EVR_BIDI in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_EVR_BIDI = -99966; ELSE IF R02_YB9102_NB_01=-1 OR R02_YB9102_12M_01=-1 OR R02_YB9101_NB_01=-1, THEN R02R_Y_EVR_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.3 %
2	2 = No	11993	98.5 %
	Total	12,032	98.8%

This variable has 12,032 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	70	0.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	46	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	140	1.2%

Percentages for both tables are based on 12,172 total cases.

Location: 11805-11812 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_BIDI: DERIVED - Wave 2 Youth Never to Ever Bidi Smoker

Long Description: Wave 2 Youth respondents who started smoking bidis between waves.

Algorithm: IF R01R_Y_EVR_BIDI = 2 AND R02_YB9102_12M_01 = 1, THEN R02R_Y_NEW_BIDI = 1; ELSE IF R01R_Y_EVR_BIDI = 1 OR R02_YB9102_12M_01 = 2, THEN R02R_Y_NEW_BIDI = 2; ELSE IF R02_YB9102_12M_01=-1, THEN R02R_Y_NEW_BIDI = -99933; ELSE IF R02_YB9102_12M_01=-9, THEN R02R_Y_NEW_BIDI = -99999; ELSE IF R02_YB9102_12M_01=-8, THEN R02R_Y_NEW_BIDI = -99988; ELSE IF R02_YB9102_12M_01=-7, THEN R02R_Y_NEW_BIDI = -99977; ELSE IF R01R_Y_EVR_BIDI in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_NEW_BIDI = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	9992	82.1 %
	Total	10,006	82.2%

This variable has 10,006 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	52	0.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,166	17.8%

Percentages for both tables are based on 12,172 total cases.

Location: 11813-11820 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_CUR_BIDI: DERIVED - Wave 2 Youth Current Bidi Smoker

Long Description: Wave 2 Youth respondents who have ever smoked bidis and have smoked in the past 30 days.

Algorithm: IF R02R_Y_EVR_BIDI = 1 AND R02_YB1112BD in (1, 2, 3), THEN R02R_Y_CUR_BIDI = 1; ELSE IF R02R_Y_EVR_BIDI = 2 OR (R02R_Y_EVR_BIDI = 1 AND R02_YB1112BD in (4, 5, 6, 7)) OR R02_YB9102_12M_01 = 2, THEN R02R_Y_CUR_BIDI = 2; ELSE IF R02R_Y_EVR_BIDI=-99999 OR R02_YB1112BD=-9 OR R02_YB9102_12M_01 =-9, THEN R02R_Y_CUR_BIDI = -99999; ELSE IF R02R_Y_EVR_BIDI=-99988 OR R02_YB1112BD=-8 OR R02_YB9102_12M_01 =-8, THEN R02R_Y_CUR_BIDI = -99988; ELSE IF R02R_Y_EVR_BIDI=-99977 OR R02_YB1112BD=-7 OR R02_YB9102_12M_01 =-7, THEN R02R_Y_CUR_BIDI = -99977; ELSE IF R02R_Y_EVR_BIDI=-99966, THEN R02R_Y_CUR_BIDI = -99966; ELSE IF R02R_Y_EVR_BIDI=-99911 OR R02_YB1112BD=-1 OR R02_YB9102_12M_01 =-1, THEN R02R_Y_CUR_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	12068	99.1 %
	Total	12,076	99.2%

This variable has 12,076 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	70	0.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	26	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	96	0.8%

Percentages for both tables are based on 12,172 total cases.

Location: 11821-11828 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_EVR_KRETEK: DERIVED - Wave 2 Youth Ever Kretek Smoker

Long Description: Wave 2 Youth respondents who have ever smoked kreteks.

Algorithm: IF R01R_Y_EVR_KRETEK = 1 OR R02_YB9102_NB_02 = 1 OR R02_YB9102_12M_02 = 1, THEN R02R_Y_EVR_KRETEK = 1; ELSE IF (R02_YB9101_NB_02 = 2 OR (R02_YB9101_NB_02 = 1 AND R02_YB9102_NB_02 = 2)) OR (R02_YB9102_12M_02 = 2 AND R01R_Y_EVR_KRETEK = 2), THEN R02R_Y_EVR_KRETEK = 2; ELSE IF R02_YB9102_NB_02=-9 OR R02_YB9102_12M_02=-9 OR R02_YB9101_NB_02=-9, THEN R02R_Y_EVR_KRETEK = -99999; ELSE IF R02_YB9102_NB_02=-8 OR R02_YB9102_12M_02=-8 OR R02_YB9101_NB_02=-8, THEN R02R_Y_EVR_KRETEK = -99988; ELSE IF R02_YB9102_NB_02=-7 OR R02_YB9102_12M_02=-7 OR R02_YB9101_NB_02=-7, THEN R02R_Y_EVR_KRETEK = -99977; ELSE IF R01R_Y_EVR_KRETEK in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_EVR_KRETEK = -99966; ELSE IF R02_YB9102_NB_02=-1 OR R02_YB9102_12M_02=-1 OR R02_YB9101_NB_02=-1, THEN R02R_Y_EVR_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	60	0.5 %
2	2 = No	11971	98.3 %
	Total	12,031	98.8%

This variable has 12,031 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	68	0.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	25	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	48	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	141	1.2%

Percentages for both tables are based on 12,172 total cases.

Location: 11829-11836 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R02R_Y_NEW_KRETEK: DERIVED - Wave 2 Youth Never to Ever Kretek User

Long Description: Wave 2 Youth respondents who started smoking kreteks between waves.

Algorithm: IF R01R_Y_EVR_KRETEK = 2 AND R02_YB9102_12M_02 = 1, THEN R02R_Y_NEW_KRETEK = 1;

ELSE IF R01R_Y_EVR_KRETEK = 1 OR R02_YB9102_12M_02 = 2, THEN R02R_Y_NEW_KRETEK = 2; ELSE IF R02_YB9102_12M_02=-1, THEN R02R_Y_NEW_KRETEK = -99933; ELSE IF R02_YB9102_12M_02=-9, THEN R02R_Y_NEW_KRETEK = -99999; ELSE IF R02_YB9102_12M_02=-8, THEN R02R_Y_NEW_KRETEK = -99988; ELSE IF R02_YB9102_12M_02=-7, THEN R02R_Y_NEW_KRETEK = -99977; ELSE IF R01R_Y_EVR_KRETEK in (-99999,-99988,-99977,-99955,-99911), THEN R02R_Y_NEW_KRETEK = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.2 %
2	2 = No	9979	82.0 %
	Total	10,009	82.2%

This variable has 10,009 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	50	0.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2091	17.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,163	17.8%

Percentages for both tables are based on 12,172 total cases.

Location: 11837-11844 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R02R_Y_CUR_KRETEK: DERIVED - Wave 2 Youth Current Kretek Smoker

Long Description: Wave 2 Youth respondents who have ever smoked kreteks and have smoked in the past 30 days.

Algorithm: IF R02R_Y_EVR_KRETEK = 1 AND R02_YB1112KK in (1, 2, 3), THEN R02R_Y_CUR_KRETEK = 1; ELSE IF R02R_Y_EVR_KRETEK = 2 OR (R02R_Y_EVR_KRETEK = 1 AND R02_YB1112KK in (4, 5, 6, 7)) OR R02_YB9102_12M_02 = 2, THEN R02R_Y_CUR_KRETEK = 2; ELSE IF R02R_Y_EVR_KRETEK=-99999 OR R02_YB1112KK=-9 OR R02_YB9102_12M_02=-9, THEN R02R_Y_CUR_KRETEK = -99999; ELSE IF R02R_Y_EVR_KRETEK=-99988 OR R02_YB1112KK=-8 OR R02_YB9102_12M_02=-8, THEN R02R_Y_CUR_KRETEK = -99988; ELSE IF R02R_Y_EVR_KRETEK=-99977 OR R02_YB1112KK=-7 OR R02_YB9102_12M_02=-7, THEN R02R_Y_CUR_KRETEK = -99977; ELSE IF R02R_Y_EVR_KRETEK=-99966, THEN R02R_Y_CUR_KRETEK = -99966; ELSE IF R02R_Y_EVR_KRETEK=-99911 OR R02_YB1112KK=-1 OR R02_YB9102_12M_02=-1, THEN R02R_Y_CUR_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	12064	99.1 %
	Total	12,075	99.2%

This variable has 12,075 valid cases out of 12,172 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	70	0.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	27	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	97	0.8%

Percentages for both tables are based on 12,172 total cases.

Location: 11845-11852 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

APPENDIX

**Top Response Options for
Tobacco Brand / Product Variables**

Total tables = 21

Table Name	Variable Name	Top Ranked Response
R02_YC1048_BRAND	R02_YC1048_BRAND: Brand of cigarettes usually/last smoked	1125 = Marlboro
R02_YC1070_PRODUCT	R02_YC1070_PRODUCT: Sub-brand of cigarettesproduct usually/last smoked	11031 = Marlboro Red non-menthol kings
R02_YE1048_BRAND	R02_YE1048_BRAND: Brand of e-cigarettes/cartridges/e-liquid usually/last used	1028 = Blu Cigs
R02_YG1048TC_BRAND	R02_YG1048TC_BRAND: Brand of traditional cigars usually/last smoked: BRAND	1204 = Swisher Sweets
R02_YG1070TC_PRODUCT	R02_YG1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked	11700 = Swisher Sweets Blunt XL
R02_YG1048CL_BRAND	R02_YG1048CL_BRAND: Brand of cigarillos usually/last smoked	1024 = Black & Mild
R02_YG1070CL_PRODUCT	R02_YG1070CL_PRODUCT: Sub-brand of cigarillo product usually/last smoked	10243 = Black & Mild Classic
R02_YG1048FC_BRAND	R02_YG1048FC_BRAND: Brand of filtered cigars usually/last smoked: BRAND	1204 = Swisher Sweets
R02_YG1070FC_PRODUCT	R02_YG1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked	11711 = Swisher Sweets Grape 100s
R02_YG1048TJ_BRAND	R02_YG1048TJ_BRAND: Brand of traditional cigars usually/last smoked as blunts: BRAND	1204 = Swisher Sweets
R02_YG1070TJ_PRODUCT	R02_YG1070TJ_PRODUCT: Sub-brand of traditional cigar product usually/last smoked as a blunt	11701 = Swisher Sweets Blunt XL Grape
R02_YG1048GJ_BRAND	R02_YG1048GJ_BRAND: Brand of cigarillos usually/last smoked as blunts: BRAND	1204 = Swisher Sweets
R02_YG1070GJ_PRODUCT	R02_YG1070GJ_PRODUCT: Sub-brand of cigarillo product usually/last smoked as a blunt	11707 = Swisher Sweets Cigarillos
R02_YG1048FJ_BRAND	R02_YG1048FJ_BRAND: Brand of filtered cigars usually/last smoked as blunts: BRAND	1204 = Swisher Sweets
R02_YG1070FJ_PRODUCT	R02_YG1070FJ_PRODUCT: Sub-brand of filtered cigar product usually/last smoked as a blunt	11711 = Swisher Sweets Grape 100s
R02_YH1048_BRAND	R02_YH1048_BRAND: Brand of shisha or hookah tobacco usually/last smoked: BRAND	1198 = Starbuzz
R02_YH1070_PRODUCT	R02_YH1070_PRODUCT: Sub-brand of hookah tobacco product usually/last smoked	11645 = Starbuzz Kiwi Strawberry
R02_YS1048SM_BRAND	R02_YS1048SM_BRAND: Brand of smokeless tobacco usually/last used: BRAND	1049 = Copenhagen
R02_YS1070SM_PRODUCT	R02_YS1070SM_PRODUCT: Sub-brand of smokeless tobacco product usually/last used	10407 = Copenhagen Long Cut Wintergreen
R02_YS1048SU_BRAND	R02_YS1048SU_BRAND: Brand of snus pouches usually/last used	1033 = Camel
R02_YS1070SU_PRODUCT	R02_YS1070SU_PRODUCT: Sub-brand of snus pouch product usually/last used	10289 = Camel Snus Frost

Obs	R02_YC1048_BRAND: Brand of cigarettes usually/last smoked	Unweighted Frequency	Percent of Total Frequency
1	1125 = Marlboro	115	0.9450
2	1033 = Camel	95	0.7800
3	1144 = Newport	55	0.4520
4	1012 = American Spirit	24	0.1970
5	1152 = Pall Mall	9	0.0740
6	1115 = L & M	8	0.0660
7	1126 = Maverick	5	0.0410
8	1036 = Capri	4	0.0330
9	1113 = Kool	3	0.0250
10	1002 = 305's	2	0.0160
11	1021 = Basic	2	0.0160
12	1184 = Seneca	2	0.0160
13	1024 = Black & Mild	1	0.0080
14	1110 = King Mountain	1	0.0080
15	1153 = Parliament	1	0.0080
16	1196 = Sonoma	1	0.0080
17	9995 = Some other brand	4	0.0330
18	-7 = Refused	1	0.0080
19	-1 = Inapplicable	11,839	97.2640
20			
21	Total	12,172	100.0

Obs	R02_YC1070_PRODUCT: Sub-brand of cigarettesproduct usually/last smoked	Unweighted Frequency	Percent of Total Frequency
1	11031 = Marlboro Red non-menthol kings	66	0.5420
2	11218 = Newport Full Flavor menthol kings	40	0.3290
3	10275 = Camel Filters menthol kings	31	0.2550
4	10273 = Camel Filters non-menthol kings	23	0.1890
5	10268 = Camel Blue non-menthol kings	21	0.1730
6	11005 = Marlboro Black non-menthol kings	12	0.0990
7	10169 = American Spirit Full-bodied non-menthol kings	11	0.0900
8	11020 = Marlboro Gold non-menthol kings	10	0.0820
9	11219 = Newport Full Flavor menthol 100s	9	0.0740
10	10173 = American Spirit Mellow non-menthol kings	6	0.0490
11	11026 = Marlboro Full Flavor menthol kings	6	0.0490
12	10170 = American Spirit Full-bodied menthol kings	4	0.0330
13	10271 = Camel Crush non-menthol and menthol kings	4	0.0330
14	10287 = Camel Platinum non-menthol kings	4	0.0330
15	10288 = Camel Silver menthol kings	4	0.0330
16	11264 = Pall Mall Red non-menthol 100s	4	0.0330
17	10295 = Camel Turkish Royal non-menthol kings	3	0.0250
18	11025 = Marlboro Gold menthol kings	3	0.0250
19	11047 = Marlboro Smooth Menthol 100s	3	0.0250
20	11072 = Maverick Full Flavor menthol 100s	3	0.0250
21	All other coded responses	54	0.4440
22	99995 = Some other product	4	0.0330
23	99990 = No data (Brand text response up-coded)	2	0.0160
24	-8 = Don't know	1	0.0080
25	-1 = Inapplicable	11,844	97.3050
26			
27	Total	12,172	100.0

Obs	R02_YE1048_BRAND: Brand of e-cigarettes/cartridges/e-liquid usually/last used	Unweighted Frequency	Percent of Total Frequency
1	1028 = Blu Cigs	72	0.5920
2	1245 = E-Swisher	24	0.1970
3	1248 = Logic	12	0.0990
4	1254 = eGo	12	0.0990
5	1146 = NJOY	10	0.0820
6	1163 = ProVape	10	0.0820
7	1133 = Modern Vapor	5	0.0410
8	1249 = Mystic	5	0.0410
9	1252 = X Hale O2	5	0.0410
10	1258 = Vuse	5	0.0410
11	1114 = KRAVE	4	0.0330
12	1221 = Vapor King	4	0.0330
13	1246 = FIN	4	0.0330
14	1255 = Kangertech	4	0.0330
15	1068 = eSmoke	3	0.0250
16	1243 = 21st Century Smoke	3	0.0250
17	1046 = Cloud 9	2	0.0160
18	1051 = Criss Cross	2	0.0160
19	1066 = Envy	2	0.0160
20	1122 = LUCi	2	0.0160
21	All other coded responses	24	0.1970
22	9995 = Some other brand	55	0.4520
23	-8 = Don't know	56	0.4600
24	-7 = Refused	7	0.0580
25	-1 = Inapplicable	11,837	97.2480
26	-9 = Missing - Not ascertained	3	0.0250
27			
28	Total	12,172	100.0

Obs	R02_YG1048TC_BRAND: Brand of traditional cigars usually/last smoked: BRAND	Unweighted Frequency	Percent of Total Frequency
1	1204 = Swisher Sweets	6	0.0490
2	1231 = White Owl	5	0.0410
3	1061 = Dutch Masters	3	0.0250
4	1047 = Cohiba	2	0.0160
5	1084 = Garcia y Vega	2	0.0160
6	1124 = Macanudo	2	0.0160
7	1017 = Arturo Fuente	1	0.0080
8	1019 = Backwoods	1	0.0080
9	1024 = Black & Mild	1	0.0080
10	1052 = Davidoff	1	0.0080
11	1242 = Prime Time	1	0.0080
12	-8 = Don't know	1	0.0080
13	-7 = Refused	1	0.0080
14	-1 = Inapplicable	12,145	99.7780
15			
16	Total	12,172	100.0

Obs	R02_YG1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked	Unweighted Frequency	Percent of Total Frequency
1	11700 = Swisher Sweets Blunt XL	2	0.0160
2	11704 = Swisher Sweets Blunts	2	0.0160
3	11927 = White Owl Blunt Grape	2	0.0160
4	11929 = White Owl Blunt White Grape	2	0.0160
5	10203 = Arturo Fuente Magnum	1	0.0080
6	10397 = Cohiba Black	1	0.0080
7	10424 = Davidoff Puro d'Oro	1	0.0080
8	10512 = Dutch Masters Palma	1	0.0080
9	10517 = Dutch Masters Palma Wine Fresh Loc Foil Pouch	1	0.0080
10	10519 = Dutch Masters President	1	0.0080
11	10646 = Garcia y Vega Blunts	1	0.0080
12	10653 = Garcia y Vega Panatela Deluxe	1	0.0080
13	10998 = Macanudo Hampton Court	1	0.0080
14	11701 = Swisher Sweets Blunt XL Grape	1	0.0080
15	11703 = Swisher Sweets Blunt XL Strawberry	1	0.0080
16	11932 = White Owl Blunt Xtra Strawberry	1	0.0080
17	12017 = Prime Time Large Filtered Cigar Cherry	1	0.0080
18	99995 = Some other product	3	0.0250
19	99990 = No data (Brand text response up-coded)	1	0.0080
20	-1 = Inapplicable	12,147	99.7950
21			
22	Total	12,172	100.0

Obs	R02_YG1048CL_BRAND: Brand of cigarillos usually/last smoked	Unweighted Frequency	Percent of Total Frequency
1	1024 = Black & Mild	22	0.1810
2	1204 = Swisher Sweets	19	0.1560
3	1231 = White Owl	5	0.0410
4	1061 = Dutch Masters	2	0.0160
5	1239 = Zig Zag	2	0.0160
6	1055 = Djarum	1	0.0080
7	1156 = Phillies	1	0.0080
8	1229 = White Cat	1	0.0080
9	9995 = Some other brand	1	0.0080
10	-1 = Inapplicable	12,118	99.5560
11			
12	Total	12,172	100.0

Obs	R02_YG1070CL_PRODUCT: Sub-brand of cigarillo product usually/last smoked	Unweighted Frequency	Percent of Total Frequency
1	10243 = Black & Mild Classic	8	0.0660
2	10245 = Black & Mild Wine	8	0.0660
3	11712 = Swisher Sweets Grape Mini Cigarillos	5	0.0410
4	10244 = Black & Mild Sweets	3	0.0250
5	11723 = Swisher Sweets Strawberry Cigarillos	3	0.0250
6	11729 = Swisher Sweets White Grape Cigarillos	3	0.0250
7	11707 = Swisher Sweets Cigarillos	2	0.0160
8	11943 = White Owl Cigarillos White Grape	2	0.0160
9	10498 = Dutch Masters Cigarillos Grape	1	0.0080
10	10503 = Dutch Masters Cigarillos Vanilla	1	0.0080
11	11325 = Phillies Fresh Loc® Foil Cigarillos Wine Grapes	1	0.0080
12	11699 = Swisher Sweets Blueberry Mini Cigarillos	1	0.0080
13	11705 = Swisher Sweets Cherry Tip Cigarillos	1	0.0080
14	11706 = Swisher Sweets Chocolate Cigarillos	1	0.0080
15	11716 = Swisher Sweets Mini Cigarillos	1	0.0080
16	11732 = Swisher Sweets Wine Mini Cigarillos	1	0.0080
17	11926 = White Cat Cigarillos	1	0.0080
18	11940 = White Owl Cigarillos Green Sweets	1	0.0080
19	11941 = White Owl Cigarillos Peach	1	0.0080
20	11942 = White Owl Cigarillos Strawberry	1	0.0080
21	All other coded responses	3	0.0250
22	99995 = Some other product	4	0.0330
23	-1 = Inapplicable	12,119	99.5650
24			
25	Total	12,172	100.0

Obs	R02_YG1048FC_BRAND: Brand of filtered cigars usually/last smoked: BRAND	Unweighted Frequency	Percent of Total Frequency
1	1204 = Swisher Sweets	8	0.0660
2	1242 = Prime Time	5	0.0410
3	1042 = Cheyenne	4	0.0330
4	1002 = 305's	2	0.0160
5	1024 = Black & Mild	1	0.0080
6	1037 = Captain Black	1	0.0080
7	1051 = Criss Cross	1	0.0080
8	1096 = Hav-A-Tampa	1	0.0080
9	1182 = Santa Fe	1	0.0080
10	1239 = Zig Zag	1	0.0080
11	9995 = Some other brand	1	0.0080
12	-1 = Inapplicable	12,146	99.7860
13			
14	Total	12,172	100.0

Obs	R02_YG1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked	Unweighted Frequency	Percent of Total Frequency
1	11711 = Swisher Sweets Grape 100s	2	0.0160
2	11725 = Swisher Sweets Sweet Cherry 100s	2	0.0160
3	12030 = Prime Time Little Cigar Grape	2	0.0160
4	10029 = 305's Non-filter non-menthol kings	1	0.0080
5	10339 = Captain Black Vanilla 100s	1	0.0080
6	10374 = Cheyenne Vanilla 100s	1	0.0080
7	10375 = Cheyenne Wild Cherry 100s	1	0.0080
8	10761 = Hav-a-Tampa Sweet Filter-tipped 100s	1	0.0080
9	11467 = Santa Fe Sweet Grape 100s	1	0.0080
10	11715 = Swisher Sweets Mild 100s	1	0.0080
11	11718 = Swisher Sweets Peach 100s	1	0.0080
12	11721 = Swisher Sweets Regular 100s	1	0.0080
13	12028 = Prime Time Little Cigar Blueberry	1	0.0080
14	12029 = Prime Time Little Cigar Cherry	1	0.0080
15	12034 = Prime Time Little Cigar Vanilla	1	0.0080
16	99995 = Some other product	3	0.0250
17	99990 = No data (Brand text response up-coded)	4	0.0330
18	-1 = Inapplicable	12,147	99.7950
19			
20	Total	12,172	100.0

Obs	R02_YG1048TJ_BRAND: Brand of traditional cigars usually/last smoked as blunts: BRAND	Unweighted Frequency	Percent of Total Frequency
1	1204 = Swisher Sweets	15	0.1230
2	1061 = Dutch Masters	14	0.1150
3	1019 = Backwoods	6	0.0490
4	1231 = White Owl	5	0.0410
5	1047 = Cohiba	2	0.0160
6	1084 = Garcia y Vega	2	0.0160
7	1082 = Game (Garcia y Vega)	1	0.0080
8	1088 = Goodies	1	0.0080
9	1124 = Macanudo	1	0.0080
10	9995 = Some other brand	5	0.0410
11	-8 = Don't know	10	0.0820
12	-7 = Refused	2	0.0160
13	-1 = Inapplicable	12,108	99.4740
14			
15	Total	12,172	100.0

Obs	R02_YG1070TJ_PRODUCT: Sub-brand of traditional cigar product usually/last smoked as a blunt	Unweighted Frequency	Percent of Total Frequency
1	11701 = Swisher Sweets Blunt XL Grape	6	0.0490
2	10507 = Dutch Masters Corona Grape	4	0.0330
3	11704 = Swisher Sweets Blunts	3	0.0250
4	11927 = White Owl Blunt Grape	3	0.0250
5	10211 = Backwoods Honey	2	0.0160
6	10214 = Backwoods Sweet Aromatic	2	0.0160
7	10510 = Dutch Masters Corona Strawberry	2	0.0160
8	11702 = Swisher Sweets Blunt XL Peach	2	0.0160
9	11703 = Swisher Sweets Blunt XL Strawberry	2	0.0160
10	10210 = Backwoods Black 'n Sweet Aromatic	1	0.0080
11	10212 = Backwoods Honey Berry	1	0.0080
12	10397 = Cohiba Black	1	0.0080
13	10398 = Cohiba Cohiba	1	0.0080
14	10506 = Dutch Masters Corona De Luxe	1	0.0080
15	10508 = Dutch Masters Corona Honey Sports	1	0.0080
16	10511 = Dutch Masters Corona Vanilla	1	0.0080
17	10512 = Dutch Masters Palma	1	0.0080
18	10516 = Dutch Masters Palma Green Fresh Loc Foil Pouch	1	0.0080
19	10519 = Dutch Masters President	1	0.0080
20	10646 = Garcia y Vega Blunts	1	0.0080
21	All other coded responses	4	0.0330
22	99995 = Some other product	3	0.0250
23	-8 = Don't know	3	0.0250
24	-1 = Inapplicable	12,125	99.6140
25			
26	Total	12,172	100.0

Obs	R02_YG1048GJ_BRAND: Brand of cigarillos usually/last smoked as blunts: BRAND	Unweighted Frequency	Percent of Total Frequency
1	1204 = Swisher Sweets	154	1.2650
2	1239 = Zig Zag	66	0.5420
3	1231 = White Owl	45	0.3700
4	1024 = Black & Mild	35	0.2880
5	1061 = Dutch Masters	26	0.2140
6	1082 = Game (Garcia y Vega)	11	0.0900
7	1207 = Tampa Sweet	3	0.0250
8	1019 = Backwoods	2	0.0160
9	1025 = BlackStone	1	0.0080
10	1156 = Phillies	1	0.0080
11	9995 = Some other brand	20	0.1640
12	-8 = Don't know	27	0.2220
13	-7 = Refused	8	0.0660
14	-1 = Inapplicable	11,773	96.7220
15			
16	Total	12,172	100.0

Obs	R02_YG1070GJ_PRODUCT: Sub-brand of cigarillo product usually/last smoked as a blunt	Unweighted Frequency	Percent of Total Frequency
1	11707 = Swisher Sweets Cigarillos	26	0.2140
2	11729 = Swisher Sweets White Grape Cigarillos	22	0.1810
3	11723 = Swisher Sweets Strawberry Cigarillos	19	0.1560
4	11943 = White Owl Cigarillos White Grape	18	0.1480
5	10244 = Black & Mild Sweets	15	0.1230
6	11713 = Swisher Sweets Grape Tip Cigarillos	15	0.1230
7	11699 = Swisher Sweets Blueberry Mini Cigarillos	14	0.1150
8	12010 = Zig-Zag Cigarillos Mango	13	0.1070
9	12013 = Zig-Zag Cigarillos Strawberry	12	0.0990
10	11939 = White Owl Cigarillos Grape	11	0.0900
11	10496 = Dutch Masters Cigarillos Chocolate	10	0.0820
12	11719 = Swisher Sweets Peach Mini Cigarillos	10	0.0820
13	12009 = Zig-Zag Cigarillos Grape	10	0.0820
14	10243 = Black & Mild Classic	9	0.0740
15	11712 = Swisher Sweets Grape Mini Cigarillos	8	0.0660
16	12011 = Zig-Zag Cigarillos Peach	8	0.0660
17	12012 = Zig-Zag Cigarillos Straight Up	8	0.0660
18	12015 = Zig-Zag Cigarillos White Grape	7	0.0580
19	10245 = Black & Mild Wine	6	0.0490
20	10503 = Dutch Masters Cigarillos Vanilla	6	0.0490
21	All other coded responses	51	0.4190
22	99995 = Some other product	32	0.2630
23	99990 = No data (Brand text response up-coded)	5	0.0410
24	-8 = Don't know	7	0.0580
25	-7 = Refused	2	0.0160
26	-1 = Inapplicable	11,828	97.1740
27			
28	Total	12,172	100.0

Obs	R02_YG1048FJ_BRAND: Brand of filtered cigars usually/last smoked as blunts: BRAND	Unweighted Frequency	Percent of Total Frequency
1	1204 = Swisher Sweets	6	0.0490
2	1058 = Double Diamond	1	0.0080
3	1149 = Omega	1	0.0080
4	1242 = Prime Time	1	0.0080
5	9995 = Some other brand	3	0.0250
6	-8 = Don't know	2	0.0160
7	-1 = Inapplicable	12,158	99.8850
8			
9	Total	12,172	100.0

Obs	R02_YG1070FJ_PRODUCT: Sub-brand of filtered cigar product usually/last smoked as a blunt	Unweighted Frequency	Percent of Total Frequency
1	11711 = Swisher Sweets Grape 100s	3	0.0250
2	10480 = Double Diamond Grape 100s	1	0.0080
3	11234 = Omega Menthol 100s	1	0.0080
4	11714 = Swisher Sweets Menthol 100s	1	0.0080
5	11715 = Swisher Sweets Mild 100s	1	0.0080
6	12035 = Prime Time Little Cigar Watermelon	1	0.0080
7	-8 = Don't know	1	0.0080
8	-1 = Inapplicable	12,163	99.9260
9			
10	Total	12,172	100.0

Obs	R02_YH1048_BRAND: Brand of shisha or hookah tobacco usually/last smoked: BRAND	Unweighted Frequency	Percent of Total Frequency
1	1198 = Starbuzz	18	0.1480
2	1073 = Fantasia	16	0.1310
3	1098 = HookahFina	10	0.0820
4	1101 = Inhale	9	0.0740
5	1100 = Hydro Herbal	8	0.0660
6	1095 = Havana	7	0.0580
7	1214 = Tonic	7	0.0580
8	1195 = Social Smoke	6	0.0490
9	1253 = Al Fakher	6	0.0490
10	1007 = Al Amir	3	0.0250
11	1080 = Fumari	2	0.0160
12	1175 = Romman	2	0.0160
13	1008 = Al Amir Exotic	1	0.0080
14	1010 = Al Tawareg	1	0.0080
15	1119 = Layalina	1	0.0080
16	1141 = Nakhla	1	0.0080
17	1208 = Tangiers	1	0.0080
18	9995 = Some other brand	21	0.1730
19	-8 = Don't know	28	0.2300
20	-7 = Refused	5	0.0410
21	-1 = Inapplicable	12,019	98.7430
22			
23	Total	12,172	100.0

Obs	R02_YH1070_PRODUCT: Sub-brand of hookah tobacco product usually/last smoked	Unweighted Frequency	Percent of Total Frequency
1	11645 = Starbuzz Kiwi Strawberry	4	0.0330
2	12081 = Al Fakher Mint	3	0.0250
3	10547 = Fantasia Blueberry Splash	2	0.0160
4	10735 = Havana Coconut	2	0.0160
5	10784 = Hookahfina Mango	2	0.0160
6	10786 = Hookahfina Peach	2	0.0160
7	10787 = Hookahfina Pineapple	2	0.0160
8	10806 = Hydro Herbal Blueberry	2	0.0160
9	10837 = Inhale Florida Orange	2	0.0160
10	11623 = Starbuzz Candy	2	0.0160
11	11639 = Starbuzz Fruit Sensation	2	0.0160
12	10056 = Al Amir Banana	1	0.0080
13	10077 = Al Amir Mixed Fruit	1	0.0080
14	10100 = Al Amir Exotic Blueberry	1	0.0080
15	10149 = Al Tawareg Fresh Mint	1	0.0080
16	10543 = Fantasia Adios M@#%+&!	1	0.0080
17	10548 = Fantasia Bubble Gum	1	0.0080
18	10554 = Fantasia Cotton Candy	1	0.0080
19	10557 = Fantasia Dragon's Breath	1	0.0080
20	10561 = Fantasia Ice Mint	1	0.0080
21	All other coded responses	59	0.4850
22	99995 = Some other product	3	0.0250
23	-8 = Don't know	3	0.0250
24	-1 = Inapplicable	12,073	99.1870
25			
26	Total	12,172	100.0

Obs	R02_YS1048SM_BRAND: Brand of smokeless tobacco usually/last used: BRAND	Unweighted Frequency	Percent of Total Frequency
1	1049 = Copenhagen	46	0.3780
2	1092 = Grizzly	37	0.3040
3	1104 = Kayak	2	0.0160
4	1048 = Cooper	1	0.0080
5	1112 = Kodiak	1	0.0080
6	1121 = Longhorn	1	0.0080
7	1170 = Red Man	1	0.0080
8	1171 = Red Seal	1	0.0080
9	1190 = Skoal	1	0.0080
10	1212 = Timber Wolf	1	0.0080
11	-1 = Inapplicable	12,080	99.2440
12			
13	Total	12,172	100.0

Obs	R02_YS1070SM_PRODUCT: Sub-brand of smokeless tobacco product usually/last used	Unweighted Frequency	Percent of Total Frequency
1	10407 = Copenhagen Long Cut Wintergreen	25	0.2050
2	10714 = Grizzly Fine Cut Wintergreen	23	0.1890
3	10403 = Copenhagen Long Cut	8	0.0660
4	10405 = Copenhagen Long Cut Straight	6	0.0490
5	10716 = Grizzly Long Cut Mint	5	0.0410
6	10402 = Copenhagen Extra Long Cut Natural	3	0.0250
7	11996 = Copenhagen Long Cut Southern Blend	3	0.0250
8	10715 = Grizzly Long Cut	2	0.0160
9	10718 = Grizzly Long Cut Straight	2	0.0160
10	10401 = Cooper Long Cut Wintergreen	1	0.0080
11	10410 = Copenhagen Wintergreen Pouches	1	0.0080
12	10710 = Grizzly 1900 Long Cut	1	0.0080
13	10711 = Grizzly Extra Long Cut	1	0.0080
14	10712 = Grizzly Extra Long Cut Premium Natural	1	0.0080
15	10713 = Grizzly Fine Cut Premium Natural	1	0.0080
16	10867 = Kayak Long Cut Apple	1	0.0080
17	10868 = Kayak Long Cut Grape	1	0.0080
18	10918 = Kodiak Wintergreen	1	0.0080
19	10985 = Longhorn Straight	1	0.0080
20	11388 = Red Seal Wintergreen	1	0.0080
21	All other coded responses	2	0.0160
22	99995 = Some other product	1	0.0080
23	-1 = Inapplicable	12,080	99.2440
24	-9 = Missing - Not ascertained	1	0.0080
25			
26	Total	12,172	100.0

Obs	R02_YS1048SU_BRAND: Brand of snus pouches usually/last used	Unweighted Frequency	Percent of Total Frequency
1	1033 = Camel	10	0.0820
2	1190 = Skoal	6	0.0490
3	1125 = Marlboro	3	0.0250
4	1049 = Copenhagen	2	0.0160
5	1092 = Grizzly	2	0.0160
6	1147 = Nordic Ice	1	0.0080
7	9995 = Some other brand	2	0.0160
8	-7 = Refused	1	0.0080
9	-1 = Inapplicable	12,145	99.7780
10			
11	Total	12,172	100.0

Obs	R02_YS1070SU_PRODUCT: Sub-brand of snus pouch product usually/last used	Unweighted Frequency	Percent of Total Frequency
1	10289 = Camel Snus Frost	8	0.0660
2	11977 = Skoal snus Mint	4	0.0330
3	10290 = Camel Snus Mellow	1	0.0080
4	10291 = Camel Snus Mint	1	0.0080
5	11051 = Marlboro Snus Original (Tin)	1	0.0080
6	11514 = Skoal Berry	1	0.0080
7	11995 = Marlboro Snus Variety Pack	1	0.0080
8	99995 = Some other product	2	0.0160
9	99990 = No data (Brand text response up-coded)	4	0.0330
10	-8 = Don't know	1	0.0080
11	-1 = Inapplicable	12,148	99.8030
12			
13	Total	12,172	100.0