

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

Questionnaire for Wave 3: Adult Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

Contract #: HHSN271201100027C

PATH Study Wave 3 Adult Public Use File Annotated Instrument



Updated: March 27, 2019
Date: April 23, 2018

Prepared by:
Westat
An Employee-Owned Research Corporation
1600 Research Boulevard
Rockville, Maryland 20850-3129
(301) 251-1500

Table of Contents

PATH Study Wave 3 Annotated Instrument – Explanatory Notes.....	iv
ADULT AGE CONFIRMATION.....	1
INITIAL ADMINISTRATIVE DATA.....	3
INTRODUCTORY DEMOGRAPHICS	4
TOBACCO USE.....	11
CIGARETTE	93
(Primary) ELECTRONIC NICOTINE PRODUCTS	151
(Secondary) ELECTRONIC NICOTINE PRODUCTS	225
CIGAR.....	234
PIPE	343
HOOKAH.....	378
SNUS	415
SMOKELESS TOBACCO	454
POLYUSE	491
NICOTINE DEPENDENCE.....	500
PACKAGING AND HEALTH WARNINGS.....	633
PRODUCT REGULATION - MODIFIED RISK TOBACCO PRODUCTS	645
MEDIA USE	666
SECONDHAND SMOKE EXPOSURE	671
SOCIAL NORMS, PEER AND FAMILY INFLUENCES.....	677
HEALTH.....	684
MARKETING, ADVERTISING AND PROMOTION	833
ADDITIONAL DEMOGRAPHICS.....	844
PRODUCT BARCODE SCANNING MODULE.....	860
CLOSING ADMINISTRATIVE DATA.....	874
APPENDIX – ADULT GENERIC IMAGES	875
APPENDIX – ADULT USER GROUP DEFINITIONS.....	886
APPENDIX – ADULT INSTRUMENT SKIP ERROR SUMMARY	936
APPENDIX – ADULT INSTRUMENT DATA ERROR SUMMARY	943

03272019

PATH Study Wave 3 Annotated Instrument – Explanatory Notes

BOX ID: R03_AMD04

(1) Structure of Question Boxes. Each question in the annotated instrument is presented in a box. Within the box, the top row usually indicates the name of the variable(s) in which data collected by that question are stored. However, for questions with a “choose all that apply” structure, the top row states “SEE BELOW:” and the variable names are displayed next to the corresponding response options. All variable names are displayed in red italic font. The second row includes the question text, including any instructions for the respondent (for example, “Choose all that apply”). The next several rows display the response options. The last rows specify which respondents were asked the question, followed in many instances by special instructions used in programming. The rows that specify which respondents were asked the question are split into two parts: The first part (the “ASK Description”) provides a general description of which respondents were asked; the second part (the “ASK Specification”) identifies which respondents were asked as a logic statement using specific variables.

(2) Non-Question Boxes. Some boxes in the instrument do not include questions. These boxes include introductory text, display instructions, or more complex programming instructions, such as those used to create derived variables.

(3) Question Routing. The instrument was designed with the assumption that all respondents to a question would be asked the next question, unless there are specific instructions routing a subgroup of respondents to a different question. The phrase “GOTO” precedes such routing instructions. Complex routing instructions are split into two parts: The first part (the “GOTO Description”) provides a general description of the routing instructions; the second part (the “GOTO Specification”) reiterates the instructions as a set of logic statements, using specific variables. Non-response values (“DON’T KNOW” and “REFUSED”) are treated the same as response values for routing; if they are not mentioned in specific routing instructions, then the routing follows other criteria. Many routing instructions consist of multiple statements. The first statement describes a set of conditions and indicates the next question to be asked if those conditions are met. (“IF ____, GO TO ____.”) Subsequent statements use the word “else” to indicate that the conditions given in previous statements have not been met. (“ELSE, IF ____, GO TO ____.”) This means that the first statement fulfilled by the respondent always indicates the next question asked.

(4) Randomized Question Order. Some series of questions were presented to respondents in a randomized order. In such instances, a non-question box precedes the series and specifies which questions are part of the randomized series. Routing within these series indicates which questions were asked of different respondents and reflects the static order of the questions in this document. It does not reflect the actual order in which the questions were displayed for respondents.

(5) Iterative Loops. There are several questions, series of questions, and entire sections that are specified as being asked in a loop. In such instances, questions were iteratively asked of the respondent to collect similar information on two or more topics. For example, the questions about cigars are asked iteratively regarding traditional cigars, cigarillos, and filtered cigars. These items are specified a single time, with programming instructions identifying the beginning and ending of the loop, how it is to be changed for each iteration, and the order in which each iteration should be presented. Looped items utilize iteration indicators to provide precise ASK Specifications and GOTO Specifications for each iteration of the item. Additionally, ASK Specifications and program boxes use logical statements to indicate the relevant iteration of the loop. For example, “IF LOOP = GTRAD AND R03_INIT_GTRAD_ADULT = 1” indicates an item should be asked if the instrument is in the traditional cigar iteration of the cigar loop and the respondent has been identified as an initiator of traditional cigars. The responses for each iteration are captured in different variables, which have different suffixes to indicate which iteration each variable applies to. For example, the variables for smokeless tobacco end in SM and the variables for snus pouches end in SU. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) However, when variables within loops are

referenced in the instrument, the root variable is referenced a single time and the iteration indicator suffixes are combined in brackets. This is done to simplify the presentation. Unless explicitly stated otherwise, variables for one iteration have no impact on a different iteration. For example, if a question about smokeless tobacco or snus pouches refers to a variable that ends in [SU/SM], only the SM variable applies to the smokeless tobacco iteration, and only the SU variable applies to the snus pouch iteration.

(6) Variables For Multiple Components. Some questions contain separate variables for multiple components. Examples of such items include “choose all that apply” questions, where there is a separate variable for each response category; questions that ask about duration, where data are recorded in separate variables as number and unit (days, months, years) combinations (number variables are indicated by the suffix `_NN` and unit variables are indicated by `_UN`); and questions that ask for a price, where data are recorded in separate variables as dollar (`_D`) and cent (`_C`) combinations. (Variables with the suffix `_D`, `_C` or `_NN` are open-field variables that allow respondents to enter any numeric value. As such, no discrete values are indicated for these variables. However, variables with the suffix `_UN` have values corresponding to set options from which the respondent must choose. Because `_NN/_UN` questions combine these two variable types, item-level notes are utilized to clarify that the discrete values presented in the instrument refer only to the `_UN` variable.) Each component variable in such items is differentiated using an appropriate suffix. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) However, when variables with multiple components are referenced in routing instructions that precede the question, the component suffix is omitted. This is done to simplify the presentation, since before the question is asked, the respondent’s answer is not known. Unless explicitly stated otherwise, the reference to the root variable name (without the component suffix) in the logic means that the logic applies to the entire item, not just to a specific component variable. In routing instructions that come after the question, the specific variable with the component suffix is included, so that the routing instructions are clear and specific.

(7) Logic Checks. Some questions include a soft range check for responses. This means that respondents were not prevented from entering responses that were outside of the range. However, if a respondent entered a response that was out of range, they received a prompt noting their answer. They were asked to change their answer if it was incorrect or confirm their answer by proceeding to the next question. These logic checks are presented in the annotated instrument as probe questions, immediately following the question they check. Respondents are routed to the logic check and a program note specifies the conditions that trigger the prompt to be shown. If the respondent did not meet the trigger conditions, they proceeded to the next question without being shown the prompt. Logic checks are identified by the suffix `_LC1` (or `_LC2`, etc.) added to the root variable name of the question they check. Although similar to actual questions, logic checks do not capture data. Logic checks are presented with ASK specifications, but without ASK descriptions to help distinguish them from actual questions.

(8) Section routing. Respondents are assumed to be routed through every section in the instrument in turn, unless otherwise noted. For the sections that ask questions about specific tobacco products (cigarettes, e-cigarettes, cigars, pipe, hookah, smokeless tobacco and dissolvable tobacco), respondents are only routed to the section if they are ever users of the product, then to the Polyuse section. All respondents are routed to the Nicotine Dependence section. This routing is not explicitly defined in each section, but is driven by Box R03_AXR01, which specifies:

(a) For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.

(b) For respondents who have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.

(c) In some cases, a respondent is skipped from the middle of one section to the next section on the route that is applicable to them. This is noted by stating "GO TO THE NEXT SECTION." For simplicity, the specific logic for routing from one section to another is not described in these cases. Rather, it is assumed that respondents are routed through the specific tobacco product sections for every tobacco product they have ever used, and that all respondents are routed to the Nicotine Dependence section. After the Nicotine Dependence section, all remaining sections are completed in order.

(9) Never Users. The instrument refers to a respondent not reporting use of a product as having never used the product. As such, never usage includes respondents reporting that they have never used a product, or that they don't know whether they have ever used the product, or refusing to answer whether they have ever used the product. This design reflects programming and data collection necessities, rather than an analytic definition.

(10) Snus Pouch Use. Respondents who report using snus pouches are asked if the product they are reporting is Skoal Bandits, a type of pouched smokeless tobacco that might be mistaken for snus pouches. The instrument refers to a respondent who reports snus pouch use as a snus user, unless they indicate Skoal Bandits as the only pouched product they have used. As such, snus usage includes respondents reporting that they have used brands other than Skoal Bandits, or that they don't know whether they have used other brands, or refusing to answer whether they have used other brands. This design reflects programming and data collection necessities, rather than an analytic definition.

(11) Images. All generic images used to display examples during interview administration are included in an appendix. Images used to display tobacco brands, products, or advertisements are not included in this instrument.

(12) New Product Placeholder section. In the Wave 3 Adult data collection instrument, a placeholder section was included in the questionnaire to allow the possibility of adding new tobacco products to the survey during the data collection period. No product warranted activation of the section during data collection, so there are no data or variables associated with the section. Given that, the "New Product - Placeholder" section has been excluded from the Wave 3 Adult annotated instrument.

(13) References to Preload Data. As Westat prepares continuing respondent cases for data collection, data from prior waves are preloaded into the instruments for the current wave for longitudinal reference. For example, in the Wave 3 Adult instrument, identification of adults who have ever smoked a cigarette is based on the tobacco users groups and item responses from Waves 1 and 2 as well as responses to the Wave 3 instrument. Variables for this preloaded data are indicated by the prefix "R02_", signifying the most recent data at the close of Wave 2. When referencing data from previous waves, the instrument describes it as the respondents' answers "as of their last completed interview". For example, "continuing adult respondents who have ever smoked a cigarette as of their last completed interview".

(14) **/* Notation.** The **/*** notation on some item IDs is indicative of a Wave 3 instrument error. The "***" represents an instrument SKIP ERROR which resulted in missing data for some respondents. See Appendix - Adult Instrument Skip Error Summary for more information. The "**/" notation on some item IDs is indicative of a Wave 3 instrument DATA ERROR which are not attributed to any skip errors. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.). See Appendix - Adult Instrument Data Error Summary for more information.

(15) Nicotine Dependence Section. Respondents routed to this section were asked the questions up to two times. There is a sub-section for electronic nicotine products and a sub-section for all other products. For this reason, the nicotine dependence data are stored in two sets of variables: one that ends with an "E" suffix (for example, R03_AN0030E, R03_AN0035E, R03_AN0045E) and one that

does not (for example, R03_AN0030, R03_AN0035, R03_AN0045). This note describes the variables in which the data are stored and how use is defined.

Polyuse means use of two or more tobacco products. The variables with the “E” suffix only include data about electronic nicotine products. Data for all other tobacco products are found in the variables without the suffix. This is a change from Waves 1 and 2.

Variables that store nicotine dependence data

- Data for single product electronic nicotine product users are stored in the variables with the “E” suffix. This is a change from Waves 1 and 2.
- Data for single product users of other tobacco products are stored in the variables without the “E” suffix.
- Data for polyusers who use electronic nicotine products are stored in the variables with the “E” suffix for responses specific to their electronic nicotine products and in the variables without the “E” suffix for responses about their other product or products.
- Data for polyusers who do not use electronic nicotine products are stored in the variables without the “E” suffix.

It is important to note that the first and third bullets indicate that data for respondents who use electronic nicotine products are stored in the variables with the “E” suffix. **In a change from Wave 1 and Wave 2, analysts interested in dependence among electronic nicotine product users only need to consider the variables with the “E” suffix.**

Description of respondents who are asked questions in the nicotine dependence section.

Respondents were routed to the nicotine dependence section based on the count of tobacco products used, which is itself dependent on how use is defined.

The count of tobacco products used to determine if a respondent was a single product user or a polyuser depended on three types of use: current established use (CS), new former established use (NF) and current experimental use (CX).

The rules for counting products used are shown in the table below.

- To determine the count, the products in the use category(ies) shown in the “basis of product count” column were summed. Each of the three types of cigars (traditional cigars, cigarillos and filtered cigars) were counted separately, as were smokeless tobacco and snus.
- Based on that sum, users were categorized as single product users or polyusers.
- If one of the use categories was missing, it was considered to be no.
- The questions asked in the nicotine dependence section were about the products in the use category(ies) shown in the last column.

Current experimental user (CX)	Current established user (CS)	New former established user (NF)	Basis of product count
YES	NO	NO	CX
NO	YES	NO	CS
NO	NO	YES	NF
NO	YES	YES	CS and NF combined
YES	YES	YES	CS and NF combined
YES	YES	NO	CS
YES	NO	YES	NF
NO	NO	NO	Not applicable

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Note that as shown in the table above, the only circumstance where a respondent answered nicotine dependence questions about their current experimental use is when that respondent was neither a current established user nor a new former established user. Current established users or new former established users of a single product who were experimental users of a second product were considered single product users. Once the respondent was categorized as a single product user or a polyuser, their responses to questions were stored in the data file as described in the variables section above.

(16) Questionnaire variables excluded from the data file. Several questionnaire variables are excluded from the PATH Study Wave 3 Public Use File (PUF) in order to protect the identity of the PATH Study participants. Some of the information in these variables will be retained and presented in new derived variables while other information will be entirely excluded from the file. Table 1 below contains a list of variables that are entirely excluded from the data file; Table 2 below contains a list of variables that are replaced with a new derived variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF

Questionnaire Variable	Questionnaire Variable Description
R03_CAD10	Confirm respondent DOB
R03_LAD01	Respondent's preferred language to complete ACASI interview
R03_AM0007	Ever served on active duty in the U.S. Armed Forces, Military Reserves or National Guard
R03_AM0011_01	Branch served when on active duty: Army
R03_AM0011_02	Branch served when on active duty: Navy
R03_AM0011_03	Branch served when on active duty: Air Force
R03_AM0011_04	Branch served when on active duty: Marine Corps
R03_AM0011_05	Branch served when on active duty: Coast Guard
R03_AM0072_OS	Language other than English spoken at home - Specify
R03_AZ1002_OS	Ever used any other tobacco products - Specify
R03_AC1033MC_OS	Retail location where your cigarette is purchased most of the time - Specify
R03_AC1049MC	Brand of cigarettes usually/last smoked - Specify
R03_AC1071MC	Sub-brand of cigarette product usually/last smoked - Specify
R03_AC1033RY_OS	Retail location where your roll-your-own cigarette tobacco is purchased most of the time - Specify
R03_AC1049RY	Brand of roll-your-own cigarette tobacco usually/last smoked - Specify
R03_AC1071RY	Sub-brand of roll-your-own cigarette tobacco product usually/last smoked - Specify
R03_AV9003	Brand of [primary electronic nicotine product] owned - Specify
R03_AV1011_OS	Flavor of [primary electronic nicotine product] when first started using - Specify
R03_AV1131_OS	In past 30 days, [electronic nicotine products/cartridges/e-liquid] flavor used - Specify
R03_AV1033_OS	Retail location where your [electronic nicotine products/cartridges/e-liquid] are bought most of the time - Specify
R03_AV1012_OS	Flavor of regular brand/brand last used - Specify
R03_AV1049	Brand of [electronic nicotine products/cartridges/e-liquid] usually/last used - Specify
R03_AV2011_OS	When first started using [secondary electronic nicotine product]s, flavor used - Specify
R03_AV9035_OS	Electronic nicotine product you have used - Specify
R03_AX0686_OS	In past 12 months, liked or followed brand on social media sites - Specify
R03_AJ1033TC_OS	Retail location where your traditional cigars for blunts is purchased most of the time - Specify
R03_AJ1049TC	Brand of traditional cigars for blunts usually/last smoked - Specify
R03_AJ1071TC	Sub-brand of traditional cigar as a blunt product usually/last smoked - Specify
R03_AJ1033CG_OS	Retail location where your cigarillos for blunts is purchased most of the time - Specify

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF (continued)

Questionnaire Variable	Questionnaire Variable Description
R03_AJ1049CG	Brand of cigarillos for blunts usually/last smoked – Specify
R03_AJ1071CG	Sub-brand of cigarillo as a blunt product usually/last smoked - Specify
R03_AJ1033FC_OS	Retail location where your filtered cigars for blunts is purchased most of the time - Specify
R03_AJ1049FC	Brand of filtered cigars for blunts usually/last smoked - Specify
R03_AJ1071FC	Sub-brand of filtered cigar as a blunt product usually/last smoked - Specify
R03_AG1033TC_OS	Retail location where your traditional cigars is/were purchased most of the time - Specify
R03_AG1049TC	Brand of traditional cigars usually/last smoked - Specify
R03_AG1071TC	Sub-brand of traditional cigar product usually/last smoked - Specify
R03_AG1033CG_OS	Retail location where your cigarillos is/were purchased most of the time - Specify
R03_AG1049CG	Brand of cigarillos usually/last smoked - Specify
R03_AG1071CG	Sub-brand of cigarillo product usually/last smoked - Specify
R03_AG1033FC_OS	Retail location where your filtered cigars is/were purchased most of the time - Specify
R03_AG1049FC	Brand of filtered cigars usually/last smoked - Specify
R03_AG1071FC	Sub-brand of filtered cigar product usually/last smoked - Specify
R03_AP1033_OS	Retail location where your pipe tobacco is purchased most of the time - Specify
R03_AP1049	Brand of pipe tobacco usually/last smoked - Specify
R03_AP1071	Sub-brand of pipe tobacco product usually/last smoked - Specify
R03_AH9011_OS	Place where usually smoke/smoked a hookah - Specify
R03_AH1033_OS	Retail location where your hookah tobacco is purchased most of the time - Specify
R03_AH1049	Brand of shisha or hookah tobacco usually/last smoked - Specify
R03_AH1071	Sub-brand of hookah tobacco product usually/last smoked - Specify
R03_AU1033_OS	Retail location where your snus pouches is purchased most of the time - Specify
R03_AU1049	Brand of snus pouches usually/last used - Specify
R03_AU1071	Sub-brand of snus pouch product usually/last used - Specify
R03_AS1033_OS	Retail location where your smokeless tobacco is purchased most of the time - Specify
R03_AS1049	Brand of smokeless tobacco usually/last used - Specify
R03_AS1071	Sub-brand of smokeless tobacco product usually/last used - Specify
R03_AX0190_NB	Is deaf or has serious difficulty hearing
R03_AX0191_NB	Is blind or has serious difficulty seeing, even when wearing glasses
R03_AX0203_OS	In past 30 days, place where noticed e-cigarettes or other electronic nicotine products being advertised - Specify

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF (continued)

Questionnaire Variable	Questionnaire Variable Description
R03_AX0677_OS	In past 30 days, noticed cigarettes or other tobacco products being advertised - Specify
R03_AM0067	Enrolled in High School
R03_AM0068	Current grade in school
R03_AM0020_OS	Type of degree program currently enrolled in - Specify
R03_AM0012	Ever been enrolled in VA Health Care
R03_AM0021	Sexual attraction to gender
R03_AM0061	Consider yourself to be transgender
R03_AM0062	Consider self to be male-to-female, female-to-male, or non-conforming
R03_LCAD01	Language in which CAPI portions of adult interview were conducted
R03_AX0217_1A	Tobacco Product 1, bar code scan
R03_AX0217_2A	Tobacco Product 2, bar code scan
R03_AX0217_3A	Tobacco Product 3, bar code scan
R03_AX0217_4A	Tobacco Product 4, bar code scan
R03_AX0217_5A	Tobacco Product 5, bar code scan
R03_AX0217_6A	Tobacco Product 6, bar code scan
R03_AX0217_7A	Tobacco Product 7, bar code scan
R03_AX0217_8A	Tobacco Product 8, bar code scan
R03_AX0217_9A	Tobacco Product 9, bar code scan
R03_AX0217_10A	Tobacco Product 10, bar code scan
R03_AM0001	Date of birth (Corrected)
R03_AM0002	Respondent age

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R03_AM0001 R03_AM0002 R03_AM0003	R03R_A_AGECA7	Age range when interviewed (7 levels)
R03_AM0069	R03R_A_AM0069	Respondent is a citizen of the United States (2 levels)
R03_AM0065	R03R_A_AM0065	Number of years lived in the United States (3 levels)
R03_AC1007_NB R03_AC1121_NB	R03R_A_AC1007_NB	Age range when first started smoking cigarettes fairly regularly (6 levels)
R03_AC1020_NB R03_AC1122_NB	R03R_A_AC1020_NB	Age range when first started smoking cigarettes every day (6 levels)
R03_AV1007_NB R03_AV1121_NB	R03R_A_AV1007_NB	Age range when first started using [EPRODTYPE1]s fairly regularly (6 levels)
R03_AV1020_NB R03_AV1122_NB	R03R_A_AV1020_NB	Age range when first started using [EPRODTYPE1]s every day (6 levels)
R03_AG1007TC_NB R03_AG1121TC_NB	R03R_A_AG1007TC_NB	Age range when first started smoking traditional cigars fairly regularly (6 levels)
R03_AG1020TC_NB R03_AG1122TC_NB	R03R_A_AG1020TC_NB	Age range when first started smoking cigarillos every day (6 levels)
R03_AG1007CG_NB R03_AG1121CG_NB	R03R_A_AG1007CG_NB	Age range when first started smoking filtered cigars fairly regularly (6 levels)
R03_AG1020CG_NB R03_AG1122CG_NB	R03R_A_AG1020CG_NB	Age range when first started smoking cigarillos every day (6 levels)
R03_AG1007FC_NB R03_AG1121FC_NB	R03R_A_AG1007FC_NB	Age range when first started smoking filtered cigars fairly regularly (6 levels)
R03_AG1020FC_NB R03_AG1122FC_NB	R03R_A_AG1020FC_NB	Age range when first started smoking filtered cigars every day (6 levels)
R03_AP1007_NB R03_AP1121_NB	R03R_A_AP1007_NB	Age range when first started smoking a pipe filled with tobacco fairly regularly (6 levels)
R03_AP1020_NB R03_AP1122_NB	R03R_A_AP1020_NB	Age range when first started smoking a pipe filled with tobacco every day (6 levels)
R03_AH1007_NB R03_AH1121_NB	R03R_A_AH1007_NB	Age range when first started smoking hookah fairly regularly (6 levels)
R03_AH1020_NB R03_AH1122_NB	R03R_A_AH1020_NB	Age range when first started smoking hookah every day (6 levels)
R03_AU1007_NB R03_AU1121_NB	R03R_A_AU1007_NB	Age range when first started smoking snus pouches fairly regularly (6 levels)
R03_AU1020_NB R03_AU1122_NB	R03R_A_AU1020_NB	Age range when first started smoking snus pouches every day (6 levels)
R03_AS1007_NB R03_AS1121_NB	R03R_A_AS1007_NB	Age range when first started using smokeless tobacco fairly regularly (6 levels)

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R03_AS1020_NB R03_AS1122_NB	R03R_A_AS1020_NB	Age range when first started using smokeless tobacco every day (6 levels)
R03_AX0114_NB R03_AX0253_NB	R03R_A_AX0114_NB	Age range when you were first told you had high blood pressure (6 levels)
R03_AX0115_NB R03_AX0254_NB	R03R_A_AX0115_NB	Age range when you were first told you had high cholesterol (6 levels)
R03_AX0116_NB R03_AX0255_NB	R03R_A_AX0116_NB	Age range when you were first told you had congestive heart failure (6 levels)
R03_AX0117_NB R03_AX0256_NB	R03R_A_AX0117_NB	Age range when you were first told you had a stroke (6 levels)
R03_AX0112_NB R03_AX0252_NB	R03R_A_AX0112_NB	Age range when you were first told you had a heart attack (6 levels)
R03_AX0120_NB R03_AX0257_NB	R03R_A_AX0120_NB	Age range when you were first told you had COPD (6 levels)
R03_AX0121_NB R03_AX0258_NB	R03R_A_AX0121_NB	Age range when you were first told you had chronic bronchitis (6 levels)
R03_AX0123_NB R03_AX0259_NB	R03R_A_AX0123_NB	Age range when you were first told you had emphysema (6 levels)
R03_AX0124_NB R03_AX0260_NB	R03R_A_AX0124_NB	Age range when you were first told you had asthma (6 levels)
R03_AX0131_NB R03_AX0261_NB	R03R_A_AX0131_NB	Age range when you were first told you had gum disease (6 levels)
R03_AX0133_NB R03_AX0262_NB	R03R_A_AX0133_NB	Age range when you were first told you had pre-cancerous oral lesions (6 levels)
R03_AX0280_NB R03_AX0263_NB	R03R_A_AX0280_NB	Age range when you were first told you had diabetes, sugar diabetes, high blood sugar or borderline diabetes (6 levels)
R03_AX0143_NB R03_AX0264_NB	R03R_A_AX0143_NB	Age range when you were first told you had an ulcer (6 levels)
R03_AX0148_NB R03_AX0266_NB	R03R_A_AX0148_NB	Age range when you were first told you had stomach or gastro-intestinal bleeding (6 levels)
R03_AX0150_NB R03_AX0267_NB	R03R_A_AX0150_NB	Age range when you were first told you had osteoporosis (6 levels)
R03_AX0198_NB R03_AX0268_NB	R03R_A_AX0198_NB	Age range when you were first told you had a bone fracture because you have fragile bones (6 levels)
R03_AX0152_NB R03_AX0269_NB	R03R_A_AX0152_NB	Age range when you were first told you had a cataract or glaucoma (6 levels)

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R03_AX0703 R03_AX0704	R03R_A_AX0703	Age range when you were first told you had macular degeneration (6 levels)
R03_AX0145_02 R03_AX0145_03 R03_AX0145_04 R03_AX0145_05 R03_AX0145_09 R03_AX0145_12 R03_AX0145_15 R03_AX0145_18 R03_AX0145_19 R03_AX0145_21 R03_AX0145_16 R03_AX0145_23 R03_AX0145_24 R03_AX0145_25 R03_AX0145_27 R03_AX0145_29 R03_AX0145_30 R03_AX0145_31	R03R_A_AX0145_NONTOB	Type of cancer is a non-tobacco related cancer (2 levels)
R03_AX0145_01 R03_AX0145_06 R03_AX0145_07 R03_AX0145_08 R03_AX0145_10 R03_AX0145_11 R03_AX0145_13 R03_AX0145_14 R03_AX0145_17 R03_AX0145_20 R03_AX0145_22 R03_AX0145_26 R03_AX0145_28	R03R_A_AX0145_TOB	Type of cancer is a tobacco related cancer (2 levels)

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R03_AX0146_NB_02	R03R_A_AX0146_NONT0B	Age range when nontobacco related cancer was diagnosed (6 levels)
R03_AX0265_NB_02		
R03_AX0146_NB_03		
R03_AX0265_NB_03		
R03_AX0146_NB_04		
R03_AX0265_NB_04		
R03_AX0146_NB_05		
R03_AX0265_NB_05		
R03_AX0146_NB_09		
R03_AX0265_NB_09		
R03_AX0146_NB_12		
R03_AX0265_NB_12		
R03_AX0146_NB_15		
R03_AX0265_NB_15		
R03_AX0146_NB_18		
R03_AX0265_NB_18		
R03_AX0146_NB_19		
R03_AX0265_NB_19		
R03_AX0146_NB_21		
R03_AX0265_NB_21		
R03_AX0146_NB_16		
R03_AX0265_NB_16		
R03_AX0146_NB_23		
R03_AX0265_NB_23		
R03_AX0146_NB_24		
R03_AX0265_NB_24		
R03_AX0146_NB_25		
R03_AX0265_NB_25		
R03_AX0146_NB_27		
R03_AX0265_NB_27		
R03_AX0146_NB_29		
R03_AX0265_NB_29		
R03_AX0146_NB_30		
R03_AX0265_NB_30		
R03_AX0146_NB_31		
R03_AX0265_NB_31		

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R03_AX0146_NB_01 R03_AX0265_NB_01 R03_AX0146_NB_06 R03_AX0265_NB_06 R03_AX0146_NB_07 R03_AX0265_NB_07 R03_AX0146_NB_08 R03_AX0265_NB_08 R03_AX0146_NB_10 R03_AX0265_NB_10 R03_AX0146_NB_11 R03_AX0265_NB_11 R03_AX0146_NB_13 R03_AX0265_NB_13 R03_AX0146_NB_14 R03_AX0265_NB_14 R03_AX0146_NB_17 R03_AX0265_NB_17 R03_AX0146_NB_20 R03_AX0265_NB_20 R03_AX0146_NB_22 R03_AX0265_NB_22 R03_AX0146_NB_26 R03_AX0265_NB_26 R03_AX0146_NB_28 R03_AX0265_NB_28	R03R_A_AX0146_TOB	Age range when tobacco related cancer was diagnosed (6 levels)
R03_AX0135_12M	R03R_A_AX0135_12M	Outcome of last pregnancy was miscarriage, induced abortion, ectopic or tubal pregnancy or stillbirth (2 levels)
R03_AX0300_12M_01 R03_AX0300_12M_02 R03_AX0300_12M_03 R03_AX0300_12M_04 R03_AX0300_12M_05 R03_AX0300_12M_06 R03_AX0300_12M_07 R03_AX0706	R03R_A_AX0300_12M	Outcome for live birth was preterm birth, low birth weight, birth defects, placenta previa, placenta abruption, preeclampsia, or cleft lip or palate (2 levels)
R03_AM0018	R03R_A_AM0018	Highest grade or level of school completed (6 levels)
R03_AM0030	R03R_A_AM0030	Total household income in the past 12 months (5 levels)

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R03_AM0038	R03R_A_AM0038	Type of current residence (7 levels)
R03_AM0033	R03R_A_AM0033	Highest grade or year of school completed by mother, step-mother or mother-figure (6 levels)
R03_AM0034	R03R_A_AM0034	Highest grade or year of school completed by father, step-father or father-figure (6 levels)
R03_AM0036	R03R_A_AM0036	In past 12 months, parents' total household income (5 levels)
R03_AM0026_01 R03_AM0026_02 R03_AM0026_03 R03_AM0026_04 R03_AM0026_05 R03_AM0026_06 R03_AM0026_07 R03_AM0026_08	R03R_A_AM0026	Currently covered by health insurance or health coverage plan (5 levels)
R03_AM0063	R03R_A_SEXORIENT2	Adult sexual orientation (2 levels)
R03_AX0313 R03_AX0679_FT R03_AX0679_IN R03_AX0316 R03_AX0109 R03_AX0312	R03R_A_BMI	Body mass index
R03_AT0047	R03R_A_AT0047	Recoded marital status (3 levels)

ADULT AGE CONFIRMATION**BOX ID: R03_CADBOX2_R**

IF DOB AVAILABLE, GO TO R03_CAD10.

IF DOB NOT AVAILABLE, GO TO R03_AM0001.

Variable(s): R03_CAD10

I have that your date of birth is {DOB}. Is that correct?

- | | | |
|----|------------|----------------------|
| 1 | YES | GO TO R03_CADBOX3_VR |
| 2 | NO | |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Adult respondents who provided a date of birth as of their last completed interview.

PROGRAM: Fill {DOB} with R03_BestDOB.

Variable(s): R03_AM0001 (R03R_A_AGE)

What is your date of birth?

MM/DD/YYYY

- | | | |
|----|------------|------------------|
| -8 | DON'T KNOW | GO TO R03_AM0002 |
| -7 | REFUSED | GO TO R03_AM0002 |

ASK: Adult respondents who did not provide a date of birth as of their last completed interview, or adult respondents who did provide a date of birth as of their last completed interview but did not confirm the date of birth.

ASK Specification: IF R03_CAD10 = (2, -7, -8) OR R03_BestDOB = NULL.

Note: R03R_A_AGE was created after data collection. It is the age variable that is included in the dataset. The variable R03_AM0001 is not included in the dataset, but the question included in this questionnaire for reference.

CHECK ID: R03_AM0001_LC

I recorded that your date of birth is {DOB2}. Is that correct?

PRESS S IF YES.

PRESS G TO GO BACK AND EDIT ENTRY.

- | | | |
|---|----------|----------------------|
| S | SUPPRESS | GO TO R03_CADBOX3_VR |
| G | GO BACK | GO TO R03_AM0001 |

ASK: Adult respondents who provided a date of birth in R03_AM0001.

DISPLAY: Display instructional text in blue. Fill {DOB2} with R03_AM0001 response.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AM0002 (R03R_A_AGE)

What is your age?

I ___ I ___ I AGE

-8 DON'T KNOW

-7 REFUSED

GO TO R03_CADBOX3_VR

GO TO R03_AM0003

GO TO R03_AM0003

ASK: Adult respondents who did not know or refused to report date of birth.

ASK Specification: IF R03_AM0001 = -8, -7.

Note: R03R_A_AGE was created after data collection. It is the age variable that is included in the dataset. The variable R03_AM0002 is not included in the dataset, but the question included in this questionnaire for reference.

Variable(s): R03_AM0003

Are you...

Less than 18 years old,

18 to 24 years old,

25 to 29 years old, or

30 years old or older?

1 LESS THAN 18 YEARS OLD

2 18 TO 24 YEARS OLD

3 25 TO 29 YEARS OLD

4 30 YEARS OLD OR OLDER

ASK: Adult respondents who did not know or refused to report their age.

ASK Specification: IF R03_AM0002 = -8, -7.

BOX ID: R03_CADBOX3_VR

PROGRAM - Create a derived variable, called R03_ACHIEVEDAGE, as follows:

IF R03_CAD10 = 1, use a standard algorithm to determine SP year of age on the date that the consent is being administered, using R03_BestDOB. (i.e., If BestDOB confirmed)

ELSE, IF R03_AM0001 NOT IN (-7, -8), use a standard algorithm to determine SP year of age on the date that the consent is being administered, using DOB entered in R03_AM0001 (i.e., Else if New DOB entered)

ELSE, IF R03_AM0002 NOT IN (-7, -8), then use age entered in R03_AM0002 (i.e., Else if age entered in years)

ELSE, IF R03_AM0003 IN (1, 2, 3, 4), THEN SET R03_ACHIEVEDAGE TO (17, 21, 27, 30), respectively.

Create a derived variable, called R03_ADULTTYPE as follows:

IF R03_ACHIEVEDAGE > 17 AND (Scrn112_AssignmentStatus !NULL or Scrn212_AssignmentStatus !NULL), SET R03_ADULTTYPE = 1 (ContinuingAdult) AND GO TO R03_CAD08 (i.e., if 18+ and completed adult int in BL or W2, set as continuing adult)

ELSE, IF R03_ACHIEVEDAGE > 17 AND (Int233_AssignmentStatus !NULL OR (Int133_AssignmentStatus !NULL AND Scrn212_AssignmentStatus = NULL)), SET R03_ADULTTYPE = 2 (NewBaselineAdult) AND GO TO R03_CAD15 (i.e., if 18+ and previously completed youth int in BL or W2, set as new adult)

ELSE, IF R03_ACHIEVEDAGE < 18, GO TO R03_CAD28 (i.e., if under 18, then exit adult consent)

INITIAL ADMINISTRATIVE DATA

Variable(s): R03_LAD01	
I'm going to give you the computer to complete the survey. Do you want to answer questions in English or Spanish?	
1	ENGLISH
2	SPANISH
ASK: Adult respondents who signed the consent.	

INTRODUCTORY DEMOGRAPHICS

BOX ID:	R03_AMV02
PROGRAM: LOAD THE FOLLOWING DERIVED VARIABLES FROM PRELOAD FILE.	
R02_CIG_USER_STATUS - Wave 2 cigarette user status (current established, current experimental, former experimental, new former established, still former established) R02_ECIG_USER_STATUS - Wave 2 e-cigarette user status (current established, current experimental, former experimental, new former established, still former established) R02_GTRAD_USER_STATUS - Wave 2 traditional cigar user status (current established, current experimental, former experimental, new former established, still former established) R02_GRILLO_USER_STATUS - Wave 2 cigarillo user status (current established, current experimental, former experimental, new former established, still former established) R02_GFILTR_USER_STATUS - Wave 2 filtered cigar user status (current established, current experimental, former experimental, new former established, still former established) R02_PIPE_USER_STATUS - Wave 2 pipe user status (current established, current experimental, former experimental, new former established, still former established) R02_HOOK_USER_STATUS - Wave 2 hookah user status (current established, current experimental, former experimental, new former established, still former established) R02_SNUS_USER_STATUS - Wave 2 snus user status (current established, current experimental, former experimental, new former established, still former established) R02_SMKLS_USER_STATUS - Wave 2 smokeless tobacco user status (current established, current experimental, former experimental, new former established, still former established) R02_TOBACCO_USER_STATUS - Wave 2 tobacco user status (current established, current experimental, former experimental, new former established, still former established) R02_EVER_NEVER_CIGS - Wave 2 ever or never user of cigarettes R02_EVER_NEVER_ECIG - Wave 2 ever or never user of e-cigarettes R02_EVER_NEVER_EPRODS - Wave 2 ever or never user of e-products R02_EVER_NEVER_ECIGAR - Wave 2 ever or never user of e-cigars R02_EVER_NEVER_EPIPE - Wave 2 ever or never user of e-pipes R02_EVER_NEVER_EHOOK - Wave 2 ever or never user of e-hookahs R02_EVER_NEVER_GTRAD - Wave 2 ever or never user of traditional cigars R02_EVER_NEVER_GRILLO - Wave 2 ever or never user of cigarillos R02_EVER_NEVER_GFILTR - Wave 2 ever or never user of filtered cigars R02_EVER_NEVER_BTRAD - Wave 2 ever or never user of traditional cigars as blunts R02_EVER_NEVER_BRILLO - Wave 2 ever or never user of cigarillos as blunts R02_EVER_NEVER_BFILTR - Wave 2 ever or never user of filtered cigars as blunts R02_EVER_NEVER_PIPE - Wave 2 ever or never user of pipes R02_EVER_NEVER_HOOK - Wave 2 ever or never user of hookah R02_EVER_NEVER_SNUS - Wave 2 ever or never user of snus R02_EVER_NEVER_SMKLS - Wave 2 ever or never user of smokeless tobacco R02_EVER_NEVER DISSBL - Wave 2 ever or never user of dissolvable tobacco R02_DM_BANDITSONLY - Wave 2 was a user of Skoal Bandits and no other smokeless tobacco. R02_NUMLIFE_CIGS - The respondent reported smoking 100+ cigarettes in their lifetime as of their last completed interview. R02_NUMLIFE_ECIG - The respondent reported using e-cigarettes 100+ times in their lifetime as of their last completed interview.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

R02_NUMLIFE_GTRAD - The respondent reported smoking 100+ traditional cigars in their lifetime as of their last completed interview.

R02_NUMLIFE_GRILLO - The respondent reported smoking 100+ cigarillos in their lifetime as of their last completed interview.

R02_NUMLIFE_GFILTR - The respondent reported smoking 100+ filtered cigars in their lifetime as of their last completed interview.

R02_NUMLIFE_PIPE - The respondent reported smoking a pipe 100+ times in their lifetime as of their last completed interview.

R02_NUMLIFE_HOOK - The respondent reported smoking hookah 100+ times in their lifetime as of their last completed interview.

R02_NUMLIFE_SNUS - The respondent reported using snus 100+ times in their lifetime as of their last completed interview.

R02_NUMLIFE_SMKLS - The respondent reported using smokeless tobacco 100+ times in their lifetime as of their last completed interview.

R02_REGUSE_CIGS - The respondent reported smoking cigarettes fairly regularly as of their last completed interview.

R02_REGUSE_ECIG - The respondent reported using e-cigarettes fairly regularly as of their last completed interview.

R02_REGUSE_GTRAD - The respondent reported smoking traditional cigars fairly regularly as of their last completed interview.

R02_REGUSE_GRILLO - The respondent reported smoking cigarillos fairly regularly as of their last completed interview.

R02_REGUSE_GFILTR - The respondent reported smoking filtered cigars fairly regularly as of their last completed interview.

R02_REGUSE_PIPE - The respondent reported smoking a pipe fairly regularly as of their last completed interview.

R02_REGUSE_HOOK - The respondent reported smoking hookah fairly regularly as of their last completed interview.

R02_REGUSE_SNUS - The respondent reported using snus fairly regularly as of their last completed interview.

R02_REGUSE_SMKLS - The respondent reported using smokeless tobacco fairly regularly as of their last completed interview.

R02_GENDER - Respondent's reported gender

R02_PREGNANT - Respondent reported being pregnant as of their last completed interview

R02_VA_HEALTHCARE - Respondent reported being enrolled in VA health care as of their last completed interview.

R02_ASTHMA - Respondent reported being diagnosed with asthma in either as of their last completed interview.

R02_HIGH_CHOLESTEROL - Respondent reported being diagnosed with high cholesterol as of their last completed interview.

R02_HIGH_BLOOD_PRESSURE - Respondent reported being diagnosed with high blood pressure as of their last completed interview.

R02_STROKE - Respondent reported having had a stroke as of their last completed interview.

R02_ANY_HEART_CONDITION - Respondent reported being diagnosed with any heart condition as of their last completed interview.

R02_CANCER - Respondent reported being diagnosed with cancer as of their last completed interview.

R02_ULCER - Respondent reported being diagnosed with an ulcer as of their last completed interview.

R02_COPD - Respondent reported being diagnosed with COPD as of their last completed interview.

R02_DIABETES - Respondent reported being diagnosed with diabetes as of their last completed interview.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

R02_EVER_USER_ALCOHOL - Respondent reported ever using alcohol as of their last completed interview.

R02_EVER_USER_MARIJUANA - Respondent reported ever using marijuana as of their last completed interview.

R02_EVER_USER_RITALIN - Respondent reported ever using ritalin as of their last completed interview.

R02_EVER_USER_PAINKILLERS - Respondent reported ever using painkillers as of their last completed interview.

R02_EVER_USER_COCAINE - Respondent reported ever using cocaine as of their last completed interview.

R02_EVER_USER_STIMULANTS - Respondent reported ever using stimulants as of their last completed interview.

R02_EVER_USER_OTHERDRUG - Respondent reported ever using other drugs as of their last completed interview.

R02_EPRODCOUNT - The number of e-product types used as of their last completed interview.

R03_CONTACTFLAG_LD - Adult SP or parent/guardian of youth SP has provided contact information

R03_LINKED_ADDRESS - best address from IMS

R03_VTBESTSPPHONE - best phone number from IMS

R03_PHONE2 - second phone number from IMS

R03_PARENT_COMPLETE_LD - Adult respondent has completed a parent survey about a youth.

BOX ID:	R03_AMR03
Adult respondents who are not also a Wave 3 Parent respondent, go to R03_AT0047. Else, go to R03_AM0007.	
IF R03_P_COMP_LD = 2, GO TO R03_AT0047. ELSE, GO TO R03_AM0007.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AT0047*****

What is your marital status?

- 1 Now married
- 2 Widowed
- 3 Divorced
- 4 Separated
- 5 Never married
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not also a Wave 3 Parent respondent.

ASK Specification: IF R03_P_COMP_LD = 2.

NOTES: All adult respondents were asked about their marital status in either the Adult Instrument or the Parent Instrument. This was considered a single question; after being asked once, it was not repeated in the subsequent instrument. The data set reflects this and R03_AT0047 shows marital status data for all adult respondents.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R03_AM0007**

Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?

Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.

- 1 Yes, now on active duty
- 2 Yes, on active duty in the past, but not now
- 3 No, training for Reserves or National Guard only GO TO R03_AM0069
- 4 No, never served in the military GO TO R03_AM0069
- 8 DON'T KNOW GO TO R03_AM0069
- 7 REFUSED GO TO R03_AM0069

ASK: All adult respondents.

Variable(s):	SEE BELOW:
In which branch or branches [do/did] you serve on active duty? Choose all that apply.	
R03_AM0011_01	1 Army
R03_AM0011_02	2 Navy
R03_AM0011_03	3 Air Force
R03_AM0011_04	4 Marine Corps
R03_AM0011_05	5 Coast Guard
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are now on active duty or have been on active duty in the past.	
ASK Specification: IF R03_AM0007 = 1, 2.	
DISPLAY: IF R03_AM0007 = 1, DISPLAY "do".	
ELSE, IF R03_AM0007 = 2, DISPLAY "did".	
PROGRAM: Allow respondent to choose all that apply.	

Variable(s):	R03_AM0069
Are you a citizen of the United States?	
1	Yes, born in the United States
2	Yes, born in Puerto Rico, Guam, the U.S. Virgin Islands, or Northern Marianas
3	Yes, born abroad of U.S. citizen parent or parents
4	Yes, U.S. citizen by naturalization
5	No, not a U.S. citizen
-8	DON'T KNOW
-7	REFUSED
ASK: All adult respondents.	

Variable(s):	R03_AM0065
About how many years have you lived in the United States? (If you have lived in the United States for less than a year, enter 1.)	
_ _ _ YEARS	
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who were not born in the US.	
ASK Specification: IF R03_AM0069 != 1.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AM0065_LC1

The computer recorded that you have lived in the United States for [R03_AM0065] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------|
| 1 BACK | GO TO R03_AM0065 |
| 2 NEXT | GO TO BOX R03_AMD03 |

ASK: IF (R03_AM0069 != 1 AND R03_AM0065 != -8, -7) AND R03_AM0065 > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AM0065 > R03R_A_AGE AND R03R_A_AGE >= 18.
ELSE, GO TO BOX R03_AMD03 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_AMD03

Display questions R03_AM0066 through R03_AM0073 using the expanded WVB stem-leaf screen. The introduction text from R03_AM0066 is the stem. Show all leaves on the screen at once.

Variable(s): R03_AM0066

How well do you...

...speak English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AM0070

...read English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AM0073	
write in English?	
1	Very well
2	Well
3	Not well
4	Not at all
-8	DON'T KNOW
-7	REFUSED
ASK: All adult respondents.	

Variable(s): R03_AM0071		
Do you speak a language other than English at home?		
1	Yes	
2	No	GO TO BOX R03_ACT02
-8	DON'T KNOW	GO TO BOX R03_ACT02
-7	REFUSED	GO TO BOX R03_ACT02
ASK: All adult respondents.		

Variable(s): SEE BELOW:	
What is this language?	
R03_AM0072_01	1 Spanish
R03_AM0072_02; R03_AM0072_OS	2 Other language (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who speak a language other than English at home.	
ASK Specification: IF R03_AM0071 = 1.	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	

TOBACCO USE

BOX ID:	R03_ACT02
The next questions are about your experience with cigarettes .	
BOLD "cigarettes".	

Variable(s):	R03_AC1004
In the past 30 days, have you smoked a cigarette, even one or two puffs?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: All adult respondents.	

Variable(s):	R03_AC1002_12M
In the past 12 months, have you smoked a cigarette, even one or two puffs?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who have not smoked a cigarette in the past 30 days or did not know or refused to report if they have smoked a cigarette in the past 30 days.	
ASK Specification: IF R03_AC1004 = 2, -8, -7.	

BOX ID:	R03_ACR14
Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months or adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report if they smoked a cigarette in the past 12 months, go to R03_AC1003.	
Else, adult respondents who did not smoke a cigarette in the past 12 months and have ever smoked a cigarette as of their last completed interview and were not former experimental, new former established, or still former established cigarette smokers as of their last completed interview, go to R03_AC1009.	
Else, adult respondents who did not smoke a cigarette in the past 12 months, who had ever smoked a cigarette as of their last completed interview, go to R03_AC1010.	
Else, go to Box R03_ACV04.	
IF R03_AC1004 = 1 OR R03_AC1002_12M = 1 OR (R02_EVER_NEVER_CIGS = 1 AND R03_AC1002_12M = -8, -7), GO TO R03_AC1003.	
ELSE, IF R03_AC1002_12M = 2 AND R02_EVER_NEVER_CIGS = 1 AND R02_CIG_USER_STATUS != 3, 4, 5, GO TO R03_AC1009.	
ELSE, IF R03_AC1002_12M = 2 AND R02_EVER_NEVER_CIGS = 1, GO TO R03_AC1010.	
ELSE, GO TO BOX R03_ACV04.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC1003**

Do you now smoke cigarettes...

- | | | |
|----|------------|---------------------|
| 1 | Every day | GO TO BOX R03_ACV04 |
| 2 | Some days | GO TO BOX R03_ACV04 |
| 3 | Not at all | |
| -8 | DON'T KNOW | GO TO BOX R03_ACV04 |
| -7 | REFUSED | GO TO BOX R03_ACV04 |

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months or adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report if they smoked a cigarette in the past 12 months.

ASK Specification: IF R03_AC1004 = 1 OR R03_AC1002_12M = 1 OR (R02_EVER_NEVER_CIGS = 1 AND R03_AC1002_12M = -8, -7).

Variable(s): **R03_AC1009_NN***; R03_AC1009_UN**

About how long has it been since you last smoked a cigarette? (If it was earlier today, enter 1 day)

- | | | |
|----|----------------|------------------|
| 1 | I__I__I DAYS | |
| 2 | I__I__I MONTHS | |
| 3 | I__I__I YEARS | |
| -8 | DON'T KNOW | GO TO R03_AC1010 |
| -7 | REFUSED | GO TO R03_AC1010 |

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all or adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report if they smoked a cigarette in the past 12 months and now smoke cigarettes not at all or adult respondents who did not smoke a cigarette in the past 12 months and have ever smoked a cigarette as of their last completed interview and were not former experimental, new former established, or still former established cigarette smokers as of their last completed interview.

ASK Specification: IF ((R03_AC1004 = 1 OR R03_AC1002_12M = 1) AND R03_AC1003 = 3) OR (R02_EVER_NEVER_CIGS = 1 AND R03_AC1002_12M = -8, -7 AND R03_AC1003 = 3) OR (R03_AC1002_12M = 2 AND R02_EVER_NEVER_CIGS = 1 AND R02_CIG_USER_STATUS != 3, 4, 5).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: The value "1" refers to R03_AC1009_UN = Days; the value "2" refers to R03_AC1009_UN = Months; the value "3" refers to R03_AC1009_UN = Years.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked a cigarette.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AC1009 |
| 2 | NEXT | GO TO R03_AC1009_LC2 |

ASK: IF ((R03_AC1004 = 1 OR R03_AC1002_12M = 1) AND R03_AC1003 = 3) OR
(R02_EVER_NEVER_CIGS = 1 AND R03_AC1002_12M = -8, -7 AND R03_AC1003 = 3) OR
(R03_AC1002_12M = 2 AND R02_EVER_NEVER_CIGS = 1 AND R02_CIG_USER_STATUS != 3, 4,
5) AND R03_AC1009_NN = 0

DISPLAY: IF R03_AC1009_UN = 1, DISPLAY "days".

ELSE, IF R03_AC1009_UN = 2, DISPLAY "months".

ELSE, IF R03_AC1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R03_AC1009_NN = 0.

ELSE, GO TO R03_AC1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AC1009_LC2

The computer recorded that it has been [R03_AC1009_NN] years since you last smoked a cigarette.
That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AC1009 |
| 2 | NEXT | GO TO R03_AC1010 |

ASK: IF ((R03_AC1004 = 1 OR R03_AC1002_12M = 1) AND R03_AC1003 = 3) OR
(R02_EVER_NEVER_CIGS = 1 AND R03_AC1002_12M = -8, -7 AND R03_AC1003 = 3) OR
(R03_AC1002_12M = 2 AND R02_EVER_NEVER_CIGS = 1 AND R02_CIG_USER_STATUS != 3, 4,
5) AND ((R03_AC1009_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AC1009_UN = 3).

PROGRAM: TRIGGER CHECK IF (R03_AC1009_NN > R03R_A_AGE) AND R03R_A_AGE >= 18
AND R03_AC1009_UN = 3.

ELSE, GO TO R03_AC1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AC1010***
Have you completely quit smoking cigarettes? 1 Yes 2 No 3 I have never smoked a cigarette in my entire life, not even one or two puffs -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all or adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report if they smoked a cigarette in the past 12 months and now smoke cigarettes not at all or adult respondents who did not smoke a cigarette in the past 12 months, who have ever smoked a cigarette as of their last completed interview. ASK Specification: IF ((R03_AC1004 = 1 OR R03_AC1002_12M = 1) AND R03_AC1003 = 3) OR (R02_EVER_NEVER_CIGS = 1 AND R03_AC1002_12M = -8, -7 AND R03_AC1003 = 3) OR (R03_AC1002_12M = 2 AND R02_EVER_NEVER_CIGS = 1). DISPLAY: SUPPRESS OPTION 3 IF R03_AC1004 = 1 OR R03_AC1002_12M = 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_ACV04
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R03_EVER_NEVER_CIGS = 1 (Ever user) Adult respondents who have ever smoked a cigarette. R03_EVER_NEVER_CIGS = 2 (Never user) Adult respondents who have never smoked a cigarette. R03_INIT_CIGS_ADULT = 1 (Initiator) Adult respondents who initiated cigarette smoking between Waves. R03_EVER_NEVER_CIGS = 1: IF (R02_EVER_NEVER_CIGS = 1 OR R03_AC1004 = 1 OR R03_AC1002_12M = 1) AND (R03_AC1010 != 3), THEN R03_EVER_NEVER_CIGS = 1. R03_EVER_NEVER_CIGS = 2: IF (R02_EVER_NEVER_CIGS != 1 AND R03_AC1002_12M = 2, -8, -7) OR R03_AC1010 = 3, THEN R03_EVER_NEVER_CIGS = 2. R03_INIT_CIGS_ADULT: IF R02_EVER_NEVER_CIGS != 1 AND R03_EVER_NEVER_CIGS = 1, THEN R03_INIT_CIGS_ADULT = 1. ELSE, R03_INIT_CIGS_ADULT = 2.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ACR10

Young adult respondents who have never smoked a cigarette, go to R03_AC1103.

Else, young adult respondents who have not smoked a cigarette in the past 12 months or did not know or refused to report if they had smoked a cigarette in the past 12 months, go to R03_AC1206.

Else, go to Box R03_AVT01.

IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_CIGS = 2, GO TO R03_AC1103.

ELSE, IF 18 <= R03R_A_AGE < 25 AND R03_AC1002_12M = 2, -8, -7, GO TO R03_AC1206.

ELSE, GO TO BOX R03_AVT01.

Variable(s): R03_AC1103

Have you ever been curious about smoking a cigarette?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_CIGS = 2.

Variable(s): R03_AC1206

Do you think you will smoke a cigarette in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette or have not smoked a cigarette in the past 12 months or did not know or refused to report if they had smoked a cigarette in the past 12 months.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND (R03_EVER_NEVER_CIGS = 2 OR R03_AC1002_12M = 2, -8, -7).

BOX ID: R03_ACR17

Young adult respondents who have never smoked a cigarette, go to R03_AC1104.

Else, go to Box R03_AVT01.

IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_CIGS = 2, GO TO R03_AC1104.

ELSE, GO TO BOX R03_AVT01.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC1104**

Do you think that you will try a cigarette soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_CIGS = 2.

Variable(s): **R03_AC1205**

If one of your best friends were to offer you a cigarette, would you smoke it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_CIGS = 2.

BOX ID: **R03_AVT01**

The next questions are about **electronic nicotine products**, such as e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.

These products are battery-powered and produce vapor instead of smoke. They typically use a nicotine liquid, although the amount of nicotine can vary and some may not contain any nicotine at all.

Some common brands include Vuse, Blu, Logic, MarkTen, NJOY, and eGo.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

BOLD "electronic nicotine products".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1004**

In the past 30 days, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R03_AV9035 |
| 2 | No | |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

Variable(s): **R03_AV1002_12M**

In the past 12 months, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R03_AVR04 |
| -8 | DON'T KNOW | GO TO BOX R03_AVR04 |
| -7 | REFUSED | GO TO BOX R03_AVR04 |

ASK: Adult respondents who have not used an electronic nicotine product in the past 30 days or did not know or refused to report if they have used an electronic nicotine product in the past 30 days.

ASK Specification: IF R03_AV1004 = 2, -8, -7.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

- | | | |
|---|----|--|
| R03_AV9035_01 | 1 | E-cigarette including a vape pen, personal vaporizer, or mod |
| R03_AV9035_02 | 2 | E-cigar |
| R03_AV9035_03 | 3 | E-pipe |
| R03_AV9035_04 | 4 | E-hookah including a hookah pen |
| R03_AV9035_05;
R03_AV9035_OS | 5 | Something else (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months.

ASK Specification: IF R03_AV1004 = 1 OR R03_AV1002_12M = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE

BOX ID: **R03_AVV04**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

EPRODTYPE = Electronic nicotine product type

R03_EPRODCOUNT = The number of electronic nicotine products used

EPRODTYPE:

IF R03_AV9035_01 = 1, THEN EPRODTYPE = e-cigarette.

IF R03_AV9035_02 = 1, THEN EPRODTYPE = e-cigar.

IF R03_AV9035_03 = 1, THEN EPRODTYPE = e-pipe

IF R03_AV9035_04 = 1, THEN EPRODTYPE = e-hookah.

IF R03_AV9035_05 = 1 AND R03_AV9035_01 != 1 AND R03_AV9035_02 != 1 AND R03_AV9035_03 != 1 AND R03_AV9035_04 != 1, THEN EPRODTYPE = electronic nicotine product.

IF R03_AV9035_05 = 1 AND (R03_AV9035_01 = 1 OR R03_AV9035_02 = 1 OR R03_AV9035_03 = 1 OR R03_AV9035_04 = 1), THEN EPRODTYPE = other electronic nicotine product.

R03_EPRODCOUNT:

R03_EPRODCOUNT = 0 (RANGE = 0-4)

IF R03_AV9035_01 = 1, SET R03_EPRODCOUNT = R03_EPRODCOUNT + 1;

IF R03_AV9035_02 = 1, SET R03_EPRODCOUNT = R03_EPRODCOUNT + 1;

IF R03_AV9035_03 = 1, SET R03_EPRODCOUNT = R03_EPRODCOUNT + 1;

IF R03_AV9035_04 = 1, SET R03_EPRODCOUNT = R03_EPRODCOUNT + 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AVR04

Adult respondents who have never used electronic nicotine products, go to Box R03_AVV02.
Else, create EPROD LOOP and loop through R03_AV1003 through Box R03_AVR15 for each e-product the respondent has ever used following appropriate routing:

Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months and reported using an e-cigarette/e-cigar/e-pipe/e-hookah/other electronic nicotine product in the current interview or adult respondents who have ever used an e-cigarette/e-cigar/e-pipe/e-hookah as of their last completed interview and did not know or refused to report if they used an electronic nicotine product in the past 12 months, go to R03_AV1003[EC/EG/EP/EH/EN].

Else, adult respondents who have ever used an e-cigarette and did not report using an e-cigarette in the current interview and were not former experimental, new former established, or still former established e-cigarette users as of their last completed interview or adult respondents who have ever used an e-cigar/e-pipe/e-hookah and did not report using an e-cigar/e-pipe/e-hookah in the current interview, go to R03_AV1009[EC/EG/EP/EH].

Else, adult respondents who have ever used an e-cigarette and did not report using an e-cigarette in the current interview, go to R03_AV1010EC.

IF R02_EVER_NEVER_EPRODS = 2 AND R03_AV1002_12M != 1, GO TO BOX R03_AVV02.
ELSE, LOOP FOR E-PRODUCTS:

IF LOOP = E-CIGARETTE:

IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_01 = 1) OR
(R02_EVER_NEVER_ECIG = 1 AND R03_AV1002_12M = -8, -7), GO TO R03_AV1003EC.

ELSE, IF (R02_EVER_NEVER_ECIG = 1 AND R03_AV9035_01 != 1 AND
R02_ECIG_USER_STATUS != 3, 4, 5), GO TO R03_AV1009EC.

ELSE, FOR R03_AV1010EC: IF (R02_EVER_NEVER_ECIG = 1 AND R03_AV9035_01 != 1), GO TO
R03_AV1010EC.

IF LOOP = E-CIGAR:

IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_02 = 1) OR
(R02_EVER_NEVER_ECIGAR = 1 AND R03_AV1002_12M = -8, -7), GO TO R03_AV1003EG.

ELSE, IF (R02_EVER_NEVER_ECIGAR = 1 AND R03_AV9035_02 != 1), GO TO R03_AV1009EG.

IF LOOP = E-PIPE:

IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_03 = 1) OR
(R02_EVER_NEVER_EPIPE = 1 AND R03_AV1002_12M = -8, -7), GO TO R03_AV1003EP.

ELSE, IF (R02_EVER_NEVER_EPIPE = 1 AND R03_AV9035_03 != 1), GO TO R03_AV1009EP.

IF LOOP = E-HOOKAH:

IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_04 = 1) OR
(R02_EVER_NEVER_EHOOK = 1 AND R03_AV1002_12M = -8, -7), GO TO R03_AV1003EH.

ELSE, IF (R02_EVER_NEVER_EHOOK = 1 AND R03_AV9035_04 != 1), GO TO R03_AV1009EH.

IF LOOP = ELECTRONIC NICOTINE PRODUCT:

IF R03_AV9035_05 = 1, GO TO R03_AV1003EN.

ELSE, GO TO BOX R03_AVR15.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV1003EC**; R03_AV1003EG; R03_AV1003EP; R03_AV1003EH; R03_AV1003EN		
Do you now use [EPRODTYPE]s...		
1	Every day	GO TO BOX R03_AVR15
2	Some days	GO TO BOX R03_AVR15
3	Not at all	
-8	DON'T KNOW	GO TO BOX R03_AVR15
-7	REFUSED	GO TO BOX R03_AVR15
ASK: Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months and reported using an e-cigarette/e-cigar/e-pipe/e-hookah/other electronic nicotine product in the current interview or adult respondents who have ever used an e-cigarette/e-cigar/e-pipe/e-hookah as of their last completed interview and did not know or refused to report if they used an electronic nicotine product in the past 12 months. ASK Specification: FOR R03_AV1003EC: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_01 = 1) OR (R02_EVER_NEVER_ECIG = 1 AND R03_AV1002_12M = -8, -7). FOR R03_AV1003EG: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_02 = 1) OR (R02_EVER_NEVER_ECIGAR = 1 AND R03_AV1002_12M = -8, -7). FOR R03_AV1003EP: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_03 = 1) OR (R02_EVER_NEVER_EPIPE = 1 AND R03_AV1002_12M = -8, -7). FOR R03_AV1003EH: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_04 = 1) OR (R02_EVER_NEVER_EHOOK = 1 AND R03_AV1002_12M = -8, -7). FOR R03_AV1003EN: IF (R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_05 = 1. DISPLAY: IF R03_AV9035_01 = 1, DISPLAY "e-cigarette". ELSE, IF R03_AV9035_02 = 1, DISPLAY "e-cigar". ELSE, IF R03_AV9035_03 = 1, DISPLAY "e-pipe". ELSE, IF R03_AV9035_04 = 1, DISPLAY "e-hookah". ELSE, IF R03_AV9035_05 = 1, DISPLAY "electronic nicotine product". NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who answered don't know or refused in R03_AV1002_12M. The error was not corrected during Wave 3 Data Collection.		

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV1009EC_NN***; R03_AV1009EC_UN; R03_AV1009EG_NN; R03_AV1009EG_UN; R03_AV1009EP_NN; R03_AV1009EP_UN; R03_AV1009EH_NN***; R03_AV1009EH_UN; R03_AV1009EN_NN; R03_AV1009EN_UN

About how long has it been since you last took a puff from an [EPRODTYPE]? (If it was earlier today, enter 1 day).

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R03_AV1010

-7 REFUSED

GO TO R03_AV1010

ASK: Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months and reported using an e-cigarette/e-cigar/e-pipe/e-hookah/other electronic nicotine product in the current interview and now use e-cigarettes/e-cigars/e-pipes/e-hookahs/other electronic nicotine products not at all or adult respondents who have ever used an e-cigarette/e-cigar/e-pipe/e-hookah as of their last completed interview and did not know or refused to report if they used an electronic nicotine product in the past 12 months and now use e-cigarettes/e-cigars/e-pipes/e-hookahs/other electronic nicotine products not at all or adult respondents who have ever used an e-cigarette and did not report using an e-cigarette in the current interview and were not former experimental, new former established, or still former established e-cigarette users as of their last completed interview or adult respondents who have ever used an e-cigar/e-pipe/e-hookah and did not report using an e-cigar/e-pipe/e-hookah in the current interview.

ASK Specification: FOR R03_AV1009EC: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_01 = 1 AND R03_AV1003EC = 3) OR (R02_EVER_NEVER_ECIG = 1 AND R03_AV9035_01 != 1 AND R02_ECIG_USER_STATUS != 3, 4, 5).

FOR R03_AV1009EG: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_02 = 1 AND R03_AV1003EG = 3) OR (R02_EVER_NEVER_ECIGAR = 1 AND R03_AV9035_02 != 1).

FOR R03_AV1009EP: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_03 = 1 AND R03_AV1003EP = 3) OR (R02_EVER_NEVER_EPIPE = 1 AND R03_AV9035_03 != 1).

FOR R03_AV1009EH: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_04 = 1 AND R03_AV1003EH = 3) OR (R02_EVER_NEVER_EHOOK = 1 AND R03_AV9035_04 != 1).

FOR R03_AV1009EN: IF (R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_05 = 1 AND R03_AV1003EN = 3.

DISPLAY: IF R03_AV9035_01 = 1, DISPLAY "e-cigarette".

ELSE, IF R03_AV9035_02 = 1, DISPLAY "e-cigar".

ELSE, IF R03_AV9035_03 = 1, DISPLAY "e-pipe".

ELSE, IF R03_AV9035_04 = 1, DISPLAY "e-hookah".

ELSE, IF R03_AV9035_05 = 1, DISPLAY "electronic nicotine product".

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months and 2 digits for years.

NOTES: The value "1" refers to R03_AV1009[EC/.../EN]_UN = Days; the value "2" refers to R03_AV1009[EC/.../EN]_UN = Months; the value "3" refers to R03_AV1009[EC/.../EN]_UN = Years.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AV1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last took a puff from an [EPRODTYPE].

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AV1009 |
| 2 | NEXT | GO TO R03_AV1009_LC2 |

ASK: IF (((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_01 = 1 AND R03_AV1003EC = 3) OR (R02_EVER_NEVER_ECIG = 1 AND R03_AV9035_01 != 1 AND R02_ECIG_USER_STATUS != 3, 4, 5)) OR (((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_02 = 1 AND R03_AV1003EG = 3) OR (R02_EVER_NEVER_ECIGAR = 1 AND R03_AV9035_02 != 1)) OR (((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_03 = 1 AND R03_AV1003EP = 3) OR (R02_EVER_NEVER_EPIPE = 1 AND R03_AV9035_03 != 1)) OR (((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_04 = 1 AND R03_AV1003EH = 3) OR (R02_EVER_NEVER_EHOOK = 1 AND R03_AV9035_04 != 1)) OR ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_05 = 1 AND R03_AV1003EN = 3) AND R03_AV1009EN_NN != -8, -7 AND R03_AV1009EN_NN = 0.

DISPLAY: IF R03_AV1009[EC/.../EN]_UN = 1, DISPLAY "days".

ELSE, IF R03_AV1009[EC/.../EN]_UN = 2, DISPLAY, "months".

ELSE, IF R03_AV1009_UN[EC/.../EN] = 3, DISPLAY "years".

IF R03_AV9035_01 = 1, DISPLAY "e-cigarette".

ELSE, IF R03_AV9035_02 = 1, DISPLAY "e-cigar".

ELSE, IF R03_AV9035_03 = 1, DISPLAY "e-pipe".

ELSE, IF R03_AV9035_04 = 1, DISPLAY "e-hookah".

ELSE, IF R03_AV9035_05 = 1, DISPLAY "electronic nicotine product".

PROGRAM: TRIGGER CHECK IF R03_AV1009[EC/.../EN]_NN = 0.

ELSE, GO TO R03_AV1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AV1009_LC2

The computer recorded that it has been [R03_AV1009[EC/.../EN]_NN] years since you last took a puff from an [EPRODTYPE]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AV1009

2 NEXT

GO TO R03_AV1010

ASK: IF (((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_01 = 1 AND R03_AV1003EC = 3) OR (R02_EVER_NEVER_ECIG = 1 AND R03_AV9035_01 != 1 AND R02_ECIG_USER_STATUS != 3, 4, 5)) OR (((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_02 = 1 AND R03_AV1003EG = 3) OR (R02_EVER_NEVER_ECIGAR = 1 AND R03_AV9035_02 != 1)) OR (((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_03 = 1 AND R03_AV1003EP = 3) OR (R02_EVER_NEVER_EPIPE = 1 AND R03_AV9035_03 != 1)) OR (((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_04 = 1 AND R03_AV1003EH = 3) OR (R02_EVER_NEVER_EHOOK = 1 AND R03_AV9035_04 != 1)) OR ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_05 = 1 AND R03_AV1003EN = 3) AND R03_AV1009EN_NN != -8, -7 AND (R03_AV1009EN_NN > R03R_A_AGE AND R03R_A_AGE >= 18) AND R03_AV1009EN_UN = 3).

DISPLAY: IF R03_AV9035_01 = 1, DISPLAY "e-cigarette".

ELSE, IF R03_AV9035_02 = 1, DISPLAY "e-cigar".

ELSE, IF R03_AV9035_03 = 1, DISPLAY "e-pipe".

ELSE, IF R03_AV9035_04 = 1, DISPLAY "e-hookah".

ELSE, IF R03_AV9035_05 = 1, DISPLAY "electronic nicotine product".

PROGRAM: TRIGGER CHECK IF (R03_AV1009[EC/.../EN]_NN > R03R_A_AGE AND R03R_A_AGE >= 18) AND R03_AV1009[EC/.../EN]_UN = 3.

ELSE, GO TO R03_AV1010 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AV1010EC***; R03_AV1010EG; R03_AV1010EP; R03_AV1010EH***;
R03_AV1010EN

Have you completely quit using [EPRODTYPE]s?

- 1 Yes
- 2 No
- 3 I have never used an [EPRODTYPE] in my entire life, not even one or two times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months and reported using an e-cigarette/e-cigar/e-pipe/e-hookah/other electronic nicotine product in the current interview and now use e-cigarettes/e-cigars/e-pipes/e-hookahs/other electronic nicotine products not at all or adult respondents who have ever used an e-cigarette/e-cigar/e-pipe/e-hookah as of their last completed interview and did not know or refused to report if they used an electronic nicotine product in the past 12 months and now use e-cigarettes/e-cigars/e-pipes/e-hookahs/other electronic nicotine products not at all or adult respondents who have ever used an e-cigarette/e-cigar/e-pipe/e-hookah and did not report using an e-cigarette/e-cigar/e-pipe/e-hookah in the current interview.

ASK Specification: FOR R03_AV1010EC: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_01 = 1 AND R03_AV1003EC = 3) OR (R02_EVER_NEVER_ECIG = 1 AND R03_AV9035_01 != 1).

FOR R03_AV1010EG: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_02 = 1 AND R03_AV1003EG = 3) OR (R02_EVER_NEVER_ECIGAR = 1 AND R03_AV9035_02 != 1).

FOR R03_AV1010EP: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_03 = 1 AND R03_AV1003EP = 3) OR (R02_EVER_NEVER_EPIPE = 1 AND R03_AV9035_03 != 1).

FOR R03_AV1010EH: IF ((R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_04 = 1 AND R03_AV1003EH = 3) OR (R02_EVER_NEVER_EHOOK = 1 AND R03_AV9035_04 != 1).

FOR R03_AV1010EN: IF (R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_05 = 1 AND R03_AV1003EN = 3.

DISPLAY: IF R03_AV9035_01 = 1, DISPLAY "e-cigarette".

ELSE, IF R03_AV9035_02 = 1, DISPLAY "e-cigar".

ELSE, IF R03_AV9035_03 = 1, DISPLAY "e-pipe".

ELSE, IF R03_AV9035_04 = 1, DISPLAY "e-hookah".

ELSE, IF R03_AV9035_05 = 1, DISPLAY "electronic nicotine product".

SUPPRESS OPTION 3 IF (LOOP = ECIG AND R03_AV9035_01 = 1) OR (LOOP = ECIGAR AND R03_AV9035_02 = 1) OR (LOOP = EPIPE AND R03_AV9035_03 = 1) OR (LOOP = EHOOK AND R03_AV9035_04 = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AVR15
If e-cigarette loop and respondent also used ever used e-cigars, e-pipes, e-hookahs, or other electronic nicotine products, go back to Box R03_AVR04. If e-cigar loop and respondent also used ever used e-pipes, e-hookahs, or other electronic nicotine products, go back to Box R03_AVR04. If e-pipe loop and respondent also used ever used e-hookahs, or other electronic nicotine products, go back to Box R03_AVR04. If e-hookah loop and respondent also used other electronic nicotine products, go back to Box R03_AVR04. When all loops are complete, go to Box R03_AVV02.
IF LOOP = ECIG AND (R02_EVER_NEVER_ECIGAR = 1 OR R03_AV9035_02 = 1) OR (R02_EVER_NEVER_EPIPE = 1 OR R03_AV9035_03 = 1) OR (R02_EVER_NEVER_EHOOK = 1 OR R03_AV9035_04 = 1) OR R03_AV9035_05 = 1, GO BACK TO BOX R03_AVR04. IF LOOP = ECIGAR AND (R02_EVER_NEVER_EPIPE = 1 OR R03_AV9035_03 = 1) OR (R02_EVER_NEVER_EHOOK = 1 OR R03_AV9035_04 = 1) OR R03_AV9035_05 = 1, GO BACK TO BOX R03_AVR04. IF LOOP = EPIPE AND (R02_EVER_NEVER_EHOOK = 1 OR R03_AV9035_04 = 1) OR R03_AV9035_05 = 1, GO BACK TO BOX R03_AVR04. IF LOOP = EHOOK AND R03_AV9035_05 = 1, GO BACK TO BOX R03_AVR04. WHEN ALL LOOPS ARE COMPLETE, GO TO BOX R03_AVV02.

BOX ID: R03_AVV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R03_EVER_NEVER_EPRODS = 1 (Ever user) Adult respondents who have ever used any electronic nicotine product. R03_EVER_NEVER_EPRODS = 2 (Never user) Adult respondents who have never used any electronic nicotine product. R03_EVER_NEVER_ECIG = 1 (Ever user) Adult respondents who have ever used an e-cigarette. R03_EVER_NEVER_ECIG = 2 (Never user) Adult respondents who have never used an e-cigarette. R03_EVER_NEVER_ECIGAR = 1 (Ever user) Adult respondents who have ever used an e-cigar. R03_EVER_NEVER_ECIGAR = 2 (Never user) Adult respondents who have never used an e-cigar. R03_EVER_NEVER_EHOOK = 1 (Ever user) Adult respondents who have ever used an e-hookah. R03_EVER_NEVER_EHOOK = 2 (Never user) Adult respondents who have never used an e-hookah. R03_EVER_NEVER_EPIPE = 1 (Ever user) Adult respondents who have ever used an e-pipe. R03_EVER_NEVER_EPIPE = 2 (Never user) Adult respondents who have never used an e-pipe. R03_INIT_EPRODS_ADULT = 1 (Initiator) Adult respondents who initiated electronic nicotine product use between Waves. R03_INIT_ECIG_ADULT = 1 (Initiator) Adult respondents who initiated e-cigarette use between Waves. R03_INIT_ECIGAR_ADULT = 1 (Initiator) Adult respondents who initiated e-cigar use between Waves. R03_INIT_EPIPE_ADULT = 1 (Initiator) Adult respondents who initiated e-pipe use between Waves. R03_INIT_EHOOK_ADULT = 1 (Initiator) Adult respondents who initiated e-hookah use between Waves. R03_EVER_NEVER_EPRODS = 1: IF ((R02_EVER_NEVER_ECIG = 1 AND R03_AV1010EC != 3) OR (R02_EVER_NEVER_ECIGAR = 1 AND R03_AV1010EG != 3) OR (R02_EVER_NEVER_EPIPE = 1 AND R03_AV1010EP != 3) OR

PATH Study Wave 3 Adult Public Use File Annotated Instrument

(R02_EVER_NEVER_EHOOK = 1 AND R03_AV1010EH != 3) OR (R02_EVER_NEVER_EPRODS = 1 AND R03_AV1010EC != 3 AND R03_AV1010EG != 3 AND R03_AV1010EP != 3 AND R03_AV1010EH != 3)) OR R03_AV1004 = 1 OR R03_AV1002_12M = 1, THEN R03_EVER_NEVER_EPRODS = 1.

R03_EVER_NEVER_EPRODS = 2:

ELSE, R03_EVER_NEVER_EPRODS = 2.

R03_EVER_NEVER_ECIG = 1:

IF (R02_EVER_NEVER_ECIG = 1 OR R03_AV9035_01 = 1) AND (R03_AV1010EC != 3), THEN R03_EVER_NEVER_ECIG = 1.

R03_EVER_NEVER_ECIG = 2:

ELSE, IF (R02_EVER_NEVER_ECIG != 1 AND (R03_AV1002_12M != 1 OR R03_AV9035_01 != 1)) OR R03_AV1010EC = 3, THEN R03_EVER_NEVER_ECIG = 2.

R03_EVER_NEVER_ECIGAR = 1:

IF (R02_EVER_NEVER_ECIGAR = 1 OR R03_AV9035_02 = 1) AND (R03_AV1010EG != 3), THEN R03_EVER_NEVER_ECIGAR = 1.

R03_EVER_NEVER_ECIGAR = 2:

ELSE, IF (R02_EVER_NEVER_ECIGAR != 1 AND (R03_AV1002_12M != 1 OR R03_AV9035_02 != 1)) OR R03_AV1010EG = 3, THEN R03_EVER_NEVER_ECIGAR = 2.

R03_EVER_NEVER_EHOOK = 1:

IF (R02_EVER_NEVER_EHOOK = 1 OR R03_AV9035_04 = 1) AND (R03_AV1010EH != 3), THEN R03_EVER_NEVER_EHOOK = 1.

R03_EVER_NEVER_EHOOK = 2:

ELSE, IF (R02_EVER_NEVER_EHOOK != 1 AND (R03_AV1002_12M != 1 OR R03_AV9035_04 != 1)) OR R03_AV1010EH = 3, THEN R03_EVER_NEVER_EHOOK = 2.

R03_EVER_NEVER_EPIPE = 1:

IF (R02_EVER_NEVER_EPIPE = 1 OR R03_AV9035_03 = 1) AND (R03_AV1010EP != 3), THEN R03_EVER_NEVER_EPIPE = 1.

R03_EVER_NEVER_EPIPE = 2:

ELSE, IF (R02_EVER_NEVER_EPIPE != 1 AND (R03_AV1002_12M != 1 OR R03_AV9035_03 != 1)) OR R03_AV1010EP = 3, THEN R03_EVER_NEVER_EPIPE = 2.

R03_INIT_EPRODS_ADULT:

IF R02_EVER_NEVER_EPRODS != 1 AND R03_EVER_NEVER_EPRODS = 1, THEN R03_INIT_EPRODS_ADULT = 1.

ELSE, R03_INIT_EPRODS_ADULT = 2.

R03_INIT_ECIG_ADULT:

IF R02_EVER_NEVER_ECIG != 1 AND R03_EVER_NEVER_ECIG = 1, THEN R03_INIT_ECIG_ADULT = 1.

ELSE, R03_INIT_ECIG_ADULT = 2.

R03_INIT_ECIGAR_ADULT:

IF R02_EVER_NEVER_ECIGAR != 1 AND R03_EVER_NEVER_ECIGAR = 1, THEN R03_INIT_ECIGAR_ADULT = 1.

ELSE, R03_INIT_ECIGAR_ADULT = 2.

R03_INIT_EPIPE_ADULT:

IF R02_EVER_NEVER_EPIPE != 1 AND R03_EVER_NEVER_EPIPE = 1, THEN R03_INIT_EPIPE_ADULT = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

ELSE, R03_INIT_EPIPE_ADULT = 2.

R03_INIT_EHOOK_ADULT:

IF R02_EVER_NEVER_EHOOK != 1 AND R03_EVER_NEVER_EHOOK = 1, THEN

R03_INIT_EHOOK_ADULT = 1.

ELSE, R03_INIT_EHOOK_ADULT = 2.

BOX ID: R03_AVR14

Adult respondents who use more than one type of electronic nicotine product every day or some days, go to R03_AV9044.

Else, adult respondents that have never used an electronic nicotine product, go to R03_AV1103.

Else, adult respondents who have ever used an electronic nicotine product and have not used an electronic nicotine product in the past 12 months or did not know or refused to report if they used an electronic nicotine product in the past 12 months, go to R03_AV1206.

Else, go to Box R03_AGT01.

IF 2 OR MORE OF THE FOLLOWING ARE TRUE: ((R03_AV9035_01 = 1 AND R03_AV1003EC = 1, 2), (R03_AV9035_02 = 1 AND R03_AV1003EG = 1, 2), (R03_AV9035_03 = 1 AND R03_AV1003EP = 1, 2), (R03_AV9035_04 = 1 AND R03_AV1003EH = 1, 2)), GO TO R03_AV9044.

ELSE, IF R03_EVER_NEVER_EPRODS = 2, GO TO R03_AV1103.

ELSE, IF R03_EVER_NEVER_EPRODS = 1 AND R03_AV1002_12M = 2, -8, -7, GO TO R03_AV1206.

ELSE, GO TO BOX R03_AGT01.

Variable(s): R03_AV9044

You mentioned that you currently use more than one type of electronic nicotine product.

Which electronic nicotine product do you use most often?

- 1 E-cigarette including a vape pen, personal vaporizer, or mod
- 2 E-cigar
- 3 E-pipe
- 4 E-hookah including a hookah pen
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use more than one type of electronic nicotine product every day or some days.

ASK Specification: IF 2 OR MORE OF THE FOLLOWING ARE TRUE: ((R03_AV9035_01 = 1 AND R03_AV1003EC = 1, 2), (R03_AV9035_02 = 1 AND R03_AV1003EG = 1, 2), (R03_AV9035_03 = 1 AND R03_AV1003EP = 1, 2), (R03_AV9035_04 = 1 AND R03_AV1003EH = 1, 2)).

PROGRAM: Suppress option 1 if R03_AV9035_01 != 1. Suppress option 2 if R03_AV9035_02 != 1. Suppress option 3 if R03_AV9035_03 != 1. Suppress option 4 if R03_AV9035_04 != 1.

BOX ID: R03_AVV05

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

Primary electronic nicotine product:

R03_PRIMARY_EPROD = 1 (E-cigarette) Adult respondents whose primary electronic nicotine product is an e-cigarette.

R03_PRIMARY_EPROD = 2 (E-cigar) Adult respondents whose primary electronic nicotine product is an e-cigar.

R03_PRIMARY_EPROD = 3 (E-pipe) Adult respondents whose primary electronic nicotine product is an e-pipe.

R03_PRIMARY_EPROD = 4 (E-hookah) Adult respondents whose primary electronic nicotine product is an e-hookah.

R03_PRIMARY_EPROD = 5 (Electronic nicotine product) Adult respondents whose primary electronic nicotine product is another or unknown electronic nicotine product.

Secondary electronic nicotine product:

R03_SECONDARY_EPROD = 1 (E-cigarette) Adult respondents whose secondary electronic nicotine product is an e-cigarette.

R03_SECONDARY_EPROD = 2 (E-cigar) Adult respondents whose secondary electronic nicotine product is an e-cigar.

R03_SECONDARY_EPROD = 3 (E-pipe) Adult respondents whose secondary electronic nicotine product is an e-pipe.

R03_SECONDARY_EPROD = 4 (E-hookah) Adult respondents whose secondary electronic nicotine product is an e-hookah.

R03_SECONDARY_EPROD = 5 (Electronic nicotine product) Adult respondents who have multiple secondary electronic nicotine products.

R03_PRIMARY_EPROD:

IF (R02_EPRODCOUNT = 1 AND R03_EPRODCOUNT = 0 AND R03_EVER_NEVER_ECIG = 1) OR (R03_EPRODCOUNT = 1 AND R03_AV9035_01 = 1) OR (R03_EPRODCOUNT > 1 AND R03_AV9035_01 = 1 AND (R03_AV9044 = 1 OR (R03_AV1003EG != 1 AND R03_AV1003EG != 2 AND R03_AV1003EP != 1 AND R03_AV1003EP != 2 AND R03_AV1003EH != 1 AND R03_AV1003EH != 2))), THEN R03_PRIMARY_EPROD = 1.

ELSE, IF (R02_EPRODCOUNT = 1 AND R03_EPRODCOUNT = 0 AND R03_EVER_NEVER_ECIGAR = 1)

OR (R03_EPRODCOUNT = 1 AND R03_AV9035_02 = 1) OR (R03_EPRODCOUNT > 1 AND R03_AV9035_02 = 1 AND (R03_AV9044 = 2 OR (R03_AV1003EC != 1 AND R03_AV1003EC != 2 AND R03_AV1003EP != 1 AND R03_AV1003EP != 2 AND R03_AV1003EH != 1 AND R03_AV1003EH != 2))), THEN R03_PRIMARY_EPROD = 2.

ELSE, IF (R02_EPRODCOUNT = 1 AND R03_EPRODCOUNT = 0 AND R03_EVER_NEVER_EPIPE = 1) OR (R03_EPRODCOUNT = 1 AND R03_AV9035_03 = 1) OR (R03_EPRODCOUNT > 1 AND R03_AV9035_03 = 1 AND (R03_AV9044 = 3 OR (R03_AV1003EC != 1 AND R03_AV1003EC != 2 AND R03_AV1003EG != 1 AND R03_AV1003EG != 2 AND R03_AV1003EH != 1 AND R03_AV1003EH != 2))), THEN R03_PRIMARY_EPROD = 3.

ELSE, IF (R02_EPRODCOUNT = 1 AND R03_EPRODCOUNT = 0 AND R03_EVER_NEVER_EHOOK = 1) OR (R03_EPRODCOUNT = 1 AND R03_AV9035_04 = 1) OR (R03_EPRODCOUNT > 1 AND R03_AV9035_04 = 1 AND (R03_AV9044 = 4 OR (R03_AV1003EC != 1 AND R03_AV1003EC != 2 AND R03_AV1003EG != 1 AND R03_AV1003EG != 2 AND R03_AV1003EP != 1 AND R03_AV1003EP != 2))), THEN R03_PRIMARY_EPROD = 4.

ELSE, IF (R03_EPRODCOUNT = 0 AND R03_AV9035_05 = 1 AND R02_EPRODCOUNT != 1) OR (R03_EPRODCOUNT > 1 AND (R03_AV9044 = -8 OR -7)), THEN R03_PRIMARY_EPROD = 5.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

R03_SECONDARY_EPROD:

IF R03_EPRODCOUNT = 2 AND R03_AV9035_01 = 1 AND R03_AV9044 != 1, THEN
R03_SECONDARY_EPROD = 1.
ELSE, IF R03_EPRODCOUNT = 2 AND R03_AV9035_02 = 1 AND R03_AV9044 != 2, THEN
R03_SECONDARY_EPROD = 2.
ELSE, IF R03_EPRODCOUNT = 2 AND R03_AV9035_03 = 1 AND R03_AV9044 != 3, THEN
R03_SECONDARY_EPROD = 3.
ELSE, IF R03_EPRODCOUNT = 2 AND R03_AV9035_04 = 1 AND R03_AV9044 != 4, THEN
R03_SECONDARY_EPROD = 4.
ELSE, IF R03_EPRODCOUNT > 2, THEN R03_SECONDARY_EPROD = 5.

BOX ID: R03_AVR18

Adult respondents who have never used an electronic nicotine product, go to R03_AV1103.
Else, adult respondents who have ever used an electronic nicotine product and have not used an electronic nicotine product in the past 12 months or did not know or refused to report if they used an electronic nicotine product in the past 12 months, go to R03_AV1206.
Else, go to Box R03_AGT01.

IF R03_EVER_NEVER_EPRODS = 2, GO TO R03_AV1103.
ELSE, IF R03_EVER_NEVER_EPRODS = 1 AND R03_AV1002_12M = 2, -8, -7, GO TO R03_AV1206.
ELSE, GO TO BOX R03_AGT01.

Variable(s): R03_AV1103

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never used an electronic nicotine product.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV1206
Do you think you will use an electronic nicotine product in the next year? 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have never used an electronic nicotine product or adult respondents who have ever used an electronic nicotine product and have not used an electronic nicotine product in the past 12 months or did not know or refused to report if they used an electronic nicotine product in the past 12 months. ASK Specification: IF R03_EVER_NEVER_EPRODS = 2 OR (R03_EVER_NEVER_EPRODS = 1 AND R03_AV1002_12M = 2, -8,-7).

BOX ID: R03_AVR16
Adult respondents who have never used an electronic nicotine product, got to R03_AV1104. Else, go to Box R03_AGT01.
IF R03_EVER_NEVER_EPRODS = 2, GO TO R03_AV1104. ELSE, GO TO BOX R03_AGT01.

Variable(s): R03_AV1104
Do you think that you will try an electronic nicotine product soon? 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have never used an electronic nicotine product. ASK Specification: IF R03_EVER_NEVER_EPRODS = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV1105

If one of your best friends were to offer you an electronic nicotine product, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never used an electronic nicotine product.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 2.

BOX ID: R03_AGT01

The next questions are about **traditional cigars**, **cigarillos**, and **filtered cigars**. These products go by lots of different names, so please use these descriptions and photos to understand what they are.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

BOLD "traditional cigars", "cigarillos", "filtered cigars", AND "Traditional cigars".

Variable(s): R03_AG9030

In the past 30 days, have you smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Yes GO TO BOX R03_AGT02
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AG9003_12M**

In the past 12 months, have you smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not smoke a traditional cigar in the past 30 days or did not know or refused to report if they smoked a traditional cigar in the past 30 days.

ASK Specification: IF R03_AG9030 = 2, -8, -7.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

BOX ID: **R03_AGT02**

Cigarillos and **filtered cigars** are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with filters or with plastic or wooden tips. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Prime Time, and Cheyenne.

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

BOLD "Cigarillos" AND "filtered cigars".

Variable(s): **R03_AG9031**

In the past 30 days, have you smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- 1 Yes
- 2 No GO TO R03_AG9004_12M
- 8 DON'T KNOW GO TO R03_AG9004_12M
- 7 REFUSED GO TO R03_AG9004_12M

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW: Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days? Choose all that apply. The kind... [SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS] R03_AG9049_01 1 With a plastic or wooden tip R03_AG9049_02 2 With a filter (like a cigarette filter) R03_AG9049_03 3 Without a tip or filter -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days. ASK Specification: IF R03_AG9031 = 1. PROGRAM: Allow respondent to choose all that apply. IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS

BOX ID: R03_AGR18 Adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind with a tip or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R03_AG9051. Else, adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R03_AG9052. Else, adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind without a tip or filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R03_AG9053. Else, go to Box R03_AGV04. IF R03_AG9031 = 1 AND R03_AG9049_01 = 2, -8, -7, GO TO R03_AG9051. ELSE, IF R03_AG9031 = 1 AND R03_AG9049_02 = 2, -8, -7, GO TO R03_AG9052. ELSE, IF R03_AG9031 = 1 AND R03_AG9049_03 = 2, -8, -7, GO TO R03_AG9053. ELSE, GO TO BOX R03_AGV04.
--

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG9051
In the past 12 months, have you smoked the kind with a plastic or wooden tip, even one or two puffs? [SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days. ASK Specification: IF R03_AG9031 = 1 AND R03_AG9049_01 = 2, -8, -7. IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS

BOX ID: R03_AGR19
Adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R03_AG9052. Else, adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind without a tip or filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R03_AG9053. Else, go to Box R03_AGV04. IF R03_AG9031 = 1 AND R03_AG9049_02 = 2, -8, -7, GO TO R03_AG9052. ELSE, IF R03_AG9031 = 1 AND R03_AG9049_03 = 2, -8, -7, GO TO R03_AG9053. ELSE, GO TO BOX R03_AGV04.

Variable(s): R03_AG9052
In the past 12 months, have you smoked the kind with a filter (like a cigarette filter), even one or two puffs? [SHOW GENERIC IMAGE OF FILTERED CIGARS] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind with a filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days. ASK Specification: IF R03_AG9031 = 1 AND R03_AG9049_02 = 2, -8, -7. IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AGR20
Adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind without a tip or filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked, go to R03_AG9053. Else, go to Box R03_AGV04.
IF R03_AG9031 = 1 AND R03_AG9049_03 = 2, -8, -7, GO TO R03_AG9053. ELSE, GO TO BOX R03_AGV04.

Variable(s): R03_AG9053								
In the past 12 months, have you smoked the kind without a tip or filter, even one or two puffs?								
[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]								
<table> <tr> <td>1 Yes</td> <td>GO TO BOX R03_AGV04</td> </tr> <tr> <td>2 No</td> <td>GO TO BOX R03_AGV04</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td>GO TO BOX R03_AGV04</td> </tr> <tr> <td>-7 REFUSED</td> <td>GO TO BOX R03_AGV04</td> </tr> </table>	1 Yes	GO TO BOX R03_AGV04	2 No	GO TO BOX R03_AGV04	-8 DON'T KNOW	GO TO BOX R03_AGV04	-7 REFUSED	GO TO BOX R03_AGV04
1 Yes	GO TO BOX R03_AGV04							
2 No	GO TO BOX R03_AGV04							
-8 DON'T KNOW	GO TO BOX R03_AGV04							
-7 REFUSED	GO TO BOX R03_AGV04							
ASK: Adult respondents who have smoked cigarillos or filtered cigars in the past 30 days, and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.								
ASK Specification: IF R03_AG9031 = 1 AND R03_AG9049_03 = 2, -8, -7.								
IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS								

Variable(s): R03_AG9004_12M								
In the past 12 months, have you smoked a cigarillo or filtered cigar, even one or two puffs?								
[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]								
<table> <tr> <td>1 Yes</td> <td></td> </tr> <tr> <td>2 No</td> <td>GO TO BOX R03_AGV04</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td>GO TO BOX R03_AGV04</td> </tr> <tr> <td>-7 REFUSED</td> <td>GO TO BOX R03_AGV04</td> </tr> </table>	1 Yes		2 No	GO TO BOX R03_AGV04	-8 DON'T KNOW	GO TO BOX R03_AGV04	-7 REFUSED	GO TO BOX R03_AGV04
1 Yes								
2 No	GO TO BOX R03_AGV04							
-8 DON'T KNOW	GO TO BOX R03_AGV04							
-7 REFUSED	GO TO BOX R03_AGV04							
ASK: Adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days.								
ASK Specification: IF R03_AG9031 = 2, -8, -7.								
IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS								

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW: Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply. The kind... [SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS] R03_AG9009_12M_01 1 With a plastic or wooden tip R03_AG9009_12M_02 2 With a filter (like a cigarette filter) R03_AG9009_12M_03 3 Without a tip or filter -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days, and have smoked a cigarillo or filtered cigar in the past 12 months. ASK Specification: IF R03_AG9031 = 2, -8, -7 AND R03_AG9004_12M = 1. PROGRAM: Allow respondent to choose all that apply. IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS
--

BOX ID: R03_AGV04 PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R03_EVER_NEVER_GTRAD = 1 (Ever user) Adult respondents who have ever smoked a traditional cigar. R03_EVER_NEVER_GTRAD = 2 (Never user) Adult respondents who have never smoked a traditional cigar. R03_EVER_NEVER_GRILLO = 1 (Ever user) Adult respondents who have ever smoked a cigarillo. R03_EVER_NEVER_GRILLO = 2 (Never user) Adult respondents who have never smoked a cigarillo. R03_EVER_NEVER_GFILTR = 1 (Ever user) Adult respondents who have ever smoked a filtered cigar. R03_EVER_NEVER_GFILTR = 2 (Never user) Adult respondents who have never smoked a filtered cigar. R03_INIT_GTRAD_ADULT = 1 (Initiator) Adult respondents who initiated traditional cigar smoking between Waves. R03_INIT_GRILLO_ADULT = 1 (Initiator) Adult respondents who initiated cigarillo smoking between Waves. R03_INIT_GFILTR_ADULT = 1 (Initiator) Adult respondents who initiated filtered cigar smoking between Waves. R03_EVER_NEVER_GTRAD = 1: IF (R02_EVER_NEVER_GTRAD = 1 OR R03_AG9030 = 1 OR R03_AG9003_12M = 1), THEN R03_EVER_NEVER_GTRAD = 1. R03_EVER_NEVER_GTRAD = 2: ELSE, IF R02_EVER_NEVER_GTRAD != 1 AND R03_AG9003_12M = 2, -8, -7, THEN R03_EVER_NEVER_GTRAD = 2.

R03_EVER_NEVER_GRILLO = 1:

IF R02_EVER_NEVER_GRILLO = 1 OR R03_AG9049_01 = 1 OR R03_AG9049_03 = 1 OR R03_AG9051 = 1 OR R03_AG9053 = 1 OR R03_AG9009_12M_01 = 1 OR R03_AG9009_12M_03 = 1, THEN R03_EVER_NEVER_GRILLO = 1.

R03_EVER_NEVER_GRILLO = 2:

ELSE, IF R02_EVER_NEVER_GRILLO != 1 AND (R03_AG9031 != 1 OR (R03_AG9049_01 != 1 AND R03_AG9049_03 != 1)) AND R03_AG9051 != 1 AND R03_AG9053 != 1 AND R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1, THEN R03_EVER_NEVER_GRILLO = 2.

R03_EVER_NEVER_GFILTR = 1:

IF R02_EVER_NEVER_GFILTR = 1 OR R03_AG9049_02 = 1 OR R03_AG9052 = 1 OR R03_AG9009_12M_02 = 1, THEN R03_EVER_NEVER_GFILTR = 1.

R03_EVER_NEVER_GFILTR = 2:

ELSE, IF R02_EVER_NEVER_GFILTR != 1 AND (R03_AG9031 != 1 OR R03_AG9049_02 != 1) AND R03_AG9052 != 1 AND R03_AG9009_12M_02 != 1, THEN R03_EVER_NEVER_GFILTR = 2.

R03_INIT_GTRAD_ADULT:

IF R02_EVER_NEVER_GTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1, THEN R03_INIT_GTRAD_ADULT = 1.

ELSE, R03_INIT_GTRAD_ADULT = 2.

R03_INIT_GRILLO_ADULT:

IF R02_EVER_NEVER_GRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1, THEN R03_INIT_GRILLO_ADULT = 1.

ELSE, R03_INIT_GRILLO_ADULT = 2.

R03_INIT_GFILTR_ADULT:

IF R02_EVER_NEVER_GFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1, THEN R03_INIT_GFILTR_ADULT = 1.

ELSE, R03_INIT_GFILTR_ADULT = 2.

Variable(s): R03_AG9107

Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)

1 Yes

2 No

GO TO BOX R03_AGV01

-8 DON'T KNOW

GO TO BOX R03_AGV01

-7 REFUSED

GO TO BOX R03_AGV01

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

R03_AG1095_01 1 Group 1

R03_AG1095_02 2 Group 2

R03_AG1095_03 3 Group 3

R03_AG1095_04 4 Group 4

-8 DON'T KNOW

GO TO BOX R03_AGV01

-7 REFUSED

GO TO BOX R03_AGV01

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF R03_AG9107 = 1.

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF 4 CIGAR GROUPS

Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG9106_01; R03_AG9106_02; R03_AG9106_03; R03_AG9106_04

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos with tips/cigarillos without tips/filtered cigars as blunts.

ASK Specification: FOR R03_AG9106_01: IF R03_AG9107 = 1 AND R03_AG1095_01 = 1.

FOR R03_AG9106_02: IF R03_AG9107 = 1 AND R03_AG1095_02 = 1.

FOR R03_AG9106_03: IF R03_AG9107 = 1 AND R03_AG1095_03 = 1.

FOR R03_AG9106_04: IF R03_AG9107 = 1 AND R03_AG1095_04 = 1.

PROGRAM: Repeat this question for every cigar type identified in R03_AG1095.

If R03_AG1095 = 1, show image of traditional cigars.

If R03_AG1095 = 2, show image of cigarillos with tips.

If R03_AG1095 = 3, show image of cigarillos without tips.

If R03_AG1095 = 4, show image of filtered cigars.

IMAGE: SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]

BOX ID: R03_AGV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R03_12MBLUNT_ONLY_BTRAD = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

R03_12MBLUNT_ONLY_BRILLO = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

R03_12MBLUNT_ONLY_BFILTR = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

R03_INIT_BLUNT_BTRAD_ADULT = 1 (Initiator – Blunt-only) Adult respondents who initiated smoking traditional cigars as blunts between Waves.

R03_INIT_BLUNT_BRILLO_ADULT = 1 (Initiator – Blunt-only) Adult respondents who initiated smoking cigarillos as blunts between Waves.

R03_INIT_BLUNT_BFILTR_ADULT = 1 (Initiator – Blunt-only) Adult respondents who initiated smoking filtered cigars as blunts between Waves.

R03_12MBLUNT_ONLY_BTRAD:

IF R03_AG1095_01 = 1 AND R03_AG9106_01 = 1, THEN R03_12MBLUNT_ONLY_BTRAD = 1.
ELSE, R03_12MBLUNT_ONLY_BTRAD = 2.

R03_12MBLUNT_ONLY_BRILLO:

IF (R03_AG1095_02 = 1 OR R03_AG1095_03 = 1) AND (R03_AG9106_02 = 1 OR R03_AG9106_03 = 1), THEN R03_12MBLUNT_ONLY_BRILLO = 1.
ELSE, R03_12MBLUNT_ONLY_BRILLO = 2.

R03_12MBLUNT_ONLY_BFILTR:

IF R03_AG1095_04 = 1 AND R03_AG9106_04 = 1, THEN R03_12MBLUNT_ONLY_BFILTR = 1.
ELSE, R03_12MBLUNT_ONLY_BFILTR = 2.

R03_INIT_BLUNT_BTRAD_ADULT:

IF R02_EVER_NEVER_BTRAD != 1 AND (R03_AG1095_01 = 1 AND R03_AG9106_01 = 1), THEN R03_INIT_BLUNT_BTRAD_ADULT = 1.
ELSE, R03_INIT_BLUNT_BTRAD_ADULT = 2.

R03_INIT_BLUNT_BRILLO_ADULT:

IF R02_EVER_NEVER_BRILLO != 1 AND (R03_AG1095_02 = 1 OR R03_AG1095_03 = 1) AND (R03_AG9106_02 = 1 OR R03_AG9106_03 = 1), THEN R03_INIT_BLUNT_BRILLO_ADULT = 1.
ELSE, R03_INIT_BLUNT_BRILLO_ADULT = 2.

R03_INIT_BLUNT_BFILTR_ADULT:

IF R02_EVER_NEVER_BFILTR != 1 AND R03_AG1095_04 = 1 AND R03_AG9106_04 = 1, THEN R03_INIT_BLUNT_BFILTR_ADULT = 1.
ELSE, R03_INIT_BLUNT_BFILTR_ADULT = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AGD02
[CIGARFILL] SERIES Create [CIGARFILL]. If respondent has ever smoked traditional cigars, including when smoked as blunt-only, [CIGARFILL] = "traditional cigar". If respondent has ever smoked cigarillos, including when smoked as blunt-only, [CIGARFILL] = "cigarillo". If respondent has ever smoked filtered cigars, including when smoked as blunt-only, [CIGARFILL] = "filtered cigar".
IF R03_EVER_NEVER_GTRAD = 1 OR R03_12MBLUNT_ONLY_BTRAD = 1 OR R03_INIT_BLUNT_BTRAD_ADULT = 1, [CIGARFILL] = "traditional cigar". ELSE, IF R03_EVER_NEVER_GRILLO = 1 OR R03_12MBLUNT_ONLY_BRILLO = 1 OR R03_INIT_BLUNT_BRILLO_ADULT = 1, [CIGARFILL] = "cigarillo". ELSE, IF R03_EVER_NEVER_GFILTR = 1 OR R03_12MBLUNT_ONLY_BFILTR = 1 OR R03_INIT_BLUNT_BFILTR_ADULT = 1, [CIGARFILL] = "filtered cigar".

BOX ID: R03_AGR09 PROGRAM: CREATE CIGARLOOP1 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES: For Cigars (non-blunt): Repeat Box R03_AGR05 through Box R03_AGR06 in a loop for each type of cigar the respondent has used in the following order: traditional cigars, cigarillos, filtered cigars. For Cigars as Blunt-Only: Past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers will be asked Box R03_AGR05 through R03_AG1010 in a loop for each type of cigar the respondents has used as blunt-only in the following order: traditional cigars, cigarillos, filtered cigars. The purpose is to assess for recent nicotine exposure via blunt usage to inform the biospecimen analysis. Display text instructions in addition to [CIGARFILL] text will be specified in the question DISPLAY statement. PROGRAM: SEE DERIVED VARIABLES IN APPENDIX FOR DEFINITION OF CIGARLOOP1. Cigar Loops (non-blunt) IF LOOP = GTRAD, REPEAT BOX R03_AGR05 THROUGH BOX R03_AGR06 ONCE FOR TRADITIONAL CIGARS WITH [CIGARFILL] = "traditional cigar". DO NOT DISPLAY ANY BLUNT-RELATED FILLS. ELSE, IF LOOP = GRILLO, REPEAT BOX R03_AGR05 THROUGH BOX R03_AGR06 ONCE FOR CIGARILLOS WITH [CIGARFILL] = "cigarillo". DO NOT DISPLAY ANY BLUNT-RELATED FILLS. ELSE, IF LOOP = GFILTR, REPEAT BOX R03_AGR05 THROUGH BOX R03_AGR06 ONCE FOR FILTERED CIGARS WITH [CIGARFILL] = "filtered cigar". DO NOT DISPLAY ANY BLUNT-RELATED FILLS. COMPLETE ANY/ALL LOOPS FOR NON-BLUNT CIGAR TYPES FIRST. Cigar Loops (blunt-only) IF LOOP = BTRAD, REPEAT BOX R03_AGR05 THROUGH BOX R03_AG1010 ONCE FOR TRADITIONAL CIGARS AS BLUNTS. [CIGARFILL] = "traditional cigar". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY. ELSE, IF LOOP = BRILLO, REPEAT BOX R03_AGR05 THROUGH BOX R03_AG1010 ONCE FOR CIGARILLOS AS BLUNTS. [CIGARFILL] = "cigarillo". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY. ELSE, IF LOOP = BFILTR, REPEAT BOX R03_AGR05 THROUGH BOX R03_AG1010 ONCE FOR FILTERED CIGARS AS BLUNTS. [CIGARFILL] = "filtered cigar". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY. COMPLETE ANY/ALL LOOPS FOR BLUNT-ONLY CIGAR TYPES SECOND.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AGT04
DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT A LOOP. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT. "The next questions are about [CIGARFILL]s, like those shown below. As you answer these questions, please think ONLY about your use of [CIGARFILL]s when smoked as <u>blunts</u>." [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION, DISPLAY THE FOLLOWING:] "There will be a separate section later about other kinds of cigars." [SHOW GENERIC IMAGE FOR CIGARFILL]. IF CIGARLOOP = BTRAD, BRILLO OR BFILTR, DISPLAY " when smoked as blunts". ELSE, DISPLAY [CIGARFILL]s AS SPECIFIED. DISPLAY "[CIGARFILL]s" IN BOLD. DISPLAY "blunts" IN BOLD AND UNDERLINE WHEN DISPLAYED.

BOX ID: R03_AGR05
If respondent has never smoked any cigar type and has not smoked blunt and is not a blunt-only smoker of any cigar type, go to Box R03_AGR06. Else, loop through CIGARLOOP1 following appropriate routing: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG1003[TC/.../FJ]. Else, adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or adult respondents who did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months, and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all, go to R03_AG1009[TC/CG/FC]. Else, adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or adult respondents who did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG1010[TC/CG/FC]. Else, go to Box R03_AGR06.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

IF R03_EVER_NEVER_GTRAD = 2 AND R03_EVER_NEVER_GRILLO = 2 AND
R03_EVER_NEVER_GFILTR = 2 AND R03_12MBLUNT_ONLY_BTRAD = 2 AND
R03_12MBLUNT_ONLY_BRILLO = 2 AND R03_12MBLUNT_ONLY_BFILTR = 2, GO TO BOX
R03_AGR06.

ELSE, LOOP FOR CIGARS AND BLUNTS:

IF LOOP = GTRAD AND R03_12MBLUNT_ONLY_BTRAD = 2 AND (R03_AG9030 = 1 OR
R03_AG9003_12M = 1 OR (R03_EVER_NEVER_GTRAD = 1 AND R03_AG9003_12M = -8, -7)), GO
TO R03_AG1003TC.

ELSE, IF LOOP = GTRAD AND R03_AG9003_12M = 2 AND R03_EVER_NEVER_GTRAD = 1 AND
R02_GTRAD_USER_STATUS != 3, 4, 5, GO TO R03_AG1009TC.

ELSE, IF LOOP = GTRAD AND R03_AG9003_12M = 2 AND R03_EVER_NEVER_GTRAD = 1 AND
R03_12MBLUNT_ONLY_BTRAD = 2, GO TO R03_AG1010TC.

ELSE, GO TO BOX R03_AGR06.

IF LOOP = GRILLO AND R03_12MBLUNT_ONLY_BRILLO = 2 AND (R03_AG9049_01 = 1 OR
R03_AG9049_03 = 1 OR R03_AG9051 = 1 OR R03_AG9053 = 1 OR R03_AG9009_12M_01 = 1 OR
R03_AG9009_12M_03 = 1 OR (R03_EVER_NEVER_GRILLO = 1 AND ((R03_AG9051 = -8, -7 AND
R03_AG9053 = -8, -7) OR R03_AG9004_12M = -8, -7 OR (R03_AG9009_12M_01 = -8, -7 AND
R03_AG9009_12M_03 = -8, -7)))), GO TO R03_AG1003CG.

ELSE, IF LOOP = GRILLO AND R03_AG9049_01 != 1 AND R03_AG9049_03 != 1 AND R03_AG9051
!= 1 AND R03_AG9053 != 1 AND R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1 AND
R03_EVER_NEVER_GRILLO = 1 AND R02_GRILLO_USER_STATUS != 3, 4, 5, GO TO
R03_AG1009CG.

ELSE, IF LOOP = GRILLO AND ((R03_AG9049_01 != 1 AND R03_AG9049_03 != 1 AND
R03_AG9051 = 2 AND R03_AG9053 = 2) OR R03_AG9004_12M = 2 OR (R03_AG9009_12M_01 = 2
AND R03_AG9009_12M_03 = 2)) AND R03_EVER_NEVER_GRILLO = 1 AND
R03_12MBLUNT_ONLY_BRILLO = 2, GO TO R03_AG1010CG.

ELSE, GO TO BOX R03_AGR06.

IF LOOP = GFILTR AND R03_12MBLUNT_ONLY_BFILTR = 2 AND (R03_AG9049_02 = 1 OR
R03_AG9052 = 1 OR R03_AG9009_12M_02 = 1 OR (R03_EVER_NEVER_GFILTR = 1 AND
(R03_AG9052 = -8, -7 OR R03_AG9049_12M = -8, -7 OR R03_AG9009_12M_02 = -8, -7))), GO TO
R03_AG1003FC.

FOR R03_AG1009FC: IF LOOP = GFILTR AND R03_EVER_NEVER_GFILTR = 1 AND
R03_12MBLUNT_ONLY_BFILTR = 2 AND (R03_AG1003FC = 3 OR (R03_AG9049_02 != 1 AND
R03_AG9052 != 1 AND R03_AG9009_12M_02 != 1)), GO TO R03_AG1010FC.

ELSE, GO TO BOX R03_AGR06.

IF LOOP = BTRAD, GO TO R03_AG1003TJ.

IF LOOP = BRILLO, GO TO R03_AG1003GJ.

IF LOOP = BFILTR, GO TO R03_AG1003FJ.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1003TC**;	R03_AG1003CG**;	R03_AG1003FC**;	R03_AG1003TJ;	R03_AG1003GJ;	R03_AG1003FJ
Do you now smoke [[CIGARFILL]s/ as blunts]...						
1	Every day	GO TO BOX R03_AGR06				
2	Some days	GO TO BOX R03_AGR06				
3	Not at all					
-8	DON'T KNOW	GO TO BOX R03_AGR06				
-7	REFUSED	GO TO BOX R03_AGR06				
ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.						
ASK Specification: FOR R03_AG1003TC: IF R03_12MBLUNT_ONLY_BTRAD = 2 AND (R03_AG9030 = 1 OR R03_AG9003_12M = 1 OR (R03_EVER_NEVER_GTRAD = 1 AND R03_AG9003_12M = -8, -7)).						
FOR R03_AG1003CG: IF R03_12MBLUNT_ONLY_BRILLO = 2 AND (R03_AG9049_01 = 1 OR R03_AG9049_03 = 1 OR R03_AG9051 = 1 OR R03_AG9053 = 1 OR R03_AG9009_12M_01 = 1 OR R03_AG9009_12M_03 = 1 OR (R03_EVER_NEVER_GRILLO = 1 AND ((R03_AG9051 = -8, -7 AND R03_AG9053 = -8, -7) OR R03_AG9004_12M = -8, -7 OR (R03_AG9009_12M_01 = -8, -7 AND R03_AG9009_12M_03 = -8, -7))))).						
FOR R03_AG1003FC: IF R03_12MBLUNT_ONLY_BFILTR = 2 AND (R03_AG9049_02 = 1 OR R03_AG9052 = 1 OR R03_AG9009_12M_02 = 1 OR (R03_EVER_NEVER_GFILTR = 1 AND (R03_AG9052 = -8, -7 OR R03_AG9004_12M = -8, -7 OR R03_AG9009_12M_02 = -8, -7))).						
FOR R03_AG1003TJ: IF R03_12MBLUNT_ONLY_BTRAD = 1.						
FOR R03_AG1003GJ: IF R03_12MBLUNT_ONLY_BRILLO = 1.						
FOR R03_AG1003FJ: IF R03_12MBLUNT_ONLY_BFILTR = 1.						
DISPLAY: IF LOOP = BTRAD, BRILLO OR BFILTR, DISPLAY " as blunts".						
ELSE, DO NOT DISPLAY THIS TEXT.						
NOTES: **SKIP ERROR: R03_AG1003TC: This item was skipped incorrectly by respondents who answered don't know or refused in item R03_AG9003_12M. The error was not corrected during Wave 3 Data Collection.						
R03_AG1003CG: This item was skipped incorrectly by respondents who answered don't know or refused in items R03_AG9009_12M or R03_AG9004_12M. The error was not corrected during Wave 3 Data Collection.						
R03_AG1003FC: This item was skipped incorrectly by respondents who answered don't know or refused in items R03_AG9052 , R03_AG9009_12M, or R03_AG9004_12M. The error was not corrected during Wave 3 Data Collection.						

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1009TC_NN; R03_AG1009TC_UN; R03_AG1009CG_NN; R03_AG1009CG_UN; R03_AG1009FC_NN***; R03_AG1009FC_UN; R03_AG1009TJ_NN; R03_AG1009TJ_UN; R03_AG1009GJ_NN; R03_AG1009GJ_UN; R03_AG1009FJ_NN; R03_AG1009FJ_UN
About how long has it been since you last smoked a [[CIGARFILL]]/ as a blunt? (If it was earlier today, enter 1 day.)	
1	I__I__I DAYS
2	I__I__I MONTHS
3	I__I__I YEARS
-8	DON'T KNOW GO TO BOX R03_AGR32
-7	REFUSED GO TO BOX R03_AGR32
ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Adult respondents who did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months, and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.	
ASK Specification: FOR R03_AG1009TC: IF (((R03_AG9030 = 1 OR R03_AG9003_12M = 1 OR (R03_EVER_NEVER_GTRAD = 1 AND R03_AG9003_12M = -8, -7)) AND R03_AG1003TC = 3) OR (R03_AG9003_12M = 2 AND R03_EVER_NEVER_GTRAD = 1 AND R02_GTRAD_USER_STATUS != 3, 4, 5)) AND R03_12MBLUNT_ONLY_BTRAD = 2.	
FOR R03_AG1009CG: IF (((R03_AG9049_01 = 1 OR R03_AG9049_03 = 1 OR R03_AG9051 = 1 OR R03_AG9053 = 1 OR R03_AG9009_12M_01 = 1 OR R03_AG9009_12M_03 = 1 OR (R03_EVER_NEVER_GRILLO = 1 AND ((R03_AG9051 = -8, -7 AND R03_AG9053 = -8, -7) OR R03_AG9004_12M = -8, -7 OR (R03_AG9009_12M_01 = -8, -7 AND R03_AG9009_12M_03 = -8, -7)))) AND R03_AG1003CG = 3) OR (R03_AG9049_01 != 1 AND R03_AG9049_03 != 1 AND R03_AG9051 != 1 AND R03_AG9053 != 1 AND R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1 AND R03_EVER_NEVER_GRILLO = 1 AND R02_GRILLO_USER_STATUS != 3, 4, 5)) AND R03_12MBLUNT_ONLY_BRILLO = 2.	
FOR R03_AG1009FC: IF (((R03_AG9049_02 = 1 OR R03_AG9052 = 1 OR R03_AG9009_12M_02 = 1 OR (R03_EVER_NEVER_GFILTR = 1 AND (R03_AG9052 = -8, -7 OR R03_AG9004_12M = -8, -7 OR R03_AG9009_12M_02 = -8, -7))) AND R03_AG1003FC = 3) OR (R03_AG9049_02 != 1 AND R03_AG9052 != 1 AND R03_AG9009_12M_02 != 1 AND R03_EVER_NEVER_GFILTR = 1 AND R02_GFILTR_USER_STATUS != 3, 4, 5)) AND R03_12MBLUNT_ONLY_BFILTR = 2.	
FOR R03_AG1009TJ: IF R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AG1003TJ = 3.	
FOR R03_AG1009GJ: IF R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AG1003GJ = 3.	
FOR R03_AG1009FJ: IF R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AG1003FJ = 3.	
DISPLAY: IF LOOP = BTRAD, BRILLO OR BFILTR, DISPLAY " as a blunt".	
ELSE, DO NOT DISPLAY THIS TEXT.	
PROGRAM: Display as Quantity/Units. Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.	
NOTES: The value "1" refers to R03_AG1009[TC/.../FJ]_UN = Days; the value "2" refers to R03_AG1009[TC/.../FJ]_UN = Months; the value "3" refers to R03_AG1009[TC/.../FJ]_UN = Years.	
***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR35
Go to R03_AG1009[TC/CG/FC]_LC1.	
IF LOOP = GTRAD, GO TO R03_AG1009TC_LC1.	
IF LOOP = GRILLO, GO TO R03_AG1009CG_LC1.	
IF LOOP = GFILTR, GO TO R03_AG1009FC_LC1.	
IF LOOP = BTRAD, GO TO R03_AG1009TC_LC1.	
IF LOOP = BRILLO, GO TO R03_AG1009CG_LC1.	
IF LOOP = BFILTR, GO TO R03_AG1009FC_LC1.	

CHECK ID:	R03_AG1009TC_LC1
The computer recorded that it has been "0" [days/months/years] since you last smoked traditional cigars[as a blunt].	
If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AG1009[TC/TJ]
2 NEXT	GO TO R03_AG1009TC_LC2
ASK: IF (((R03_AG9030 = 1 OR R03_AG9003_12M = 1 OR (R03_EVER_NEVER_GTRAD = 1 AND R03_AG9003_12M = -8, -7)) AND R03_AG1003TC = 3) OR (R03_AG9003_12M = 2 AND R03_EVER_NEVER_GTRAD = 1 AND R02_GTRAD_USER_STATUS != 3, 4, 5) AND R03_12MBLUNT_ONLY_BTRAD = 2) AND R03_AG1009TJ != -8, -7 AND R03_AG1009TJ_NN = 0.	
DISPLAY: IF R03_AG1009[TC/TJ]_UN = 1, DISPLAY "days".	
ELSE, IF R03_AG1009[TC/TJ]_UN = 2, DISPLAY "months".	
ELSE, IF R03_AG1009[TC/TJ]_UN = 3, DISPLAY "years".	
IF LOOP = BTRAD, BRILLO OR BFILTR, DISPLAY " as a blunt".	
ELSE, DO NOT DISPLAY THIS TEXT.	
PROGRAM: TRIGGER CHECK IF R03_AG1009[TC/TJ]_NN = 0.	
ELSE, GO TO R03_AG1009TC_LC2 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1009TC_LC2

The computer recorded that it has been [R03_AG1009[TC/TJ]_NN] years since you last smoked traditional cigars[as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------------|
| 1 | BACK | GO TO R03_AG1009[TC/TJ] |
| 2 | NEXT | GO TO BOX R03_AGR32 |

ASK: IF(((R03_AG9030 = 1 OR R03_AG9003_12M = 1 OR (R03_EVER_NEVER_GTRAD = 1 AND R03_AG9003_12M = -8, -7)) AND R03_AG1003TC = 3) OR (R03_AG9003_12M = 2 AND R03_EVER_NEVER_GTRAD = 1 AND R02_GTRAD_USER_STATUS != 3, 4, 5) AND R03_12MBLUNT_ONLY_BTRAD = 2) AND R03_AG1009TJ_UN = 3 AND (R03_AG1009TJ_NN > R03R_A_AGE AND R03R_A_AGE >= 18).

DISPLAY: IF LOOP = BTRAD, BRILLO OR BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R03_AG1009[TC/TJ]_UN = 3 AND (R03_AG1009[TC/TJ]_NN > R03R_A_AGE AND R03R_A_AGE >= 18).

ELSE, GO TO BOX R03_AGR32 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1009CG_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked cigarillos[as a blunt].

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------------|
| 1 | BACK | GO TO R03_AG1009[CG/GJ] |
| 2 | NEXT | GO TO R03_AG1009CG_LC2 |

ASK: IF (((R03_AG9049_01 = 1 OR R03_AG9049_03 = 1 OR R03_AG9051 = 1 OR R03_AG9053 = 1 OR R03_AG9009_12M_01 = 1 OR R03_AG9009_12M_03 = 1 OR (R03_EVER_NEVER_GRILLO = 1 AND ((R03_AG9051 = -8, -7 AND R03_AG9053 = -8, -7) OR R03_AG9004_12M = -8, -7 OR (R03_AG9009_12M_01 = -8, -7 AND R03_AG9009_12M_03 = -8, -7)))) AND R03_AG1003CG = 3) OR (R03_AG9049_01 != 1 AND R03_AG9049_03 != 1 AND R03_AG9051 != 1 AND R03_AG9053 != 1 AND R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1 AND R03_EVER_NEVER_GRILLO = 1 AND R02_GRILLO_USER_STATUS != 3, 4, 5) AND R03_12MBLUNT_ONLY_BRILLO = 2) AND R03_AG1009GJ != -8, -7 AND R03_AG1009GJ_NN = 0).

DISPLAY: IF R03_AG1009[CG/GJ]_UN = 1, DISPLAY "days".

ELSE, IF R03_AG1009[CG/GJ]_UN = 2, DISPLAY "months".

ELSE, IF R03_AG1009[CG/GJ]_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, BRILLO OR BFILTR, DISPLAY "as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R03_AG1009[CG/GJ]_NN = 0.

ELSE, GO TO R03_AG1009CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1009CG_LC2

The computer recorded that it has been [R03_AG1009[CG/GJ]_NN] years since you last smoked cigarillos[as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1009[CG/GJ]

2 NEXT

GO TO BOX R03_AGR32

ASK: IF (((R03_AG9049_01 = 1 OR R03_AG9049_03 = 1 OR R03_AG9051 = 1 OR R03_AG9053 = 1 OR R03_AG9009_12M_01 = 1 OR R03_AG9009_12M_03 = 1 OR (R03_EVER_NEVER_GRILLO = 1 AND ((R03_AG9051 = -8, -7 AND R03_AG9053 = -8, -7) OR R03_AG9004_12M = -8, -7 OR (R03_AG9009_12M_01 = -8, -7 AND R03_AG9009_12M_03 = -8, -7)))) AND R03_AG1003CG = 3) OR (R03_AG9049_01 != 1 AND R03_AG9049_03 != 1 AND R03_AG9051 != 1 AND R03_AG9053 != 1 AND R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1 AND R03_EVER_NEVER_GRILLO = 1 AND R02_GRILLO_USER_STATUS != 3, 4, 5) AND R03_12MBLUNT_ONLY_BRILLO = 2) AND R03_AG1009GJ_UN = 3 AND (R03_AG1009GJ_NN > R03R_A_AGE AND R03R_A_AGE >= 18).

DISPLAY: IF LOOP = BTRAD, BRILLO OR BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R03_AG1009[CG/GJ]_UN = 3 AND (R03_AG1009[CG/GJ]_NN > R03R_A_AGE AND R03R_A_AGE >= 18).

ELSE, GO TO BOX R03_AGR32 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1009FC_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked filtered cigars[as a blunt].

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1009[FC/FJ]

2 NEXT

GO TO R03_AG1009FC_LC2

ASK: IF (((R03_AG9049_02 = 1 OR R03_AG9052 = 1 OR R03_AG9009_12M_02 = 1 OR (R03_EVER_NEVER_GFILTR = 1 AND (R03_AG9052 = -8, -7 OR R03_AG9004_12M = -8, -7 OR R03_AG9009_12M_02 = -8, -7))) AND R03_AG1003FC = 3) OR (R03_AG9049_02 != 1 AND R03_AG9052 != 1 AND R03_AG9009_12M_02 != 1 AND R03_EVER_NEVER_GFILTR = 1 AND R02_GFILTR_USER_STATUS != 3, 4, 5) AND R03_12MBLUNT_ONLY_BFILTR = 2) AND R03_AG1009FJ != -8, -7 AND R03_AG1009FJ_NN = 0).

DISPLAY: IF R03_AG1009[FC/FJ]_UN = 1, DISPLAY "days".

ELSE, IF R03_AG1009[FC/FJ]_UN = 2, DISPLAY "months".

ELSE, IF R03_AG1009[FC/FJ]_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, BRILLO OR BFILTR, DISPLAY "as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R03_AG1009[FC/FJ]_NN = 0.

ELSE, GO TO R03_AG1009FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1009FC_LC2

The computer recorded that it has been [R03_AG1009[FC/FJ]_NN] years since you last smoked filtered cigars[as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1009[FC/FJ]

2 NEXT

GO TO BOX R03_AGR32

ASK: IF (((R03_AG9049_02 = 1 OR R03_AG9052 = 1 OR R03_AG9009_12M_02 = 1 OR (R03_EVER_NEVER_GFILTR = 1 AND (R03_AG9052 = -8, -7 OR R03_AG9004_12M = -8, -7 OR R03_AG9009_12M_02 = -8, -7))) AND R03_AG1003FC = 3) OR (R03_AG9049_02 != 1 AND R03_AG9052 != 1 AND R03_AG9009_12M_02 != 1 AND R03_EVER_NEVER_GFILTR = 1 AND R02_GFILTR_USER_STATUS != 3, 4, 5) AND R03_12MBLUNT_ONLY_BFILTR = 2) AND R03_AG1009FJ_UN = 3 AND R03_AG1009FJ_NN > R03R_A_AGE AND R03R_A_AGE >= 18.

DISPLAY: IF LOOP = BTRAD, BRILLO OR BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R03_AG1009[FC/FJ]_UN = 3 AND R03_AG1009[FC/FJ]_NN > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO BOX R03_AGR32 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_AGR32

Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, go to R03_AG1010[TC/CG/FC].

Else, go to Box R03_AGR06.

IF LOOP = GTRAD AND (R03_AG9030 = 1 OR R03_AG9003_12M = 1 OR (R03_EVER_NEVER_GTRAD = 1 AND R03_AG9003_12M = -8, -7)) AND R03_AG1003TC = 3, GO TO R03_AG1010TC.

ELSE, IF LOOP = GTRAD, GO TO BOX R03_AGR06.

IF LOOP = GRILLO AND ((R03_AG9049_01 = 1 OR R03_AG9049_03 = 1 OR R03_AG9051 = 1 OR R03_AG9053 = 1 OR R03_AG9009_12M_01 = 1 OR R03_AG9009_12M_03 = 1 OR (R03_EVER_NEVER_GRILLO = 1 AND ((R03_AG9051 = -8, -7 AND R03_AG9053 = -8, -7) OR R03_AG9004_12M = -8, -7 OR (R03_AG9009_12M_01 = -8, -7 AND R03_AG9009_12M_03 = -8, -7)))) AND R03_AG1003CG = 3), GO TO R03_AG1010CG.

ELSE, IF LOOP = GRILLO, GO TO BOX R03_AGR06.

IF LOOP = GFILTR AND ((R03_AG9049_02 = 1 OR R03_AG9052 = 1 OR R03_AG9009_12M_02 = 1 OR (R03_EVER_NEVER_GFILTR = 1 AND (R03_AG9052 = -8, -7 OR R03_AG9004_12M = -8, -7 OR R03_AG9009_12M_02 = -8, -7))) AND R03_AG1003FC = 3), GO TO R03_AG1010FC.

ELSE, IF LOOP = GFILTR, GO TO BOX R03_AGR06.

IF LOOP = BTRAD, GO TO BOX R03_AGR06.

IF LOOP = BRILLO, GO TO BOX R03_AGR06.

IF LOOP = BFILTR. GO TO BOX R03_AGR06.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1010TC; R03_AG1010CG; R03_AG1010FC***
Have you completely quit smoking [CIGARFILL]s? 1 Yes 2 No 3 I have never smoked a [CIGARFILL] in my entire life, not even one or two puffs -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Adult respondents who did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG1010TC: IF R03_EVER_NEVER_GTRAD = 1 AND R03_12MBLUNT_ONLY_BTRAD = 2 AND ((R03_AG1003TC = 3 OR R03_AG9003_12M = 2)). FOR R03_AG1010CG: IF R03_EVER_NEVER_GRILLO= 1 AND R03_12MBLUNT_ONLY_BRILLO= 2 AND (R03_AG1003CG = 3 OR (R03_AG9049_01 != 1 AND R03_AG9049_03 != 1 AND R03_AG9051 != 1 AND R03_AG9053 != 1 AND R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1)). FOR R03_AG1010FC: IF R03_EVER_NEVER_GFILTR = 1 AND R03_12MBLUNT_ONLY_BFILTR = 2 AND (R03_AG1003FC = 3 OR (R03_AG9049_02 != 1 AND R03_AG9052 != 1 AND R03_AG9009_12M_02 != 1)). DISPLAY: SUPPRESS OPTION 3 IF (LOOP = GTRAD AND R03_AG9030 = 1 OR R03_AG9003_12M = 1) OR (LOOP = GRILLO AND R03_AG9049_01 = 1 OR R03_AG9049_03 = 1 OR R03_AG9051 = 1 OR R03_AG9053 = 1 OR R03_AG9009_12M_01 = 1 OR R03_AG9009_12M_03 = 1) OR (LOOP = GFILTR AND R03_AG9049_02 = 1 OR R03_AG9052 = 1 OR R03_AG9009_12M_02 = 1). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AGR06

If LOOP = GTRAD and adult respondent has ever smoked cigarillos or filtered cigars or is a past 12 month blunt-only cigarillo smoker or past 12 month blunt-only filtered cigar smoker, go back to Box R03_AGR05 and complete for the next product.

Else, if LOOP = GRILLO and adult respondent has ever smoked filtered cigars or is a past 12 month blunt-only traditional cigar smoker or past 12 month blunt-only cigarillo smoker or past 12 month blunt-only filtered cigar smoker, go back to Box R03_AGR05 and complete for the next product.

Else, if LOOP = GFILTR and adult respondent is a past 12 month blunt-only traditional cigar smoker or past 12 month blunt-only cigarillo smoker, go back to Box R03_AGR05 and complete for the next product.

Else, if LOOP = BTRAD and adult respondent is a past 12 month blunt-only cigarillo smoker or past 12 month blunt-only filtered cigar smoker, go back to Box R03_AGR05 and complete for the next product.

Else, if LOOP = BRILLO and adult respondent is a past 12 month blunt-only filtered cigar smoker, go back to Box R03_AGR05 and complete for the next product.

Else, if all loops complete:

Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar or recanted previous traditional cigar smoking, go to R03_AG9010.

Else, young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have not smoked a traditional cigar in the past 12 months or did not know or refused to report if they have smoked a traditional cigar in the past 12 months, go to R03_AG9020.

Else, young adult respondents, go to Box R03_AGR07.

Else, go to Box R03_APT01.

IF LOOP = GTRAD AND (R03_EVER_NEVER_GRILLO = 1 OR R03_EVER_NEVER_GFILTR = 1 OR R03_12MBLUNT_ONLY_BTRAD = 1 OR R03_12MBLUNT_ONLY_BRILLO = 1 OR R03_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R03_AGR05.

ELSE, IF LOOP = GRILLO AND (R03_EVER_USER_GFILTR = 1 OR R03_12MBLUNT_ONLY_BTRAD = 1 OR R03_12MBLUNT_ONLY_BRILLO = 1 OR R03_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R03_AGR05.

ELSE, IF LOOP = GFILTR AND (R03_12MBLUNT_ONLY_BTRAD = 1 OR R03_12MBLUNT_ONLY_BRILLO = 1 OR R03_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R03_AGR05.

ELSE, IF LOOP = BTRAD AND (R03_12MBLUNT_ONLY_BRILLO = 1 OR R03_12MBLUNT_ONLY_BFILTR = 1) GO BACK TO BOX R03_AGR05.

ELSE, IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BFILTR = 1, GO BACK TO BOX R03_AGR05.

ELSE, IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BTRAD = 2 AND (R03_EVER_NEVER_GTRAD = 2 OR R03_AG1010TC = 3), GO TO R03_AG9010.

ELSE, IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BTRAD = 2 AND R03_AG9003_12M = 2, -8, -7, GO TO R03_AG9020.

ELSE, IF 18 <= R03R_A_AGE < 25 GO TO BOX R03_AGR07.

ELSE, GO TO BOX R03_APT01.

Variable(s): **R03_AG9010**

The next questions are about traditional cigars.

Have you ever been curious about smoking a traditional cigar?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar or recanted previous traditional cigar smoking.

ASK Specification: IF $18 \leq R03R_A_AGE < 25$ AND $R03_12MBLUNT_ONLY_BTRAD = 2$ AND $(R03_EVER_NEVER_GTRAD = 2$ OR $R03_AG1010TC = 3)$.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

Variable(s): **R03_AG9020**

[The next question is about traditional cigars.

]Do you think you will smoke a traditional cigar in the next year?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar or recanted previous traditional cigar smoking or have not smoked a traditional cigar in the past 12 months or did not know or refused to report if they have smoked a traditional cigar in the past 12 months.

ASK Specification: IF $18 \leq R03R_A_AGE < 25$ AND $R03_12MBLUNT_ONLY_BTRAD = 2$ AND $(R03_EVER_NEVER_GTRAD = 2$ OR $R03_AG1010TC = 3$ OR $R03_AG9003_12M = 2, -8, -7)$.

DISPLAY: IF $R03_EVER_NEVER_GTRAD = 1$ AND $R03_AG9003_12M \neq 1$, DISPLAY "The next question is about traditional cigars."

ELSE, IF $R03_EVER_NEVER_GTRAD = 2$, DO NOT DISPLAY CONDITIONAL TEXT.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AGR23
Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar or recanted previous traditional cigar smoking, go to R03_AG9013. Else, go to Box R03_AGR07.
IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BTRAD = 2 AND (R03_EVER_NEVER_GTRAD = 2 OR R03_AG1010TC = 3), GO TO R03_AG9013. ELSE, GO TO BOX R03_AGR07.

Variable(s): R03_AG9013
Do you think that you will try a traditional cigar soon?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED
ASK: Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar or recanted previous traditional cigar smoking.
ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BTRAD = 2 AND (R03_EVER_NEVER_GTRAD = 2 OR R03_AG1010TC = 3).
IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

Variable(s): R03_AG9016
If one of your best friends were to offer you a traditional cigar, would you smoke it?
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED
ASK: Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar or recanted previous traditional cigar smoking.
ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BTRAD = 2 AND (R03_EVER_NEVER_GTRAD = 2 OR R03_AG1010TC = 3).
IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AGR07

Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo or recanted previous cigarillo smoking, go to R03_AG9011.

Else, young adult respondents who are not past 12 month blunt-only cigarillo smokers and have not smoked a cigarillo in the past 12 months or did not know or refused to report if they have smoked a cigarillo in the past 12 months, go to R03_AG9021.

Else, go to Box R03_AGR08.

IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BRILLO = 2 AND (R03_EVER_NEVER_GRILLO = 2 OR R03_AG1010CG = 3), GO TO R03_AG9011.

ELSE, IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BRILLO = 2 AND (R03_AG9004_12M != 1 OR (R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1)) AND R03_AG9049_01 != 1 AND R03_AG9049_03 != 1 AND R03_AG9051 != 1 AND R03_AG9053 != 1, GO TO R03_AG9021.

ELSE, GO TO BOX R03_AGR08.

Variable(s): R03_AG9011

The next questions are about cigarillos.

Have you ever been curious about smoking a cigarillo?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo or recanted previous cigarillo smoking.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BRILLO = 2 AND (R03_EVER_NEVER_GRILLO = 2 OR R03_AG1010CG = 3).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

Variable(s): R03_AG9021**

[The next question is about cigarillos.

]Do you think you will smoke a cigarillo in the next year?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo or recanted previous cigarillo smoking or have not smoked a cigarillo in the past 12 months or did not know or refused to report if they have smoked a cigarillo in the past 12 months.

ASK Specification: IF $18 \leq R03R_A_AGE < 25$ AND $R03_12MBLUNT_ONLY_BRILLO = 2$ AND $(R03_EVER_NEVER_GRILLO = 2$ OR $R03_AG1010CG = 3$ OR $((R03_AG9004_12M \neq 1$ OR $(R03_AG9009_12M_01 \neq 1$ AND $R03_AG9009_12M_03 \neq 1))$ AND $R03_AG9049_01 \neq 1$ AND $R03_AG9049_03 \neq 1$ AND $R03_AG9051 \neq 1$ AND $R03_AG9053 \neq 1))$.

DISPLAY: IF $R03_EVER_NEVER_GRILLO = 1$ AND $(R03_AG9004_12M = 2$ OR $(R03_AG9009_12M_01 \neq 1$ AND $R03_AG9009_12M_03 \neq 1))$, DISPLAY "The next question is about cigarillos."

ELSE, IF $R03_EVER_NEVER_GRILLO = 2$, DO NOT DISPLAY CONDITIONAL TEXT.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

NOTES: **SKIP ERROR: This item was skipped incorrectly by users who have smoked filtered cigars in the past 30 days ($R03_AG9049_02 = 1$) and have smoked cigarillos ($R03_EVER_NEVER_GRILLO = 1$), but did not smoke cigarillos in the past year ($R03_AG9004_12M \neq 1$ and $R03_AG9051 \neq 1$ and $R03_AG9053 \neq 1$). The error was not corrected during Wave 3 Data Collection.

BOX ID: R03_AGR24

Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo or recanted previous cigarillo smoking, go to R03_AG9014.

Else, go to Box R03_AGR08.

IF $18 \leq R03R_A_AGE < 25$ AND $R03_12MBLUNT_ONLY_BRILLO = 2$ AND $(R03_EVER_NEVER_GRILLO = 2$ OR $R03_AG1010CG = 3)$, GO TO R03_AG9014.

ELSE, GO TO BOX R03_AGR08.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AG9014**

Do you think that you will try a cigarillo soon?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo or recanted previous cigarillo smoking.

ASK Specification: IF $18 \leq R03R_A_AGE < 25$ AND $R03_12MBLUNT_ONLY_BRILLO = 2$ AND $(R03_EVER_NEVER_GRILLO = 2$ OR $R03_AG1010CG = 3)$.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

Variable(s): **R03_AG9017**

If one of your best friends were to offer you a cigarillo, would you smoke it?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo or recanted previous cigarillo smoking.

ASK Specification: IF $18 \leq R03R_A_AGE < 25$ AND $R03_12MBLUNT_ONLY_BRILLO = 2$ AND $(R03_EVER_NEVER_GRILLO = 2$ OR $R03_AG1010CG = 3)$.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AGR08

Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar or recanted previous filtered cigar smoking, go to R03_AG9012.

Else, young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have not smoked a filtered cigar in the past 12 months or did not know or refused to report if they have smoked a filtered cigar in the past 12 months, go to R03_AG9022.

Else, go to Box R03_APT01.

IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BFILTER = 2 AND (R03_EVER_NEVER_GFILTR = 2 OR R03_AG1010FC = 3), GO TO R03_AG9012.

ELSE, IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BFILTER = 2 AND R03_AG9049_02 != 1 AND R03_AG9052 != 1 AND (R03_AG9004_12M != 1 OR R03_AG9009_12M_02 != 1), GO TO R03_AG9022.

ELSE, GO TO BOX R03_APT01.

Variable(s): R03_AG9012

The next questions are about filtered cigars.

Have you ever been curious about smoking a filtered cigar?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar or recanted previous filtered cigar smoking.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BFILTER = 2 AND (R03_EVER_NEVER_GFILTR = 2 OR R03_AG1010FC = 3).

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

Variable(s): **R03_AG9022****

[The next question is about filtered cigars.

]Do you think you will smoke a filtered cigar in the next year?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar or recanted previous filtered cigar smoking or have not smoked a filtered cigar in the past 12 months or did not know or refused to report if they have smoked a filtered cigar in the past 12 months.

ASK Specification: IF $18 \leq R03R_A_AGE < 25$ AND $R03_12MBLUNT_ONLY_BFILTER = 2$ AND $(R03_EVER_NEVER_GFILTER = 2$ OR $R03_AG1010FC = 3$ OR $(R03_AG9049_02 \neq 1$ AND $R03_AG9052 \neq 1$ AND $(R03_AG9004_12M \neq 1$ OR $R03_AG9009_12M_02 \neq 1)))$.

DISPLAY: IF $R03_EVER_NEVER_GFILTER = 1$ AND $(R03_AG9004_12M = 2$ OR $R03_AG9009_12M_01 \neq 1)$, DISPLAY "The next question is about filtered cigars."

ELSE, IF $R03_EVER_NEVER_GFILTER = 2$, DO NOT DISPLAY CONDITIONAL TEXT.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

NOTES: **SKIP ERROR: This item was skipped incorrectly by users who have smoked cigarillos in the past 30 days ($R03_AG9049_01 = 1$ or $R03_AG9049_03 = 1$) and have smoked filtered cigars ($R03_EVER_NEVER_GFILTER = 1$), but did not smoke filtered cigars in the past year ($R03_AG9004_12M \neq 1$ and $R03_AG9052 \neq 1$). The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_AGR25**

Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar or recanted previous filtered cigar smoking, go to R03_AG9015.

Else, go to Box R03_APT01.

IF $18 \leq R03R_A_AGE < 25$ AND $R03_12MBLUNT_ONLY_BFILTER = 2$ AND $(R03_EVER_NEVER_GFILTER = 2$ OR $R03_AG1010FC = 3)$, GO TO R03_AG9015.

ELSE, GO TO BOX R03_APT01.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG9015
Do you think that you will try a filtered cigar soon? [SHOW GENERIC IMAGE OF FILTERED CIGARS] 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar or recanted previous filtered cigar smoking. ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BFILTER = 2 AND (R03_EVER_NEVER_GFILTER = 2 OR R03_AG1010FC = 3). IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

Variable(s): R03_AG9018
If one of your best friends were to offer you a filtered cigar, would you smoke it? [SHOW GENERIC IMAGE OF FILTERED CIGARS] 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar or recanted previous filtered cigar smoking. ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_12MBLUNT_ONLY_BFILTER = 2 AND (R03_EVER_NEVER_GFILTER = 2 OR R03_AG1010FC = 3). IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

BOX ID: R03_APT01
The next questions are about smoking tobacco in pipes. There are many different types of pipes. They all have a bowl that holds the tobacco and a stem. The picture below shows a typical pipe. [SHOW GENERIC IMAGE OF PIPE] BOLD "pipes".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AP1004
In the past 30 days, have you smoked a pipe filled with tobacco, even one or two puffs? [SHOW GENERIC IMAGE OF PIPE] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R03_AP1003 ASK: All adult respondents. IMAGE: SHOW GENERIC IMAGE OF PIPE

Variable(s): R03_AP1002_12M
In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs? [SHOW GENERIC IMAGE OF PIPE] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have not smoked a pipe filled with tobacco in the past 30 days or did not know or refused to report if they have smoked a pipe filled with tobacco in the past 30 days. ASK Specification: IF R03_AP1004 = 2, -8, -7. IMAGE: SHOW GENERIC IMAGE OF PIPE

BOX ID: R03_APR05
Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months or adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report if they smoked a pipe filled with tobacco in the past 12 months, go to R03_AP1003. Else, adult respondents who did not smoke a pipe filled with tobacco in the past 12 months and have ever smoked a pipe filled with tobacco as of their last completed interview and were not former experimental, new former established, or still former established pipe smokers as of their last completed interview, go to R03_AP1009. Else, adult respondents who did not smoke a pipe filled with tobacco in the past 12 months and have ever smoked a pipe filled with tobacco as of their last completed interview, go to R03_AP1010. Else, go to Box R03_APV02. IF R03_AP1004 = 1 OR R03_AP1002_12M = 1 OR (R02_EVER_NEVER_PIPE = 1 AND R03_AP1002_12M = -8, -7), GO TO R03_AP1003. ELSE, IF R03_AP1002_12M = 2 AND R02_EVER_NEVER_PIPE = 1 AND R02_PIPE_USER_STATUS != 3, 4, 5, GO TO R03_AP1009. ELSE, IF R03_AP1002_12M = 2 AND R02_EVER_NEVER_PIPE = 1, GO TO R03_AP1010. ELSE, GO TO BOX APV02.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1003**

Do you now smoke a pipe filled with tobacco...

- | | | |
|----|------------|---------------------|
| 1 | Every day | GO TO BOX R03_APV02 |
| 2 | Some days | GO TO BOX R03_APV02 |
| 3 | Not at all | |
| -8 | DON'T KNOW | GO TO BOX R03_APV02 |
| -7 | REFUSED | GO TO BOX R03_APV02 |

ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months or adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report if they smoked a pipe filled with tobacco in the past 12 months.

ASK Specification: IF R03_AP1004 = 1 OR R03_AP1002_12M = 1 OR (R02_EVER_NEVER_PIPE = 1 AND R03_AP1002_12M = -8, -7).

Variable(s): **R03_AP1009_NN; R03_AP1009_UN**

About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day).

- | | | |
|----|--------------------|------------------|
| 1 | I __ __ DAYS | |
| 2 | I __ __ MONTHS | |
| 3 | I __ __ YEARS | |
| -8 | DON'T KNOW | GO TO R03_AP1010 |
| -7 | REFUSED | GO TO R03_AP1010 |

ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months and now smoke a pipe filled with tobacco not at all or adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report if they smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all or adult respondents who did not smoke a pipe filled with tobacco in the past 12 months and have ever smoked a pipe filled with tobacco as of their last completed interview and were not former experimental, new former established, or still former established pipe smokers as of their last completed interview.

ASK Specification: IF ((R03_AP1004 = 1 OR R03_AP1002_12M = 1) AND R03_AP1003 = 3) OR (R02_EVER_NEVER_PIPE = 1 AND R03_AP1002_12M = -8, -7 AND R03_AP1003 = 3) OR (R03_AP1002_12M = 2 AND R02_EVER_NEVER_PIPE = 1 AND R02_PIPE_USER_STATUS != 3, 4, 5).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: The value "1" refers to R03_AP1009_UN = Days; the value "2" refers to R03_AP1009_UN = Months; the value "3" refers to R03_AP1009_UN = Years.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AP1009_LC1

The computer recorded that it has been "0" [days/months /years] since you last smoked a pipe.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AP1009 |
| 2 | NEXT | GO TO R03_AP1009_LC2 |

ASK: IF (((R03_AP1004 = 1 OR R03_AP1002_12M = 1) AND R03_AP1003 = 3) OR (R02_EVER_NEVER_PIPE = 1 AND R03_AP1002_12M = -8, -7 AND R03_AP1003 = 3) OR (R03_AP1002_12M = 2 AND R02_EVER_NEVER_PIPE = 1 AND R02_PIPE_USER_STATUS != 3, 4, 5) AND R03_AP1009 != -8, -7) AND R03_AP1009_NN = 0.

DISPLAY: IF R03_AP1009_UN = 1, DISPLAY "days".

ELSE, IF R03_AP1009_UN = 2, DISPLAY "months".

ELSE, IF R03_AP1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R03_AP1009_NN = 0.

ELSE, GO TO R03_AP1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AP1009_LC2

The computer recorded that it has been [R03_AP1009_NN] years since you last smoked a pipe. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AP1009 |
| 2 | NEXT | GO TO R03_AP1010 |

ASK: IF (((R03_AP1004 = 1 OR R03_AP1002_12M = 1) AND R03_AP1003 = 3) OR (R02_EVER_NEVER_PIPE = 1 AND R03_AP1002_12M = -8, -7 AND R03_AP1003 = 3) OR (R03_AP1002_12M = 2 AND R02_EVER_NEVER_PIPE = 1 AND R02_PIPE_USER_STATUS != 3, 4, 5) AND ((R03_AP1009_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AP1009_UN = 3).

PROGRAM: TRIGGER CHECK IF (R03_AP1009_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AP1009_UN = 3.

ELSE, GO TO R03_AP1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1010**

Have you completely quit smoking pipes filled with tobacco?

- 1 Yes
- 2 No
- 3 I have never smoked a pipe filled with tobacco in my entire life, not even one or two puffs
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months and now smoke a pipe filled with tobacco not at all or adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report if they smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all or adult respondents who did not smoke a pipe filled with tobacco in the past 12 months and have ever smoked a pipe filled with tobacco as of their last completed interview.

ASK Specification: IF ((R03_AP1004 = 1 OR R03_AP1002_12M = 1) AND R03_AP1003 = 3) OR (R02_EVER_NEVER_PIPE = 1 AND R03_AP1002_12M = -8, -7 AND R03_AP1003 = 3) OR (R03_AP1002_12M = 2 AND R02_EVER_NEVER_PIPE = 1).

DISPLAY: SUPPRESS OPTION 3 IF R03_AP1004 = 1 OR R03_AP1002_12M = 1.

BOX ID: **R03_APV02**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R03_EVER_NEVER_PIPE = 1 (Ever user) Adult respondents who have ever smoked a pipe.

R03_EVER_NEVER_PIPE = 2 (Never user) Adult respondents who have never smoked a pipe.

R03_INIT_PIPE_ADULT = 1 (Initiator) Adult respondents who initiated pipe smoking between Waves.

R03_EVER_NEVER_PIPE = 1:

IF (R02_EVER_NEVER_PIPE = 1 OR R03_AP1004 = 1 OR R03_AP1002_12M = 1) AND (R03_AP1010 != 3), THEN R03_EVER_NEVER_PIPE = 1.

R03_EVER_NEVER_PIPE = 2:

ELSE, IF R02_EVER_NEVER_PIPE != 1 AND R03_AP1002_12M = 2, -8, -7) OR R03_AP1010 = 3, THEN R03_EVER_NEVER_PIPE = 2.

R03_INIT_PIPE_ADULT:

IF R02_EVER_NEVER_PIPE != 1 AND R03_EVER_NEVER_PIPE = 1, THEN R03_INIT_PIPE_ADULT = 1.

ELSE, R03_INIT_PIPE_ADULT = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_APR02

Young adult respondents who have never smoked a pipe filled with tobacco, go to R03_AP1103.
Else, young adult respondents who have not smoked a pipe filled with tobacco in the past 12 months or did not know or refused to report if they had smoked a pipe filled with tobacco in the past 12 months, go to R03_AP1206.

Else, go to Box R03_AHT01.

IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_PIPE = 2, GO TO R03_AP1103.
ELSE, IF 18 <= R03R_A_AGE < 25 AND R03_AP1002_12M = 2, -8, -7, GO TO R03_AP1206.
ELSE, GO TO BOX R03_AHT01.

Variable(s): R03_AP1103

Have you ever been curious about smoking a pipe filled with tobacco?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a pipe filled with tobacco.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_PIPE = 2.

Variable(s): R03_AP1206

Do you think you will smoke a pipe filled with tobacco in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a pipe filled with tobacco or have not smoked a pipe filled with tobacco in the past 12 months or did not know or refused to report if they had smoked a pipe filled with tobacco in the past 12 months.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND (R03_EVER_NEVER_PIPE = 2 OR R03_AP1002_12M = 2, -8, -7).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_APR07
Young adult respondents who have never smoked a pipe filled with tobacco, go to R03_AP1104. Else, go to Box R03_AHT01.
IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_PIPE = 2, GO TO R03_AP1104. ELSE, GO TO BOX R03_AHT01.

Variable(s): R03_AP1104
Do you think you will try smoking a pipe filled with tobacco soon? 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who have never smoked a pipe filled with tobacco. ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_PIPE = 2.

Variable(s): R03_AP1205
If one of your best friends were to offer you a pipe filled with tobacco, would you smoke it? 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who have never smoked a pipe filled with tobacco. ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_PIPE = 2.

BOX ID: R03_AHT01
We next ask about smoking tobacco in a hookah, which is a type of water pipe. It is sometimes also called a “narghile” pipe. From now on, we will use “hookah” to refer to a water pipe or narghile pipe. There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafes or in hookah bars. The picture below shows a typical hookah. [SHOW GENERIC IMAGE OF HOOKAH] BOLD "hookah".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AH1004
In the past 30 days, have you smoked tobacco in a hookah, even one or two puffs? [SHOW GENERIC IMAGE OF HOOKAH] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R03_AH1003 ASK: All adult respondents. IMAGE: SHOW GENERIC IMAGE OF HOOKAH

Variable(s): R03_AH1002_12M
In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs? [SHOW GENERIC IMAGE OF HOOKAH] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have not smoked tobacco in a hookah in the past 30 days or did not know or refused to report if they have smoked tobacco in a hookah in the past 30 days. ASK Specification: IF R03_AH1004 = 2, -8, -7. IMAGE: SHOW GENERIC IMAGE OF HOOKAH

BOX ID: R03_AHR06
Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months or adult respondents who have ever smoked tobacco in a hookah and did not know or refused to report if they have smoked tobacco in a hookah in the past 12 months, go to R03_AH1003. Else, adult respondents who did not smoke tobacco in a hookah in the past 12 months and have ever smoked tobacco in a hookah as of their last completed interview, go to R03_AH1009. Else, go to Box R03_AHV02.
IF R03_AH1004 = 1 OR R03_AH1002_12M = 1 OR (R02_EVER_NEVER_HOOK = 1 AND R03_AH1002_12M = -8, -7), GO TO R03_AH1003. ELSE, IF R03_AH1002_12M = 2 AND R02_EVER_NEVER_HOOK = 1, GO TO R03_AH1009. ELSE, GO TO BOX R03_AHV02.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH1003**

Do you now smoke hookah...

- | | | |
|----|------------|---------------------|
| 1 | Every day | GO TO BOX R03_AHV02 |
| 2 | Some days | GO TO BOX R03_AHV02 |
| 3 | Not at all | |
| -8 | DON'T KNOW | GO TO BOX R03_AHV02 |
| -7 | REFUSED | GO TO BOX R03_AHV02 |

ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months or adult respondents who have ever smoked tobacco in a hookah and did not know or refused to report if they have smoked tobacco in a hookah in the past 12 months.

ASK Specification: IF R03_AH1004 = 1 OR R03_AH1002_12M = 1 OR (R02_EVER_NEVER_HOOK = 1 AND R03_AH1002_12M = -8, -7).

Variable(s): **R03_AH1009_NN***; R03_AH1009_UN**

About how long has it been since you last smoked hookah? (If it was earlier today, enter 1 day)

- | | | |
|----|--------------------|------------------|
| 1 | I ___ I ___ DAYS | |
| 2 | I ___ I ___ MONTHS | |
| 3 | I ___ I ___ YEARS | |
| -8 | DON'T KNOW | GO TO R03_AH1010 |
| -7 | REFUSED | GO TO R03_AH1010 |

ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all or adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and did not know or refused to report if they smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all or adult respondents who did not smoke tobacco in a hookah in the past 12 months and have ever smoked tobacco in a hookah as of their last completed interview.

ASK Specification: IF ((R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 = 3) OR (R02_EVER_NEVER_HOOK = 1 AND R03_AH1002_12M = -8, -7 AND R03_AH1003 = 3) OR (R03_AH1002_12M = 2 AND R02_EVER_NEVER_HOOK = 1).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: The value "1" refers to R03_AH1009_UN = Days; the value "2" refers to R03_AH1009_UN = Months; the value "3" refers to R03_AH1009_UN = Years.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AH1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked hookah.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AH1009 |
| 2 | NEXT | GO TO R03_AH1009_LC2 |

ASK: IF ((R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 = 3) OR (R02_EVER_NEVER_HOOK = 1 AND R03_AH1002_12M = -8, -7 AND R03_AH1003 = 3) OR (R03_AH1002_12M = 2 AND R02_EVER_NEVER_HOOK = 1) AND R03_AH1009_NN != -8, -7) AND R03_AH1009_NN = 0.

DISPLAY: IF R03_AH1009_UN = 1, DISPLAY "days".

ELSE, IF R03_AH1009_UN = 2, DISPLAY "months".

ELSE, IF R03_AH1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R03_AH1009_NN = 0.

ELSE, GO TO R03_AH1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AH1009_LC2

The computer recorded that it has been [R03_AH1009_NN] years since you last smoked hookah. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AH1009 |
| 2 | NEXT | GO TO R03_AH1010 |

ASK: IF ((R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 = 3) OR (R02_EVER_NEVER_HOOK = 1 AND R03_AH1002_12M = -8, -7 AND R03_AH1003 = 3) OR (R03_AH1002_12M = 2 AND R02_EVER_NEVER_HOOK = 1) AND (R03_AH1009_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AH1009_UN = 3.

PROGRAM: TRIGGER CHECK IF (R03_AH1009_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AH1009_UN = 3.

ELSE, GO TO R03_AH1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AH1010***
Have you completely quit smoking hookah? 1 Yes 2 No 3 I have never smoked hookah in my entire life, not even one or two puffs -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all or adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and did not know or refused to report if they smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all or adult respondents who did not smoke tobacco in a hookah in the past 12 months and have ever smoked tobacco in a hookah as of their last completed interview. ASK Specification: IF ((R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 = 3) OR (R02_EVER_NEVER_HOOK = 1 AND R03_AH1002_12M = -8, -7 AND R03_AH1003 = 3) OR (R03_AH1002_12M = 2 AND R02_EVER_NEVER_HOOK = 1). DISPLAY: SUPPRESS OPTION 3 IF R03_AH1004 = 1 OR R03_AH1002_12M = 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AHV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R03_EVER_NEVER_HOOK = 1 (Ever user) Adult respondents who have ever smoked hookah. R03_EVER_NEVER_HOOK = 2 (Never user) Adult respondents who have never smoked hookah. R03_INIT_HOOK_ADULT = 1 (Initiator) Adult respondents who initiated hookah smoking between Waves. R03_EVER_NEVER_HOOK = 1: IF (R02_EVER_NEVER_HOOK = 1 OR R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND (R03_AH1010 != 3), THEN R03_EVER_NEVER_HOOK = 1. R03_EVER_NEVER_HOOK = 2: ELSE, IF (R02_EVER_NEVER_HOOK != 1 AND R03_AH1002_12M = 2, -8, -7) OR R03_AH1010 = 3, THEN R03_EVER_NEVER_HOOK = 2. R03_INIT_HOOK_ADULT: IF R02_EVER_NEVER_HOOK != 1 AND R03_EVER_NEVER_HOOK = 1, THEN R03_INIT_HOOK_ADULT = 1. ELSE, R03_INIT_HOOK_ADULT = 2.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AHR03

Young adult respondents who have never smoked tobacco in a hookah, go to R03_AH1103.
Else, young adult respondents who have not smoked tobacco in a hookah in the past 12 months or did not know or refused to report if they have smoked tobacco in a hookah in the past 12 months, go to R03_AH1206.

Else, go to R03_AH9031.

IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_HOOK = 2, GO TO R03_AH1103.
ELSE, IF 18 <= R03R_A_AGE < 25 AND R03_AH1002_12M = 2, -8, -7 GO TO R03_AH1206.
ELSE, GO TO R03_AH9031.

Variable(s): R03_AH1103

Have you ever been curious about smoking tobacco in a hookah?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked tobacco in a hookah.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_HOOK = 2.

Variable(s): R03_AH1206

Do you think you will smoke tobacco in a hookah in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked tobacco in a hookah or have not smoked tobacco in a hookah in the past 12 months or did not know or refused to report if they have smoked tobacco in a hookah in the past 12 months.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND (R03_EVER_NEVER_HOOK = 2 OR R03_AH1002_12M = 2, -8, -7).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AHR08
Young adult respondents who have never smoked tobacco in a hookah, go to R03_AH1104. Else, go to R03_AH9031.	
IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_HOOK = 2, GO TO R03_AH1104. ELSE, GO TO R03_AH9031.	

Variable(s):	R03_AH1104
Do you think you will try smoking tobacco in a hookah soon?	
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED	
ASK: Young adult respondents who have never smoked tobacco in a hookah.	
ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_HOOK = 2.	

Variable(s):	R03_AH1205
If one of your best friends were to offer you a hookah, would you try it?	
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED	
ASK: Young adult respondents who have never smoked tobacco in a hookah.	
ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_HOOK = 2.	

Variable(s):	R03_AH9031
Have you ever smoked marijuana from a hookah? (Remember all information you give to the PATH Study will be kept private.)	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: All adult respondents.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AH9040

Have you ever smoked herbal or tobacco-free shisha in a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R03_AST01

The next questions ask about **snus pouches**, a type of smokeless tobacco that comes in a small pouch that you put under your lip.

Common brands of snus pouches include Camel Snus, General Snus, Marlboro Snus, and Skoal Snus, but there are many others.

Please think about your use of **snus pouches** as you answer these questions. There will be a separate section later about other types of smokeless tobacco products.

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

BOLD "snus pouches".

Variable(s): R03_AU1004

In the past 30 days, have you used snus pouches, even one or two times?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R03_AU1002_12M
- GO TO R03_AU1002_12M
- GO TO R03_AU1002_12M

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AU9003

There are types of smokeless tobacco that come in a pouch like snus, but are not snus, including Skoal **Bandits**.

In the past 30 days, have you used the brand called “Skoal **Bandits**”?

- | | | |
|----|--|---------------------|
| 1 | Yes, I have used only Skoal Bandits | |
| 2 | Yes, I have used both Skoal Bandits and snus pouches | GO TO BOX R03_AUR22 |
| 3 | No, I have not used Skoal Bandits | GO TO BOX R03_AUR22 |
| -8 | DON'T KNOW | GO TO BOX R03_AUR22 |
| -7 | REFUSED | GO TO BOX R03_AUR22 |

ASK: Adult respondents who have used snus pouches in the past 30 days.

ASK Specification: IF R03_AU1004 = 1.

DISPLAY: BOLD AND UNDERLINE “Bandits” IN QUESTION TEXT.

Variable(s): R03_AU1002_12M

In the past 12 months, have you used snus pouches[(not including Skoal **Bandits**)], even one or two times?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R03_AUR22 |
| -8 | DON'T KNOW | GO TO BOX R03_AUR22 |
| -7 | REFUSED | GO TO BOX R03_AUR22 |

ASK: Adult respondents who did not use snus pouches in the past 30 days or did not know or refused to report if they used snus pouches in the past 30 days or adult respondents who reported using snus pouches in the past 30 days and have used only Skoal Bandits in the past 30 days.

ASK Specification: IF R03_AU1004 = 2, -8, -7 OR (R03_AU1004 = 1 AND R03_AU9003 = 1).

DISPLAY: IF R03_AU9003 = 1, DISPLAY “ (not including Skoal Bandits)” AND BOLD AND UNDERLINE “Bandits”.

ELSE, DO NOT DISPLAY.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU9004**

There are types of smokeless tobacco that come in a pouch like snus, but are not snus, including **Skoal Bandits**.

In the past 12 months, have you used the brand called “Skoal **Bandits**”?

- 1 Yes, I have used only Skoal Bandits
- 2 Yes, I have used both Skoal Bandits and snus pouches
- 3 No, I have not used Skoal Bandits
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not use snus pouches in the past 30 days or did not know or refused to report if they used snus pouches in the past 30 days and reported using snus pouches in the past 12 months or adult respondents who reported using snus pouches in the past 30 days and have used only Skoal Bandits in the past 30 days and reported using snus pouches in the past 12 months.

ASK Specification: IF (R03_AU1004 = 2, -8, -7 AND R03_AU1002_12M = 1) OR (R03_AU1004 = 1 AND R03_AU9003 = 1 AND R03_AU1002_12M = 1).

DISPLAY: BOLD AND UNDERLINE “Bandits” IN THE QUESTION TEXT.

BOX ID: **R03_AUR22**

Adult respondents who reported using snus pouches in the past 30 days and used brands of snus pouches in the past 30 days or did not know or refused to report if they used brands of snus pouches in the past 30 days or adult respondents who reported using snus pouches in the past 12 months and used brands of snus pouches in the past 12 months or did not know or refused to report if they used brands of snus pouches in the past 12 months or adult respondents who did not know or refused to report if they used snus pouches in the past 12 months and have ever used snus pouches as of their last completed interview, go to R03_AU1003.

Else, adult respondents who have ever used snus pouches as of their last completed interview and were not experimental former, new former established, or still former established snus pouch users as of their last completed interview and did not report using snus pouches in the past 12 months or reported using snus pouches in the past 12 months and only used Skoal Bandits in the past 12 months, go to R03_AU1009.

Else, adult respondents who have ever used snus pouches as of their last completed interview and did not report using snus pouches in the past 12 months or reported using snus pouches in the past 12 months and only used Skoal Bandits in the past 12 months, go to R03_AU1010.

Else, go to Box R03_AUV03.

IF (R03_AU1004 = 1 AND R03_AU9003 = 2, 3, -8, -7) OR (R03_AU1002_12M = 1 AND R03_AU9004 = 2, 3, -8, -7) OR (R03_AU1002_12M = -8, -7 AND R02_EVER_NEVER_SNUS = 1), GO TO R03_AU1003.

ELSE, IF R02_EVER_NEVER_SNUS = 1 AND R02_SNUS_USER_STATUS != 3, 4, 5 AND (R03_AU1002_12M = 2, -8, -7 OR (R03_AU1004 = 1 AND R03_AU9003 != 2 AND R03_AU9003 != 3 AND R03_AU9004 != 2 AND R03_AU9004 != 3) OR (R03_AU1004 != 1 AND R03_AU1002_12M = 1 AND R03_AU9004 != 2 AND R03_AU9004 != 3)), GO TO R03_AU1009.

ELSE, IF R02_EVER_NEVER_SNUS = 1 AND (R03_AU1002_12M = 2, -8, -7 OR (R03_AU1004 = 1 AND R03_AU9003 != 2 AND R03_AU9003 != 3 AND R03_AU9004 != 2 AND R03_AU9004 != 3) OR (R03_AU1004 != 1 AND R03_AU1002_12M = 1 AND R03_AU9004 != 2 AND R03_AU9004 != 3)), GO TO R03_AU1010.

ELSE, GO TO BOX R03_AUV03.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1003****

[Not including Skoal **Bandits**, do/Do] you now use snus pouches...

- | | | |
|----|------------|---------------------|
| 1 | Every day | GO TO BOX R03_AUV03 |
| 2 | Some days | GO TO BOX R03_AUV03 |
| 3 | Not at all | |
| -8 | DON'T KNOW | GO TO BOX R03_AUV03 |
| -7 | REFUSED | GO TO BOX R03_AUV03 |

ASK: Adult respondents who reported using snus pouches in the past 30 days and used brands of snus pouches in the past 30 days or did not know or refused to report if they used brands of snus pouches in the past 30 days or adult respondents who reported using snus pouches in the past 12 months and used brands of snus pouches in the past 12 months or did not know or refused to report if they used brands of snus pouches in the past 12 months or adult respondents who did not know or refused to report if they used snus pouches in the past 12 months and have ever used snus pouches as of their last completed interview.

ASK Specification: IF (R03_AU1004 = 1 AND R03_AU9003 = 2, 3, -8, -7) OR (R03_AU1002_12M = 1 AND R03_AU9004 = 2, 3, -8, -7) OR (R03_AU1002_12M = -8, -7 AND R02_EVER_NEVER_SNUS = 1).

DISPLAY: IF R03_AU9003 = 2 OR R03_AU9004 = 2, DISPLAY "Not including Skoal Bandits, do" AND BOLD AND UNDERLINE "Bandits".

ELSE, DISPLAY "Do".

NOTES: **SKIP ERROR: This items was skipped incorrectly by respondents who answered don't know or refused in R03_AU1002_12M. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1009_NN; R03_AU1009_UN**

About how long has it been since you last used snus pouches[(not including Skoal **Bandits**)]? (If it was earlier today, enter 1 day.)

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R03_AU1010

-7 REFUSED

GO TO R03_AU1010

ASK: Adult respondents who reported using snus pouches in the past 30 days and used brands of snus pouches in the past 30 days or did not know or refused to report if they used brands of snus pouches in the past 30 days and now use snus pouches not at all or adult respondents who reported using snus pouches in the past 12 months and used brands of snus pouches in the past 12 months or did not know or refused to report if they used brands of snus pouches in the past 12 months and now use snus pouches not at all or adult respondents who did not know or refused to report if they used snus pouches in the past 12 months and have ever used snus pouches as of their last completed interview and now use snus pouches not at all or adult respondents who have ever used snus pouches as of their last completed interview and were not former experimental, new former established, or still former established snus pouch users as of their last completed interview and did not report using snus pouches in the past 12 months or reported using snus pouches in the past 12 months and only used Skoal Bandits in the past 12 months.

ASK Specification: IF (R03_AU1004 = 1 AND R03_AU9003 = 2, 3, -8, -7 AND R03_AU1003 = 3) OR (R03_AU1002_12M = 1 AND R03_AU9004 = 2, 3, -8, -7 AND R03_AU1003 = 3) OR (R03_AU1002_12M = -8, -7 AND R02_EVER_NEVER_SNUS = 1 AND R03_AU1003 = 3) OR ((R02_EVER_NEVER_SNUS = 1 AND R02_SNUS_USER_STATUS != 3, 4, 5 AND (R03_AU1002_12M = 2, -8, -7 OR (R03_AU1004 = 1 AND R03_AU9003 != 2 AND R03_AU9003 != 3 AND R03_AU9004 != 2 AND R03_AU9004 != 3) OR (R03_AU1004 != 1 AND R03_AU1002_12M = 1 AND R03_AU9004 != 2 AND R03_AU9004 != 3))))).

DISPLAY: IF R03_AU9003 = 1 OR R03_AU9004 = 1, DISPLAY “ (not including Skoal Bandits)” AND BOLD AND UNDERLINE “Bandits”.

ELSE, DO NOT DISPLAY.

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: The value "1" refers to R03_AU1009_UN = Days; the value "2" refers to R03_AU1009_UN = Months; the value "3" refers to R03_AU1009_UN = Years.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AU1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last used snus.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AU1009 |
| 2 | NEXT | GO TO R03_AU1009_LC2 |

ASK: IF (R03_AU1004 = 1 AND R03_AU9003 = 2, 3, -8, -7 AND R03_AU1003 = 3) OR (R03_AU1002_12M = 1 AND R03_AU9004 = 2, 3, -8, -7 AND R03_AU1003 = 3) OR (R03_AU1002_12M = -8, -7 AND R02_EVER_NEVER_SNUS = 1 AND R03_AU1003 = 3) OR ((R02_EVER_NEVER_SNUS = 1 AND R02_SNUS_USER_STATUS != 3, 4, 5 AND (R03_AU1002_12M = 2, -8, -7 OR (R03_AU1004 = 1 AND R03_AU9003 != 2 AND R03_AU9003 != 3 AND R03_AU9004 != 2 AND R03_AU9004 != 3) OR (R03_AU1004 != 1 AND R03_AU1002_12M = 1 AND R03_AU9004 != 2 AND R03_AU9004 != 3)))) AND R03_AU1009_UN != -8, -7 AND R03_AU1009_NN = 0.

DISPLAY: IF R03_AU1009_UN = 1, DISPLAY "days".

ELSE, IF R03_AU1009_UN = 2, DISPLAY "months".

ELSE, IF R03_AU1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R03_AU1009_NN = 0.

ELSE, GO TO R03_AU1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AU1009_LC2

The computer recorded that it has been [R03_AU1009_NN] years since you last used snus. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AU1009 |
| 2 | NEXT | GO TO R03_AU1010 |

ASK: IF (R03_AU1004 = 1 AND R03_AU9003 = 2, 3, -8, -7 AND R03_AU1003 = 3) OR (R03_AU1002_12M = 1 AND R03_AU9004 = 2, 3, -8, -7 AND R03_AU1003 = 3) OR (R03_AU1002_12M = -8, -7 AND R02_EVER_NEVER_SNUS = 1 AND R03_AU1003 = 3) OR ((R02_EVER_NEVER_SNUS = 1 AND R02_SNUS_USER_STATUS != 3, 4, 5 AND (R03_AU1002_12M = 2, -8, -7 OR (R03_AU1004 = 1 AND R03_AU9003 != 2 AND R03_AU9003 != 3 AND R03_AU9004 != 2 AND R03_AU9004 != 3) OR (R03_AU1004 != 1 AND R03_AU1002_12M = 1 AND R03_AU9004 != 2 AND R03_AU9004 != 3)))) AND R03_AU1009_NN != -8, -7 AND (R03_AU1009_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AU1009_UN = 3.

PROGRAM: TRIGGER CHECK IF (R03_AU1009_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AU1009_UN = 3.

ELSE, GO TO R03_AU1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1010**

Have you completely quit using snus pouches[(not including Skoal **Bandits**)]?

- 1 Yes
- 2 No
- 3 I have never used a snus pouch in my entire life, not even one or two times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported using snus pouches in the past 30 days and used brands of snus pouches in the past 30 days or did not know or refused to report if they used brands of snus pouches in the past 30 days and now use snus pouches not at all or adult respondents who reported using snus pouches in the past 12 months and used brands of snus pouches in the past 12 months or did not know or refused to report if they used brands of snus pouches in the past 12 months and now use snus pouches not at all or adult respondents who did not know or refused to report if they used snus pouches in the past 12 months and have ever used snus pouches as of their last completed interview and now use snus pouches not at all or adult respondents who have ever used snus pouches as of their last completed interview and did not report using snus pouches in the past 12 months or reported using snus pouches in the past 12 months and only used Skoal Bandits in the past 12 months.

ASK Specification: IF (R03_AU1004 = 1 AND R03_AU9003 = 2, 3, -8, -7 AND R03_AU1003 = 3) OR (R03_AU1002_12M = 1 AND R03_AU9004 = 2, 3, -8, -7 AND R03_AU1003 = 3) OR (R03_AU1002_12M = -8, -7 AND R02_EVER_NEVER_SNUS = 1 AND R03_AU1003 = 3) OR ((R02_EVER_NEVER_SNUS = 1 AND (R03_AU1002_12M = 2, -8, -7 OR (R03_AU1004 = 1 AND R03_AU9003 != 2 AND R03_AU9003 != 3 AND R03_AU9004 != 2 AND R03_AU9004 != 3) OR (R03_AU1004 != 1 AND R03_AU1002_12M = 1 AND R03_AU9004 != 2 AND R03_AU9004 != 3))))).

DISPLAY: IF R03_AU9003 = 1, 2 OR R03_AU9004 = 1, 2, DISPLAY “ (not including Skoal Bandits)” AND BOLD AND UNDERLINE “Bandits”.

ELSE, DO NOT DISPLAY.

SUPPRESS OPTION 3 IF (R03_AU1004 = 1 AND R03_AU9003 = 2, 3) OR (R03_AU1002_12M = 1 AND R03_AU9004 = 2, 3).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AUV03
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R03_EVER_NEVER_SNUS = 1 (Ever user) Adult respondents who have ever used snus pouches. R03_EVER_NEVER_SNUS = 2 (Never user) Adult respondents who have never used snus pouches. R03_INIT_SNUS_ADULT = 1 (Initiator) Adult respondents who initiated snus pouch use between Waves.	
R03_EVER_NEVER_SNUS = 1: IF (R02_EVER_NEVER_SNUS = 1 OR (R03_AU1004 = 1 AND R03_AU9003 != 1) OR (R03_AU1002_12M = 1 AND R03_AU9004 != 1)) AND R03_AU1010 != 3, THEN R03_EVER_NEVER_SNUS = 1. R03_EVER_NEVER_SNUS = 2: ELSE, IF ((R02_EVER_NEVER_SNUS != 1 AND ((R03_AU1004 != 1 AND R03_AU1002_12M != 1) OR (R03_AU9003 != 2 AND R03_AU9003 != 3 AND R03_AU9004 != 2 AND R03_AU9004 != 3)))) OR R03_AU1010 = 3, THEN R03_EVER_NEVER_SNUS = 2. R03_INIT_SNUS_ADULT: IF R02_EVER_NEVER_SNUS != 1 AND R03_EVER_NEVER_SNUS = 1, THEN R03_INIT_SNUS_ADULT = 1. ELSE, R03_INIT_SNUS_ADULT = 2.	

BOX ID:	R03_AUR06
Adult respondents who have never used snus pouches, go to R03_AU1103. Else, adult respondents who have ever used snus pouches and did not use snus pouches in the past 12 months or did not know or refused to report if they used snus pouches in the past 12 months or reported using snus pouches in the past 12 months and only used Skoal Bandits in the past 12 months, go to R03_AU1206. Else, go to Box R03_AST03.	
IF R03_EVER_NEVER_SNUS = 2, GO TO R03_AU1103. ELSE, IF R03_EVER_NEVER_SNUS = 1 AND (R03_AU1002_12M = 2, -8, -7 OR (R03_AU1002_12M = 1 AND R03_AU9004 = 1)), GO TO R03_AU1206. ELSE, GO TO BOX R03_AST03.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1103**

[These next questions are about snus pouches, not including Skoal Bandits.

]Have you ever been curious about using snus pouches?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never used snus pouches.

ASK Specification: IF R03_EVER_NEVER_SNUS = 2.

DISPLAY: IF (R03_AU9003 = 1 AND R03_AU1002_12M != 1) OR R03_AU9004 = 1, DISPLAY "These next questions are about snus pouches, not including Skoal Bandits." AND BOLD AND UNDERLINE "Bandits".

ELSE, DO NOT DISPLAY.

Variable(s): **R03_AU1206****

Do you think you will use snus pouches in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never used snus pouches or adult respondents who have ever used snus pouches and did not use snus pouches in the past 12 months or did not know or refused to report if they used snus pouches in the past 12 months or reported using snus pouches in the past 12 months and only used Skoal Bandits in the past 12 months.

ASK Specification: IF R03_EVER_NEVER_SNUS = 2 OR (R03_EVER_NEVER_SNUS = 1 AND (R03_AU1002_12M = 2, -8, -7 OR (R03_AU1002_12M = 1 AND R03_AU9004 = 1))).

NOTES: **SKIP ERROR: R03_AU1206 was skipped incorrectly by respondents who have used snus pouches (R03_EVER_NEVER_SNUS = 1) and did not use or refused to report if they used snus pouches in the past 30 days (R03_AU1004 = 2, -7) and used Skoal Bandits only in the past 12 months (R03_AU9004 = 1).The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_AUR24**

Adult respondents who have never used snus pouches, go to R03_AU1104.

Else, go to Box R03_AST03.

IF R03_EVER_NEVER_SNUS = 2, GO TO R03_AU1104.

ELSE, GO TO BOX R03_AST03.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AU1104

Do you think you will try snus pouches soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never used snus pouches.

ASK Specification: IF R03_EVER_NEVER_SNUS = 2.

Variable(s): R03_AU1205

If one of your best friends were to offer you snus pouches, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never used snus pouches.

ASK Specification: IF R03_EVER_NEVER_SNUS = 2.

BOX ID: R03_AST03

The next questions ask about other types of **smokeless tobacco** products which you put in your mouth and chew, suck or spit.

There are many types of smokeless tobacco products such as loose snus, moist snuff, dip, spit, and chewing tobacco.

Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly, Copenhagen, and Kodiak, but there are many others.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS TIN AND POUCHES]

BOLD "smokeless tobacco".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1004**

In the past 30 days, have you used other smokeless tobacco products, such as loose snus, moist snuff, dip, spit, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS TINS AND POUCHES]

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R03_ASV01 |
| 2 | No | |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS TINS AND POUCHES

Variable(s): **R03_AS1002_12M**

In the past 12 months, have you used other smokeless tobacco products, such as loose snus, moist snuff, dip, spit, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS TINS AND POUCHES]

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have not used smokeless tobacco in the past 30 days or did not know or refused to report if they have used smokeless tobacco in the past 30 days.

ASK Specification: IF R03_AS1004 = 2, -8, -7.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS TINS AND POUCHES

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ASV01

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R03_SMKLSSTYPE[1] = Adult respondent uses smokeless tobacco, but not snus pouches.

R03_SMKLSSTYPE[2] = Adult respondent uses snus pouches but not other forms of smokeless tobacco.

R03_SMKLSSTYPE[3] = Adult respondent uses both snus pouches and other forms of smokeless tobacco.

R03_SMKLSSTYPE[1]:

IF R03_EVER_NEVER_SMKLS = 1 AND R03_EVER_NEVER_SNUS = 2, SMKLSSTYPE[1] = 1.

ELSE SMKLSSTYPE[1] = 2.

R03_SMKLSSTYPE[2]:

IF R03_EVER_NEVER_SNUS = 1 AND R03_EVER_NEVER_SMKLS = 2, SMKLSSTYPE[2] = 1.

ELSE SMKLSSTYPE[2] = 2.

R03_SMKLSSTYPE[3]:

IF R03_EVER_NEVER_SMKLS = 1 AND R03_EVER_NEVER_SNUS = 1, SMKLSSTYPE[3] = 1.

ELSE SMKLSSTYPE[3] = 2.

BOX ID: R03_ASR22

Adult respondents who have used Skoal Bandits in the past 30 days or in the past 12 months, or adult respondents who were Bandits-only users as of their last completed interview and did not report using Skoal Bandits in the past 30 days or in the past 12 months and did not use other smokeless tobacco in the past 12 months or did not know or refused to report if they used other smokeless tobacco in the past 12 months, go to Box R03_AST04.

Else, go to Box R03_ASR29.

IF (R03_AU9003 = 1, 2 OR R03_AU9004 = 1, 2) OR (R02_DM_BANDITSONLY = 1 AND R03_AU9003 != 1, 2 AND R03_AU9004 != 1, 2 AND R03_AS1002_12M = 2, -7, -8), GO TO BOX R03_AST04.

ELSE, GO TO BOX R03_ASR29.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AST04

IF RESPONDENT USED SKOAL BANDITS IN THE PAST 12 MONTHS AND DID NOT REPORT USING SMOKELESS TOBACCO [R03_AS1002_12M = 2, -8, -7 AND (R03_AU9003 = 1, 2 OR R03_AU9004 = 1, 2)], DISPLAY THE FOLLOWING TRANSITION TEXT:

You mentioned that you used Skoal **Bandits**, but not other types of smokeless tobacco. Please think of your use of Skoal **Bandits** as you answer these next questions about smokeless tobacco.

IF RESPONDENT DID NOT USE SKOAL BANDITS IN THE PAST 12 MONTH AND DID NOT REPORT USING SMOKELESS TOBACCO, BUT WAS A BANDITS-ONLY USER AS OF THEIR LAST COMPLETED INTERVIEW [R03_AS1002_12M = 2, -7, -8 AND R03_AU9003 != 1, 2 AND R03_AU9004 != 1, 2 AND R02_DM_BANDITSONLY = 1], DISPLAY THE FOLLOWING TRANSITION TEXT:

In the past, you told us that you used a type of smokeless tobacco called Skoal **Bandits**. Please think of your use of Skoal **Bandits** as you answer these next questions about smokeless tobacco.

IF RESPONDENT USED SKOAL BANDITS IN THE PAST 12 MONTHS AND REPORTED USING SMOKELESS TOBACCO [(R03_AU1004 = 1 OR R03_AS1002_12M = 1) AND (R03_AU9003 = 1, 2 OR R03_AU9004 = 1, 2)], DISPLAY THE FOLLOWING TRANSITION TEXT:

You mentioned that you use Skoal **Bandits** and other types of smokeless tobacco. Please think of your use of all smokeless tobacco, including Skoal **Bandits**, as you answer the next questions.

BOLD AND UNDERLINE “Bandits”.

BOX ID: R03_ASR29

Adult respondents who have used Skoal Bandits or other smokeless tobacco in the past 30 days or in the past 12 months or adult respondents who did not know or refused to report if they used smokeless tobacco in the past 12 months and have ever used smokeless tobacco as of their last completed interview, go to R03_AS1003.

Else, adult respondents who have ever used smokeless tobacco and were not former experimental, new former established, or still former established smokeless tobacco users as of their last completed interview and did not use Skoal Bandits or other smokeless tobacco in the past 12 months, go to R03_AS1009.

Else, adult respondents who have ever used smokeless tobacco and did not use Skoal Bandits or other smokeless tobacco in the past 12 months, go to R03_AS1010.

Else, go to Box R03_ASV03.

IF R03_AU9003 = 1, 2 OR R03_AU9004 = 1, 2 OR R03_AS1004 = 1 OR R03_AS1002_12M = 1 OR (R03_AS1002_12M = -8, -7 AND R02_EVER_NEVER_SMKLS = 1), GO TO R03_AS1003.

ELSE, IF R02_EVER_NEVER_SMKLS = 1 AND R02_SMKLS_USER_STATUS != 3, 4, 5 AND R03_AU9003 != 1, 2 AND R03_AU9004 != 1, 2 AND R03_AS1002_12M = 2, GO TO R03_AS1009.

ELSE, IF R02_EVER_NEVER_SMKLS = 1 AND R03_AU9003 != 1, 2 AND R03_AU9004 != 1, 2 AND R03_AS1002_12M = 2, GO TO R03_AS1010.

ELSE, GO TO BOX R03_ASV03.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1003****

Do you now use smokeless tobacco...

- | | | |
|----|------------|---------------------|
| 1 | Every day | GO TO BOX R03_ASV03 |
| 2 | Some days | GO TO BOX R03_ASV03 |
| 3 | Not at all | |
| -8 | DON'T KNOW | GO TO BOX R03_ASV03 |
| -7 | REFUSED | GO TO BOX R03_ASV03 |

ASK: Adult respondents who have used Skoal Bandits or other smokeless tobacco in the past 30 days or in the past 12 months or adult respondents who did not know or refused to report if they used smokeless tobacco in the past 12 months and have ever used smokeless tobacco as of their last completed interview.

ASK Specification: IF R03_AU9003 = 1, 2 OR R03_AU9004 = 1, 2 OR R03_AS1004 = 1 OR R03_AS1002_12M = 1 OR (R03_AS1002_12M = -8, -7 AND R02_EVER_NEVER_SMKLS = 1).

NOTES: **SKIP ERROR: This items was skipped incorrectly by respondents who answered don't know or refused in R03_AS1002_12M. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AS1009_NN; R03_AS1009_UN**

About how long has it been since you last used smokeless tobacco? (If it was earlier today, enter 1 day.)

- | | | |
|----|----------------|------------------|
| 1 | I ___ I DAYS | |
| 2 | I ___ I MONTHS | |
| 3 | I ___ I YEARS | |
| -8 | DON'T KNOW | GO TO R03_AS1010 |
| -7 | REFUSED | GO TO R03_AS1010 |

ASK: Adult respondents who have used Skoal Bandits or other smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all or adult respondents who did not know or refused to report if they used smokeless tobacco in the past 12 months and have ever used smokeless tobacco as of their last completed interview and now use smokeless tobacco not at all or adult respondents who have ever used smokeless tobacco and were not former experimental, new former established, or still former established smokeless tobacco users as of their last completed interview and did not use Skoal Bandits or other smokeless tobacco in the past 12 months.

ASK Specification: IF ((R03_AU9003 = 1, 2 OR R03_AU9004 = 1, 2 OR R03_AS1004 = 1 OR R03_AS1002_12M = 1) AND R03_AS1003 = 3) OR (R03_AS1002_12M = -8, -7 AND R02_EVER_NEVER_SMKLS = 1 AND R03_AS1003 = 3) OR (R02_EVER_NEVER_SMKLS = 1 AND R02_SMKLS_USER_STATUS != 3, 4, 5 AND R03_AU9003 != 1, 2 AND R03_AU9004 != 1, 2 AND R03_AS1002_12M = 2).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: The value "1" refers to R03_AS1009_UN = Days; the value "2" refers to R03_AS1009_UN = Months; the value "3" refers to R03_AS1009_UN = Years.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AS1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last used smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AS1009 |
| 2 | NEXT | GO TO R03_AS1009_LC2 |

ASK: IF ((R03_AU9003 = 1, 2 OR R03_AU9004 = 1, 2 OR R03_AS1004 = 1 OR R03_AS1002_12M = 1) AND R03_AS1003 = 3) OR (R03_AS1002_12M = -8, -7 AND R02_EVER_NEVER_SMKLS = 1 AND R03_AS1003 = 3) OR (R02_EVER_NEVER_SMKLS = 1 AND R02_SMKLS_USER_STATUS != 3, 4, 5 AND R03_AU9003 != 1, 2 AND R03_AU9004 != 1, 2 AND R03_AS1002_12M = 2) AND R03_AS1009_NN != -8, -7 AND R03_AS1009_NN = 0.

DISPLAY: IF R03_AS1009_UN = 1, DISPLAY "days".

ELSE, IF R03_AS1009_UN = 2, DISPLAY "months".

ELSE, IF R03_AS1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R03_AS1009_NN = 0.

ELSE, GO TO R03_AS1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AS1009_LC2

The computer recorded that it has been [R03_AS1009_NN] years since you last used smokeless tobacco. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AS1009 |
| 2 | NEXT | GO TO R03_AS1010 |

ASK: IF ((R03_AU9003 = 1, 2 OR R03_AU9004 = 1, 2 OR R03_AS1004 = 1 OR R03_AS1002_12M = 1) AND R03_AS1003 = 3) OR (R03_AS1002_12M = -8, -7 AND R02_EVER_NEVER_SMKLS = 1 AND R03_AS1003 = 3) OR (R02_EVER_NEVER_SMKLS = 1 AND R02_SMKLS_USER_STATUS != 3, 4, 5 AND R03_AU9003 != 1, 2 AND R03_AU9004 != 1, 2 AND R03_AS1002_12M = 2) AND R03_AS1009_NN > R03R_A_AGE AND R03R_A_AGE >= 18 AND R03_AS1009_UN = 3.

PROGRAM: TRIGGER CHECK IF R03_AS1009_NN > R03R_A_AGE AND R03R_A_AGE >= 18 AND R03_AS1009_UN = 3.

ELSE, GO TO R03_AS1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AS1010
Have you completely quit using smokeless tobacco?	
1 Yes 2 No 3 I have never used smokeless tobacco in my entire life, not even one or two times -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who have used Skoal Bandits or other smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all or adult respondents who did not know or refused to report if they used smokeless tobacco in the past 12 months and have ever used smokeless tobacco as of their last completed interview and now use smokeless tobacco not at all or adult respondents who have ever used smokeless tobacco and did not use Skoal Bandits or other smokeless tobacco in the past 12 months. ASK Specification: IF ((R03_AU9003 = 1, 2 OR R03_AU9004 = 1, 2 OR R03_AS1004 = 1 OR R03_AS1002_12M = 1) AND R03_AS1003 = 3) OR (R03_AS1002_12M = -8, -7 AND R02_EVER_NEVER_SMKLS = 1 AND R03_AS1003 = 3) OR (R02_EVER_NEVER_SMKLS = 1 AND R03_AU9003 != 1, 2 AND R03_AU9004 != 1, 2 AND R03_AS1002_12M = 2). DISPLAY: SUPPRESS OPTON 3 IF R03_AS1004 = 1 OR R03_AU9003 = 1 OR R03_AU9003 = 2 OR AU9004 = 1 OR R03_AU9004 = 2 OR R03_AS1002_12M = 1.	

BOX ID:	R03_ASV03
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R03_EVER_NEVER_SMKLS = 1 (Ever user) Adult respondents who have ever used smokeless tobacco. R03_EVER_NEVER_SMKLS = 2 (Never user) Adult respondents who have never used smokeless tobacco. R03_INIT_USER_SMKLS = 1 (Initiator) Adult respondents who initiated smokeless tobacco use between Waves.	
R03_EVER_NEVER_SMKLS = 1: IF (R02_EVER_NEVER_SMKLS = 1 OR R03_AU9003 = 1 OR R03_AU9003 = 2 OR R03_AU9004 = 1 OR R03_AU9004 = 2 OR R03_AS1004 = 1 OR R03_AS1002_12M = 1) AND R03_AS1010 != 3, THEN R03_EVER_NEVER_SMKLS = 1. R03_EVER_NEVER_SMKLS = 2: ELSE, IF (R02_EVER_NEVER_SMKLS != 1 AND R03_AS1004 != 1 AND R03_AS1002_12M = 2, -8, -7 AND R03_AU9003 != 1 AND R03_AU9003 != 2 AND R03_AU9004 != 1 AND R03_AU9004 != 2) OR R03_AS1010 = 3, THEN R03_EVER_NEVER_SMKLS = 2. R03_INIT_USER_SMKLS: IF R02_EVER_NEVER_SMKLS != 1 AND R03_EVER_NEVER_SMKLS = 1, THEN R03_INIT_SMKLS_ADULT = 1. ELSE, R03_INIT_SMKLS_ADULT = 2.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ASR06

Young adult respondents who have never used smokeless tobacco, go to R03_AS1103.

Else, young adult respondents who have ever used smokeless tobacco and did not use Skoal Bandits or other smokeless tobacco in the past 12 months or did not know or refused to report if they used smokeless tobacco in the past 12 months, go to R03_AS1206.

Else, go to Box R03_ADT01.

IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_SMKLS = 2, GO TO R03_AS1103.

ELSE, IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_SMKLS = 1 AND R03_AU9003 != 1, 2 AND R03_AU9004 != 1, 2 AND R03_AS1004 != 1 AND R03_AS1002_12M != 1, GO TO R03_AS1206.
ELSE, GO TO BOX R03_ADT01.

Variable(s): R03_AS1103

Have you ever been curious about using smokeless tobacco?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used smokeless tobacco.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_SMKLS = 2.

Variable(s): R03_AS1206

Do you think you will use smokeless tobacco in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used smokeless tobacco or young adult respondents who have ever used smokeless tobacco and did not use Skoal Bandits or other smokeless tobacco in the past 12 months or did not know or refused to report if they used smokeless tobacco in the past 12 months.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND (R03_EVER_NEVER_SMKLS = 2 OR (R03_EVER_NEVER_SMKLS = 1 AND R03_AU9003 != 1, 2 AND R03_AU9004 != 1, 2 AND R03_AS1004 != 1 AND R03_AS1002_12M != 1)).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ASR24
Young adult respondents who have never used smokeless tobacco, go to R03_AS1104. Else, go to Box R03_ADT01.	
IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_SMKLS = 2, GO TO R03_AS1104. ELSE, GO TO BOX R03_ADT01.	

Variable(s):	R03_AS1104
Do you think you will try smokeless tobacco soon?	
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED	
ASK: Young adult respondents who have never used smokeless tobacco.	
ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_SMKLS = 2.	

Variable(s):	R03_AS1205
If one of your best friends were to offer you smokeless tobacco, would you try it?	
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED	
ASK: Young adult respondents who have never used smokeless tobacco.	
ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_SMKLS = 2.	

BOX ID:	R03_ADT01
The next question asks about another type of tobacco called dissolvable tobacco . You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth.	
Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, and Camel Orbs, Sticks or Strips.	
[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]	
BOLD "dissolvable tobacco".	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AD1002_12M
In the past 12 months, have you used dissolvable tobacco, even one or two times? [SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: All adult respondents. IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO

BOX ID: R03_ADV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R03_EVER_NEVER_DISSBL = 1 (Ever user) Adult respondents who have ever used dissolvable tobacco. R03_EVER_NEVER_DISSBL = 2 (Never user) Adult respondents who have never used dissolvable tobacco. R03_EVER_NEVER_DISSBL = 1: IF R02_EVER_NEVER_DISSBL = 1 OR R03_AD1002_12M = 1, THEN R03_EVER_NEVER_DISSBL = 1. R03_EVER_NEVER_DISSBL = 2: ELSE, IF R02_EVER_NEVER_DISSBL != 1 AND R03_AD1002_12M = 2, -8, -7, THEN R03_EVER_NEVER_DISSBL = 2.

Variable(s): R03_AZ1002; R03_AZ1002_OS
You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipes, hookahs, snus, smokeless tobacco and dissolvable tobacco. Besides these products, have you ever used any other tobacco products? Please do not include products such as a nicotine patch, gum, inhaler, nasal spray, lozenge or pill. 1 Yes (SPECIFY) 2 No -8 DON'T KNOW -7 REFUSED ASK: All adult respondents. DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR01

For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.

For respondents who have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.

CIGARETTE

BOX ID:	R03_ACR13
Adult respondents who were new former established or still former established cigarette smokers and had smoked 100 or more cigarettes and had smoked cigarettes fairly regularly as of their last completed interview, and have not smoked in the past 12 months or now smoke not at all, go to Box R03_ACV01. Else, go to Box R03_ACT01.	
IF R02_CIG_USER_STATUS = 4, 5 AND R02_NUMLIFE_CIGS = 1 AND R02_REGUSE_CIGS = 1 AND (R03_AC1002_12M = 2 OR R03_AC1003 = 3), GO TO BOX R03_ACV01. ELSE, GO TO BOX R03_ACT01.	

BOX ID:	R03_ACT01
DISPLAY TRANSITION TEXT: The next questions ask about your experience with cigarettes .	
BOLD "cigarettes".	

BOX ID:	R03_ACR11
Adult respondents who have ever smoked cigarettes and had not smoked 100 or more cigarettes as of their last completed interview, go to R03_AC1005. Else, adult respondents who had not reported ever smoking cigarettes fairly regularly as of their last completed interview, go to R03_AC1100. Else, go to Box R03_ACV01.	
IF R03_EVER_NEVER_CIGS = 1 AND R02_NUMLIFE_CIGS != 1, GO TO R03_AC1005. ELSE, IF R02_REGUSE_CIGS != 1, GO TO R03_AC1100. ELSE, GO TO BOX R03_ACV01.	

Variable(s):	R03_AC1005***	
How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.		
1	1 or more puffs but never a whole cigarette	GO TO BOX R03_ACV01
2	1 to 10 cigarettes (about ½ pack total)	GO TO BOX R03_ACV01
3	11 to 20 cigarettes (about ½ pack to 1 pack)	GO TO BOX R03_ACV01
4	21 to 50 cigarettes (more than 1 pack but less than 3 packs)	GO TO BOX R03_ACV01
5	51 to 99 cigarettes (more than 2 ½ packs but less than 5 packs)	GO TO BOX R03_ACV01
6	100 or more cigarettes (5 packs or more)	
-8	DON'T KNOW	GO TO BOX R03_ACV01
-7	REFUSED	GO TO BOX R03_ACV01
ASK: Adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes as of their last completed interview.		
ASK Specification: IF R03_EVER_NEVER_CIGS = 1 AND R02_NUMLIFE_CIGS != 1.		
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		

Variable(s):	R03_AC1100
Have you ever smoked cigarettes fairly regularly?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview. ASK Specification: IF R03_EVER_NEVER_CIGS = 1 AND (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R02_REGUSE_CIGS != 1.	

BOX ID:	R03_ACR19
New baseline adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, go to R03_AC1007_NB. Else, go to Box R03_ACV01.	
IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_CIGS = 1 AND (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1, GO TO R03_AC1007_NB. ELSE, GO TO BOX R03_ACV01.	

Variable(s):	R03_AC1007_NB
How old were you when you first started smoking cigarettes fairly regularly?	
I__I__I	Years old
-8	DON'T KNOW
	GO TO R03_AC1121_NB
-7	REFUSED
	GO TO R03_AC1121_NB
ASK: New baseline adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly.	
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_CIGS = 1 AND (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC1007_NB_LC1

The computer recorded that you started smoking cigarettes fairly regularly at age [R03_AC1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------------|
| 1 | BACK | GO TO R03_AC1007_NB |
| 2 | NEXT | GO TO R03_AC1007_NB_LC2 |

ASK: IF (R03_ADULTTYPE = 2 AND R03_EVER_NEVER_CIGS = 1 AND (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1) AND R03_AC1007_NB != -8, -7 AND R03_AC1007_NB <= 5.

PROGRAM: TRIGGER CHECK IF R03_AC1007_NB <= 5.

ELSE, GO TO R03_AC1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AC1007_NB_LC2

The computer recorded that you started smoking cigarettes fairly regularly at age [R03_AC1007_NB]. This is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AC1007_NB |
| 2 | NEXT | GO TO BOX R03_ACV01 |

ASK: IF (R03_ADULTTYPE = 2 AND R03_EVER_NEVER_CIGS = 1 AND (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1) AND R03_AC1007_NB != -8, -7 AND R03_AC1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AC1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO BOX R03_ACV01 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AC1121_NB
When you first started smoking cigarettes fairly regularly, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report the age they started smoking cigarettes fairly regularly. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_CIGS = 1 AND (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND R03_AC1007_NB = -8, -7.	

BOX ID:	R03_ACV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R03_CIG_USER_STATUS = 1 (Current established user) Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days. R03_CIG_USER_STATUS = 2 (Current experimental user) Adult respondents who have not smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days. R03_CIG_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a cigarette and have not smoked at least 100 cigarettes in lifetime, and did not smoke in the past 12 months or currently smoke not at all. R03_CIG_USER_STATUS = 4 (New former established user) Adult respondents who were current established, current experimental, or former experimental cigarette smokers as of their last completed interview, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all. R03_CIG_USER_STATUS = 5 (Still former established user) Adult respondents who were new former established or still former established cigarette smokers as of their last completed interview, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all. R03_CURRENT_CIG_USE = 1 (Every day established user) Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day. R03_CURRENT_CIG_USE = 2 (Some day established user) Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke some days. R03_FORMER_THIRTYDAY_USER_CIGS = 1 (Non-current 30-day user) Adult respondents who are former experimental, new former established, or still former established smokers in Wave 3 who smoked any cigarettes in the past 30 days. R03_CIG_USER_STATUS = 1:	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

IF (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R03_AC1003 = 1, 2, THEN
R03_CIG_USER_STATUS = 1.

R03_CIG_USER_STATUS = 2:

ELSE, IF R03_EVER_NEVER_CIGS = 1 AND R03_AC1005 != 6 AND R02_NUMLIFE_CIGS != 1 AND
R03_AC1003 = 1, 2, THEN R03_CIG_USER_STATUS = 2.

R03_CIG_USER_STATUS = 3:

ELSE, IF R03_EVER_NEVER_CIGS = 1 AND (R03_AC1002_12M = 2 OR R03_AC1003 = 3) AND
R03_AC1005 != 6 AND R02_NUMLIFE_CIGS != 1, THEN R03_CIG_USER_STATUS = 3.

R03_CIG_USER_STATUS = 4:

ELSE, IF (R02_CIG_USER_STATUS = 1, 2, 3 OR R03_INIT_CIGS_ADULT = 1 OR
(R03_ADULTTYPE = 2 AND R02_EVER_NEVER_CIGS = 1)) AND (R02_NUMLIFE_CIGS = 1 OR
R03_AC1005 = 6) AND R03_EVER_NEVER_CIGS = 1 AND (R03_AC1002_12M = 2 OR R03_AC1003
= 3), THEN R03_CIG_USER_STATUS = 4.

R03_CIG_USER_STATUS = 5:

ELSE, IF R02_CIG_USER_STATUS = 4, 5 AND R03_EVER_NEVER_CIGS = 1 AND
(R03_AC1002_12M = 2 OR R03_AC1003 = 3), THEN R03_CIG_USER_STATUS = 5.

R03_CURRENT_CIG_USE = 1:

IF R03_CIG_USER_STATUS = 1 AND R03_AC1003 = 1, THEN R03_CURRENT_CIG_USE = 1.

R03_CURRENT_CIG_USE = 2:

ELSE, IF R03_CIG_USER_STATUS = 1 AND R03_AC1003 = 2, THEN R03_CURRENT_CIG_USE =
2.

R03_FORMER_THIRTYDAY_USER_CIGS:

IF (R03_CIG_USER_STATUS = 3, 4, 5) AND ((1 <= R03_AC1009_NN <= 30 AND R03_AC1009_UN =
1) OR (R03_AC1009_NN = 1 AND R03_AC1009_UN = 2) OR R03_AC1004 = 1), THEN
R03_FORMER_THIRTYDAY_USER_CIGS = 1.

ELSE, R03_FORMER_THIRTYDAY_USER_CIGS = 2.

BOX ID: R03_ACR01

New baseline adult respondents who are every day established cigarette smokers, go to
R03_AC1020_NB.

Else, adult respondents who have initiated cigarette smoking since their last completed interview, go to
R03_AC1008.

Else, go to Box R03_ACR42.

IF R03_ADULTTYPE = 2 AND R03_CURRENT_CIG_USE = 1, GO TO R03_AC1020_NB.

ELSE, IF R03_INIT_CIGS_ADULT = 1, GO TO R03_AC1008.

ELSE, GO TO BOX R03_ACR42.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC1020_NB**

How old were you when you first started smoking cigarettes every day?

I__I__I Years old

-8 DON'T KNOW

GO TO BOX R03_ACR20

-7 REFUSED

GO TO BOX R03_ACR20

ASK: New baseline adult respondents who are every day established cigarette smokers.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_CURRENT_CIG_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: **R03_AC1020_NB_LC1**

The computer recorded that you started smoking cigarettes every day at age [R03_AC1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AC1020_NB

2 NEXT

GO TO R03_AC1020_NB_LC2

ASK: IF R03_ADULTTYPE = 2 AND R03_CURRENT_CIG_USE = 1 AND R03_AC1020_NB != -8, -7 AND (R03_AC1020_NB <= 5 OR R03_AC1020_NB < R03_AC1007_NB).

PROGRAM: TRIGGER CHECK IF R03_AC1020_NB <= 5 OR R03_AC1020_NB < R03_AC1007_NB. ELSE, GO TO R03_AC1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: **R03_AC1020_NB_LC2**

The computer recorded that you started smoking cigarettes every day at age [R03_AC1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AC1020_NB

2 NEXT

GO TO BOX R03_ACR20

ASK: IF R03_ADULTTYPE = 2 AND R03_CURRENT_CIG_USE = 1 AND R03_AC1020_NB != -8, -7 AND R03_AC1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AC1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_ACR20 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ACR20
New baseline adult respondents who are every day established cigarette smokers and did not know or refused to report the age they started smoking cigarettes every day, go to R03_AC1122_NB. Else, adult respondents who have initiated cigarette smoking since their last completed interview, go to R03_AC1008. Else, go to Box R03_ACR42.	
IF R03_ADULTTYPE = 2 AND R03_CURRENT_CIG_USE = 1 AND R03_AC1020_NB = -8, -7, GO TO R03_AC1122_NB. ELSE, IF R03_INIT_CIGS_ADULT = 1, GO TO R03_AC1008. ELSE, GO TO BOX R03_ACR42.	

Variable(s):	R03_AC1122_NB
When you first started smoking cigarettes every day, were you...	
1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED	
ASK: New baseline adult respondents who are every day established cigarette smokers and did not know or refused to report the age they started smoking cigarettes every day. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_CURRENT_CIG_USE = 1 AND R03_AC1020_NB = -8, -7.	

BOX ID:	R03_ACR21
Adult respondents who initiated cigarette smoking since their last completed interview, go to R03_AC1008. Else, go to Box R03_ACR42.	
IF R03_INIT_CIGS_ADULT = 1, GO TO R03_AC1008. ELSE, GO TO BOX R03_ACR42.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC1008**

When you first started smoking cigarettes, did you start with cigarettes flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated cigarette smoking since their last completed interview.

ASK Specification: IF R03_INIT_CIGS_ADULT = 1.

BOX ID: **R03_ACR22**

Young adult respondents who initiated cigarette smoking since their last completed interview, go to R03_AC9904.

Else, go to Box R03_ACR42.

IF 18 <= R03R_A_AGE < 25 AND R03_INIT_CIGS_ADULT = 1, GO TO R03_AC9904.

ELSE, GO TO BOX R03_ACR42.

Variable(s): **R03_AC9904**

How much did you experience pleasant sensations the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who initiated cigarette smoking since their last completed interview.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_INIT_CIGS_ADULT = 1.

DISPLAY: UNDERLINE "pleasant".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC9905
How much did you experience <u>unpleasant</u> sensations the first time you smoked a cigarette? 1 Not at all 2 A little 3 Somewhat 4 A lot -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who initiated cigarette smoking since their last completed interview. ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_INIT_CIGS_ADULT = 1. DISPLAY: UNDERLINE "unpleasant".

Variable(s): R03_AC9906
How much did you feel sick to your stomach the first time you smoked a cigarette? 1 Not at all 2 A little 3 Somewhat 4 A lot -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who initiated cigarette smoking since their last completed interview. ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_INIT_CIGS_ADULT = 1.

BOX ID: R03_ACR42
Adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, go to R03_AC9002. Else, go to Box R03_ACR04.
IF R03_EVER_NEVER_CIGS = 1 AND (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1, GO TO R03_AC9002. ELSE, GO TO BOX R03_ACR04.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC9002_NN***; R03_AC9002_UN**

About how long [have you been smoking/did you smoke] fairly regularly? Do not count any time you may have stayed off cigarettes.

1 |__|__| Months

2 |__|__| Years

-8 DON'T KNOW

GO TO BOX R03_ACR23

-7 REFUSED

GO TO BOX R03_ACR23

ASK: Adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview, and have ever smoked cigarettes fairly regularly.

ASK Specification: IF R03_EVER_NEVER_CIGS = 1 AND (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1.

DISPLAY: IF R03_CIG_USER_STATUS = 1, DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AC9002_UN = Months; the value "2" refers to R03_AC9002_UN = Years.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

CHECK ID: **R03_AC9002_LC1**

The computer recorded that you have smoked fairly regularly for [R03_AC9002_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AC9002

2 NEXT

GO TO R03_AC9002_LC2

ASK: IF (R03_EVER_NEVER_CIGS = 1 AND (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1) AND R03_AC9002_NN > R03R_A_AGE AND R03R_A_AGE >= 18 AND R03_AC9002_UN = 2.

PROGRAM: TRIGGER CHECK IF R03_AC9002_NN > R03R_A_AGE AND R03R_A_AGE >= 18 AND R03_AC9002_UN = 2.

ELSE, GO TO R03_AC9002_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC9002_LC2

The computer recorded that you entered [R03_AC9002_NN] years. This question is about how long you have been smoking fairly regularly, not when you started.

Please double check the number of years you entered.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AC9002 |
| 2 | NEXT | GO TO BOX R03_ACR23 |

ASK: IF (R03_EVER_NEVER_CIGS = 1 AND (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1) AND R03_AC9002 != -8, -7 AND ((R03_AC9002_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) OR R03_AC9002_NN > 60) AND R03_AC9002_UN = 2.

PROGRAM: TRIGGER CHECK IF ((R03_AC9002_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) OR R03_AC9002_NN > 60) AND R03_AC9002_UN = 2.

ELSE, GO TO BOX R03_ACR23 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_ACR23

Adult respondents who are new former established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, go to R03_AC9003.

Else, go to Box R03_ACR04.

IF R03_CIG_USER_STATUS = 4 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1, GO TO R03_AC9003.

ELSE, GO TO BOX R03_ACR04.

Variable(s): R03_AC9003_NN; R03_AC9003_UN

On average, about how many cigarettes did you smoke per day while you were smoking fairly regularly? A pack usually has 20 cigarettes in it.

- | | | |
|----|--------------------------------|---------------------|
| 1 | I ___ I ___ Cigarettes per day | |
| 2 | I ___ I ___ Packs per day | |
| -8 | DON'T KNOW | GO TO BOX R03_ACR04 |
| -7 | REFUSED | GO TO BOX R03_ACR04 |

ASK: Adult respondents who are new former established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly.

ASK Specification: IF R03_CIG_USER_STATUS = 4 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AC9003_UN = Cigarettes per day; the value "2" refers to R03_AC9003_UN = Packs per day.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC9003_LC1

The computer recorded that on average you smoked [R03_AC9003_NN] [cigarettes/packs] a day while you were smoking regularly.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AC9003 |
| 2 | NEXT | GO TO BOX R03_ACR04 |

ASK: IF (R03_CIG_USER_STATUS = 4 AND R02_REGUSE_CIGS = 2 AND R03_AC1100 = 1) AND (R03_AC9003_NN != -8, -7 AND (R03_AC9003_NN > 40 AND R03_AC9003_UN = 1)) OR R03_AC9003 = 11, 22, 33 OR (R03_AC9003_NN > 2 AND R03_AC9003_UN = 2).

DISPLAY: IF R03_AC9003_UN = 1, DISPLAY "cigarettes".

ELSE, IF R03_AC9003_UN = 2, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF (R03_AC9003_NN > 40 AND R03_AC9003_UN = 1) OR R03_AC9003 = 11, 22, 33 OR (R03_AC9003_NN > 2 AND R03_AC9003_UN = 2).

ELSE, GO TO BOX R03_ACR04 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_ACR04

Adult respondents who are every day established cigarette smokers, go to R03_AC1021.

Else, adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers, go to R03_AC1022.

Else, new former established cigarette smokers, go to R03_AC1047[MC/RV].

Else, former experimental and still former established cigarette smokers, go to the next section.

IF R03_CURRENT_CIG_USE = 1, GO TO R03_AC1021.

ELSE, IF R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1, GO TO R03_AC1022.

ELSE, IF R03_CIG_USER_STATUS = 4, GO TO R03_AC1047[MC/RV].

ELSE, IF R03_CIG_USER_STATUS = 3, 5, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

Variable(s): R03_AC1021_NN; R03_AC1021_UN

On average, about how many cigarettes do you now smoke each day? A pack usually has 20 cigarettes in it.

- | | | |
|----|---------------------------|------------------|
| 1 | __ __ Cigarettes per day | |
| 2 | __ __ Packs per day | |
| -8 | DON'T KNOW | GO TO R03_AC1090 |
| -7 | REFUSED | GO TO R03_AC1090 |

ASK: Adult respondents who are every day established cigarette smokers.

ASK Specification: IF R03_CURRENT_CIG_USE = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AC1021_UN = Cigarettes per day; the value "2" refers to R03_AC1021_UN = Packs per day.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC1021_LC1

The computer recorded that you now smoke [R03_AC1021_NN] [cigarettes/packs] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AC1021 |
| 2 | NEXT | GO TO BOX R03_ACR05 |

ASK: IF (R03_CURRENT_CIG_USE = 1 AND R03_AC1021_NN != -8, -7) AND (R03_AC1021_NN > 40 AND R03_AC1021_UN = 1) OR R03_AC1021_NN = 11, 22, 33 OR (R03_AC1021_NN > 2 AND R03_AC1021_UN = 2).

DISPLAY: IF R03_AC1021_UN = 1, DISPLAY "cigarettes".

ELSE, IF R03_AC1021_UN = 2, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF (R03_AC1021_NN > 40 AND R03_AC1021_UN = 1) OR R03_AC1021_NN = 11, 22, 33 OR (R03_AC1021_NN > 2 AND R03_AC1021_UN = 2).

ELSE, GO TO BOX R03_ACR05 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AC1090

Would you say that, on average, you now smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day?

- | | | |
|----|----------------------------------|---------------------|
| 1 | More than 20 cigarettes each day | GO TO BOX R03_ACR05 |
| 2 | About 20 cigarettes each day | GO TO BOX R03_ACR05 |
| 3 | Less than 20 cigarettes each day | GO TO BOX R03_ACR05 |
| -8 | DON'T KNOW | GO TO BOX R03_ACR05 |
| -7 | REFUSED | GO TO BOX R03_ACR05 |

ASK: Adult respondents who are every day established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day.

ASK Specification: IF R03_CURRENT_CIG_USE = 1 AND R03_AC1021_NN = -8, -7.

Variable(s): R03_AC1022***

On how many of the past 30 days did you smoke cigarettes?

I ___ I ___ DAYS

- | | |
|----|------------|
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers.

ASK Specification: IF R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID:	R03_ACR25
Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R03_AC1023. Else, go to Box R03_ACR05.	
IF (R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0, GO TO R03_AC1023. ELSE, GO TO BOX R03_ACR05.	

Variable(s): **R03_AC1023_NN***; R03_AC1023_UN**

On average, on those [FILL NUMBER OF DAYS FROM R03_AC1022 days/days you smoked], how many cigarettes did you usually smoke each day? A pack usually has 20 cigarettes in it.

1 |__|__| Cigarettes per day

2 |__|__| Packs per day

-8 DON'T KNOW GO TO BOX R03_ACR05

-7 REFUSED GO TO BOX R03_ACR05

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0.

DISPLAY: IF R03_AC1022_NN = 1, -8, -7, DISPLAY "days you smoked".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R03_AC1022_NN AND "days" (ex. "2 days").

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AC1023_UN = Cigarettes per day; the value "2" refers to R03_AC1023_UN = Packs per day.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC1023_LC1

The computer recorded that on the days you smoked in the past 30 days, you smoked [R03_AC1023_NN] [cigarettes/packs] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AC1023

2 NEXT

GO TO BOX R03_ACR05

ASK: IF ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0 AND R03_AC1023_NN != -8, -7) AND ((R03_AC1021_NN > 40 AND R03_AC1021_UN = 1) OR R03_AC1021_NN = 11, 22, 33 OR (R03_AC1021_NN > 2 AND R03_AC1021_UN = 2)).

DISPLAY: IF R03_AC1023_UN = 1, DISPLAY "cigarettes".

ELSE, IF R03_AC1023_UN = 2, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF (R03_AC1021_NN > 40 AND R03_AC1021_UN = 1) OR R03_AC1021_NN = 11, 22, 33 OR (R03_AC1021_NN > 2 AND R03_AC1021_UN = 2).

ELSE, GO TO BOX R03_ACR05 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_ACV03

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R03_CIGSPERDAY = Number of cigarettes smoked per day.

R03_PCKSPERDAY = Number of packs smoked per day.

R03_CIGSPERDAY2 = Estimate of cigarettes smoked per day when actual number is DK/RF.

R03_CIGSPERDAY:

IF R03_CURRENT_CIG_USE = 1 AND R03_AC1021_NN != -8, -7 AND R03_AC1021_UN = 1, THEN R03_CIGSPERDAY = R03_AC1021_NN.

IF R03_CURRENT_CIG_USE = 2 AND R03_AC1023_NN != -8, -7 AND R03_AC1023_UN = 1, THEN R03_CIGSPERDAY = R03_AC1023_NN.

IF R03_CIG_USER_STATUS = 4 AND R03_AC9003_NN != -8, -7 AND R03_AC9003_UN = 1, THEN R03_CIGSPERDAY = R03_AC9003_NN.

R03_PCKSPERDAY:

IF R03_CURRENT_CIG_USE = 1 AND R03_AC1021_NN != -8, -7 AND R03_AC1021_UN = 2, THEN R03_PCKSPERDAY = R03_AC1021_NN.

IF R03_CURRENT_CIG_USE = 2 AND R03_AC1023_NN != -8, -7 AND R03_AC1023_UN = 2, THEN R03_PCKSPERDAY = R03_AC1023_NN.

IF R03_CIG_USER_STATUS = 4 AND R03_AC9003_NN != -8, -7 AND R03_AC9003_UN = 2, THEN R03_PCKSPERDAY = R03_AC9003_NN.

R03_CIGSPERDAY2:

IF R03_AC1090 = 1, R03_CIGSPERDAY2 = "more than 20 cigarettes each day".

IF R03_AC1090 = 2, R03_CIGSPERDAY2 = "about 20 cigarettes each day".

IF R03_AC1090 = 3, R03_CIGSPERDAY2 = "less than 20 cigarettes each day".

BOX ID: R03_ACR05

New baseline adult respondents who are current established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, or adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, go to R03_AC9004.

Else, new baseline adult respondents who are every day established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day, or adult respondents who initiated cigarette smoking since their last completed interview and are every day established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day, go to R03_AC9009.

Else, adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers, go to Box R03_ACR41.

Else, adult respondents who are new former established cigarette smokers, go to R03_AC1047[MC/RV].

Else, adult respondents who are former experimental or still former established cigarette smokers, go to the next section.

IF (R03_ADULTTYPE = 2 AND R03_CIG_USER_STATUS = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND (R03_AC1023_NN > 0 OR R03_AC1021_NN > 0)) OR (R03_INIT_CIGS_ADULT = 1 AND R03_CIG_USER_STATUS = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND (R03_AC1023_NN > 0 OR R03_AC1021_NN > 0)), GO TO R03_AC9004.

ELSE, IF (R03_ADULTTYPE = 2 AND R03_CURRENT_CIG_USE = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND R03_AC1021_NN = -8, -7 AND R03_AC1090 = 1, 2, 3) OR (R03_INIT_CIGS_ADULT = 1 AND R03_CURRENT_CIG_USE = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND R03_AC1021_NN = -8, -7 AND R03_AC1090 = 1, 2, 3), GO TO R03_AC9009.

ELSE, IF R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1, GO TO BOX R03_ACR41.

ELSE, IF R03_CIG_USER_STATUS = 4, GO TO R03_AC1047[MC/RV].

ELSE, IF R03_CIG_USER_STATUS = 3, 5, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

Variable(s): R03_AC9004

You mentioned that you smoke [#] [[cigarette[s]/pack[s]] per day[on the days that you smoke]. Have you smoked about this many [cigarettes/packs] per day since you started smoking fairly regularly?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R03_ACR41 |
| 2 | No | GO TO R03_AC9005 |
| -8 | DON'T KNOW | GO TO R03_AC9005 |
| -7 | REFUSED | GO TO R03_AC9005 |

ASK: New baseline adult respondents who are current established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, or adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke.

ASK Specification: IF (R03_ADULTTYPE = 2 AND R03_CIG_USER_STATUS = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND (R03_AC1023_NN > 0 OR R03_AC1021_NN > 0)) OR (R03_INIT_CIGS_ADULT = 1 AND R03_CIG_USER_STATUS = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND (R03_AC1023_NN > 0 OR R03_AC1021_NN > 0)).

DISPLAY: AUTOFILL [#] WITH R03_CIGSPERDAY OR R03_PCKSPERDAY.

IF R03_CIGSPERDAY = 1, DISPLAY "cigarette".

ELSE, IF R03_CIGSPERDAY > 1, DISPLAY "cigarettes".

IF R03_PCKSPERDAY = 1, DISPLAY "pack".

ELSE, IF R03_PCKSPERDAY > 1, DISPLAY "packs".

IF R03_CURRENT_CIG_USE = 2, DISPLAY " on the days that you smoke".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC9009**

You mentioned that you smoke [R03_CIGSPERDAY2]. Have you smoked about this many cigarettes per day since you started smoking fairly regularly?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R03_ACR41 |
| 2 | No | |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: New baseline adult respondents who are every day established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day, or adult respondents who initiated cigarette smoking since their last completed interview and are every day established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day.

ASK Specification: IF (R03_ADULTTYPE = 2 AND R03_CURRENT_CIG_USE = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND R03_AC1021_NN = -8, -7 AND R03_AC1090 = 1, 2, 3) OR (R03_INIT_CIGS_ADULT = 1 AND R03_CURRENT_CIG_USE = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND R03_AC1021_NN = -8, -7 AND R03_AC1090 = 1, 2, 3).

DISPLAY: IF R03_AC1090 = 1, FILL R03_CIGSPERDAY2 WITH "more than 20 cigarettes each day".

ELSE, IF R03_AC1090 = 2, FILL WITH "about 20 cigarettes each day".

ELSE, IF R03_AC1090 = 3, FILL WITH "less than 20 cigarettes each day".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC9005_NN; R03_AC9005_UN

On average, about how many cigarettes did you smoke per day when you smoked fairly regularly in the past?

1 |__|__| Cigarettes per day

2 |__|__| Packs per day

-8 DON'T KNOW

GO TO BOX R03_ACR41

-7 REFUSED

GO TO BOX R03_ACR41

ASK: New baseline adult respondents who are current established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past, or adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_CIG_USER_STATUS = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND (((R03_AC1023_NN > 0 OR R03_AC1021_NN > 0) AND R03_AC9004 != 1) OR (R03_AC1021_NN = -8, -7 AND R03_AC1090 = 1, 2, 3 AND R03_AC9009 != 1)) OR R03_INIT_CIGS_ADULT = 1 AND R03_CIG_USER_STATUS = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND (((R03_AC1023_NN > 0 OR R03_AC1021_NN > 0) AND R03_AC9004 != 1) OR (R03_AC1021_NN = -8, -7 AND R03_AC1090 = 1, 2, 3 AND R03_AC9009 != 1)).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AC9005_UN = Cigarettes per day; the value "2" refers to R03_AC9005_UN = Packs per day.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC9005_LC1

The computer recorded that, when you smoked regularly in the past, you smoked [R03_AC9005_NN] [cigarettes/packs] a day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AC9005 |
| 2 | NEXT | GO TO BOX R03_ACR41 |

ASK: IF R03_ADULTTYPE = 2 AND R03_CIG_USER_STATUS = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND (((R03_AC1023_NN > 0 OR R03_AC1021_NN > 0) AND R03_AC9004 != 1) OR (R03_AC1021_NN = -8, -7 AND R03_AC1090 = 1, 2, 3 AND R03_AC9009 != 1)) OR R03_INIT_CIGS_ADULT = 1 AND R03_CIG_USER_STATUS = 1 AND R02_REGUSE_CIGS != 1 AND R03_AC1100 = 1 AND (((R03_AC1023_NN > 0 OR R03_AC1021_NN > 0) AND R03_AC9004 != 1) OR (R03_AC1021_NN = -8, -7 AND R03_AC1090 = 1, 2, 3 AND R03_AC9009 != 1)) AND (R03_AC9005_NN != -8, -7 AND (R03_AC9005_NN > 40) OR R03_AC9005_NN = 11, 22, 33 OR (R03_AC9005_NN > 2 AND R03_AC9005_UN = 2)).

DISPLAY: IF R03_AC9005_UN = 1, DISPLAY "cigarettes".

ELSE, IF R03_AC9005_UN = 2, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF R03_AC9005_NN > 40 OR R03_AC9005_NN = 11, 22, 33 OR (R03_AC9005_NN > 2 AND R03_AC9005_UN = 2). ELSE GO TO BOX R03_ACR41 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_ACR41

Adult respondents who are current established or current experimental cigarette smokers, go to R03_AC1024.

Else, adult respondents who are non-current 30-day cigarette smokers, go to R03_AC1024_30D.

Else, go to the next section.

IF R03_CIG_USER_STATUS = 1, 2, GO TO R03_AC1024.

ELSE, IF R03_FORMER_THIRTYDAY_USER_CIGS = 1, GO TO R03_AC1024_30D.

ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC1024_NN; R03_AC1024_UN

[On the days that you smoke, how/How] soon after you wake up do you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

1 |__|__| Minutes after waking

2 |__|__| Hours after waking

-8 DON'T KNOW

GO TO R03_AC1092

-7 REFUSED

GO TO R03_AC1092

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2.

DISPLAY: IF R03_CURRENT_CIG_USE = 1, DISPLAY "How".

ELSE, DISPLAY "On the days that you smoke, how".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AC1024_UN = Minutes after waking; the value "2" refers to R03_AC1024_UN = Hours after waking.

CHECK ID: R03_AC1024_LC1

The computer recorded that you typically smoke your first cigarette of the day [R03_AC1024_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AC1024

2 NEXT

GO TO R03_AC1024_LC2

ASK: IF (R03_CIG_USER_STATUS = 1, 2 AND R03_AC1024_NN != -8, -7) AND (R03_CURRENT_CIG_USE = 1 AND (((R03_AC1024_NN > 60 AND R03_AC1024_UN = 1) OR (R03_AC1024_NN > 4 AND R03_AC1024_UN = 2))) OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2) AND (((R03_AC1024_NN > 60 AND R03_AC1024_UN = 1) OR (R03_AC1024_NN > 12 AND R03_AC1024_UN = 2)))).

DISPLAY: IF R03_AC1024_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AC1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_CURRENT_CIG_USE = 1 AND ((R03_AC1024_NN > 60 AND R03_AC1024_UN = 1) OR (R03_AC1024_NN > 4 AND R03_AC1024_UN = 2))) OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2) AND (((R03_AC1024_NN > 60 AND R03_AC1024_UN = 1) OR (R03_AC1024_NN > 12 AND R03_AC1024_UN = 2)))).

ELSE, GO TO R03_AC1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC1024_LC2

The computer recorded "0" for how soon you typically smoke your first cigarette of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AC1024 |
| 2 | NEXT | GO TO R03_AC9022 |

ASK: IF R03_CIG_USER_STATUS = 1, 2 AND R03_AC1024_NN != -8, -7 AND R03_AC1024_NN = 0.
PROGRAM: TRIGGER CHECK IF R03_AC1024_NN = 0.
ELSE, GO TO R03_AC9022 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AC1092

[On the days that you smoke, would/Would] you say you smoke your first cigarette of the day within the first 30 minutes after you wake up?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R03_AC9022 |
| 2 | No | GO TO R03_AC9022 |
| 3 | It varies | GO TO R03_AC9022 |
| -8 | DON'T KNOW | GO TO R03_AC9022 |
| -7 | REFUSED | GO TO R03_AC9022 |

ASK: Adult respondents who are current established or current experimental cigarette smokers and did not know or refused to report how soon after waking up they typically smoke their first cigarette.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2 AND R03_AC1024_NN = -8, -7.

DISPLAY: IF R03_CURRENT_CIG_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you smoke, would".

Variable(s): R03_AC1024_30D_NN*; R03_AC1024_30D_UN**

On the days that you smoked, how soon after you woke up did you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

- | | | |
|----|----------------------------------|----------------------|
| 1 | I ___ I ___ Minutes after waking | |
| 2 | I ___ I ___ Hours after waking | |
| -8 | DON'T KNOW | GO TO R03_AC1092_30D |
| -7 | REFUSED | GO TO R03_AC1092_30D |

ASK: Adult respondents who are non-current 30-day cigarette smokers.

ASK Specification: IF R03_FORMER_THIRTYDAY_USER_CIGS = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AC1024_30D_UN = Minutes after waking; the value "2" refers to R03_AC1024_30D_UN = Hours after waking.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC1024_30D_LC1

The computer recorded that you typically smoked your first cigarette of the day [R03_AC1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AC1024_30D

2 NEXT

GO TO R03_AC1024_30D_LC2

ASK: IF (R03_FORMER_THIRTYDAY_USER_CIGS = 1 AND R03_AC1024_30D_NN != -8, -7) AND ((R03_AC1024_30D_NN > 60 AND R03_AC1024_30D_UN = 1) OR (R03_AC1024_30D_NN > 12 AND R03_AC1024_30D_UN)).

DISPLAY: IF R03_AC1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AC1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_AC1024_30D_NN > 60 AND R03_AC1024_30D_UN = 1) OR (R03_AC1024_30D_NN > 12 AND R03_AC1024_30D_UN).

ELSE, GO TO R03_AC1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AC1024_30D_LC2

The computer recorded "0" for how soon you typically smoked your first cigarette of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AC1024_30D

2 NEXT

GO TO R03_AC9048

ASK: IF R03_FORMER_THIRTYDAY_USER_CIGS = 1 AND R03_AC1024_30D_NN != -8, -7 AND R03_AC1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AC1024_30D_NN = 0.

ELSE, GO TO R03_AC9048 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC1092_30D**

On the days that you smoked, would you say you smoked your first cigarette of the day within the first 30 minutes after you woke up?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R03_AC9048 |
| 2 | No | GO TO R03_AC9048 |
| 3 | It varies | GO TO R03_AC9048 |
| -8 | DON'T KNOW | GO TO R03_AC9048 |
| -7 | REFUSED | GO TO R03_AC9048 |

ASK: Adult respondents who are non-current 30-day cigarette smokers and did not know or refused to report how soon after waking up they typically smoked their first cigarette.

ASK Specification: IF R03_FORMER_THIRTYDAY_USER_CIGS = 1 AND R03_AC1024_30D_NN = -8, -7.

Variable(s): **R03_AC9022**

Do you consider yourself a smoker?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC9045

Please rate your level of agreement using the following scale: 1 = Not at all to 7 = Extremely.

Do you enjoy the sensation in your throat and chest when you smoke a cigarette?

- 1 Not at all
- 2
- 3
- 4
- 5
- 6
- 7 Extremely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2.

PROGRAM: Display response options as a horizontal scale, with labels as anchors on left and right.

Variable(s): R03_AC9048***

When you [smoke/smoked] cigarettes, [do/did] you usually smoke manufactured cigarettes or [do/did] you smoke roll-your-own cigarettes?

- 1 Manufactured cigarettes
- 2 Roll-your-own cigarettes
- 3 Both manufactured and roll-your-own cigarettes
- 4 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1.

DISPLAY: IF R03_CIG_USER_STATUS = 1, 2, DISPLAY "smoke", "do", AND "do".

ELSE, IF R03_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY "smoked", "did", AND "did".

PROGRAM: If option 3 is selected, other options cannot be selected.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ACR36
If respondent usually smokes both manufactured and roll-your-own cigarettes, create and repeat R03_ACR36 to R03_AC1051[MC/R] as a loop once for each cigarette type, following appropriate skip patterns. Loop manufactured cigarettes first, then roll-your-own cigarette tobacco second.	
If R03_AC9048 = 1, 4, -8, -7, loop through R03_AC0100MC to R03_AC1051MC only once, following the display instructions for manufactured cigarettes.	
If R03_AC9048 = 2, loop through R03_AC0100RY to R03_AC1051RY only once, following the display instructions for roll-your-own cigarettes.	
IF R03_AC9048 = 3, LOOP R03_AC0100 TO R03_AC1051[MC/R] ONCE FOR EACH CIGARETTE TYPE, FOLLOWING APPROPRIATE SKIP PATTERNS. LOOP MANUFACTURED CIGARETTES FIRST, THEN ROLL-YOUR-OWN TOBACCO SECOND.	
IF R03_AC9048 = 1, 4, -8, -7, LOOP THROUGH R03_AC0100MC TO R03_AC1051MC ONLY ONCE, FOLLOWING THE DISPLAY INSTRUCTIONS FOR MANUFACTURED CIGARETTES.	
IF R03_AC9048 = 2, LOOP THROUGH R03_AC0100RY TO R03_AC1051RY ONLY ONCE, FOLLOWING THE DISPLAY INSTRUCTIONS FOR ROLL-YOUR-OWN CIGARETTES.	

BOX ID:	R03_ACR45
Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R03_AC0100[MC/R]. Else, go to R03_AC1098[MC/R].	
IF LOOP = MANUFACTURED: IF R03_AC9048 = 1, 3, 4, -8, -7 AND (R03_CURRENT_CIG_USE = 1 OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0)), GO TO R03_AC0100MC. ELSE, GO TO R03_AC1098MC.	
IF LOOP = ROLL-YOUR-OWN: IF R03_AC9048 = 2, 3 AND (R03_CURRENT_CIG_USE = 1 OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0)), GO TO R03_AC0100RY. ELSE, GO TO R03_AC1098RY.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC0100MC; R03_AC0100RY**

When did you last smoke a [cigarette/roll-your-own cigarette]?

- | | | |
|----|------------------------|------------------------|
| 1 | In the past hour | GO TO R03_AC0103[MC/R] |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R03_AC1130[MC/R] |
| -8 | DON'T KNOW | GO TO R03_AC1130[MC/R] |
| -7 | REFUSED | GO TO R03_AC1130[MC/R] |

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: FOR R03_AC0100MC: IF R03_AC9048 = 1, 3, 4, -8, -7 AND (R03_CURRENT_CIG_USE = 1 OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0)).

FOR R03_AC0100RY: IF R03_AC9048 = 2, 3 AND (R03_CURRENT_CIG_USE = 1 OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0)).

DISPLAY: IF R03_AC9048 = 2, DISPLAY "roll-your-own cigarette".

ELSE, IF R03_AC9048 = 3, DISPLAY "cigarette" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette" THE SECOND TIME.

ELSE, DISPLAY "cigarette".

Variable(s):	R03_AC0102MC; R03_AC0102RY
When you last smoked a [cigarette/roll-your-own cigarette] [FILL BASED ON R03_AC0100[MC/RY]], was it... 1 Between midnight and 6AM 2 After 6AM but before noon 3 Between noon and 6PM 4 After 6PM but before midnight -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last smoked a cigarette sometime today, yesterday, or the day before yesterday. ASK Specification: FOR R03_AC0102MC: IF R03_AC9048 = 1, 3, 4, -8, -7 AND ((R03_CURRENT_CIG_USE = 1 AND R03_AC0100MC = 2, 3, 4) OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0 AND R03_AC0100MC = 2, 3, 4)). FOR R03_AC0102RY: IF R03_AC9048 = 2, 3 AND ((R03_CURRENT_CIG_USE = 1 AND R03_AC0100RY = 2, 3, 4) OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0 AND R03_AC0100RY = 2, 3, 4)). DISPLAY: IF R03_AC9048 = 2, DISPLAY "roll-your-own cigarette". ELSE, IF R03_AC9048 = 3, DISPLAY "cigarette" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette" THE SECOND TIME. ELSE, DISPLAY "cigarette". FOR [FILL BASED ON R03_AC0100[MC/RY]]: IF R03_AC0100[MC/RY] = 2, DISPLAY "today". ELSE, IF R03_AC0100[MC/RY] = 3, DISPLAY "yesterday". ELSE, IF R03_AC0100[MC/RY] = 4, DISPLAY "the day before yesterday".	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AC0103MC; R03_AC0103RY
How many [cigarettes/roll-your-own cigarettes] [have/did] you [smoked/smoke] [FILL BASED ON R03_AC0100[MC/Ry]]? [A pack usually has 20 cigarettes in it.] I__I__I__I Number of cigarettes -8 DON'T KNOW GO TO R03_AC1130[MC/Ry] -7 REFUSED GO TO R03_AC1130[MC/Ry] ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday. ASK Specification: FOR R03_AC0103MC: IF R03_AC9048 = 1, 3, 4, -8, -7 AND ((R03_CURRENT_CIG_USE = 1 AND R03_AC0100MC = 1, 2, 3, 4) OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0 AND R03_AC0100MC = 1, 2, 3, 4)). FOR R03_AC0103RY: IF R03_AC9048 = 2, 3 AND ((R03_CURRENT_CIG_USE = 1 AND R03_AC0100RY = 1, 2, 3, 4) OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0 AND R03_AC0100RY = 1, 2, 3, 4)). DISPLAY: DISPLAY "Number of cigarettes" AS A TITLE. IF R03_AC9048 = 1, 4, -8, -7, DISPLAY "cigarettes" AND "A pack usually has 20 cigarettes in it." ELSE, IF R03_AC9048 = 2, DISPLAY "roll-your-own cigarettes". ELSE, IF R03_AC9048 = 3, DISPLAY "cigarettes" AND "A pack usually has 20 cigarettes in it." THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarettes" THE SECOND TIME. IF R03_AC0100[MC/Ry] = 1, 2, DISPLAY "have" AND "smoked". ELSE, IF R03_AC0100[MC/Ry] = 3, 4, DISPLAY, "did" AND "smoke". FOR [FILL BASED ON R03_AC0100[MC/Ry]]: IF R03_AC0100[MC/Ry] = 1, 2, DISPLAY "today". ELSE, IF R03_AC0100[MC/Ry] = 3, DISPLAY "yesterday". ELSE, IF R03_AC0100[MC/Ry] = 4, DISPLAY "the day before yesterday". PROGRAM: Allow only 3 digits	

CHECK ID: R03_AC0103_LC1

The computer recorded that you smoked [R03_AC0103[MC/R]] cigarettes [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R03_AC0103[MC/R] |
| 2 | NEXT | GO TO R03_AC1130[MC/R] |

ASK: IF [R03_AC9048 = 1, 3, 4, -8, -7 AND (R03_CURRENT_CIG_USE = 1 OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0)) AND R03_AC0100MC = 1, 2, 3, 4 AND R03_AC0103MC != -8, -7 AND (R03_AC0103MC > 60 OR R03_AC0103MC = 11, 22, 33, 44, 55)] OR [R03_AC9048 = 2, 3 AND (R03_CURRENT_CIG_USE = 1 OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0)) AND R03_AC0100RY = 1, 2, 3, 4 AND R03_AC0103RY != -8, -7 AND (R03_AC0103RY > 60 OR R03_AC0103RY = 11, 22, 33, 44, 55)].

DISPLAY: IF R03_AC0100[MC/R] = 1, 2, DISPLAY "today".

ELSE, IF R03_AC0100[MC/R] = 3, DISPLAY "yesterday".

ELSE, IF R03_AC0100[MC/R] = 4, DISPLAY "the day before yesterday".

PROGRAM: PROGRAM: TRIGGER CHECK IF R03_AC0103[MC/R] > 60 OR R03_AC0103[MC/R] = 11, 22, 33, 44, 55.

ELSE, GO TO R03_AC1130[MC/R] AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC1130MC; R03_AC1130RY**

In the past 30 days, [were any of the cigarettes/was any of the roll-your-own cigarette tobacco] you smoked flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: FOR R03_AC1130MC: IF R03_AC9048 = 1, 3, 4, -8, -7 AND (R03_CURRENT_CIG_USE = 1 OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0)).

FOR R03_AC1130RY: IF R03_AC9048 = 2, 3 AND (R03_CURRENT_CIG_USE = 1 OR ((R03_CURRENT_CIG_USE = 2 OR R03_CIG_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC1022 != 0)).

DISPLAY: IF R03_AC9048 = 2, DISPLAY "was any of the roll-your-own cigarette tobacco".

ELSE, IF R03_AC9048 = 3, DISPLAY "were any of the cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "was any of the roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "were any of the cigarettes".

Variable(s): R03_AC1098MC; R03_AC1098RY

The next questions ask about your experience buying cigarettes.

In the past 30 days, how often have you used a coupon when buying [cigarettes/a pouch of roll-your-own cigarette tobacco]?

- 1 Always
- 2 Sometimes
- 3 Rarely
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R03_AC1098MC: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7.

FOR R03_AC1098RY: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3.

DISPLAY: IF R03_AC9048 = 2, DISPLAY "a pouch of roll-your-own cigarette tobacco".

ELSE, IF R03_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "a pouch of roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC1030MC; R03_AC1030RY

How [do/did] you usually buy [cigarettes/a pouch of roll-your-own cigarette tobacco] for yourself?

- | | | |
|----|--|---------------------|
| 1 | In person | |
| 2 | From the internet | GO TO BOX R03_ACR07 |
| 3 | By telephone | GO TO BOX R03_ACR07 |
| 4 | I do not buy my own [cigarettes/cigarette tobacco] | GO TO BOX R03_ACR07 |
| -8 | DON'T KNOW | GO TO BOX R03_ACR07 |
| -7 | REFUSED | GO TO BOX R03_ACR07 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R03_AC1030MC: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7.

FOR R03_AC1030RY: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3.

DISPLAY: IF R03_AC9048 = 2, DISPLAY "a pouch of roll-your-own cigarette tobacco" IN QUESTION TEXT, AND "cigarette tobacco" IN RESPONSE OPTION 4.

ELSE, IF R03_AC9048 = 3, DISPLAY "cigarettes" IN QUESTION TEXT AND RESPONSE OPTION 4 THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "a pouch of roll-your-own cigarette tobacco" IN QUESTION TEXT, AND "cigarette tobacco" IN RESPONSE OPTION 4 THE SECOND TIME.

ELSE, DISPLAY "cigarettes" IN QUESTION TEXT AND RESPONSE OPTION 4.

IF R03_CIG_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC1032MC; R03_AC1032RY**

[Do/Did] you usually buy [cigarettes/roll-your-own cigarette tobacco]...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: FOR R03_AC1032MC: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7 AND R03_AC1030MC = 1.

FOR R03_AC1032RY: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1030RY = 1.

DISPLAY: IF R03_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R03_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

IF R03_CIG_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC1033MC; R03_AC1033MC_OS; R03_AC1033RY; R03_AC1033RY_OS

Where [do/did] you buy your [cigarettes/roll-your-own cigarette tobacco] most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A store on an Indian reservation
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: FOR R03_AC1033MC: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7 AND R03_AC1030MC = 1.

FOR R03_AC1033RY: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1030RY = 1. DISPLAY: IF R03_CIG_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF R03_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R03_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ACR07

Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person, from the internet, or by telephone, go to R03_AC9049RY.

Else, adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone, go to R03_AC1039.

Else, go to R03_AC1047[MC/Ry].

IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R03_AC9048 = 3)) AND R03_AC1030RY = 1, 2, 3, GO TO R03_AC9049RY.

ELSE, IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 1, 4, -8, -7 OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R03_AC1030MC = 1, 2, 3, GO TO R03_AC1039.

ELSE, GO TO R03_AC1047[MC/Ry].

Variable(s): R03_AC9049RY_D; R03_AC9049RY_C

How much do you usually pay for a pouch of roll-your-own cigarette tobacco?

\$ |__|__|__| Dollars . |__|__| Cents

-8 DON'T KNOW

GO TO R03_AC1047RY

-7 REFUSED

GO TO R03_AC1047RY

ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person, from the internet, or by telephone.

ASK Specification: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R03_AC9048 = 3)) AND R03_AC1030RY = 1, 2, 3.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

CHECK ID: R03_AC9049_LC1

The computer recorded that you usually pay \$[R03_AC9049RY_D] for a pouch of roll-your-own cigarette tobacco. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AC9049RY

2 NEXT

GO TO R03_AC1047RY

ASK: IF ((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R03_AC9048 = 3)) AND R03_AC1030RY = 1, 2, 3) AND (R03_AC9049RY_D != -8, -7 AND R03_AC9049RY_D > 30).

PROGRAM: TRIGGER CHECK IF R03_AC9049RY_D > 30.

ELSE, GO TO R03_AC1047RY AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC1039**

Do you usually buy cigarettes by the carton, pack or as single cigarettes?

- | | | |
|----|-------------------|--------------------|
| 1 | Carton | |
| 2 | Pack | GO TO R03_AC1042MC |
| 3 | Single cigarettes | GO TO R03_AC1043MC |
| -8 | DON'T KNOW | GO TO R03_AC1047MC |
| -7 | REFUSED | GO TO R03_AC1047MC |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone.

ASK Specification: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 1, 4, -8, -7 OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R03_AC1030MC = 1, 2, 3.

Variable(s): **R03_AC1040**

How many packs of cigarettes are in the carton you usually buy?

- | | | |
|----|------------|------------------|
| | __ __ | |
| -8 | DON'T KNOW | GO TO R03_AC1041 |
| -7 | REFUSED | GO TO R03_AC1041 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton.

ASK Specification: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 1, 4, -8, -7 OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R03_AC1030MC = 1, 2, 3 AND R03_AC1039 = 1.

PROGRAM: Allow 3 digits.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC1040_LC1

A carton of cigarettes usually has 10 packs in it, but not always. The computer recorded that there [is R03_AC1040 pack/are R03_AC1040 packs] of cigarettes in the carton you usually buy.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AC1040 |
| 2 | NEXT | GO TO R03_AC1041 |

ASK: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 1, 4, -8, -7 OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R03_AC1030MC = 1, 2, 3 AND R03_AC1039 = 1 AND R03_AC1040 != -8, -7 AND R03_AC1040 != 10

DISPLAY: IF R03_AC1040 = 1, DISPLAY "is [R03_AC1040] pack".

ELSE, DISPLAY "are [R03_AC1040] packs".

PROGRAM: TRIGGER CHECK IF R03_AC1040 != 10.

ELSE, GO TO R03_AC1041 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AC1041_D; R03_AC1041_C

How much do you usually pay for a carton of cigarettes?

\$ |__|__|__| Dollars . |__|__| Cents

- | | | |
|----|------------|--------------------|
| -8 | DON'T KNOW | GO TO R03_AC1047MC |
| -7 | REFUSED | GO TO R03_AC1047MC |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton.

ASK Specification: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 1, 4, -8, -7 OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R03_AC1030MC = 1, 2, 3 AND R03_AC1039 = 1.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC1041_LC1

The computer recorded that you usually pay \$[R03_AC1041[_D/_C]] for a carton of cigarettes. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AC1041 |
| 2 | NEXT | GO TO R03_AC1047MC |

ASK: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 1, 4, -8, -7 OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R03_AC1030MC = 1, 2, 3 AND R03_AC1039 = 1 AND R03_AC1041_D != -8, -7 AND (R03_AC1041_D > 125 OR R03_AC1041_D < 25).

PROGRAM: TRIGGER CHECK IF R03_AC1041_D > 125 OR R03_AC1041_D < 25.
ELSE, GO TO R03_AC1047MC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AC1042_D; R03_AC1042_C

How much do you usually pay for a pack of cigarettes?

\$ |__|__|__| Dollars . |__|__| Cents

- | | | |
|----|------------|--------------------|
| -8 | DON'T KNOW | GO TO R03_AC1047MC |
| -7 | REFUSED | GO TO R03_AC1047MC |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the pack.

ASK Specification: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 1, 4, -8, -7 OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R03_AC1030MC = 1, 2, 3 AND R03_AC1039 = 2.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

CHECK ID: R03_AC1042_LC1

The computer recorded that you paid \$[R03_AC1042[_D/_C]] for a pack of cigarettes. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AC1042 |
| 2 | NEXT | GO TO R03_AC1047MC |

ASK: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 1, 4, -8, -7 OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R03_AC1030MC = 1, 2, 3 AND R03_AC1039 = 2 AND R03_AC1042_D != -8, -7 AND (R03_AC1042_D > 15 OR R03_AC1042_D < 4).

PROGRAM: TRIGGER CHECK IF R03_AC1042_D > 15 OR R03_AC1042_D < 4.
ELSE, GO TO R03_AC1047MC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC1043_D; R03_AC1043_C**

How much do you usually pay for a single cigarette?

\$ |__| |__| |__| Dollars . |__| |__| Cents

-8 DON'T KNOW

GO TO R03_AC1047MC

-7 REFUSED

GO TO R03_AC1047MC

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy single manufactured cigarettes.

ASK Specification: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 1, 4, -8, -7 OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R03_AC1030MC = 1, 2, 3 AND R03_AC1039 = 3.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

CHECK ID: **R03_AC1043_LC1**

The computer recorded that you usually pay \$[R03_AC1043[_D/_C]] for a single cigarette. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AC1043

2 NEXT

GO TO R03_AC1047MC

ASK: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R03_AC9048 = 1, 4, -8, -7 OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R03_AC1030MC = 1, 2, 3 AND R03_AC1039 = 3 AND R03_AC1043_D != -8, -7 AND (R03_AC1043_D > 3 OR (R03_AC1043_D = 0 AND R03_AC1043_C < 50).

PROGRAM: TRIGGER CHECK IF R03_AC1043_D > 3 OR (R03_AC1043_D = 0 AND R03_AC1043_C < 50).

ELSE, GO TO R03_AC1047MC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AC1047MC; R03_AC1047RY
[Do/Did] you have a regular brand of [cigarettes/roll-your-own cigarette tobacco] that you usually [smoke/ smoked]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers. ASK Specification: FOR R03_AC1047MC: IF ((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2). FOR R03_AC1047RY: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3. DISPLAY: IF R03_CIG_USER_STATUS = 1, 2, DISPLAY "Do" AND "smoke". IF R03_CIG_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY "Did" AND "smoked". IF R03_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco". ELSE, IF R03_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "cigarettes".	

BOX ID:	R03_ACR29
Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or new former established cigarette smokers, go to R03_AC1050. Else, adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers, go to R03_AC9150RY.	
IF ((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2), GO TO R03_AC1050. ELSE, IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3, GO TO R03_AC9150RY.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AC1050	
[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol or mint?		
1	Yes	GO TO R03_AC1945MC
2	No	GO TO R03_AC1945MC
3	I don't know	GO TO R03_AC1945MC
-8	DON'T KNOW	GO TO R03_AC1945MC
-7	REFUSED	GO TO R03_AC1945MC
ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or new former established cigarette smokers.		
ASK Specification: IF ((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2).		
DISPLAY: IF R03_CIG_USER_STATUS = 1, 2 AND R03_AC1047MC = 1, DISPLAY "Is" AND "your regular brand" AND "smoke".		
ELSE, IF R03_CIG_USER_STATUS = 1, 2 AND R03_AC1047MC = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked".		
ELSE, IF R03_CIG_USER_STATUS = 4 AND R03_AC1047MC = 1, DISPLAY "Was" AND "your regular brand" AND "smoked".		
ELSE, IF R03_CIG_USER_STATUS = 4 AND R03_AC1047MC = 2, -8, -7, DISPLAY "Was" and "the last brand" and "smoked".		

Variable(s):	R03_AC9150
[Is/Was] [your regular brand/the last brand] of roll-your-own cigarette tobacco [you smoked] flavored to taste like menthol or mint?	
1	Yes
2	No
3	I don't know
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers.	
ASK Specification: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3.	
DISPLAY: IF R03_CIG_USER_STATUS = 1 AND R03_AC1047RY = 1, DISPLAY "Is" AND "your regular brand".	
ELSE, IF R03_CIG_USER_STATUS = 1 AND R03_AC1047RY = 2, -8, -7, DISPLAY, "Was", "the last brand" AND "you smoked".	
ELSE, IF R03_AC1047RY = 1, DISPLAY "Was" AND "your regular brand".	
ELSE, IF R03_AC1047RY = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "you smoked".	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC1945MC; R03_AC1945RY

Do you know the name of the brand of [cigarettes/roll-your-own cigarette tobacco] you [usually smoke/usually smoked/last smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers.

ASK Specification: FOR R03_AC1945MC: IF ((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2).

FOR R03_AC1945RY: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3.

DISPLAY: IF R03_AC1047[MC/Ry] = 1 AND R03_CIG_USER_STATUS = 1, 2, DISPLAY "usually smoke".

ELSE, IF R03_AC1047[MC/Ry] = 1 AND R03_CIG_USER_STATUS != 1, 2, DISPLAY "usually smoked".

ELSE, IF R03_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "last smoked".

IF R03_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R03_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

UNDERLINE "name of the brand".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ACR44

Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked, go to R03_AC1048[MC/R Y]_BRAND.

Else, adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes, go to R03_AC1051[MC/R Y].

Else, go to Box R03_ACR43.

IF LOOP = MANUFACTURED:

IF (((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1945MC = 1, GO TO R03_AC1048MC_BRAND.

ELSE, IF (R03_CIG_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 != 2 AND R03_AC1047MC = 1, GO TO R03_AC1051MC.

ELSE, GO TO BOX R03_ACR43.

IF LOOP = ROLL-YOUR-OWN:

IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1945RY = 1, GO TO R03_AC1048RY_BRAND.

ELSE, IF (R03_CIG_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1047RY = 1, GO TO R03_AC1051RY.

ELSE, GO TO BOX R03_ACR43.

Variable(s): **R03_AC1048MC_BRAND; R03_AC1048RY_BRAND**

What brand of [cigarettes/roll-your-own cigarette tobacco] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked.

ASK Specification: FOR R03_AC1048MC_BRAND: IF (((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1945MC = 1.

FOR R03_AC1048RY_BRAND: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1945RY = 1.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else".

IF R03_CIG_USER_STATUS = 1, 2 AND R03_AC1047[MC/Ry] = 1, DISPLAY "do" AND "usually".

ELSE, IF R03_CIG_USER_STATUS = 1, 2 AND R03_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF R03_CIG_USER_STATUS = 4 AND R03_AC1047[MC/Ry] = 1, DISPLAY "did" AND "usually".

ELSE, IF R03_CIG_USER_STATUS = 4 AND R03_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "did" AND "last".

IF R03_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R03_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ACR30
Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected "Something else" for their brand of manufactured/roll-your-own cigarettes, go to R03_AC1049[MC/Ry]. Else, adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes, go to R03_AC1070[MC/Ry]_PRODUCT. Else, go to Box R03_ACR33.
IF LOOP = MANUFACTURED: IF (((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1945MC = 1 AND R03_AC1048MC_BRAND = 9995, GO TO R03_AC1049MC. ELSE, IF (((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1945MC = 1 AND R03_AC1048MC_BRAND != 9995, -8, -7, GO TO R03_AC1070MC_PRODUCT. ELSE, GO TO BOX R03_ACR33. IF LOOP = ROLL-YOUR-OWN: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1945RY = 1 AND R03_AC1048RY_BRAND = 9995, GO TO R03_AC1049RY. ELSE, IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1945RY = 1 AND R03_AC1048RY_BRAND != 9995, -8, -7, GO TO R03_AC1070RY_PRODUCT. ELSE, GO TO BOX R03_ACR33.

Variable(s): R03_AC1049MC; R03_AC1049RY
You said that your brand was not pictured. What is it? _____ GO TO BOX R03_ACR33 -8 DON'T KNOW GO TO BOX R03_ACR33 -7 REFUSED GO TO BOX R03_ACR33 ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected "Something else" for their brand of manufactured/roll-your-own cigarettes. ASK Specification: FOR R03_AC1049MC: IF (((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1945MC = 1 AND R03_AC1048MC_BRAND = 9995. FOR R03_AC1049RY: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1945RY = 1 AND R03_AC1048RY_BRAND = 9995.

Variable(s): **R03_AC1070MC_PRODUCT; R03_AC1070RY_PRODUCT**

You selected [CIGBRANDFILL/RYOBRANDFILL] as your brand. What kind of [CIGBRANDFILL/RYOBRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R03_AC1070MC_PRODUCT: IF (((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1945MC = 1 AND R03_AC1048MC_BRAND != 9995, -8, -7.

FOR R03_AC1070RY_PRODUCT: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1945RY = 1 AND R03_AC1048RY_BRAND != 9995, -8, -7.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else".

IF (R03_AC9048 = 1, 4, -8, -7) OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R03_AC1048[MC/RX]_BRAND.

ELSE, IF R03_AC9048 = 2 OR (R03_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBRANDFILL WITH BRAND CHOSEN IN R03_AC1048[MC/RX]_BRAND.

IF R03_CIG_USER_STATUS = 1 AND R03_AC1047[MC/RX] = 1, DISPLAY "do" AND "usually".

ELSE, IF R03_CIG_USER_STATUS = 1 AND R03_AC1047[MC/RX] = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF R03_CIG_USER_STATUS = 4 AND R03_AC1047[MC/RX] = 1, DISPLAY "did" AND "usually".

ELSE, IF R03_CIG_USER_STATUS = 4 AND R03_AC1047[MC/RX] = 2, -8, -7, DISPLAY "did" AND "last".

PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R03_AC1048[MC/RX]_BRAND.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ACR31
Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes and selected "Something else" for their subbrand of manufactured/roll-your-own cigarettes, go to R03_AC1071[MC/R Y]. Else, go to Box R03_ACR33.
IF LOOP = MANUFACTURED: IF (((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1945MC = 1 AND R03_AC1048MC_BRAND != 9995, -8, -7 AND R03_AC1070MC_PRODUCT = 99995, GO TO R03_AC1071MC. ELSE, GO TO BOX R03_ACR33. IF LOOP = ROLL-YOUR-OWN: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1945RY = 1 AND R03_AC1048RY_BRAND != 9995, -8, -7 AND R03_AC1070RY_PRODUCT = 99995, GO TO R03_AC1071RY. ELSE, GO TO BOX R03_ACR33.

Variable(s): R03_AC1071MC; R03_AC1071RY
You said that the type of [CIGBRANDFILL/R YOBANDFILL]s that you [smoke/smoked] is not pictured. What type is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes and selected "Something else" for their subbrand of manufactured/roll-your-own cigarettes. ASK Specification: FOR R03_AC1071MC: IF (((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1945MC = 1 AND R03_AC1048MC_BRAND != 9995, -8, -7 AND R03_AC1070MC_PRODUCT = 99995. FOR R03_AC1071RY: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1945RY = 1 AND R03_AC1048RY_BRAND != 9995, -8, -7 AND R03_AC1070RY_PRODUCT = 99995. DISPLAY: IF (R03_AC9048 = 1, 4, -8, -7) OR (R03_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R03_AC1048[MC/R Y]_BRAND. ELSE, IF R03_AC9048 = 2 OR (R03_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBANDFILL WITH BRAND CHOSEN IN R03_AC1048[MC/R Y]_BRAND. IF R03_CIG_USER_STATUS = 1 AND R03_AC1047[MC/R Y] = 1, DISPLAY "smoke". ELSE, IF (R03_CIG_USER_STATUS = 1 AND R03_AC1047[MC/R Y] != 1) OR R03_CIG_USER_STATUS = 4, DISPLAY "smoked".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ACR33

Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes, go to R03_AC1051[MC/R Y].
Else, go to Box R03_ACR43.

IF LOOP = MANUFACTURED:

IF (R03_CIG_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 !=2 AND R03_AC1047MC = 1, GO TO R03_AC1051MC.

ELSE, GO TO BOX R03_ACR43.

IF LOOP = ROLL-YOUR-OWN:

IF (R03_CIG_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND
R03_AC9048 = 2, 3 AND R03_AC1047RY = 1, GO TO R03_AC1051RY.

ELSE, GO TO BOX R03_ACR43.

Variable(s): R03_AC1051MC_NN; R03_AC1051MC_UN; R03_AC1051RY_NN; R03_AC1051RY_UN

About how long [have you been smoking/did you smoke] your regular brand of [cigarettes/roll-your-own cigarette tobacco]?

1 | | | DAYS

2 1 1 MONTHS

3 | | YEARS

-8 DON'T KNOW

GO TO BOX R03 ACR43

-7 REFUSED

GO TO BOX R03 ACR43

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or new former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R03_AC1051MC[_NN/_UN]: IF (R03_CIG_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 != 2 AND R03_AC1047MC = 1.

FOR R03_AC1051RY[NN/UN]: IF (R03_CIG_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1047RY = 1.

DISPLAY: IF R03 AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R03_AC9048 = 3, DISPLAY “cigarettes” THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY “roll-your-own cigarette tobacco” THE SECOND TIME.

```
ELSE, DISPLAY "cigarettes".
```

IF R03_CIG_USER_STATUS = 1, 2, DISPLAY "have you been smoking".

```
ELSE, DISPLAY "did you smoke".
```

PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.

NOTES: The value "1" refers to R03_AC1051_UN = Days; the value "2" refers to R03_AC1051_UN = Months; the value "3" refers to R03_AC1051_UN = Years.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ACR46
If loop = manufactured: Go to R03_AC1051_LC1.	
If loop = roll-your-own: Go to R03_AC1051RY_LC1.	
IF LOOP = MANUFACTURED: GO TO R03_AC1051_LC1.	
IF LOOP = ROLL-YOUR-OWN: GO TO R03_AC1051RY_LC1.	

CHECK ID:	R03_AC1051_LC1
The computer recorded that you [have been smoking/smoked] your regular brand for [R03_AC1051_NN] years. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AC1051MC
2 NEXT	GO TO R03_AC1051_LC2
ASK: IF ((R03_CIG_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 != 2 AND R03_AC1047MC = 1 AND R03_AC1051MC_NN != -8, -7) AND (R03_AC1051MC_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AC1051MC_UN = 3.	
DISPLAY: IF R03_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".	
ELSE, DISPLAY "smoked".	
PROGRAM: TRIGGER CHECK IF (R03_AC1051MC_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AC1051MC_UN = 3.	
ELSE, GO TO R03_AC1051_LC2 AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID:	R03_AC1051_LC2
The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarettes.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AC1051MC
2 NEXT	GO TO BOX R03_ACR43
ASK: IF (R03_CIG_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 != 2 AND R03_AC1047MC = 1 AND R03_AC1051MC_NN != -8, -7 AND R03_AC1051MC_NN = 0.	
DISPLAY: IF R03_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".	
ELSE, DISPLAY "smoked".	
PROGRAM: TRIGGER CHECK IF R03_AC1051MC_NN = 0.	
ELSE, GO TO BOX R03_ACR43 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AC1051RY_LC1

The computer recorded that you [have been smoking/smoked] your regular brand for [R03_AC1051RY_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AC1051RY

2 NEXT

GO TO R03_AC1051RY_LC2

ASK: IF ((R03_CIG_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1047RY = 1 AND R03_AC1051RY_NN != -8, -7) AND (R03_AC1051RY_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AC1051RY_UN = 3. DISPLAY: IF R03_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R03_AC1051RY_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AC1051RY_UN = 3.

ELSE, GO TO R03_AC1051RY_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AC1051RY_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarettes.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AC1051RY

2 NEXT

GO TO BOX R03_ACR09

ASK: IF (R03_CIG_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 2, 3 AND R03_AC1047RY = 1 AND R03_AC1051RY_NN != -8, -7 AND R03_AC1051RY_NN = 0.

DISPLAY: IF R03_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R03_AC1051RY_NN = 0.

ELSE, GO TO BOX R03_ACR09 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_ACR43

Adult respondents who smoke both manufactured and roll-your-own cigarettes, go back to R03_AC0100RY and loop through for roll-your-own cigarettes.

Else, go to Box R03_ACR09.

IF R03_AC9048 = 3, GO TO R03_AC0100RY AND COMPLETE RYO CIGARETTE LOOP.

ELSE, GO TO BOX R03_ACR09.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ACR09
Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or new former established cigarette smokers and have a regular brand of manufactured cigarettes, go to Box R03_ACD01. Else, adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or new former established cigarette smokers, go to R03_AC9019. Else, go to Box ACR35.	
IF (((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1047MC = 1, GO TO BOX R03_ACD01. ELSE, IF ((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR R03_CIG_USER_STATUS = 4, GO TO R03_AC9019. ELSE, GO TO BOX R03_ACR35.	

BOX ID:	R03_ACD01
Display question R03_AC9010, R03_AC9011, R03_AC9014, R03_AC9015, on one screen. Show the intro/transition text from R03_AC9010 first, then show each item with a Y/N response. As each item is answered, show the next one.	
Randomize order of R03_AC9010 through R03_AC9015.	

Variable(s): R03_AC9010**

[The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes.]In choosing your regular brand of cigarettes[when you smoked], was part of your decision based on any of the following?

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or new former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (((R03_CIG_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR
(R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1047MC = 1.

DISPLAY: IF R03_CIG_USER_STATUS = 1, DISPLAY "is".

ELSE, IF R03_CIG_USER_STATUS = 4, DISPLAY " when you smoked" AND "was".

IF R03_CIG_USER_STATUS = 1 AND R03_AC9048 = 3, DISPLAY TRANSITION TEXT: "The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes."

ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: **SKIP ERROR: This item was incorrectly skipped by some respondents who were current experimental users (R03_CIG_USER_STATUS = 2) and by former experimental and still former established users who smoked cigarettes in the past 30 days (R03_CIG_USER_STATUS = 3, 5 and R03_FORMER_THIRTYDAY_USER_CIGS = 1). This issue was fixed in a field update on 04/26/2016.

Variable(s): R03_AC9011**

The tar and nicotine levels.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or new former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (((R03_CIG_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR
(R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1047MC = 1.

NOTES: **SKIP ERROR: This item was incorrectly skipped by some respondents who were current experimental users (R03_CIG_USER_STATUS = 2) and by former experimental and still former established users who smoked cigarettes in the past 30 days (R03_CIG_USER_STATUS = 3, 5 and R03_FORMER_THIRTYDAY_USER_CIGS = 1). This issue was fixed in a field update on 04/26/2016.

Variable(s):	R03_AC9014**
The taste. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or new former established cigarette smokers and have a regular brand of manufactured cigarettes. ASK Specification: IF (((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1047MC = 1. NOTES: **SKIP ERROR: This item was incorrectly skipped by some respondents who were current experimental users (R03_CIG_USER_STATUS = 2) and by former experimental and still former established users who smoked cigarettes in the past 30 days (R03_CIG_USER_STATUS = 3, 5 and R03_FORMER_THIRTYDAY_USER_CIGS = 1). This issue was fixed in a field update on 04/26/2016.	

Variable(s):	R03_AC9015**
As a way to help you quit. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or new former established cigarette smokers and have a regular brand of manufactured cigarettes. ASK Specification: IF (((R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR (R03_CIG_USER_STATUS = 4 AND R03_AC9048 != 2)) AND R03_AC1047MC = 1. NOTES: **SKIP ERROR: This item was incorrectly skipped by some respondents who were current experimental users (R03_CIG_USER_STATUS = 2) and by former experimental and still former established users who smoked cigarettes in the past 30 days (R03_CIG_USER_STATUS = 3, 5 and R03_FORMER_THIRTYDAY_USER_CIGS = 1). This issue was fixed in a field update on 04/26/2016.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC9019**

Do you think the brand of cigarettes you [usually smoke/usually smoked/last smoked] might be less harmful, no different, or more harmful, compared to other cigarette brands?

- 1 Less harmful
- 2 No different
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or new former established cigarette smokers.

ASK Specification: IF ((R03_CIG_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND R03_AC9048 = 1, 3, 4, -8, -7) OR
R03_CIG_USER_STATUS = 4.

DISPLAY: IF R03_CIG_USER_STATUS = 1 AND R03_AC1047MC = 1, DISPLAY "usually smoke".
ELSE, IF R03_CIG_USER_STATUS = 1 AND R03_AC1047MC = 2, -8, -7, DISPLAY "last smoked".
ELSE, IF R03_CIG_USER_STATUS = 4 AND R03_AC1047MC = 1, DISPLAY "usually smoked".
ELSE, IF R03_CIG_USER_STATUS = 4 AND R03_AC1047MC = 2, -8, -7, DISPLAY "last smoked".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established, current experimental, or non-current 30-day manufactured cigarette smokers or new former established cigarette smokers who had a regular brand of manufactured cigarettes (R03_AC1047MC = 1). This issue was fixed in a field update on 07/07/2016.

BOX ID: R03_ACR35

Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and subbrands of both types of cigarettes and last smoked both types of cigarette in the past hour, sometime today, yesterday, or the day before yesterday, go to R03_AC0105.

Else, adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers and did not report smoking both manufactured and roll-your-own cigarettes and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes and last smoked a manufactured/roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and know the name of the brand of one type of cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes but did not know the name of the brand of the other type of cigarettes they usually smoke or last smoked, or adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked one type of cigarette in the past hour, sometime today, yesterday, or the day before yesterday, but did not smoke the other type of cigarette in the past hour, sometime today, yesterday, or the day before yesterday, go to R03_AC0104.

Else, go to the next section.

IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND ((R03_AC9048 = 1, 3, 4, -8, -7 AND R03_AC1945MC = 1 AND R03_AC1048MC_BRAND != 9995, -8, -7 AND R03_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND R03_AC0100MC = 1, 2, 3, 4) OR (R03_AC9048 = 2, 3 AND R03_AC1945RY = 1 AND R03_AC1048RY_BRAND != 9995, -8, -7 AND R03_AC1070RY_PRODUCT != 99990, 99995, -8, -7 AND R03_AC0100RY = 1, 2, 3, 4)) AND ((R03_AC9048 != 1, 3, 4, -8, -7 OR R03_AC1945MC != 1 OR R03_AC1048MC_BRAND = 9995, -8, -7 OR R03_AC1070MC_PRODUCT = 99990, 99995, -8, -7 OR R03_AC0100MC != 1, 2, 3, 4) OR (R03_AC9048 != 2, 3 OR R03_AC1945RY != 1 OR R03_AC1048RY_BRAND = 9995, -8, -7 OR R03_AC1070RY_PRODUCT = 99990, 99995, -8, -7 OR R03_AC0100RY != 1, 2, 3, 4)), GO TO R03_AC0105.

ELSE, IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND ((R03_AC9048 = 1, 3, 4, -8, -7 AND R03_AC1945MC = 1 AND R03_AC1048MC_BRAND != 9995, -8, -7 AND R03_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND R03_AC0100MC = 1, 2, 3, 4) OR (R03_AC9048 = 2, 3 AND R03_AC1945RY = 1 AND R03_AC1048RY_BRAND != 9995, -8, -7 AND R03_AC1070RY_PRODUCT != 99990, 99995, -8, -7 AND R03_AC0100RY = 1, 2, 3, 4)) AND (R03_AC9048 != 3 OR R03_AC1945MC != 1 OR R03_AC1048MC_BRAND = 9995, -8, -7 OR R03_AC1070MC_PRODUCT = 99990, 99995, -8, -7 OR R03_AC0100MC != 1, 2, 3, 4 OR R03_AC1945RY != 1 OR R03_AC1048RY_BRAND = 9995, -8, -7 OR R03_AC1070RY_PRODUCT = 99990, 99995, -8, -7 OR R03_AC0100RY != 1, 2, 3, 4), GO TO R03_AC0104.

ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC0105*****

You said earlier that you smoked a cigarette [TIME OF LAST USE]. Think about the very last cigarette you smoked. Was the brand...

- | | | |
|----|------------------|--|
| 1 | [NEQBRAND] | GO TO THE NEXT SECTION (see note in Box R03_AMD04) |
| 2 | [NEQBRAND] | GO TO THE NEXT SECTION (see note in Box R03_AMD04) |
| 3 | Some other brand | GO TO THE NEXT SECTION (see note in Box R03_AMD04) |
| -8 | DON'T KNOW | GO TO THE NEXT SECTION (see note in Box R03_AMD04) |
| -7 | REFUSED | GO TO THE NEXT SECTION (see note in Box R03_AMD04) |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and subbrands of both types of cigarettes and last smoked both types of cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND ((R03_AC9048 = 1, 3, 4, -8, -7 AND R03_AC1945MC = 1 AND R03_AC1048MC_BRAND != 9995, -8, -7 AND R03_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND R03_AC0100MC = 1, 2, 3, 4) OR (R03_AC9048 = 2, 3 AND R03_AC1945RY = 1 AND R03_AC1048RY_BRAND != 9995, -8, -7 AND R03_AC1070RY_PRODUCT != 99990, 99995, -8, -7 AND R03_AC0100RY = 1, 2, 3, 4)) AND ((R03_AC9048 != 1, 3, 4, -8, -7 OR R03_AC1945MC != 1 OR R03_AC1048MC_BRAND = 9995, -8, -7 OR R03_AC1070MC_PRODUCT = 99990, 99995, -8, -7 OR R03_AC0100MC != 1, 2, 3, 4) OR (R03_AC9048 != 2, 3 OR R03_AC1945RY != 1 OR R03_AC1048RY_BRAND = 9995, -8, -7 OR R03_AC1070RY_PRODUCT = 99990, 99995, -8, -7 OR R03_AC0100RY != 1, 2, 3, 4)).

DISPLAY: IF R03_AC0100[MC/Ry] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R03_AC0100[MC/Ry] = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R03_AC0100[MC/Ry] = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R03_AC0100[MC/Ry] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH R03_AC1070[MC/Ry]_PRODUCT RESPONSE CODE 1 FOR MANUFACTURED. FILL [NEQBRAND] WITH R03_AC1070[MC/Ry]_PRODUCT RESPONSE CODE 2 FOR ROLL-YOUR-OWN.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R03_AC0104**/****

We just have one more question about [your regular brand/the last brand] of cigarettes[you smoked].

You said earlier that you smoked a cigarette [TIME OF LAST USE].

Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers and did not report smoking both manufactured and roll-your-own cigarettes and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes and last smoked a manufactured/roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday, or

Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and know the name of the brand of one type of cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes but did not know the name of the brand of the other type of cigarettes they usually smoke or last smoked, or

Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked one type of cigarette in the past hour, sometime today, yesterday, or the day before yesterday, but did not smoke the other type of cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R03_CIG_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_CIGS = 1) AND ((R03_AC9048 = 1, 3, 4, -8, -7 AND R03_AC1945MC = 1 AND R03_AC1048MC_BRAND != 9995, -8, -7 AND R03_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND R03_AC0100MC = 1, 2, 3, 4) OR (R03_AC9048 = 2, 3 AND R03_AC1945RY = 1 AND R03_AC1048RY_BRAND != 9995, -8, -7 AND R03_AC1070RY_PRODUCT != 99990, 99995, -8, -7 AND R03_AC0100RY = 1, 2, 3, 4)) AND (R03_AC9048 != 3 OR R03_AC1945MC != 1 OR R03_AC1048MC_BRAND = 9995, -8, -7 OR R03_AC1070MC_PRODUCT = 99990, 99995, -8, -7 OR R03_AC0100MC != 1, 2, 3, 4 OR R03_AC1945RY != 1 OR R03_AC1048RY_BRAND = 9995, -8, -7 OR R03_AC1070RY_PRODUCT = 99990, 99995, -8, -7 OR R03_AC0100RY != 1, 2, 3, 4).

DISPLAY: IF R03_AC1047[MC/Ry] = 1, DISPLAY "your regular brand".

ELSE, IF R03_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "the last brand" AND "you smoked".

IF R03_AC0100[MC/Ry] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R03_AC0100[MC/Ry] = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R03_AC0100[MC/Ry] = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R03_AC0100[MC/Ry] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH R03_AC1070[MC/Ry]_PRODUCT RESPONSE.

UNDERLINE "your regular brand" AND "the last brand".

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were smokers of both manufactured and roll-your-own cigarettes and did not provide a product name in R03_AC1070[MC/Ry]_PRODUCT for one of the types of cigarettes. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

(Primary) ELECTRONIC NICOTINE PRODUCTS

BOX ID:	R03_AVD03
CREATE EPRODTYPE1 FILL. IF R03_PRIMARY_EPROD = 1, THEN FILL EPRODTYPE1 WITH "e-cigarette". IF R03_PRIMARY_EPROD = 2, THEN FILL EPRODTYPE1 WITH "e-cigar". IF R03_PRIMARY_EPROD = 3, THEN FILL EPRODTYPE1 WITH "e-pipe". IF R03_PRIMARY_EPROD = 4, THEN FILL EPRODTYPE1 WITH "e-hookah". IF R03_PRIMARY_EPROD = 5, THEN FILL EPRODTYPE1 WITH "electronic nicotine product".	

BOX ID:	R03_AVT02
The next questions are about [EPRODTYPE1]s. Some [EPRODTYPE1]s can be bought as one-time, disposable products, while others can be bought as re-usable kits with a cartridge or tank system. Some people refill their own [EPRODTYPE1]s with nicotine fluid, sometimes called "e-liquid" or "e-juice". Disposable [EPRODTYPE1]s, [EPRODTYPE1] cartridges and e-liquid come in many different flavors and nicotine concentrations. Some common brands include Vuse, Blu, Logic, MarkTen, NJOY, and eGo. Please think <u>only</u> about [EPRODTYPE1]s as you answer these questions. [There will be separate questions later about other kinds of electronic nicotine products you use in addition to [EPRODTYPE1]s.] [SHOW GENERIC IMAGE OF [EPRODTYPE1]. PROGRAM: BOLD "[EPRODTYPE1]s" AND "Please think only about [EPRODTYPE1]s as you answer these questions.". UNDERLINE "only". DISPLAY: IF RESPONDENT HAS A SECONDARY E-PRODUCT (IF R03_EPRODCOUNT > 1), DISPLAY "There will be separate questions later about other kinds of electronic nicotine products you use in addition to [EPRODTYPE1]s." ELSE, DO NOT DISPLAY THIS TEXT. [IF EPRODTYPE1 = 1 SHOW GENERIC IMAGE OF E-CIGARETTES IF EPRODTYPE1 = 2 SHOW GENERIC IMAGE OF E-CIGARS IF EPRODTYPE1 = 3 SHOW GENERIC IMAGE OF E-PIPES IF EPRODTYPE1 = 4 SHOW GENERIC IMAGE OF E-HOOKAH IF EPRODTYPE1 = 5 SHOW GENERIC IMAGE OF E-PRODUCTS]	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1090**/****

Do you own an [EPRODTYPE1]?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AV9041 |
| -8 | DON'T KNOW | GO TO R03_AV9041 |
| -7 | REFUSED | GO TO R03_AV9041 |

ASK: Adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5.

NOTES: **SKIP ERROR: R03_PRIMARY_EPROD was not set correctly for some respondents who recanted a product other than the product they selected in R03_AV9035. The incorrect setting of R03_PRIMARY_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R03_AV9945**

Do you know the name of the brand of [EPRODTYPE1] that you own?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AV9004 |
| -8 | DON'T KNOW | GO TO R03_AV9004 |
| -7 | REFUSED | GO TO R03_AV9004 |

ASK: Adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and own an electronic nicotine product.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R03_AV1090 = 1.

DISPLAY: UNDERLINE "name of the brand".

Variable(s): R03_AV9002_BRAND

What brand of [EPRODTYPE1] do you own?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and own an electronic nicotine product and know the name of the brand of electronic nicotine product they own.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R03_AV1090 = 1 AND R03_AV9945 = 1.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else".

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

BOX ID: R03_AVR36

Adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and own an electronic nicotine product and know the name of the brand of electronic nicotine product they own and selected "Something else" for their brand, go to R03_AV9003.

Else, go to R03_AV9004.

IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R03_AV1090 = 1 AND R03_AV9945 = 1 AND R03_AV9002_BRAND = 9995, GO TO R03_AV9003.

ELSE, GO TO R03_AV9004.

Variable(s): R03_AV9003

You said that the brand of [EPRODTYPE1] you own was not pictured. What brand is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and own an electronic nicotine product and know the name of the brand of electronic nicotine product they own and selected "Something else" for their brand.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R03_AV1090 = 1 AND R03_AV9945 = 1 AND R03_AV9002_BRAND = 9995.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV9004**

About how much did you pay for your [EPRODTYPE1]? Do not include the cost of additional cartridges or accessories unless they were included in a starter kit.

- 1 Less than \$10
- 2 \$10 to \$20
- 3 \$21 to \$100
- 4 More than \$100
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and own an electronic nicotine product.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R03_AV1090 = 1.

Variable(s): **R03_AV9041**/*****

Does anyone else living in your home own an [EPRODTYPE1] or other electronic nicotine product?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5.

NOTES: **SKIP ERROR: R03_PRIMARY_EPROD was not set correctly for some respondents who recanted a product other than the product they selected in R03_AV9035. The incorrect setting of R03_PRIMARY_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AVR20

Adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and had not used 100 or more e-cigarettes as of their last completed interview, go to R03_AV1005.

Else, adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and had not reported ever using e-cigarettes fairly regularly as of their last completed interview, go to R03_AV1100.

Else, go to Box R03_AVV01.

IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_NUMLIFE_ECIG != 1, GO TO R03_AV1005.

ELSE, IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_REGUSE_ECIG != 1, GO TO R03_AV1100.

ELSE, GO TO BOX R03_AVV01.

Variable(s): R03_AV1005/****

How many times have you used an [EPRODTYPE1] in your entire life?

- 1 1 time, even just a few puffs
- 2 2 to 10 times
- 3 11 to 20 times
- 4 21 to 50 times
- 5 51 to 99 times
- 6 100 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and had not used 100 or more e-cigarettes as of their last completed interview.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_NUMLIFE_ECIG != 1.

NOTES: **SKIP ERROR: R03_PRIMARY_EPROD was not set correctly for some respondents who recanted a product other than the product they selected in R03_AV9035. The incorrect setting of R03_PRIMARY_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AVR21
Adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and had not reported ever using e-cigarettes fairly regularly as of their last completed interview, go to R03_AV1100. Else, go to Box R03_AVV01.	
IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_REGUSE_ECIG != 1, GO TO R03_AV1100. ELSE, GO TO BOX R03_AVV01.	

Variable(s):	R03_AV1100**/**
Have you ever used [EPRODTYPE1]s fairly regularly? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and had not reported ever using e-cigarettes fairly regularly as of their last completed interview. ASK Specification: IF R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_REGUSE_ECIG != 1. NOTES: **SKIP ERROR: R03_PRIMARY_EPROD was not set correctly for some respondents who recanted a product other than the product they selected in R03_AV9035. The incorrect setting of R03_PRIMARY_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AVR22
New baseline adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and had not reported ever using e-cigarettes fairly regularly as of their last completed interview and have ever used electronic nicotine products fairly regularly, go to R03_AV1007_NB. Else, go to Box R03_AVV01.	
IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_REGUSE_ECIG != 1 AND R03_AV1100 = 1, GO TO R03_AV1007_NB. ELSE, GO TO BOX R03_AVV01.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1007_NB**

How old were you when you first started using [EPRODTYPE1]s fairly regularly?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R03_AV1121_NB

-7 REFUSED

GO TO R03_AV1121_NB

ASK: New baseline adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and had not reported ever using e-cigarettes fairly regularly as of their last completed interview and have ever used electronic nicotine products fairly regularly.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_REGUSE_ECIG != 1 AND R03_AV1100 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: **R03_AV1007_NB_LC1**

The computer recorded that you started using [EPRODTYPE1]s fairly regularly at age [R03_AV1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AV1007_NB

2 NEXT

GO TO R03_AV1007_NB_LC2

ASK: IF (R03_ADULTTYPE = 2 AND R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_REGUSE_ECIG != 1 AND R03_AV1100 = 1) AND R03_AV1007_NB != -8, -7 AND R03_AV1007_NB <= 5.

PROGRAM: TRIGGER CHECK IF R03_AV1007_NB <= 5. ELSE, GO TO R03_AV1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: **R03_AV1007_NB_LC2**

The computer recorded that you started using [EPRODTYPE1]s fairly regularly at age [R03_AV1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AV1007_NB

2 NEXT

GO TO BOX R03_AVV01

ASK: IF (R03_ADULTTYPE = 2 AND R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_REGUSE_ECIG != 1 AND R03_AV1100 = 1) AND R03_AV1007_NB != -8, -7 AND R03_AV1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AV1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AVV01 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AV1121_NB

When you first started using [EPRODTYPE1]s fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever used an electronic nicotine product and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and had not reported ever using e-cigarettes fairly regularly as of their last completed interview and have ever used electronic nicotine products fairly regularly and did not know or refused to report the age they started using electronic nicotine products fairly regularly.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_REGUSE_ECIG != 1 AND R03_AV1100 = 1 AND R03_AV1007_NB = -8, -7.

BOX ID: R03_AVV01

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R03_EPROD_USER_STATUS = 1 (Current established user) Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day or some days.

R03_EPROD_USER_STATUS = 2 (Current experimental user) Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days.

R03_EPROD_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever used an electronic nicotine product and have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.

R03_EPROD_USER_STATUS = 4 (New former established user) Adult respondents who were current established or current experimental e-cigarette users as of their last completed interview, have ever used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.

R03_EPROD_USER_STATUS = 5 (Still former established user) Adult respondents who were former experimental, new former established, or still former established e-cigarette users as of their last completed interview, have ever used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.

R03_CURRENT_EPROD_USE = 1 (Every day established user) Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day.

R03_CURRENT_EPROD_USE = 2 (Some day established user) Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days.

R03_FORMER_THIRTYDAY_USER_EPROD = 1 (Non-current 30-day user) Adult respondents who are former experimental, new former established, or still former established users in Wave 3 who have used any electronic nicotine products in the past 30 days.

R03_EPROD_USER_STATUS = 1:

IF (R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_[01/.../05] != -8, -7 AND (R03_AV1003EC = 1, 2 OR R03_AV1003EG = 1, 2 OR R03_AV1003EP = 1, 2 OR R03_AV1003EH = 1, 2 OR R03_AV1003EN = 1, 2) AND (R02_REGUSE_ECIG = 1 OR R03_AV1100 = 1), THEN R03_EPROD_USER_STATUS = 1.

R03_EPROD_USER_STATUS = 2:

ELSE, IF R03_EVER_NEVER_EPRODS = 1 AND (R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_[01/.../05] != -8, -7 AND (R03_AV1003EC = 1, 2 OR R03_AV1003EG = 1, 2 OR R03_AV1003EP = 1, 2 OR R03_AV1003EH = 1, 2 OR R03_AV1003EN = 1, 2) AND (R02_REGUSE_ECIG != 1 AND R03_AV1100 != 1), THEN R03_EPROD_USER_STATUS = 2.

R03_EPROD_USER_STATUS = 3:

ELSE, IF R03_EVER_NEVER_EPRODS = 1 AND (R03_AV1002_12M = 2 OR (R03_AV1003EC != 1, 2 AND R03_AV1003EG != 1, 2 AND R03_AV1003EP != 1, 2 AND R03_AV1003EH != 1, 2 AND R03_AV1003EN != 1, 2)) AND R03_AV9035_[01/.../05] != -8, -7 AND (R02_REGUSE_ECIG != 1 AND R03_AV1100 != 1), THEN R03_EPROD_USER_STATUS = 3.

R03_EPROD_USER_STATUS = 4:

ELSE, IF (((R02_ECIG_USER_STATUS = 1, 2 OR R03_INIT_EPRODS_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_EPRODS = 1) OR (R03_ADULTTYPE = 1 AND R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD != 1)) AND (R03_AV1002_12M = 2 OR (R03_AV1003EC != 1, 2, -8, -7 AND R03_AV1003EG != 1, 2, -8, -7 AND R03_AV1003EP != 1, 2, -8, -7 AND R03_AV1003EH != 1, 2, -8, -7 AND R03_AV1003EN != 1, 2, -8, -7)) AND R03_AV9035_[01/.../05] != -8, -7 AND (R02_REGUSE_ECIG = 1 OR R03_AV1100 = 1)) OR ((R03_PRIMARY_EPROD = 1 AND R03_INIT_ECIG_ADULT = 1 AND R03_AV1003EC = 3) OR (R03_PRIMARY_EPROD = 2 AND R03_INIT_ECIGAR_ADULT = 1 AND R03_AV1003EG = 3) OR (R03_PRIMARY_EPROD = 3 AND R03_INIT_EPIPE_ADULT = 1 AND R03_AV1003EP = 3) OR (R03_PRIMARY_EPROD = 4 AND R03_INIT_EHOOK_ADULT = 1 AND R03_AV1003EH = 3))) AND R03_AV9035_[01/.../05] != -8, -7 AND R03_EVER_NEVER_EPRODS = 1, THEN R03_EPROD_USER_STATUS = 4.

R03_EPROD_USER_STATUS = 5:

ELSE, IF R02_ECIG_USER_STATUS = 3, 4, 5 AND (R03_AV1002_12M = 2 OR (R03_AV1003EC != 1, 2 AND R03_AV1003EG != 1, 2 AND R03_AV1003EP != 1, 2 AND R03_AV1003EH != 1, 2 AND R03_AV1003EN != 1, 2)) AND R03_EVER_NEVER_EPRODS = 1 AND R03_AV9035_[01/.../05] != -8, -7 AND (R02_REGUSE_ECIG = 1 OR R03_AV1100 = 1), THEN R03_EPROD_USER_STATUS = 5.

R03_CURRENT_EPROD_USE = 1:

IF R03_EPROD_USER_STATUS = 1 AND ((R03_PRIMARY_EPROD = 1 AND R03_AV1003EC = 1) OR (R03_PRIMARY_EPROD = 2 AND R03_AV1003EG = 1) OR (R03_PRIMARY_EPROD = 3 AND R03_AV1003EP = 1) OR (R03_PRIMARY_EPROD = 4 AND R03_AV1003EH = 1) OR (R03_PRIMARY_EPROD = 5 AND R03_AV1003EN = 1)), THEN R03_CURRENT_EPROD_USE = 1.

R03_CURRENT_EPROD_USE = 2:

ELSE, IF R03_EPROD_USER_STATUS = 1 AND ((R03_PRIMARY_EPROD = 1 AND R03_AV1003EC = 2) OR (R03_PRIMARY_EPROD = 2 AND R03_AV1003EG = 2) OR (R03_PRIMARY_EPROD = 3 AND R03_AV1003EP = 2) OR (R03_PRIMARY_EPROD = 4 AND R03_AV1003EH = 2) OR (R03_PRIMARY_EPROD = 5 AND R03_AV1003EN = 2)), THEN R03_CURRENT_EPROD_USE = 2.

R03_FORMER_THIRTYDAY_USER_EPROD:

IF R03_EPROD_USER_STATUS = 3, 4, 5 AND ((1 <= R03_AV1009EC_NN <= 30 AND R03_AV1009EC_UN = 1 AND R03_PRIMARY_EPROD = 1, 5) OR (1 <= R03_AV1009EG_NN <= 30 AND R03_AV1009EG_UN = 1 AND R03_PRIMARY_EPROD = 2, 5) OR (1 <= R03_AV1009EP_NN <= 30 AND R03_AV1009EP_UN = 1 AND R03_PRIMARY_EPROD = 3, 5) OR (1 <= R03_AV1009EH_NN <= 30 AND R03_AV1009EH_UN = 1 AND R03_PRIMARY_EPROD = 4, 5) OR (1 <= R03_AV1009EN_NN <= 30 AND R03_AV1009EN_UN = 1 AND R03_PRIMARY_EPROD = 5) OR (R03_AV1009EC_NN = 1 AND R03_AV1009EC_UN = 2 AND R03_PRIMARY_EPROD = 1, 5) OR

PATH Study Wave 3 Adult Public Use File Annotated Instrument

(R03_AV1009EG_NN = 1 AND R03_AV1009EG_UN = 2 AND R03_PRIMARY_EPROD = 2, 5) OR
 (R03_AV1009EP_NN = 1 AND R03_AV1009EP_UN = 2 AND R03_PRIMARY_EPROD = 3, 5) OR
 (R03_AV1009EH_NN = 1 AND R03_AV1009EH_UN = 2 AND R03_PRIMARY_EPROD = 4, 5) OR
 (R03_AV1009EN_NN = 1 AND R03_AV1009EN_UN = 2 AND R03_PRIMARY_EPROD = 5) OR
 R03_AV1004 = 1), THEN R03_FORMER_THIRTYDAY_USER_EPROD = 1.
 ELSE, R03_FORMER_THIRTYDAY_USER_EPROD = 2.

BOX ID: R03_AVR02

New baseline adult respondents who are every day established electronic nicotine product users, go to R03_AV1020_NB.

Else, adult respondents whose primary electronic nicotine product is an e-cigarette and initiated e-cigarette use since their last completed interview, or adult respondents whose primary electronic nicotine product is an e-cigar and initiated e-cigar use since their last completed interview, or adult respondents whose primary electronic nicotine product is an e-pipe and initiated e-pipe use since their last completed interview, or adult respondents whose primary electronic nicotine product is an e-hookah and initiated e-hookah use since their last completed interview, go to R03_AV1011.

Else adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users, go to R03_AV9005.

Else, go to R03_AV9042.

IF R03_ADULTTYPE = 2 AND R03_CURRENT_EPROD_USE = 1, GO TO R03_AV1020_NB.

ELSE, IF (R03_PRIMARY_EPROD = 1 AND R03_INIT_ECIG_ADULT = 1) OR
 (R03_PRIMARY_EPROD = 2 AND R03_INIT_ECIGAR_ADULT = 1) OR (R03_PRIMARY_EPROD = 3
 AND R03_INIT_EPIPE_ADULT = 1) OR (R03_PRIMARY_EPROD = 4 AND
 R03_INIT_EHOOK_ADULT = 1) OR (R03_PRIMARY_EPROD = 5 AND R03_INIT_EPRODS_ADULT
 = 1), GO TO R03_AV1011.

ELSE, IF R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD =
 1, GO TO R03_AV9005.

ELSE, GO TO R03_AV9042.

Variable(s): R03_AV1020_NB

How old were you when you first started using [EPRODTYPE1]s every day?

I ___ I ___ I Years old

-8 DON'T KNOW

GO TO R03_AV1122_NB

-7 REFUSED

GO TO R03_AV1122_NB

ASK: New baseline adult respondents who are every day established electronic nicotine product users.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_CURRENT_EPROD_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID:	R03_AV1020_NB_LC1
The computer recorded that you started using [EPRODTYPE1]s every day at age [R03_AV1020_NB].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AV1020_NB
2 NEXT	GO TO R03_AV1020_NB_LC2
ASK: IF (R03_ADULTTYPE = 2 AND R03_CURRENT_EPROD_USE = 1 AND R03_AV1020_NB != -8, -7) AND (R03_AV1020_NB <= 10 OR R03_AV1020_NB < R03_AV1007_NB).	
PROGRAM: TRIGGER CHECK IF R03_AV1020_NB <= 10 OR R03_AV1020_NB < R03_AV1007_NB. ELSE, GO TO R03_AV1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID:	R03_AV1020_NB_LC2
The computer recorded that you started using [EPRODTYPE1]s every day at age [R03_AV1020_NB]. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AV1020_NB
2 NEXT	GO TO BOX R03_AVR23
ASK: IF R03_ADULTTYPE = 2 AND R03_CURRENT_EPROD_USE = 1 AND R03_AV1020_NB != -8, -7 AND R03_AV1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18.	
PROGRAM: TRIGGER CHECK IF R03_AV1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AVR23 AND DO NOT DISPLAY THIS SCREEN.	

Variable(s):	R03_AV1122_NB
When you first started using [EPRODTYPE1]s every day, were you...	
1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED	
ASK: New baseline adult respondents who are every day established electronic nicotine product users and did not know or refused to report the age they first started using electronic nicotine products every day.	
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_CURRENT_EPROD_USE = 1 AND R03_AV1020_NB = -8, -7.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AVR23

Adult respondents whose primary electronic nicotine product is an e-cigarette and initiated e-cigarette use since their last completed interview, or adult respondents whose primary electronic nicotine product is an e-cigar and initiated e-cigar use since their last completed interview, or adult respondents whose primary electronic nicotine product is an e-pipe and initiated e-pipe use since their last completed interview, or adult respondents whose primary electronic nicotine product is an e-hookah and initiated e-hookah use since their last completed interview, go to R03_AV1011.

Else adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users, go to R03_AV9005.

Else, go to R03_AV9042.

IF (R03_PRIMARY_EPROD = 1 AND R03_INIT_ECIG_ADULT = 1) OR (R03_PRIMARY_EPROD = 2 AND R03_INIT_ECIGAR_ADULT = 1) OR (R03_PRIMARY_EPROD = 3 AND R03_INIT_EPIPE_ADULT = 1) OR (R03_PRIMARY_EPROD = 4 AND R03_INIT_EHOOK_ADULT = 1) OR (R03_PRIMARY_EPROD = 5 AND R03_INIT_EPRODS_ADULT = 1), GO TO R03_AV1011.

ELSE, IF R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1, GO TO R03_AV9005.

ELSE, GO TO R03_AV9042.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
When you first started using [EPRODTYPE1]s, which flavor did you use? Choose all that apply.	
R03_AV1011_01**/**	1 Tobacco-flavored
R03_AV1011_02**/**	2 Menthol or mint
R03_AV1011_03**/**	3 Clove or spice
R03_AV1011_04**/**	4 Fruit
R03_AV1011_05**/**	5 Chocolate
R03_AV1011_06**/**	6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R03_AV1011_07**/**	7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)
R03_AV1011_08**/**	8 Candy, desserts or other sweets
R03_AV1011_09**/**;	9 Some other flavor (SPECIFY)
R03_AV1011_OS	
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents whose primary electronic nicotine product is an e-cigarette and initiated e-cigarette use since their last completed interview, or adult respondents whose primary electronic nicotine product is an e-cigar and initiated e-cigar use since their last completed interview, or adult respondents whose primary electronic nicotine product is an e-pipe and initiated e-pipe use since their last completed interview, or adult respondents whose primary electronic nicotine product is an e-hookah and initiated e-hookah use since their last completed interview. ASK Specification: IF (R03_PRIMARY_EPROD = 1 AND R03_INIT_ECIG_ADULT = 1) OR (R03_PRIMARY_EPROD = 2 AND R03_INIT_ECIGAR_ADULT = 1) OR (R03_PRIMARY_EPROD = 3 AND R03_INIT_EPIPE_ADULT = 1) OR (R03_PRIMARY_EPROD = 4 AND R03_INIT_EHOOK_ADULT = 1). DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard." PROGRAM: Allow respondent to choose all that apply. NOTES: **SKIP ERROR: This item was skipped by some respondents who were experimental former users of e-products (R03_EPROD_USER_STATUS = 3) and did not use e-products in the past 30 days (R03_FORMER_THIRTYDAY_USER_EPROD = 2). The error was not corrected during Wave 3 Data Collection. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s): **R03_AV9005****

Please think about the [EPRODTYPE1] you [use/used] most of the time.

[Is/Was] your [EPRODTYPE1] rechargeable?

[IF EPRODTYPE1=e-cigarettes, SHOW GENERIC IMAGE OF RECHARGEABLE E-CIGARETTE]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "use" AND "Is".
ELSE, DISPLAY "used" AND "Was".

IMAGE: IF EPRODTYPE1 = e-cigarettes, SHOW GENERIC IMAGE OF RECHARGEABLE E-CIGARETTE

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV9038****

[Does/Did] your [EPRODTYPE1] use a tank system?

[IF EPRODTYPE1=e-cigarettes, SHOW GENERIC IMAGE OF TANK SYSTEM E-CIGARETTE]

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Does".
ELSE, DISPLAY "Did".

IMAGE: IF EPRODTYPE1=e-cigarettes, SHOW GENERIC IMAGE OF TANK SYSTEM E-CIGARETTE

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV9008****

[Does/Did] your [EPRODTYPE1] use cartridges?

[IF EPRODTYPE1=e-cigarettes, SHOW GENERIC IMAGE OF E-CIGARETTE CARTRIDGES]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Does".
ELSE, DISPLAY "Did".

IMAGE: IF EPRODTYPE1=e-cigarettes, SHOW GENERIC IMAGE OF E-CIGARETTE CARTRIDGES

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AV9009****

[Can/Could] you refill your [[EPRODTYPE1] / [EPRODTYPE1] cartridges] with “e-liquid”?

[SHOW GENERIC IMAGE OF E-LIQUID]

1 Yes

2 No

GO TO BOX R03_AVV03

-8 DON'T KNOW

GO TO BOX R03_AVV03

-7 REFUSED

GO TO BOX R03_AVV03

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY “Can”.

ELSE, DISPLAY “Could”.

IF R03_AV9008 = 1, DISPLAY “[EPRODTYPE1] cartridges”.

ELSE, DISPLAY “[EPRODTYPE1]”.

IMAGE: SHOW GENERIC IMAGE OF E-LIQUID

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV9046	
How often [do/did] you refill your [[EPRODTYPE1]/tank/cartridges] with e-liquid?	
1	At least once a day
2	Once every couple of days
3	Once a week
4	A few times a month
5	Once a month
6	A few times a year
7	Once a year
8	Never
-8	DON'T KNOW
-7	REFUSED
GO TO BOX R03_AVR30	
ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users and refill their electronic nicotine product with e-liquid. ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV9009 = 1. DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did". IF R03_AV9008 = 1, DISPLAY "cartridges". ELSE, IF R03_AV9038 = 1, DISPLAY "tank". ELSE, DISPLAY "[EPRODTYPE1]".	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV9036
Who [refills/refilled] your [[EPRODTYPE1] / [EPRODTYPE1] cartridge] with e-liquid? 1 I [refill/refilled] it myself 2 I [get/got] it refilled at a vape shop or vapor lounge 3 I [buy/bought] it already filled 4 I [get/got] it refilled some other way -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users and refill their electronic nicotine product with e-liquid and have refilled their electronic nicotine product or did not know or refused to report how often they refill their electronic nicotine product. ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV9009 = 1 AND R03_AV9046 != 8. DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "refills" IN QUESTION TEXT AND "refill", "get", "buy", AND "get" IN RESPONSE OPTIONS. ELSE, DISPLAY "refilled" IN QUESTION TEXT AND "refilled", "got", "bought", AND "got" IN RESPONSE OPTIONS. IF R03_AV9008 = 1, DISPLAY "[EPRODTYPE1] cartridge". ELSE, DISPLAY "[EPRODTYPE1]".

BOX ID: R03_AVR30
Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users and refill their electronic nicotine product with e-liquid and use an electronic nicotine product with a tank, go to R03_AV9045. Else, go to Box R03_AVV03. IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV9009 = 1 AND R03_AV9038 = 1, GO TO R03_AV9045. ELSE, GO TO BOX R03_AVV03.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV9045**

How many milliliters of e-liquid [does/did] your tank system hold?

-2 I don't know

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users and refill their electronic nicotine product with e-liquid and use an electronic nicotine product with a tank.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV9009 = 1 AND R03_AV9038 = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "does".

ELSE, DISPLAY "did".

PROGRAM: Allow 3 digits.

BOX ID: **R03_AVV03**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R03_EDEVICETYPE = (E-Product device type):

R03_EDEVICETYPE = 1 (Disposable E-Product Users).

R03_EDEVICETYPE = 2 (Non-Refillable Cartridge E-Product Users).

R03_EDEVICETYPE = 3 (Refillable Cartridge E-Product Users).

R03_EDEVICETYPE = 4 (Refillable Tank System E-Product Users).

R03_EDEVICETYPE = 5 (Refillable Mod System E-Product Users).

R03_EDEVICETYPE = 6 (Unknown E-Product User Type).

R03_EDEVICETYPE:

IF R03_AV9005 = 2, -8, -7 AND R03_AV9008 = 2, -8, -7 AND R03_AV9038 = 2, 3, -8, -7 AND R03_AV9009 = 2, -8, -7, THEN R03_EDEVICETYPE = 1 (Disposable).

ELSE, IF R03_AV9005 = 1 AND R03_AV9008 = 1 AND R03_AV9038 = 2, 3, -8, -7 AND R03_AV9009 = 2, -8, -7, THEN R03_EDEVICETYPE = 2 (Non-Refillable Cartridge).

ELSE, IF R03_AV9005 = 1 AND R03_AV9008 = 1 AND R03_AV9038 != 1 AND R03_AV9009 = 1, THEN R03_EDEVICETYPE = 3 (Refillable Cartridge).

ELSE, IF R03_AV9005 = 1 AND R03_AV9038 = 1 AND R03_AV9009 = 1, THEN R03_EDEVICETYPE = 4 (Refillable Tank System).

ELSE, IF R03_AV9005 = 1, 2, -8, -7 AND R03_AV9008 = 2, -8, -7 AND R03_AV9038 = 2, 3, -8, -7 AND R03_AV9009 = 1, THEN R03_EDEVICETYPE = 5 (Refillable Mod System).

ELSE, R03_EDEVICETYPE = 6 (Unknown).

BOX ID: R03_AVT04

PROGRAM - CREATE [EPRODFILL1-3]:

EPRODFILL1:

IF R03_PRIMARY_EPROD = 1 (e-cigarette) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL1 = "e-cigarettes".

IF R03_PRIMARY_EPROD = 2 (e-cigar) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL1 = "e-cigars".

IF R03_PRIMARY_EPROD = 3 (e-pipe) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL1 = "e-pipes".

IF R03_PRIMARY_EPROD = 4 (e-hook) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL1 = "e-hookahs".

IF R03_PRIMARY_EPROD = 5 (electronic nicotine product) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL1 = "electronic nicotine products".

IF R03_PRIMARY_EPROD = 1 (e-cigarette) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL1 = "e-cigarette cartridges".

IF R03_PRIMARY_EPROD = 2 (e-cigar) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL1 = "e-cigar cartridges".

IF R03_PRIMARY_EPROD = 3 (e-pipe) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL1 = "e-pipe cartridges".

IF R03_PRIMARY_EPROD = 4 (e-hook) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL1 = "e-hookah cartridges".

IF R03_PRIMARY_EPROD = 5 (electronic nicotine product) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL1 = "electronic nicotine cartridges".

IF R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R03_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL1 = "milliliters of e-liquid".

EPRODFILL2:

IF R03_PRIMARY_EPROD = 1 (e-cigarette) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL2 = "e-cigarettes".

IF R03_PRIMARY_EPROD = 2 (e-cigar) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL2 = "e-cigars".

IF R03_PRIMARY_EPROD = 3 (e-pipe) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL2 = "e-pipes".

IF R03_PRIMARY_EPROD = 4 (e-hook) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL2 = "e-hookahs".

IF R03_PRIMARY_EPROD = 5 (electronic nicotine product) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL2 = "electronic nicotine products".

IF R03_PRIMARY_EPROD = 1 (e-cigarette) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL2 = "e-cigarette cartridges".

IF R03_PRIMARY_EPROD = 2 (e-cigar) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL2 = "e-cigar cartridges".

IF R03_PRIMARY_EPROD = 3 (e-pipe) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL2 = "e-pipe cartridges".

IF R03_PRIMARY_EPROD = 4 (e-hook) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL2 = "e-hookah cartridges".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

IF R03_PRIMARY_EPROD = 5 (electronic nicotine product) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL2 = "electronic nicotine cartridges".

IF R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R03_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL2 = "e-liquid".

EPRODFILL3:

IF R03_PRIMARY_EPROD = 1 (e-cigarette) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL3 = "e-cigarette".

IF R03_PRIMARY_EPROD = 2 (e-cigar) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL3 = "e-cigar".

IF R03_PRIMARY_EPROD = 3 (e-pipe) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL3 = "e-pipe".

IF R03_PRIMARY_EPROD = 4 (e-hook) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL3 = "e-hookah".

IF R03_PRIMARY_EPROD = 5 (electronic nicotine product) AND R03_EDEVICETYPE = 1, 6 (Disposable/Unknown), EPRODFILL2 = "electronic nicotine product".

IF R03_PRIMARY_EPROD = 1 (e-cigarette) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL3 = "e-cigarette cartridge".

IF R03_PRIMARY_EPROD = 2 (e-cigar) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL3 = "e-cigar cartridge".

IF R03_PRIMARY_EPROD = 3 (e-pipe) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL3 = "e-pipe cartridge".

IF R03_PRIMARY_EPROD = 4 (e-hook) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL3 = "e-hookah cartridge".

IF R03_PRIMARY_EPROD = 5 (electronic nicotine product) AND R03_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL2 = "electronic nicotine cartridge".

IF R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R03_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL3 = "e-liquid".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV9010****

Please think about the [EPRODFILL3] you [use/used] most of the time.

[Does/Did] the [EPRODFILL3] you [use/used] contain nicotine?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "use", "Does" AND "use". ELSE, DISPLAY "used", "Did" AND "used".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_AVR31**

Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users and use an electronic nicotine product that contains nicotine, go to R03_AV9006.

Else, adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users and use a rechargeable electronic nicotine product, go to R03_AV9037.

Else, go to R03_AV9042.

IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV9010 = 1, GO TO R03_AV9006.

ELSE, IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV9005 = 1, GO TO R03_AV9037.

ELSE, GO TO R03_AV9042.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV9006
What concentration of nicotine [do/did] you usually use? 1 I don't know the concentration 2 0mg or 0% 3 1-12mg or 0.1-1.2% 4 13-17mg or 1.3-1.7% 5 18-24mg or 1.8-2.4% 6 25+mg or 2.5+% -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users and use an electronic nicotine product that contains nicotine. ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV9010 = 1. DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did".

BOX ID: R03_AVR47
Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users and use a rechargeable electronic nicotine product, go to R03_AV9037. Else, go to R03_AV9042. IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV9005 = 1, GO TO R03_AV9037. ELSE, GO TO R03_AV9042.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV9037**

Some electronic nicotine products allow you to adjust the battery's voltage.

[Can/Could] you change the voltage on your [EPRODTYPE1]?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AV9042 |
| 3 | I don't know | GO TO R03_AV9042 |
| -8 | DON'T KNOW | GO TO R03_AV9042 |
| -7 | REFUSED | GO TO R03_AV9042 |

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users and use a rechargeable electronic nicotine product.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV9005 = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Can".
ELSE, DISPLAY "Could".

Variable(s): **R03_AV9050**

[Did/Do] you change the voltage on your [EPRODTYPE1]?

- | | |
|----|--------------|
| 1 | Yes |
| 2 | No |
| 3 | I don't know |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30 day electronic nicotine product users and use a rechargeable electronic nicotine product and can adjust the battery's voltage.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV9005 = 1 AND R03_AV9037 = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV9042**/****

Have you ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an [EPRODTYPE1]? (Remember all information you give to the PATH Study will be kept private.)

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R03_AVR12 |
| -8 | DON'T KNOW | GO TO BOX R03_AVR12 |
| -7 | REFUSED | GO TO BOX R03_AVR12 |

ASK: Adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 1.

NOTES: **SKIP ERROR: R03_EVER_NEVER_EPRODS was not set correctly for respondents who a) used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah in Wave 2 and did not use an e-product in the past 12 months (R03_AV1002_12M = 2), or b) were Wave 2 never users who used an e-product in the past 30 days or 12 months (R03_AV1004 = 1 OR R03_AV1002_12M = 1), but did not know or refused to provide the type of e-product used (R03_AV9035 = -8, -7). Some of these respondents also had their values for R03_EPROD_USER_STATUS updated. The incorrect setting of R03_EVER_NEVER_EPRODS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R03_AM0100**

When did you last use marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an [EPRODTYPE1]?

- | | | |
|----|------------------------|---------------------|
| 1 | In the past hour | GO TO R03_AM0103 |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO BOX R03_AVR12 |
| -8 | DON'T KNOW | GO TO BOX R03_AVR12 |
| -7 | REFUSED | GO TO BOX R03_AVR12 |

ASK: Adult respondents who have ever used an electronic nicotine product and have used marijuana in an electronic nicotine product.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 1 AND R03_AV9042 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AM0102**

When you last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an [EPRODTYPE1] [FILL BASED ON R03_AM0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product and have used marijuana in an electronic nicotine product and last used marijuana in an electronic nicotine product sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 1 AND R03_AV9042 = 1 AND R03_AM0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R03_AM0100]:

IF R03_AM0100 = 2, DISPLAY "today".

ELSE, IF R03_AM0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AM0100 = 4, DISPLAY "the day before yesterday".

Variable(s): **R03_AM0103**

How many puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils from an [EPRODTYPE1] [have/did] you [taken/take] [FILL BASED ON R03_AM0100]?

|_|_|_|

-8 DON'T KNOW

GO TO BOX R03_AVR12

-7 REFUSED

GO TO BOX R03_AVR12

ASK: Adult respondents who have ever used an electronic nicotine product and have used marijuana in an electronic nicotine product and last used marijuana in an electronic nicotine product in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R03_EVER_NEVER_EPRODS = 1 AND R03_AV9042 = 1 AND R03_AM0100 = 1, 2, 3, 4.

DISPLAY: IF R03_AM0100 = 1, 2, DISPLAY "have" AND "taken".

ELSE, IF R03_AM0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R03_AM0100]:

IF R03_AM0100 = 1, 2, DISPLAY "today".

ELSE, IF R03_AM0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AM0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID:	R03_AM0103_LC1						
The computer recorded you took [R03_AM0103] puffs from an [EPRODTYPE1] [today/yesterday/the day before yesterday]. Is that correct? If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter. <table border="0"> <tr> <td>1</td> <td>BACK</td> <td>GO TO R03_AM0103</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO BOX R03_AVR12</td> </tr> </table> ASK: IF (R03_EVER_NEVER_EPRODS = 1 AND R03_AV9042 = 1 AND R03_AM0100 = 1, 2, 3, 4 AND R03_AM0103 != -8, -7) AND (R03_AM0103 > 200 OR R03_AM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111). DISPLAY: IF R03_AM0100 = 1, 2, DISPLAY "today". ELSE, IF R03_AM0100 = 3, DISPLAY "yesterday". ELSE, IF R03_AM0100 = 4, DISPLAY "the day before yesterday". PROGRAM: TRIGGER CHECK IF R03_AM0103 > 200 OR R03_AM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111. ELSE, GO TO BOX R03_AVR12 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R03_AM0103	2	NEXT	GO TO BOX R03_AVR12
1	BACK	GO TO R03_AM0103					
2	NEXT	GO TO BOX R03_AVR12					

BOX ID:	R03_AVR12
Adult respondents who are every day established electronic nicotine product users, go to R03_AV1021. Else, adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users, go to R03_AV1022. Else, adult respondents who are new former established electronic nicotine product users, go to R03_AV9040. Else, go to the next section. IF R03_CURRENT_EPROD_USE = 1, GO TO R03_AV1021. ELSE, IF R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1, GO TO R03_AV1022. ELSE, IF R03_EPROD_USER_STATUS = 4, GO TO R03_AV9040. ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).	

Variable(s):	R03_AV1021												
On average, about how many [EPRODFILL1] do you now use each day? <table border="0"> <tr> <td>-2</td> <td>Less than 1 each day</td> <td>GO TO R03_AV1024</td> </tr> <tr> <td></td> <td> _ _ _ </td> <td></td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO R03_AV1024</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO R03_AV1024</td> </tr> </table> ASK: Adult respondents who are every day established electronic nicotine product users. ASK Specification: IF R03_CURRENT_EPROD_USE = 1. DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.		-2	Less than 1 each day	GO TO R03_AV1024		_ _ _		-8	DON'T KNOW	GO TO R03_AV1024	-7	REFUSED	GO TO R03_AV1024
-2	Less than 1 each day	GO TO R03_AV1024											
	_ _ _												
-8	DON'T KNOW	GO TO R03_AV1024											
-7	REFUSED	GO TO R03_AV1024											

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AV1021_LC1

The computer recorded that you now use [R03_AV1021] [EPRODFILL1] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AV1021 |
| 2 | NEXT | GO TO R03_AV1024 |

ASK: IF (R03_CURRENT_EPROD_USE = 1 AND R03_AV1021 != -2, -8, -7) AND R03_AV1021 > 1.
PROGRAM: TRIGGER CHECK IF R03_AV1021 > 1. ELSE, GO TO R03_AV1024 AND DO NOT
DISPLAY THIS SCREEN.

Variable(s): R03_AV1022**

On how many of the past 30 days did you use an [EPRODTYPE1]?

I__I__I DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AVR42

Adult respondents who are some day established or current experimental electronic nicotine product users, and used on 0 days of the past 30 days, go to R03_AV9029.

Else, adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R03_AV1023.

Else, go to Box R03_AVR32.

IF (R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2) AND R03_AV1022 = 0, GO TO R03_AV9029.

ELSE, IF (R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1022 != 0, GO TO R03_AV1023.

ELSE, GO TO BOX R03_AVR32.

Variable(s): R03_AV9029_NN; R03_AV9029_UN**

About how long has it been since you last took a puff from an [EPRODTYPE1]?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R03_AVR32

-7 REFUSED

GO TO BOX R03_AVR32

ASK: Adult respondents who are some day established or current experimental electronic nicotine product users, and used on 0 days of the past 30 days.

ASK Specification: IF (R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2) AND R03_AV1022 = 0.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AV9029_UN = Days; the value "2" refers to R03_AV9029_UN = Months; the value "3" refers to R03_AV9029_UN = Years.

**SKIP ERROR: R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

CHECK ID: R03_AV9029_LC1

The computer recorded that you last took a puff from an [EPRODTYPE1] [R03_AV9029_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AV9029

2 NEXT

GO TO BOX R03_AVR32

ASK: IF ((R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2) AND R03_AV1022 = 0 AND R03_AV9029_NN != -8, -7) AND ((R03_AV9029_NN < 30 AND R03_AV9029_UN = 1) OR ((R03_AV9029_NN < 1 OR R03_AV9029_NN > 18) AND R03_AV9029_UN = 2) OR ((R03_AV9029_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AV9029_UN = 3)).

DISPLAY: IF R03_AV9029_UN = 1, DISPLAY "days".

ELSE, IF R03_AV9029_UN = 2, DISPLAY "months".

ELSE, IF R03_AV9029_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AV9029_NN < 30 AND R03_AV9029_UN = 1) OR ((R03_AV9029_NN < 1 OR R03_AV9029_NN > 18) AND R03_AV9029_UN = 2) OR ((R03_AV9029_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AV9029_UN = 3).

ELSE, GO TO BOX R03_AVR32 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV1023**	
On average, on those [# days/days you used], how many [EPRODFILL1] did you usually use each day?	
-2 Less than 1 each day	GO TO BOX R03_AVR32
_ _ _ _	
-8 DON'T KNOW	GO TO BOX R03_AVR32
-7 REFUSED	GO TO BOX R03_AVR32
ASK: Adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.	
ASK Specification: IF (R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1022 != 0.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.	
IF R03_AV1022 = 1, -8, -7, DISPLAY "days you used".	
ELSE, DISPLAY "# days" where # = NUMBER OF DAYS REPORTED IN R03_AV1022.	
NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	
R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	

CHECK ID: R03_AV1023_LC1	
The computer recorded that on the days you used in the past 30 days, you used [R03_AV1023] [EPRODFILL1] a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AV1023
2 NEXT	GO TO BOX R03_AVR32
ASK: IF (R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1 AND R03_AV1022 != 0 AND R03_AV1023 != -2, -8, -7) AND R03_AV1023 > 5.	
PROGRAM: TRIGGER CHECK IF R03_AV1023 > 5. ELSE, GO TO BOX R03_AVR32 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AVR32
Adult respondents who are current established or current experimental electronic nicotine product users, go to R03_AV1024. Else, adult respondents who are non-current 30-day electronic nicotine product users, go to R03_AV1024_30D. Else, adult respondents who are new former established electronic nicotine product users, go to R03_AV9040. Else, go to the next section.	
IF R03_EPROD_USER_STATUS = 1, 2, GO TO R03_AV1024. ELSE, IF R03_FORMER_THIRTYDAY_USER_EPROD = 1, GO TO R03_AV1024_30D. ELSE, IF R03_EPROD_USER_STATUS = 4, GO TO R03_AV9040. ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).	

Variable(s):	R03_AV1024_NN**;	R03_AV1024_UN
[On the days that you use [EPRODTYPE1]s, how/How] soon after you wake up do you typically take your first puff of the day? Please enter the number of minutes or hours.		
1 __ __ __ Minutes after waking		
2 __ __ __ Hours after waking		
-8 DON'T KNOW		GO TO R03_AV1092
-7 REFUSED		GO TO R03_AV1092
ASK: Adult respondents who are current established or current experimental electronic nicotine product users.		
ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2.		
DISPLAY: IF R03_CURRENT_EPROD_USE = 1, DISPLAY "How".		
ELSE, DISPLAY "On the days that you use [EPRODTYPE1]s, how".		
PROGRAM: Display as Quantity/Units.		
NOTES: The value "1" refers to R03_AV1024_UN = Minutes after waking; the value "2" refers to R03_AV1024_UN = Hours after waking.		
**SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.		

CHECK ID: R03_AV1024_LC1

The computer recorded that you typically take your first puff from an [EPRODTYPE1] [R03_AV1024_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AV1024 |
| 2 | NEXT | GO TO R03_AV1024_LC2 |

ASK: IF (R03_EPROD_USER_STATUS = 1, 2 AND R03_AV1024 != -8, -7) AND ((R03_CURRENT_EPROD_USE = 1 AND ((R03_AV1024_NN > 60 AND R03_AV10024_UN = 1) OR (R03_AV1024_NN > 4 AND R03_AV1024_UN = 2))) OR ((R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2) AND ((R03_AV1024_NN > 60 AND R03_AV1024_UN = 1) OR (R03_AV1024_NN > 12 AND R03_AV1024_UN = 2))))).

DISPLAY: IF R03_AV1024_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AV1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_CURRENT_EPROD_USE = 1 AND ((R03_AV1024_NN > 60 AND R03_AV10024_UN = 1) OR (R03_AV1024_NN > 4 AND R03_AV1024_UN = 2))) OR ((R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2) AND ((R03_AV1024_NN > 60 AND R03_AV1024_UN = 1) OR (R03_AV1024_NN > 12 AND R03_AV1024_UN = 2))). ELSE, GO TO R03_AV1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AV1024_LC2

The computer recorded "0" for how soon you typically take your first puff from an [EPRODTYPE1] after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AV1024 |
| 2 | NEXT | GO TO BOX R03_AVR46 |

ASK: IF R03_EPROD_USER_STATUS = 1, 2 AND R03_AV1024 != -8, -7 AND R03_AV1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AV1024_NN = 0. ELSE, GO TO BOX R03_AVR46 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1092**

(On the days that you use [EPRODTYPE1]s, would/Would) you say you take your first puff of the day within the first 30 minutes after you wake up?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R03_AVR46 |
| 2 | No | GO TO BOX R03_AVR46 |
| 3 | It varies | GO TO BOX R03_AVR46 |
| -8 | DON'T KNOW | GO TO BOX R03_AVR46 |
| -7 | REFUSED | GO TO BOX R03_AVR46 |

ASK: Adult respondents who are current established or current experimental electronic nicotine product users and did not know or refused to report how soon after waking up they typically take their first puff from an electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2 AND R03_AV1024_NN = -8, -7.

DISPLAY: IF R03_CURRENT_EPROD_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you use [EPRODTYPE1]s, would".

Variable(s): **R03_AV1024_30D_NN**; R03_AV1024_30D_UN**

On the days that you used [EPRODTYPE1]s, how soon after you woke up did you typically take your first puff of the day? Please enter the number of minutes or hours.

- | | | |
|----|-------------------------------------|----------------------|
| 1 | I ___ ___ ___ Minutes after waking | |
| 2 | I ___ ___ ___ Hours after waking | |
| -8 | DON'T KNOW | GO TO R03_AV1092_30D |
| -7 | REFUSED | GO TO R03_AV1092_30D |

ASK: Adult respondents who are non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_FORMER_THIRTYDAY_USER_EPROD = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AV1024_30D_UN = Minutes after waking; the value "2" refers to R03_AV1024_30D_UN = Hours after waking.

****SKIP ERROR:** R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

CHECK ID: R03_AV1024_30D_LC1

The computer recorded that you typically took your first puff from an [EPRODTYPE1] [R03_AV1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------------|
| 1 | BACK | GO TO R03_AV1024_30D |
| 2 | NEXT | GO TO R03_AV1024_30D_LC2 |

ASK: IF (R03_FORMER_THIRTYDAY_USER_EPROD = 1 AND R03_AV1024_30D != -8, -7) AND ((R03_AV1024_30D_NN > 60 AND R03_AV1024_30D_UN = 1) OR (R03_AV1024_30D_NN > 12 AND R03_AV1024_30D_UN = 2)).

DISPLAY: IF R03_AV1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AV1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_AV1024_30D_NN > 60 AND R03_AV1024_30D_UN = 1) OR (R03_AV1024_30D_NN > 12 AND R03_AV1024_30D_UN = 2). ELSE, GO TO R03_AV1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AV1024_30D_LC2

The computer recorded "0" for how soon you typically took your first puff from an [EPRODTYPE1] after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AV1024_30D |
| 2 | NEXT | GO TO BOX R03_AVR46 |

ASK: IF R03_FORMER_THIRTYDAY_USER_EPROD = 1 AND R03_AV1024_30D != -8, -7 AND R03_AV1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AV1024_30D_NN = 0. ELSE, GO TO BOX R03_AVR46 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AV1092_30D

On the days that you used [EPRODTYPE1]s, would you say you took your first puff of the day within the first 30 minutes after you woke up?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| 3 | It varies |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are non-current 30-day electronic nicotine product users and did not know or refused to report how soon after waking up they typically took their first puff from an electronic nicotine product.

ASK Specification: IF R03_FORMER_THIRTYDAY_USER_EPROD = 1 AND R03_AV1024_30D_NN = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AVR46
Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R03_AV0100. Else, go to R03_AV1098.	
IF R03_CURRENT_EPROD_USE = 1 OR ((R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1022 != 0), GO TO R03_AV0100. ELSE, GO TO R03_AV1098.	

Variable(s):	R03_AV0100**
When did you last use an [EPRODTYPE1]?	
1 In the past hour	GO TO R03_AV0103
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	GO TO R03_AV1131
-8 DON'T KNOW	GO TO R03_AV1131
-7 REFUSED	GO TO R03_AV1131
ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.	
ASK Specification: IF R03_CURRENT_EPROD_USE = 1 OR ((R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1022 != 0).	
NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	
R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	

Variable(s): R03_AV0102

When you last used an [EPRODTYPE1] [FILL BASED ON R03_AV0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established electronic nicotine product users and last used sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R03_CURRENT_EPROD_USE = 1 AND R03_AV0100 = 2, 3, 4) OR ((R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1022 != 0 AND R03_AV0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R03_AV0100]:

IF R03_AV0100 = 2, DISPLAY "today".

ELSE, IF R03_AV0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AV0100 = 4, DISPLAY "the day before yesterday".

Variable(s): R03_AV0103

How many puffs from an [EPRODTYPE1] [have/did] you [taken/take] [FILL BASED ON R03_AV0100]?

|_|_|_|

- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established electronic nicotine product users and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R03_CURRENT_EPROD_USE = 1 AND R03_AV0100 = 1, 2, 3, 4) OR ((R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1022 != 0 AND R03_AV0100 = 1, 2, 3, 4).

DISPLAY: IF R03_AV0100 = 1, 2, DISPLAY "have" AND "taken".

ELSE, IF R03_AV0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R03_AV0100]:

IF R03_AV0100 = 1, 2, DISPLAY "today".

ELSE, IF R03_AV0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AV0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AV0103_LC1

The computer recorded you took [R03_AV0103] puffs from an [EPRODTYPE1] [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AV0103

2 NEXT

GO TO R03_AV1131

ASK: IF (R03_CURRENT_EPROD_USE = 1 AND R03_AV0100 = 1, 2, 3, 4) OR
((R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1022 != 0 AND R03_AV0100 = 1, 2, 3,
4) AND (R03_AV0103 > 200 OR R03_AV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R03_AV0100 = 1, 2, DISPLAY "today".

ELSE, IF R03_AV0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AV0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AV0103 > 200 OR R03_AV0103 = 11, 22, 33, 44, 55, 66, 77,
88, 99, 111. ELSE, GO TO R03_AV1131 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

- | | | |
|---|----|---|
| R03_AV1131_01** | 1 | Tobacco-flavored |
| R03_AV1131_02** | 2 | Menthol or mint |
| R03_AV1131_03** | 3 | Clove or spice |
| R03_AV1131_04** | 4 | Fruit |
| R03_AV1131_05** | 5 | Chocolate |
| R03_AV1131_06** | 6 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R03_AV1131_07** | 7 | A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages) |
| R03_AV1131_08** | 8 | Candy, desserts or other sweets |
| R03_AV1131_09**;
R03_AV1131_OS | 9 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R03_CURRENT_EPROD_USE = 1 OR ((R03_CURRENT_EPROD_USE = 2 OR R03_EPROD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1022 != 0).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1098****

The next questions ask about your experience buying [EPRODFILL2].

In the past 30 days, how often have you used a coupon when buying [EPRODFILL2]?

- 1 Always
- 2 Sometimes
- 3 Rarely
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1030****

How [do/did] you usually buy [EPRODFILL2] for yourself?

- | | | |
|----|----------------------------------|---------------------|
| 1 | In person | |
| 2 | From the internet | GO TO BOX R03_AVR05 |
| 3 | By telephone | GO TO BOX R03_AVR05 |
| 4 | I do not buy my own [EPRODFILL2] | GO TO R03_AV9040 |
| -8 | DON'T KNOW | GO TO R03_AV9040 |
| -7 | REFUSED | GO TO R03_AV9040 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AV1032**

[Do/Did] you usually buy [EPRODFILL2]...

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV1033; R03_AV1033_OS

Where [do/did] you buy your [EPRODFILL2] most of the time?

- 12 A vape shop or vapor lounge
- 1 A mall kiosk
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1.

DISPLAY: IF R03_EPROD_USERS_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AVR05

Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product, go to R03_AV1136.

Else, adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a refillable cartridge, refillable tank system, or refillable mod system, go to R03_AV1041.

Else, adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge, go to R03_AV1039.

Else, go to R03_AV9040.

IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 1, 6, GO TO R03_AV1136.

ELSE, IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 3, 4, 5, GO TO R03_AV1041.

ELSE, IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 2, GO TO R03_AV1039.

ELSE, GO TO R03_AV9040.

Variable(s): R03_AV1136

[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single [EPRODFILL1]?

1 Box or pack

2 Single [EPRODFILL1] GO TO R03_AV1034

-8 DON'T KNOW GO TO R03_AV9040

-7 REFUSED GO TO R03_AV9040

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 1, 6.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1137**

How many [EPRODFILL1] [come/came] in the box or pack that you usually [buy/bought]?

|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND
R03_EDEVICETYPE = 1, 6 AND R03_AV1136 = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "come" AND "buy".

ELSE, DISPLAY "came" AND "bought".

PROGRAM: Allow for 2 digits.

Variable(s): **R03_AV1138_D; R03_AV1138_C**

How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?

\$ |_|_|_|_| Dollars . |_|_|_|_| Cents

GO TO R03_AV9040

-8 DON'T KNOW

GO TO R03_AV9040

-7 REFUSED

GO TO R03_AV9040

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND
R03_EDEVICETYPE = 1, 6 AND R03_AV1136 = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV1034_D; R03_AV1034_C	
How much [do/did] you usually pay for a single [EPRODFILL3]?	
\$ __ __ __ Dollars . __ __ Cents	
-8 DON'T KNOW	GO TO R03_AV9040
-7 REFUSED	GO TO R03_AV9040
ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product and usually buy single electronic nicotine products. ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 1, 6 AND R03_AV1136 = 2. DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did". DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES. PROGRAM: Display as Quantity/Quantity.	

CHECK ID: R03_AV1034_LC1
The computer recorded that you paid \$[R03_AV1034[_D/_C]] for a single [EPRODFILL3]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R03_AV1034 2 NEXT GO TO R03_AV9040
ASK: IF ((R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_EDEVICETYPE = 1, 6 AND R03_AV1030 = 1, 2, 3 AND R03_AV1136 = 2 AND R03_AV1034_D != -8, -7) AND R03_AV1034_D > 50. PROGRAM: TRIGGER CHECK IF R03_AV1034_D > 50. ELSE, GO TO R03_AV9040 AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R03_AV1041_D; R03_AV1041_C	
How much [do/did] you usually pay for a bottle or container of e-liquid?		
	\$ __ __ __ Dollars . __ __ Cents	
-8	DON'T KNOW	GO TO R03_AV9040
-7	REFUSED	GO TO R03_AV9040
ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a refillable cartridge, refillable tank system, or refillable mod system.		
ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 3, 4, 5.		
DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "do".		
ELSE, DISPLAY "did".		
DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.		
PROGRAM: Display as Quantity/Quantity.		

CHECK ID: R03_AV1041_LC1

The computer recorded that you paid \$[R03_AV1041[_D/_C]] for a bottle or container of e-liquid. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R03_AV1041
2	NEXT	GO TO R03_AV9040

ASK: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 3, 4, 5 AND (R03_AV1041_D != -8, -7 AND R03_AV1041_D > 50).

PROGRAM: TRIGGER CHECK IF R03_AV1041_D > 50. ELSE, GO TO R03_AV9040 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1039**

[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single cartridges?

- | | | |
|----|-------------------|------------------|
| 1 | Box or pack | |
| 2 | Single cartridges | GO TO R03_AV1043 |
| -8 | DON'T KNOW | GO TO R03_AV9040 |
| -7 | REFUSED | GO TO R03_AV9040 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 2.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

Variable(s): **R03_AV1040**

How many [EPRODFILL1] [come/came] in the box or pack that you [buy/bought]?

|_|_|

- | | |
|----|------------|
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 2 AND R03_AV1039 = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "come" AND "buy".
ELSE, DISPLAY "came" AND "bought".

PROGRAM: Allow for 2 digits.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV1042_D; R03_AV1042_C	
How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?	
\$ __ __ __ Dollars . __ __ Cents	
-8 DON'T KNOW	GO TO R03_AV9040
-7 REFUSED	GO TO R03_AV9040
ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.	
ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 2 AND R03_AV1039 = 1.	
DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "do".	
ELSE, DISPLAY "did".	
DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.	
PROGRAM: Display as Quantity/Quantity.	

CHECK ID: R03_AV1042_LC1
The computer recorded that you paid \$[R03_AV1042[_D/_C]] for a box or pack of [EPRODFILL1]. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK
GO TO R03_AV1042
2 NEXT
GO TO R03_AV9040
ASK: IF ((R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_EDEVICETYPE = 2 AND R03_AV1030 = 1, 2, 3 AND R03_AV1039 = 1 AND R03_AV1042_D != -8, -7) AND R03_AV1042_D > 50.
PROGRAM: TRIGGER CHECK IF R03_AV1042_D > 50. ELSE, GO TO R03_AV9040 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1043_D; R03_AV1043_C**

How much [do/did] you usually pay for a single [EPRODFILL3]?

\$ |__| |__| |__| Dollars . |__| |__| Cents

-8 DON'T KNOW

GO TO R03_AV9040

-7 REFUSED

GO TO R03_AV9040

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products as single cartridges.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 2 AND R03_AV1039 = 2.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

CHECK ID: **R03_AV1043_LC1**

The computer recorded that you paid \$[R03_AV1043[_D/_C]] for a single [EPRODFILL3]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AV1043

2 NEXT

GO TO R03_AV9040

ASK: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1030 = 1, 2, 3 AND R03_EDEVICETYPE = 2 AND R03_AV1039 = 2 AND (R03_AV1043_D != -8, -7 AND R03_AV1043_D > 50).

PROGRAM: TRIGGER CHECK IF R03_AV1043_D > 50. ELSE, GO TO R03_AV9040 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV9040****

Please look at this picture. Which group is most like the [EPRODTYPE1] you [usually use/last used]?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 4 Group 4
- 5 Group 5
- 6 Group 6
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "usually use".

ELSE, DISPLAY "last used".

IMAGE: SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS

Note: Group 1 is disposable 'cig-a-like' e-cigarettes; group 2 is tank system 'vapor pen' e-cigarettes; group 3 is tank system 'box style' e-cigarettes; group 4 is e-cigars; group 5 is e-pipes; group 6 is e-hookah and hookah pens.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1047****

[Do/Did] you have a regular brand of [EPRODFILL2] that you usually [use/used]?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Do" AND "use".
ELSE, DISPLAY "Did" AND "used".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

- | | | |
|---|----|---|
| R03_AV1012_01** | 1 | Tobacco-flavored |
| R03_AV1012_02** | 2 | Menthol or mint |
| R03_AV1012_03** | 3 | Clove or spice |
| R03_AV1012_04** | 4 | Fruit |
| R03_AV1012_05** | 5 | Chocolate |
| R03_AV1012_06** | 6 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R03_AV1012_07** | 7 | A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages) |
| R03_AV1012_08** | 8 | Candy, desserts or other sweets |
| R03_AV1012_09**;
R03_AV1012_OS | 9 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY
QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer
keyboard."

IF R03_AV1047 = 1 AND R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Is" AND "your regular
brand".

ELSE, IF R03_AV1047 = 1, DISPLAY "Was" AND "your regular brand".

IF R03_AV1047 = 2, 3, -8, -7 AND R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Is" AND "the brand
you last used".

ELSE IF R03_AV1047 = 2, 3, -8, -7, DISPLAY "Was" AND "the brand you last used".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a)
only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days
in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users
of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3.
It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The
incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The
error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more
than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products
in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that
their last use of an e-product was in the past 30 days or one month. The incorrect setting of
R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error
was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1945****

Do you know the name of the brand of [EPRODFILL2] you [usually use/usually used/last used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_AV1047 = 1 AND R03_EPROD_USER_STATUS = 1, 2, DISPLAY "usually use".
ELSE, IF R03_AV1047 = 1 AND R03_EPROD_USER_STATUS != 1, 2, DISPLAY "usually used".
ELSE, IF R03_AV1047 = 2, 3, -8, -7, DISPLAY "last used".

UNDERLINE "name of the brand".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_AVR45**

Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and know the name of the brand they usually use or last used, go to R03_AV1048_BRAND.

Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and have a regular brand of electronic nicotine product, go to R03_AV1051.

Else, go to Box R03_AVD02.

IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1945 = 1, GO TO R03_AV1048_BRAND.

ELSE, IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1047 = 1, GO TO R03_AV1051.

ELSE, GO TO BOX R03_AVD02.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV1048_BRAND
What brand of [EPRODFILL2] [do/did] you [usually/last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and know the name of the brand they usually use or last used. ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1945 = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else". IF R03_AV1047 = 1 AND R03_EPROD_USER_STATUS = 1, 2, DISPLAY "do" AND "usually". ELSE, IF R03_AV1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R03_AV1047 = 2, 3, -8, -7 AND R03_EPROD_USER_STATUS = 1, 2, DISPLAY "did" AND "last". ELSE, IF R03_AV1047 = 2, 3, -8, -7, DISPLAY "did" AND "last". IMAGE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

BOX ID: R03_AVR33
Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and know the name of the brand they usually use or last used and selected "Something else" for their brand, go to R03_AV1049. Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and have a regular brand of electronic nicotine product, go to R03_AV1051. Else, go to Box R03_AVR44. IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1945 = 1 AND R03_AV1048_BRAND = 9995, GO TO R03_AV1049. ELSE, IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1047 = 1, GO TO R03_AV1051. ELSE, GO TO BOX R03_AVR44.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1049**

You said that your brand was not pictured. What is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and know the name of the brand they usually use or last used and selected "Something else" for their brand.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR

R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1945 = 1 AND R03_AV1048_BRAND = 9995.

BOX ID: **R03_AVR43**

Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and have a regular brand of electronic nicotine product, go to R03_AV1051.

Else, go to Box R03_AVR44.

IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1047 = 1, GO TO R03_AV1051.

ELSE, GO TO BOX R03_AVR44.

Variable(s): **R03_AV1051_NN; R03_AV1051_UN**

About how long [did you use/have you been using] your regular brand of [EPRODFILL2]?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and have a regular brand of electronic nicotine product.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1047 = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.

NOTES: The value "1" refers to R03_AV1051_UN = Days; the value "2" refers to R03_AV1051_UN = Months; the value "3" refers to R03_AV1051_UN = Years.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AV1051_LC1

The computer recorded that you have used your regular brand of [EPRODFILL2] for [R03_AV1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AV1051 |
| 2 | NEXT | GO TO R03_AV1051_LC2 |

ASK: IF ((R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1047 = 1) AND (R03_AV1051_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AV1051_UN = 3.

PROGRAM: TRIGGER CHECK IF (R03_AV1051_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AV1051_UN = 3.

ELSE, GO TO R03_AV1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AV1051_LC2

The computer recorded "0" for how long you have used your regular brand of [EPRODFILL3].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AV1051 |
| 2 | NEXT | GO TO R03_AV1051_LC3 |

ASK: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1047 = 1 AND R03_AV1051_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AV1051_NN = 0. ELSE, GO TO R03_AV1051_LC3 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AV1051_LC3

The computer recorded that you have used your regular brand of [EPRODFILL2] for [R03_AV1051_NN] years.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AV1051 |
| 2 | NEXT | GO TO BOX R03_AVR44 |

ASK: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV1047 = 1 AND (R03_AV1051_NN > (Today's date - 2010)) AND R03_AV1051_UN = 3.

PROGRAM: TRIGGER CHECK IF (R03_AV1051_NN > (Today's date - 2010)) AND R03_AV1051_UN = 3. ELSE, GO TO BOX R03_AVR44 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AVR44

Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and last used in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand they usually use or last used and selected a brand of electronic nicotine products, go to R03_AV0104.

Else, go to Box R03_AVD02.

IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV0100 = 1, 2, 3, 4 AND R03_AV1945 = 1 AND R03_AV1048_BRAND != 9995, -8, -7, GO TO R03_AV0104.

ELSE, GO TO BOX R03_AVD02.

BOX ID: R03_AVR37

Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and last used in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand they usually use or last used and selected a brand of electronic nicotine products, go to R03_AV0104.

Else, go to Box R03_AVD02.

IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV0100 = 1, 2, 3, 4 AND R03_AV1945 = 1 AND R03_AV1048_BRAND != 9995, -8, -7, GO TO R03_AV0104.

ELSE, GO TO BOX R03_AVD02.

Variable(s): R03_AV0104***

You said earlier that you last used an [EPRODTYPE1] [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and last used in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand they usually use or last used and selected a brand of electronic nicotine products.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_AV0100 = 1, 2, 3, 4 AND R03_AV1945 = 1 AND R03_AV1048_BRAND != 9995, -8, -7.

DISPLAY: IF R03_AV0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R03_AV0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R03_AV0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R03_AV0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH SELECTION MADE IN R03_AV1048_BRAND.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R03_AVD02

Randomize order of R03_AV1060 through R03_AV1067.

Display question R03_AV1060, R03_AV1085, R03_AV1062, R03_AV1075, R03_AV1063, R03_AV1064, R03_AV1065, R03_AV1066, and R03_AV1067 on one screen. Show the intro/transition text from R03_AV1060 first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1060****

The next questions are about the reasons people use [EPRODTYPE1]s. Please select which reasons [apply to you/applied to you when you used to use [EPRODTYPE1]s].

I [use/used] [EPRODTYPE1]s because...

They [are/were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "are".

ELSE, DISPLAY "applied to you when you used to use [EPRODTYPE1]s", "used" AND "were".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AV1085****

I [can/could] use [EPRODTYPE1]s at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR

R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AV1062****

They might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "be".

ELSE, DISPLAY "have been".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AV1075****

They might [be/have been] less harmful to people around me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "be".

ELSE, DISPLAY "have been".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AV1063**
[EPRODFILL2] [come/comes/came] in flavors I [like/liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users. ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1. DISPLAY: IF R03_EDEVICETYPE = 1, 2, 6, DISPLAY "come". ELSE, IF R03_EDEVICETYPE = 3, 4, 5, DISPLAY "comes". IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "like". ELSE, IF R03_EPROD_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1, DISPLAY "came" AND "liked". PROGRAM: Make the first letter in EPRODFILL2 uppercase. NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection. R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	

BOX ID:	R03_AVR34
Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and are current established, current experimental, or new former established cigarette smokers, go to R03_AV1064. Else, go to R03_AV1065. IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_CIG_USER_STATUS = 1, 2, 4, GO TO R03_AV1064. ELSE, GO TO R03_AV1065.	

Variable(s): **R03_AV1064****

Using [EPRODTYPE1]s helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and are current established, current experimental, or new former established cigarette smokers.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_CIG_USER_STATUS = 1, 2, 4.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1065****

[EPRODTYPE1]s don't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

PROGRAM: Make the first letter in EPRODTYPE1 uppercase.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1066****

Using an [EPRODTYPE1] [feels/felt] like smoking a regular cigarette.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "feels".
ELSE, DISPLAY "felt".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AV1067**
[EPRODTYPE1]s [are/were] more acceptable to non-tobacco users. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users. ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1. DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "are". ELSE, DISPLAY "were". PROGRAM: Make the first letter in EPRODTYPE1 uppercase. NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection. R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	

BOX ID:	R03_AVR35
Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and are current established cigarette smokers, go to R03_AV1086. Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and are current established or new former established cigarette smokers, go to R03_AV1080. Else, go to R03_AV1081. IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_CIG_USER_STATUS = 1, GO TO R03_AV1086. ELSE, IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_CIG_USER_STATUS = 1, 4, GO TO R03_AV1080. ELSE, GO TO R03_AV1081.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1086****

In the past 30 days, have you used an [EPRODTYPE1] at times when or in places where you could not smoke regular cigarettes?

- 1 Yes
- 2 No GO TO R03_AV1080
- 8 DON'T KNOW GO TO R03_AV1080
- 7 REFUSED GO TO R03_AV1080

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and are current established cigarette smokers.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_CIG_USER_STATUS = 1.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AV1087**

How often [do/did] you use [EPRODTYPE1]s at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and are current established cigarette smokers and used electronic nicotine products at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_CIG_USER_STATUS = 1 AND R03_AV1086 = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, IF R03_FORMER_THIRTYDAY_USER_EPROD = 1, DISPLAY "did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1080****

[Do/Did] you use [EPRODTYPE1]s as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users and are current established or new former established cigarette smokers.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_EPROD = 1) AND R03_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1081****

[Do/Did] you use [EPRODTYPE1]s as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1139****

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using an [EPRODTYPE1].

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "is".
ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R03_AV1139-1141 SERIES.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV1140****

While using an [EPRODTYPE1], I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "feel".
ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R03_AV1139-1141 SERIES.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AV1141****

I [use/used] [EPRODTYPE1]s much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "use" AND "am".

ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R03_AV1139-1141 SERIES.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

R03_FORMER_THIRTYDAY_USER_EPROD was not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

(Secondary) ELECTRONIC NICOTINE PRODUCTS

BOX ID:	R03_AVR01
Adult respondents who have used more than one electronic nicotine product, go to Box R03_AVD04. Else, go to the next section.	
IF R03_EPRODCOUNT > 1, GO TO BOX R03_AVD04. ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).	

BOX ID:	R03_AVD04
CREATE EPRODTYPE2 FILL. IF R03_SECONDARY_EPROD = 1, THEN FILL EPRODTYPE2 WITH "e-cigarette". IF R03_SECONDARY_EPROD = 2, THEN FILL EPRODTYPE2 WITH "e-cigar". IF R03_SECONDARY_EPROD = 3, THEN FILL EPRODTYPE2 WITH "e-pipe". IF R03_SECONDARY_EPROD = 4, THEN FILL EPRODTYPE2 WITH "e-hookah". IF R03_SECONDARY_EPROD = 5, THEN FILL EPRODTYPE2 WITH "product".	

BOX ID:	R03_AVT50
You just answered questions about [EPRODTYPE1]s. You also mentioned that you use [LIST SECONDARY EPRODS], in addition to [EPRODTYPE1]s.	
The following questions are about <u>[LIST SECONDARY EPRODS]</u> . Please think about your use of <u>only</u> these products as you answer the next questions.	
IF R03_SECONDARY_EPROD = 1, THEN FILL [LIST SECONDARY EPRODS] WITH "e-cigarettes". ELSE, IF R03_SECONDARY_EPROD = 2, THEN FILL [LIST SECONDARY EPRODS] WITH "e-cigars". ELSE, IF R03_SECONDARY_EPROD = 3, THEN FILL [LIST SECONDARY EPRODS] WITH "e-pipes". ELSE, IF R03_SECONDARY_EPROD = 4, THEN FILL [LIST SECONDARY EPRODS] WITH "e-hookahs". ELSE, IF R03_SECONDARY_EPROD = 5 AND R03_EPRODCOUNT = 3, THEN FILL [LIST SECONDARY EPRODS] WITH EACH PRODUCT SELECTED IN R03_AV9035[_01/_02/_03/_04/_05], EXCEPT FOR PRIMARY EPROD, AND SEPARATE WITH "and". ELSE, IF R03_SECONDARY_EPROD = 5 AND R03_EPRODCOUNT > 3, THEN FILL [LIST SECONDARY EPRODS] WITH EACH PRODUCT SELECTED IN R03_AV9035[_01/_02/_03/_04/_05], EXCEPT FOR PRIMARY EPROD, AND SEPARATE WITH COMMAS WITH ", and" PRECEDING THE LAST PRODUCT.	
PROGRAM: BOLD AND UNDERLINE "only" AND THE SECOND OCCURRENCE OF [LIST SECONDARY EPRODS].	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV2005****

How many times have you used [an [EPRODTYPE2]/these [EPRODTYPE2]s] in your entire life?

- 1 1 time, even just a few puffs
- 2 2 to 10 times
- 3 11 to 20 times
- 4 21 to 50 times
- 5 51 to 99 times
- 6 100 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "these [EPRODTYPE2]s".

ELSE, DISPLAY "an [EPRODTYPE2]".

NOTES: **SKIP ERROR: R03_SECONDARY_EPROD was not set correctly for some respondents who recanted a product other than the products they selected in R03_AV9035. The incorrect setting of R03_SECONDARY_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AV2100****

Have you ever used [an [EPRODTYPE2]/these [EPRODTYPE2]s] fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "these [EPRODTYPE2]s".

ELSE, DISPLAY "an [EPRODTYPE2]".

NOTES: **SKIP ERROR: R03_SECONDARY_EPROD was not set correctly for some respondents who recanted a product other than the products they selected in R03_AV9035. The incorrect setting of R03_SECONDARY_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AVT51

The following questions are still about [LIST SECONDARY EPRODS]. Please continue to think about your use of **only** these products as you answer.

IF R03_SECONDARY_EPROD = 1, THEN FILL [LIST SECONDARY EPRODS] WITH “e-cigarettes”.

ELSE, IF R03_SECONDARY_EPROD = 2, THEN FILL [LIST SECONDARY EPRODS] WITH “e-cigars”.

ELSE, IF R03_SECONDARY_EPROD = 3, THEN FILL [LIST SECONDARY EPRODS] WITH “e-pipes”.

ELSE, IF R03_SECONDARY_EPROD = 4, THEN FILL [LIST SECONDARY EPRODS] WITH “e-hookahs”.

ELSE, IF R03_SECONDARY_EPROD = 5 AND R03_EPRODCOUNT = 3, THEN FILL [LIST SECONDARY EPRODS] WITH EACH PRODUCT SELECTED IN R03_AV9035[_01/_02/_03/_04/_05], EXCEPT FOR PRIMARY EPROD, AND SEPARATE WITH “and”.

ELSE, IF R03_SECONDARY_EPROD = 5 AND R03_EPRODCOUNT > 3, THEN FILL [LIST SECONDARY EPRODS] WITH EACH PRODUCT SELECTED IN R03_AV9035[_01/_02/_03/_04/_05], EXCEPT FOR PRIMARY EPROD, AND SEPARATE WITH COMMAS WITH “, and” PRECEDING THE LAST PRODUCT.

PROGRAM: BOLD AND UNDERLINE “only”.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
When you first started using [these][EPRODTYPE2]s, which flavor did you use? Choose all that apply.	
R03_AV2011_01**	1 Tobacco-flavored
R03_AV2011_02**	2 Menthol or mint
R03_AV2011_03**	3 Clove or spice
R03_AV2011_04**	4 Fruit
R03_AV2011_05**	5 Chocolate
R03_AV2011_06**	6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R03_AV2011_07**	7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)
R03_AV2011_08**	8 Candy, desserts or other sweets
R03_AV2011_09**; R03_AV2011_OS	9 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.	
ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.	
DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "these ".	
ELSE, NO DISPLAY.	
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	
NOTES: **SKIP ERROR: R03_SECONDARY_EPROD was not set correctly for some respondents who recanted a product other than the products they selected in R03_AV9035. The incorrect setting of R03_SECONDARY_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	

BOX ID:	R03_AVR48
Adult respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products and now use e-cigarettes/e-cigars/e-pipes/e-hookahs/other electronic nicotine products every day or some days, go to R03_AV2200.	
Else, go to R03_AV2010.	
IF (R03_SECONDARY_EPROD = 1 AND R03_AV1003EC = 1, 2) OR (R03_SECONDARY_EPROD = 2 AND R03_AV1003EG = 1, 2) OR (R03_SECONDARY_EPROD = 3 AND R03_AV1003EP = 1, 2) OR (R03_SECONDARY_EPROD = 4 AND R03_AV1003EH = 1, 2) OR (R03_SECONDARY_EPROD = 5 AND R03_AV1003EN = 1, 2), GO TO R03_AV2200.	
ELSE, GO TO R03_AV2010.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV2200****

When did you last use [an [EPRODTYPE2]/one of these [EPRODTYPE2]s]?

- | | | |
|----|------------------------|------------------|
| 1 | In the past hour | GO TO R03_AV2103 |
| 2 | Sometime today | GO TO R03_AV2102 |
| 3 | Yesterday | GO TO R03_AV2102 |
| 4 | Day before yesterday | GO TO R03_AV2102 |
| 5 | Three or more days ago | |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Adult respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products and now use e-cigarettes/e-cigars/e-pipes/e-hookahs/other electronic nicotine products every day or some days.

ASK Specification: IF (R03_SECONDARY_EPROD = 1 AND R03_AV1003EC = 1, 2) OR (R03_SECONDARY_EPROD = 2 AND R03_AV1003EG = 1, 2) OR (R03_SECONDARY_EPROD = 3 AND R03_AV1003EP = 1, 2) OR (R03_SECONDARY_EPROD = 4 AND R03_AV1003EH = 1, 2) OR (R03_SECONDARY_EPROD = 5 AND R03_AV1003EN = 1, 2).

DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "one of these [EPRODTYPE2]s".

ELSE, DISPLAY "an [EPRODTYPE2]".

NOTES: **SKIP ERROR: R03_SECONDARY_EPROD was not set correctly for some respondents who recanted a product other than the products they selected in R03_AV9035. The incorrect setting of R03_SECONDARY_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV2029_NN; R03_AV2029_UN

About how long has it been since you last took a puff from [an [EPRODTYPE2]/one of these [EPRODTYPE2]s)?

- | | | |
|----|----------------------|------------------|
| 1 | I ___ I ___ I DAYS | GO TO R03_AV2010 |
| 2 | I ___ I ___ I MONTHS | GO TO R03_AV2010 |
| 3 | I ___ I ___ I YEARS | GO TO R03_AV2010 |
| -8 | DON'T KNOW | GO TO R03_AV2010 |
| -7 | REFUSED | GO TO R03_AV2010 |

ASK: Adult respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products and now use e-cigarettes/e-cigars/e-pipes/e-hookahs/other electronic nicotine products every day or some days and last used their secondary electronic nicotine product three or more days ago or did not know or refused to report when they last used their secondary electronic nicotine product.

ASK Specification: IF ((R03_SECONDARY_EPROD = 1 AND R03_AV1003EC = 1, 2) OR (R03_SECONDARY_EPROD = 2 AND R03_AV1003EG = 1, 2) OR (R03_SECONDARY_EPROD = 3 AND R03_AV1003EP = 1, 2) OR (R03_SECONDARY_EPROD = 4 AND R03_AV1003EH = 1, 2) OR (R03_SECONDARY_EPROD = 5 AND R03_AV1003EN = 1, 2)) AND R03_AV2200 = 5, -8, -7.

DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "one of these [EPRODTYPE2]s".

ELSE, DISPLAY "an [EPRODTYPE2]".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AV2029_UN = Days; the value "2" refers to R03_AV2029_UN = Months; the value "3" refers to R03_AV2029_UN = Years.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV2102**

When you last used [an [EPRODTYPE2]/one of these [EPRODTYPE2]s] [FILL BASED ON R03_AV2200], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products and now use e-cigarettes/e-cigars/e-pipes/e-hookahs/other electronic nicotine products every day or some days and last used their secondary electronic nicotine product sometime today, yesterday, or the day before yesterday.

ASK Specification: IF ((R03_SECONDARY_EPROD = 1 AND R03_AV1003EC = 1, 2) OR (R03_SECONDARY_EPROD = 2 AND R03_AV1003EG = 1, 2) OR (R03_SECONDARY_EPROD = 3 AND R03_AV1003EP = 1, 2) OR (R03_SECONDARY_EPROD = 4 AND R03_AV1003EH = 1, 2) OR (R03_SECONDARY_EPROD = 5 AND R03_AV1003EN = 1, 2)) AND R03_AV2200 = 2, 3, 4.

DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "one of these [EPRODTYPE2]s".

ELSE, DISPLAY "an [EPRODTYPE2]".

FOR [FILL BASED ON R03_AV0100]:

IF R03_AV2200 = 1, 2, DISPLAY "today".

ELSE, IF R03_AV2200 = 3, DISPLAY "yesterday".

ELSE, IF R03_AV2200 = 4, DISPLAY "the day before yesterday".

Variable(s): R03_AV2103

How many puffs from [an [EPRODTYPE2]/these [EPRODTYPE2]s] [have/did] you [taken/take] [FILL BASED ON R03_AV2200]?

|_|_| Number of puffs

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products and now use e-cigarettes/e-cigars/e-pipes/e-hookahs/other electronic nicotine products every day or some days and last used their secondary electronic nicotine product in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF ((R03_SECONDARY_EPROD = 1 AND R03_AV1003EC = 1, 2) OR (R03_SECONDARY_EPROD = 2 AND R03_AV1003EG = 1, 2) OR (R03_SECONDARY_EPROD = 3 AND R03_AV1003EP = 1, 2) OR (R03_SECONDARY_EPROD = 4 AND R03_AV1003EH = 1, 2) OR (R03_SECONDARY_EPROD = 5 AND R03_AV1003EN = 1, 2)) AND R03_AV2200 = 1, 2, 3, 4.

DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "these [EPRODTYPE2]s".

ELSE, DISPLAY "an [EPRODTYPE2]".

IF R03_AV2200 = 1, 2, DISPLAY "have" AND "taken".

ELSE, IF R03_AV2200 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R03_AV2200]:

IF R03_AV2200 = 1, 2, DISPLAY "today".

ELSE, IF R03_AV2200 = 3, DISPLAY "yesterday".

ELSE, IF R03_AV2200 = 4, DISPLAY "the day before yesterday".

DISPLAY "Number of puffs" AS A TITLE.

CHECK ID: R03_AV2103_LC1

The computer recorded you took [R03_AV2103] puffs from [an [EPRODTYPE2]/these [EPRODTYPE2]s] [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is not correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AV2103

2 NEXT

GO TO R03_AV2010

ASK: IF ((R03_SECONDARY_EPROD = 1 AND R03_AV1003EC = 1, 2) OR (R03_SECONDARY_EPROD = 2 AND R03_AV1003EG = 1, 2) OR (R03_SECONDARY_EPROD = 3 AND R03_AV1003EP = 1, 2) OR (R03_SECONDARY_EPROD = 4 AND R03_AV1003EH = 1, 2) OR (R03_SECONDARY_EPROD = 5 AND R03_AV1003EN = 1, 2)) AND R03_AV2200 = 1, 2, 3, 4) AND R03_AV2103 > 200 OR R03_AV2103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "these [EPRODTYPE2]s".

ELSE, DISPLAY "an [EPRODTYPE2]".

IF R03_AV2200 = 1, 2, DISPLAY "today".

ELSE, IF R03_AV2200 = 3, DISPLAY "yesterday".

ELSE, IF R03_AV2200 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AV2103 > 200 OR R03_AV2103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111. ELSE, GO TO R03_AV2010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AV2010****

[Does the [EPRODTYPE2]/Do these [EPRODTYPE2]s] you usually use contain nicotine?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "Do these [EPRODTYPE2]s".

ELSE, DISPLAY "Does the [EPRODTYPE2]".

NOTES: **SKIP ERROR: R03_SECONDARY_EPROD was not set correctly for some respondents who recanted a product other than the products they selected in R03_AV9035. The incorrect setting of R03_SECONDARY_EPROD also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

CIGAR

BOX ID:	R03_AGR03
PROGRAM: CREATE CIGARLOOP2 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES: Blunt/Cigar Loops If the respondent is a past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smoker, repeat R03_AJ1008[TC/CG/FC] through R03_AJ1071[TC/CG/FC] in a loop for each cigar type smoked as blunts. See Box R03_AJT03 for transition text shown at the start of each loop. After all blunt loops are complete, items from R03_AG1005[TC/CG/FC] through R03_AG1141[TC/CG/FC] are repeated once for each type of cigar the respondent has smoked, following skips appropriately. See Box R03_AGT03 for transition text shown at the start of each loop. If the respondent is a traditional cigar/cigarillo/filtered cigar smoker (as non-blunt), repeat R03_AG1005[TC/CG/FC] through R03_AG1141[TC/CG/FC] in a loop for each cigar type. See Box R03_AGT03 for transition text shown at the start of each loop. <u>GO TO</u> If the respondent is a past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smoker, go to Box R03_AJT03. Else, if the respondent has ever smoked traditional cigars, cigarillos, or filtered cigars, go to Box R03_AGR10. <u>[CIGARFILL]</u> If past 12 month blunt-only traditional cigar smoker, [CIGARFILL] = "traditional cigar". If past 12 month blunt-only cigarillo smoker, [CIGARFILL] = "cigarillo". If past 12 month blunt-only filtered cigar smoker, [CIGARFILL] = "filtered cigar". IF R03_12MBLUNT_ONLY_BTRAD = 1, THEN CIGAR LOOP = BTRAD AND LOOP THROUGH SECTION FOR TRADITIONAL CIGARS AS BLUNTS. IF R03_12MBLUNT_ONLY_BRILLO = 1, THEN CIGAR LOOP = BRILLO AND LOOP THROUGH SECTION FOR CIGARILLOS AS BLUNTS. IF R03_12MBLUNT_ONLY_BFILTR = 1, THEN CIGAR LOOP = BFILTR AND LOOP THROUGH SECTION FOR FILTERED CIGARS AS BLUNTS. IF R03_EVER_NEVER_GTRAD = 1 AND R03_AG1010TC != 3 AND R03_12MBLUNT_ONLY_BTRAD = 2, THEN CIGAR LOOP = GTRAD, GO TO BOX R03_AGR10 AND LOOP THROUGH SECTION FOR TRADITIONAL CIGARS. IF R03_EVER_NEVER_GRILLO = 1 AND R03_AG1010CG != 3 AND R03_12MBLUNT_ONLY_BRILLO = 2, THEN CIGAR LOOP = GRILLO, GO TO BOX R03_AGR10 AND LOOP THROUGH SECTION FOR CIGARILLOS. IF R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3 AND R03_12MBLUNT_ONLY_BFILTR = 2, THEN CIGAR LOOP = GFILTR, GO TO BOX R03_AGR10 AND LOOP THROUGH SECTION FOR FILTERED CIGARS.	

BOX ID: R03_AJT03

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=BTRAD (Traditional Cigars as blunts-only):

The next questions are about traditional cigars when smoked as blunts.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Sometimes people take tobacco out of a traditional cigar and replace it with marijuana. This is sometimes called a blunt. As you answer these questions, please think only about your use of traditional cigars when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE FOR TRADITIONAL CIGAR]

IF LOOP=BRILLO (Cigarillos as blunts-only):

The next questions are about cigarillos when smoked as blunts.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips. [Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of cigarillos when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE FOR CIGARILLO]

IF LOOP=BFILTR (Filtered Cigars as blunts-only):

The next questions are about filtered cigars when smoked as blunts.

Filtered cigars are usually brown and have a filter like a cigarette. [Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of filtered cigars when smoked as blunts like those shown below.

[SHOW GENERIC IMAGE FOR FILTERED CIGAR]

IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_12MBLUNT_ONLY_BTRAD = 2, DISPLAY "Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt."

ELSE, DO NOT DISPLAY THIS TEXT.

IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_12MBLUNT_ONLY_BRILLO = 2 AND R03_12MBLUNT_ONLY_BTRAD = 2, DISPLAY "Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AJR10
Adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview, go to R03_AJ1008[TC/CG/FC]. Else, go to R03_AJ9030[TC/CG/FC].	
IF LOOP = BTRAD THEN: IF R03_INIT_BLUNT_BTRAD_ADULT = 1, GO TO R03_AJ1008TC. ELSE, GO TO R03_AJ9030TC. IF LOOP = BRILLO THEN: IF R03_INIT_BLUNT_BRILLO_ADULT = 1, GO TO R03_AJ1008CG. ELSE, GO TO R03_AJ9030CG. IF LOOP = BFILTR THEN: IF R03_INIT_BLUNT_BFILTR_ADULT = 1, GO TO R03_AJ1008FC. ELSE, GO TO R03_AJ9030FC.	

Variable(s):	R03_AJ1008TC***; R03_AJ1008CG***; R03_AJ1008FC
When you first started smoking [CIGARFILL]s as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1 Yes	
2 No	GO TO R03_AJ9030[TC/CG/FC]
3 I don't know	GO TO R03_AJ9030[TC/CG/FC]
-8 DON'T KNOW	GO TO R03_AJ9030[TC/CG/FC]
-7 REFUSED	GO TO R03_AJ9030[TC/CG/FC]
ASK: Adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.	
ASK Specification: FOR R03_AJ1008TC: IF LOOP = BTRAD AND R03_INIT_BLUNT_BTRAD_ADULT = 1.	
FOR R03_AJ1008CG: IF LOOP = BRILLO AND R03_INIT_BLUNT_BRILLO_ADULT = 1.	
FOR R03_AJ1008FC: IF LOOP = BFILTR AND R03_INIT_BLUNT_BFILTR_ADULT = 1.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Which flavor did you first start smoking? Choose all that apply.

- | | | |
|---|----|---|
| R03_AJ1011TC_01;
R03_AJ1011CG_01;
R03_AJ1011FC_01 | 1 | Menthol or mint |
| R03_AJ1011TC_02;
R03_AJ1011CG_02;
R03_AJ1011FC_02 | 2 | Clove or spice |
| R03_AJ1011TC_03;
R03_AJ1011CG_03;
R03_AJ1011FC_03 | 3 | Fruit |
| R03_AJ1011TC_04;
R03_AJ1011CG_04;
R03_AJ1011FC_04 | 4 | Chocolate |
| R03_AJ1011TC_05;
R03_AJ1011CG_05;
R03_AJ1011FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R03_AJ1011TC_06;
R03_AJ1011CG_06;
R03_AJ1011FC_06 | 6 | Candy or other sweets |
| R03_AJ1011TC_07;
R03_AJ1011CG_07;
R03_AJ1011FC_07 | 7 | Some other flavor |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R03_AJ1011TC: IF LOOP = BTRAD AND R03_INIT_BLUNT_BTRAD_ADULT = 1 AND R03_AJ1008TC = 1.

FOR R03_AJ1011CG: IF LOOP = BRILLO AND R03_INIT_BLUNT_BRILLO_ADULT = 1 AND R03_AJ1008CG = 1.

FOR R03_AJ1011FC: IF LOOP = BFILTR AND R03_INIT_BLUNT_BFILTR_ADULT = 1 AND R03_AJ1008FC = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AJ9030TC; R03_AJ9030CG; R03_AJ9030FC**

In the past 30 days, have you smoked a [CIGARFILL] as a blunt, even one or two puffs?

- | | | |
|----|------------|----------------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AJ9029[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R03_AJ9029[TC/CG/FC] |
| -7 | REFUSED | GO TO R03_AJ9029[TC/CG/FC] |

ASK: Adult respondents who are past 12 month blunt-only traditional cigars/cigarillos/filtered cigar smokers.

ASK Specification: FOR R03_AJ9030TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1.

FOR R03_AJ9030CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1.

FOR R03_AJ9030FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1.

Variable(s): **R03_AJ1022TC; R03_AJ1022CG; R03_AJ1022FC**

On how many of the past 30 days did you smoke [CIGARFILL]s as blunts?

I ___ I ___ DAYS

- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days.

ASK Specification: FOR R03_AJ1022TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ9030TC = 1.

FOR R03_AJ1022CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ9030CG = 1.

FOR R03_AJ1022FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ9030FC = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID:	R03_AJR11
Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days, go to R03_AJ9029[TC/CG/FC]. Else, adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R03_AJ1023[TC/CG/FC].	
IF LOOP = BTRAD THEN: IF R03_AJ1022TC = 0, GO TO R03_AJ9029TC. ELSE, GO TO R03_AJ1023TC.	
IF LOOP = BRILLO THEN: IF R03_AJ1022CG = 0, GO TO R03_AJ9029CG. ELSE, GO TO R03_AJ1023CG.	
IF LOOP = BFILTR THEN: IF R03_AJ1022FC = 0, GO TO R03_AJ9029FC. ELSE, GO TO R03_AJ1023FC.	

PATH – Wave 3 Adult
Public Use File Annotated Instrument

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AJR91
Go to R03_AJ9029[TC/CG/FC] logic checks.	
IF LOOP = BTRAD, GO TO R03_AJ9029TC_LC1.	
IF LOOP = BRILLO, GO TO R03_AJ9029CG_LC1.	
IF LOOP = BFILTR, GO TO R03_AJ9029FC_LC1.	

CHECK ID:	R03_AJ9029TC_LC1
The computer recorded that you last smoked traditional cigars as blunts [R03_AJ9029TC] [days/months/years] ago.	
If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AJ9029TC
2 NEXT	GO TO R03_AJ1030TC
ASK: IF (LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND (R03_AJ9030TC = 2, -8, -7 OR R03_AJ1022TC = 0) AND R03_AJ9029TC_NN != -8, -7) AND ((R03_AJ9029TC_NN < 30 AND R03_AJ9029TC_UN = 1) OR (R03_AJ9029TC_NN < 1 AND R03_AJ9029TC_UN = 2) OR (R03_AJ9029TC_NN > 18 AND R03_AJ9029TC_UN = 2) OR (R03_AJ9029TC_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AJ9029_UN = 3))).	
DISPLAY: IF R03_AJ9029TC_UN = 1, DISPLAY "days".	
ELSE, IF R03_AJ9029TC_UN = 2, DISPLAY "months".	
ELSE, IF R03_AJ9029TC_UN = 3, DISPLAY "years".	
PROGRAM: TRIGGER CHECK IF (R03_AJ9029TC_NN < 30 AND R03_AJ9029TC_UN = 1) OR (R03_AJ9029TC_NN < 1 AND R03_AJ9029TC_UN = 2) OR (R03_AJ9029TC_NN > 18 AND R03_AJ9029TC_UN = 2) OR (R03_AJ9029TC_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AJ9029_UN = 3)).	
ELSE, GO TO R03_AJ1030TC AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID: R03_AJ9029CG_LC1

The computer recorded that you last smoked cigarillos as blunts [R03_AJ9029CG] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AJ9029CG |
| 2 | NEXT | GO TO R03_AJ1030CG |

ASK: IF (LOOP = BTRAD AND R03_12MBLUNT_ONLY_BRILLO = 1 AND (R03_AJ9030CG = 2, -8, -7 OR R03_AJ1022CG = 0) AND R03_AJ9029CG_NN != -8, -7) AND ((R03_AJ9029CG_NN < 30 AND R03_AJ9029CG_UN = 1) OR (R03_AJ9029CG_NN < 1 AND R03_AJ9029CG_UN = 2) OR (R03_AJ9029CG_NN > 18 AND R03_AJ9029CG_UN = 2) OR (R03_AJ9029CG_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AJ9029CG_UN = 3))).

DISPLAY: IF R03_AJ9029CG_UN = 1, DISPLAY "days".

ELSE, IF R03_AJ9029CG_UN = 2, DISPLAY "months".

ELSE, IF R03_AJ9029CG_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AJ9029CG_NN < 30 AND R03_AJ9029CG_UN = 1) OR (R03_AJ9029CG_NN < 1 AND R03_AJ9029CG_UN = 2) OR (R03_AJ9029CG_NN > 18 AND R03_AJ9029CG_UN = 2) OR (R03_AJ9029CG_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AJ9029CG_UN = 3))).

ELSE, GO TO R03_AJ1030CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AJ9029FC_LC1

The computer recorded that you last smoked filtered cigars [R03_AJ9029FC] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AJ9029FC |
| 2 | NEXT | GO TO R03_AJ1030FC |

ASK: IF (LOOP = BTRAD AND R03_12MBLUNT_ONLY_BFILTR = 1 AND (R03_AJ9030FC = 2, -8, -7 OR R03_AJ1022FC = 0) AND R03_AJ9029FC_NN != -8, -7) AND ((R03_AJ9029FC_NN < 30 AND R03_AJ9029FC_UN = 1) OR (R03_AJ9029FC_NN < 1 AND R03_AJ9029FC_UN = 2) OR (R03_AJ9029FC_NN > 18 AND R03_AJ9029FC_UN = 2) OR (R03_AJ9029FC_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AJ9029FC_UN = 3))).

DISPLAY: IF R03_AJ9029FC_UN = 1, DISPLAY "days".

ELSE, IF R03_AJ9029FC_UN = 2, DISPLAY "months".

ELSE, IF R03_AJ9029FC_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AJ9029FC_NN < 30 AND R03_AJ9029FC_UN = 1) OR (R03_AJ9029FC_NN < 1 AND R03_AJ9029FC_UN = 2) OR (R03_AJ9029FC_NN > 18 AND R03_AJ9029FC_UN = 2) OR (R03_AJ9029FC_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AJ9029FC_UN = 3))).

ELSE, GO TO R03_AJ1030FC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AJ1023TC; R03_AJ1023CG; R03_AJ1023FC	
On average, on those [FILL NUMBER OF DAYS FROM R03_AJ1022[TC/CG/FC] days/days you smoked], how many [CIGARFILL]s did you usually smoke as a blunt each day?	
-2 Less than 1 each day	
_ _ _	
-8 DON'T KNOW	GO TO R03_AJ9012[TC/CG/FC]
-7 REFUSED	GO TO R03_AJ9012[TC/CG/FC]
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.	
ASK Specification: FOR R03_AJ1023TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ9030TC = 1 AND R03_AJ1022TC != 0.	
FOR R03_AJ1023CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ9030CG = 1 AND R03_AJ1022CG != 0.	
FOR R03_AJ1023FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ9030FC = 1 AND R03_AJ1022FC != 0.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.	
IF R03_AJ1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "days you smoked".	
ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R03_AJ1022[TC/CG/FC].	

BOX ID: R03_AJR92
Go to R03_AJ1023[TC/CG/FC] logic checks.
IF LOOP = BTRAD, GO TO R03_AJ1023TC_LC1.
IF LOOP = BRILLO, GO TO R03_AJ1023CG_LC1.
IF LOOP = BFILTR, GO TO R03_AJ1023FC_LC1.

CHECK ID: R03_AJ1023TC_LC1	
The computer recorded that on the days you smoked traditional cigars as blunts in the past 30 days, you smoked [R03_AJ1023TC] cigars as blunts a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AJ1023TC
2 NEXT	GO TO R03_AJ9012TC
ASK: IF (LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ9030TC = 1 AND R03_AJ1022TC != 0 AND R03_AJ1023TC != -8, -7) AND R03_AJ1023TC > 20.	
PROGRAM: TRIGGER CHECK IF R03_AJ1023TC > 20. ELSE, GO TO R03_AJ9012TC AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AJ1023CG_LC1

The computer recorded that on the days you smoked cigarillos as blunts in the past 30 days, you smoked [R03_AJ1023CG] cigarillos as blunts a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AJ1023CG |
| 2 | NEXT | GO TO R03_AJ9012CG |

ASK: IF (LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ9030CG = 1 AND R03_AJ1022CG != 0 AND R03_AJ1023CG != -8, -7) AND R03_AJ1023CG > 20.

PROGRAM: TRIGGER CHECK IF R03_AJ1023CG > 20. ELSE, GO TO R03_AJ9012CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AJ1023FC_LC1

The computer recorded that on the days you smoked filtered cigars as blunts in the past 30 days, you smoked [R03_AJ1023FC] filtered cigars as blunts a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AJ1023FC |
| 2 | NEXT | GO TO R03_AJ9012FC |

ASK: IF (LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ9030FC = 1 AND R03_AJ1022FC != 0 AND R03_AJ1023FC != -8, -7) AND R03_AJ1023FC > 20.

PROGRAM: TRIGGER CHECK IF R03_AJ1023FC > 20. ELSE, GO TO R03_AJ9012FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AJ9012TC; R03_AJ9012CG; R03_AJ9012FC

Do you usually share blunts with others when you smoke them?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R03_AJ9012TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ9030TC = 1 AND R03_AJ1022TC != 0.

FOR R03_AJ9012CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ9030CG = 1 AND R03_AJ1022CG != 0.

FOR R03_AJ9012FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ9030FC = 1 AND R03_AJ1022FC != 0.

Variable(s): R03_AJ0100TC; R03_AJ0100CG; R03_AJ0100FC

When did you last smoke a [CIGARFILL] as a blunt?

- | | |
|--------------------------|----------------------------|
| 1 In the past hour | GO TO R03_AJ0103[TC/CG/FC] |
| 2 Sometime today | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R03_AJ1130[TC/CG/FC] |
| -8 DON'T KNOW | GO TO R03_AJ1130[TC/CG/FC] |
| -7 REFUSED | GO TO R03_AJ1130[TC/CG/FC] |

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R03_AJ0100TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ9030TC = 1 AND R03_AJ1022TC != 0.

FOR R03_AJ0100CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ9030CG = 1 AND R03_AJ1022CG != 0.

FOR R03_AJ0100FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ9030FC = 1 AND R03_AJ1022FC != 0.

Variable(s): R03_AJ0102TC; R03_AJ0102CG; R03_AJ0102FC

When you last smoked a [CIGARFILL] as a blunt [FILL BASED ON R03_AJ0100[TC/CG/FC]], was it...

- | |
|---------------------------------|
| 1 Between midnight and 6AM |
| 2 After 6AM but before noon |
| 3 Between noon and 6PM |
| 4 After 6PM but before midnight |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R03_AJ0102TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ9030TC = 1 AND R03_AJ1022TC != 0 AND R03_AJ0100TC = 2, 3, 4.

FOR R03_AJ0102CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ9030CG = 1 AND R03_AJ1022CG != 0 AND R03_AJ0100CG = 2, 3, 4.

FOR R03_AJ0102FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ9030FC = 1 AND R03_AJ1022FC != 0 AND R03_AJ0100FC = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R03_AJ0100[TC/CG/FC]]:

IF R03_AJ0100[TC/CG/FC] = 2, DISPLAY "today".

ELSE, IF R03_AJ0100[TC/CG/FC] = 3, DISPLAY "yesterday".

ELSE, IF R03_AJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AJ0103TC; R03_AJ0103CG; R03_AJ0103FC
How many [CIGARFILL]s [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R03_AJ0100[TC/CG/FC]]? (If less than 1, enter 1.) _ _ _ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday. ASK Specification: FOR R03_AJ0103TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ9030TC = 1 AND R03_AJ1022TC != 0 AND R03_AJ0100TC = 1, 2, 3, 4. FOR R03_AJ0103CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ9030CG = 1 AND R03_AJ1022CG != 0 AND R03_AJ0100CG = 1, 2, 3, 4. FOR R03_AJ0103FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ9030FC = 1 AND R03_AJ1022FC != 0 AND R03_AJ0100FC = 1, 2, 3, 4. DISPLAY: IF R03_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "have" AND "smoked". ELSE, IF R03_AJ0100[TC/CG/FC] = 3, 4, DISPLAY "did" AND "smoke". FOR [FILL BASED ON R03_AJ0100[TC/CG/FC]]: IF R03_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "today". ELSE, IF R03_AJ0100[TC/CG/FC] = 3, DISPLAY "yesterday". ELSE, IF R03_AJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday". PROGRAM: Allow only 3 digits.

BOX ID: R03_AJR95
Go to R03_AJ0103[TC/CG/FC] logic checks.
IF LOOP = BTRAD, GO TO R03_AJ0103TC_LC1. IF LOOP = BRILLO, GO TO R03_AJ0103CG_LC1. IF LOOP = BFILTR, GO TO R03_AJ0103FC_LC1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AJ0103TC_LC1

The computer recorded that you smoked [R03_AJ0103TC] traditional cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AJ0103TC |
| 2 | NEXT | GO TO R03_AJ1130TC |

ASK: IF (LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ9030TC = 1 AND R03_AJ1022TC != 0 AND R03_AJ0100TC = 1, 2, 3, 4) AND (R03_AJ0103TC > 15 OR R03_AJ0103TC = 11).

DISPLAY: IF R03_AJ0100TC = 1, 2, DISPLAY "today".

ELSE, IF R03_AJ0100TC = 3, DISPLAY "yesterday".

ELSE, IF R03_AJ0100TC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AJ0103TC > 15 OR R03_AJ0103TC = 11. ELSE, GO TO R03_AJ1130TC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AJ0103CG_LC1

The computer recorded that you smoked [R03_AJ0103CG] cigarillos as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AJ0103CG |
| 2 | NEXT | GO TO R03_AJ1130CG |

ASK: IF (LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ9030CG = 1 AND R03_AJ1022CG != 0 AND R03_AJ0100CG = 1, 2, 3, 4) AND (R03_AJ0103CG > 15 OR R03_AJ0103CG = 11).

DISPLAY: IF R03_AJ0100CG = 1, 2, DISPLAY "today".

ELSE, IF R03_AJ0100CG = 3, DISPLAY "yesterday".

ELSE, IF R03_AJ0100CG = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AJ0103CG > 15 OR R03_AJ0103CG = 11. ELSE, GO TO R03_AJ1130CG AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AJ0103FC_LC1

The computer recorded that you smoked [R03_AJ0103FC] filtered cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|--------------------|
| 1 BACK | GO TO R03_AJ0103FC |
| 2 NEXT | GO TO R03_AJ1130FC |

ASK: IF (LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ9030FC = 1 AND R03_AJ1022FC != 0 AND R03_AJ0100FC = 1, 2, 3, 4) AND (R03_AJ0103FC > 15 OR R03_AJ0103FC = 11).

DISPLAY: IF R03_AJ0100FC = 1, 2, DISPLAY "today".

ELSE, IF R03_AJ0100FC = 3, DISPLAY "yesterday".

ELSE, IF R03_AJ0100FC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AJ0103FC > 15 OR R03_AJ0103FC = 11. ELSE, GO TO R03_AJ1130FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AJ1130TC; R03_AJ1130CG; R03_AJ1130FC

In the past 30 days, were any of the [CIGARFILL]s that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | |
|----------------|----------------------------|
| 1 Yes | |
| 2 No | GO TO R03_AJ1030[TC/CG/FC] |
| 3 I don't know | GO TO R03_AJ1030[TC/CG/FC] |
| -8 DON'T KNOW | GO TO R03_AJ1030[TC/CG/FC] |
| -7 REFUSED | GO TO R03_AJ1030[TC/CG/FC] |

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R03_AJ1130TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ9030TC = 1 AND R03_AJ1022TC != 0.

FOR R03_AJ1130CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ9030CG = 1 AND R03_AJ1022CG != 0.

FOR R03_AJ1130FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ9030FC = 1 AND R03_AJ1022FC != 0.

Variable(s): **SEE BELOW:**

Which flavors have you smoked in the past 30 days? Choose all that apply.

- | | | |
|---|----|---|
| R03_AJ1131TC_01;
R03_AJ1131CG_01;
R03_AJ1131FC_01 | 1 | Menthol or mint |
| R03_AJ1131TC_02;
R03_AJ1131CG_02;
R03_AJ1131FC_02 | 2 | Clove or spice |
| R03_AJ1131TC_03;
R03_AJ1131CG_03;
R03_AJ1131FC_03 | 3 | Fruit |
| R03_AJ1131TC_04;
R03_AJ1131CG_04;
R03_AJ1131FC_04 | 4 | Chocolate |
| R03_AJ1131TC_05;
R03_AJ1131CG_05;
R03_AJ1131FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R03_AJ1131TC_06;
R03_AJ1131CG_06;
R03_AJ1131FC_06 | 6 | Candy or other sweets |
| R03_AJ1131TC_07;
R03_AJ1131CG_07;
R03_AJ1131FC_07 | 7 | Some other flavor |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R03_AJ1131TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ9030TC = 1 AND R03_AJ1022TC != 0 AND R03_AJ1130TC = 1.

FOR R03_AJ1131CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ9030CG = 1 AND R03_AJ1022CG != 0 AND R03_AJ1130CG = 1.

FOR R03_AJ1131FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ9030FC = 1 AND R03_AJ1022FC != 0 AND R03_AJ1130FC = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AJ1030TC; R03_AJ1030CG; R03_AJ1030FC		
How do you usually buy [CIGARFILL]s for yourself when you smoke blunts?		
1	In person (such as at a store or cigar bar)	
2	From the internet	GO TO R03_AJ1039[TC/CG/FC]
3	By telephone	GO TO R03_AJ1039[TC/CG/FC]
4	I do not buy my own [CIGARFILL]s for blunts	GO TO R03_AJ1047[TC/CG/FC]
-8	DON'T KNOW	GO TO R03_AJ1047[TC/CG/FC]
-7	REFUSED	GO TO R03_AJ1047[TC/CG/FC]
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.		
ASK Specification: FOR R03_AJ1030TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1.		
FOR R03_AJ1030CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1.		
FOR R03_AJ1030FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1.		

Variable(s): R03_AJ1032TC; R03_AJ1032CG; R03_AJ1032FC		
Do you usually buy [CIGARFILL]s for blunts...?		
1	In your own state	
2	In another state	
3	Outside the US	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person.		
ASK Specification: FOR R03_AJ1032TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1030TC = 1.		
FOR R03_AJ1032CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1030CG = 1.		
FOR R03_AJ1032FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1030FC = 1.		

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AJ1033TC; R03_AJ1033TC_OS; R03_AJ1033CG; R03_AJ1033CG_OS; R03_AJ1033FC; R03_AJ1033FC_OS
Where do you buy your [CIGARFILL]s for blunts most of the time? 1 A cigar bar 2 A convenience store or gas station 3 A supermarket, grocery store, or drug store 4 A warehouse club, such as Sam's or Costco 5 A smoke shop, tobacco specialty store or tobacco outlet store 6 A duty free shop or military commissary 7 A bar, pub, restaurant or casino 8 A friend or relative 9 A swap meet or flea market 10 A liquor store 11 Or from somewhere else (SPECIFY) -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person. ASK Specification: FOR R03_AJ1033TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1030TC = 1. FOR R03_AJ1033CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1030CG = 1. FOR R03_AJ1033FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1030FC = 1. DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AJ1039TC; R03_AJ1039CG; R03_AJ1039FC	
Do you usually buy [CIGARFILL]s for blunts by the box or pack, or as single [CIGARFILL]s?	
1 Box or pack	
2 Single [CIGARFILL]s	GO TO R03_AJ1043[TC/CG/FC]
-8 DON'T KNOW	GO TO R03_AJ1047[TC/CG/FC]
-7 REFUSED	GO TO R03_AJ1047[TC/CG/FC]
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone.	
ASK Specification: FOR R03_AJ1039TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1030TC = 1, 2, 3.	
FOR R03_AJ1039CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1030CG = 1, 2, 3.	
FOR R03_AJ1039FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1030FC = 1, 2, 3.	

Variable(s): R03_AJ1040TC; R03_AJ1040CG; R03_AJ1040FC	
How many [CIGARFILL]s come in the box or pack that you usually buy for blunts?	
_ _ _ _	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.	
ASK Specification: FOR R03_AJ1040TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1030TC = 1, 2, 3 AND R03_AJ1039TC = 1.	
FOR R03_AJ1040CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1030CG = 1, 2, 3 AND R03_AJ1039CG = 1.	
FOR R03_AJ1040FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1030FC = 1, 2, 3 AND R03_AJ1039FC = 1.	
PROGRAM: Allow 3 digits.	

BOX ID: R03_AJR96
Go to R03_AJ1040[TC/CG/FC] logic checks.
IF LOOP = BTRAD, GO TO R03_AJ1040TC_LC1.
IF LOOP = BRILLO, GO TO R03_AJ1040CG_LC1.
IF LOOP = BFILTR, GO TO R03_AJ1040FC_LC1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AJ1040TC_LC1

The computer recorded that [R03_AJ1040TC] traditional cigars come in the box or pack you usually buy for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AJ1040TC |
| 2 | NEXT | GO TO R03_AJ1042TC |

ASK: IF (LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1030TC = 1, 2, 3 AND R03_AJ1039TC = 1) AND R03_AJ1040TC > 50.

PROGRAM: TRIGGER CHECK IF R03_AJ1040TC > 50. ELSE, GO TO R03_AJ1042TC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AJ1040CG_LC1

The computer recorded that [R03_AJ1040CG] cigarillos come in the box or pack you usually buy for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AJ1040CG |
| 2 | NEXT | GO TO R03_AJ1042CG |

ASK: IF (LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1030CG = 1, 2, 3 AND R03_AJ1039CG = 1) AND R03_AJ1040CG > 20.

PROGRAM: TRIGGER CHECK IF R03_AJ1040CG > 20. ELSE, GO TO R03_AJ1042CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AJ1040FC_LC1

The computer recorded that [R03_AJ1040FC] filtered cigars come in the box or pack you usually buy for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AJ1040FC |
| 2 | NEXT | GO TO R03_AJ1042FC |

ASK: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1030FC = 1, 2, 3 AND R03_AJ1039FC = 1 AND R03_AJ1040FC > 100.

PROGRAM: TRIGGER CHECK IF R03_AJ1040FC > 100. ELSE, GO TO R03_AJ1042FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R03_AJ1042TC_D; R03_AJ1042TC_C; R03_AJ1042CG_D; R03_AJ1042CG_C; R03_AJ1042FC_D; R03_AJ1042FC_C
How much do you usually pay for a box or pack of [CIGARFILL]s for blunts?	
	\$ __ __ __ Dollars . __ __ Cents
-8 DON'T KNOW	GO TO R03_AJ1047[TC/CG/FC]
-7 REFUSED	GO TO R03_AJ1047[TC/CG/FC]
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.	
ASK Specification: FOR R03_AJ1042TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1030TC = 1, 2, 3 AND R03_AJ1039TC = 1.	
FOR R03_AJ1042CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1030CG = 1, 2, 3 AND R03_AJ1039CG = 1.	
FOR R03_AJ1042FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1030FC = 1, 2, 3 AND R03_AJ1039FC = 1.	
DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.	
PROGRAM: Display as Quantity/Quantity.	

BOX ID:	R03_AJR97
Go to R03_AJ1042[TC/CG/FC] logic checks.	
IF LOOP = BTRAD, GO TO R03_AJ1042TC_LC1.	
IF LOOP = BRILLO, GO TO R03_AJ1042CG_LC1.	
IF LOOP = BFILTR, GO TO R03_AJ1042FC_LC1.	

CHECK ID: R03_AJ1042TC_LC1

The computer recorded that you usually pay \$[R03_AJ1042TC[_D/_C]] for a box of traditional cigars for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R03_AJ1042TC
2	NEXT	GO TO R03_AJ1047TC

ASK: IF (LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1030TC = 1, 2, 3 AND R03_AJ1039TC = 1) AND (R03_AJ1042TC_D > 300 OR R03_AJ1042TC_D < 10).

PROGRAM: TRIGGER CHECK IF R03_AJ1042TC_D > 300 OR R03_AJ1042TC_D < 10. ELSE, GO TO R03_AJ1047TC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AJ1042CG_LC1

The computer recorded that you usually pay \$[R03_AJ1042CG[_D/_C]] for a box of cigarillos for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AJ1042CG |
| 2 | NEXT | GO TO R03_AJ1047CG |

ASK: IF (LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1030CG = 1, 2, 3 AND R03_AJ1039CG = 1) AND (R03_AJ1042CG_D > 11 OR R03_AJ1042CG_D < 1).

PROGRAM: TRIGGER CHECK IF R03_AJ1042CG_D > 11 OR R03_AJ1042CG_D < 1. ELSE, GO TO R03_AJ1047CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AJ1042FC_LC1

The computer recorded that you usually pay \$[R03_AJ1042FC[_D/_C]] for a box of filtered cigars for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AJ1042FC |
| 2 | NEXT | GO TO R03_AJ1047FC |

ASK: IF (LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1030FC = 1, 2, 3 AND R03_AJ1039FC = 1) AND (R03_AJ1042FC_D > 100 OR R03_AJ1042FC_D < 1).

PROGRAM: TRIGGER CHECK IF R03_AJ1042FC_D > 100 OR R03_AJ1042FC_D < 1. ELSE, GO TO R03_AJ1047FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AJ1043TC_D; R03_AJ1043TC_C; R03_AJ1043CG_D; R03_AJ1043CG_C; R03_AJ1043FC_D; R03_AJ1043FC_C

How much do you usually pay for a single [CIGARFILL] for a blunt?

\$ |__| |__| |__| Dollars . |__| |__| Cents

- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R03_AJ1043TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1030TC = 1, 2, 3 AND R03_AJ1039TC = 2.

FOR R03_AJ1043CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1030CG = 1, 2, 3 AND R03_AJ1039CG = 2.

FOR R03_AJ1043FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1030FC = 1, 2, 3 AND R03_AJ1039FC = 2.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AJR98
Go to R03_AJ1043[TC/CG/FC] logic checks.	
IF LOOP = BTRAD, GO TO R03_AJ1043TC_LC1. IF LOOP = BRILLO, GO TO R03_AJ1043CG_LC1. IF LOOP = BFILTR, GO TO R03_AJ1043FC_LC1.	

CHECK ID:	R03_AJ1043TC_LC1
The computer recorded that you usually pay \$[R03_AJ1043TC[_D/_C]] for a single traditional cigar for a blunt. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AJ1043TC
2 NEXT	GO TO R03_AJ1047TC
ASK: IF (LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1030TC = 1, 2, 3 AND R03_AJ1039 = 2) AND (R03_AJ1043TC_D > 15 OR R03_AJ1043TC_D < 1).	
PROGRAM: TRIGGER CHECK IF R03_AJ1043TC_D > 15 OR R03_AJ1043TC_D < 1. ELSE, GO TO R03_AJ1047TC AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID:	R03_AJ1043CG_LC1
The computer recorded that you usually pay \$[R03_AJ1043CG[_D/_C]] for a single cigarillo for a blunt. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AJ1043CG
2 NEXT	GO TO R03_AJ1047TC
ASK: IF (LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1030CG = 1, 2, 3 AND R03_AJ1039 = 2) AND (R03_AJ1043CG_D > 3 OR (R03_AJ1043CG_C < 50 AND R03_AJ1043CG_D = 0)).	
PROGRAM: TRIGGER CHECK IF R03_AJ1043CG_D > 3 OR (R03_AJ1043CG_C < 50 AND R03_AJ1043CG_D = 0). ELSE, GO TO R03_AJ1047CG AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AJ1043FC_LC1

The computer recorded that you usually pay \$[R03_AJ1043FC[_D/_C]] for a single filtered cigar for a blunt. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|--------------------|
| 1 BACK | GO TO R03_AJ1043FC |
| 2 NEXT | GO TO R03_AJ1047FC |

ASK: IF (LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1030FC = 1, 2, 3 AND R03_AJ1039FC = 2) AND (R03_AJ1043FC_D > 3 OR (R03_AJ1043FC_C < 50 AND R03_AJ1043FC_D = 0)).

PROGRAM: TRIGGER CHECK IF R03_AJ1043FC_D > 3 OR (R03_AJ1043FC_C < 50 AND R03_AJ1043FC_D = 0). ELSE, GO TO R03_AJ1047FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AJ1047TC; R03_AJ1047CG; R03_AJ1047FC

Do you have a regular brand of [CIGARFILL]s that you usually use for blunts?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R03_AJ1047TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1.

FOR R03_AJ1047CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1.

FOR R03_AJ1047FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AJ1050TC; R03_AJ1050CG; R03_AJ1050FC	
[Is/Was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1 Yes	
2 No	GO TO R03_AJ1945[TC/CG/FC]
3 I don't know	GO TO R03_AJ1945[TC/CG/FC]
-8 DON'T KNOW	GO TO R03_AJ1945[TC/CG/FC]
-7 REFUSED	GO TO R03_AJ1945[TC/CG/FC]
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R03_AJ1050TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1.	
FOR R03_AJ1050CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1.	
FOR R03_AJ1050FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1.	
DISPLAY: IF R03_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".	
ELSE, IF R03_AJ1047[TC/CG/FC] = 1, DISPLAY "Is", "your regular brand" AND "smoke".	

Variable(s): SEE BELOW:	
Which flavor [is/was] it? Choose all that apply.	
R03_AJ1012TC_01; R03_AJ1012CG_01; R03_AJ1012FC_01	1 Menthol or mint
R03_AJ1012TC_02; R03_AJ1012CG_02; R03_AJ1012FC_02	2 Clove or spice
R03_AJ1012TC_03; R03_AJ1012CG_03; R03_AJ1012FC_03	3 Fruit
R03_AJ1012TC_04; R03_AJ1012CG_04; R03_AJ1012FC_04	4 Chocolate
R03_AJ1012TC_05; R03_AJ1012CG_05; R03_AJ1012FC_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R03_AJ1012TC_06; R03_AJ1012CG_06; R03_AJ1012FC_06	6 Candy or other sweets
R03_AJ1012TC_07; R03_AJ1012CG_07; R03_AJ1012FC_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.	
ASK Specification: FOR R03_AJ1012TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1050TC = 1.	
FOR R03_AJ1012CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1050CG = 1.	
FOR R03_AJ1012FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1050FC = 1.	
DISPLAY: IF R03_AJ1047[TC/CG/FC] = 1 DISPLAY "is".	
ELSE, DISPLAY "was".	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AJ1945TC; R03_AJ1945CG; R03_AJ1945FC
Do you know the <u>name of the brand</u> of [CIGARFILL]s that you [usually use/last used] for blunts? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AJ1945TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1. FOR R03_AJ1945CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1. FOR R03_AJ1945FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1. DISPLAY: IF R03_AJ1047[TC/CG/FC] = 1, DISPLAY "usually use". ELSE, IF R03_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "last used". UNDERLINE "name of the brand".	

BOX ID:	R03_AJR33
Adult respondents who are past 12-month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts, go to R03_AJ1048[TC/CG/FC]. Else, go to Box R03_AJR04.	
IF LOOP = BTRAD THEN: IF R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1945TC = 1, GO TO R03_AJ1048TC. ELSE, GO TO BOX R03_AJR04. IF LOOP = BRILLO THEN: IF R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1945CG = 1, GO TO R03_AJ1048CG. ELSE, GO TO BOX R03_AJR04. IF LOOP = BFILTR THEN: IF R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1945FC = 1, GO TO R03_AJ1048FC. ELSE, GO TO BOX R03_AJR04.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AJ1048TC_BRAND; R03_AJ1048CG_BRAND; R03_AJ1048FC_BRAND
What brand of [CIGARFILL] for blunts [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts. ASK Specification: FOR R03_AJ1048TC_BRAND: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1945TC = 1. FOR R03_AJ1048CG_BRAND: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1945CG = 1. FOR R03_AJ1048FC_BRAND: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1945FC = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "SOMETHING ELSE". IF R03_AJ1047[TC/CG/FC] = 1, DISPLAY "do" AND "usually". ELSE, IF R03_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AJR01
Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R03_AJ1049[TC/CG/FC]. Else, adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R03_AJ1070[TC/CG/FC]_PRODUCT. Else, go to Box R03_AJR04.
IF LOOP = BTRAD THEN: IF R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1945TC = 1 AND R03_AJ1048TC_BRAND = 9995, GO TO R03_AJ1049TC. ELSE, IF R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1945TC = 1 AND R03_AJ1048TC_BRAND != 9995, -8, -7, GO TO R03_AJ1070TC_PRODUCT. ELSE, GO TO BOX R03_AJR04. IF LOOP = BRILLO THEN: IF R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1945CG = 1 AND R03_AJ1048CG_BRAND = 9995, GO TO R03_AJ1049CG. ELSE, IF R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1945CG = 1 AND R03_AJ1048CG_BRAND != 9995, -8, -7, GO TO R03_AJ1070CG_PRODUCT. ELSE, GO TO BOX R03_AJR04. IF LOOP = BFILTR THEN: IF R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1945FC = 1 AND R03_AJ1048FC_BRAND = 9995, GO TO R03_AJ1049FC. ELSE, IF R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1945FC = 1 AND R03_AJ1048FC_BRAND != 9995, -8, -7, GO TO R03_AJ1070FC_PRODUCT. ELSE, GO TO BOX R03_AJR04.

Variable(s): R03_AJ1049TC; R03_AJ1049CG; R03_AJ1049FC						
You said that your brand was not pictured. What is it? <table border="0"> <tr> <td style="text-align: center;">_____</td> <td style="text-align: right;">GO TO BOX R03_AJR04</td> </tr> <tr> <td style="text-align: center;">-8 DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R03_AJR04</td> </tr> <tr> <td style="text-align: center;">-7 REFUSED</td> <td style="text-align: right;">GO TO BOX R03_AJR04</td> </tr> </table> ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars for blunts. ASK Specification: FOR R03_AJ1049TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1945TC = 1 AND R03_AJ1048TC_BRAND = 9995. FOR R03_AJ1049CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1945CG = 1 AND R03_AJ1048CG_BRAND = 9995. FOR R03_AJ1049FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1945FC = 1 AND R03_AJ1048FC_BRAND = 9995.	_____	GO TO BOX R03_AJR04	-8 DON'T KNOW	GO TO BOX R03_AJR04	-7 REFUSED	GO TO BOX R03_AJR04
_____	GO TO BOX R03_AJR04					
-8 DON'T KNOW	GO TO BOX R03_AJR04					
-7 REFUSED	GO TO BOX R03_AJR04					

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AJ1070TC_PRODUCT; R03_AJ1070CG_PRODUCT; R03_AJ1070FC_PRODUCT
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts. ASK Specification: FOR R03_AJ1070TC_PRODUCT: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1945TC = 1 AND R03_AJ1048TC_BRAND != 9995, -8, -7. FOR R03_AJ1070CG_PRODUCT: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1945CG = 1 AND R03_AJ1048CG_BRAND != 9995, -8, -7. FOR R03_AJ1070FC_PRODUCT: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1945FC = 1 AND R03_AJ1048FC_BRAND != 9995, -8, -7. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "SOMETHING ELSE". FILL BRANDFILL WITH BRAND CHOSEN IN R03_AJ1048[TC/CG/FC]_BRAND. IF R03_AJ1047[TC/CG/FC] = 1, DISPLAY "do" AND "usually". ELSE, IF R03_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R03_AJ1048[TC/CG/FC]_BRAND.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AJR02
Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars for blunts, go to R03_AJ1071[TC/CG/FC]. Else, go to Box R03_AJR04.
IF LOOP = BTRAD THEN: IF R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1945TC = 1 AND R03_AJ1048TC_BRAND != 9995, -8, -7 AND R03_AJ1070TC_PRODUCT = 99995, GO TO R03_AJ1071TC. ELSE, GO TO BOX R03_AJR04.
IF LOOP = BRILLO THEN: IF R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1945CG = 1 AND R03_AJ1048CG_BRAND != 9995, -8, -7 AND R03_AJ1070CG_PRODUCT = 99995, GO TO R03_AJ1071CG. ELSE, GO TO BOX R03_AJR04.
IF LOOP = BFILTR THEN: IF R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1945FC = 1 AND R03_AJ1048FC_BRAND != 9995, -8, -7 AND R03_AJ1070FC_PRODUCT = 99995, GO TO R03_AJ1071FC. ELSE, GO TO BOX R03_AJR04.

Variable(s): R03_AJ1071TC; R03_AJ1071CG; R03_AJ1071FC
You said that the type of [BRANDFILL]s that you smoke as blunts is not pictured. What type is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars for blunts. ASK Specification: FOR R03_AJ1071TC: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_AJ1945TC = 1 AND R03_AJ1048TC_BRAND != 9995, -8, -7 AND R03_AJ1070TC_PRODUCT = 99995. FOR R03_AJ1071CG: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_AJ1945CG = 1 AND R03_AJ1048CG_BRAND != 9995, -8, -7 AND R03_AJ1070CG_PRODUCT = 99995. FOR R03_AJ1071FC: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_AJ1945FC = 1 AND R03_AJ1048FC_BRAND != 9995, -8, -7 AND R03_AJ1070FC_PRODUCT = 99995. DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R03_AJ1048[TC/CG/FC]_BRAND.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AJR04

END BLUNT LOOP:

Adult respondents who have remaining blunt-only traditional cigar/cigarillo/filtered cigar loops to complete, return to Box R03_AJT03 and complete remaining blunt-only traditional cigar/cigarillo/filtered cigar loops.

Else, adult respondents who have traditional cigar/cigarillo/filtered cigar loops to complete, go to Box R03_AGR10.

Else, adult respondents who have no more remaining blunt-only traditional cigar/cigarillo/filtered cigar loops to complete and have no traditional cigar/cigarillo/filtered cigar loops to complete, go to the next section.

IF THERE ARE REMAINING BLUNT-ONLY CIGAR LOOPS TO BE COMPLETED, GO BACK TO BOX R03_AJT03 AND LOOP THROUGH SUBSECTION FOR ANY BLUNT-ONLY CIGAR TYPES.

ELSE, IF THERE ARE NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO TO BOX R03_AGR10.

ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED FOR BLUNTS OR CIGARS, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

BOX ID: R03_AGR10

Adult respondents who were new former established or still former established traditional cigar/cigarillo/filtered cigar users and had smoked 100 or more traditional cigars/cigarillos/filtered cigars and had smoked traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, and have not smoked in the past 12 months or now smoke not at all, go to Box R03_AGV02.

Else, continue with Box R03_AGT03.

IF LOOP = GTRAD THEN:

IF R02_GTRAD_USER_STATUS = 4, 5 AND R02_NUMLIFE_GTRAD = 1 AND R02_REGUSE_GTRAD = 1 AND (R03_AG9003_12M = 2 OR R03_AG1003TC = 3), GO TO BOX R03_AGV02.

ELSE, GO TO BOX R03_AGT03.

IF LOOP = GRILLO THEN:

IF R02_GRILLO_USER_STATUS = 4, 5 AND R02_NUMLIFE_GRILLO = 1 AND R02_REGUSE_GRILLO = 1 AND (((R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1 AND R03_AG9049_01 != 1 AND R03_AG9049_03 != 1) OR R03_AG1003CG = 3) OR (R03_AG9051 = 2 AND R03_AG9053 = 2)), GO TO BOX R03_AGV02.

ELSE, GO TO BOX R03_AGT03.

IF LOOP = GFILTR THEN:

IF R02_GFILTR_USER_STATUS = 4, 5 AND R02_NUMLIFE_GFILTR = 1 AND R02_REGUSE_GFILTR = 1 AND (((R03_AG9009_12M_02 != 1 AND R03_AG9049_02 != 1) OR R03_AG1003FC = 3) OR R03_AG9052 = 2), GO TO BOX R03_AGV02.

ELSE, GO TO BOX R03_AGT03.

BOX ID: R03_AGT03

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP = GTRAD (Traditional Cigars):

"The next questions are about traditional cigars.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf.

As you answer these questions, please think only about your use of traditional cigars like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars."

[SHOW GENERIC IMAGE FOR TRADITIONAL CIGAR]

IF LOOP = GRILLO (Cigarillos):

"The next questions are about cigarillos.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips.

As you answer these questions, please think only about your use of cigarillos like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars."

[SHOW GENERIC IMAGE FOR CIGARILLO].

IF LOOP = GFILTR (Filtered Cigars):

"The next questions are about filtered cigars.

Filtered cigars are usually brown and have a filter like a cigarette. As you answer these questions, please think only about your use of filtered cigars like those shown below."

[SHOW GENERIC IMAGE FOR FILTERED CIGAR].

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AGR01

Adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R03_AG1005[TC/CG/FC].

Else, adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, go to R03_AG1100[TC/CG/FC].

Else, go to Box R03_AGR12.

IF LOOP = GTRAD THEN:

IF R03_EVER_NEVER_GTRAD = 1 AND R02_NUMLIFE_GTRAD != 1, GO TO R03_AG1005TC.

ELSE, IF R03_EVER_NEVER_GTRAD = 1 AND R02_REGUSE_GTRAD != 1, GO TO R03_AG1100TC.

ELSE, GO TO BOX R03_AGR12.

IF LOOP = GRILLO THEN:

IF R03_EVER_NEVER_GRILLO = 1 AND R02_NUMLIFE_GRILLO != 1, GO TO R03_AG1005CG.

ELSE, IF R03_EVER_NEVER_GRILLO = 1 AND R02_REGUSE_GRILLO != 1, GO TO R03_AG1100CG.

ELSE, GO TO BOX R03_AGR12.

IF LOOP = GFILTR THEN:

IF R03_EVER_NEVER_GFILTR = 1 AND R02_NUMLIFE_GFILTR != 1, GO TO R03_AG1005FC.

ELSE, IF R03_EVER_NEVER_GFILTR = 1 AND R02_REGUSE_GFILTR != 1, GO TO R03_AG1100FC.

ELSE, GO TO BOX R03_AGR12.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1005TC; R03_AG1005CG; R03_AG1005FC***
How many [CIGARFILL]s have you smoked in your entire life? 1 1 or more puffs but never a whole one 2 1 to 10 3 11 to 20 4 21 to 50 5 51 to 99 6 100 or more -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview. ASK Specification: FOR R03_AG1005TC: IF LOOP = GTRAD AND R03_EVER_NEVER_GTRAD = 1 AND R02_NUMLIFE_GTRAD != 1. FOR R03_AG1005CG: IF LOOP = GRILLO AND R03_EVER_NEVER_GRILLO = 1 AND R02_NUMLIFE_GRILLO != 1. FOR R03_AG1005FC: IF LOOP = GFILTR AND R03_EVER_NEVER_GFILTR = 1 AND R02_NUMLIFE_GFILTR != 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R03_AGR26
Adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, go to R03_AG1100[TC/CG/FC]. Else, go to Box R03_AGR12. IF LOOP = GTRAD THEN: IF R03_EVER_NEVER_GTRAD = 1 AND R02_REGUSE_GTRAD != 1, GO TO R03_AG1100TC. ELSE, GO TO BOX R03_AGR12. IF LOOP = GRILLO THEN: IF R03_EVER_NEVER_GRILLO = 1 AND R02_REGUSE_GRILLO != 1, GO TO R03_AG1100CG. ELSE, GO TO BOX R03_AGR12. IF LOOP = GFILTR THEN: IF R03_EVER_NEVER_GFILTR = 1 AND R02_REGUSE_GFILTR != 1, GO TO R03_AG1100FC. ELSE, GO TO BOX R03_AGR12.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1100TC; R03_AG1100CG; R03_AG1100FC***
Have you ever smoked [CIGARFILL]s fairly regularly? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview. ASK Specification: FOR R03_AG1100TC: IF LOOP = GTRAD AND R03_EVER_NEVER_GTRAD = 1 AND R02_REGUSE_GTRAD != 1. FOR R03_AG1100CG: IF LOOP = GRILLO AND R03_EVER_NEVER_GRILLO = 1 AND R02_REGUSE_GRILLO != 1. FOR R03_AG1100FC: IF LOOP = GFILTR AND R03_EVER_NEVER_GFILTR = 1 AND R02_REGUSE_GFILTR != 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AGR12
New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and have ever traditional cigars/cigarillos/filtered cigars fairly regularly, go to R03_AG1007[TC/CG/FC]_NB. Else, go to Box R03_AGV02.	
IF LOOP = GTRAD THEN: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GTRAD = 1 AND R02_REGUSE_GTRAD != 1 AND R03_AG1100TC = 1, GO TO R03_AG1007TC_NB. ELSE, GO TO BOX R03_AGV02. IF LOOP = GRILLO THEN: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GRILLO = 1 AND R02_REGUSE_GRILLO != 1 AND R03_AG1100CG = 1, GO TO R03_AG1007CG_NB. ELSE, GO TO BOX R03_AGV02. IF LOOP = GFILTR THEN: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GFILTR = 1 AND R02_REGUSE_GFILTR != 1 AND R03_AG1100FC = 1, GO TO R03_AG1007FC_NB. ELSE, GO TO BOX R03_AGV02.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1007TC_NB; R03_AG1007CG_NB; R03_AG1007FC_NB	
How old were you when you first started smoking [CIGARFILL]s fairly regularly?	
I__I__I Years old	
-8 DON'T KNOW	GO TO R03_AG1121[TC/CG/FC]_NB
-7 REFUSED	GO TO R03_AG1121[TC/CG/FC]_NB
ASK: New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly.	
ASK Specification: FOR R03_AG1007TC_NB: IF LOOP = GTRAD AND R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GTRAD = 1 AND R02_REGUSE_GTRAD != 1 AND R03_AG1100TC = 1.	
FOR R03_AG1007CG_NB: IF LOOP = GRILLO AND R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GRILLO = 1 AND R02_REGUSE_GRILLO != 1 AND R03_AG1100CG = 1.	
FOR R03_AG1007FC_NB: IF LOOP = GFILTR AND R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GFILTR = 1 AND R02_REGUSE_GFILTR != 1 AND R03_AG1100FC = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

BOX ID: R03_AGR87
Go to R03_AG1007[TC/CG/FC] logic checks.
IF LOOP = GTRAD, GO TO R03_AG1007TC_LC1.
IF LOOP = GRILLO, GO TO R03_AG1007CG_LC1.
IF LOOP = GFILTR, GO TO R03_AG1007FC_LC1.

CHECK ID: R03_AG1007TC_NB_LC1	
The computer recorded that you started smoking traditional cigars fairly regularly at age [R03_AG1007TC_NB].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AG1007TC_NB
2 NEXT	GO TO R03_AG1007TC_NB_LC2
ASK: IF (LOOP = GTRAD AND R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GTRAD = 1 AND R02_REGUSE_GTRAD != 1 AND R03_AG1100TC = 1 AND R03_AG1007TC_NB != -8, -7) AND R03_AG1007TC_NB <= 12.	
PROGRAM: TRIGGER CHECK IF R03_AG1007TC_NB <= 12. ELSE, GO TO R03_AG1007TC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1007TC_NB_LC2

The computer recorded that you started smoking traditional cigars fairly regularly at age [R03_AG1007TC_NB]. This is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-----------------------|
| 1 | BACK | GO TO R03_AG1007TC_NB |
| 2 | NEXT | GO TO BOX R03_AGV02 |

ASK: IF (LOOP = GTRAD AND R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GTRAD = 1 AND R02_REGUSE_GTRAD != 1 AND R03_AG1100TC = 1 AND R03_AG1007TC_NB != -8, -7) AND R03_AG1007TC_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AG1007TC_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AGV02 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1007CG_NB_LC1

The computer recorded that you started smoking cigarillos fairly regularly at age [R03_AG1007CG_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R03_AG1007CG_NB |
| 2 | NEXT | GO TO R03_AG1007CG_NB_LC2 |

ASK: IF (LOOP = GRILLO AND R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GRILLO = 1 AND R02_REGUSE_GRILLO != 1 AND R03_AG1100CG = 1 AND R03_AG1007CG_NB != -8, -7) AND R03_AG1007CG_NB <= 10.

PROGRAM: TRIGGER CHECK IF R03_AG1007CG_NB <= 10. ELSE, GO TO R03_AG1007CG_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1007CG_NB_LC2

The computer recorded that you started smoking cigarillos fairly regularly at age [R03_AG1007CG_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-----------------------|
| 1 | BACK | GO TO R03_AG1007CG_NB |
| 2 | NEXT | GO TO BOX R03_AGV02 |

ASK: IF (LOOP = GRILLO AND R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GRILLO = 1 AND R02_REGUSE_GRILLO != 1 AND R03_AG1100CG = 1 AND R03_AG1007CG_NB != -8, -7) AND R03_AG1007CG_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AG1007CG_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AGV02 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1007FC_NB_LC1

The computer recorded that you started smoking filtered cigars fairly regularly at age [R03_AG1007FC_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1007FC_NB

2 NEXT

GO TO R03_AG1007FC_NB_LC2

ASK: IF (LOOP = GFILTR AND R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GFILTR = 1 AND R02_REGUSE_GFILTR != 1 AND R03_AG1100FC = 1 AND R03_AG1007FC_NB != -8, -7) AND R03_AG1007FC_NB <= 10.

PROGRAM: TRIGGER CHECK IF R03_AG1007FC_NB <= 10. ELSE, GO TO R03_AG1007FC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1007FC_NB_LC2

The computer recorded that you started smoking filtered cigars fairly regularly at age [R03_AG1007FC_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1007FC_NB

2 NEXT

GO TO BOX R03_AGV02

ASK: IF (LOOP = GFILTR AND R03_ADULTTYPE = 2 AND R03_EVER_NEVER_GFILTR = 1 AND R02_REGUSE_GFILTR != 1 AND R03_AG1100FC = 1 AND R03_AG1007FC_NB != -8, -7) AND R03_AG1007FC_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AG1007FC_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AGV02 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AG1121TC_NB; R03_AG1121CG_NB; R03_AG1121FC_NB**

When you first started smoking [CIGARFILL]s fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and have ever traditional cigars/cigarillos/filtered cigars fairly regularly and did not know or refused to report the age when they first started smoking traditional cigars/cigarillos/filtered cigars fairly regularly.

ASK Specification: FOR R03_AG1121TC_NB: IF LOOP = GTRAD AND R03_EVER_NEVER_GTRAD = 1 AND R02_REGUSE_GTRAD != 1 AND R03_ADULTTYPE = 2 AND R03_AG1100TC = 1 AND R03_AG1007TC_NB = -8, -7.

FOR R03_AG1121CG_NB: IF LOOP = GRILLO AND R03_EVER_NEVER_GRILLO = 1 AND R02_REGUSE_GRILLO != 1 AND R03_ADULTTYPE = 2 AND R03_AG1100CG = 1 AND R03_AG1007CG_NB = -8, -7.

FOR R03_AG1121FC_NB: IF LOOP = GFILTR AND R03_EVER_NEVER_GFILTR = 1 AND R02_REGUSE_GFILTR != 1 AND R03_ADULTTYPE = 2 AND R03_AG1100FC = 1 AND R03_AG1007FC_NB = -8, -7.

BOX ID: **R03_AGV02**

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

IF LOOP = GTRAD (Traditional Cigar), THEN DEFINE:

R03_GTRAD_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke every day or some days.

R03_GTRAD_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked traditional cigars fairly regularly, and currently smoke every day or some days.

R03_GTRAD_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a traditional cigar and have never smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_GTRAD_USER_STATUS = 4 (New former established user) Adult respondents who were current established, current experimental, or former experimental traditional cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_GTRAD_USER_STATUS = 5 (Still former established user) Adult respondents who were new former established or still former established traditional cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_CURRENT_GTRAD_USE = 1 (Every day established user) Adult respondents who have ever smoked traditional cigars fairly regularly and currently smoke every day.

R03_CURRENT_GTRAD_USE = 2 (Some day established user) Adult respondents who have ever smoked traditional cigars fairly regularly and currently smoke some days.

R03_FORMER_THIRTYDAY_USER_GTRAD = 1 (Non-current 30-day user) Adult respondents who are former experimental, new former established, or still former established traditional cigar smokers who have smoked any traditional cigars in the past 30 days.

IF LOOP = GRILLO (Cigarillo), THEN DEFINE:

R03_GRILLO_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke every day or some days.

R03_GRILLO_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked cigarillos fairly regularly, and currently smoke every day or some days.

R03_GRILLO_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a cigarillo and have never smoked cigarillos fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_GRILLO_USER_STATUS = 4 (New former established user) Adult respondents who were current established, current experimental, or former experimental cigarillo smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_GRILLO_USER_STATUS = 5 (Still former established user) Adult respondents who were new former established or still former established cigarillo smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_CURRENT_GRILLO_USE = 1 (Every day established user) Adult respondents who have ever smoked cigarillos fairly regularly and currently smoke every day.

R03_CURRENT_GRILLO_USE = 2 (Some day established user) Adult respondents who have ever smoked cigarillos fairly regularly and currently smoke some days.

R03_FORMER_THIRTYDAY_USER_GRILLO = 1 (Non-current 30-day user) Adult respondents who are former experimental, new former established, or still former established cigarillo smokers who have smoked any cigarillos in the past 30 days.

IF LOOP = GFILTR (Filtered Cigar), THEN DEFINE:

R03_GFILTR_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke every day or some days.

R03_GFILTR_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked filtered cigars fairly regularly, and currently smoke every day or some days.

R03_GFILTR_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a filtered cigar and have never smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_GFILTR_USER_STATUS = 4 (New former established user) Adult respondents who were current established, current experimental, or former experimental filtered cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_GFILTR_USER_STATUS = 5 (Still former established user) Adult respondents who were new former established or still former established filtered cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_CURRENT_GFILTR_USE = 1 (Every day established user) Adult respondents who have ever smoked filtered cigars fairly regularly and currently smoke every day.

R03_CURRENT_GFILTR_USE = 2 (Some day established user) Adult respondents who have ever smoked filtered cigars fairly regularly and currently smoke some days

R03_FORMER_THIRTYDAY_USER_GFILTR = 1 (Non-current 30-day user) Adult respondents who are former experimental, new former established, or still former established filtered cigar smokers who have smoked any filtered cigars in the past 30 days.

IF LOOP = GTRAD (Traditional Cigar), THEN DEFINE:

R03_GTRAD_USER_STATUS = 1:

IF (R02_REGUSE_GTRAD = 1 OR R03_AG1100TC = 1) AND R03_AG1003TC = 1, 2, THEN
R03_GTRAD_USER_STATUS = 1.

R03_GTRAD_USER_STATUS = 2:

ELSE, IF R03_EVER_NEVER_GTRAD = 1 AND R03_AG1010TC != 3 AND R03_AG1100TC = 2, -8, -7 AND R02_REGUSE_GTRAD != 1 AND R03_AG1003TC = 1, 2, THEN R03_GTRAD_USER_STATUS = 2.

R03_GTRAD_USER_STATUS = 3:

ELSE, IF R03_EVER_NEVER_GTRAD = 1 AND R03_AG1010TC != 3 AND R03_AG1100TC = 2, -8, -7 AND R02_REGUSE_GTRAD != 1 AND (R03_AG9003_12M = 2 OR R03_AG1003TC = 3) AND R03_12MBLUNT_ONLY_BTRAD != 1, THEN R03_GTRAD_USER_STATUS = 3.

R03_GTRAD_USER_STATUS = 4:

ELSE, IF (R02_GTRAD_USER_STATUS = 1, 2, 3 OR R03_INIT_GTRAD_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GTRAD = 1)) AND (R02_REGUSE_GTRAD = 1 OR R03_AG1100TC = 1) AND (R03_AG9003_12M = 2 OR R03_AG1003TC = 3) AND R03_EVER_NEVER_GTRAD = 1 AND R03_AG1010TC != 3 AND R03_12MBLUNT_ONLY_BTRAD != 1, THEN R03_GTRAD_USER_STATUS = 4.

R03_GTRAD_USER_STATUS = 5:

ELSE, IF R02_GTRAD_USER_STATUS = 4, 5 AND (R03_AG9003_12M = 2 OR R03_AG1003TC = 3) AND R03_EVER_NEVER_GTRAD = 1 AND R03_AG1010TC != 3 AND R03_12MBLUNT_ONLY_BTRAD != 1, THEN R03_GTRAD_USER_STATUS = 5.

R03_CURRENT_GTRAD_USE = 1:

IF R03_GTRAD_USER_STATUS = 1 AND R03_AG1003TC = 1, THEN R03_CURRENT_GTRAD_USE = 1.

R03_CURRENT_GTRAD_USE = 2:

ELSE, IF R03_GTRAD_USER_STATUS = 1 AND R03_AG1003TC = 2, THEN
R03_CURRENT_GTRAD_USE = 2.

R03_FORMER_THIRTYDAY_USER_GTRAD:

IF ((R03_GTRAD_USER_STATUS = 3, 4, 5) AND (((1 <= R03_AG1009TC_NN <= 30 AND R03_AG1009TC_UN = 1) OR (R03_AG1009TC_NN = 1 AND R03_AG1009TC_UN = 2) OR R03_AG9030 = 1)) AND R03_12MBLUNT_ONLY_BTRAD != 1, THEN
R03_FORMER_THIRTYDAY_USER_GTRAD = 1.

ELSE, R03_FORMER_THIRTYDAY_USER_GTRAD = 2.

IF LOOP = GRILLO (Cigarillo), THEN DEFINE:

R03_GRILLO_USER_STATUS = 1:

IF (R02_REGUSE_GRILLO = 1 OR R03_AG1100CG = 1) AND R03_AG1003CG = 1, 2, THEN
R03_GRILLO_USER_STATUS = 1.

R03_GRILLO_USER_STATUS = 2:

ELSE, IF R03_EVER_NEVER_GRILLO = 1 AND R03_AG1010CG != 3 AND R03_AG1100CG = 2, -8, -7 AND R02_REGUSE_GRILLO != 1 AND R03_AG1003CG = 1, 2, THEN
R03_GRILLO_USER_STATUS = 2.

R03_GRILLO_USER_STATUS = 3:

ELSE, IF R03_EVER_NEVER_GRILLO = 1 AND R03_AG1010CG != 3 AND R03_AG1100CG = 2, -8, -7 AND R02_REGUSE_GRILLO != 1 AND ((R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1) OR R03_AG1003CG = 3) AND R03_12MBLUNT_ONLY_BRILLO != 1, THEN

R03_GRILLO_USER_STATUS = 3.

R03_GRILLO_USER_STATUS = 4:

ELSE, IF (R02_GRILLO_USER_STATUS = 1, 2, 3 OR R03_INIT_GRILLO_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GRILLO = 1)) AND (R02_REGUSE_GRILLO = 1 OR R03_AG1100CG = 1) AND ((R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1) OR R03_AG1003CG = 3) AND R03_EVER_NEVER_GRILLO = 1 AND R03_AG1010CG != 3 AND R03_12MBLUNT_ONLY_BRILLO != 1, THEN R03_GRILLO_USER_STATUS = 4.

R03_GRILLO_USER_STATUS = 5:

ELSE, IF R02_GRILLO_USER_STATUS = 4, 5 AND ((R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1 OR R03_AG1003CG = 3) OR (R03_AG9051 = 2 AND R03_AG9053 = 2)) AND R03_EVER_NEVER_GRILLO = 1 AND R03_AG1010CG != 3 AND R03_12MBLUNT_ONLY_BRILLO != 1, THEN R03_GRILLO_USER_STATUS = 5.

R03_CURRENT_GRILLO_USE = 1:

IF R03_GRILLO_USER_STATUS = 1 AND R03_AG1003CG = 1, THEN
R03_CURRENT_GRILLO_USE = 1.

R03_CURRENT_GRILLO_USE = 2:

ELSE, IF R03_GRILLO_USER_STATUS = 1 AND R03_AG1003CG = 2, THEN
R03_CURRENT_GRILLO_USE = 2.

R03_FORMER_THIRTYDAY_USER_GRILLO:

IF ((R03_GRILLO_USER_STATUS = 3, 4, 5) AND (((1 <= R03_AG1009CG_NN <= 30 AND R03_AG1009CG_UN = 1) OR (R03_AG1009CG_NN = 1 AND R03_AG1009CG_UN = 2)) OR R03_AG9049_01 = 1 OR R03_AG9049_03 = 1)) AND R03_12MBLUNT_ONLY_BRILLO != 1, THEN
R03_FORMER_THIRTYDAY_USER_GRILLO = 1.

ELSE, R03_FORMER_THIRTYDAY_USER_GRILLO = 2.

IF LOOP = GFILTR (Filtered Cigar), THEN DEFINE:

R03_GFILTR_USER_STATUS = 1:

IF (R02_REGUSE_GFILTR = 1 OR R03_AG1100FC = 1) AND R03_AG1003FC = 1, 2, THEN
R03_GFILTR_USER_STATUS = 1.

R03_GFILTR_USER_STATUS = 2:

ELSE, IF R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3 AND R03_AG1100FC = 2, -8, -7 AND R02_REGUSE_GFILTR != 1 AND R03_AG1003FC = 1, 2, THEN
R03_GFILTR_USER_STATUS = 2.

R03_GFILTR_USER_STATUS = 3:

ELSE, IF R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3 AND R03_AG1100FC = 2, -8, -7 AND R02_REGUSE_GFILTR != 1 AND (R03_AG9009_12M_02 != 1 OR R03_AG1003FC = 3) AND R03_12MBLUNT_ONLY_BFILTR != 1, THEN R03_GFILTR_USER_STATUS = 3.

R03_GFILTR_USER_STATUS = 4:

ELSE, IF (R02_GFILTR_USER_STATUS = 1, 2, 3 OR R03_INIT_GFILTR_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GFILTR = 1)) AND (R02_REGUSE_GFILTR = 1 OR R03_AG1100FC = 1) AND (R03_AG9009_12M_02 != 1 OR R03_AG1003FC = 3) AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3 AND R03_12MBLUNT_ONLY_BFILTR != 1, THEN R03_GFILTR_USER_STATUS = 4.

R03_GFILTR_USER_STATUS = 5:

ELSE, IF R02_GFILTR_USER_STATUS = 4, 5 AND ((R03_AG9009_12M_02 != 1 OR R03_AG1003FC = 3) OR R03_AG9052 = 2) AND R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3 AND R03_12MBLUNT_ONLY_BFILTR != 1, THEN R03_GFILTR_USER_STATUS = 5.

R03_CURRENT_GFILTR_USE = 1:

IF R03_GFILTR_USER_STATUS = 1 AND R03_AG1003FC = 1, THEN
R03_CURRENT_GFILTR_USE = 1.

R03_CURRENT_GFILTR_USE = 2:

ELSE, IF R03_GFILTR_USER_STATUS = 1 AND R03_AG1003FC = 2, THEN
R03_CURRENT_GFILTR_USE = 2.

R03_FORMER_THIRTYDAY_USER_GFILTR:

IF ((R03_GFILTR_USER_STATUS = 3, 4, 5) AND ((1 <= R03_AG1009FC_NN <= 30 AND R03_AG1009FC_UN = 1) OR (R03_AG1009FC_NN = 1 AND R03_AG1009FC_UN = 2) OR R03_AG9049_02 = 1)) AND R03_12MBLUNT_ONLY_BFILTR != 1, THEN
R03_FORMER_THIRTYDAY_USER_GFILTR = 1.

ELSE, R03_FORMER_THIRTYDAY_USER_GFILTR = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR02
	New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG1020[TC/CG/FC]_NB. Else, adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview, go to R03_AG1008[TC/CG/FC]. Else, adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG1021[TC/CG/FC]. Else, adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG1022[TC/CG/FC]. Else, adult respondents who are new former established traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG9040[TC/CG/FC]. Else, go to Box R03_AGR04.
	IF LOOP = GTRAD THEN: IF R03_ADULTTYPE = 2 AND R03_CURRENT_GTRAD_USE = 1, GO TO R03_AG1020TC_NB. ELSE, IF R03_INIT_GTRAD_ADULT = 1, GO TO R03_AG1008TC. ELSE, IF R03_CURRENT_GTRAD_USE = 1, GO TO R03_AG1021TC. ELSE, IF R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1, GO TO R03_AG1022TC. ELSE, IF R03_GTRAD_USER_STATUS = 4, GO TO R03_AG9040TC. ELSE, GO TO BOX R03_AGR04. IF LOOP = GRILLO THEN: IF R03_ADULTTYPE = 2 AND R03_CURRENT_GRILLO_USE = 1, GO TO R03_AG1020CG_NB. ELSE, IF R03_INIT_GRILLO_ADULT = 1, GO TO R03_AG1008CG. ELSE, IF R03_CURRENT_GRILLO_USE = 1, GO TO R03_AG1021CG. ELSE, IF R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1, GO TO R03_AG1022CG. ELSE, IF R03_GRILLO_USER_STATUS = 4, GO TO R03_AG9040CG. ELSE, GO TO BOX R03_AGR04. IF LOOP = GFILTR THEN: IF R03_ADULTTYPE = 2 AND R03_CURRENT_GFILTR_USE = 1, GO TO R03_AG1020FC_NB. ELSE, IF R03_INIT_GFILTR_ADULT = 1, GO TO R03_AG1008FC. ELSE, IF R03_CURRENT_GFILTR_USE = 1, GO TO R03_AG1021FC. ELSE, IF R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1, GO TO R03_AG1022FC. ELSE, IF R03_GFILTR_USER_STATUS = 4, GO TO R03_AG9040FC. ELSE, GO TO BOX R03_AGR04.

Variable(s):	R03_AG1020TC_NB; R03_AG1020CG_NB; R03_AG1020FC_NB
How old were you when you first started smoking [CIGARFILL]s every day?	
I ___ ___ Years old	
-8 DON'T KNOW	GO TO R03_AG1122[TC/CG/FC]_NB
-7 REFUSED	GO TO R03_AG1122[TC/CG/FC]_NB
ASK: New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R03_AG1020TC_NB: IF LOOP = GTRAD AND R03_ADULTTYPE = 2 AND R03_CURRENT_GTRAD_USE = 1.	
FOR R03_AG1020CG_NB: IF LOOP = GRILLO AND R03_ADULTTYPE = 2 AND R03_CURRENT_GRILLO_USE = 1.	
FOR R03_AG1020FC_NB: IF LOOP = GFILTR AND R03_ADULTTYPE = 2 AND R03_CURRENT_GFILTR_USE = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

Go to R03_AG1020[TC/CG/FC] logic checks.
IF LOOP = GTRAD, GO TO R03_AG1020TC_LC1.
IF LOOP = GRILLO, GO TO R03_AG1020CG_LC1.
IF LOOP = GFILTR, GO TO R03_AG1020FC_LC1.

The computer recorded that you started smoking traditional cigars every day at age [R03_AG1020TC_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R03_AG1020TC_NB
2	NEXT	GO TO R03_AG1020TC_NB_LC2

ASK: IF LOOP = GTRAD AND R03_ADULTTYPE = 2 AND 03_CURRENT_GTRAD_USE = 1 AND R03_AG1020TC_NB != -8, -7 AND (R03_AG1020TC_NB <= 12 OR R03_AG1020TC_NB < R03_AG1007TC_NB).

PROGRAM: TRIGGER CHECK IF R03_AG1020TC_NB <= 12 OR R03_AG1020TC_NB < R03_AG1007TC_NB. ELSE, GO TO R03_AG1020TC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1020TC_NB_LC2

The computer recorded that you started smoking traditional cigars every day at age [R03_AG1020TC_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-----------------------|
| 1 | BACK | GO TO R03_AG1020TC_NB |
| 2 | NEXT | GO TO BOX R03_AGR27 |

ASK: IF LOOP = GTRAD AND R03_ADULTTYPE = 2 AND 03_CURRENT_GTRAD_USE = 1 AND R03_AG1020TC_NB != -8, -7 AND R03_AG1020TC_NB > R03R_A_AGE AND R03R_A_AGE >= 18. PROGRAM: TRIGGER CHECK IF R03_AG1020TC_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AGR27 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1020CG_NB_LC1

The computer recorded that you started smoking cigarillos every day at age [R03_AG1020CG_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R03_AG1020CG_NB |
| 2 | NEXT | GO TO R03_AG1020CG_NB_LC2 |

ASK: IF LOOP = GRILLO AND R03_ADULTTYPE = 2 AND R03_CURRENT_GRILLO_USE = 1 AND R03_AG1020CG_NB != -8, -7 AND (R03_AG1020CG_NB <= 10 OR R03_AG1020CG_NB < R03_AG1007CG_NB).

PROGRAM: TRIGGER CHECK IF R03_AG1020CG_NB <= 10 OR R03_AG1020CG_NB < R03_AG1007CG_NB. ELSE, GO TO R03_AG1020CG_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1020CG_NB_LC2

The computer recorded that you started smoking cigarillos every day at age [R03_AG1020CG_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-----------------------|
| 1 | BACK | GO TO R03_AG1020CG_NB |
| 2 | NEXT | GO TO BOX R03_AGR27 |

ASK: IF LOOP = GRILLO AND R03_ADULTTYPE = 2 AND R03_CURRENT_GRILLO_USE = 1 AND R03_AG1020CG_NB != -8, -7 AND R03_AG1020CG_NB > R03R_A_AGE AND R03R_A_AGE >= 18. PROGRAM: TRIGGER CHECK IF R03_AG1020CG_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AGR27 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1020FC_NB_LC1

The computer recorded that you started smoking filtered cigars every day at age [R03_AG1020FC_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1020FC_NB

2 NEXT

GO TO R03_AG1020FC_NB_LC2

ASK: IF LOOP = GFILTR AND R03_ADULTTYPE = 2 AND R03_CURRENT_GFILTR_USE = 1 AND R03_AG1020FC_NB != -8, -7 AND (R03_AG1020FC_NB <= 5 OR IF R03_AG1020FC_NB < R03_AG1007FC_NB).

PROGRAM: TRIGGER CHECK IF R03_AG1020FC_NB <= 5 OR IF R03_AG1020FC_NB < R03_AG1007FC_NB. ELSE, GO TO R03_AG1020FC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1020FC_NB_LC2

The computer recorded that you started smoking filtered cigars every day at age [R03_AG1020FC_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1020FC_NB

2 NEXT

GO TO BOX R03_AGR27

ASK: IF LOOP = GFILTR AND R03_ADULTTYPE = 2 AND R03_CURRENT_GFILTR_USE = 1 AND R03_AG1020FC_NB != -8, -7 AND R03_AG1020FC_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AG1020FC_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AGR27 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1122TC_NB; R03_AG1122CG_NB; R03_AG1122FC_NB
When you first started smoking [CIGARFILL]s every day, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and who did not know or refused to report the age they first started smoking traditional cigars/cigarillos/filtered cigars every day. ASK Specification: FOR R03_AG1122TC_NB: IF LOOP = GTRAD AND R03_ADULTTYPE = 2 AND R03_CURRENT_GTRAD_USE = 1 AND R03_AG1020TC_NB = -8, -7. FOR R03_AG1122CG_NB: IF LOOP = GRILLO AND R03_ADULTTYPE = 2 AND R03_CURRENT_GRILLO_USE = 1 AND R03_AG1020CG_NB = -8, -7. FOR R03_AG1122FC_NB: IF LOOP = GFILTR AND R03_ADULTTYPE = 2 AND R03_CURRENT_GFILTR_USE = 1 AND R03_AG1020FC_NB = -8, -7.	

BOX ID:	R03_AGR27
Adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview, go to R03_AG1008[TC/CG/FC]. Else, go to Box R03_AGR11.	
IF LOOP = GTRAD THEN: IF R03_INIT_GTRAD_ADULT = 1, GO TO R03_AG1008TC. ELSE, GO TO BOX R03_AGR11. IF LOOP = GRILLO THEN: IF R03_INIT_GRILLO_ADULT = 1, GO TO R03_AG1008CG. ELSE, GO TO BOX R03_AGR11. IF LOOP = GFILTR THEN: IF R03_INIT_GFILTR_ADULT = 1, GO TO R03_AG1008FC. ELSE, GO TO BOX R03_AGR11.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1008TC; R03_AG1008CG; R03_AG1008FC		
When you first started smoking [CIGARFILL]s, did you smoke [CIGARFILL]s flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?		
1	Yes	
2	No	GO TO BOX R03_AGR11
3	I don't know	GO TO BOX R03_AGR11
-8	DON'T KNOW	GO TO BOX R03_AGR11
-7	REFUSED	GO TO BOX R03_AGR11
ASK: Adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.		
ASK Specification: FOR R03_AG1008TC: IF LOOP = GTRAD AND R03_INIT_GTRAD_ADULT = 1.		
FOR R03_AG1008CG: IF LOOP = GRILLO AND R03_INIT_GRILLO_ADULT = 1.		
FOR R03_AG1008FC: IF LOOP = GFILTR AND R03_INIT_GFILTR_ADULT = 1.		

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Which flavor did you first start smoking? Choose all that apply.

- | | | |
|---|----|---|
| R03_AG1011TC_01;
R03_AG1011CG_01;
R03_AG1011FC_01 | 1 | Menthol or mint |
| R03_AG1011TC_02;
R03_AG1011CG_02;
R03_AG1011FC_02 | 2 | Clove or spice |
| R03_AG1011TC_03;
R03_AG1011CG_03;
R03_AG1011FC_03 | 3 | Fruit |
| R03_AG1011TC_04;
R03_AG1011CG_04;
R03_AG1011FC_04 | 4 | Chocolate |
| R03_AG1011TC_05;
R03_AG1011CG_05;
R03_AG1011FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R03_AG1011TC_06;
R03_AG1011CG_06;
R03_AG1011FC_06 | 6 | Candy or other sweets |
| R03_AG1011TC_07;
R03_AG1011CG_07;
R03_AG1011FC_07 | 7 | Some other flavor |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R03_AG1011TC: IF LOOP = GTRAD AND R03_INIT_GTRAD_ADULT = 1 AND R03_AG1008TC = 1.

FOR R03_AG1011CG: IF LOOP = GRILLO AND R03_INIT_GRILLO_ADULT = 1 AND R03_AG1008CG = 1.

FOR R03_AG1011FC: IF LOOP = GFILTR AND R03_INIT_GFILTR_ADULT = 1 AND R03_AG1008FC = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AGR11

Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG1021[TC/CG/FC].

Else, adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG1022[TC/CG/FC].

Else, adult respondents who are new former established traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG9040[TC/CG/FC].

Else, go to Box R03_AGR04.

IF LOOP = GTRAD THEN:

IF R03_CURRENT_GTRAD_USE = 1, GO TO R03_AG1021TC.

ELSE, IF R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1, GO TO R03_AG1022TC.

ELSE, IF R03_GTRAD_USER_STATUS = 4, GO TO R03_AG9040TC.

ELSE, GO TO BOX R03_AGR04.

IF LOOP = GRILLO THEN:

IF R03_CURRENT_GRILLO_USE = 1, GO TO R03_AG1021CG.

ELSE, IF R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1, GO TO R03_AG1022CG.

ELSE, IF R03_GRILLO_USER_STATUS = 4, GO TO R03_AG9040CG.

ELSE, GO TO BOX R03_AGR04.

IF LOOP = GFILTR THEN:

IF R03_CURRENT_GFILTR_USE = 1, GO TO R03_AG1021FC.

ELSE, IF R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1, GO TO R03_AG1022FC.

ELSE, IF R03_GFILTR_USER_STATUS = 4, GO TO R03_AG9040FC.

ELSE, GO TO BOX R03_AGR04.

Variable(s): R03_AG1021TC; R03_AG1021CG; R03_AG1021FC

On average, about how many [CIGARFILL]s do you now smoke each day?

-2 Less than 1 each day GO TO R03_AG1024[TC/CG/FC]

|_|_|_|

-8 DON'T KNOW GO TO R03_AG1024[TC/CG/FC]

-7 REFUSED GO TO R03_AG1024[TC/CG/FC]

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R03_AG1021TC: IF LOOP = GTRAD AND R03_CURRENT_GTRAD_USE = 1.

FOR R03_AG1021CG: IF LOOP = GRILLO AND R03_CURRENT_GRILLO_USE = 1.

FOR R03_AG1021FC: IF LOOP = GFILTR AND R03_CURRENT_GFILTR_USE = 1.

DISPLAY: DISPLAY AS A NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR90
Go to R03_AG1021[TC/CG/FC] logic checks.	
IF LOOP = GTRAD, GO TO R03_AG1021TC_LC1.	
IF LOOP = GRILLO, GO TO R03_AG1021CG_LC1.	
IF LOOP = GFILTR, GO TO R03_AG1021FC_LC1.	

CHECK ID:	R03_AG1021TC_LC1
The computer recorded that you now smoke [R03_AG1021TC] traditional cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AG1021TC
2 NEXT	GO TO R03_AG1024TC
ASK: IF (LOOP = GTRAD AND R03_CURRENT_GTRAD_USE = 1 AND R03_AG1021TC != -2, -8, -7) AND R03_AG1021TC > 20.	
PROGRAM: TRIGGER CHECK IF R03_AG1021TC > 20. ELSE, GO TO R03_AG1024TC AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID:	R03_AG1021CG_LC1
The computer recorded that you now smoke [R03_AG1021CG] cigarillos a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AG1021CG
2 NEXT	GO TO R03_AG1024CG
ASK: IF (LOOP = GRILLO AND R03_CURRENT_GRILLO_USE = 1 AND R03_AG1021CG != -2, -8, -7) AND R03_AG1021CG > 20.	
PROGRAM: TRIGGER CHECK IF R03_AG1021CG > 20. ELSE, GO TO R03_AG1024CG AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID:	R03_AG1021FC_LC1
The computer recorded that you now smoke [R03_AG1021FC] filtered cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AG1021FC
2 NEXT	GO TO R03_AG1024FC
ASK: IF (LOOP = GFILTR AND R03_CURRENT_GFILTR_USE = 1 AND R03_AG1021FC != -2, -8, -7) AND R03_AG1021FC > 20.	
PROGRAM: TRIGGER CHECK IF R03_AG1021FC > 20. ELSE, GO TO R03_AG1024FC AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1022TC; R03_AG1022CG; R03_AG1022FC
On how many of the past 30 days did you smoke [CIGARFILL]s? I__I__I DAYS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG1022TC: IF LOOP = GTRAD AND (R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1). FOR R03_AG1022CG: IF LOOP = GRILLO AND (R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1). FOR R03_AG1022FC: IF LOOP = GFILTR AND (R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1). DISPLAY: DISPLAY "DAYS" AS A TITLE. PROGRAM: Range check: 0-30 days.	

BOX ID:	R03_AGR13
Adult respondents who are some day established or current experimental traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days, go to R03_AG9029[TC/CG/FC]. Else, adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R03_AG1023[TC/CG/FC]. Else, go to box R03_AGR30.	
IF LOOP = GTRAD THEN: IF (R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2) AND R03_AG1022TC = 0, GO TO R03_AG9029TC. ELSE, IF R03_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R03_AG1022TC != 0, GO TO R03_AG1023TC. ELSE, GO TO BOX R03_AGR30.	
IF LOOP = GRILLO THEN: IF (R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2) AND R03_AG1022CG = 0, GO TO R03_AG9029CG. ELSE, IF R03_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R03_AG1022CG != 0, GO TO R03_AG1023CG. ELSE, GO TO BOX R03_AGR30.	
IF LOOP = GFILTR THEN: IF (R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2) AND R03_AG1022FC = 0, GO TO R03_AG9029FC. ELSE, IF R03_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R03_AG1022FC != 0, GO TO R03_AG1023FC. ELSE, GO TO BOX R03_AGR30.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG9029TC_NN; R03_AG9029TC_UN; R03_AG9029CG_NN; R03_AG9029CG_UN; R03_AG9029FC_NN; R03_AG9029FC_UN
About how long has it been since you last smoked [CIGARFILL]s? 1 I__I__I DAYS 2 I__I__I MONTHS 3 I__I__I YEARS -8 DON'T KNOW GO TO BOX R03_AGR30 -7 REFUSED GO TO BOX R03_AGR30 ASK: Adult respondents who are some day established or current experimental traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days. ASK Specification: FOR R03_AG9029TC: IF LOOP = GTRAD AND (R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2) AND R03_AG1022TC = 0. FOR R03_AG9029CG: IF LOOP = GRILLO AND (R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2) AND R03_AG1022CG = 0. FOR R03_AG9029FC: IF LOOP = GFILTR AND (R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2) AND R03_AG1022FC = 0. PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R03_AG9029[TC/CG/FC]_UN = Days; the value "2" refers to R03_AG9029[TC/CG/FC]_UN = Months; the value "3" refers to R03_AG9029[TC/CG/FC]_UN = Years.

BOX ID: R03_AGR91
Go to R03_AG9029[TC/CG/FC] logic checks. IF LOOP = GTRAD, GO TO R03_AG9029TC_LC1. IF LOOP = GRILLO, GO TO R03_AG9029CG_LC1. IF LOOP = GFILTR, GO TO R03_AG9029FC_LC1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG9029TC_LC1

The computer recorded that you last smoked traditional cigars [R03_AG9029TC] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AG9029TC |
| 2 | NEXT | GO TO BOX R03_AGR30 |

ASK: IF (LOOP = GTRAD AND (R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2) AND R03_AG1022TC = 0 AND R03_AG9029TC_NN != -8, -7) AND ((R03_AG9029TC_NN < 30 AND R03_AG9029TC_UN = 1) OR ((R03_AG9029TC_NN < 1 OR R03_AG9029TC_NN > 18) AND R03_AG9029TC_UN = 2) OR ((R03_AG9029TC_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AG9029TC_UN = 3)).

DISPLAY: IF R03_AG9029TC_UN = 1, DISPLAY "days".

ELSE, IF R03_AG9029TC_UN = 2, DISPLAY "months".

ELSE, IF R03_AG9029TC_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AG9029TC_NN < 30 AND R03_AG9029TC_UN = 1) OR ((R03_AG9029TC_NN < 1 OR R03_AG9029TC_NN > 18) AND R03_AG9029TC_UN = 2) OR ((R03_AG9029TC_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AG9029TC_UN = 3).

ELSE, GO TO BOX R03_AGR30 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG9029CG_LC1

The computer recorded that you last smoked cigarillos [R03_AG9029CG] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AG9029CG |
| 2 | NEXT | GO TO BOX R03_AGR30 |

ASK: IF LOOP = GRILLO AND (R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2) AND R03_AG1022CG = 0 AND R03_AG9029CG_NN != -8, -7) AND ((R03_AG9029CG_NN < 30 AND R03_AG9029CG_UN = 1) OR ((R03_AG9029CG_NN < 1 OR R03_AG9029CG_NN > 18) AND R03_AG9029CG_UN = 2) OR ((R03_AG9029CG_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AG9029CG_UN = 3)).

DISPLAY: IF R03_AG9029CG_UN = 1, DISPLAY "days".

ELSE, IF R03_AG9029CG_UN = 2, DISPLAY "months".

ELSE, IF R03_AG9029CG_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AG9029CG_NN < 30 AND R03_AG9029CG_UN = 1) OR ((R03_AG9029CG_NN < 1 OR R03_AG9029CG_NN > 18) AND R03_AG9029CG_UN = 2) OR ((R03_AG9029CG_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AG9029CG_UN = 3).

ELSE, GO TO BOX R03_AGR30 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG9029FC_LC1

The computer recorded that you last smoked filtered cigars [R03_AG9029FC] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AG9029FC |
| 2 | NEXT | GO TO BOX R03_AGR30 |

ASK: IF LOOP = GFILTR AND (R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2) AND R03_AG1022FC = 0 AND R03_AG9029FC_NN != -8, -7) AND ((R03_AG9029FC_NN < 30 AND R03_AG9029FC_UN = 1) OR ((R03_AG9029FC_NN < 1 OR R03_AG9029FC_NN > 18) AND R03_AG9029FC_UN = 2) OR ((R03_AG9029FC_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AG9029FC_UN = 3)).

DISPLAY: IF R03_AG9029FC_UN = 1, DISPLAY "days".

ELSE, IF R03_AG9029FC_UN = 2, DISPLAY "months".

ELSE, IF R03_AG9029FC_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AG9029FC_NN < 30 AND R03_AG9029FC_UN = 1) OR ((R03_AG9029FC_NN < 1 OR R03_AG9029FC_NN > 18) AND R03_AG9029FC_UN = 2) OR ((R03_AG9029FC_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AG9029FC_UN = 3).

ELSE, GO TO BOX R03_AGR30 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AG1023TC; R03_AG1023CG; R03_AG1023FC

On average, on those [FILL NUMBER OF DAYS FROM R03_AG1022[TC/CG/FC] days/days you smoked], how many [CIGARFILL]s did you usually smoke each day?

- 2 Less than 1 each day

|_|_|_|

- 8 DON'T KNOW

GO TO BOX R03_AGR30

- 7 REFUSED

GO TO BOX R03_AGR30

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R03_AG1023TC: IF LOOP = GTRAD AND (R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1022TC != 0.

FOR R03_AG1023CG: IF LOOP = GRILLO AND (R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1022CG != 0.

FOR R03_AG1023FC: IF LOOP = GFILTR AND (R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1022FC != 0.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

IF R03_AG1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "days you smoked".

ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R03_AG1022[TC/CG/FC].

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR92
Go to R03_AG1023[TC/CG/FC] logic checks.	
IF LOOP = GTRAD, GO TO R03_AG1023TC_LC1.	
IF LOOP = GRILLO, GO TO R03_AG1023CG_LC1.	
IF LOOP = GFILTR, GO TO R03_AG1023FC_LC1.	

CHECK ID:	R03_AG1023TC_LC1
The computer recorded that on the days you smoked in the past 30 days, you smoked [R03_AG1023TC] traditional cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1	BACK
2	NEXT
GO TO R03_AG1023TC	
GO TO BOX R03_AGR30	
ASK: IF (LOOP = GTRAD AND (R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1022TC != 0 AND R03_AG1023TC != -8, -7) AND R03_AG1023TC > 20.	
PROGRAM: TRIGGER CHECK IF R03_AG1023TC > 20. ELSE, GO TO BOX R03_AGR30 AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID:	R03_AG1023CG_LC1
The computer recorded that on the days you smoked in the past 30 days, you smoked [R03_AG1023CG] cigarillos a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1	BACK
2	NEXT
GO TO R03_AG1023CG	
GO TO BOX R03_AGR30	
ASK: IF (LOOP = GRILLO AND (R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1022CG != 0 AND R03_AG1023CG != -8, -7) AND R03_AG1023CG > 20.	
PROGRAM: TRIGGER CHECK IF R03_AG1023CG > 20. ELSE, GO TO BOX R03_AGR30 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1023FC_LC1

The computer recorded that on the days you smoked in the past 30 days, you smoked [R03_AG1023FC] filtered cigars a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1023FC

2 NEXT

GO TO BOX R03_AGR30

ASK: IF (LOOP = GFILTR AND (R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1022FC != 0 AND R03_AG1023FC != -8, -7) AND R03_AG1023FC > 20.

PROGRAM: TRIGGER CHECK IF R03_AG1023FC > 20. ELSE, GO TO BOX R03_AGR30 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_AGR30

Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG1024[TC/CG/FC].

Else, adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG1024[TC/CG/FC]_30D.

Else, adult respondents who are new former established traditional cigar/cigarillo/filtered cigar smokers, go to R03_AG9040[TC/CG/FC].

Else, go to Box R03_AGR04.

IF LOOP = GTRAD THEN:

IF R03_GTRAD_USER_STATUS = 1, 2, GO TO R03_AG1024TC.

ELSE, IF R03_FORMER_THIRTYDAY_USER_GTRAD = 1, GO TO R03_AG1024TC_30D.

ELSE, IF R03_GTRAD_USER_STATUS = 4, GO TO R03_AG9040TC.

ELSE, GO TO BOX R03_AGR04.

IF LOOP = GRILLO THEN:

IF R03_GRILLO_USER_STATUS = 1, 2, GO TO R03_AG1024CG.

ELSE, IF R03_FORMER_THIRTYDAY_USER_GRILLO = 1, GO TO R03_AG1024CG_30D.

ELSE, IF R03_GRILLO_USER_STATUS = 4, GO TO R03_AG9040CG.

ELSE, GO TO BOX R03_AGR04.

IF LOOP = GFILTR THEN:

IF R03_GFILTR_USER_STATUS = 1, 2, GO TO R03_AG1024FC.

ELSE, IF R03_FORMER_THIRTYDAY_USER_GFILTR = 1, GO TO R03_AG1024FC_30D.

ELSE, IF R03_GFILTR_USER_STATUS = 4, GO TO R03_AG9040FC.

ELSE, GO TO BOX R03_AGR04.

Variable(s):	R03_AG1024TC_NN; R03_AG1024TC_UN; R03_AG1024CG_NN; R03_AG1024CG_UN; R03_AG1024FC_NN; R03_AG1024FC_UN
[On the days that you smoke [CIGARFILL]s, how/How] soon after you wake up do you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.	
1	_ _ _ Minutes after waking
2	_ _ _ Hours after waking
-8	DON'T KNOW GO TO R03_AG1092[TC/CG/FC]
-7	REFUSED GO TO R03_AG1092[TC/CG/FC]
ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R03_AG1024TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2.	
FOR R03_AG1024CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2.	
FOR R03_AG1024FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2.	
DISPLAY: IF (LOOP = GTRAD AND R03_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R03_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R03_CURRENT_GFILTR_USE = 1), DISPLAY "How".	
ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, how".	
PROGRAM: Display as Quantity/Units.	
NOTES: The value "1" refers to R03_AG1024[TC/CG/FC]_UN = Minutes after waking; the value "2" refers to R03_AG1024[TC/CG/FC]_UN = Hours after waking.	

Go to R03_AG1024[TC/CG/FC] logic checks.
IF LOOP = GTRAD, GO TO R03_AG1024TC_LC1.
IF LOOP = GRILLO, GO TO R03_AG1024CG_LC1.
IF LOOP = GFILTR, GO TO R03_AG1024FC_LC1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1024TC_LC1

The computer recorded that you typically smoke your first traditional cigar of the day [R03_AG1024TC] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R03_AG1024TC |
| 2 | NEXT | GO TO R03_AG1024TC_LC2 |

ASK: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2 AND R03_AG1024TC_NN != -8, -7) AND ((R03_CURRENT_GTRAD_USE = 1 AND (R03_AG1024TC_NN > 60 AND R03_AG1024TC_UN = 1) OR (R03_AG1024TC_NN > 4 AND R03_AG1024TC_UN = 2)) OR (R03_CURRENT_GTRAD_USE = 2 AND (R03_AG1024TC_NN > 60 AND R03_AG1024TC_UN = 1) OR (R03_AG1024TC_NN > 12 AND R03_AG1024TC_UN = 2))).

DISPLAY: IF R03_AG1024TC_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AG1024TC_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_CURRENT_GTRAD_USE = 1 AND (R03_AG1024TC_NN > 60 AND R03_AG1024TC_UN = 1) OR (R03_AG1024TC_NN > 4 AND R03_AG1024TC_UN = 2)) OR (R03_CURRENT_GTRAD_USE = 2 AND (R03_AG1024TC_NN > 60 AND R03_AG1024TC_UN = 1) OR (R03_AG1024TC_NN > 12 AND R03_AG1024TC_UN = 2)). ELSE, GO TO R03_AG1024TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1024TC_LC2

The computer recorded "0" for how long you typically smoke your first traditional cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AG1024TC |
| 2 | NEXT | GO TO BOX R03_AGR34 |

ASK: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2 AND R03_AG1024TC_NN != -8, -7 AND R03_AG1024TC_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AG1024TC_NN = 0. ELSE, GO TO BOX R03_AGR34 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1024CG_LC1

The computer recorded that you typically smoke your first cigarillo of the day [R03_AG1024CG] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R03_AG1024CG |
| 2 | NEXT | GO TO R03_AG1024CG_LC2 |

ASK: IF (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2 AND R03_AG1024CG_NN != -8, -7) AND ((R03_CURRENT_GRILLO_USE = 1 AND (R03_AG1024CG_NN > 60 AND R03_AG1024CG_UN = 1) OR (R03_AG1024CG_NN > 4 AND R03_AG1024CG_UN = 2)) OR (R03_CURRENT_GRILLO_USE = 2 AND (R03_AG1024CG_NN > 60 AND R03_AG1024CG_UN = 1) OR (R03_AG1024CG_NN > 12 AND R03_AG1024CG_UN = 2))).

DISPLAY: IF R03_AG1024CG_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AG1024CG_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_CURRENT_GRILLO_USE = 1 AND (R03_AG1024CG_NN > 60 AND R03_AG1024CG_UN = 1) OR (R03_AG1024CG_NN > 4 AND R03_AG1024CG_UN = 2)) OR (R03_CURRENT_GRILLO_USE = 2 AND (R03_AG1024CG_NN > 60 AND R03_AG1024CG_UN = 1) OR (R03_AG1024CG_NN > 12 AND R03_AG1024CG_UN = 2)). ELSE, GO TO R03_AG1024CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1024CG_LC2

The computer recorded "0" for how long you typically smoke your first cigarillo of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AG1024CG |
| 2 | NEXT | GO TO BOX R03_AGR34 |

ASK: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2 AND R03_AG1024CG_NN != -8, -7 AND R03_AG1024CG_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AG1024CG_NN = 0. ELSE, GO TO BOX R03_AGR34 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1024FC_LC1

The computer recorded that you typically smoke your first filtered cigar of the day [R03_AG1024FC] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1024FC

2 NEXT

GO TO R03_AG1024FC_LC2

ASK: IF (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2 AND R03_AG1024FC_NN != -8, -7) AND ((R03_CURRENT_GFILTR_USE = 1 AND (R03_AG1024FC_NN > 60 AND R03_AG1024FC_UN = 1) OR (R03_AG1024FC_NN > 4 AND R03_AG1024FC_UN = 2)) OR (R03_CURRENT_GFILTR_USE = 2 AND (R03_AG1024FC_NN > 60 AND R03_AG1024FC_UN = 1) OR (R03_AG1024FC_NN > 12 AND R03_AG1024FC_UN = 2))).

DISPLAY: IF R03_AG1024FC_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AG1024FC_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_CURRENT_GFILTR_USE = 1 AND (R03_AG1024FC_NN > 60 AND R03_AG1024FC_UN = 1) OR (R03_AG1024FC_NN > 4 AND R03_AG1024FC_UN = 2)) OR (R03_CURRENT_GFILTR_USE = 2 AND (R03_AG1024FC_NN > 60 AND R03_AG1024FC_UN = 1) OR (R03_AG1024FC_NN > 12 AND R03_AG1024FC_UN = 2)). ELSE, GO TO R03_AG1024FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1024FC_LC2

The computer recorded "0" for how long you typically smoke your first filtered cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1024FC

2 NEXT

GO TO BOX R03_AGR34

ASK: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2 AND R03_AG1024FC_NN != -8, -7 AND R03_AG1024FC_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AG1024FC_NN = 0. ELSE, GO TO BOX R03_AGR34 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1092TC; R03_AG1092CG; R03_AG1092FC	
[On the days that you smoke [CIGARFILL]s, would/Would] you say you smoke your first [CIGARFILL] of the day within the first 30 minutes after you wake up?	
1 Yes	GO TO BOX R03_AGR34
2 No	GO TO BOX R03_AGR34
3 It varies	GO TO BOX R03_AGR34
-8 DON'T KNOW	GO TO BOX R03_AGR34
-7 REFUSED	GO TO BOX R03_AGR34
ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoke their first traditional cigar/cigarillo/filtered cigar. ASK Specification: FOR R03_AG1092TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2 AND R03_AG1024TC_NN = -8, -7. FOR R03_AG1092CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2 AND R03_AG1024CG_NN = -8, -7. FOR R03_AG1092FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2 AND R03_AG1024FC_NN = -8, -7. DISPLAY: IF (LOOP = GTRAD AND R03_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R03_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R03_CURRENT_GFILTR_USE = 1), DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, would".	

Variable(s): R03_AG1024TC_30D_NN; R03_AG1024TC_30D_UN; R03_AG1024CG_30D_NN; R03_AG1024CG_30D_UN; R03_AG1024FC_30D_NN; R03_AG1024FC_30D_UN	
On the days that you smoked [CIGARFILL]s, how soon after you woke up did you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.	
1 __ __ __ Minutes after waking	
2 __ __ __ Hours after waking	
-8 DON'T KNOW	GO TO R03_AG1092[TC/CG/FC]_30D
-7 REFUSED	GO TO R03_AG1092[TC/CG/FC]_30D
ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG1024TC_30D: IF LOOP = GTRAD AND R03_FORMER_THIRTYDAY_USER_GTRAD = 1. FOR R03_AG1024CG_30D: IF LOOP = GRILLO AND R03_FORMER_THIRTYDAY_USER_GRILLO = 1. FOR R03_AG1024FC_30D: IF LOOP = GFILTR AND R03_FORMER_THIRTYDAY_USER_GFILTR = 1. PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R03_AG1024[TC/CG/FC]_30D_UN = Minutes after waking; the value "2" refers to R03_AG1024[TC/CG/FC]_30D_UN = Hours after waking.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR94
Go to R03_AG1024[TC/CG/FC]_30D logic checks.	
IF LOOP = GTRAD, GO TO R03_AG1024TC_30D_LC1.	
IF LOOP = GRILLO, GO TO R03_AG1024CG_30D_LC1.	
IF LOOP = GFILTR, GO TO R03_AG1024FC_30D_LC1.	

CHECK ID:	R03_AG1024TC_30D_LC1
The computer recorded that you typically smoke your first traditional cigar of the day [R03_AG1024TC_30D] [minutes/hours] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AG1024TC_30D
2 NEXT	GO TO R03_AG1024TC_30D_LC2
ASK: IF (LOOP = GTRAD AND R03_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R03_AG1024TC_30D_NN != -8, -7) AND ((R03_CURRENT_GTRAD_USE = 1 AND (R03_AG1024TC_30D_NN > 60 AND R03_AG1024TC_30D_UN = 1) OR (R03_AG1024TC_30D_NN > 4 AND R03_AG1024TC_30D_UN = 2)) OR (R03_CURRENT_GTRAD_USE = 2 AND (R03_AG1024TC_30D_NN > 60 AND R03_AG1024TC_30D_UN = 1) OR (R03_AG1024TC_30D_NN > 12 AND R03_AG1024TC_30D_UN = 2))).	
DISPLAY: IF R03_AG1024TC_30D_UN = 1, DISPLAY "minutes".	
ELSE, IF R03_AG1024TC_30D_UN = 2, DISPLAY "hours".	
PROGRAM: TRIGGER CHECK IF (R03_CURRENT_GTRAD_USE = 1 AND (R03_AG1024TC_30D_NN > 60 AND R03_AG1024TC_30D_UN = 1) OR (R03_AG1024TC_30D_NN > 4 AND R03_AG1024TC_30D_UN = 2)) OR (R03_CURRENT_GTRAD_USE = 2 AND (R03_AG1024TC_30D_NN > 60 AND R03_AG1024TC_30D_UN = 1) OR (R03_AG1024TC_30D_NN > 12 AND R03_AG1024TC_30D_UN = 2)). ELSE, GO TO R03_AG1024TC_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID:	R03_AG1024TC_30D_LC2
The computer recorded "0" for how long you typically smoke your first traditional cigar of the day after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AG1024TC_30D
2 NEXT	GO TO BOX R03_AGR34
ASK: IF LOOP = GTRAD AND R03_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R03_AG1024TC_30D_NN != -8, -7 AND R03_AG1024TC_30D_NN = 0.	
PROGRAM: TRIGGER CHECK IF R03_AG1024TC_30D_NN = 0. ELSE, GO TO BOX R03_AGR34 AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID: R03_AG1024CG_30D_LC1

The computer recorded that you typically smoke your first cigarillo of the day [R03_AG1024CG_30D] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R03_AG1024CG_30D |
| 2 | NEXT | GO TO R03_AG1024CG_30D_LC2 |

ASK: IF (LOOP = GRILLO AND R03_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R03_AG1024CG_30D_NN != -8, -7) AND ((R03_CURRENT_GRILLO_USE = 1 AND (R03_AG1024CG_30D_NN > 60 AND R03_AG1024CG_30D_UN = 1) OR (R03_AG1024CG_30D_NN > 4 AND R03_AG1024CG_30D_UN = 2)) OR (R03_CURRENT_GRILLO_USE = 2 AND (R03_AG1024CG_30D_NN > 60 AND R03_AG1024CG_30D_UN = 1) OR (R03_AG1024CG_30D_NN > 12 AND R03_AG1024CG_30D_UN = 2))).

DISPLAY: IF R03_AG1024CG_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AG1024CG_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_CURRENT_GRILLO_USE = 1 AND (R03_AG1024CG_30D_NN > 60 AND R03_AG1024CG_30D_UN = 1) OR (R03_AG1024CG_30D_NN > 4 AND R03_AG1024CG_30D_UN = 2)) OR (R03_CURRENT_GRILLO_USE = 2 AND (R03_AG1024CG_30D_NN > 60 AND R03_AG1024CG_30D_UN = 1) OR (R03_AG1024CG_30D_NN > 12 AND R03_AG1024CG_30D_UN = 2)). ELSE, GO TO R03_AG1024CG_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1024CG_30D_LC2

The computer recorded "0" for how long you typically smoke your first cigarillo of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R03_AG1024CG_30D |
| 2 | NEXT | GO TO BOX R03_AGR34 |

ASK: IF LOOP = GRILLO AND R03_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R03_AG1024CG_30D_NN != -8, -7 AND R03_AG1024CG_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AG1024CG_30D_NN = 0. ELSE, GO TO BOX R03_AGR34 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1024FC_30D_LC1

The computer recorded that you typically smoke your first filtered cigar of the day [R03_AG1024FC_30D] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R03_AG1024FC_30D |
| 2 | NEXT | GO TO R03_AG1024FC_30D_LC2 |

ASK: IF (LOOP = GFILTR AND R03_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R03_AG1024FC_30D_NN != -8, -7) AND ((R03_CURRENT_GFILTR_USE = 1 AND (R03_AG1024FC_30D_NN > 60 AND R03_AG1024FC_30D_UN = 1) OR (R03_AG1024FC_30D_NN > 4 AND R03_AG1024FC_30D_UN = 2)) OR (R03_CURRENT_GFILTR_USE = 2 AND (R03_AG1024FC_30D_NN > 60 AND R03_AG1024FC_30D_UN = 1) OR (R03_AG1024FC_30D_NN > 12 AND R03_AG1024FC_30D_UN = 2))).

DISPLAY: IF R03_AG1024FC_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AG1024FC_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_CURRENT_GFILTR_USE = 1 AND (R03_AG1024FC_30D_NN > 60 AND R03_AG1024FC_30D_UN = 1) OR (R03_AG1024FC_30D_NN > 4 AND R03_AG1024FC_30D_UN = 2)) OR (R03_CURRENT_GFILTR_USE = 2 AND (R03_AG1024FC_30D_NN > 60 AND R03_AG1024FC_30D_UN = 1) OR (R03_AG1024FC_30D_NN > 12 AND R03_AG1024FC_30D_UN = 2)). ELSE, GO TO R03_AG1024FC_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1024FC_30D_LC2

The computer recorded "0" for how long you typically smoke your first filtered cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R03_AG1024FC_30D |
| 2 | NEXT | GO TO BOX R03_AGR34 |

ASK: IF LOOP = GFILTR AND R03_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R03_AG1024FC_30D_NN != -8, -7 AND R03_AG1024FC_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AG1024FC_30D_NN = 0. ELSE, GO TO BOX R03_AGR34 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1092TC_30D; R03_AG1092CG_30D; R03_AG1092FC_30D

On the days that you smoked [CIGARFILL]s, would you say you smoked your first [CIGARFILL] of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoked their first traditional cigar/cigarillo/filtered cigar.

ASK Specification: FOR R03_AG1092TC_30D: IF LOOP = GTRAD AND

R03_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R03_AG1024TC_30D_NN = -8, -7.

FOR R03_AG1092CG_30D: IF LOOP = GRILLO AND R03_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R03_AG1024CG_30D_NN = -8, -7.

FOR R03_AG1092FC_30D: IF LOOP = GFILTR AND R03_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R03_AG1024FC_30D_NN = -8, -7.

BOX ID: R03_AGR34

Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R03_AG0100[TC/CG/FC].

Else, go to R03_AG1098[TC/CG/FC].

IF LOOP = GTRAD THEN:

IF R03_CURRENT_GTRAD_USE = 1 OR ((R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1022TC != 0), GO TO R03_AG0100TC.

ELSE, GO TO R03_AG1098TC.

IF LOOP = GRILLO THEN:

IF R03_CURRENT_GRILLO_USE = 1 OR ((R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1022CG != 0), GO TO R03_AG0100CG.

ELSE, GO TO R03_AG1098CG.

IF LOOP = GFILTR THEN:

IF R03_CURRENT_GFILTR_USE = 1 OR ((R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1022FC != 0), GO TO R03_AG0100FC.

ELSE, GO TO R03_AG1098FC.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG0100TC; R03_AG0100CG; R03_AG0100FC		
When did you last smoke a [CIGARFILL]?		
1	In the past hour	GO TO R03_AG0103[TC/CG/FC]
2	Sometime today	
3	Yesterday	
4	Day before yesterday	
5	Three or more days ago	GO TO R03_AG1130[TC/CG/FC]
-8	DON'T KNOW	GO TO R03_AG1130[TC/CG/FC]
-7	REFUSED	GO TO R03_AG1130[TC/CG/FC]
ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked. ASK Specification: FOR R03_AG0100TC: IF LOOP = GTRAD AND (R03_CURRENT_GTRAD_USE = 1 OR ((R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1022TC != 0)). FOR R03_AG0100CG: IF LOOP = GRILLO AND (R03_CURRENT_GRILLO_USE = 1 OR ((R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1022CG != 0)). FOR R03_AG0100FC: IF LOOP = GFILTR AND (R03_CURRENT_GFILTR_USE = 1 OR ((R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1022FC != 0)).		

Variable(s): **R03_AG0102TC; R03_AG0102CG; R03_AG0102FC**

When you last smoked a [CIGARFILL] [FILL BASED ON R03_AG0100[TC/CG/FC]], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and last smoked sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R03_AG0102TC: IF LOOP = GTRAD AND ((R03_CURRENT_GTRAD_USE = 1 AND R03_AG0100TC = 2, 3, 4) OR ((R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1022TC != 0 AND R03_AG0100TC = 2, 3, 4)).

FOR R03_AG0102CG: IF LOOP = GRILLO AND ((R03_CURRENT_GRILLO_USE = 1 AND R03_AG0100CG = 2, 3, 4) OR ((R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1022CG != 0 AND R03_AG0100CG = 2, 3, 4)).

FOR R03_AG0102FC: IF LOOP = GFILTR AND ((R03_CURRENT_GFILTR_USE = 1 AND R03_AG0100FC = 2, 3, 4) OR ((R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1022FC != 0 AND R03_AG0100FC = 2, 3, 4)).

DISPLAY: FOR [FILL BASED ON R03_AG0100[TC/CG/FC]]:

IF R03_AG0100[TC/CG/FC] = 2, DISPLAY "today".

ELSE, IF R03_AG0100[TC/CG/FC] = 3, DISPLAY "yesterday".

ELSE, IF R03_AG0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG0103TC; R03_AG0103CG; R03_AG0103FC
How many [CIGARFILL]s [have/did] you [smoked/smoke] [FILL BASED ON R03_AG0100[TC/CG/FC]]? (If less than 1, enter 1.)	
_ _ _	
-8	DON'T KNOW
GO TO R03_AG1130[TC/CG/FC]	
-7	REFUSED
GO TO R03_AG1130[TC/CG/FC]	
ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday. ASK Specification: FOR R03_AG0103TC: IF LOOP = GTRAD AND ((R03_CURRENT_GTRAD_USE = 1 AND R03_AG0100TC = 1, 2, 3, 4) OR ((R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1022TC != 0 AND R03_AG0100TC = 1, 2, 3, 4)). FOR R03_AG0103CG: IF LOOP = GRILLO AND ((R03_CURRENT_GRILLO_USE = 1 AND R03_AG0100CG = 1, 2, 3, 4) OR ((R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1022CG != 0 AND R03_AG0100CG = 1, 2, 3, 4)). FOR R03_AG0103FC: IF LOOP = GFILTR AND ((R03_CURRENT_GFILTR_USE = 1 AND R03_AG0100FC = 1, 2, 3, 4) OR ((R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1022FC != 0 AND R03_AG0100FC = 1, 2, 3, 4)). DISPLAY: IF R03_AG0100[TC/CG/FC] = 1, 2, DISPLAY "have" AND "smoked". ELSE, IF R03_AG0100[TC/CG/FC] = 3, 4, DISPLAY "did" AND "smoke". FOR [FILL BASED ON R03_AG0100[TC/CG/FC]]: IF R03_AG0100[TC/CG/FC] = 1, 2, DISPLAY "today". ELSE, IF R03_AG0100[TC/CG/FC] = 3, DISPLAY "yesterday". ELSE, IF R03_AG0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday". PROGRAM: Allow only 3 digits.	

BOX ID:	R03_AGR95
Go to R03_AG0103[TC/CG/FC] logic checks.	
IF LOOP = GTRAD, GO TO R03_AG0103TC_LC1.	
IF LOOP = GRILLO, GO TO R03_AG0103CG_LC1.	
IF LOOP = GFILTR, GO TO R03_AG0103FC_LC1.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG0103TC_LC1

The computer recorded that you smoked [R03_AG0103TC] traditional cigars [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AG0103TC |
| 2 | NEXT | GO TO R03_AG1130TC |

ASK: IF LOOP = GTRAD AND ((R03_CURRENT_GTRAD_USE = 1 AND R03_AG0100TC = 1, 2, 3, 4) OR ((R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1022TC != 0 AND R03_AG0100TC = 1, 2, 3, 4)) AND (R03_AG0103TC != -8, -7 AND (R03_AG0103TC > 15 OR R03_AG0103TC = 11)).

DISPLAY: IF R03_AG0100TC = 1, 2, DISPLAY "today".

ELSE, IF R03_AG0100TC = 3, DISPLAY "yesterday".

ELSE, IF R03_AG0100TC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AG0103TC > 15 OR R03_AG0103TC = 11. ELSE, GO TO R03_AG1130TC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG0103CG_LC1

The computer recorded that you smoked [R03_AG0103CG] cigarillos [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AG0103CG |
| 2 | NEXT | GO TO R03_AG1130CG |

ASK: IF LOOP = GRILLO AND ((R03_CURRENT_GRILLO_USE = 1 AND R03_AG0100CG = 1, 2, 3, 4) OR ((R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1022CG != 0 AND R03_AG0100CG = 1, 2, 3, 4)) AND (R03_AG0103CG != -8, -7 AND (R03_AG0103CG > 15 OR R03_AG0103CG = 11)).

DISPLAY: IF R03_AG0100CG = 1, 2, DISPLAY "today".

ELSE, IF R03_AG0100CG = 3, DISPLAY "yesterday".

ELSE, IF R03_AG0100CG = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AG0103CG > 15 OR R03_AG0103CG = 11. ELSE, GO TO R03_AG1130CG AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG0103FC_LC1

The computer recorded that you smoked [R03_AG0103FC] filtered cigars [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AG0103FC |
| 2 | NEXT | GO TO R03_AG1130FC |

ASK: IF LOOP = GFILTR AND ((R03_CURRENT_GFILTR_USE = 1 AND R03_AG0100FC = 1, 2, 3, 4) OR ((R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1022FC != 0 AND R03_AG0100FC = 1, 2, 3, 4)) AND (R03_AG0103FC != -8, -7 AND (R03_AG0103FC > 15 OR R03_AG0103FC = 11)).

DISPLAY: IF R03_AG0100FC = 1, 2, DISPLAY "today".

ELSE, IF R03_AG0100FC = 3, DISPLAY "yesterday".

ELSE, IF R03_AG0100FC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AG0103FC > 15 OR R03_AG0103FC = 11. ELSE, GO TO R03_AG1130FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AG1130TC; R03_AG1130CG; R03_AG1130FC

In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|----------------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AG1098[TC/CG/FC] |
| 3 | I don't know | GO TO R03_AG1098[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R03_AG1098[TC/CG/FC] |
| -7 | REFUSED | GO TO R03_AG1098[TC/CG/FC] |

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R03_AG1130TC: IF LOOP = GTRAD AND (R03_CURRENT_GTRAD_USE = 1 OR ((R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1022TC != 0)).

FOR R03_AG1130CG: IF LOOP = GRILLO AND (R03_CURRENT_GRILLO_USE = 1 OR ((R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1022CG != 0)).

FOR R03_AG1130FC: IF LOOP = GFILTR AND (R03_CURRENT_GFILTR_USE = 1 OR ((R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1022FC != 0)).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Which flavors have you smoked in the past 30 days? Choose all that apply.

- | | | |
|---|----|---|
| R03_AG1131TC_01;
R03_AG1131CG_01;
R03_AG1131FC_01 | 1 | Menthol or mint |
| R03_AG1131TC_02;
R03_AG1131CG_02;
R03_AG1131FC_02 | 2 | Clove or spice |
| R03_AG1131TC_03;
R03_AG1131CG_03;
R03_AG1131FC_03 | 3 | Fruit |
| R03_AG1131TC_04;
R03_AG1131CG_04;
R03_AG1131FC_04 | 4 | Chocolate |
| R03_AG1131TC_05;
R03_AG1131CG_05;
R03_AG1131FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R03_AG1131TC_06;
R03_AG1131CG_06;
R03_AG1131FC_06 | 6 | Candy or other sweets |
| R03_AG1131TC_07;
R03_AG1131CG_07;
R03_AG1131FC_07 | 7 | Some other flavor |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R03_AG1131TC: IF LOOP = GTRAD AND ((R03_CURRENT_GTRAD_USE = 1 AND R03_AG1130TC = 1) OR ((R03_CURRENT_GTRAD_USE = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1022TC != 0 AND R03_AG1130TC = 1)).

FOR R03_AG1131CG: IF LOOP = GRILLO AND ((R03_CURRENT_GRILLO_USE = 1 AND R03_AG1130CG = 1) OR ((R03_CURRENT_GRILLO_USE = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1022CG != 0 AND R03_AG1130CG = 1)).

FOR R03_AG1131FC: IF LOOP = GFILTR AND ((R03_CURRENT_GFILTR_USE = 1 AND R03_AG1130FC = 1) OR ((R03_CURRENT_GFILTR_USE = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1022FC != 0 AND R03_AG1130FC = 1)).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1098TC; R03_AG1098CG; R03_AG1098FC

The next questions ask about your experience buying [CIGARFILL]s.

In the past 30 days, how often have you used a coupon when buying [CIGARFILL]s?

- 1 Always
- 2 Sometimes
- 3 Rarely
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R03_AG1098TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1.

FOR R03_AG1098CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1.

FOR R03_AG1098FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1.

Variable(s): R03_AG1030TC; R03_AG1030CG; R03_AG1030FC

How [do/did] you usually buy [CIGARFILL]s for yourself?

- 1 In person (such as at a store or cigar bar)
- 2 From the internet GO TO R03_AG1039[TC/CG/FC]
- 3 By telephone GO TO R03_AG1039[TC/CG/FC]
- 4 I do not buy my own [CIGARFILL]s GO TO R03_AG9040[TC/CG/FC]
- 8 DON'T KNOW GO TO R03_AG9040[TC/CG/FC]
- 7 REFUSED GO TO R03_AG9040[TC/CG/FC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R03_AG1030TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1.

FOR R03_AG1030CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1.

FOR R03_AG1030FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1.

DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2) DISPLAY "do".

ELSE, DISPLAY "did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1032TC; R03_AG1032CG; R03_AG1032FC

[Do/Did] you usually buy [CIGARFILL]s...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: FOR R03_AG1032TC: IF LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1030TC = 1.

FOR R03_AG1032CG: IF LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1030CG = 1.

FOR R03_AG1032FC: IF LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1030FC = 1.

DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2) DISPLAY "Do".

ELSE, DISPLAY "Did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1033TC; R03_AG1033TC_OS; R03_AG1033CG; R03_AG1033CG_OS; R03_AG1033FC; R03_AG1033FC_OS
Where [do/did] you buy your [CIGARFILL]s most of the time? 1 A cigar bar 2 A convenience store or gas station 3 A supermarket, grocery store, or drug store 4 A warehouse club, such as Sam's or Costco 5 A smoke shop, tobacco specialty store or tobacco outlet store 6 A duty free shop or military commissary 7 A bar, pub, restaurant or casino 8 A friend or relative 9 A swap meet or flea market 10 A liquor store 11 Or from somewhere else (SPECIFY) -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person. ASK Specification: FOR R03_AG1033TC: IF LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1030TC = 1. FOR R03_AG1033CG: IF LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1030CG = 1. FOR R03_AG1033FC: IF LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1030FC = 1. DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard." IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "do". ELSE, DISPLAY "did".	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1039TC; R03_AG1039CG; R03_AG1039FC	
[Do you usually buy [CIGARFILL]s/Did you buy the last [CIGARFILL]s you smoked] by the box or pack, or as single [CIGARFILL]s?	
1 Box or pack	
2 Single [CIGARFILL]s	GO TO R03_AG1043[TC/CG/FC]
-8 DON'T KNOW	GO TO R03_AG9040[TC/CG/FC]
-7 REFUSED	GO TO R03_AG9040[TC/CG/FC]
ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone. ASK Specification: FOR R03_AG1039TC: IF LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1030TC = 1, 2, 3. FOR R03_AG1039CG: IF LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1030CG = 1, 2, 3. FOR R03_AG1039FC: IF LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1030FC = 1, 2, 3. DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "Do you usually buy [CIGARFILL]s". ELSE, DISPLAY "Did you buy the last [CIGARFILL]s you smoked".	

Variable(s): R03_AG1040TC; R03_AG1040CG; R03_AG1040FC	
How many [CIGARFILL]s [come/came] in the box or pack that you [usually buy/bought]?	
_ _ _ _	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack. ASK Specification: FOR R03_AG1040TC: IF LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1030TC = 1, 2, 3 AND R03_AG1039TC = 1. FOR R03_AG1040CG: IF LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1030CG = 1, 2, 3 AND R03_AG1039CG = 1. FOR R03_AG1040FC: IF LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1030FC = 1, 2, 3 AND R03_AG1039FC = 1. DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "come" AND "usually buy". ELSE, DISPLAY "came" AND "bought". PROGRAM: Allow 3 digits.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR96
Go to R03_AG1040[TC/CG/FC] logic checks.	
IF LOOP = GTRAD, GO TO R03_AG1040TC_LC1.	
IF LOOP = GRILLO, GO TO R03_AG1040CG_LC1.	
IF LOOP = GFILTR, GO TO R03_AG1040FC_LC1.	

CHECK ID:	R03_AG1040TC_LC1
The computer recorded that [R03_AG1040TC] traditional cigars [come/came] in the box or pack you [usually buy/bought]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1	BACK
2	NEXT
GO TO R03_AG1040TC	
GO TO R03_AG1042TC	
ASK: IF (LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1030TC = 1, 2, 3 AND R03_AG1039TC = 1) AND R03_AG1040TC > 50.	
DISPLAY: IF R03_GTRAD_USER_STATUS = 1, 2, DISPLAY “come” AND “usually buy”.	
ELSE, DISPLAY “came” AND “bought”.	
PROGRAM: TRIGGER CHECK IF R03_AG1040TC > 50. ELSE, GO TO R03_AG1042TC AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID:	R03_AG1040CG_LC1
The computer recorded that [R03_AG1040CG] cigarillos [come/came] in the box or pack you [usually buy/bought]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1	BACK
2	NEXT
GO TO R03_AG1040CG	
GO TO R03_AG1042CG	
ASK: IF (LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1030CG = 1, 2, 3 AND R03_AG1039CG = 1) AND R03_AG1040CG > 20.	
DISPLAY: IF R03_GRILLO_USER_STATUS = 1, 2, DISPLAY “come” AND “usually buy”.	
ELSE, DISPLAY “came” AND “bought”.	
PROGRAM: TRIGGER CHECK IF R03_AG1040CG > 20. ELSE, GO TO R03_AG1042CG AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1040FC_LC1

The computer recorded that [R03_AG1040FC] filtered cigars [come/came] in the box or pack you [usually buy/bought]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1040FC

2 NEXT

GO TO R03_AG1042FC

ASK: IF (LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1030FC = 1, 2, 3 AND R03_AG1039FC = 1) AND R03_AG1040FC > 100.

DISPLAY: IF R03_GFILTR_USER_STATUS = 1, 2, DISPLAY "come" AND "usually buy". ELSE, DISPLAY "came" AND "bought".

PROGRAM: TRIGGER CHECK IF R03_AG1040FC > 100. ELSE, GO TO R03_AG1042FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AG1042TC_D; R03_AG1042TC_C; R03_AG1042CG_D; R03_AG1042CG_C; R03_AG1042FC_D; R03_AG1042FC_C

[How much do you usually pay for a box or pack of [CIGARFILL]s/How much did you pay for the last box or pack of [CIGARFILL]s that you smoked?]

\$ |__|__|__| Dollars . |__|__| Cents

-8 DON'T KNOW

GO TO R03_AG9040[TC/CG/FC]

-7 REFUSED

GO TO R03_AG9040[TC/CG/FC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: FOR R03_AG1042TC: IF LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1030TC = 1, 2, 3 AND R03_AG1039TC = 1.

FOR R03_AG1042CG: IF LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1030CG = 1, 2, 3 AND R03_AG1039CG = 1.

FOR R03_AG1042FC: IF LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1030FC = 1, 2, 3 AND R03_AG1039FC = 1.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "How much do you usually pay for a box or pack of [CIGARFILL]s".

ELSE, DISPLAY "How much did you pay for the last box or pack of [CIGARFILL]s that you smoked".

PROGRAM: Display as Quantity/Quantity.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR97
Go to R03_AG1042[TC/CG/FC] logic checks.	
IF LOOP = GTRAD, GO TO R03_AG1042TC_LC1.	
IF LOOP = GRILLO, GO TO R03_AG1042CG_LC1.	
IF LOOP = GFILTR, GO TO R03_AG1042FC_LC1.	

CHECK ID:	R03_AG1042TC_LC1
The computer recorded that you [usually pay/paid] \$[R03_AG1042TC[_D/_C]] for a box of traditional cigars. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AG1042TC
2 NEXT	GO TO R03_AG9040TC
ASK: IF (LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1030TC = 1, 2, 3 AND R03_AG1039TC = 1 AND R03_AG1042TC_D != -8, -7) AND (R03_AG1042TC_D > 300 OR R03_AG1042TC_D < 10).	
DISPLAY: IF R03_GTRAD_USER_STATUS = 1, 2, DISPLAY "usually pay".	
ELSE, DISPLAY "paid".	
PROGRAM: TRIGGER CHECK IF R03_AG1042TC_D > 300 OR R03_AG1042TC_D < 10. ELSE, GO TO R03_AG9040TC AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID:	R03_AG1042CG_LC1
The computer recorded that you [usually pay/paid] \$[R03_AG1042CG[_D/_C]] for a box of cigarillos. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AG1042CG
2 NEXT	GO TO R03_AG9040CG
ASK: IF (LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1030CG = 1, 2, 3 AND R03_AG1039CG = 1 AND R03_AG1042CG_D != -8, -7) AND (R03_AG1042CG_D > 11 OR R03_AG1042CG_D < 1).	
DISPLAY: IF R03_GRILLO_USER_STATUS = 1, 2, DISPLAY "usually pay".	
ELSE, DISPLAY "paid".	
PROGRAM: TRIGGER CHECK IF R03_AG1042CG_D > 11 OR R03_AG1042CG_D < 1. ELSE, GO TO R03_AG9040CG AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1042FC_LC1

The computer recorded that you [usually pay/paid] \$[R03_AG1042FC[_D/_C]] for a box of filtered cigars. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R03_AG1042FC |
| 2 | NEXT | GO TO R03_AG9040FC |

ASK: IF (LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1030FC = 1, 2, 3 AND R03_AG1039FC = 1 AND R03_AG1042FC_D != -8, -7) AND (R03_AG1042FC_D > 100 OR R03_AG1042FC_D < 1).

DISPLAY: IF R03_GFILTR_USER_STATUS = 1, 2, DISPLAY "usually pay".
ELSE, DISPLAY "paid".

PROGRAM: TRIGGER CHECK IF R03_AG1042FC_D > 100 OR R03_AG1042FC_D < 1. ELSE, GO TO R03_AG9040FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AG1043TC_D; R03_AG1043TC_C; R03_AG1043CG_D; R03_AG1043CG_C; R03_AG1043FC_D; R03_AG1043FC_C

[How much do you usually pay for a single [CIGARFILL]?/How much did you pay for the single [CIGARFILL] that you last smoked?]

\$ |__|__|__| Dollars . |__|__| Cents

- 8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R03_AG1043TC: IF LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1030TC = 1, 2, 3 AND R03_AG1039TC = 2.

FOR R03_AG1043CG: IF LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1030CG = 1, 2, 3 AND R03_AG1039CG = 2.

FOR R03_AG1043FC: IF LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1030FC = 1, 2, 3 AND R03_AG1039FC = 2.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "How much do you usually pay for a single [CIGARFILL]?".

ELSE, DISPLAY "How much did you pay for the single [CIGARFILL] that you last smoked?".

PROGRAM: Display as Quantity/Quantity.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR98
Go to R03_AG1043[TC/CG/FC] logic checks.	
IF LOOP = GTRAD, GO TO R03_AG1043TC_LC1.	
IF LOOP = GRILLO, GO TO R03_AG1043CG_LC1.	
IF LOOP = GFILTR, GO TO R03_AG1043FC_LC1.	

CHECK ID:	R03_AG1043TC_LC1
The computer recorded that you [usually pay/paid] \$[R03_AG1043TC[_D/_C]] for a single traditional cigar. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AG1043TC
2 NEXT	GO TO R03_AG9040TC
ASK: IF (LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1030TC = 1, 2, 3 AND R03_AG1039TC = 2) AND (R03_AG1043TC_D > 15 OR R03_AG1043TC_D < 1).	
DISPLAY: IF R03_GTRAD_USER_STATUS = 1, 2, DISPLAY "usually pay".	
ELSE, DISPLAY "paid".	
PROGRAM: TRIGGER CHECK IF R03_AG1043TC_D > 15 OR R03_AG1043TC_D < 1. ELSE, GO TO R03_AG9040CG AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID:	R03_AG1043CG_LC1
The computer recorded that you [usually pay/paid] \$[R03_AG1043CG[_D/_C]] for a single cigarillo. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AG1043CG
2 NEXT	GO TO R03_AG9040CG
ASK: IF (LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1030CG = 1, 2, 3 AND R03_AG1039CG = 2) AND (R03_AG1043CG_D > 3 OR (R03_AG1043CG_D = 0 AND R03_AG1043CG_C < 50)).	
DISPLAY: IF R03_GRILLO_USER_STATUS = 1, 2, DISPLAY "usually pay".	
ELSE, DISPLAY "paid".	
PROGRAM: TRIGGER CHECK IF R03_AG1043CG_D > 3 OR (R03_AG1043CG_D = 0 AND R03_AG1043CG_C < 50). ELSE, GO TO R03_AG9040TC AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID:	R03_AG1043FC_LC1						
The computer recorded that you [usually pay/paid] \$[R03_AG1043FC[_D/_C]] for a single filtered cigar. Is that correct? If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R03_AG1043FC</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO R03_AG9040FC</td> </tr> </table> ASK: IF (LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1030FC = 1, 2, 3 AND R03_AG1039FC = 2) AND (R03_AG1043FC_D > 3 OR (R03_AG1043FC_D = 0 AND R03_AG1043FC_C < 50)). DISPLAY: IF R03_GFILTR_USER_STATUS = 1, 2, DISPLAY "usually pay". ELSE, DISPLAY "paid". PROGRAM: TRIGGER CHECK IF R03_AG1043FC_D > 3 OR (R03_AG1043FC_D = 0 AND R03_AG1043FC_C < 50). ELSE, GO TO R03_AG9040FC AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R03_AG1043FC	2	NEXT	GO TO R03_AG9040FC
1	BACK	GO TO R03_AG1043FC					
2	NEXT	GO TO R03_AG9040FC					

Variable(s):	R03_AG9040TC; R03_AG9040CG; R03_AG9040FC												
Please look at this picture. Which group is most like the [CIGARFILL] you [usually smoke/last smoked]? [SHOW GENERIC IMAGE OF 4 CIGAR GROUPS] <table> <tr><td>1</td><td>Group 1</td></tr> <tr><td>2</td><td>Group 2</td></tr> <tr><td>3</td><td>Group 3</td></tr> <tr><td>4</td><td>Group 4</td></tr> <tr><td>-8</td><td>DON'T KNOW</td></tr> <tr><td>-7</td><td>REFUSED</td></tr> </table> ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG9040TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1. FOR R03_AG9040CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1. FOR R03_AG9040FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1. DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "usually smoke". ELSE, DISPLAY "last smoked". IMAGE: SHOW GENERIC IMAGE OF 4 CIGAR GROUPS Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.		1	Group 1	2	Group 2	3	Group 3	4	Group 4	-8	DON'T KNOW	-7	REFUSED
1	Group 1												
2	Group 2												
3	Group 3												
4	Group 4												
-8	DON'T KNOW												
-7	REFUSED												

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1047TC; R03_AG1047CG; R03_AG1047FC
[Do/Did] you have a regular brand of [CIGARFILL]s that you usually [smoke/smoked]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG1047TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1. FOR R03_AG1047CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1. FOR R03_AG1047FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1. DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "Do", "smoke" AND "[CIGARFILL]s". ELSE, DISPLAY "Did", "smoked" AND "[CIGARFILL]s".	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1050TC; R03_AG1050CG; R03_AG1050FC		
[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?		
1	Yes	
2	No	GO TO R03_AG1945[TC/CG/FC]
3	I don't know	GO TO R03_AG1945[TC/CG/FC]
-8	DON'T KNOW	GO TO R03_AG1945[TC/CG/FC]
-7	REFUSED	GO TO R03_AG1945[TC/CG/FC]
ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers.		
ASK Specification: FOR R03_AG1050TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1.		
FOR R03_AG1050CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1.		
FOR R03_AG1050FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1.		
DISPLAY: IF R03_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2)), DISPLAY "Is", "your regular brand" AND "smoke".		
ELSE, IF ((LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 4) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 4) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 4)) AND R03_AG1047[TC/CG/FC] = 1, DISPLAY "Was", "your regular brand" AND "smoked".		
ELSE, IF ((LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 4) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 4) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 4)) AND R03_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".		

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
Which flavor [is/was] it? Choose all that apply.	
R03_AG1012TC_01; R03_AG1012CG_01; R03_AG1012FC_01	1 Menthol or mint
R03_AG1012TC_02; R03_AG1012CG_02; R03_AG1012FC_02	2 Clove or spice
R03_AG1012TC_03; R03_AG1012CG_03; R03_AG1012FC_03	3 Fruit
R03_AG1012TC_04; R03_AG1012CG_04; R03_AG1012FC_04	4 Chocolate
R03_AG1012TC_05; R03_AG1012CG_05; R03_AG1012FC_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R03_AG1012TC_06; R03_AG1012CG_06; R03_AG1012FC_06	6 Candy or other sweets
R03_AG1012TC_07; R03_AG1012CG_07; R03_AG1012FC_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked was flavored. ASK Specification: FOR R03_AG1012TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R03_AG1050TC = 1. FOR R03_AG1012CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R03_AG1050CG = 1. FOR R03_AG1012FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R03_AG1050FC = 1. DISPLAY: IF R03_AG1047 = 1 AND ((LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2)), DISPLAY "is". ELSE, DISPLAY "was".	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1945TC; R03_AG1945CG; R03_AG1945FC

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/usually smoked/last smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R03_AG1945TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1.

FOR R03_AG1945CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1.

FOR R03_AG1945FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1.

DISPLAY: IF R03_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2)), DISPLAY "usually smoke".

ELSE, IF R03_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R03_GTRAD_USER_STATUS != 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS != 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS != 1, 2)), DISPLAY "usually smoked".

ELSE, IF R03_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "last smoked".

UNDERLINE "name of the brand".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR33
Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, go to R03_AG1048[TC/CG/FC]_BRAND. Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars, go to R03_AG1051[TC/CG/FC]. Else, go to Box R03_AGD03.	
IF LOOP = GTRAD THEN: IF (R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1945TC = 1, GO TO R03_AG1048TC_BRAND. ELSE, IF (R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1047TC = 1, GO TO R03_AG1051TC. ELSE, GO TO BOX R03_AGD03.	
IF LOOP = GRILLO THEN: IF (R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1945CG = 1, GO TO R03_AG1048CG_BRAND. ELSE, IF (R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1047CG = 1, GO TO R03_AG1051CG. ELSE, GO TO BOX R03_AGD03.	
IF LOOP = GFILTR THEN: IF (R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1945FC = 1, GO TO R03_AG1048FC_BRAND. ELSE, IF (R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1047FC = 1, GO TO R03_AG1051FC. ELSE, GO TO BOX R03_AGD03.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1048TC_BRAND; R03_AG1048CG_BRAND; R03_AG1048FC_BRAND
What brand of [CIGARFILL]s [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked. ASK Specification: FOR R03_AG1048TC_BRAND: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R03_AG1945TC = 1. FOR R03_AG1048CG_BRAND: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R03_AG1945CG = 1. FOR R03_AG1048FC_BRAND: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R03_AG1945FC = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else". IF R03_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2)), DISPLAY "do" AND "usually". ELSE, IF R03_AG1047[TC/CG/FC] = 1, DISPLAY "did" AND "usually". ELSE, IF R03_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR16
Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R03_AG1049[TC/CG/FC]. Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R03_AG1070[TC/CG/FC]_PRODUCT. Else, go to Box R03_AGR31.	
IF LOOP = GTRAD THEN: IF (R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1945TC = 1 AND R03_AG1048TC_BRAND = 9995, GO TO R03_AG1049TC. ELSE, IF (R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1945TC = 1 AND R03_AG1048TC_BRAND != 9995, -8, -7, GO TO R03_AG1070TC_PRODUCT. ELSE, GO TO BOX R03_AGR31.	
IF LOOP = GRILLO THEN: IF (R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1945CG = 1 AND R03_AG1048CG_BRAND = 9995, GO TO R03_AG1049CG. ELSE, IF (R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1945CG = 1 AND R03_AG1048CG_BRAND != 9995, -8, -7, GO TO R03_AG1070CG_PRODUCT. ELSE, GO TO BOX R03_AGR31.	
IF LOOP = GFILTR THEN: IF (R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1945FC = 1 AND R03_AG1048FC_BRAND = 9995, GO TO R03_AG1049FC. ELSE, IF (R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1945FC = 1 AND R03_AG1048FC_BRAND != 9995, -8, -7, GO TO R03_AG1070FC_PRODUCT. ELSE, GO TO BOX R03_AGR31.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1049TC; R03_AG1049CG; R03_AG1049FC

You said that your brand was not pictured. What is it?

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R03_AGR31

GO TO BOX R03_AGR31

GO TO BOX R03_AGR31

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R03_AG1049TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R03_AG1945TC = 1 AND R03_AG1048TC_BRAND = 9995.

FOR R03_AG1049CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R03_AG1945CG = 1 AND R03_AG1048CG_BRAND = 9995.

FOR R03_AG1049FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R03_AG1945FC = 1 AND R03_AG1048FC_BRAND = 9995.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1070TC_PRODUCT; R03_AG1070CG_PRODUCT; R03_AG1070FC_PRODUCT
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars. ASK Specification: FOR R03_AG1070TC_PRODUCT: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R03_AG1945TC = 1 AND R03_AG1048TC_BRAND != 9995, -8, -7. FOR R03_AG1070CG_PRODUCT: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R03_AG1945CG = 1 AND R03_AG1048CG_BRAND != 9995, -8, -7. FOR R03_AG1070FC_PRODUCT: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R03_AG1945FC = 1 AND R03_AG1048FC_BRAND != 9995, -8, -7. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else". FILL BRANDFILL WITH BRAND CHOSEN IN R03_AG1048[TC/CG/FC]_BRAND. IF R03_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2)), DISPLAY "do" AND "usually". ELSE, IF R03_AG1047[TC/CG/FC] = 1, DISPLAY "did" AND "usually". ELSE, IF R03_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R03_AG1048[TC/CG/FC]_BRAND.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AGR17

Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars, go to R03_AG1071[TC/CG/FC].

Else, go to Box R03_AGR31.

IF LOOP = GTRAD THEN:

IF (R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1)
AND R03_AG1945TC = 1 AND R03_AG1048TC_BRAND != 9995, -8, -7 AND
R03_AG1070TC_PRODUCT = 99995, GO TO R03_AG1071TC.

ELSE, GO TO BOX R03_AGR31.

IF LOOP = GRILLO THEN:

IF (R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1)
AND R03_AG1945CG = 1 AND R03_AG1048CG_BRAND != 9995, -8, -7 AND
R03_AG1070CG_PRODUCT = 99995, GO TO R03_AG1071CG.

ELSE, GO TO BOX R03_AGR31.

IF LOOP = GFILTR THEN:

IF (R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1)
AND R03_AG1945FC = 1 AND R03_AG1048FC_BRAND != 9995, -8, -7 AND
R03_AG1070FC_PRODUCT = 99995, GO TO R03_AG1071FC.

ELSE, GO TO BOX R03_AGR31.

Variable(s): **R03_AG1071TC; R03_AG1071CG; R03_AG1071FC**

You said that the type of [BRANDFILL]s that you [smoke/smoked] is not pictured. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R03_AG1071TC: IF LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1945TC = 1 AND R03_AG1048TC_BRAND != 9995, -8, -7 AND R03_AG1070TC_PRODUCT = 99995.

FOR R03_AG1071CG: IF LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1945CG = 1 AND R03_AG1048CG_BRAND != 9995, -8, -7 AND R03_AG1070CG_PRODUCT = 99995.

FOR R03_AG1071FC: IF LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1945FC = 1 AND R03_AG1048FC_BRAND != 9995, -8, -7 AND R03_AG1070FC_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R03_AG1048[TC/CG/FC]_BRAND.

IF ((LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2)) AND R03_AG1047[TC/CG/FC] = 1, DISPLAY "smoke".

ELSE, DISPLAY "smoked".

BOX ID: **R03_AGR31**

Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars, go to R03_AG1051[TC/CG/FC].

Else, go to Box R03_AGR29.

IF LOOP = GTRAD THEN:

IF R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R03_AG1047TC = 1, GO TO R03_AG1051TC.

ELSE, GO TO BOX R03_AGR29.

IF LOOP = GRILLO THEN:

IF R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R03_AG1047CG = 1, GO TO R03_AG1051CG.

ELSE, GO TO BOX R03_AGR29.

IF LOOP = GFILTR THEN:

IF R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R03_AG1047FC = 1, GO TO R03_AG1051FC.

ELSE, GO TO BOX R03_AGR29.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1051TC_NN; R03_AG1051TC_UN; R03_AG1051CG_NN; R03_AG1051CG_UN; R03_AG1051FC_NN; R03_AG1051FC_UN
About how long [did you smoke/have you been smoking] your regular brand of [CIGARFILL]? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars. ASK Specification: FOR R03_AG1051TC: IF LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG1047TC = 1. FOR R03_AG1051CG: IF LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG1047CG = 1. FOR R03_AG1051FC: IF LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG1047FC = 1. DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "have you been smoking". ELSE, DISPLAY "did you smoke". PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. NOTES: The value "1" refers to R03_AG1051[TC/CG/FC]_UN = Days; the value "2" refers to R03_AG1051[TC/CG/FC]_UN = Months; the value "3" refers to R03_AG1051[TC/CG/FC]_UN = Years.	

BOX ID:	R03_AGR99
Go to R03_AG1051[TC/CG/FC] logic checks.	
IF LOOP = GTRAD, GO TO R03_AG1051TC_LC1.	
IF LOOP = GRILLO, GO TO R03_AG1051CG_LC1.	
IF LOOP = GFILTR, GO TO R03_AG1051FC_LC1.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1051TC_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of traditional cigar for [R03_AG1051TC] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1051TC

2 NEXT

GO TO R03_AG1051TC_LC2

ASK: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R03_AG1047TC = 1) AND ((R03_AG1051TC_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AG1051TC_UN = 3).

DISPLAY: IF R03_GTRAD_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R03_AG1051TC_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AG1051TC_UN = 3.

ELSE, GO TO R03_AG1051TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1051TC_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of traditional cigar.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1051TC

2 NEXT

GO TO BOX R03_AGR29

ASK: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R03_AG1047TC = 1 AND R03_AG1051TC_NN = 0.

DISPLAY: IF R03_GTRAD_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R03_AG1051TC_NN = 0. ELSE, GO TO BOX R03_AGR29 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1051CG_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of cigarillos for [R03_AG1051CG] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1051CG

2 NEXT

GO TO R03_AG1051CG_LC2

ASK: IF (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R03_AG1047CG = 1) AND ((R03_AG1051CG_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AG1051CG_UN = 3).

DISPLAY: IF R03_GRILLO_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R03_AG1051CG_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AG1051CG_UN = 3.

ELSE, GO TO R03_AG1051CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1051CG_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarillos.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1051CG

2 NEXT

GO TO BOX R03_AGR29

ASK: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R03_AG1047CG = 1 AND R03_AG1051CG_NN = 0.

DISPLAY: IF R03_GRILLO_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R03_AG1051CG_NN = 0. ELSE, GO TO BOX R03_AGR29 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AG1051FC_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of filtered cigars for [R03_AG1051FC] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1051FC

2 NEXT

GO TO R03_AG1051FC_LC2

ASK: IF (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R03_AG1047FC = 1) AND ((R03_AG1051FC_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AG1051FC_UN = 3).

DISPLAY: IF R03_GFILTR_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R03_AG1051FC_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AG1051FC_UN = 3.

ELSE, GO TO R03_AG1051FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AG1051FC_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of filtered cigars.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AG1051FC

2 NEXT

GO TO BOX R03_AGR29

ASK: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R03_AG1047FC = 1 AND R03_AG1051FC_NN = 0.

DISPLAY: IF R03_GFILTR_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R03_AG1051FC_NN = 0. ELSE, GO TO BOX R03_AGR29 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR29
Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars, go to R03_AG0104[TC/CG/FC]. Else, go to Box R03_AGD03.	
IF LOOP = GTRAD THEN: IF (R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG0100TC = 1, 2, 3, 4 AND R03_AG1945TC = 1 AND R03_AG1048TC_BRAND != 9995, -8, -7 AND R03_AG1070TC_PRODUCT != 99990, 99995, -8, -7, GO TO R03_AG0104TC. ELSE, GO TO BOX R03_AGD03.	
IF LOOP = GRILLO THEN: IF (R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG0100CG = 1, 2, 3, 4 AND R03_AG1945CG = 1 AND R03_AG1048CG_BRAND != 9995, -8, -7 AND R03_AG1070CG_PRODUCT != 99990, 99995, -8, -7, GO TO R03_AG0104CG. ELSE, GO TO BOX R03_AGD03.	
IF LOOP = GFILTR THEN: IF (R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG0100FC = 1, 2, 3, 4 AND R03_AG1945FC = 1 AND R03_AG1048FC_BRAND != 9995, -8, -7 AND R03_AG1070FC_PRODUCT != 99990, 99995, -8, -7, GO TO R03_AG0104FC. ELSE, GO TO BOX R03_AGD03.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG0104TC***; R03_AG0104CG***; R03_AG0104FC***

You said earlier that you smoked a [CIGARFILL] [TIME OF LAST USE].

Think about the very last [CIGARFILL] you smoked.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R03_AG0104TC: IF LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_AG0100TC = 1, 2, 3, 4 AND R03_AG1945TC = 1 AND R03_AG1048TC_BRAND != 9995, -8, -7 AND R03_AG1070TC_PRODUCT != 99990, 99995, -8, -7.

FOR R03_AG0104CG: IF LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_AG0100CG = 1, 2, 3, 4 AND R03_AG1945CG = 1 AND R03_AG1048CG_BRAND != 9995, -8, -7 AND R03_AG1070CG_PRODUCT != 99990, 99995, -8, -7.

FOR R03_AG0104FC: IF LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_AG0100FC = 1, 2, 3, 4 AND R03_AG1945FC = 1 AND R03_AG1048FC_BRAND != 9995, -8, -7 AND R03_AG1070FC_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R03_AG0100[TC/CG/FC] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R03_AG0100[TC/CG/FC] = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R03_AG0100[TC/CG/FC] = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R03_AG0100[TC/CG/FC] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R03_AG1070[TC/CG/FC]_PRODUCT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R03_AG03

Randomize order of R03_AG1060[TC/CG/FC] through R03_AG1066[TC/CG/FC].

Display question R03_AG1060[TC/CG/FC], R03_AG1085[TC/CG/FC], R03_AG1062[TC/CG/FC], R03_AG1075[TC/CG/FC], R03_AG1063[TC/CG/FC], R03_AG1064[TC/CG/FC], R03_AG1066[TC/CG/FC] on one screen. Show the intro/transition text from R03_AG1060[TC/CG/FC] first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1060TC***; R03_AG1060CG; R03_AG1060FC

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons [apply to you/applied to you when you used to smoke [CIGARFILL]s].

I [smoke/smoked] [CIGARFILL]s because...

They [are/were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R03_AG1060TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1.

FOR R03_AG1060CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1.

FOR R03_AG1060FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1.

DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "apply to you", "smoke" AND "are".

ELSE, DISPLAY "applied to you when you used to smoke [CIGARFILL]", "smoked" AND "were".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1085TC***; R03_AG1085CG; R03_AG1085FC
I [can/could] smoke [CIGARFILL]s at times when or in places where smoking cigarettes [isn't/wasn't] allowed. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG1085TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1. FOR R03_AG1085CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1. FOR R03_AG1085FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1. DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R03_AG1062TC***; R03_AG1062CG; R03_AG1062FC
They might [be/have been] less harmful to me than smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG1062TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1. FOR R03_AG1062CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1. FOR R03_AG1062FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1. DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "be". ELSE, DISPLAY "have been". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1075TC***; R03_AG1075CG; R03_AG1075FC
They might [be/have been] less harmful to people around me than smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG1075TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1. FOR R03_AG1075CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1. FOR R03_AG1075FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1. DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "be". ELSE, DISPLAY "have been". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R03_AG1063TC***; R03_AG1063CG; R03_AG1063FC
[CIGARFILL]s [come/came] in flavors I [like/liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG1063TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1. FOR R03_AG1063CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1. FOR R03_AG1063FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1. DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "come" AND "like". ELSE, DISPLAY "came" AND "liked". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AGR15
Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and who are current established, current experimental, or new former established cigarette smokers, go to R03_AG1064[TC/CG/FC]. Else, go to R03_AG1066[TC/CG/FC].	
IF LOOP = GTRAD THEN: IF (R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_CIG_USER_STATUS = 1, 2, 4, GO TO R03_AG1064TC. ELSE, GO TO R03_AG1066TC.	
IF LOOP = GRILLO THEN: IF (R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_CIG_USER_STATUS = 1, 2, 4, GO TO R03_AG1064CG. ELSE, GO TO R03_AG1066CG.	
IF LOOP = GFILTR THEN: IF (R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_CIG_USER_STATUS = 1, 2, 4, GO TO R03_AG1064FC. ELSE, GO TO R03_AG1066FC.	

Variable(s):	R03_AG1064TC; R03_AG1064CG; R03_AG1064FC
Smoking [CIGARFILL]s helps people quit smoking cigarettes.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and who are current established, current experimental, or new former established cigarette smokers.	
ASK Specification: FOR R03_AG1064TC: IF LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_CIG_USER_STATUS = 1, 2, 4.	
FOR R03_AG1064CG: IF LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_CIG_USER_STATUS = 1, 2, 4.	
FOR R03_AG1064FC: IF LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_CIG_USER_STATUS = 1, 2, 4.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1066TC***; R03_AG1066CG; R03_AG1066FC
Smoking a [CIGARFILL] [feels/felt] like smoking a regular cigarette.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R03_AG1066TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1.	
FOR R03_AG1066CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1.	
FOR R03_AG1066FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1.	
DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "feels".	
ELSE, DISPLAY "felt".	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AGR28
Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and who are current established or new former established cigarette smokers, go to R03_AG1080[TC/CG/FC].	
Else, go to R03_AG1081[TC/CG/FC].	
IF LOOP = GTRAD THEN: IF (R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_CIG_USER_STATUS = 1, 4, GO TO R03_AG1080TC. ELSE, GO TO R03_AG1081TC.	
IF LOOP = GRILLO THEN: IF (R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_CIG_USER_STATUS = 1, 4, GO TO R03_AG1080CG. ELSE, GO TO R03_AG1081CG.	
IF LOOP = GFILTR THEN: IF (R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_CIG_USER_STATUS = 1, 4, GO TO R03_AG1080FC. ELSE, GO TO R03_AG1081FC.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1080TC; R03_AG1080CG; R03_AG1080FC
[Do/Did] you smoke [CIGARFILL]s as a way of cutting down on your cigarette smoking? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and who are current established or new former established cigarette smokers. ASK Specification: FOR R03_AG1080TC: IF LOOP = GTRAD AND (R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R03_CIG_USER_STATUS = 1, 4. FOR R03_AG1080CG: IF LOOP = GRILLO AND (R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R03_CIG_USER_STATUS = 1, 4. FOR R03_AG1080FC: IF LOOP = GFILTR AND (R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R03_CIG_USER_STATUS = 1, 4. DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2), DISPLAY "Do". ELSE, DISPLAY "Did".	

Variable(s):	R03_AG1081TC; R03_AG1081CG; R03_AG1081FC
[Do/Did] you smoke [CIGARFILL]s as an alternative to quitting tobacco altogether? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG1081TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1. FOR R03_AG1081CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1. FOR R03_AG1081FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1. DISPLAY: IF (LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2)), DISPLAY "Do". ELSE, DISPLAY "Did".	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AG1139TC; R03_AG1139CG; R03_AG1139FC**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a [CIGARFILL].

1 Not true of me at all

2

3

4 Very true of me

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R03_AG1139TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1.

FOR R03_AG1139CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1.

FOR R03_AG1139FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1.

DISPLAY: IF R03_[CIGARFILL]_USER_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R03_AG1139[TC/CG/FC] - R03_AG1141[TC/CG/FC] SERIES.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AG1140TC; R03_AG1140CG; R03_AG1140FC
While smoking a [CIGARFILL], I [feel/felt] more confident with other people. 1 Not true of me at all 2 3 4 Very true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG1140TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1. FOR R03_AG1140CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1. FOR R03_AG1140FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1. DISPLAY: IF R03_[CIGARFILL]_USER_STATUS = 1, 2, DISPLAY "feel". ELSE, DISPLAY "felt". DISPLAY SCALE FOR THE R03_AG1139[TC/CG/FC] - R03_AG1141[TC/CG/FC] SERIES.	

Variable(s):	R03_AG1141TC; R03_AG1141CG; R03_AG1141FC
I [smoke/smoked] [CIGARFILL]s much more when I [am/was] with other people. 1 Not true of me at all 2 3 4 Very true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R03_AG1141TC: IF LOOP = GTRAD AND R03_GTRAD_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GTRAD = 1. FOR R03_AG1141CG: IF LOOP = GRILLO AND R03_GRILLO_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GRILLO = 1. FOR R03_AG1141FC: IF LOOP = GFILTR AND R03_GFILTR_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_GFILTR = 1. DISPLAY: IF R03_[CIGARFILL]_USER_STATUS = 1, 2, DISPLAY "smoke" AND "am". ELSE, DISPLAY "smoked" AND "was". DISPLAY SCALE FOR THE R03_AG1139[TC/CG/FC] - R03_AG1141[TC/CG/FC] SERIES.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AGR04

END CIGAR LOOP:

Adult respondents who have remaining traditional cigar/cigarillo/filtered cigar loops to complete, return to Box R03_AGR10 and complete remaining traditional cigar/cigarillo/filtered cigar loops.

Else, adult respondents who have no more remaining traditional cigar/cigarillo/filtered cigar loops to complete, go to the next section.

IF THERE ARE REMAINING NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO BACK TO R03_AGR10 AND REPEAT SECTION.

ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

PIPE

BOX ID:	R03_APR04
Adult respondents who were new former established or still former established pipe users and had smoked 100 or more bowls of pipe tobacco and had smoked a pipe filled with tobacco fairly regularly as of their last completed interview, and have not smoked in the past 12 months or now smoke not at all, go to Box R03_APV01. Else, continue with Box R03_APT02.	
IF R02_PIPE_USER_STATUS = 4, 5 AND R02_NUMLIFE_PIPE = 1 AND R02_REGUSE_PIPE = 1 AND (R03_AP1002_12M = 2 OR R03_AP1003 = 3), GO TO BOX R03_APV01. ELSE, GO TO BOX R03_APT02.	

BOX ID:	R03_APT02
The next questions are about smoking tobacco in pipes. Pipes come in many shapes and sizes. They all have a bowl that holds the tobacco and a stem. Pipe tobacco is often sold loose in packages or tins. In the following section, we are only asking about smoking pipes filled with tobacco. The picture below shows a typical pipe and some pipe tobacco. [SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO] BOLD "pipes".	

BOX ID:	R03_APR03
Adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco as of their last completed interview, go to R03_AP1005. Else, adult respondents who had not reported ever smoking a pipe filled with tobacco fairly regularly as of their last completed interview, go to R03_AP1100. Else, go to Box R03_APV01.	
IF R03_EVER_NEVER_PIPE = 1 AND R02_NUMLIFE_PIPE != 1, GO TO R03_AP1005. ELSE, IF R02_REGUSE_PIPE != 1, GO TO R03_AP1100. ELSE, GO TO BOX R03_APV01.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AP1005
How many bowls filled with pipe tobacco have you smoked in your entire life? 1 1 or more puffs but never a whole one 2 1 to 10 3 11 to 20 4 21 to 50 5 51 to 99 6 100 or more -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco as of their last completed interview. ASK Specification: IF R03_EVER_NEVER_PIPE = 1 AND R02_NUMLIFE_PIPE != 1.

BOX ID: R03_APR08
Adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe filled with tobacco fairly regularly as of their last completed interview, go to R03_AP1100. Else, go to Box R03_APV01. IF R03_EVER_NEVER_PIPE = 1 AND R02_REGUSE_PIPE != 1, GO TO R03_AP1100. ELSE, GO TO BOX R03_APV01.

Variable(s): R03_AP1100
Have you ever smoked a pipe filled with tobacco fairly regularly? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe filled with tobacco fairly regularly as of their last completed interview. ASK Specification: IF R03_EVER_NEVER_PIPE = 1 AND R02_REGUSE_PIPE != 1.

BOX ID: R03_APR09
New baseline adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe filled with tobacco fairly regularly as of their last completed interview and have ever smoked a pipe fairly regularly, go to R03_AP1007_NB. Else, go to Box R03_APV01. IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_PIPE = 1 AND R02_REGUSE_PIPE != 1 AND R03_AP1100 = 1, GO TO R03_AP1007_NB. ELSE, GO TO BOX R03_APV01.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1007_NB**

How old were you when you first started smoking a pipe filled with tobacco fairly regularly?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R03_AP1121_NB

-7 REFUSED

GO TO R03_AP1121_NB

ASK: New baseline adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe filled with tobacco fairly regularly as of their last completed interview and have ever smoked a pipe with tobacco fairly regularly.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_PIPE = 1 AND R02_REGUSE_PIPE != 1 AND R03_AP1100 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: **R03_AP1007_NB_LC1**

The computer recorded that you started smoking pipes fairly regularly at age [R03_AP1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AP1007_NB

2 NEXT

GO TO R03_AP1007_NB_LC2

ASK: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_PIPE = 1 AND R02_REGUSE_PIPE != 1 AND R03_AP1100 = 1 AND R03_AP1007_NB != -8, -7, AND R03_AP1007_NB <= 10.

PROGRAM: TRIGGER CHECK IF R03_AP1007_NB <= 10.

ELSE, GO TO R03_AP1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: **R03_AP1007_NB_LC2**

The computer recorded that you started smoking pipes fairly regularly at age [R03_AP1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AP1007_NB

2 NEXT

GO TO BOX R03_APV01

ASK: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_PIPE = 1 AND R02_REGUSE_PIPE != 1 AND R03_AP1100 = 1 AND R03_AP1007_NB != -8, -7, AND R03_AP1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AP1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO BOX R03_APV01 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1121_NB**

When you first started smoking a pipe filled with tobacco fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe filled with tobacco fairly regularly as of their last completed interview and have ever smoked a pipe with tobacco fairly regularly and did not know or refused to report the age when they first started smoking a pipe filled with tobacco fairly regularly.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_PIPE = 1 AND R02_REGUSE_PIPE != 1 AND R03_AP1100 = 1 AND R03_AP1007_NB = -8, -7.

BOX ID: **R03_APV01**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R03_PIPE_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked a pipe fairly regularly and currently smoke every day or some days.

R03_PIPE_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked a pipe fairly regularly, and currently smoke every day or some days.

R03_PIPE_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a pipe and have never smoked a pipe fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R03_PIPE_USER_STATUS = 4 (New former established user) Adult respondents who were current established, current experimental, or former experimental pipe smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_PIPE_USER_STATUS = 5 (Still former established user) Adult respondents who were new former established or still former established pipe smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_CURRENT_PIPE_USE = 1 (Every day established user) Adult respondents who have ever smoked a pipe fairly regularly and currently smoke every day.

R03_CURRENT_PIPE_USE = 2 (Some day established user) Adult respondents who have ever smoked a pipe fairly regularly and currently smoke some days.

R03_FORMER_THIRTYDAY_USER_PIPE = 1 (Non-current 30-day user) Adult respondents who are former experimental, new former established, or still former established pipe smokers who have smoked any pipe tobacco in the past 30 days.

R03_PIPE_USER_STATUS = 1:

IF (R02_REGUSE_PIPE = 1 OR R03_AP1100 = 1) AND R03_AP1003 = 1, 2, THEN
R03_PIPE_USER_STATUS = 1.

R03_PIPE_USER_STATUS = 2:

ELSE, IF R03_EVER_NEVER_PIPE = 1 AND R03_AP1100 != 1 AND R02_REGUSE_PIPE != 1 AND R03_AP1003 = 1, 2, THEN R03_PIPE_USER_STATUS = 2.

R03_PIPE_USER_STATUS = 3:

ELSE, IF R03_EVER_NEVER_PIPE = 1 AND (R03_AP1002_12M = 2 OR R03_AP1003 = 3) AND R03_AP1100 != 1 AND R02_REGUSE_PIPE != 1, THEN R03_PIPE_USER_STATUS = 3.

R03_PIPE_USER_STATUS = 4:

ELSE, IF (R02_PIPE_USER_STATUS = 1, 2, 3 OR R03_INIT_PIPE_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_PIPE = 1)) AND (R02_REGUSE_PIPE = 1 OR R03_AP1100 = 1) AND R03_EVER_NEVER_PIPE = 1 AND (R03_AP1002_12M = 2 OR R03_AP1003 = 3), THEN R03_PIPE_USER_STATUS = 4.

R03_PIPE_USER_STATUS = 5:

ELSE, IF R02_PIPE_USER_STATUS = 4, 5 AND R03_EVER_NEVER_PIPE = 1 AND (R03_AP1002_12M = 2 OR R03_AP1003 = 3), THEN R03_PIPE_USER_STATUS = 5.

R03_CURRENT_PIPE_USE = 1:

IF R03_PIPE_USER_STATUS = 1 AND R03_AP1003 = 1, THEN R03_CURRENT_PIPE_USE = 1.

R03_CURRENT_PIPE_USE = 2:

ELSE, IF R03_PIPE_USER_STATUS = 1 AND R03_AP1003 = 2, THEN R03_CURRENT_PIPE_USE = 2.

R03_FORMER_THIRTYDAY_USER_PIPE:

IF (R03_PIPE_USER_STATUS = 3, 4, 5 AND (1 <= R03_AP1009_NN <= 30 AND R03_AP1009_UN = 1) OR (R03_AP1009_NN = 1 AND R03_AP1009_UN = 2) OR R03_AP1004 = 1), THEN R03_FORMER_THIRTYDAY_USER_PIPE = 1.

ELSE, R03_FORMER_THIRTYDAY_USER_PIPE = 2.

BOX ID: R03_APR01

New baseline adult respondents who are every day established pipe smoker, go to R03_AP1020_NB.
Else, adult respondents who have initiated pipe smoking since their last completed interview, go to R03_AP1008.

Else, if every day established pipe smoker, go to R03_AP1021.

Else, if some day established, current experimental, or non-current 30-day pipe smoker, go to R03_AP1022.

Else, if new former established pipe smoker, go to R03_AP1047.

Else, if former experimental or still former established pipe smoker, go to the next section.

IF R03_ADULTTYPE = 2 AND R03_CURRENT_PIPE_USE = 1, GO TO R03_AP1020_NB.

ELSE, IF R03_INIT_PIPE_ADULT = 1, GO TO R03_AP1008.

ELSE, IF R03_CURRENT_PIPE_USE = 1, GO TO R03_AP1021.

ELSE, IF R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R03_AP1022.

ELSE, IF R03_PIPE_USER_STATUS = 4, GO TO R03_AP1047.

ELSE, IF R03_PIPE_USER_STATUS = 3 OR 5, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1020_NB**

How old were you when you first started smoking a pipe filled with tobacco every day?

I__|__| Years old

-8 DON'T KNOW

GO TO R03_AP1122_NB

-7 REFUSED

GO TO R03_AP1122_NB

ASK: New baseline adult respondents who are every day established pipe smokers.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_CURRENT_PIPE_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: **R03_AP1020_NB_LC1**

The computer recorded that you started smoking a pipe every day at age [R03_AP1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AP1020_NB

2 NEXT

GO TO R03_AP1020_NB_LC2

ASK: IF (R03_ADULTTYPE = 2 AND R03_CURRENT_PIPE_USE = 1 AND R03_AP1020_NB != -8, -7) AND (R03_AP1020_NB <= 10 OR R03_AP1020_NB < R03_AP1007_NB).

PROGRAM: TRIGGER CHECK IF R03_AP1020_NB <= 10 OR R03_AP1020_NB < R03_AP1007_NB. ELSE, GO TO R03_AP1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: **R03_AP1020_NB_LC2**

The computer recorded that you started smoking a pipe every day at age [R03_AP1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AP1020_NB

2 NEXT

GO TO BOX R03_APR12

ASK: IF R03_ADULTTYPE = 2 AND R03_CURRENT_PIPE_USE = 1 AND R03_AP1020_NB != -8, -7 AND R03_AP1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AP1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_APR12 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AP1122_NB
When you first started smoking a pipe filled with tobacco every day, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who are every day established pipe smokers and did not know or refused to report the age they first started smoking a pipe filled with tobacco every day. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_CURRENT_PIPE_USE = 1 AND R03_AP1020_NB = -8, -7.

BOX ID: R03_APR12
Adult respondents who initiated pipe smoking since their last completed interview, go to R03_AP1008. Else, go to R03_AP1021. IF R03_INIT_PIPE_ADULT = 1, GO TO R03_AP1008. ELSE, GO TO R03_AP1021.

Variable(s): R03_AP1008
When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED GO TO BOX R03_APR13 GO TO BOX R03_APR13 GO TO BOX R03_APR13 GO TO BOX R03_APR13 ASK: Adult respondents who initiated pipe smoking since their last completed interview. ASK Specification: IF R03_INIT_PIPE_ADULT = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
Which flavor did you first start smoking? Choose all that apply.	
R03_AP1011_01	1 Menthol or mint
R03_AP1011_02	2 Clove or spice
R03_AP1011_03	3 Fruit
R03_AP1011_04	4 Chocolate
R03_AP1011_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R03_AP1011_06	6 Candy or other sweets
R03_AP1011_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who initiated pipe smoking since their last completed interview and initiated pipe smoking with flavored pipe tobacco.	
ASK Specification: IF R03_INIT_PIPE_ADULT = 1 AND R03_AP1008 = 1.	
PROGRAM: Allow respondent to choose all that apply.	

BOX ID: R03_APR13
Adult respondents who are every day established pipe smokers, go to R03_AP1021. Else, adult respondents who are some day established, current experimental or non-current 30-day pipe smokers, go to R03_AP1022. Else, go to the next section.
IF R03_CURRENT_PIPE_USE = 1, GO TO R03_AP1021. ELSE, IF R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R03_AP1022. ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

Variable(s): R03_AP1021	
On average, about how many bowls filled with pipe tobacco do you now smoke each day?	
-2 Less than 1 each day	GO TO R03_AP1024
_ _ _	
-8 DON'T KNOW	GO TO R03_AP1024
-7 REFUSED	GO TO R03_AP1024
ASK: Adult respondents who are every day established pipe smokers.	
ASK Specification: IF R03_CURRENT_PIPE_USE = 1.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AP1021_LC1

The computer recorded that you now smoke [R03_AP1021] bowls filled with pipe tobacco a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AP1021 |
| 2 | NEXT | GO TO R03_AP1024 |

ASK: IF R03_CURRENT_PIPE_USE = 1 AND R03_AP1021 != -2, -8, -7, AND R03_AP1021 > 10.

PROGRAM: TRIGGER CHECK IF R03_AP1021 > 10.

ELSE, GO TO R03_AP1024 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AP1022

On how many of the past 30 days did you smoke a pipe filled with tobacco?

I ___ I ___ DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers.

ASK Specification: IF R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0 - 30 days.

BOX ID: R03_APR15

Adult respondents who are some day established or current experimental pipe smokers and smoked on 0 days of the past 30 days, go to R03_AP9029.

Else, adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R03_AP1023.

Else, go to Box R03_APR29.

IF (R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2) AND R03_AP1022 = 0, GO TO R03_AP9029.

ELSE, IF (R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1022 != 0, GO TO R03_AP1023.

ELSE, GO TO BOX R03_APR29.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AP9029_NN; R03_AP9029_UN

About how long has it been since you last smoked a pipe filled with tobacco?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R03_APR29

-7 REFUSED

GO TO BOX R03_APR29

ASK: Adult respondents who are some day established or current experimental pipe smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2) AND R03_AP1022 = 0.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AP9029_UN = Days; the value "2" refers to R03_AP9029_UN = Months; the value "3" refers to R03_AP9029_UN = Years.

CHECK ID: R03_AP9029_LC1

The computer recorded that you last smoked a pipe [R03_AP9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AP9029

2 NEXT

GO TO BOX R03_APR29

ASK: IF ((R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2) AND R03_AP1022 = 0 AND R03_AP9029_NN != -8, -7) AND ((R03_AP9029_NN < 30 AND R03_AP9029_UN = 1) OR (R03_AP9029_NN < 1 AND R03_AP9029_UN = 2) OR (R03_AP9029_NN > 18 AND R03_AP9029_UN = 2) OR ((R03_AP9029_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18 AND R03_AP9029_UN = 3)).

DISPLAY: IF R03_AP9029_UN = 1, DISPLAY "days".

ELSE, IF R03_AP9029_UN = 2, DISPLAY "months".

ELSE, IF R03_AP9029_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AP9029_NN < 30 AND R03_AP9029_UN = 1) OR (R03_AP9029_NN < 1 AND R03_AP9029_UN = 2) OR (R03_AP9029_NN > 18 AND R03_AP9029_UN = 2) OR ((R03_AP9029_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18 AND R03_AP9029_UN = 3).

ELSE, GO TO BOX R03_APR29 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1023**

On average, on those [FILL NUMBER OF DAYS FROM R03_AP1022 days/days you smoked], how many bowls filled with pipe tobacco did you usually smoke each day?

-2 Less than 1 each day GO TO BOX R03_APR29

I__I__I

-8 DON'T KNOW GO TO BOX R03_APR29

-7 REFUSED GO TO BOX R03_APR29

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1022 != 0.

DISPLAY: IF R03_AP1022 = 1, -8, -7, DISPLAY "days you smoked".

ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R03_AP1022.

DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON LABEL "Less than 1 each day" ON RIGHT.

CHECK ID: **R03_AP1023_LC1**

The computer recorded that on the days you smoked in the past 30 days, you smoked [R03_AP1023] bowls filled with pipe tobacco a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R03_AP1023

2 NEXT GO TO BOX R03_APR29

ASK: IF ((R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1022 != 0 AND R03_AP1023 != -2, -8, -7) AND R03_AP1023 > 10.

PROGRAM: TRIGGER CHECK IF R03_AP1023 > 10.

ELSE, GO TO BOX R03_APR29 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: **R03_APR29**

Adult respondents who are current established or current experimental pipe smokers, go to R03_AP1024.

Else, adult respondents who are non-current 30-day pipe users, go to R03_AP1024_30D.

Else, adult respondents who are new former established pipe users, go to R03_AP1047.

Else, go to the next section.

IF R03_PIPE_USER_STATUS = 1, 2, GO TO R03_AP1024.

ELSE, IF R03_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R03_AP1024_30D.

ELSE, IF R03_PIPE_USER_STATUS = 4, GO TO R03_AP1047.

ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AP1024_NN; R03_AP1024_UN

[On the days that you smoke a pipe filled with tobacco, how/How] soon after you wake up do you typically take your first puff from a pipe? Please enter the number of minutes or hours.

1 |__|__|__| Minutes after waking

2 |__|__|__| Hours after waking

-8 DON'T KNOW

GO TO R03_AP1092

-7 REFUSED

GO TO R03_AP1092

ASK: Adult respondents who are current established or current experimental pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2.

DISPLAY: IF R03_CURRENT_PIPE_USE = 1, DISPLAY "How".

ELSE, DISPLAY "On the days that you smoke a pipe filled with tobacco, how".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AP1024_UN = Minutes after waking; the value "2" refers to R03_AP1024_UN = Hours after waking.

CHECK ID: R03_AP1024_LC1

The computer recorded that you typically smoke your first pipe bowl of the day [R03_AP1024_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AP1024

2 NEXT

GO TO R03_AP1024_LC2

ASK: IF (R03_PIPE_USER_STATUS = 1, 2 AND R03_AP1024_NN != -8, -7) AND ((R03_CURRENT_PIPE_USE = 1 AND ((R03_AP1024_NN > 60 AND R03_AP1024_UN = 1) OR (R03_AP1024_NN > 4 AND R03_AP1024_UN = 2))) OR ((R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2) AND ((R03_AP1024_NN > 60 AND R03_AP1024_UN = 1) OR (R03_AP1024_NN > 12 AND R03_AP1024_UN = 2))))).

DISPLAY: IF R03_AP1024_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AP1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_CURRENT_PIPE_USE = 1 AND ((R03_AP1024_NN > 60 AND R03_AP1024_UN = 1) OR (R03_AP1024_NN > 4 AND R03_AP1024_UN = 2))) OR ((R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2) AND ((R03_AP1024_NN > 60 AND R03_AP1024_UN = 1) OR (R03_AP1024_NN > 12 AND R03_AP1024_UN = 2))).

ELSE, GO TO R03_AP1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AP1024_LC2

The computer recorded "0" for how soon you typically take your first puff from a pipe after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R03_AP1024

2 NEXT GO TO BOX R03_APR31

ASK: IF R03_PIPE_USER_STATUS = 1, 2 AND R03_AP1024_NN != -8, -7 AND R03_AP1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AP1024_NN = 0.

ELSE, GO TO BOX R03_APR31 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AP1092

[On the days that you smoke a pipe filled with tobacco, would/Would] you say you take your first puff from a pipe within the first 30 minutes after you wake up?

1 Yes GO TO R03_AP0100

2 No GO TO R03_AP0100

3 It varies GO TO R03_AP0100

-8 DON'T KNOW GO TO R03_AP0100

-7 REFUSED GO TO R03_AP0100

ASK: Adult respondents who are current established or current experimental pipe smokers, and did not know or refused to report how soon after waking up they typically take their first puff from a pipe.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2 AND R03_AP1024_NN = -8, -7.

DISPLAY: IF R03_CURRENT_PIPE_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you smoke a pipe filled with tobacco, would".

Variable(s): R03_AP1024_30D_NN; R03_AP1024_30D_UN

On the days that you smoked a pipe filled with tobacco, how soon after you woke up did you typically take your first puff from a pipe? Please enter the number of minutes or hours.

1 |__|__|__| Minutes after waking

2 |__|__|__| Hours after waking

-8 DON'T KNOW GO TO R03_AP1092_30D

-7 REFUSED GO TO R03_AP1092_30D

ASK: Adult respondents who are non-current 30-day pipe smokers.

ASK Specification: IF R03_FORMER_THIRTYDAY_USER_PIPE = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AP1024_30D_UN = Minutes after waking; the value "2" refers to R03_AP1024_30D_UN = Hours after waking.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AP1024_30D_LC1

The computer recorded that you typically smoked your first pipe bowl of the day [R03_AP1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------------|
| 1 | BACK | GO TO R03_AP1024_30D |
| 2 | NEXT | GO TO R03_AP1024_30D_LC2 |

ASK: IF (R03_FORMER_THIRTYDAY_USER_PIPE = 1 AND R03_AP1024_30D_NN != -8, -7) AND ((R03_AP1024_30D_NN > 60 AND R03_AP1024_30D_UN = 1) OR (R03_AP1024_30D_NN > 12 AND R03_AP1024_30D_UN = 2)).

DISPLAY: IF R03_AP1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AP1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_AP1024_30D_NN > 60 AND R03_AP1024_30D_UN = 1) OR (R03_AP1024_30D_NN > 12 AND R03_AP1024_30D_UN = 2).

ELSE, GO TO R03_AP1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AP1024_30D_LC2

The computer recorded "0" for how soon you typically took your first puff from a pipe after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AP1024_30D |
| 2 | NEXT | GO TO R03_AP0100 |

ASK: IF R03_FORMER_THIRTYDAY_USER_PIPE = 1 AND R03_AP1024_30D_NN != -8, -7 AND R03_AP1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AP1024_30D_NN = 0.

ELSE, GO TO R03_AP0100 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AP1092_30D

On the days that you smoked a pipe filled with tobacco, would you say you took your first puff from a pipe within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are non-current 30-day pipe smokers, and did not know or refused to report how soon after waking up they typically took their first puff from a pipe.

ASK Specification: IF R03_FORMER_THIRTYDAY_USER_PIPE = 1 AND R03_AP1024_30D_NN = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_APR31

Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R03_AP0100.

Else, go to R03_AP1098.

IF R03_CURRENT_PIPE_USE = 1 OR ((R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1022 != 0), GO TO R03_AP0100.

ELSE, GO TO R03_AP1098.

Variable(s): R03_AP0100

When did you last smoke a pipe filled with tobacco?

- | | |
|--------------------------|------------------|
| 1 In the past hour | GO TO R03_AP0103 |
| 2 Sometime today | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R03_AP1130 |
| -8 DON'T KNOW | GO TO R03_AP1130 |
| -7 REFUSED | GO TO R03_AP1130 |

ASK: Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R03_CURRENT_PIPE_USE = 1 OR ((R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1022 != 0).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP0102**

When you last smoked a pipe filled with tobacco [FILL BASED ON R03_AP0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established pipe smokers and last smoked sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R03_CURRENT_PIPE_USE = 1 AND R03_AP0100 = 2, 3, 4) OR ((R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1022 != 0 AND R03_AP0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R03_AP0100]:

IF R03_AP0100 = 2, DISPLAY "today".

ELSE, IF R03_AP0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AP0100 = 4, DISPLAY "the day before yesterday".

Variable(s): **R03_AP0103**

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke] [FILL BASED ON R03_AP0100]? (If less than 1, enter 1.)

|_|_|_|

-8 DON'T KNOW

GO TO R03_AP1130

-7 REFUSED

GO TO R03_AP1130

ASK: Adult respondents who are every day established pipe smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R03_CURRENT_PIPE_USE = 1 AND R03_AP0100 = 1, 2, 3, 4) OR ((R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1022 != 0 AND R03_AP0100 = 1, 2, 3, 4).

DISPLAY: IF R03_AP0100 = 1, 2, DISPLAY "have" AND "smoked".

ELSE, IF R03_AP0100 = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R03_AP0100]:

IF R03_AP0100 = 1, 2, DISPLAY "today".

ELSE, IF R03_AP0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AP0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AP0103_LC1

The computer recorded that you smoked [R03_AP0103] bowls filled with pipe tobacco [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AP0103 |
| 2 | NEXT | GO TO R03_AP1130 |

ASK: IF R03_CURRENT_PIPE_USE = 1 OR (R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1022 != 0 AND R03_AP0100 = 1, 2, 3, 4 AND R03_AP0103 != -8, -7 AND R03_AP0103 > 10.

DISPLAY: IF R03_AP0100 = 1, 2, DISPLAY "today".

ELSE, IF R03_AP0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AP0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AP0103 > 10.

ELSE, GO TO R03_AP1130 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AP1130

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AP1098 |
| 3 | I don't know | GO TO R03_AP1098 |
| -8 | DON'T KNOW | GO TO R03_AP1098 |
| -7 | REFUSED | GO TO R03_AP1098 |

ASK: Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R03_CURRENT_PIPE_USE = 1 OR ((R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1022 != 0).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Which flavors have you smoked in the past 30 days? Choose all that apply.

- | | | |
|----------------------|----|---|
| R03_AP1131_01 | 1 | Menthol or mint |
| R03_AP1131_02 | 2 | Clove or spice |
| R03_AP1131_03 | 3 | Fruit |
| R03_AP1131_04 | 4 | Chocolate |
| R03_AP1131_05 | 5 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R03_AP1131_06 | 6 | Candy or other sweets |
| R03_AP1131_07 | 7 | Some other flavor |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R03_CURRENT_PIPE_USE = 1 AND R03_AP1130 = 1) OR
((R03_CURRENT_PIPE_USE = 2 OR R03_PIPE_USER_STATUS = 2 OR
R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1022 != 0 AND R03_AP1130 = 1).

PROGRAM: Allow respondent to choose all that apply.

Variable(s): **R03_AP1098**

The next questions ask about your experience buying pipe tobacco.

In the past 30 days, how often have you used a coupon when buying pipe tobacco?

- | | |
|----|------------|
| 1 | Always |
| 2 | Sometimes |
| 3 | Rarely |
| 4 | Never |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_PIPE = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1030**

How [do/did] you usually buy pipe tobacco for yourself?

- | | | |
|----|----------------------------------|------------------|
| 1 | In person | |
| 2 | From the internet | GO TO R03_AP1034 |
| 3 | By telephone | GO TO R03_AP1034 |
| 4 | I do not buy my own pipe tobacco | GO TO R03_AP1047 |
| -8 | DON'T KNOW | GO TO R03_AP1047 |
| -7 | REFUSED | GO TO R03_AP1047 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

Variable(s): **R03_AP1032**

[Do/Did] you usually buy pipe tobacco...?

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person.

ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1030 = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1033; R03_AP1033_OS**

Where [do/did] you buy your pipe tobacco most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person.

ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1030 = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): **R03_AP1034_D; R03_AP1034_C**

How much [do/did] you usually pay for a pouch of pipe tobacco?

\$ |__|__|__| Dollars . |__|__| Cents

- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1030 = 1, 2, 3.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

PROGRAM: Display as Quantity/Quantity.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AP1034_LC1

The computer recorded that you paid \$[R03_AP1034[_D/_C]] for a pouch of pipe tobacco. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AP1034 |
| 2 | NEXT | GO TO R03_AP1047 |

ASK: IF ((R03_PIPE_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1030 = 1, 2, 3) AND R03_AP1034_D > 50.

PROGRAM: TRIGGER CHECK IF R03_AP1034_D > 50.

ELSE, GO TO R03_AP1047 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AP1047

[Do/Did] you have a regular brand of pipe tobacco that you usually [smoke/smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "Do" AND "smoke".

ELSE, DISPLAY "Did" AND "smoked".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1050**

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AP1945 |
| 3 | I don't know | GO TO R03_AP1945 |
| -8 | DON'T KNOW | GO TO R03_AP1945 |
| -7 | REFUSED | GO TO R03_AP1945 |

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2 AND R03_AP1047 = 1, DISPLAY "Is" AND "your regular brand" AND "smoke".

ELSE, IF R03_PIPE_USER_STATUS = 1, 2 AND R03_AP1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked".

ELSE, IF R03_PIPE_USER_STATUS = 4 AND R03_AP1047 = 1, DISPLAY "Was" AND "your regular brand" AND "smoked".

ELSE, IF R03_PIPE_USER_STATUS = 4 AND R03_AP1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked".

Variable(s): **SEE BELOW:**

Which flavor [is/was] it? Choose all that apply.

- | | | |
|----------------------|----|---|
| R03_AP1012_01 | 1 | Menthol or mint |
| R03_AP1012_02 | 2 | Clove or spice |
| R03_AP1012_03 | 3 | Fruit |
| R03_AP1012_04 | 4 | Chocolate |
| R03_AP1012_05 | 5 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R03_AP1012_06 | 6 | Candy or other sweets |
| R03_AP1012_07 | 7 | Some other flavor |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1050 = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2 AND R03_AP1047 = 1, DISPLAY "is".

ELSE, IF R03_PIPE_USER_STATUS = 4 OR R03_AP1047 = 2, -8, -7 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1, DISPLAY "was".

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1945**

Do you know the name of the brand of pipe tobacco you [usually smoke/usually smoked/last smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4, OR
R03_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R03_AP1047 = 1 AND R03_PIPE_USER_STATUS = 1, 2, DISPLAY "usually smoke".
ELSE, IF R03_AP1047 = 1 AND R03_PIPE_USER_STATUS != 1, 2, DISPLAY "usually smoked".
ELSE, IF R03_AP1047 = 2, -8, -7, DISPLAY "last smoked".

UNDERLINE "name of the brand".

BOX ID: **R03_APR30**

Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers and know the name of the brand they last used, go to R03_AP1048_BRAND.

Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco, go to R03_AP1051.

Else, go to Box R03_APD01.

IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND
R03_AP1945 = 1, GO TO R03_AP1048_BRAND.
ELSE, IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1)
AND R03_AP1047 = 1, GO TO R03_AP1051.
ELSE, GO TO BOX R03_APD01.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AP1048_BRAND
What brand of pipe tobacco [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers who know the name of the brand of the pipe tobacco they usually smoke or last smoked. ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1945 = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else". IF R03_PIPE_USER_STATUS = 1, 2 AND R03_AP1047 = 1, DISPLAY "do" AND "usually". ELSE, IF R03_PIPE_USER_STATUS = 1, 2 AND R03_AP1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R03_AP1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R03_AP1047 = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

BOX ID: R03_APR22
Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers who know the name of the brand of the pipe tobacco they usually smoke or last smoked and selected "Something else" for their brand of pipe tobacco, go to R03_AP1049. Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers who know the name of the brand of the pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco, go to R03_AP1070_PRODUCT. Else, go to Box R03_APR23. IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1945 = 1 AND R03_AP1048_BRAND = 9995, GO TO R03_AP1049. ELSE, IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1945 = 1 AND R03_AP1048_BRAND != 9995, -8, -7, GO TO R03_AP1070_PRODUCT. ELSE, GO TO BOX R03_APR23.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1049**

You said that your brand was not pictured. What is it?

_____	GO TO BOX R03_APR23
-8 DON'T KNOW	GO TO BOX R03_APR23
-7 REFUSED	GO TO BOX R03_APR23

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers who know the name of the brand of the pipe tobacco they usually smoke or last smoked and selected "Something else" for their brand of pipe tobacco.

ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1945 = 1 AND R03_AP1048_BRAND = 9995.

Variable(s): **R03_AP1070_PRODUCT**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers who know the name of the brand of the pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco.

ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1945 = 1 AND R03_AP1048_BRAND != 9995, -8, -7.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else".

FILL BRANDFILL WITH BRAND CHOSEN IN R03_AP1048_BRAND.

IF R03_PIPE_USER_STATUS = 1, 2 AND R03_AP1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R03_PIPE_USER_STATUS = 1, 2 AND R03_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R03_PIPE_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R03_PIPE_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R03_AP1048_BRAND.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_APR28
Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers who know the name of the brand of the pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco and selected "Something else" for their subbrand of pipe tobacco, go to R03_AP1071. Else, go to Box R03_APR23.
IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1945 = 1 AND R03_AP1048_BRAND != 9995, -8, -7 AND R03_AP1070_PRODUCT = 99995, GO TO R03_AP1071. ELSE, GO TO BOX R03_APR23.

Variable(s): R03_AP1071
You said that the type of [BRANDFILL]s that you [smoke/smoked] is not pictured. What type is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers who know the name of the brand of the pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco and selected "Something else" for their subbrand of pipe tobacco. ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1945 = 1 AND R03_AP1048_BRAND != 9995, -8, -7 AND R03_AP1070_PRODUCT = 99995. DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R03_AP1048_BRAND. IF R03_PIPE_USER_STATUS = 1, 2 AND R03_AP1047 = 1, DISPLAY "smoke". ELSE, DISPLAY "smoked".

BOX ID: R03_APR23
Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco, go to R03_AP1051. Else, go to Box R03_APR25.
IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1047 = 1, GO TO R03_AP1051. ELSE, GO TO BOX R03_APR25.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1051_NN; R03_AP1051_UN**

About how long [did you smoke/have you been smoking] your regular brand of pipe tobacco?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R03_APR25

-7 REFUSED

GO TO BOX R03_APR25

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco.

ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1047 = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.

NOTES: The value "1" refers to R03_AP1051_UN = Days; the value "2" refers to R03_AP1051_UN = Months; the value "3" refers to R03_AP1051_UN = Years.

CHECK ID: **R03_AP1051_LC1**

The computer recorded that you [have been smoking/smoked] your regular brand of pipe tobacco for [R03_AP1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AP1051

2 NEXT

GO TO R03_AP1051_LC2

ASK: IF ((R03_PIPE_USER_STATUS = 1, 2, 4, OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1047 = 1 AND R03_AP1051_NN != -8, -7) AND (R03_AP1051_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AP1051_UN = 3.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R03_AP1051_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AP1051_UN = 3.

ELSE, GO TO R03_AP1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AP1051_LC2

The computer recorded "0" for how long you [have been smoking /smoked] your regular brand of pipe tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AP1051

2 NEXT

GO TO BOX R03_APR25

ASK: IF (R03_PIPE_USER_STATUS = 1, 2, 4, OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP1047 = 1 AND R03_AP1051_NN != -8, -7 AND R03_AP1051_NN = 0.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R03_AP1051_NN = 0.

ELSE, GO TO BOX R03_APR25 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_APR25

Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and last smoked a pipe filled with tobacco in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of pipe tobacco they usually smoke or last smoked, and selected a brand and subbrand of pipe tobacco, go to R03_AP0104.

Else, go to Box R03_APD01.

IF (R03_PIPE_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP0100 = 1, 2, 3, 4 AND R03_AP1945 = 1 AND R03_AP1048_BRAND != 9995, -8, -7 AND R03_AP1070_PRODUCT != 99990, 99995, -8, -7, GO TO R03_AP0104.

ELSE, GO TO BOX R03_APD01.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AP0104

You said earlier that you last smoked a pipe [TIME OF LAST USE].

Think about the very last bowl of pipe tobacco you smoked.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and last smoked a pipe filled with tobacco in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of pipe tobacco they usually smoke or last smoked, and selected a brand and subbrand of pipe tobacco.

ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_AP0100 = 1, 2, 3, 4 AND R03_AP1945 = 1 AND R03_AP1048_BRAND != 9995, -8, -7 AND R03_AP1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R03_AP0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R03_AP0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R03_AP0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R03_AP0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R03_AP1070_PRODUCT.

BOX ID: R03_APD01

Randomize order of R03_AP1060 through R03_AP1064.

Display question R03_AP1060, R03_AP1085, R03_AP1062, R03_AP1075, R03_AP1063, R03_AP1064 on one screen. Show the intro/transition text from R03_AP1060 first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1060**

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "apply to you", "smoke", AND "is".

ELSE, DISPLAY "applied to you when you used to smoke pipes", "smoked", AND "was".

Variable(s): **R03_AP1085**

I [can/could] smoke pipes at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AP1062
It might [be/have been] less harmful to me than smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers. ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1. DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "be". ELSE, DISPLAY "have been".

Variable(s): R03_AP1075
It might [be/have been] less harmful to people around me than smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers. ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1. DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "be". ELSE, DISPLAY "have been".

Variable(s): R03_AP1063
Pipe tobacco [comes/came] in flavors I [like/liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers. ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1. DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "comes" AND "like". ELSE, DISPLAY "came" AND "liked".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_APR26
Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers, and who are current established, current experimental or new former established cigarette smokers, go to R03_AP1064. Else, go to R03_AP1081.	
IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_CIG_USER_STATUS = 1, 2, 4, GO TO R03_AP1064. ELSE, GO TO R03_AP1081.	

Variable(s):	R03_AP1064
Smoking a pipe helps people quit smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers, and who are current established, current experimental, or new former established cigarette smokers. ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_CIG_USER_STATUS = 1, 2, 4.	

BOX ID:	R03_APR27
Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers and who are current established or new former established cigarette smokers, go to R03_AP1080. Else, go to R03_AP1081.	
IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_CIG_USER_STATUS = 1, 4, GO TO R03_AP1080. ELSE, GO TO R03_AP1081.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1080**

[Do/Did] you smoke pipes filled with tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers, and who are current established or new former established cigarette smokers.

ASK Specification: IF (R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1) AND R03_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

Variable(s): **R03_AP1081*****

[Do/Did] you smoke pipes as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a pipe.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "is",
ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R03_AP1139-1141 SERIES.

Variable(s): **R03_AP1140**

While smoking a pipe, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "feel".
ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R03_AP1139-1141 SERIES.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AP1141**

I [smoke/smoked] a pipe much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day pipe smokers.

ASK Specification: IF R03_PIPE_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R03_PIPE_USER_STATUS = 1, 2, DISPLAY "smoke" AND "am".

ELSE, DISPLAY "smoked" AND "was".

DISPLAY SCALE FOR THE R03_AP1139-1141 SERIES.

HOOKAH

BOX ID: R03_AHT02
The next questions are about smoking tobacco in a hookah, which is a type of water pipe. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe. People smoke shisha or hookah tobacco in a hookah. Shisha comes in many different flavors. Some types of shisha contain tobacco and some do not. [SHOW GENERIC IMAGE OF HOOKAH AND SHISHA] BOLD "hookah" AND "shisha or hookah tobacco".

Variable(s): R03_AH1090***
Do you own a hookah? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever smoked hookah. ASK Specification: IF R03_EVER_NEVER_HOOK = 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R03_AHR13
Young adult respondents who have ever smoked hookah, go to R03_AH9041. Else, go to Box R03_AHR04. IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_HOOK = 1, GO TO R03_AH9041. ELSE, GO TO BOX R03_AHR04.

Variable(s): R03_AH9041***
Does anyone else living in your home own a hookah? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who have ever smoked hookah. ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_EVER_NEVER_HOOK = 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AHR04
Adult respondents who have ever smoked hookah and had not smoked 100 or more times as of their last completed interview, go to R03_AH1005. Else, go to Box R03_AHR09.	
IF R03_EVER_NEVER_HOOK = 1 AND R02_NUMLIFE_HOOK != 1, GO TO R03_AH1005. ELSE, GO TO BOX R03_AHR09.	

Variable(s):	R03_AH1005***
How many times have you smoked hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.	
1 1 to 10 2 11 to 20 3 21 to 50 4 51 to 99 5 100 or more -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who have ever smoked hookah and had not smoked 100 or more times as of their last completed interview.	
ASK Specification: IF R03_EVER_NEVER_HOOK = 1 AND R02_NUMLIFE_HOOK != 1.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AHR09
Adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview, go to R03_AH1100. Else, go to Box R03_AHR10.	
IF R03_EVER_NEVER_HOOK = 1 AND R02_REGUSE_HOOK != 1, GO TO R03_AH1100. ELSE, GO TO BOX R03_AHR10.	

Variable(s):	R03_AH1100***
Have you ever smoked hookah fairly regularly?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview.	
ASK Specification: IF R03_EVER_NEVER_HOOK = 1 AND R02_REGUSE_HOOK != 1.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AHR10
New baseline adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and have ever smoked hookah fairly regularly, go to R03_AH1007_NB. Else, go to Box R03_AHR01.	
IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_HOOK = 1 AND R02_REGUSE_HOOK != 1 AND R03_AH1100 = 1, GO TO R03_AH1007_NB. ELSE, GO TO BOX R03_AHR01.	

Variable(s):	R03_AH1007_NB
How old were you when you first started smoking hookah fairly regularly? I__I__I Years old -8 DON'T KNOW GO TO R03_AH1121_NB -7 REFUSED GO TO R03_AH1121_NB ASK: New baseline adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and have ever smoked hookah fairly regularly. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_HOOK = 1 AND R02_REGUSE_HOOK != 1 AND R03_AH1100 = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits for age.	

CHECK ID:	R03_AH1007_NB_LC1
The computer recorded that you started smoking hookah fairly regularly at age [R03_AH1007_NB]. Is that correct? If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. 1 BACK GO TO R03_AH1007_NB 2 NEXT GO TO R03_AH1007_NB_LC2 ASK: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_HOOK = 1 AND R02_REGUSE_HOOK != 1 AND R03_AH1100 = 1 AND R03_AH1007_NB != -8, -7 AND R03_AH1007_NB <= 12. PROGRAM: TRIGGER CHECK IF R03_AH1007_NB <= 12. ELSE, GO TO R03_AH1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AH1007_NB_LC2

The computer recorded that you started smoking hookah fairly regularly at age [R03_AH1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AH1007_NB |
| 2 | NEXT | GO TO BOX R03_AHR01 |

ASK: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_HOOK = 1 AND R02_REGUSE_HOOK != 1 AND R03_AH1100 = 1 AND R03_AH1007_NB != -8, -7 AND R03_AH1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AH1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AHR01 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AH1121_NB

When you first started smoking hookah fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and have ever smoked hookah fairly regularly and did not know or refused to report the age they first started smoking hookah fairly regularly.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_HOOK = 1 AND R02_REGUSE_HOOK != 1 AND R03_AH1100 = 1 AND R03_AH1007_NB = -8, -7.

BOX ID: R03_AHR01

New baseline adult respondents who now smoke hookah every day, go to R03_AH1020_NB. Else, go to Box R03_AHR11.

IF R03_ADULTTYPE = 2 AND R03_AH1003 = 1, GO TO R03_AH1020_NB. ELSE, GO TO BOX R03_AHR11.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH1020_NB**

How old were you when you first started smoking hookah every day?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R03_AH1122_NB

-7 REFUSED

GO TO R03_AH1122_NB

ASK: New baseline adult respondents who now smoke hookah every day.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AH1003 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: **R03_AH1020_NB_LC1**

The computer recorded that you started smoking hookah every day at age [R03_AH1020_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AH1020_NB

2 NEXT

GO TO R03_AH1020_NB_LC2

ASK: IF (R03_ADULTTYPE = 2 AND R03_AH1003 = 1 AND R03_AH1020_NB != -8, -7) AND (R03_AH1020_NB <= 12 OR R03_AH1020_NB < R03_AH1007_NB).

PROGRAM: TRIGGER CHECK IF R03_AH1020_NB <= 12 OR R03_AH1020_NB < R03_AH1007_NB. ELSE, GO TO R03_AH1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: **R03_AH1020_NB_LC2**

The computer recorded that you started smoking hookah every day at age [R03_AH1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AH1020_NB

2 NEXT

GO TO BOX R03_AHR11

ASK: IF R03_ADULTTYPE = 2 AND R03_AH1003 = 1 AND R03_AH1020_NB != -8, -7 AND R03_AH1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AH1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AHR11 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AH1122_NB
When you first started smoking hookah every day, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who now smoke hookah every day and did not know or refused to report the age they first started smoking tobacco in a hookah every day. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AH1003 = 1 AND R03_AH1020_NB = -8, -7.

BOX ID: R03_AHR11
Adult respondents who initiated hookah smoking since their last completed interview, go to R03_AH1008. Else, go to Box R03_AHR27.
IF R03_INIT_HOOK_ADULT = 1, GO TO R03_AH1008. ELSE, GO TO BOX R03_AHR27.

Variable(s): R03_AH1008
When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED GO TO BOX R03_AHR27 GO TO BOX R03_AHR27 GO TO BOX R03_AHR27 GO TO BOX R03_AHR27 ASK: Adult respondents who initiated hookah smoking since their last completed interview. ASK Specification: IF R03_INIT_HOOK_ADULT = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor did you first start smoking? Choose all that apply.	
R03_AH1011_01	1 Menthol or mint
R03_AH1011_02	2 Clove or spice
R03_AH1011_03	3 Fruit
R03_AH1011_04	4 Chocolate
R03_AH1011_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R03_AH1011_06	6 Candy or other sweets
R03_AH1011_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who initiated hookah smoking since their last completed interview and initiated hookah smoking with flavored shisha or hookah tobacco.	
ASK Specification: IF R03_INIT_HOOK_ADULT = 1 AND R03_AH1008 = 1.	
PROGRAM: Allow respondent to choose all that apply.	

BOX ID:	R03_AHR27
Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all, go to R03_AH9003.	
Else, go to Box R03_AHR24.	
IF (R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 != 1, GO TO R03_AH9003.	
ELSE, GO TO BOX R03_AHR24.	

Variable(s):	R03_AH9003
Which of the following choices best describes your hookah smoking? Usually I smoke hookah...	
	1 Every day
	2 Weekly
	3 Monthly
	4 Every couple of months
	5 About once a year
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all.	
ASK Specification: IF (R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 != 1.	
PROGRAM: DISPLAY RESPONSE OPTION 1 ONLY IF R03_AH1003 = -8, -7	

BOX ID: R03_AHV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R03_HOOK_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked hookah fairly regularly, and currently smoke monthly or more frequently.

R03_HOOK_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked hookah fairly regularly, and currently smoke hookah every day, some days, weekly, monthly or in the past 30 days.

R03_HOOK_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a hookah and have never smoked hookah fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R03_HOOK_USER_STATUS = 4 (New former established user) Adult respondents who were current established, current experimental, or former experimental hookah smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_HOOK_USER_STATUS = 5 (Still former established user) Adult respondents who were new former established or still former established hookah smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.

R03_THIRTY_DAY_USER_HOOK = 1 (Past 30 day user) Adult respondents who have smoked hookah in the past 30 days.

R03_HOOK_USER_STATUS = 1:

IF (R02_REGUSE_HOOK = 1 OR R03_AH1100 = 1) AND (R03_AH1003 = 1, 2 OR R03_AH9003 = 1, 2, 3), THEN R03_HOOK_USER_STATUS = 1.

R03_HOOK_USER_STATUS = 2:

ELSE, IF R03_EVER_NEVER_HOOK = 1 AND R03_AH1100 != 1 AND R02_REGUSE_HOOK != 1 AND (R03_AH1003 = 1, 2 OR R03_AH9003 = 1, 2, 3 OR ((R03_AH1009_NN <= 30 AND R03_AH1009_UN = 1) OR (R03_AH1009_NN = 1 AND R03_AH1009_UN = 2)) OR R03_AH1004 = 1), THEN R03_HOOK_USER_STATUS = 2.

R03_HOOK_USER_STATUS = 3:

ELSE, IF R03_EVER_NEVER_HOOK = 1 AND (R03_AH1002_12M = 2 OR R03_AH1003 = 3) AND R03_AH1100 != 1 AND R02_REGUSE_HOOK != 1, THEN R03_HOOK_USER_STATUS = 3.

R03_HOOK_USER_STATUS = 4:

ELSE, IF (R02_HOOK_USER_STATUS = 1, 2, 3 OR R03_INIT_HOOK_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_HOOK = 1)) AND (R02_REGUSE_HOOK = 1 OR R03_AH1100 = 1) AND R03_EVER_NEVER_HOOK = 1 AND (R03_AH1002_12M = 2 OR R03_AH1003 = 3), THEN R03_HOOK_USER_STATUS = 4.

R03_HOOK_USER_STATUS = 5:

ELSE, IF R02_HOOK_USER_STATUS = 4, 5 AND R03_EVER_NEVER_HOOK = 1 AND (R03_AH1002_12M = 2 OR R03_AH1003 = 3), THEN R03_HOOK_USER_STATUS = 5.

R03_THIRTY_DAY_USER_HOOK:

IF R03_EVER_NEVER_HOOK = 1 AND (((1 <= R03_AH1009_NN <= 30 AND R03_AH1009_UN = 1) OR (R03_AH1009_NN = 1 AND R03_AH1009_UN = 2)) OR R03_AH1004 = 1), THEN R03_THIRTY_DAY_USER_HOOK = 1.

ELSE, R03_THIRTY_DAY_USER_HOOK = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AHR24
Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers, go to R03_AH9011. Else, go to Box R03_AHR12.	
IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1, GO TO R03_AH9011. ELSE, GO TO BOX R03_AHR12.	

Variable(s):	SEE BELOW:
Where [do/did] you usually smoke hookah? Choose all that apply.	
R03_AH9011_01	1 At home
R03_AH9011_02	2 In a hookah bar or cafe
R03_AH9011_03	3 At a friend's home
R03_AH9011_04; R03_AH9011_OS	4 Somewhere else (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.	
ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.	
DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do".	
ELSE, DISPLAY "did".	
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	

Variable(s):	R03_AH9012
[Do/Did] you usually share a hookah with others when you [smoke/smoked]?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
	GO TO R03_AH9014
	GO TO R03_AH9014
	GO TO R03_AH9014
ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.	
ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.	
DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do" AND "smoke".	
ELSE, DISPLAY "Did" AND "smoked".	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH9013**

How many people [do/did] you usually share a hookah with?

- 1 1 other person
- 2 2 other people
- 3 3 other people
- 4 4 or more other people
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers and usually share a hookah with others.

ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH9012 = 1.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do".

ELSE, DISPLAY "did".

Variable(s): **R03_AH9014**

On average, how long [is/was] one hookah session for you[and the people you share/d it with]?

- 1 Less than 30 minutes
- 2 More than 30 minutes up to 1 hour
- 3 1 to 2 hours
- 4 More than 2 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH9012 = 1, DISPLAY "is" AND " and the people you share it with".

IF R03_AH9012 != 1, DO NOT DISPLAY " and the people you share it with".

ELSE, IF R03_HOOK_USER_STATUS = 4 AND R03_AH9012 = 1, DISPLAY "was" AND " and the people you shared it with".

IF R03_AH9012 != 1, DO NOT DISPLAY " and the people you shared it with".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH9015**

On average, when you [smoke/smoked/share a/shared a] hookah, how many times [is/was] the hookah refilled with tobacco during a session?

- 1 0 times
- 2 1 time
- 3 2 to 3 times
- 4 4 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH9012 = 1, DISPLAY "share a" AND "is".

ELSE, IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH9012 = 2, DISPLAY "smoke" AND "is".

ELSE, IF R03_HOOK_USER_STATUS = 4 AND R03_AH9012 = 1, DISPLAY "shared a" AND "was".

ELSE, IF R03_HOOK_USER_STATUS = 4 AND R03_AH9012 = 2, DISPLAY "smoked" AND "was".

Variable(s): **R03_AH9016**

How often [do/did] you personally set up the hookah?

- 1 Every time
- 2 Most of the time
- 3 Some of the time
- 4 Rarely
- 5 Never, someone else always [set/sets] it up for me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do" AND "sets".

ELSE, DISPLAY "did" AND "set".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AH9043
When you [smoke/smoked] hookah, [did/does] your shisha usually contain tobacco? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers. ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1. DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "smoke" AND "does". ELSE, IF R03_HOOK_USER_STATUS = 4, DISPLAY "smoked" AND "did".

Variable(s): R03_AH9042
Have you ever used another liquid besides water in the bowl of the hookah? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers. ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.

BOX ID: R03_AHV03
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R03_CURRENT_HOOK_USE = 1 (Every day established user) Adult respondents who have ever smoked hookah fairly regularly and currently smoke every day. R03_CURRENT_HOOK_USE = 2 (Some day established user) Adult respondents who have ever smoked hookah fairly regularly and currently smoke some days. R03_CURRENT_HOOK_USE = 1: IF R03_HOOK_USER_STATUS = 1 AND (R03_AH1003 = 1 OR R03_AH9003 = 1), THEN R03_CURRENT_HOOK_USE = 1. R03_CURRENT_HOOK_USE = 2: ELSE, IF R03_HOOK_USER_STATUS = 1 AND (R03_AH1003 = 2 OR R03_AH9003 = 2, 3) THEN R03_CURRENT_HOOK_USE = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AHR12

Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah monthly, go to R03_AH9004.

Else, adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah weekly, go to R03_AH9005.

Else, adult respondents who are every day established hookah smokers, go to R03_AH9006.

Else, go to Box R03_AHR25.

IF (R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 != 1 AND R03_AH9003 = 3, GO TO R03_AH9004.

ELSE, IF (R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 != 1 AND R03_AH9003 = 2, GO TO R03_AH9005.

ELSE, IF R03_CURRENT_HOOK_USE = 1, GO TO R03_AH9006.

ELSE, GO TO BOX R03_AHR25.

Variable(s): R03_AH9004

On average, about how many times do you smoke hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

____|____|____|

-8 DON'T KNOW

GO TO BOX R03_AHR25

-7 REFUSED

GO TO BOX R03_AHR25

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah monthly.

ASK Specification: IF (R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 != 1 AND R03_AH9003 = 3.

PROGRAM: Allow 3 digits.

CHECK ID: R03_AH9004_LC1

The computer recorded that, on average, you smoke tobacco in a hookah [R03_AH9004] times in a month. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AH9004

2 NEXT

GO TO BOX R03_AHR25

ASK: IF ((R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 != 1 AND R03_AH9003 = 3 AND R03_AH9004 != -8, -7) AND R03_AH9004 > 100.

PROGRAM: TRIGGER CHECK IF R03_AH9004 > 100.

ELSE, GO TO BOX R03_AHR25 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH9005**

On average, about how many times do you smoke hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

|||

-8 DON'T KNOW

GO TO BOX R03_AHR25

-7 REFUSED

GO TO BOX R03_AHR25

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah weekly.

ASK Specification: IF (R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 != 1 AND R03_AH9003 = 2.

PROGRAM: Allow 2 digits.

CHECK ID: **R03_AH9005_LC1**

The computer recorded that, on average, you smoke tobacco in a hookah [R03_AH9005] times in a week. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AH9005

2 NEXT

GO TO BOX R03_AHR25

ASK: IF ((R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND R03_AH1003 != 1 AND R03_AH9003 = 2 AND R03_AH9005 != -8, -7) AND R03_AH9005 > 15.

PROGRAM: TRIGGER CHECK IF R03_AH9005 > 15.

ELSE, GO TO BOX R03_AHR25 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R03_AH9006**

On average, about how many times do you smoke hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

|||

-8 DON'T KNOW

GO TO BOX R03_AHR25

-7 REFUSED

GO TO BOX R03_AHR25

ASK: Adult respondents who are every day established hookah smokers.

ASK Specification: IF R03_CURRENT_HOOK_USE = 1.

PROGRAM: Allow 2 digits

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AH9006_LC1

The computer recorded that, on average, you smoke tobacco in a hookah [R03_AH9006] times each day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AH9006 |
| 2 | NEXT | GO TO BOX R03_AHR25 |

ASK: IF R03_CURRENT_HOOK_USE = 1 AND R03_AH9006 != -8, -7, AND R03_AH9006 > 2.

PROGRAM: TRIGGER CHECK IF R03_AH9006 > 2.

ELSE, GO TO BOX R03_AHR25 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_AHR25

Adult respondents who are current established, current experimental, or past 30-day hookah smokers, go to R03_AH1024.

Else, go to Box R03_AHR02.

IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, GO TO R03_AH1024.

ELSE, GO TO BOX R03_AHR02.

Variable(s): R03_AH1024**

[On the days that you smoke hookah, what/What] time of day do you typically take your first puff from a hookah?

- | | | |
|----|--------------------------------|---------------------|
| 1 | After 6 AM but before noon | GO TO BOX R03_AHR02 |
| 2 | Between noon and 6 PM | GO TO BOX R03_AHR02 |
| 3 | After 6 PM but before midnight | GO TO BOX R03_AHR02 |
| 4 | Between midnight and 6 AM | GO TO BOX R03_AHR02 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R03_CURRENT_HOOK_USE = 1, DISPLAY "What".

ELSE, DISPLAY "On the days that you smoke hookah, what".

NOTES: **SKIP ERROR: R03_THIRTY_DAY_USER_HOOK was not set correctly for respondents who indicated that they did not smoke hookah in the past 30 days (R03_AH1004 = 2) and smoked hookah in the past 12 months (R03_AH1002_12M = 1). The incorrect setting of R03_THIRTY_DAY_USER_HOOK also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AH1092
[On the days that you smoke hookah, would/Would] you say you typically take your first puff from a hookah within the first 30 minutes after you wake up?	
1 Yes	
2 No	
3 It varies	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and did not know or refused to report how soon after waking they typically take their first puff from a hookah.	
ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1024 = -8, -7.	
DISPLAY: IF R03_CURRENT_HOOK_USE = 1, DISPLAY "Would".	
ELSE, DISPLAY "On the days that you smoke hookah, would".	

BOX ID:	R03_AHR02
Adult respondents who are past 30-day hookah smokers, go to R03_AH0100.	
Else, go to R03_AHR23.	
IF R03_THIRTY_DAY_USER_HOOK = 1, GO TO R03_AH0100.	
ELSE, GO TO R03_AHR23.	

Variable(s):	R03_AH0100**
When did you last smoke a hookah filled with tobacco?	
1 In the past hour	
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	
-8 DON'T KNOW	
-7 REFUSED	
GO TO R03_AH0103	
GO TO R03_AH1130	
GO TO R03_AH1130	
GO TO R03_AH1130	
ASK: Adult respondents who are past 30-day hookah smokers.	
ASK Specification: IF R03_THIRTY_DAY_USER_HOOK = 1.	
NOTES: **SKIP ERROR: R03_THIRTY_DAY_USER_HOOK was not set correctly for respondents who indicated that they did not smoke hookah in the past 30 days (R03_AH1004 = 2) and smoked hookah in the past 12 months (R03_AH1002_12M = 1). The incorrect setting of R03_THIRTY_DAY_USER_HOOK also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH0102**

When you last smoked hookah [FILL BASED ON R03_AH0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 30-day hookah smokers and last smoked sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R03_THIRTY_DAY_USER_HOOK = 1 AND R03_AH0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R03_AH0100]:

IF R03_AH0100 = 2, DISPLAY "today".

ELSE, IF R03_AH0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AH0100 = 4, DISPLAY "the day before yesterday".

Variable(s): **R03_AH0103**

How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R03_AH0100]?

|_|_|_|

- 8 DON'T KNOW GO TO R03_AH1130
- 7 REFUSED GO TO R03_AH1130

ASK: Adult respondents who are past 30-day hookah smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R03_THIRTY_DAY_USER_HOOK = 1 AND R03_AH0100 = 1, 2, 3, 4.

DISPLAY: IF R03_AH0100 = 1, 2, DISPLAY "have" AND "taken".

ELSE, IF R03_AH0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R03_AH0100]:

IF R03_AH0100 = 1, 2, DISPLAY "today".

ELSE, IF R03_AH0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AH0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AH0103_LC1

The computer recorded that you took [R03_AH0103] puffs from a hookah [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AH0103 |
| 2 | NEXT | GO TO R03_AH1130 |

ASK: IF (R03_THIRTY_DAY_USER_HOOK = 1 AND R03_AH0100 = 1, 2, 3, 4 AND R03_AH0103 != -8, -7) AND (R03_AH0103 > 50 OR R03_AH0103 = 11, 22, 33, 44).

DISPLAY: IF R03_AH0100 = 1, 2, DISPLAY "today".

ELSE, IF R03_AH0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AH0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AH0103 > 50 OR R03_AH0103 = 11, 22, 33, 44.

ELSE, GO TO R03_AH1130 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AH1130**

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R03_AHR23 |
| 3 | I don't know | GO TO BOX R03_AHR23 |
| -8 | DON'T KNOW | GO TO BOX R03_AHR23 |
| -7 | REFUSED | GO TO BOX R03_AHR23 |

ASK: Adult respondents who are past 30-day hookah smokers.

ASK Specification: IF R03_THIRTY_DAY_USER_HOOK = 1.

NOTES: **SKIP ERROR: R03_THIRTY_DAY_USER_HOOK was not set correctly for respondents who indicated that they did not smoke hookah in the past 30 days (R03_AH1004 = 2) and smoked hookah in the past 12 months (R03_AH1002_12M = 1). The incorrect setting of R03_THIRTY_DAY_USER_HOOK also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
Which flavors have you smoked in the past 30 days? Choose all that apply.	
R03_AH1131_01	1 Menthol or mint
R03_AH1131_02	2 Clove or spice
R03_AH1131_03	3 Fruit
R03_AH1131_04	4 Chocolate
R03_AH1131_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R03_AH1131_06	6 Candy or other sweets
R03_AH1131_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.	
ASK Specification: IF R03_THIRTY_DAY_USER_HOOK = 1 AND R03_AH1130 = 1.	
PROGRAM: Allow respondent to choose all that apply.	

BOX ID: R03_AHR23
Adult respondents who are current established, current experimental, or past 30 day hookah smokers, go to R03_AH1030.
Else, adult respondents who are new former established hookah smokers, go to R03_AH1047.
Else, go to Box R03_AHR19.
IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, GO TO R03_AH1030.
ELSE, IF R03_HOOK_USER_STATUS = 4, GO TO R03_AH1047.
ELSE, GO TO BOX R03_AHR19.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH1030****

The next questions ask about your experience buying shisha or hookah tobacco.

How do you usually buy shisha or hookah tobacco for yourself?

- | | | |
|----|--|------------------|
| 1 | In person (such as at a store or hookah bar) | |
| 2 | From the internet | GO TO R03_AH1034 |
| 3 | By telephone | GO TO R03_AH1034 |
| 4 | I do not buy my own shisha or hookah tobacco | GO TO R03_AH1047 |
| -8 | DON'T KNOW | GO TO R03_AH1047 |
| -7 | REFUSED | GO TO R03_AH1047 |

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1.

NOTES: **SKIP ERROR: R03_THIRTY_DAY_USER_HOOK was not set correctly for respondents who indicated that they did not smoke hookah in the past 30 days (R03_AH1004 = 2) and smoked hookah in the past 12 months (R03_AH1002_12M = 1). The incorrect setting of R03_THIRTY_DAY_USER_HOOK also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AH1032**

Do you usually buy shisha or hookah tobacco...?

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person.

ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1030 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH1033; R03_AH1033_OS**

Where do you buy your shisha or hookah tobacco most of the time?

- 1 A hookah bar or cafe
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person.

ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1030 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): **R03_AH1034_D; R03_AH1034_C**

How much do you usually pay for shisha or hookah tobacco?

\$ |__|__|__| Dollars . |__|__| Cents

- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1030 = 1, 2, 3.

DISPLAY: DISPLAY "\$" AS A LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AH1034_LC1

The computer recorded that you paid \$[R03_AH1034[_D/_C]] for shisha or hookah tobacco. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R03_AH1034 |
| 2 NEXT | GO TO R03_AH1047 |

ASK: IF ((R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1030 = 1, 2, 3 AND R03_AH1034_D != -8, -7) AND R03_AH1034_D > 100.

PROGRAM: TRIGGER CHECK R03_AH1034_D > 100.

ELSE, GO TO R03_AH1047 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AH1047

[Do/Did] you have a regular brand of shisha or hookah tobacco that you usually [smoke/smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do" AND "smoke".

ELSE, DISPLAY "Did" AND "smoked".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AH1050	
[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1	Yes
2	No
3	I don't know
-8	DON'T KNOW
-7	REFUSED
	GO TO R03_AH1945
	GO TO R03_AH1945
	GO TO R03_AH1945
	GO TO R03_AH1945
ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.	
ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.	
DISPLAY: IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 1, DISPLAY "Is", "your regular brand" AND "smoke".	
ELSE, IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".	
ELSE, IF R03_HOOK_USER_STATUS = 4 AND R03_AH1047 = 1, DISPLAY "Was", "your regular brand" AND "smoked".	
ELSE, IF R03_HOOK_USER_STATUS = 4 AND R03_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".	

Variable(s): SEE BELOW:	
Which flavor [is/was] it? Choose all that apply.	
R03_AH1012_01	1 Menthol or mint
R03_AH1012_02	2 Clove or spice
R03_AH1012_03	3 Fruit
R03_AH1012_04	4 Chocolate
R03_AH1012_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R03_AH1012_06	6 Candy or other sweets
R03_AH1012_07	7 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.	
ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1050 = 1.	
DISPLAY: IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 1, DISPLAY "is".	
ELSE, DISPLAY "was".	
PROGRAM: Allow respondents to choose all that apply.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AH1945
Do you know the <u>name of the brand</u> of shisha or hookah tobacco you [usually smoke/usually smoked/last smoked]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers. ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1. DISPLAY: IF R03_AH1047 = 1 AND R03_HOOK_USER_STATUS = 1, 2, DISPLAY "usually smoke". ELSE, IF R03_AH1047 = 1 AND R03_HOOK_USER_STATUS != 1, 2, DISPLAY "usually smoked". ELSE, IF R03_AH1047 = 2, -8, -7, DISPLAY "last smoked". UNDERLINE "name of the brand".	

BOX ID:	R03_AHR26
Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, go to R03_AH1048_BRAND. Else, adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who have a regular brand of shisha or hookah tobacco, go to R03_AH1051. Else, go to Box R03_AHD01.	
IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1945 = 1, GO TO R03_AH1048_BRAND. ELSE, IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 1, GO TO R03_AH1051. ELSE, GO TO BOX R03_AHD01.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AH1048_BRAND
What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked. ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1945 = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else". IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 1, DISPLAY "do" AND "usually". ELSE, IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R03_AH1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R03_AH1047 = 2, -8, -7, DISPLAY "did" AND "last". IMAGE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

BOX ID: R03_AHR17
Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected "Something else" for their brand of shisha or hookah tobacco, go to R03_AH1049. Else, adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco, go to R03_AH1070_PRODUCT. Else, go to Box R03_AHR22. IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1945 = 1 AND R03_AH1048_BRAND = 9995, GO TO R03_AH1049. ELSE, IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1945 = 1 AND R03_AH1048_BRAND != 9995, -8, -7, GO TO R03_AH1070_PRODUCT. ELSE, GO TO BOX R03_AHR22.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH1049**

You said that your brand was not pictured. What is it?

_____	GO TO BOX R03_AHR20
-8 DON'T KNOW	GO TO BOX R03_AHR20
-7 REFUSED	GO TO BOX R03_AHR20

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected "Something else" for their brand of shisha or hookah tobacco.

ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1945 = 1 AND R03_AH1048_BRAND = 9995.

Variable(s): **R03_AH1070_PRODUCT**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995	Something else
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1945 = 1 AND R03_AH1048_BRAND != 9995, -8, -7.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else".

FILL BRANDFILL WITH BRAND CHOSEN IN R03_AH1048_BRAND.

IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF R03_AH1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF R03_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AHR18
Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco and selected "Something else" for their subbrand of shisha or hookah tobacco, go to R03_AH1071. Else, go to Box R03_AHR20.
IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1945 = 1 AND R03_AH1048_BRAND != 9995, -8, -7 AND R03_AH1070_PRODUCT = 99995, GO TO R03_AH1071. ELSE, GO TO BOX R03_AHR20.

Variable(s): R03_AH1071
You said that the type of [BRANDFILL]s that you [smoke/smoked] is not pictured. What type is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco and selected "Something else" for their subbrand of shisha or hookah tobacco. ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1945 = 1 AND R03_AH1048_BRAND != 9995, -8, -7 AND R03_AH1070_PRODUCT = 99995. DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R03_AH1048_BRAND. IF (R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 1, DISPLAY "smoke". ELSE, DISPLAY "smoked".

BOX ID: R03_AHR20
Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is, go to R03_AH9108. Else, go to Box R03_AHR22.
IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1945 = 1 AND (R03_AH1048_BRAND != 9995, -8, -7 OR (R03_AH1048_BRAND = 9995 AND R03_AH1049 != -1, -8, -7)), GO TO R03_AH9108. ELSE, GO TO BOX R03_AHR22.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AH9108***
Does this brand of shisha contain tobacco? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is. ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1945 = 1 AND (R03_AH1048_BRAND != 9995, -8, -7 OR (R03_AH1048_BRAND = 9995 AND R03_AH1049 != -1, -8, -7)). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AHR22
Adult respondents who are current established, current experimental, new former established, or past 30 day hookah smokers who have a regular brand of shisha or hookah tobacco, go to R03_AH1051. Else, go to Box R03_AHR19. IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 1, GO TO R03_AH1051. ELSE, GO TO BOX R03_AHR19.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AH1051_NN; R03_AH1051_UN

About how long [did you smoke/have you been smoking] your regular brand of shisha or hookah tobacco?

1 |__|__| Days

2 |__|__| Months

3 |__|__| Years

-8 DON'T KNOW

GO TO BOX R03_AHR19

-7 REFUSED

GO TO BOX R03_AHR19

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers who have a regular brand of shisha or hookah tobacco.

ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 1.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.

NOTES: The value "1" refers R03_AH1051_UN = Days; the value "2" refers to R03_AH1051_UN = Months; the value "3" refers to R03_AH1051_UN = Years

CHECK ID: R03_AH1051_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of shisha or hookah tobacco for [R03_AH1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AH1051

2 NEXT

GO TO R03_AH1051_LC2

ASK: IF ((R03_HOOK_USER_STATUS = 1, 2, 4, OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 1 AND R03_AH1051_NN != -8, -7) AND ((R03_AH1051_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AH1051_UN = 3).

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "have been smoking".

ELSE, IF R03_HOOK_USER_STATUS = 4, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R03_AH1051_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AH1051_UN = 3.

ELSE, GO TO R03_AH1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AH1051_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of shisha or hookah tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AH1051

2 NEXT

GO TO BOX R03_AHR19

ASK: IF (R03_HOOK_USER_STATUS = 1, 2, 4, OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH1047 = 1 AND R03_AH1051_NN != -8, -7 AND R03_AH1051_NN = 0.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "have been smoking".

ELSE, IF R03_HOOK_USER_STATUS = 4, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R03_AH1051_NN = 0.

ELSE, GO TO BOX R03_AHR19 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_AHR19

Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and subbrand of shisha or hookah tobacco, go to R03_AH0104.

Else, adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers, go to Box R03_AHD01.

Else, go to the next section.

IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH0100 = 1, 2, 3, 4 AND R03_AH1945 = 1 AND R03_AH1048_BRAND != 9995, -8, -7 AND R03_AH1070_PRODUCT != 99990, 99995, -8, -7, GO TO R03_AH0104.

ELSE, IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1, GO TO BOX R03_AHD01.

ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH0104*****

You said earlier that you last smoked hookah [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and subbrand of shisha or hookah tobacco.

ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_AH0100 = 1, 2, 3, 4 AND R03_AH1945 = 1 AND R03_AH1048_BRAND != 9995, -8, -7 AND R03_AH1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R03_AH0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R03_AH0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R03_AH0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R03_AH0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R03_AH1070_PRODUCT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: **R03_AHD01**

Randomize order of R03_AH1060 through R03_AH1073.

Display question R03_AH1060, R03_AH1085, R03_AH1062, R03_AH1075, R03_AH1063, R03_AH1064, R03_AH1073 on one screen. Show the intro/transition text from R03_AH1060 first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH1060**

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "apply to you", "smoke" AND "is".

ELSE, DISPLAY "applied to you when you used to smoke hookah", "smoked" AND "was".

Variable(s): **R03_AH1085**

I [can/could] smoke hookah at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AH1062
It might [be/have been] less harmful to me than smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers. ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1. DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "be". ELSE, DISPLAY "have been".

Variable(s): R03_AH1075
It might [be/have been] less harmful to people around me than smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers. ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1. DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "be". ELSE, DISPLAY "have been".

Variable(s): R03_AH1063
Shisha or hookah tobacco [comes/came] in flavors I [like/liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers. ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1. DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "comes" AND "like". ELSE, DISPLAY "came" AND "liked".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AHR15
Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers, and who are current established, current experimental, or new former established cigarette smokers, go to R03_AH1064. Else, go to R03_AH1073.	
IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_CIG_USER_STATUS = 1, 2, 4, GO TO R03_AH1064. ELSE, GO TO R03_AH1073.	

Variable(s):	R03_AH1064
Smoking hookah helps people quit smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers, and who are current established, current experimental, or new former established cigarette smokers. ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_CIG_USER_STATUS = 1, 2, 4.	

Variable(s):	R03_AH1073
Smoking hookah is part of my cultural tradition. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers. ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.	

BOX ID:	R03_AHR16
Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers, and who are current established or new former established cigarette smokers, go to R03_AH1080. Else, go to R03_AH1081.	
IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_CIG_USER_STATUS = 1, 4, GO TO R03_AH1080. ELSE, GO TO R03_AH1081.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH1080**

[Do/Did] you smoke hookah as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers, and who are current established or new former established cigarette smokers.

ASK Specification: IF (R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1) AND R03_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do".

ELSE, DISPLAY "Did".

Variable(s): **R03_AH1081**

[Do/Did] you smoke hookah as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do".

ELSE, DISPLAY "Did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AH1139

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking hookah.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R03_AH1139-1141 SERIES.

Variable(s): R03_AH1140

While smoking hookah, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "feel".

ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R03_AH1139-1141 SERIES.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AH1141**

I [smoke/smoked] hookah much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or past 30-day hookah smokers.

ASK Specification: IF R03_HOOK_USER_STATUS = 1, 2, 4 OR R03_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R03_HOOK_USER_STATUS = 1, 2 OR R03_THIRTY_DAY_USER_HOOK = 1, DISPLAY "smoke" AND "am".

ELSE, DISPLAY "smoked" AND "was".

DISPLAY SCALE FOR THE R03_AH1139-1141 SERIES.

SNUS

BOX ID: R03_AUR08
Adult respondents who were new former established or still former established snus pouch users and had used 100 or more snus pouches and had used snus pouches fairly regularly as of their last completed interview, and have not used snus pouches in the past 12 months or now use snus pouches not at all, go to Box R03_AUV02. Else, continue with Box R03_AUT02.
IF R02_SNUS_USER_STATUS = 4, 5 AND R02_NUMLIFE_SNUS = 1 AND R02_REGUSE_SNUS = 1 AND (R03_AU1002_12M = 2 OR R03_AU1003 = 3), GO TO BOX R03_AUV02. ELSE, GO TO BOX R03_AUT02.

BOX ID: R03_AUT02
IF RESPONDENT ONLY USES SNUS (SMKLSSTYPE[2]=1), DISPLAY THE FOLLOWING TRANSITION TEXT: The next questions ask about snus pouches . Common brands of snus pouches include Camel Snus, General Snus, Marlboro Snus, and Skoal Snus, but there are many others. Please think about your use of snus pouches as you answer these questions. [SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES] IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (SMKLSSTYPE[3]=1), DISPLAY THE FOLLOWING TRANSITION TEXT: The next questions ask about snus pouches , a type of smokeless tobacco that comes in a small pouch that you put under your lip. Common brands of snus pouches include Camel Snus, General Snus, Marlboro Snus, and Skoal Snus, but there are many others. Please think about your use of snus pouches as you answer these questions. There will be a separate section later about other types of smokeless tobacco products. [SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

BOX ID: R03_AUR07
Adult respondents who have ever used snus pouches and had not used 100 or more snus pouches as of their last completed interview, go to R03_AU1005. Else, adult respondents who have ever used snus pouches and had not reported ever using snus pouches fairly regularly as of their last completed interview, go to R03_AU1100. Else, go to Box R03_AUV02.
IF R03_EVER_NEVER_SNUS = 1 AND R02_NUMLIFE_SNUS != 1, GO TO R03_AU1005. ELSE, IF R03_EVER_NEVER_SNUS = 1 AND R02_REGUSE_SNUS != 1, GO TO R03_AU1100. ELSE, GO TO BOX R03_AUV02.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AU1005
How many snus pouches have you used in your entire life? 1 1 to 10 2 11 to 20 3 21 to 50 4 51 to 99 5 100 or more -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever used snus pouches and had not used 100 or more pouches as of their last completed interview. ASK Specification: IF R03_EVER_NEVER_SNUS = 1 AND R02_NUMLIFE_SNUS != 1.

BOX ID: R03_AUR10
Adult respondents who have ever used snus pouches and had not reported ever using snus pouches fairly regularly as of their last completed interview, go to R03_AU1100. Else, go to Box R03_AUV02. IF R03_EVER_NEVER_SNUS = 1 AND R02_REGUSE_SNUS != 1, GO TO R03_AU1100. ELSE, GO TO BOX R03_AUV02.

Variable(s): R03_AU1100
Have you ever used snus pouches fairly regularly? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever used snus pouches and had not reported ever using snus pouches fairly regularly as of their last completed interview. ASK Specification: IF R03_EVER_NEVER_SNUS = 1 AND R02_REGUSE_SNUS != 1.

BOX ID: R03_AUR11
New baseline adult respondents who have ever used snus pouches and had not reported ever using snus pouches fairly regularly as of their last completed interview and have ever used snus pouches fairly regularly, go to R03_AU1007_NB. Else, go to Box R03_AUV02. IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_SNUS = 1 AND R02_REGUSE_SNUS = 2 AND R03_AU1100 = 1, GO TO R03_AU1007_NB. ELSE, GO TO BOX R03_AUV02.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1007_NB**

How old were you when you first started using snus pouches fairly regularly?

I__I__I Years old

-8 DON'T KNOW

GO TO R03_AU1121_NB

-7 REFUSED

GO TO R03_AU1121_NB

ASK: New baseline adult respondents who have ever used snus pouches and had not reported ever using snus pouches fairly regularly as of their last completed interview and have ever used snus pouches fairly regularly.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_SNUS = 1 AND R02_REGUSE_SNUS = 2 AND R03_AU1100 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: **R03_AU1007_NB_LC1**

The computer recorded that you started using snus pouches fairly regularly at age [R03_AU1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AU1007_NB

2 NEXT

GO TO R03_AU1007_NB_LC2

ASK: IF (R03_ADULTTYPE = 2 AND R03_EVER_NEVER_SNUS = 1 AND R02_REGUSE_SNUS = 2 AND R03_AU1100 = 1 AND R03_AU1007_NB != -8, -7) AND R03_AU1007_NB <= 8.

PROGRAM: TRIGGER CHECK IF R03_AU1007_NB <= 8. ELSE, GO TO R03_AU1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: **R03_AU1007_NB_LC2**

The computer recorded that you started using snus pouches every day at age [R03_AU1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AU1007_NB

2 NEXT

GO TO BOX R03_AUV02

ASK: IF (R03_ADULTTYPE = 2 AND R03_EVER_NEVER_SNUS = 1 AND R02_REGUSE_SNUS = 2 AND R03_AU1100 = 1 AND R03_AU1007_NB != -8, -7) AND R03_AU1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AU1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AUV02 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R03_AU1121_NB**

When you first started using snus pouches fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever used snus pouches and had not reported ever using snus pouches fairly regularly as of their last completed interview and have ever used snus pouches fairly regularly and did not know or refused to report the age they first started using snus pouches fairly regularly.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_SNUS = 1 AND R02_REGUSE_SNUS = 2 AND R03_AU1100 = 1 AND R03_AU1007_NB = -8, -7.

BOX ID: **R03_AUV02**

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R03_SNUS_USER_STATUS = 1 (Current established user) Adult respondents who have ever used snus pouches fairly regularly and currently use every day or some days.

R03_SNUS_USER_STATUS = 2 (Current experimental user) Adult respondents who have never used snus pouches fairly regularly, and currently use every day or some days.

R03_SNUS_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever used snus pouches and have never used snus pouches fairly regularly, and did not use in the past 12 months or currently use not at all.

R03_SNUS_USER_STATUS = 4 (New former established user) Adult respondents who were current established, current experimental, or former experimental snus pouch users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all.

R03_SNUS_USER_STATUS = 5 (Still former established user) Adult respondents who were new former established or still former established snus pouch users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all.

R03_CURRENT_SNUS_USE = 1 (Every day established user) Adult respondents who have ever used snus pouches fairly regularly and currently use every day.

R03_CURRENT_SNUS_USE = 2 (Some day established user) Adult respondents who have ever used snus pouches fairly regularly and currently use some days.

R03_FORMER_THIRTYDAY_USER_SNUS = 1 (Non-current 30-day user) Adult respondents who are former experimental, new former established, or still former established snus pouch users who have used any snus pouches in the past 30 days.

R03_SNUS_USER_STATUS = 1:

IF (R02_REGUSE_SNUS = 1 OR R03_AU1100 = 1) AND R03_AU1003 = 1, 2, THEN
R03_SNUS_USER_STATUS = 1.

R03_SNUS_USER_STATUS = 2:

ELSE, IF R03_EVER_NEVER_SNUS = 1 AND R03_AU1100 != 1 AND R02_REGUSE_SNUS != 1 AND R03_AU1003 = 1, 2, THEN R03_SNUS_USER_STATUS = 2.

R03_SNUS_USER_STATUS = 3:

ELSE, IF R03_EVER_NEVER_SNUS = 1 AND (R03_AU1002_12M = 2 OR R03_AU1003 = 3 OR R03_AU9004 = 1) AND R03_AU1100 != 1 AND R02_REGUSE_SNUS != 1, THEN R03_SNUS_USER_STATUS = 3.

R03_SNUS_USER_STATUS = 4:

ELSE, IF (R02_SNUS_USER_STATUS = 1, 2, 3, OR R03_INIT_SNUS_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_SNUS = 1)) AND (R02_REGUSE_SNUS = 1 OR R03_AU1100 = 1) AND R03_EVER_NEVER_SNUS = 1 AND (R03_AU1002_12M = 2 OR R03_AU1003 = 3 OR R03_AU9004 = 1), THEN R03_SNUS_USER_STATUS = 4.

R03_SNUS_USER_STATUS = 5:

ELSE, IF R02_SNUS_USER_STATUS = 4, 5 AND R03_EVER_NEVER_SNUS = 1 AND (R03_AU1002_12M = 2 OR R03_AU1003 = 3 OR R03_AU9004 = 1), THEN R03_SNUS_USER_STATUS = 5.

R03_CURRENT_SNUS_USE = 1:

IF R03_SNUS_USER_STATUS = 1 AND R03_AU1003 = 1, THEN R03_CURRENT_SNUS_USE = 1.

R03_CURRENT_SNUS_USE = 2:

ELSE, IF R03_SNUS_USER_STATUS = 1 AND R03_AU1003 = 2, THEN R03_CURRENT_SNUS_USE = 2.

R03_FORMER_THIRTYDAY_USER_SNUS:

IF (R03_SNUS_USER_STATUS = 3, 4, 5) AND ((1 <= R03_AU1009_NN <= 30 AND R03_AU1009_UN = 1) OR (R03_AU1009_NN = 1 AND R03_AU1009_UN = 2) OR (R03_AU1004 = 1 AND R03_AU9003 != 1)), THEN R03_FORMER_THIRTYDAY_USER_SNUS = 1. ELSE, R03_FORMER_THIRTYDAY_USER_SNUS = 2.

BOX ID: R03_AUR02

New baseline adult respondents who are every day established snus pouch users, go to R03_AU1020_NB.

Else, adult respondents who initiated snus pouch use since their last completed interview, go to R03_AU1008.

Else, adult respondents who are every day established snus pouch users, go to R03_AU1021.

Else, adult respondents who are someday established, current experimental, or non-current 30-day snus pouch users, go to R03_AU1022.

Else, adult respondents who are new former snus user, go to R03_AU1047.

Else, go to the next section.

IF R03_ADULTTYPE = 2 AND R03_CURRENT_SNUS_USE = 1, GO TO R03_AU1020_NB.

ELSE, IF R03_INIT_SNUS_ADULT = 1, GO TO R03_AU1008.

ELSE, IF R03_CURRENT_SNUS_USE = 1, GO TO R03_AU1021.

ELSE, IF R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1, GO TO R03_AU1022.

ELSE, IF R03_SNUS_USER_STATUS = 4, GO TO R03_AU1047.

ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1020_NB**

How old were you when you first started using snus pouches every day?

I__|__| Years old

-8 DON'T KNOW

GO TO R03_AU1122_NB

-7 REFUSED

GO TO R03_AU1122_NB

ASK: New baseline adult respondents who are every day established snus pouch users.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_CURRENT_SNUS_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: **R03_AU1020_NB_LC1**

The computer recorded that you started using snus pouches every day at age [R03_AU1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AU1020_NB

2 NEXT

GO TO R03_AU1020_NB_LC2

ASK: IF ((R03_ADULTTYPE = 2 AND R03_CURRENT_SNUS_USE = 1 AND R03_AU1020_NB != -8, -7) AND R03_AU1007_NB <= 8) AND R03_AU1007_NB <= 8.

PROGRAM: TRIGGER CHECK IF R03_AU1007_NB <= 8. ELSE, GO TO R03_AU1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: **R03_AU1020_NB_LC2**

The computer recorded that you started using snus pouches every day at age [R03_AU1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AU1020_NB

2 NEXT

GO TO BOX R03_AUR12

ASK: IF R03_ADULTTYPE = 2 AND R03_CURRENT_SNUS_USE = 1 AND R03_AU1020_NB != -8, -7 AND R03_AU1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AU1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AUR12 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AU1122_NB
When you first started using snus pouches every day, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who are current established snus pouch users and did not know or refused to report the age they first started using snus every day. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_CURRENT_SNUS_USE = 1 AND R03_AU1020_NB = -8, -7.

BOX ID: R03_AUR12
Adult respondents who initiated snus pouch use since their last completed interview, go to R03_AU1008. Else, go to Box R03_AUR09.
IF R03_INIT_SNUS_ADULT = 1, GO TO R03_AU1008. ELSE, GO TO BOX R03_AUR09.

Variable(s): R03_AU1008
When you first started using snus pouches, did you use snus pouches flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED GO TO BOX R03_AUR09 GO TO BOX R03_AUR09 GO TO BOX R03_AUR09 GO TO BOX R03_AUR09 ASK: Adult respondents who initiated snus pouch use since their last completed interview. ASK Specification: IF R03_INIT_SNUS_ADULT = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
Which flavor did you first start using? Choose all that apply.	
R03_AU1011_01	1 Menthol or mint
R03_AU1011_02	2 Wintergreen, spearmint or frost
R03_AU1011_03	3 Clove or spice
R03_AU1011_04	4 Fruit
R03_AU1011_05	5 Chocolate
R03_AU1011_06	6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R03_AU1011_07	7 Candy or other sweets
R03_AU1011_08	8 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who initiated snus pouch use since their last completed interview and initiated snus pouch use with flavored snus pouches.	
ASK Specification: IF R03_INIT_SNUS_ADULT = 1 AND R03_AU1008 = 1.	
PROGRAM: Allow respondent to choose all that apply.	

BOX ID: R03_AUR09
Adult respondents who are every day established snus pouch users, go to R03_AU1021. Else, adult respondents who are someday established, current experimental, or non-current 30-day snus pouch users, go to R03_AU1022. Else, go to R03_AU1047.
IF R03_CURRENT_SNUS_USE = 1, GO TO R03_AU1021. ELSE, IF R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1, GO TO R03_AU1022. ELSE, GO TO R03_AU1047.

Variable(s): R03_AU1021	
On average, about how many snus pouches do you now use each day?	
__ __	
-8 DON'T KNOW	GO TO R03_AU1024
-7 REFUSED	GO TO R03_AU1024
ASK: Adult respondents who are every day established snus pouch users.	
ASK Specification: IF R03_CURRENT_SNUS_USE = 1.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AU1021_LC1

The computer recorded that on average, you now use [R03_AU1021] snus pouches a day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AU1021 |
| 2 | NEXT | GO TO R03_AU1024 |

ASK: IF (R03_CURRENT_SNUS_USE = 1 AND R03_AU1021 != -8, -7) AND R03_AU1021 > 20.
PROGRAM: TRIGGER CHECK IF R03_AU1021 > 20. ELSE, GO TO R03_AU1024 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AU1022**

On how many of the past 30 days did you use snus pouches?

I ___ I ___ DAYS

- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are someday established, current experimental, or non-current 30-day snus pouch users.

ASK Specification: IF R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

NOTES: **SKIP ERROR: R03_FORMER_THIRTYDAY_USER_SNUS was not set correctly for respondents who reported that they used only Skoal Bandits in the past 12 months (R03_AU9004 = 1), but provided an answer less than 30 days or one month in R03_AU1009. The incorrect setting of R03_FORMER_THIRTYDAY_USER_SNUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

BOX ID: R03_AUR13

Adult respondents who are some day established or current experimental snus pouch users, and used on 0 days of the past 30 days, go to R03_AU9029.

Else, adult respondents who are some day established, current experimental, or non-current 30-day snus pouch users, and have used snus pouches on at least one day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R03_AU1023.

Else, go to Box R03_AUR26.

IF (R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2) AND R03_AU1022 = 0, GO TO R03_AU9029.

ELSE, IF (R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1022 != 0, GO TO R03_AU1023.
ELSE, GO TO BOX R03_AUR26.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU9029_NN; R03_AU9029_UN**

About how long has it been since you last used snus pouches?

- 1 I__I__I DAYS
- 2 I__I__I MONTHS
- 3 I__I__I YEARS

-8 DON'T KNOW GO TO BOX R03_AUR26

-7 REFUSED GO TO BOX R03_AUR26

ASK: Adult respondents who are some day established or current experimental snus pouch users, and used on 0 days of the past 30 days.

ASK Specification: IF (R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2) AND R03_AU1022 = 0.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers R03_AU9029_UN = Days; the value "2" refers to R03_AU9029_UN = Months; the value "3" refers to R03_AU9029_UN = Years.

CHECK ID: **R03_AU9029_LC1**

The computer recorded that you used snus pouches [R03_AU9029_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R03_AU9029

2 NEXT GO TO BOX R03_AUR26

ASK: IF ((R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2) AND R03_AU1022 = 0 AND R03_AU9029_NN != -8, -7) AND ((R03_AU9029_NN < 30 AND R03_AU9029_UN = 1) OR (R03_AU9029_NN < 1 AND R03_AU9029_UN = 2) OR (R03_AU9029_NN > 18 AND R03_AU9029_UN = 2) OR ((R03_AU9029_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AU9029_UN = 3)).

DISPLAY: IF R03_AU9029_UN = 1, DISPLAY "days".

ELSE, IF R03_AU9029_UN = 2, DISPLAY "months".

ELSE, IF R03_AU9029_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AU9029_NN < 30 AND R03_AU9029_UN = 1) OR (R03_AU9029_NN < 1 AND R03_AU9029_UN = 2) OR (R03_AU9029_NN > 18 AND R03_AU9029_UN = 2) OR ((R03_AU9029_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AU9029_UN = 3).

ELSE, GO TO BOX R03_AUR26 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1023****

On average, on those [FILL NUMBER OF DAYS FROM R03_AU1022 days/days you used], how many snus pouches did you usually use each day?

I ___ | ___ |

-8 DON'T KNOW

GO TO BOX R03_AUR26

-7 REFUSED

GO TO BOX R03_AUR26

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus pouch users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF (R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1022 != 0.

DISPLAY: IF R03_AU1022 = 1, -8, -7, DISPLAY "days you used".

ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R03_AU1022.

NOTES: **SKIP ERROR: R03_FORMER_THIRTYDAY_USER_SNUS was not set correctly for respondents who reported that they used only Skoal Bandits in the past 12 months (R03_AU9004 = 1), but provided an answer less than 30 days or one month in R03_AU1009. The incorrect setting of R03_FORMER_THIRTYDAY_USER_SNUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

CHECK ID: **R03_AU1023_LC1**

The computer recorded that on the days you used in the past 30 days, you used [R03_AU1023] snus pouches a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AU1023

2 NEXT

GO TO BOX R03_AUR26

ASK: IF ((R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1022 != 0 AND R03_AU1023 != -8, -7) AND R03_AU1023 > 20.

PROGRAM: TRIGGER CHECK IF R03_AU1023 > 20. ELSE, GO TO BOX R03_AUR26 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: **R03_AUR26**

Adult respondents who are current established or current experimental snus pouch users, go to R03_AU1024.

Else, adult respondents who are non-current 30-day snus pouch users, go to R03_AU1024_30D.

Else, adult respondents who are new former established snus pouch users, go to R03_AU1047.

Else, go to the next section.

IF R03_SNUS_USER_STATUS = 1, 2, GO TO R03_AU1024.

ELSE, IF R03_FORMER_THIRTYDAY_USER_SNUS = 1, GO TO R03_AU1024_30D.

ELSE, IF R03_SNUS_USER_STATUS = 4, GO TO R03_AU1047.

ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1024_NN; R03_AU1024_UN**

[On the days that you use snus pouches, how/How] soon after you wake up do you typically use your first snus pouch of the day? Please enter the number of minutes or hours.

1 |__|__|__| Minutes after waking

2 |__|__|__| Hours after waking

-8 DON'T KNOW

GO TO R03_AU1092

-7 REFUSED

GO TO R03_AU1092

ASK: Adult respondents who are current established or current experimental snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2.

DISPLAY: IF R03_CURRENT_SNUS_USE = 1, DISPLAY "How".

ELSE, DISPLAY "On the days that you use snus pouches, how".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers R03_AU1024_UN = Minutes after waking; the value "2" refers to R03_AU1024_UN = Hours after waking.

CHECK ID: **R03_AU1024_LC1**

The computer recorded that you typically use your first snus pouch [R03_AU1024_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AU1024

2 NEXT

GO TO R03_AU1024_LC2

ASK: IF (R03_SNUS_USER_STATUS = 1, 2 AND R03_AU1024_NN != -8, -7) AND ((R03_CURRENT_SNUS_USE = 1 AND ((R03_AU1024_NN > 60 AND R03_AU1024_UN = 1) OR (R03_AU1024_NN > 4 AND R03_AU1024_UN = 2))) OR ((R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2) AND ((R03_AU1024_NN > 60 AND R03_AU1024_UN = 1) OR (R03_AU1024_NN > 12 AND R03_AU1024_UN = 2))))).

DISPLAY: IF R03_AU1024_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AU1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_CURRENT_SNUS_USE = 1 AND ((R03_AU1024_NN > 60 AND R03_AU1024_UN = 1) OR (R03_AU1024_NN > 4 AND R03_AU1024_UN = 2))) OR ((R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2) AND ((R03_AU1024_NN > 60 AND R03_AU1024_UN = 1) OR (R03_AU1024_NN > 12 AND R03_AU1024_UN = 2))). ELSE, GO TO R03_AU1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AU1024_LC2

The computer recorded "0" for how soon you typically use your first snus pouch after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R03_AU1024

2 NEXT GO TO R03_AU0100

ASK: IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AU1024_NN != -8, -7 AND R03_AU1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AU1024_NN = 0. ELSE, GO TO R03_AU0100 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AU1092

[On the days that you use snus pouches, would/Would] you say you use your first snus pouch of the day within the first 30 minutes after you wake up?

1 Yes GO TO R03_AU0100

2 No GO TO R03_AU0100

3 It varies GO TO R03_AU0100

-8 DON'T KNOW GO TO R03_AU0100

-7 REFUSED GO TO R03_AU0100

ASK: Adult respondents who are current established or current experimental snus pouch users, and who did not know or refused to report how soon after waking up they typically use their first snus pouch of the day.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AU1024_NN = -8, -7.

DISPLAY: IF R03_CURRENT_SNUS_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you use snus pouches, would".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AU1024_30D_NN**, R03_AU1024_30D_UN

On the days that you used snus pouches, how soon after you woke up did you typically use your first snus pouch of the day? Please enter the number of minutes or hours.

1 |__|__|__| Minutes after waking

2 |__|__|__| Hours after waking

-8 DON'T KNOW

GO TO R03_AU1092_30D

-7 REFUSED

GO TO R03_AU1092_30D

ASK: Adult respondents who are non-current 30-day snus pouch users.

ASK Specification: IF R03_FORMER_THIRTYDAY_USER_SNUS = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers R03_AU1024_30D_UN = Minutes after waking; the value "2" refers to R03_AU1024_30D_UN = Hours after waking.

**SKIP ERROR: R03_FORMER_THIRTYDAY_USER_SNUS was not set correctly for respondents who reported that they used only Skoal Bandits in the past 12 months (R03_AU9004 = 1), but provided an answer less than 30 days or one month in R03_AU1009. The incorrect setting of R03_FORMER_THIRTYDAY_USER_SNUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

CHECK ID: R03_AU1024_30D_LC1

The computer recorded that you typically used your first snus pouch [R03_AU1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AU1024_30D

2 NEXT

GO TO R03_AU1024_30D_LC2

ASK: IF ((R03_FORMER_THIRTYDAY_USER_SNUS = 1 AND R03_AU1024_30D_NN != -8, -7) AND ((R03_AU1024_30D_NN > 60 AND R03_AU1024_30D = 1) OR (R03_AU1024_30D_NN > 12 AND R03_AU1024_30D_UN = 2)) AND (R03_AU1024_30D_NN > 60 AND R03_AU1024_30D = 1) OR (R03_AU1024_30D_NN > 12 AND R03_AU1024_30D_UN = 2)).

DISPLAY: IF R03_AU1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AU1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_AU1024_30D_NN > 60 AND R03_AU1024_30D = 1) OR (R03_AU1024_30D_NN > 12 AND R03_AU1024_30D_UN = 2). ELSE, GO TO R03_AU1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AU1024_30D_LC2

The computer recorded "0" for how soon you typically used your first snus pouch after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AU1024_30D |
| 2 | NEXT | GO TO R03_AU0100 |

ASK: IF R03_FORMER_THIRTYDAY_USER_SNUS = 1 AND R03_AU1024_30D_NN != -8, -7 AND R03_AU1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AU1024_30D_NN = 0. ELSE, GO TO R03_AU0100 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AU1092_30D

On the days that you used snus pouches, would you say you used your first snus pouch of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are non-current 30-day snus pouch users and did not know or refused to report how soon after waking up they typically used their first snus pouch of the day.

ASK Specification: IF R03_FORMER_THIRTYDAY_USER_SNUS = 1 AND R03_AU1024_30D_NN = -8, -7.

BOX ID: R03_AUR28

Adult respondents who are every day established snus pouch users, or adult respondents who are some day established, current experimental, or non-current 30-day snus pouch users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R03_AU0100.

Else, go to R03_AU1098.

IF R03_CURRENT_SNUS_USE = 1 OR ((R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1022 != 0), GO TO R03_AU0100.

ELSE, GO TO R03_AU1098.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU0100****

When did you last use snus pouches?

- | | |
|--------------------------|------------------|
| 1 In the past hour | GO TO R03_AU0103 |
| 2 Sometime today | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R03_AU1130 |
| -8 DON'T KNOW | GO TO R03_AU1130 |
| -7 REFUSED | GO TO R03_AU1130 |

ASK: Adult respondents who are every day established snus pouch users, or adult respondents who are some day established, current experimental, or non-current 30-day snus pouch users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R03_CURRENT_SNUS_USE = 1 OR ((R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1022 != 0).

NOTES: **SKIP ERROR: R03_FORMER_THIRTYDAY_USER_SNUS was not set correctly for respondents who reported that they used only Skoal Bandits in the past 12 months (R03_AU9004 = 1), but provided an answer less than 30 days or one month in R03_AU1009. The incorrect setting of R03_FORMER_THIRTYDAY_USER_SNUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AU0102**

When you last used snus pouches [FILL BASED ON R03_AU0100], was it...

- | |
|---------------------------------|
| 1 Between midnight and 6AM |
| 2 After 6AM but before noon |
| 3 Between noon and 6PM |
| 4 After 6PM but before midnight |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Adult respondents who are every day established snus pouch users and last used snus pouches sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day snus pouch users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus pouches sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R03_CURRENT_SNUS_USE = 1 AND R03_AU0100 = 2, 3, 4) OR ((R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1022 != 0 AND R03_AU0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R03_AU0100]:

IF R03_AU0100 = 2, DISPLAY "today".

ELSE, IF R03_AU0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AU0100 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU0103**

How many snus pouches [have/did] you [used/use] [FILL BASED ON R03_AU0100]?

|_|_|_|_|

-8 DON'T KNOW

GO TO R03_AU1130

-7 REFUSED

GO TO R03_AU1130

ASK: Adult respondents who are every day established snus pouch users and last used snus pouches in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day snus pouch users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus pouches in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R03_CURRENT_SNUS_USE = 1 AND R03_AU0100 = 1, 2, 3, 4) OR ((R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1022 != 0) AND R03_AU0100 = 1, 2, 3, 4).

DISPLAY: IF R03_AU0100 = 1, 2, DISPLAY "have" AND "used".

ELSE, IF R03_AU0100 = 3, 4, DISPLAY "did" AND "use".

FOR [FILL BASED ON R03_AU0100]:

IF R03_AU0100 = 1, 2, DISPLAY "today".

ELSE, IF R03_AU0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AU0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits.

CHECK ID: **R03_AU0103_LC1**

The computer recorded that you used [R03_AU0103] snus pouches [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AU0103

2 NEXT

GO TO R03_AU1130

ASK: IF (R03_CURRENT_SNUS_USE = 1 AND R03_AU0100 = 1, 2, 3, 4) OR ((R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1022 != 0) AND R03_AU0100 = 1, 2, 3, 4) AND R03_AU0103 != -8, -7) AND (R03_AU0103 > 20 OR R03_AU0103 = 11).

DISPLAY: IF R03_AU0100 = 1, 2, DISPLAY "today".

ELSE, IF R03_AU0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AU0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AU0103 > 20 OR R03_AU0103 = 11. ELSE, GO TO R03_AU1130 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1130****

In the past 30 days, were any of the snus pouches you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AU1098 |
| 3 | I don't know | GO TO R03_AU1098 |
| -8 | DON'T KNOW | GO TO R03_AU1098 |
| -7 | REFUSED | GO TO R03_AU1098 |

ASK: Adult respondents who are every day established snus pouch users, or adult respondents who are some day established, current experimental, or non-current 30-day snus pouch users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R03_CURRENT_SNUS_USE = 1 OR ((R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1022 != 0).

NOTES: **SKIP ERROR: R03_FORMER_THIRTYDAY_USER_SNUS was not set correctly for respondents who reported that they used only Skoal Bandits in the past 12 months (R03_AU9004 = 1), but provided an answer less than 30 days or one month in R03_AU1009. The incorrect setting of R03_FORMER_THIRTYDAY_USER_SNUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **SEE BELOW:**

Which flavors have you used in the past 30 days? Choose all that apply.

- | | | |
|----------------------|----|---|
| R03_AU1131_01 | 1 | Menthol or mint |
| R03_AU1131_02 | 2 | Wintergreen, spearmint or frost |
| R03_AU1131_03 | 3 | Clove or spice |
| R03_AU1131_04 | 4 | Fruit |
| R03_AU1131_05 | 5 | Chocolate |
| R03_AU1131_06 | 6 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R03_AU1131_07 | 7 | Candy or other sweets |
| R03_AU1131_08 | 8 | Some other flavor |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are every day established snus pouch users and used flavored snus pouches in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus pouch users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus pouches in the past 30 days.

ASK Specification: IF (R03_CURRENT_SNUS_USE = 1 AND R03_AU1130 = 1) OR ((R03_CURRENT_SNUS_USE = 2 OR R03_SNUS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1022 != 0 AND R03_AU1130 = 1).

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1098****

The next questions ask about your experience buying snus pouches.

In the past 30 days, how often have you used a coupon when buying snus pouches?

- 1 Always
- 2 Sometimes
- 3 Rarely
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_SNUS = 1.

NOTES: **SKIP ERROR: R03_FORMER_THIRTYDAY_USER_SNUS was not set correctly for respondents who reported that they used only Skoal Bandits in the past 12 months (R03_AU9004 = 1), but provided an answer less than 30 days or one month in R03_AU1009. The incorrect setting of R03_FORMER_THIRTYDAY_USER_SNUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AU1030****

How [do/did] you usually buy snus pouches for yourself?

- 1 In person
- 2 From the internet GO TO R03_AU1042
- 3 By telephone GO TO R03_AU1042
- 4 I do not buy my own snus pouches GO TO R03_AU1047
- 8 DON'T KNOW GO TO R03_AU1047
- 7 REFUSED GO TO R03_AU1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

NOTES: **SKIP ERROR: R03_FORMER_THIRTYDAY_USER_SNUS was not set correctly for respondents who reported that they used only Skoal Bandits in the past 12 months (R03_AU9004 = 1), but provided an answer less than 30 days or one month in R03_AU1009. The incorrect setting of R03_FORMER_THIRTYDAY_USER_SNUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1032**

[Do/Did] you usually buy snus pouches...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users and usually buy their snus pouches in person.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1030 = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

Variable(s): **R03_AU1033; R03_AU1033_OS**

Where [do/did] you buy your snus pouches most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users and usually buy their snus pouches in person.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1030 = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard.".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1042_D; R03_AU1042_C**

How much [do you usually/did you] pay for a container of snus pouches?

\$ |__|__|__| Dollars . |__|__| Cents

-8 DON'T KNOW

GO TO R03_AU9001

-7 REFUSED

GO TO R03_AU9001

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users and usually buy their snus pouches in person, from the internet, or by telephone.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1030 = 1, 2, 3.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "do you usually".

ELSE, DISPLAY "did you".

DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

CHECK ID: **R03_AU1042_LC1**

The computer recorded that you paid \$[R03_AU1042[_D/_C]] for a container of snus pouches.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AU1042

2 NEXT

GO TO R03_AU9001

ASK: IF ((R03_SNUS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1030 = 1, 2, 3 AND R03_AU1042_D != -8, -7) AND (R03_AU1042_D > 6 OR R03_AU1042_D < 1).

PROGRAM: TRIGGER CHECK IF R03_AU1042_D > 6 OR R03_AU1042_D < 1. ELSE, GO TO R03_AU9001 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R03_AU9001**

How many pouches [are/were] in the container of snus that you usually [buy/bought]?

|__|__|__|

-8 DON'T KNOW

GO TO R03_AU1047

-7 REFUSED

GO TO R03_AU1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users and usually buy their snus pouches in person, from the internet, or by telephone.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1030 = 1, 2, 3.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "are" AND "buy".

ELSE, DISPLAY "were" AND "bought".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AU9001_LC1

The computer recorded that there are [R03_AU9001] pouches in the container you bought.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AU9001 |
| 2 | NEXT | GO TO R03_AU9002 |

ASK: IF ((R03_SNUS_USER_STATUS = 1, 2 OR FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1030 = 1, 2, 3 AND R03_AU9001 != -8, -7) AND (R03_AU9001 > 50 OR R03_AU9001 < 5).
PROGRAM: TRIGGER CHECK IF R03_AU9001 > 50 OR R03_AU9001 < 5. ELSE, GO TO R03_AU9002 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AU9002

About how many days [does/did] it take you to use up a container this size?

|_|_|_|_|

- | | | |
|----|------------|------------------|
| -8 | DON'T KNOW | GO TO R03_AU1047 |
| -7 | REFUSED | GO TO R03_AU1047 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users and usually buy their snus pouches in person, from the internet, or by telephone and provided the number of snus pouches in the container they usually buy.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1030 = 1, 2, 3 AND R03_AU9001 != -8, -7.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "does".
ELSE, DISPLAY "did".

CHECK ID: R03_AU9002_LC1

The computer recorded that it took you [R03_AU9002] days to use up a container of snus.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AU9002 |
| 2 | NEXT | GO TO R03_AU1047 |

ASK: IF ((R03_SNUS_USER_STATUS = 1, 2 OR FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1030 = 1, 2, 3 AND R03_AU9001 != -8, -7 AND R03_AU9002 != -8, -7) AND (R03_AU9002 > (R03_AU9001*7) OR R03_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99).

PROGRAM: TRIGGER CHECK IF R03_AU9002 > (R03_AU9001*7) OR R03_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99. ELSE, GO TO R03_AU1047 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1047****

[Do/Did] you have a regular brand of snus pouches that you usually [use/used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "Do" AND "use".

ELSE, DISPLAY "Did" AND "used".

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

Variable(s): **R03_AU1050****

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No GO TO R03_AU1945
- 3 I don't know GO TO R03_AU1945
- 8 DON'T KNOW GO TO R03_AU1945
- 7 REFUSED GO TO R03_AU1945

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AU1047 = 1, DISPLAY "Is", "your regular brand" AND "use".

ELSE, IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AU1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "used".

ELSE, IF (R03_SNUS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1047 = 1, DISPLAY "Was", "your regular brand" AND "used".

ELSE, IF (R03_SNUS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "used".

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Which flavor [is/was] it? Choose all that apply.

- R03_AU1012_01** 1 Menthol or mint
- R03_AU1012_02** 2 Wintergreen, spearmint or frost
- R03_AU1012_03** 3 Clove or spice
- R03_AU1012_04** 4 Fruit
- R03_AU1012_05** 5 Chocolate
- R03_AU1012_06** 6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
- R03_AU1012_07** 7 Candy or other sweets
- R03_AU1012_08** 8 Some other flavor
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and whose regular brand or last brand of snus pouch used was flavored.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1050 = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "was".

PROGRAM: Allow respondent to choose all that apply.

Variable(s): **R03_AU1945****

Do you know the name of the brand of snus pouches you [usually use/usually used/last used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_AU1047 = 1 AND R03_SNUS_USER_STATUS = 1, 2, DISPLAY "usually use".

ELSE, IF R03_AU1047 = 1 AND R03_SNUS_USER_STATUS != 1, 2, DISPLAY "usually used".

ELSE, IF R03_AU1047 = 2, -8, -7, DISPLAY "last used".

UNDERLINE "name of the brand".

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AUR27

Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and know the name of the brand of snus pouches they usually use or last used, go to R03_AU1048_BRAND.

Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and have a regular brand of snus pouches, go to R03_AU1051. Else, go to Box R03_AUD03.

IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1945 = 1, GO TO R03_AU1048_BRAND.

ELSE, IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1047 = 1, GO TO R03_AU1051.

ELSE, GO TO BOX R03_AUD03.

Variable(s): R03_AU1048_BRAND

What brand of snus pouches [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and know the name of the brand of snus pouches they usually use or last used.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1945 = 1.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else".

IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AU1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R03_SNUS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R03_SNUS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AUR16

Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and know the name of the brand of snus pouches they usually use or last used and selected "Something else" for their brand of snus pouches, go to R03_AU1049.

Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and know the name of the brand of snus pouches they usually use or last used and selected a brand of snus pouches, go to R03_AU1070_PRODUCT.

Else, go to Box R03_AUR25.

IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1945 = 1 AND R03_AU1048_BRAND = 9995, GO TO R03_AU1049.

ELSE, IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1945 = 1 AND R03_AU1048_BRAND != 9995, -8, -7, GO TO R03_AU1070_PRODUCT.

ELSE, GO TO BOX R03_AUR25.

Variable(s): R03_AU1049

You said that your brand was not pictured. What is it?

_____	GO TO BOX R03_AUR25
-8 DON'T KNOW	GO TO BOX R03_AUR25
-7 REFUSED	GO TO BOX R03_AUR25

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and know the name of the brand of snus pouches they usually use or last used and selected "Something else" for their brand of snus pouches.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1945 = 1 AND R03_AU1048_BRAND = 9995.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AU1070_PRODUCT
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and know the name of the brand of snus pouches they usually use or last used and selected a brand of snus pouches. ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1945 = 1 AND R03_AU1048_BRAND != 9995, -8, -7. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else". FILL BRANDFILL WITH BRAND CHOSEN IN R03_AU1048_BRAND. IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AU1047 = 1, DISPLAY "do" AND "usually". ELSE, IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AU1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF (R03_SNUS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1047 = 1, DISPLAY "did" AND "usually". ELSE, IF (R03_SNUS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1047 = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R03_AU1048_BRAND.	

BOX ID:	R03_AUR17
Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and know the name of the brand of snus pouches they usually use or last used and selected a brand of snus pouches and selected "Something else" for their subbrand of snus pouches, go to R03_AU1071. Else, go to Box R03_AUR25.	
IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1945 = 1 AND R03_AU1048_BRAND != 9995, -8, -7 AND R03_AU1070_PRODUCT = 99995, GO TO R03_AU1071. ELSE, GO TO BOX R03_AUR25.	

Variable(s): **R03_AU1071**

You said that the type of [BRANDFILL]s that you [use/used] is not pictured. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and know the name of the brand of snus pouches they usually use or last used and selected a brand of snus pouches and selected "Something else" for their subbrand of snus pouches.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1945 = 1 AND R03_AU1048_BRAND != 9995, -8, -7 AND R03_AU1070_PRODUCT = 99995.

DISPLAY: IF R03_CURRENT_USER_SNUS = 1, 2 AND R03_AU1047 = 1, DISPLAY "use".

ELSE, DISPLAY "used".

FILL BRANDFILL WITH BRAND CHOSEN IN R03_AU1048_BRAND.

BOX ID:	R03_AUR25
Respondents who have a regular brand of snus, go to R03_AU1051. Else, go to Box R03_AUR18.	
IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1047 = 1, GO TO R03_AU1051. ELSE, GO TO BOX R03_AUR18.	

Variable(s): **R03_AU1051_UN; R03_AU1051_UN**

About how long [did you use/have you been using] your regular brand of snus pouches?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW GO TO BOX R03_AUR18

-7 REFUSED GO TO BOX R03_AUR18

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and have a regular brand of snus pouches.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1047 = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.

NOTES: The value "1" refers R03_AU1051_UN = Days; the value "2" refers to R03_AU1051_UN = Months; the value "3" refers to R03_AU1051_UN = Years.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AU1051_LC1

The computer recorded that you [have been using/used] your regular brand of snus pouches for [R03_AU1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AU1051 |
| 2 | NEXT | GO TO R03_AU1051_LC2 |

ASK: IF ((R03_SNUS_USER_STATUS = 1, 2, 4 OR FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1047 = 1 AND R03_AU1051_NN != -8, -7) AND ((R03_AU1051_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AU1051_UN = 3).

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "have been using".

ELSE, IF R03_SNUS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1, DISPLAY "used".

PROGRAM: TRIGGER CHECK IF R03_AU1051_NN > R03R_A_AGE AND R03R_A_AGE >= 18 AND R03_AU1051_UN = 3.

ELSE, GO TO R03_AU1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AU1051_LC2

The computer recorded "0" for how long you [have been using/used] your regular brand.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AU1051 |
| 2 | NEXT | GO TO BOX R03_AUR18 |

ASK: IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU1047 = 1 AND R03_AU1051_NN != -8, -7 AND R03_AU1051_NN = 0.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "have been using".

ELSE, IF R03_SNUS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1, DISPLAY "used".

PROGRAM: TRIGGER CHECK IF R03_AU1051_NN = 0. ELSE, GO TO BOX R03_AUR18 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_AUR18

Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users and last used snus pouches in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus pouches they usually use or last used and selected a brand and subbrand of snus pouches, go to R03_AU0104.

Else, go to Box R03_AUD03.

IF (R03_SNUS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU0100 = 1, 2, 3, 4 AND R03_AU1945 = 1 AND R03_AU1048_BRAND != 9995, -8, -7 AND R03_AU1070_PRODUCT != 99990, 99995, -8, -7, GO TO R03_AU0104.

ELSE, GO TO BOX R03_AUD03.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU0104*****

You said earlier that you last used snus [TIME OF LAST USE].

Think about the very last pouch you used.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users and last used snus pouches in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus pouches they usually use or last used and selected a brand and subbrand of snus pouches.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_AU0100 = 1, 2, 3, 4 AND R03_AU1945 = 1 AND R03_AU1048_BRAND != 9995, -8, -7 AND R03_AU1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R03_AU0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R03_AU0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R03_AU0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R03_AU0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R03_AU1070_PRODUCT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: **R03_AUD03**

Randomize order of R03_AU1060 through R03_AU1076.

Display question R03_AU1060, R03_AU1085, R03_AU1062, R03_AU1075, R03_AU1063, R03_AU1064, R03_AU1065, R03_AU1067, R03_AU1076 on one screen. Show the intro/transition text from R03_AU1060 first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AU1060**

The next questions are about the reasons people use snus pouches. Please select which reasons [apply to you/applied to you when you used to use snus pouches].

I [use/used] snus pouches because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "is".

ELSE, DISPLAY "applied to you when you used to use snus pouches", "used" AND "was".

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

Variable(s): R03_AU1085**

I [can/could] use snus pouches at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1062****

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "be".

ELSE, DISPLAY "have been".

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

Variable(s): **R03_AU1075****

It might [be/have been] less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "be".

ELSE, DISPLAY "have been".

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AU1063**
Snus pouches [come/came] in flavors I [like/liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users. ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1. DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "come" AND "like". ELSE, DISPLAY "came" AND "liked". NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.	

BOX ID:	R03_AUR19
Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and who are current established, current experimental, or new former established cigarette smokers, go to R03_AU1064. Else, go to R03_AU1065. IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_CIG_USER_STATUS = 1, 2, 4, GO TO R03_AU1064. ELSE, GO TO R03_AU1065.	

Variable(s):	R03_AU1064**
Using snus pouches helps people quit smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and who are current established, current experimental, or new former established cigarette smokers. ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_CIG_USER_STATUS = 1, 2, 4. NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1065****

Snus pouches don't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1.

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

Variable(s): **R03_AU1067****

Snus pouches [are/were] more acceptable to non-tobacco users.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "are".
ELSE, DISPLAY "were".

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AU1076**
No one [can/could] tell when I [am/was] using a snus pouch. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users. ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1. DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "can AND "am". ELSE, DISPLAY "could" AND "was". NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.	

BOX ID:	R03_AUR20
Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users and who are current established cigarette smokers, go to R03_AU1086. Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and who are current established or new former established cigarette smokers, go to R03_AU1080. Else, go to R03_AU1081. IF (R03_SNUS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_CIG_USER_STATUS = 1, GO TO R03_AU1086. ELSE, IF R03_CIG_USER_STATUS = 1, 4, GO TO R03_AU1080. ELSE, GO TO R03_AU1081.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1086****

In the past 30 days have you used snus pouches at times when or in places where you could not smoke regular cigarettes?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AU1080 |
| -8 | DON'T KNOW | GO TO R03_AU1080 |
| -7 | REFUSED | GO TO R03_AU1080 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users and who are current established cigarette smokers.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_CIG_USER_STATUS = 1.

NOTES: **SKIP ERROR: R03_FORMER_THIRTYDAY_USER_SNUS was not set correctly for respondents who reported that they used only Skoal Bandits in the past 12 months (R03_AU9004 = 1), but provided an answer less than 30 days or one month in R03_AU1009. The incorrect setting of R03_FORMER_THIRTYDAY_USER_SNUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AU1087**

How often [do/did] you use snus pouches at times when or in places where you could not smoke regular cigarettes?

- | | |
|----|------------|
| 1 | Every day |
| 2 | Some days |
| 3 | Rarely |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus pouch users and who are current established cigarette smokers and used snus pouches at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF (R03_SNUS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_CIG_USER_STATUS = 1 AND R03_AU1086 = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, IF R03_FORMER_THIRTYDAY_USER_SNUS = 1, DISPLAY "did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AU1080**

[Do/Did] you use snus pouches as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users and who are current established or new former established cigarette smokers.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1) AND R03_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

Variable(s): R03_AU1081**

[Do/Did] you use snus as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AU1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using snus pouches.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "is".
ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R03_AU1139-1141 SERIES.

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

Variable(s): R03_AU1140**

While using snus pouches, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "feel".
ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R03_AU1139-1141 SERIES.

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1141****

I [use/used] snus pouches much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day snus pouch users.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "use" AND "am".

ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R03_AU1139-1141 SERIES.

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

SMOKELESS TOBACCO

BOX ID: R03_ASR08
Adult respondents who were new former established or still former established smokeless tobacco users and had used smokeless tobacco 100 or more times and had used smokeless tobacco fairly regularly as of their last completed interview, and have not used smokeless tobacco in the past 12 months or now use smokeless tobacco not at all, go to Box R03_ASV02. Else, continue with Box R03_AST02.
IF R02_SMKLS_USER_STATUS = 4, 5 AND R02_NUMLIFE_SMKLS = 1 AND R02_REGUSE_SMKLS = 1 AND (R03_AS1002_12M = 2 OR R03_AS1003 = 3), GO TO BOX R03_ASV02. ELSE, GO TO BOX R03_AST02.

BOX ID: R03_AST02
IF RESPONDENT USES ONLY SMOKELESS TOBACCO (SMKLSSTYPE[1] = 1), DISPLAY THE FOLLOWING TRANSITION TEXT: "The next questions ask about other types of smokeless tobacco products which you put in your mouth and chew, suck or spit. There are many types of smokeless tobacco products such as loose snus, moist snuff, dip, spit, and chewing tobacco. Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly, Copenhagen, and Kodiak, but there are many others." [SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS POUCHES] ELSE, IF RESPONDENT USES BOTH SNUS POUCHES AND SMOKELESS TOBACCO (SMKLSSTYPE[3]=1), DISPLAY THE FOLLOWING TRANSITION TEXT: "You just answered questions about snus pouches. The next questions are about your use of other types of smokeless tobacco products which you put in your mouth and chew, suck or spit. There are many types of smokeless tobacco products such as loose snus, moist snuff, dip, spit, and chewing tobacco. Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly, Copenhagen, and Kodiak, but there are many others. The questions will use the phrase "smokeless tobacco" to refer to these products. Please think about your use of smokeless tobacco products, not including snus pouches, as you answer these questions." [SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS POUCHES] BOLD "smokeless tobacco".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ASR07

Adult respondents who have ever used smokeless tobacco and had not used 100 or more times as of their last completed interview, go to R03_AS1005.

Else, adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview, go to R03_AS1100.

Else, go to Box R03_ASV02.

IF R03_EVER_NEVER_SMKLS = 1 AND R02_NUMLIFE_SMKLS != 1, GO TO R03_AS1005.
ELSE, IF R03_EVER_NEVER_SMKLS = 1 AND R02_REGUSE_SMKLS != 1, GO TO R03_AS1100.
ELSE, GO TO BOX R03_ASV02.

Variable(s): R03_AS1005

How many times have you used smokeless tobacco in your entire life?

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used smokeless tobacco and had not used 100 or more times as of their last completed interview.

ASK Specification: IF R03_EVER_NEVER_SMKLS = 1 AND R02_NUMLIFE_SMKLS != 1.

BOX ID: R03_ASR10

Adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview, go to R03_AS1100.

Else, go to Box R03_ASV02.

IF R03_EVER_NEVER_SMKLS = 1 AND R02_REGUSE_SMKLS != 1, GO TO R03_AS1100.
ELSE, GO TO BOX R03_ASV02.

Variable(s): R03_AS1100

Have you ever used smokeless tobacco fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview.

ASK Specification: IF R03_EVER_NEVER_SMKLS = 1 AND R02_REGUSE_SMKLS != 1.

BOX ID:	R03_ASR11
New baseline adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and have ever used smokeless tobacco fairly regularly, go to R03_AS1007_NB. Else, go to Box R03_ASV02.	
IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_SMKLS = 1 AND R02_REGUSE_SMKLS = 2 AND R03_AS1100 = 1, GO TO R03_AS1007_NB. ELSE, GO TO BOX R03_ASV02.	

Variable(s):	R03_AS1007_NB
How old were you when you first started using smokeless tobacco fairly regularly?	
I ___ I ___	Years old
-8 DON'T KNOW	GO TO R03_AS1121_NB
-7 REFUSED	GO TO R03_AS1121_NB
ASK: New baseline adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and have ever used smokeless tobacco fairly regularly.	
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_SMKLS = 1 AND R02_REGUSE_SMKLS = 2 AND R03_AS1100 = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

CHECK ID: R03_AS1007_NB_LC1

The computer recorded that you started using smokeless tobacco fairly regularly at age [R03_AS1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R03_AS1007_NB
2	NEXT	GO TO R03_AS1007_NB_LC2

ASK: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_SMKLS = 1 AND R02_REGUSE_SMKLS = 2 AND R03_AS1100 = 1 AND R03_AS1007_NB != -8, -7 AND R03_AS1007_NB <= 8.

PROGRAM: TRIGGER CHECK IF R03_AS1007_NB <= 8. ELSE, GO TO R03_AS1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID:	R03_AS1007_NB_LC2						
The computer recorded that you started using smokeless tobacco fairly regularly at age [R03_AS1007_NB]. That is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R03_AS1007_NB</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO BOX R03_ASV02</td> </tr> </table> ASK: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_SMKLS = 1 AND R02_REGUSE_SMKLS = 2 AND R03_AS1100 = 1 AND R03_AS1007_NB != -8, -7 AND R03_AS1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18. PROGRAM: TRIGGER CHECK IF R03_AS1007_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO R03_AS1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R03_AS1007_NB	2	NEXT	GO TO BOX R03_ASV02
1	BACK	GO TO R03_AS1007_NB					
2	NEXT	GO TO BOX R03_ASV02					

Variable(s):	R03_AS1121_NB																
When you first started using smokeless tobacco fairly regularly, were you... <table> <tr> <td>1</td> <td>Less than 18 years old,</td> </tr> <tr> <td>2</td> <td>18 to 24 years old,</td> </tr> <tr> <td>3</td> <td>25 to 34 years old,</td> </tr> <tr> <td>4</td> <td>35 to 44 years old,</td> </tr> <tr> <td>5</td> <td>45 to 54 years old, or</td> </tr> <tr> <td>6</td> <td>55 years old or older?</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: New baseline adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and have ever used smokeless tobacco fairly regularly and did not know or refused to report the age they first started using smokeless tobacco fairly regularly. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_EVER_NEVER_SMKLS = 1 AND R02_REGUSE_SMKLS = 2 AND R03_AS1100 = 1 AND R03_AS1007_NB = -8, -7.		1	Less than 18 years old,	2	18 to 24 years old,	3	25 to 34 years old,	4	35 to 44 years old,	5	45 to 54 years old, or	6	55 years old or older?	-8	DON'T KNOW	-7	REFUSED
1	Less than 18 years old,																
2	18 to 24 years old,																
3	25 to 34 years old,																
4	35 to 44 years old,																
5	45 to 54 years old, or																
6	55 years old or older?																
-8	DON'T KNOW																
-7	REFUSED																

BOX ID:	R03_ASV02
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX): R03_SMKLS_USER_STATUS = 1 (Current established user) Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use every day or some days. R03_SMKLS_USER_STATUS = 2 (Current experimental user) Adult respondents who have never used smokeless tobacco fairly regularly, and currently use every day or some days. R03_SMKLS_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever used smokeless tobacco and have never used smokeless tobacco fairly regularly, and did not use in the past 12 months or currently use not at all. R03_SMKLS_USER_STATUS = 4 (New former established user) Adult respondents who were current established, current experimental, or former experimental smokeless tobacco users as of their	

last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all.

R03_SMKLS_USER_STATUS = 5 (Still former established user) Adult respondents who were new former established or still former established smokeless tobacco users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all.

R03_CURRENT_SMKLS_USE = 1 (Every day established user) Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use every day.

R03_CURRENT_SMKLS_USE = 2 (Some day established user) Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use some days.

R03_FORMER_THIRTYDAY_USER_SMKLS = 1 (Non-current 30-day user) Adult respondents who are former experimental, new former established, or still former established smokeless tobacco users who have used any smokeless tobacco in the past 30 days.

R03_SMKLS_USER_STATUS = 1:

IF (R02_REGUSE_SMKLS = 1 OR R03_AS1100 = 1) AND R03_AS1003 = 1, 2, THEN
R03_SMKLS_USER_STATUS = 1.

R03_SMKLS_USER_STATUS = 2:

ELSE, IF R03_EVER_NEVER_SMKLS = 1 AND R03_AS1100 != 1 AND R02_REGUSE_SMKLS != 1
AND R03_AS1003 = 1, 2, THEN R03_SMKLS_USER_STATUS = 2.

R03_SMKLS_USER_STATUS = 3:

ELSE, IF R03_EVER_NEVER_SMKLS = 1 AND (R03_AS1002_12M = 2 OR R03_AS1003 = 3) AND
R03_AS1100 != 1 AND R02_REGUSE_SMKLS != 1, THEN R03_SMKLS_USER_STATUS = 3.

R03_SMKLS_USER_STATUS = 4:

ELSE, IF (R02_SMKLS_USER_STATUS = 1, 2, 3, OR R03_INIT_SMKLS_ADULT = 1 OR
(R03_ADULTTYPE = 2 AND R02_EVER_NEVER_SMKLS = 1)) AND (R02_REGUSE_SMKLS = 1 OR
R03_AS1100 = 1) AND R03_EVER_NEVER_SMKLS = 1 AND (R03_AS1002_12M = 2 OR
R03_AS1003 = 3), THEN R03_SMKLS_USER_STATUS = 4.

R03_SMKLS_USER_STATUS = 5:

ELSE, IF R02_SMKLS_USER_STATUS = 4, 5 AND R03_EVER_NEVER_SMKLS = 1 AND
(R03_AS1002_12M = 2 OR R03_AS1003 = 3), THEN R03_SMKLS_USER_STATUS = 5.

R03_CURRENT_SMKLS_USE = 1:

IF R03_SMKLS_USER_STATUS = 1 AND R03_AS1003 = 1, THEN R03_CURRENT_SMKLS_USE =
1.

R03_CURRENT_SMKLS_USE = 2:

ELSE, IF R03_SMKLS_USER_STATUS = 1 AND R03_AS1003 = 2, THEN
R03_CURRENT_SMKLS_USE = 2.

R03_FORMER_THIRTYDAY_USER_SMKLS:

IF (R03_SMKLS_USER_STATUS = 3, 4, 5) AND ((1 <= R03_AS1009_NN <= 30 AND
R03_AS1009_UN = 1) OR (R03_AS1009_NN = 1 AND R03_AS1009_UN = 2) OR R03_AS1004 = 1
OR R03_AU9003 = 1 OR R03_AU9003 = 2), THEN R03_FORMER_THIRTYDAY_USER_SMKLS = 1.
ELSE, R03_FORMER_THIRTYDAY_USER_SMKLS = 2.

BOX ID:	R03_ASR02
New baseline adult respondents who are every day established smokeless tobacco users, go to R03_AS1020_NB. Else, adult respondents who have initiated smokeless tobacco use since their last completed interview, go to R03_AS1008. Else, adult respondents who are every day established smokeless tobacco users, go to R03_AS1021. Else, adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, go to R03_AS1022. Else, adult respondents who are new former established smokeless tobacco users, go to R03_AS1047. Else, go to the next section.	
IF R03_ADULTTYPE = 2 AND R03_CURRENT_SMKLS_USE = 1, GO TO R03_AS1020_NB. ELSE, IF R03_INIT_SMKLS_ADULT = 1, GO TO R03_AS1008. ELSE, IF R03_CURRENT_SMKLS_USE = 1, GO TO R03_AS1021. ELSE, IF R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1, GO TO R03_AS1022. ELSE, IF R03_SMKLS_USER_STATUS = 4, GO TO R03_AS1047. ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).	

Variable(s):	R03_AS1020_NB	
How old were you when you first started using smokeless tobacco every day?		
	I__I__I Years old	
-8	DON'T KNOW	GO TO R03_AS1122_NB
-7	REFUSED	GO TO R03_AS1122_NB
ASK: New baseline adult respondents who are every day established smokeless tobacco users.		
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_CURRENT_SMKLS_USE = 1.		
DISPLAY: DISPLAY "Years old" AS A TITLE.		
PROGRAM: Allow 2 digits for age.		

CHECK ID: **R03_AS1020_NB_LC1**

The computer recorded that you started using smokeless tobacco every day at age [R03_AS1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R03_AS1020_NB
2	NEXT	GO TO R03_AS1020_NB_LC2

ASK: IF (R03_ADULTTYPE = 2 AND R03_CURRENT_SMKLS_USE = 1 AND R03_AS1020_NB != -8, -7) AND (R03_AS1020_NB <= 8 OR R03_AS1020_NB < R03_AS1007_NB).

PROGRAM: TRIGGER CHECK IF R03_AS1020_NB <= 8 OR R03_AS1020_NB < R03_AS1007_NB. ELSE, GO TO R03_AS1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AS1020_NB_LC2

The computer recorded that you started using smokeless tobacco every day at age [R03_AS1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AS1020_NB |
| 2 | NEXT | GO TO BOX R03_ASR12 |

ASK: IF R03_ADULTTYPE = 2 AND R03_CURRENT_SMKLS_USE = 1 AND R03_AS1020_NB != -8, -7 AND R03_AS1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AS1020_NB > R03R_A_AGE AND R03R_A_AGE >= 18.
ELSE, GO TO BOX R03_ASR12 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AS1122_NB

When you first started using smokeless tobacco every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who are every day established smokeless tobacco users and did not know or refused to report the age they started using smokeless tobacco every day.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_CURRENT_SMKLS_USE = 1 AND R03_AS1020_NB = -8, -7.

BOX ID: R03_ASR12

Adult respondents who initiated smokeless tobacco use since their last completed interview, go to R03_AS1008.

Else, go to Box R03_ASR09.

IF R03_INIT_SMKLS_ADULT = 1, GO TO R03_AS1008.

ELSE, GO TO BOX R03_ASR09.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1008****

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R03_ASR09 |
| 3 | I don't know | GO TO BOX R03_ASR09 |
| -8 | DON'T KNOW | GO TO BOX R03_ASR09 |
| -7 | REFUSED | GO TO BOX R03_ASR09 |

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview.

ASK Specification: IF R03_INIT_SMKLS_ADULT = 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were former experimental users of smokeless tobacco (R03_SMKLS_USER_STATUS = 3) and did not use smokeless tobacco in the past 30 days (R03_FORMER_THIRTYDAY_USER_SMKLS = 2). The error was not corrected during Wave 3 Data Collection.

Variable(s): **SEE BELOW:**

Which flavor did you first start using? Choose all that apply.

- | | | |
|----------------------|----|---|
| R03_AS1011_01 | 1 | Menthol or mint |
| R03_AS1011_02 | 2 | Wintergreen, spearmint or frost |
| R03_AS1011_03 | 3 | Clove or spice |
| R03_AS1011_04 | 4 | Fruit |
| R03_AS1011_05 | 5 | Chocolate |
| R03_AS1011_06 | 6 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R03_AS1011_07 | 7 | Candy or other sweets |
| R03_AS1011_08 | 8 | Some other flavor |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview and initiated smokeless tobacco use with flavored smokeless tobacco.

ASK Specification: IF R03_INIT_SMKLS_ADULT = 1 AND R03_AS1008 = 1.

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ASR09

If every day smokeless tobacco user, go to R03_AS1021.

Else, if some day or current experimental smokeless tobacco user, or former established user that has used in the past 30 days, go to R03_AS1022.

Else, if new former established smokeless tobacco user, go to R03_AS1047.

IF R03_CURRENT_SMKLS_USE = 1, GO TO R03_AS1021.

ELSE, IF (R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1), GO TO R03_AS1022.

ELSE, IF R03_SMKLS_USER_STATUS = 4, GO TO R03_AS1047.

Variable(s): R03_AS1021

On average, about how many times do you now use smokeless tobacco each day?

|_|_|_|

-8 DON'T KNOW

GO TO R03_AS1024

-7 REFUSED

GO TO R03_AS1024

ASK: Adult respondents who are every day established smokeless tobacco users.

ASK Specification: IF R03_CURRENT_SMKLS_USE = 1.

CHECK ID: R03_AS1021_LC1

The computer recorded that on average, you now use smokeless tobacco [R03_AS1021] times a day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AS1021

2 NEXT

GO TO R03_AS1024

ASK: IF R03_CURRENT_SMKLS_USE = 1 AND R03_AS1021 != -8, -7 AND R03_AS1021 > 20.

PROGRAM: TRIGGER CHECK IF R03_AS1021 > 20. ELSE, GO TO R03_AS1024 AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R03_AS1022***
On how many of the past 30 days did you use smokeless tobacco?	
	I ___ ___ DAYS
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users.	
ASK Specification: IF R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1.	
DISPLAY: DISPLAY "DAYS" AS A TITLE.	
PROGRAM: Range check: 0 - 30 days.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Adult respondents who are some day established or current experimental smokeless tobacco users, and used on 0 days of the past 30 days, go to R03_AS9029. Adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used smokeless tobacco on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R03_AS1023. Else, go to Box R03_ASR26.
IF (R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2) AND R03_AS1022 = 0, GO TO R03_AS9029. ELSE, IF (R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1022 != 0, GO TO R03_AS1023. ELSE, GO TO BOX R03_ASR26.

About how long has it been since you last used smokeless tobacco?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW GO TO BOX R03_ASR26

-7 REFUSED GO TO BOX R03_ASR26

ASK: Adult respondents who are some day established or current experimental smokeless tobacco users, and used on 0 days of the past 30 days.

ASK Specification: IF (R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2) AND R03_AS1022 = 0.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers R03_AS9029_UN = Days; the value "2" refers to R03_AS9029_UN = Months; the value "3" refers to R03_AS9029_UN = Years.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AS9029_LC1

The computer recorded that you used smokeless tobacco [R03_AS9029_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AS9029 |
| 2 | NEXT | GO TO BOX R03_ASR26 |

ASK: IF ((R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2) AND R03_AS1022 = 0 AND R03_AS9029_NN != -8, -7) AND ((R03_AS9029_NN < 30 AND R03_AS9029_UN = 1) OR (R03_AS9029_NN < 1 AND R03_AS9029_UN = 2) OR (R03_AS9029_NN > 18 AND R03_AS9029_UN = 2) OR ((R03_AS9029_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AS9029_UN = 3)).

DISPLAY: IF R03_AS9029_UN = 1, DISPLAY "days".

ELSE, IF R03_AS9029_UN = 2, DISPLAY "months".

ELSE, IF R03_AS9029_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AS9029_NN < 30 AND R03_AS9029_UN = 1) OR (R03_AS9029_NN < 1 AND R03_AS9029_UN = 2) OR (R03_AS9029_NN > 18 AND R03_AS9029_UN = 2) OR ((R03_AS9029_NN > (R03R_A_AGE - 10) AND R03R_A_AGE >= 18) AND R03_AS9029_UN = 3).

ELSE, GO TO BOX R03_ASR26 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AS1023***

On average, on those [FILL NUMBER OF DAYS FROM R03_AS1022 days/days you used], how many times did you usually use smokeless tobacco each day?

|_|_|_|

- | | | |
|----|------------|---------------------|
| -8 | DON'T KNOW | GO TO BOX R03_ASR26 |
| -7 | REFUSED | GO TO BOX R03_ASR26 |

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used smokeless tobacco on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF (R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1022 != 0.

DISPLAY: IF R03_AS1022 = 1, -8, -7, DISPLAY "days you used".

ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R03_AS1022.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AS1023_LC1

The computer recorded that on the days you used in the past 30 days, you used smokeless tobacco [R03_AS1023] times a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AS1023 |
| 2 | NEXT | GO TO BOX R03_ASR26 |

ASK: IF ((R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1022 != 0 AND R03_AS1023 != -8, -7) AND R03_AS1023 > 20.

PROGRAM: TRIGGER CHECK IF R03_AS1023 > 20. ELSE, GO TO BOX R03_ASR26 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_ASR26

Adult respondents who are current established or current experimental smokeless tobacco users, go to R03_AS1024.

Else, adult respondents who are non-current 30-day smokeless tobacco users, go to R03_AS1024_30D.

Else, adult respondents who are new former established smokeless tobacco users, go to R03_AS1047.
Else, go to the next section.

IF R03_SMKLS_USER_STATUS = 1, 2, GO TO R03_AS1024.
ELSE, IF R03_FORMER_THIRTYDAY_USER_SMKLS = 1, GO TO R03_AS1024_30D.
ELSE, IF R03_SMKLS_USER_STATUS = 4, GO TO R03_AS1047.
ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

Variable(s): R03_AS1024_NN; R03_AS1024_UN

[On the days that you use smokeless tobacco, how/How] soon after you wake up do you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

- | | | |
|----|--------------------------------|------------------|
| 1 | __ __ __ Minutes after waking | |
| 2 | __ __ __ Hours after waking | |
| -8 | DON'T KNOW | GO TO R03_AS1092 |
| -7 | REFUSED | GO TO R03_AS1092 |

ASK: Adult respondents who are current established or current experimental smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2.

DISPLAY: IF R03_CURRENT_SMKLS_USE = 1, DISPLAY "How".

ELSE, DISPLAY "On the days that you use smokeless tobacco, how".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers R03_AS1024_UN = Minutes after waking; the value "2" refers to R03_AS1024_UN = Hours after waking.

CHECK ID: R03_AS1024_LC1

The computer recorded that you typically use your first smokeless tobacco product [R03_AS1024_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AS1024 |
| 2 | NEXT | GO TO R03_AS1024_LC2 |

ASK: IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AS1024_NN != -8, -7, AND (R03_CURRENT_SMKLS_USE = 1 AND ((R03_AS1024_NN > 60 AND R03_AS1024_UN = 1) OR (R03_AS1024_NN > 4 AND R03_AS1024_UN = 2)) OR ((R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2) AND (R03_AS1024_NN > 60 AND R03_AS1024_UN = 1) OR (R03_AS1024_NN > 12 AND R03_AS1024_UN = 2))).

DISPLAY: IF R03_AS1024_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AS1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_CURRENT_SMKLS_USE = 1 AND (R03_AS1024_NN > 60 AND R03_AS1024_UN = 1) OR (R03_AS1024_NN > 4 AND R03_AS1024_UN = 2)) OR ((R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2) AND (R03_AS1024_NN > 60 AND R03_AS1024_UN = 1) OR (R03_AS1024_NN > 12 AND R03_AS1024_UN = 2)). ELSE, GO TO R03_AS1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AS1024_LC2

The computer recorded "0" for how soon you typically use your first smokeless tobacco product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AS1024 |
| 2 | NEXT | GO TO R03_AS0100 |

ASK: IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AS1024_NN != -8, -7 AND R03_AS1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AS1024_NN = 0. ELSE, GO TO R03_AS0100 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1092**

[On the days that you use smokeless tobacco, would/Would] you say you use your first smokeless tobacco product of the day within the first 30 minutes after you wake up?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R03_AS0100 |
| 2 | No | GO TO R03_AS0100 |
| 3 | It varies | GO TO R03_AS0100 |
| -8 | DON'T KNOW | GO TO R03_AS0100 |
| -7 | REFUSED | GO TO R03_AS0100 |

ASK: Adult respondents who are current established or current experimental smokeless tobacco users, and did not know or refused to report how soon after waking up they typically use their first smokeless tobacco product of the day.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AS1024_NN = -8, -7.

DISPLAY: IF R03_CURRENT_SMKLS_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you use smokeless tobacco, would".

Variable(s): **R03_AS1024_30D_NN***; R03_AS1024_30D_UN**

On the days that you used smokeless tobacco, how soon after you woke up did you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

- | | | |
|----|-------------------------------|----------------------|
| 1 | _ _ _ _ Minutes after waking | |
| 2 | _ _ _ _ Hours after waking | |
| -8 | DON'T KNOW | GO TO R03_AS1092_30D |
| -7 | REFUSED | GO TO R03_AS1092_30D |

ASK: Adult respondents who are non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers R03_AS1024_30D_UN = Minutes after waking; the value "2" refers to R03_AS1024_30D_UN = Hours after waking.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AS1024_30D_LC1

The computer recorded that you typically used your first smokeless tobacco product [R03_AS1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AS1024_30D

2 NEXT

GO TO R03_AS1024_30D_LC2

ASK: IF (R03_FORMER_THIRTYDAY_USER_SMKLS = 1 AND R03_AS1024_30D_NN != -8, -7) AND ((R03_AS1024_30D_NN > 60 AND R03_AS1024_30D_UN = 1) OR (R03_AS1024_30D_NN > 12 AND R03_AS1024_30D_UN = 2)).

DISPLAY: IF R03_AS1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AS1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_AS1024_30D_NN > 60 AND R03_AS1024_30D_UN = 1) OR (R03_AS1024_30D_NN > 12 AND R03_AS1024_30D_UN = 2). ELSE, GO TO R03_AS1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AS1024_30D_LC2

The computer recorded "0" for how soon you typically used your first smokeless tobacco product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AS1024_30D

2 NEXT

GO TO R03_AS0100

ASK: IF R03_FORMER_THIRTYDAY_USER_SMKLS = 1 AND R03_AS1024_30D_NN != -8, -7 AND R03_AS1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AS1024_30D_NN = 0. ELSE, GO TO R03_AS1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AS1092_30D
On the days that you used smokeless tobacco, would you say you used your first smokeless tobacco product of the day within the first 30 minutes after you woke up?	
1 Yes 2 No 3 It varies -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are non-current 30-day smokeless tobacco users and did not know or refused to report how soon after waking up they typically used their first smokeless tobacco product of the day.	
ASK Specification: IF R03_FORMER_THIRTYDAY_USER_SMKLS = 1 AND R03_AS1024_30D_NN = -8, -7.	

BOX ID:	R03_ASR28
Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R03_AS0100.	
Else, go to R03_AS1098.	
IF R03_CURRENT_SMKLS_USE = 1 OR ((R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1022 != 0), GO TO R03_AS0100.	
ELSE, GO TO R03_AS1098.	

Variable(s):	R03_AS0100***
When did you last use smokeless tobacco (not including snus pouches)?	
1 In the past hour GO TO R03_AS0103 2 Sometime today 3 Yesterday 4 Day before yesterday 5 Three or more days ago GO TO R03_AS1130 -8 DON'T KNOW GO TO R03_AS1130 -7 REFUSED GO TO R03_AS1130	
ASK: Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.	
ASK Specification: IF R03_CURRENT_SMKLS_USE = 1 OR ((R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1022 != 0).	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS0102**

When you last used smokeless tobacco (not including snus pouches) [FILL BASED ON R03_AS0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established smokeless tobacco users and last used smokeless tobacco sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R03_CURRENT_SMKLS_USE = 1 OR ((R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1022 != 0)) AND R03_AS0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R03_AS0100]:

IF R03_AS0100 = 2, DISPLAY "today".

ELSE, IF R03_AS0100 = 3, DISPLAY "yesterday".

ELSE, IF R03_AS0100 = 4, DISPLAY "the day before yesterday".

Variable(s):	R03_AS0103
How many times [have/did] you [used/use] smokeless tobacco (not including snus pouches) [FILL BASED ON R03_AS0100]?	
-8	DON'T KNOW
	GO TO R03_AS1130
-7	REFUSED
	GO TO R03_AS1130
ASK: Adult respondents who are every day established smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday. ASK Specification: IF (R03_CURRENT_SMKLS_USE = 1 AND R03_AS0100 = 1, 2, 3, 4) OR ((R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1022 != 0 AND R03_AS0100 = 1, 2, 3, 4). DISPLAY: IF R03_AS0100 = 1, 2, DISPLAY "have" AND "used". ELSE, IF R03_AS0100 = 3, 4, DISPLAY "did" AND "use". FOR [FILL BASED ON R03_AS0100]: IF R03_AS0100 = 1, 2, DISPLAY "today". ELSE, IF R03_AS0100 = 3, DISPLAY "yesterday". ELSE, IF R03_AS0100 = 4, DISPLAY "the day before yesterday". PROGRAM: Allow only 3 digits.	

PATH – Wave 3 Adult
Public Use File Annotated Instrument

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1130*****

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AS1098 |
| 3 | I don't know | GO TO R03_AS1098 |
| -8 | DON'T KNOW | GO TO R03_AS1098 |
| -7 | REFUSED | GO TO R03_AS1098 |

ASK: Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R03_CURRENT_SMKLS_USE = 1 OR ((R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1022 != 0).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **SEE BELOW:**

Which flavors have you used in the past 30 days? Choose all that apply.

- | | | |
|----------------------|----|---|
| R03_AS1131_01 | 1 | Menthol or mint |
| R03_AS1131_02 | 2 | Wintergreen, spearmint or frost |
| R03_AS1131_03 | 3 | Clove or spice |
| R03_AS1131_04 | 4 | Fruit |
| R03_AS1131_05 | 5 | Chocolate |
| R03_AS1131_06 | 6 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R03_AS1131_07 | 7 | Candy or other sweets |
| R03_AS1131_08 | 8 | Some other flavor |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R03_CURRENT_SMKLS_USE = 1 AND R03_AS1130 = 1) OR ((R03_CURRENT_SMKLS_USE = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1022 != 0 AND R03_AS1130 = 1).

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1098*****

The next questions ask about your experience buying smokeless tobacco.

In the past 30 days, how often have you used a coupon when buying smokeless tobacco?

- 1 Always
- 2 Sometimes
- 3 Rarely
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R03_AS1030*****

How [do/did] you usually buy smokeless tobacco for yourself?

- 1 In person
- 2 From the internet GO TO R03_AS1042
- 3 By telephone GO TO R03_AS1042
- 4 I do not buy my own smokeless tobacco GO TO R03_AS1047
- 8 DON'T KNOW GO TO R03_AS1047
- 7 REFUSED GO TO R03_AS1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2 OR
R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1032**

[Do/Did] you usually buy smokeless tobacco...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy smokeless tobacco in person.

ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1030 = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

Variable(s): **R03_AS1033; R03_AS1033_OS**

Where [do/did] you buy your smokeless tobacco most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy smokeless tobacco in person.

ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1030 = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1042_D; R03_AS1042_C**

How much [do you usually/did you] pay for a container of smokeless tobacco?

\$ |__| |__| |__| Dollars . |__| |__| Cents

-8 DON'T KNOW

GO TO R03_AS1047

-7 REFUSED

GO TO R03_AS1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy smokeless tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1030 = 1, 2, 3.

DISPLAY: DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.

IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "do you usually".

ELSE, DISPLAY "did you".

PROGRAM: Display as Quantity/Quantity.

CHECK ID: **R03_AS1042_LC1**

The computer recorded that you paid \$[R03_AS1042[_D/_C]] for a container of smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AS1042

2 NEXT

GO TO R03_AS1047

ASK: IF ((R03_SMKLS_USER_STATUS = 1, 2, OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1030 = 1, 2, 3, AND R03_AS1042 != -8, -7) AND (R03_AS1042_D > 6 OR R03_AS1042_D < 1).

PROGRAM: TRIGGER CHECK IF R03_AS1042_D > 6 OR R03_AS1042_D < 1.

Variable(s): **R03_AS1047**

[Do/Did] you have a regular brand of smokeless tobacco that you usually [use/used]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "Do" AND "use".

ELSE, DISPLAY "Did" AND "used".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AS1050
[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1	Yes
2	No
3	I don't know
-8	DON'T KNOW
-7	REFUSED
	GO TO R03_AS1945
	GO TO R03_AS1945
	GO TO R03_AS1945
	GO TO R03_AS1945
ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.	
ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1.	
DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AS1047 = 1, DISPLAY "Is", "your regular brand" AND "use".	
ELSE, IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AS1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "used".	
ELSE, IF (R03_SMKLS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1047 = 1, DISPLAY "Was", "your regular brand" AND "used".	
ELSE, IF (R03_SMKLS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "used".	

Variable(s):	SEE BELOW:
Which flavor [is/was] it? Choose all that apply.	
R03_AS1012_01	1 Menthol or mint
R03_AS1012_02	2 Wintergreen, spearmint or frost
R03_AS1012_03	3 Clove or spice
R03_AS1012_04	4 Fruit
R03_AS1012_05	5 Chocolate
R03_AS1012_06	6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R03_AS1012_07	7 Candy or other sweets
R03_AS1012_08	8 Some other flavor
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and whose regular brand or last brand of smokeless tobacco used was flavored.	
ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1050 = 1.	
DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "is".	
ELSE, DISPLAY "was".	
PROGRAM: Allow respondent to choose all that apply.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1945**

Do you know the name of the brand of smokeless tobacco you [usually use/usually used/last used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_AS1047 = 1 AND R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "usually use".

ELSE, IF R03_AS1047 = 1 AND R03_SMKLS_USER_STATUS != 1, 2, DISPLAY "usually used".

ELSE, IF R03_AS1047 = 2, -8, -7, DISPLAY "last used".

UNDERLINE "name of the brand".

BOX ID: **R03_ASR27**

Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used, go to R03_AS1048_BRAND.

Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco, go to R03_AS1051.

Else, go to Box R03_ASD03.

IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1945 = 1, GO TO R03_AS1048_BRAND.

ELSE, IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1047 = 1, GO TO R03_AS1051.

ELSE, GO TO BOX R03_ASD03.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1048_BRAND**

What brand of smokeless tobacco [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used.

ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1945 = 1.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else".

IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AS1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R03_SMKLS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R03_SMKLS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

BOX ID: **R03_ASR16**

Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected "Something else" for their brand of smokeless tobacco, go to R03_AS1049.

Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco, go to R03_AS1070_PRODUCT.

Else, go to Box R03_ASR25.

IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1945 = 1 AND R03_AS1048_BRAND = 9995, GO TO R03_AS1049.

ELSE, IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1945 = 1 AND R03_AS1048_BRAND != 9995, -8, -7, GO TO R03_AS1070_PRODUCT.

ELSE, GO TO BOX R03_ASR25.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1049**

You said that your brand was not pictured. What is it?

_____	GO TO BOX R03_ASR25
-8 DON'T KNOW	GO TO BOX R03_ASR25
-7 REFUSED	GO TO BOX R03_ASR25

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected "Something else" for their brand of smokeless tobacco.

ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1945 = 1 AND R03_AS1048_BRAND = 9995.

Variable(s): **R03_AS1070_PRODUCT**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1945 = 1 AND R03_AS1048_BRAND != 9995, -8, -7.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else".

FILL BRANDFILL WITH BRAND CHOSEN IN R03_AS1048_BRAND.

IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AS1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R03_SMKLS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R03_SMKLS_USER_STATUS = 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R03_AS1048_BRAND.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ASR17
Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco and selected "Something else" for their subbrand of smokeless tobacco, go to R03_AS1071. Else, go to Box R03_ASR25.
IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1945 = 1 AND R03_AS1048_BRAND != 9995, -8, -7 AND R03_AS1070_PRODUCT = 99995, GO TO R03_AS1071. ELSE, GO TO BOX R03_ASR25.

Variable(s): R03_AS1071
You said that the type of [BRANDFILL]s that you [use/used] is not pictured. What type is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco and selected "Something else" for their subbrand of smokeless tobacco. ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1945 = 1 AND R03_AS1048_BRAND != 9995, -8, -7 AND R03_AS1070_PRODUCT = 99995. DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AS1047 = 1, DISPLAY "use". ELSE, DISPLAY "used". FILL BRANDFILL WITH BRAND CHOSEN IN R03_AS1048_BRAND.

BOX ID: R03_ASR25
Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco, go to R03_AS1051. Else, go to Box R03_ASR18.
IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1047 = 1, GO TO R03_AS1051. ELSE, GO TO BOX R03_ASR18.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1051_NN; R03_AS1051_UN**

About how long [did you use/have you been using] your regular brand of smokeless tobacco?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R03_ASR18

-7 REFUSED

GO TO BOX R03_ASR18

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco.

ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1047 = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.

NOTES: The value "1" refers R03_AS1051_UN = Days; the value "2" refers to R03_AS1051_UN = Months; the value "3" refers to R03_AS1051_UN = Years.

CHECK ID: **R03_AS1051_LC1**

The computer recorded that you [have been using/used] your regular brand of smokeless tobacco for [R03_AS1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AS1051

2 NEXT

GO TO R03_AS1051_LC2

ASK: IF ((R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1047 = 1 AND R03_AS1051_NN != -8, -7) AND (R03_AS1051_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AS1051_UN = 3.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "have been using".

ELSE, DISPLAY "used".

PROGRAM: TRIGGER CHECK IF (R03_AS1051_NN > R03R_A_AGE) AND R03R_A_AGE >= 18 AND R03_AS1051_UN = 3.

ELSE, GO TO R03_AS1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AS1051_LC2

The computer recorded "0" for how long you [have been using/used] your regular brand.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AS1051 |
| 2 | NEXT | GO TO BOX R03_ASR18 |

ASK: IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS1047 = 1 AND R03_AS1051_NN != -8, -7 AND R03_AS1051_NN = 0.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "have been using".

ELSE, DISPLAY "used".

PROGRAM: TRIGGER CHECK IF R03_AS1051_NN = 0. ELSE, GO TO BOX R03_ASR18 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_ASR18

Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the brand of smokeless tobacco they usually use or last used and selected a brand and subbrand of smokeless tobacco, go to R03_AS0104.

Else, go to Box R03_ASD03.

IF (R03_SMKLS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS0100 = 1, 2, 3, 4 AND R03_AS1945 = 1 AND R03_AS1048_BRAND != 9995, -8, -7 AND R03_AS1070_PRODUCT != 99990, 99995, -8, -7, GO TO R03_AS0104.

ELSE, GO TO BOX R03_ASD03.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS0104*****

You said earlier that you used smokeless tobacco [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the brand of smokeless tobacco they usually use or last used and selected a brand and subbrand of smokeless tobacco.

ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_AS0100 = 1, 2, 3, 4 AND R03_AS1945 = 1 AND R03_AS1048_BRAND != 9995, -8, -7 AND R03_AS1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R03_AS0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R03_AS0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R03_AS0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R03_AS0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R03_AS1070_PRODUCT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: **R03_ASD03**

Randomize order of R03_AS1060 through R03_AS1067.

Display question R03_AS1060, R03_AS1085, R03_AS1062, R03_AS1075, R03_AS1063, R03_AS1064, R03_AS1065, R03_AS1067 on one screen. Show the intro/transition text from R03_AS1060 first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1060**

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "is".

ELSE, DISPLAY "applied to you when you used to use smokeless tobacco", "used" AND "was".

Variable(s): **R03_AS1085**

I [can/could] use smokeless tobacco at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1062**

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

Variable(s): **R03_AS1075**

It might [be/have been] less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

Variable(s): **R03_AS1063**

Smokeless tobacco [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "comes" AND "like".
ELSE, DISPLAY "came" AND "liked".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ASR19

Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users, and who are current established, current experimental, or new former established cigarette smokers, go to R03_AS1064.
Else, go to R03_AS1065.

IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_CIG_USER_STATUS = 1, 2, 4, GO TO R03_AS1064.
ELSE, GO TO R03_AS1065.

Variable(s): R03_AS1064

Using smokeless tobacco helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users, and who are current established, current experimental, or new former established cigarette smokers.

ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_CIG_USER_STATUS = 1, 2, 4.

Variable(s): R03_AS1065

Smokeless tobacco doesn't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AS1067
Smokeless tobacco [is/was] more acceptable to non-tobacco users.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.	
ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1.	
DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "is".	
ELSE, DISPLAY "was".	

BOX ID:	R03_ASR20
Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and who are current established cigarette smokers, go to R03_AS1086.	
Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and who are current established or new former established cigarette smokers, go to R03_AS1080.	
Else, go to R03_AS1081.	
IF (R03_SMKLS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_CIG_USER_STATUS = 1, GO TO R03_AS1086.	
ELSE, IF R03_CIG_USER_STATUS = 1, 4, GO TO R03_AS1080.	
ELSE, GO TO R03_AS1081.	

Variable(s):	R03_AS1086
In the past 30 days have you used smokeless tobacco at times when or in places where you could not smoke regular cigarettes?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
	GO TO R03_AS1080
	GO TO R03_AS1080
	GO TO R03_AS1080
ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and who are current established cigarette smokers.	
ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_CIG_USER_STATUS = 1.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1087**

How often [do/did] you use smokeless tobacco at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and who are current established cigarette smokers and used smokeless tobacco at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_CIG_USER_STATUS = 1 AND R03_AS1086 = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

Variable(s): **R03_AS1080**

[Do/Did] you use smokeless tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users and who are current established or new former established cigarette smokers.

ASK Specification: IF (R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R03_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1081**

[Do/Did] you use smokeless tobacco as an alternative to quitting tobacco altogether?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

Variable(s): **R03_AS1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using smokeless tobacco.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2 DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R03_AS1139-1141 SERIES.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AS1140**

While using smokeless tobacco, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "feel".

ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R03_AS1139-1141 SERIES.

Variable(s): **R03_AS1141**

I [use/used] smokeless tobacco much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 4 OR
R03_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "use" AND "am".

ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R03_AS1139-1141 SERIES.

POLYUSE

BOX ID:	R03_ANV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS AND DERIVED VARIABLES (SEE APPENDIX): R03_CURRENT_PRODUCT_COUNT = Number of tobacco products the respondent currently uses every day or some days. R03_SOME_DAY_PRODUCT_COUNT = Number of tobacco products the respondent currently uses some days. R03_EVERY_DAY_PRODUCT_COUNT = Number of tobacco products the respondent currently uses every day. R03_TOBACCO_PRODUCT_LIST = A list of all the tobacco products the respondent currently uses. R03_EVER_NEVER_TOBACCO = 1 (Ever user) Adult respondents who have ever used any tobacco product. R03_EVER_NEVER_TOBACCO = 2 (Never user) Adult respondents who have never used any tobacco product. R03_TOBACCO_USER_STATUS = 1 (Current established user) Adult respondents who are current established users of at least one tobacco product (including electronic nicotine products). R03_TOBACCO_USER_STATUS = 2 (Current experimental user) Adult respondents who are current experimental users of any tobacco product (including electronic nicotine products), and are not current established or new former established users of any other tobacco products (including electronic nicotine products). R03_TOBACCO_USER_STATUS = 3 (Former experimental user) Adult respondents who are former experimental users of any tobacco product (including electronic nicotine products), and are not current established, current experimental, new former established, or still former established users of any other tobacco products (including electronic nicotine products). R03_TOBACCO_USER_STATUS = 4 (New former established user) Adult respondents who are new former established users of any tobacco product (including electronic nicotine products), and are not current established users of any other tobacco product (including electronic nicotine products). R03_TOBACCO_USER_STATUS = 5 (Still former established user) Adult respondents who are still former established users of any tobacco product (including electronic nicotine products), and are not current established, current experimental, or new former established users of any other tobacco products (including electronic nicotine products).	
R03_CURRENT_PRODUCT_COUNT: 0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY OR SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R03_EPRODCount >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9. R03_SOME_DAY_PRODUCT_COUNT: 0 +1 FOR EVERY PRODUCT THE RESPONDENT USES SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R03_EPRODCount >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9. R03_EVERY_DAY_PRODUCT_COUNT: 0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R03_EPRODCount >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.	

R03_TOBACCO_PRODUCT_LIST:

If R03_CIG_USER_STATUS = 1, include "cigarettes".
 If R03_EPROD_USER_STATUS = 1, include "electronic nicotine products".
 If R03_GTRAD_USER_STATUS = 1, include "traditional cigars" in the list.
 If R03_GRILLO_USER_STATUS = 1, include "cigarillos" in the list.
 If R03_GFILTR_USER_STATUS = 1, include "filtered cigars" in the list.
 If R03_PIPE_USER_STATUS = 1, include "a pipe" in the list.
 If R03_HOOK_USER_STATUS = 1, include "hookah" in the list.
 If R03_SNUS_USER_STATUS = 1, include "snus" in the list.
 If R03_SMKLS_USER_STATUS = 1, include "smokeless tobacco" in the list.

R03_EVER_NEVER_TOBACCO = 1:

IF R03_EVER_NEVER_CIGS = 1 OR R03_EVER_NEVER_EPRODS = 1 OR
 (R03_EVER_NEVER_GTRAD = 1 AND R03_AG1010TC != 3) OR (R03_EVER_NEVER_GRILLO = 1
 AND R03_AG1010CG != 3) OR (R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3) OR
 R03_EVER_NEVER_PIPE = 1 OR R03_EVER_NEVER_HOOK = 1 OR R03_EVER_NEVER_SMKLS
 = 1 OR R03_EVER_NEVER_SNUS = 1 OR R03_EVER_NEVER_DISSBL = 1, THEN
 R03_EVER_NEVER_TOBACCO = 1.

R03_EVER_NEVER_TOBACCO = 2:

ELSE, R03_EVER_NEVER_TOBACCO = 2.

R03_TOBACCO_USER_STATUS = 1:

IF (R03_CIG_USER_STATUS = 1 OR R03_EPROD_USER_STATUS = 1 OR
 R03_GTRAD_USER_STATUS = 1 OR R03_GRILLO_USER_STATUS = 1 OR
 R03_GFILTR_USER_STATUS = 1 OR R03_PIPE_USER_STATUS = 1 OR
 R03_HOOK_USER_STATUS = 1 OR R03_SMKLS_USER_STATUS = 1 OR
 R03_SNUS_USER_STATUS = 1), THEN R03_TOBACCO_USER_STATUS = 1.

R03_TOBACCO_USER_STATUS = 4:

ELSE, IF (R03_CIG_USER_STATUS = 4 OR R03_EPROD_USER_STATUS = 4 OR
 R03_GTRAD_USER_STATUS = 4 OR R03_GRILLO_USER_STATUS = 4 OR
 R03_GFILTR_USER_STATUS = 4 OR R03_PIPE_USER_STATUS = 4 OR
 R03_HOOK_USER_STATUS = 4 OR R03_SMKLS_USER_STATUS = 4 OR
 R03_SNUS_USER_STATUS = 4), THEN R03_TOBACCO_USER_STATUS = 4.

R03_TOBACCO_USER_STATUS = 2:

ELSE, IF (R03_CIG_USER_STATUS = 2 OR R03_EPROD_USER_STATUS = 2 OR
 R03_GTRAD_USER_STATUS = 2 OR R03_GRILLO_USER_STATUS = 2 OR
 R03_GFILTR_USER_STATUS = 2 OR R03_PIPE_USER_STATUS = 2 OR
 R03_HOOK_USER_STATUS = 2 OR R03_SMKLS_USER_STATUS = 2 OR
 R03_SNUS_USER_STATUS = 2), THEN R03_TOBACCO_USER_STATUS = 2.

R03_TOBACCO_USER_STATUS = 5:

ELSE, IF (R03_CIG_USER_STATUS = 5 OR R03_EPROD_USER_STATUS = 5 OR
 R03_GTRAD_USER_STATUS = 5 OR R03_GRILLO_USER_STATUS = 5 OR
 R03_GFILTR_USER_STATUS = 5 OR R03_PIPE_USER_STATUS = 5 OR
 R03_HOOK_USER_STATUS = 5 OR R03_SMKLS_USER_STATUS = 5 OR
 R03_SNUS_USER_STATUS = 5), THEN R03_TOBACCO_USER_STATUS = 5.

R03_TOBACCO_USER_STATUS = 3:

ELSE, IF (R03_CIG_USER_STATUS = 3 OR R03_EPROD_USER_STATUS = 3 OR
 R03_GTRAD_USER_STATUS = 3 OR R03_GRILLO_USER_STATUS = 3 OR
 R03_GFILTR_USER_STATUS = 3 OR R03_PIPE_USER_STATUS = 3 OR
 R03_HOOK_USER_STATUS = 3 OR R03_SMKLS_USER_STATUS = 3 OR
 R03_SNUS_USER_STATUS = 3), THEN R03_TOBACCO_USER_STATUS = 3.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ANR11

Adult respondents who are some day established users of more than one tobacco product and are not every day established users of any tobacco products, go to R03_AY0005.

Else, adult respondents who are current established tobacco users, go to Box R03_ANV02.

Else, go to the next section.

IF R03_SOME_DAY_PRODUCT_COUNT > 1 AND R03_EVERY_DAY_PRODUCT_COUNT = 0, GO TO R03_AY0005.

ELSE, IF R03_TOBACCO_USER_STATUS = 1, GO TO BOX R03_ANV02.

ELSE, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

Variable(s): R03_AY0005

You mentioned that you use [TOBACCO PRODUCT LIST] on some days.

Which of the following best describes how often you use these?

- 1 I use at least one of these every day
- 2 There are some days I don't use [either/any] of these
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are some day established users of more than one tobacco product and are not every day established users of any tobacco products.

ASK Specification: IF R03_SOME_DAY_PRODUCT_COUNT > 1 AND R03_EVERY_DAY_PRODUCT_COUNT = 0.

DISPLAY: IF R03_SOME_DAY_PRODUCT_COUNT = 2, DISPLAY "either".

ELSE, DISPLAY "any".

BOX ID: R03_ANV02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R03_CURRENT_TOBACCO_USE = 1 (Every day established user) Adult respondents who are every day established users of at least one tobacco product, or who are some day established users of multiple products and use at least one each day.

R03_CURRENT_TOBACCO_USE = 1:

IF (R03_CURRENT_CIG_USE = 1 OR R03_CURRENT_EPROD_USE = 1 OR R03_CURRENT_GTRAD_USE = 1 OR R03_CURRENT_GRILLO_USE = 1 OR R03_CURRENT_GFILTR_USE = 1 OR R03_CURRENT_PIPE_USE = 1 OR R03_CURRENT_HOOK_USE = 1 OR R03_CURRENT_SMKLS_USE = 1 OR R03_CURRENT_SNUS_USE = 1) OR R03_AY0005 = 1, THEN R03_CURRENT_TOBACCO_USE = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ANR12
Adult respondents who are every day established tobacco users and are current established users of more than one tobacco product, go to R03_AY0010. Else, go to Box R03_ANV03.	
IF R03_CURRENT_TOBACCO_USE = 1 AND R03_CURRENT_PRODUCT_COUNT > 1, GO TO R03_AY0010. ELSE, GO TO BOX R03_ANV03.	

Variable(s):	R03_AY0010_NN**; R03_AY0010_UN
You mentioned that you use [TOBACCO PRODUCT LIST]. How soon after waking do you usually first use any one of these products?	
1 I ___ I ___ I ___ I Minutes after waking 2 I ___ I ___ I ___ I Hours after waking -8 DON'T KNOW GO TO R03_AY0015 -7 REFUSED GO TO R03_AY0015	
ASK: Adult respondents who are every day established tobacco users and are current established users of more than one tobacco product.	
ASK Specification: IF R03_CURRENT_TOBACCO_USE = 1 AND R03_CURRENT_PRODUCT_COUNT > 1.	
PROGRAM: Display as Quantity/Units	
NOTES: The value "1" refers to R03_AY0010_UN = Minutes after waking; the value "2" refers to R03_AY0010_UN = Hours after waking.	
**SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AY0010_LC1

The computer recorded that you first use a tobacco product [R03_AY0010_NN] [minutes/hours] after waking. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AY0010 |
| 2 | NEXT | GO TO BOX R03_ANV03 |

ASK: IF R03_CURRENT_TOBACCO_USE = 1 AND R03_CURRENT_PRODUCT_COUNT > 1 AND R03_AY0010_NN != -8, -7 AND ((R03_AY0010_NN > 60 AND R03_AY0010_UN = 1) OR (R03_AY0010_NN > 4 AND R03_AY0010_UN = 2)).

DISPLAY: IF R03_AY0010_UN = 1, DISPLAY "minutes".

ELSE, IF R03_AY0010_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R03_AY0010_NN > 60 AND R03_AY0010_UN = 1) OR (R03_AY0010_NN > 4 AND R03_AY0010_UN = 2). ELSE, GO TO R03_AY0015 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AY0015

Would you say you have your first tobacco product within the first 30 minutes after you wake up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established tobacco users and are current established users of more than one tobacco product and did not know or refused to report how soon after waking they first use tobacco.

ASK Specification: IF R03_CURRENT_TOBACCO_USE = 1 AND R03_CURRENT_PRODUCT_COUNT > 1 AND R03_AY0010_NN = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ANV03

CREATE AN ARRAY **USEPROD** WITH 9 ELEMENTS - ONE FOR EACH TOBACCO TYPE THAT IDENTIFIES WHETHER THE RESPONDENT IS A CURRENT ESTABLISHED USER OF THE SPECIFIC TOBACCO TYPE.

USEPROD(1-9): Current established users of: (1) cigarettes; (2) [e-cigarettes / electronic nicotine products]; (3) traditional cigars; (4) cigarillos; (5) filtered cigars; (6) pipes; (7) hookahs; (8) snus pouches; (9) smokeless tobacco.

DISPLAY: DISPLAY ALL PRODUCTS BOLD WITH LOWERCASE LETTERS.

IF [USEPROD(1-9)] IS A LIST AND R03_CURRENT_PRODUCT_COUNT = 2, SEPARATE WITH "and".

ELSE, IF [USEPROD(1-9)] IS A LIST AND R03_CURRENT_PRODUCT_COUNT > 2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT.

FOR USEPROD(2): IF RESPONDENT IS A CURRENT ESTABLISHED USER OF E-CIGARETTES AND R03_EPRODCOUNT = 1, DISPLAY "e-cigarettes".

ELSE, DISPLAY "electronic nicotine products".

BOX ID: R03_ANR38

Adult respondents who are current established users of every tobacco product, go to the next section.
Else, go to R03_AX0306.

IF R03_CURRENT_PRODUCT_COUNT = 9, GO TO THE NEXT SECTION (see note in Box R03_AMD04).

ELSE, GO TO R03_AX0306.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Have you considered using any of the following products in addition to **[USEPROD(1-9)]**? Choose all that apply.

- | | | |
|------------------------|----|--|
| R03_AX0306_01** | 1 | I have not considered using additional products |
| R03_AX0306_02** | 2 | Cigarettes |
| R03_AX0306_03** | 3 | E-cigarettes or other electronic nicotine products |
| R03_AX0306_04** | 4 | Traditional cigars |
| R03_AX0306_05** | 5 | Cigarillos |
| R03_AX0306_06** | 6 | Filtered cigars |
| R03_AX0306_07** | 7 | Pipes |
| R03_AX0306_08** | 8 | Hookahs |
| R03_AX0306_09** | 9 | Snus pouches |
| R03_AX0306_10** | 10 | [Other smokeless/Smokeless] tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R03_CURRENT_PRODUCT_COUNT > 0 AND R03_CURRENT_PRODUCT_COUNT < 9.

DISPLAY: BOLD [USEPROD(1-9)].

IF R03_SNUS_USER_STATUS = 1 AND R03_SMKLS_USER_STATUS != 1, DISPLAY OPTION 10 AS "Other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco".

ELSE, IF R03_SMKLS_USER_STATUS != 1, DISPLAY "Smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco".

PROGRAM: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current established user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_CIG_USER_STATUS = 1. Suppress option 3 if R03_EPROD_USER_STATUS = 1. Suppress option 4 if R03_GTRAD_USER_STATUS = 1. Suppress option 5 if R03_GRILLO_USER_STATUS = 1. Suppress option 6 if R03_GFILTR_USER_STATUS = 1. Suppress option 7 if R03_PIPE_USER_STATUS = 1. Suppress option 8 if R03_HOOK_USER_STATUS = 1. Suppress option 9 if R03_SNUS_USER_STATUS = 1. Suppress option 10 if R03_SMKLS_USER_STATUS = 1.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): R03_AX0307#_01 through R03_AX0307#_10 || Where # = C (Cigarettes); E (E-cigarettes or other electronic nicotine products)**; T (Traditional cigars); G (Cigarillos); F (Filtered cigars); P (Pipes); H (Hookah); U (Snus); S (Smokeless tobacco)

Have you considered switching from [USEPROD(1-9)] to any of the following products? Choose all that apply.

- 1 I have not considered switching to another product
- 2 Cigarettes
- 3 E-cigarettes or other electronic nicotine products
- 4 Traditional cigars
- 5 Cigarillos
- 6 Filtered cigars
- 7 Pipes
- 8 Hookahs
- 9 Snus pouches
- 10 [Other smokeless/Smokeless] tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: FOR R03_AX0307C: IF R03_CURRENT_PRODUCT_COUNT > 0 AND R03_CURRENT_PRODUCT_COUNT < 9 AND R03_CIG_USER_STATUS = 1.

FOR R03_AX0307E: IF R03_CURRENT_PRODUCT_COUNT > 0 AND R03_CURRENT_PRODUCT_COUNT < 9 AND R03_EPROD_USER_STATUS = 1.

FOR R03_AX0307T: IF R03_CURRENT_PRODUCT_COUNT > 0 AND R03_CURRENT_PRODUCT_COUNT < 9 AND R03_GTRAD_USER_STATUS = 1.

FOR R03_AX0307G: IF R03_CURRENT_PRODUCT_COUNT > 0 AND R03_CURRENT_PRODUCT_COUNT < 9 AND R03_GRILLO_USER_STATUS = 1.

FOR R03_AX0307F: IF R03_CURRENT_PRODUCT_COUNT > 0 AND R03_CURRENT_PRODUCT_COUNT < 9 AND R03_GFILTR_USER_STATUS = 1.

FOR R03_AX0307P: IF R03_CURRENT_PRODUCT_COUNT > 0 AND R03_CURRENT_PRODUCT_COUNT < 9 AND R03_PIPE_USER_STATUS = 1.

FOR R03_AX0307H: IF R03_CURRENT_PRODUCT_COUNT > 0 AND R03_CURRENT_PRODUCT_COUNT < 9 AND R03_HOOK_USER_STATUS = 1.

FOR R03_AX0307U: IF R03_CURRENT_PRODUCT_COUNT > 0 AND R03_CURRENT_PRODUCT_COUNT < 9 AND R03_SNUS_USER_STATUS = 1.

FOR R03_AX0307S: IF R03_CURRENT_PRODUCT_COUNT > 0 AND R03_CURRENT_PRODUCT_COUNT < 9 AND R03_SMKLS_USER_STATUS = 1.

DISPLAY: BOLD [USEPROD(1-9)].

IF R03_SNUS_USER_STATUS = 1 AND R03_SMKLS_USER_STATUS != 1, DISPLAY OPTION 10 AS "Other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco".

ELSE, IF R03_SMKLS_USER_STATUS != 1, DISPLAY "Smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco".

PROGRAM: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R03_CIG_USER_STATUS = 1. Suppress option 3 if R03_EPROD_USER_STATUS = 1. Suppress option 4 if

PATH Study Wave 3 Adult Public Use File Annotated Instrument

R03_GTRAD_USER_STATUS = 1. Suppress option 5 if R03_GRILLO_USER_STATUS = 1.
Suppress option 6 if R03_GFILTR_USER_STATUS = 1. Suppress option 7 if
R03_PIPE_USER_STATUS = 1. Suppress option 8 if R03_HOOK_USER_STATUS = 1. Suppress
option 9 if R03_SNUS_USER_STATUS = 1. Suppress option 10 if R03_SMKLS_USER_STATUS = 1.

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_AX0307#_01 through R03_AX0307#_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

****SKIP ERROR:** R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

NICOTINE DEPENDENCE

BOX ID: R03_ANV04

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R03_EXPERIMENTAL_PRODUCT_COUNT = Number of tobacco products the respondent currently uses experimentally.

R03_NEW_FORMER_PRODUCT_COUNT = Number of tobacco products used in the past 12 months, but not currently used.

R03_TOBXEPROD_USER_STATUS = 1 (Current established non-electronic tobacco user) Adult respondents who are current established users of at least one tobacco product other than electronic nicotine products. The respondent may have any e-product user status.

R03_TOBXEPROD_USER_STATUS = 4 (New former established non-electronic tobacco user) Adult respondents who are new former established users of any tobacco product other than electronic nicotine products, and are not current established users of any tobacco products other than electronic nicotine products. The respondent may have any e-product user status.

R03_TOBXEPROD_USER_STATUS = 2 (Current experimental non-electronic tobacco user) Adult respondents who are current experimental users of any tobacco product other than electronic nicotine products, and are not current established or new former established users of any tobacco products. The respondent may have any e-product user status.

R03_TOBXEPROD_USER_STATUS = 5 (Still former established non-electronic tobacco user) Adult respondents who are still former established users of any tobacco product other than electronic nicotine products, and are not current established, current experimental, or new former established users of any tobacco products other than electronic nicotine products. The respondent may have any e-product user status.

R03_TOBXEPROD_USER_STATUS = 3 (Former experimental non-electronic tobacco user) Adult respondents who are experimental former users of any tobacco product other than electronic nicotine products, and are not current established, current experimental, or new former established users of any tobacco products other than electronic nicotine products. The respondent may have any e-product user status.

R03_NDSKIP = Type of product use -- polyusers or multiple product users:

R03_NDSKIP = 0 (Respondents who are current established or new former established users of only one product. Or respondents who are current experimental users of only one product and who are not current established or new former established users of any other products. If R03_NDSKIP = 0, only the e-product ND module or the tobacco ND module will be asked, not both, with fills tailored to their specific product.)

R03_NDSKIP = 1 (Respondents who are current established or new former established users of two or more products, where none of those products is/was the e-product class. Or respondents who are current experimental users of two or more products, where none of those products is the e-product class, and who are not current established or new former established users of any other products. If R03_NDSKIP = 1, only the tobacco ND module will be asked, with fills tailored to their tobacco use overall.)

R03_NDSKIP = 2 (Respondents who are current established or new former established users of three or more products, where one of those products is/was the e-product class. Or respondents who are current experimental users of three or more products, where one of those products is the e-product class, and who are not current established or new former established users of any other products. If R03_NDSKIP = 2, both ND modules will be asked, first the e-product ND module with fills tailored to their e-products and second the tobacco ND module with fills tailored to their tobacco use overall.)

R03_NDSKIP = 3 (Respondents who are current established or new former established users of two products, where one of those products is/was the e-product class. Or respondents who are current

experimental users of two products, where one of those products is the e-product class, and who are not current established or new former established users of any other products. If R03_NDSKIP = 3, both ND modules will be asked, first the e-product ND module with fills tailored to their e-products and second the tobacco ND module with fills tailored to their other specific product.)

R03_GROUP (IF R03_NDSKIP = 0, 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS: NC, NG, NL, NF, NP, NH, NU, NS, ND.

R03_EXPERIMENTAL_PRODUCT_COUNT:

0 +1 FOR EVERY PRODUCT THE RESPONDENT IS AN EXPERIMENTAL CURRENT USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R03_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.

R03_NEW_FORMER_PRODUCT_COUNT:

0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A NEW FORMER USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R03_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.

R03_TOBXEPROD_USER_STATUS = 1:

IF (R03_CIG_USER_STATUS = 1 OR R03_GTRAD_USER_STATUS = 1 OR R03_GRILLO_USER_STATUS = 1 OR R03_GFILTR_USER_STATUS = 1 OR R03_PIPE_USER_STATUS = 1 OR R03_HOOK_USER_STATUS = 1 OR R03_SMKLS_USER_STATUS = 1 OR R03_SNUS_USER_STATUS = 1), THEN R03_TOBXEPROD_USER_STATUS = 1.

R03_TOBXEPROD_USER_STATUS = 4:

ELSE, IF (R03_CIG_USER_STATUS = 4 OR R03_GTRAD_USER_STATUS = 4 OR R03_GRILLO_USER_STATUS = 4 OR R03_GFILTR_USER_STATUS = 4 OR R03_PIPE_USER_STATUS = 4 OR R03_HOOK_USER_STATUS = 4 OR R03_SMKLS_USER_STATUS = 4 OR R03_SNUS_USER_STATUS = 4), THEN R03_TOBXEPROD_USER_STATUS = 4.

R03_TOBXEPROD_USER_STATUS = 2:

ELSE, IF (R03_CIG_USER_STATUS = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_HOOK_USER_STATUS = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_SNUS_USER_STATUS = 2), THEN R03_TOBXEPROD_USER_STATUS = 2.

R03_TOBXEPROD_USER_STATUS = 5:

ELSE, IF (R03_CIG_USER_STATUS = 5 OR R03_GTRAD_USER_STATUS = 5 OR R03_GRILLO_USER_STATUS = 5 OR R03_GFILTR_USER_STATUS = 5 OR R03_PIPE_USER_STATUS = 5 OR R03_HOOK_USER_STATUS = 5 OR R03_SMKLS_USER_STATUS = 5 OR R03_SNUS_USER_STATUS = 5), THEN R03_TOBXEPROD_USER_STATUS = 5.

R03_TOBXEPROD_USER_STATUS = 3:

ELSE, IF (R03_CIG_USER_STATUS = 3 OR R03_GTRAD_USER_STATUS = 3 OR R03_GRILLO_USER_STATUS = 3 OR R03_GFILTR_USER_STATUS = 3 OR R03_PIPE_USER_STATUS = 3 OR R03_HOOK_USER_STATUS = 3 OR R03_SMKLS_USER_STATUS = 3 OR R03_SNUS_USER_STATUS = 3), THEN R03_TOBXEPROD_USER_STATUS = 3.

R03_NDSKIP:

IF (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT >= 2) AND R03_EPROD_USER_STATUS != 1, 4, THEN R03_NDSKIP = 1.

ELSE, IF (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT >= 3) AND R03_EPROD_USER_STATUS = 1, 4, THEN R03_NDSKIP = 2.

ELSE, IF (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 2) AND R03_EPROD_USER_STATUS = 1, 4, THEN R03_NDSKIP = 3.

ELSE, IF R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1, THEN R03_NDSKIP = 0.

ELSE, IF R03_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R03_TOBACCO_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 2, THEN R03_NDSKIP = 1.

ELSE, IF R03_EXPERIMENTAL_PRODUCT_COUNT >= 3 AND R03_TOBACCO_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2, THEN R03_NDSKIP = 2.

ELSE, IF R03_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R03_TOBACCO_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2, THEN R03_NDSKIP = 3.

ELSE, IF R03_EXPERIMENTAL_PRODUCT_COUNT = 1 AND R03_TOBACCO_USER_STATUS = 2, THEN R03_NDSKIP = 0.

R03_GROUP:

IF R03_NDSKIP = 0:

IF (R03_CIG_USER_STATUS = 1, 4) AND (R03_EPROD_USER_STATUS != 1 AND R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NC.

ELSE, IF R03_GTRAD_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND R03_EPROD_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NG.

ELSE, IF R03_GRILLO_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NL.

ELSE, IF R03_GFILTR_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

R03_EPROD_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND
R03_GRILLO_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND
R03_GTRAD_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND
R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND
R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND
R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND
R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NF.

ELSE, IF R03_PIPE_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND
R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND
R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND
R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND
R03_GFILTR_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND
R03_GRILLO_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND
R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND
R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND
R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NP.

ELSE, IF R03_HOOK_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND
R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND
R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND
R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND
R03_GFILTR_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND
R03_GRILLO_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND
R03_PIPE_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND
R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND
R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NH.

ELSE, IF R03_SNUS_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND
R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND
R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND
R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND
R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND
R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND
R03_HOOK_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND
R03_GRILLO_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND
R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NU.

ELSE, IF R03_SMKLS_USER_STATUS = 1 OR 4 AND (R03_CIG_USER_STATUS != 1 AND
R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND
R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND
R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND
R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND
R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND
R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND
R03_SNUS_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND
R03_GRILLO_USER_STATUS != 4), THEN R03_GROUP = NS.

ELSE, IF R03_CIG_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND
R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NC.

ELSE, IF R03_GTRAD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND
R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NG.

ELSE, IF R03_GRILLO_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND
R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NL.

ELSE, IF R03_GFILTR_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NF.
 ELSE, IF R03_PIPE_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NP.
 ELSE, IF R03_HOOK_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NH.
 ELSE, IF R03_SNUS_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NU.
 ELSE, IF R03_SMKLS_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NS.

IF R03_NDSKIP = 3:

IF (R03_CIG_USER_STATUS = 1 OR 4 AND R03_EPROD_USER_STATUS = 1 OR 4) AND (R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NC.

ELSE, IF (R03_GTRAD_USER_STATUS = 1 OR 4 AND R03_EPROD_USER_STATUS = 1 OR 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NG.

ELSE, IF (R03_GRILLO_USER_STATUS = 1 OR 4 AND R03_EPROD_USER_STATUS = 1 OR 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NL.

ELSE, IF (R03_GFILTR_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS = 1, 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NF.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

ELSE, IF (R03_PIPE_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS = 1, 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NP.

ELSE, IF (R03_HOOK_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS = 1, 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NH.

ELSE, IF IF (R03_SNUS_USER_STATUS = 1 OR 4 AND R03_EPROD_USER_STATUS = 1 OR 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NU.

ELSE, IF (R03_SMKLS_USER_STATUS = 1 OR 4 AND R03_EPROD_USER_STATUS = 1, 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4), THEN R03_GROUP = NS.

ELSE, IF R03_CIG_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NC.

ELSE, IF R03_GTRAD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NG.

ELSE, IF R03_GRILLO_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NL.

ELSE, IF R03_GFILTR_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NF.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

ELSE, IF R03_PIPE_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NP.

ELSE, IF R03_HOOK_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NH.

ELSE, IF R03_SNUS_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NU.

ELSE, IF R03_SMKLS_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NS.

BOX ID: R03_ANR02

Adult respondents who are current established or new former established tobacco users, go through the Nicotine Dependence electronic nicotine product and non-electronic tobacco modules according to the following conditions:

Condition a: Adult respondents who are current established and/or new former established tobacco users for only one product. Condition a will respond to the questions in either the electronic nicotine product module or the non-electronic tobacco module (not both), with fills tailored to their specific product.

Condition b: Adult respondents who are current established and/or new former established tobacco users for two products, where one of those products is an electronic nicotine product. Condition b will respond to the questions in both modules; the electronic nicotine product module will be tailored to their electronic nicotine product and the non-electronic tobacco module will be tailored to their other specific product.

Condition c: Adult respondents who are current established and/or new former established tobacco users for two or more products, where none of those products is an electronic nicotine product. Condition c will respond to the questions in the non-electronic tobacco module only, with fills tailored to their tobacco use overall.

Condition d: Adult respondents who are current established and/or new former established tobacco users for three or more products, where one of those products is an electronic nicotine product. Condition d will respond to the questions in both modules; the electronic nicotine product module will be tailored to their electronic nicotine product and the non-electronic tobacco module will be tailored to their tobacco use overall.

Else, if current experimental user of only electronic nicotine products and not a current established or new former established user of any product, go to R03_AN0330_12ME and go through the electronic nicotine product module according to condition a.

Else, if current experimental user of only one product and not a current established or new former established user of any product, go to R03_AN0330_12M and go through the non-electronic tobacco module according to condition a.

Else, if current experimental user of more than one product and not a current established or new former established user of any product, go through the section according to conditions a, b, c, or d.

Else, if former experimental user of electronic nicotine products and other products and not a current established, current experimental, or new former established user of any product, go to R03_AX0006E and R03_AX0006.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Else, if former experimental user of electronic nicotine products and not a current established, current experimental, or new former established user of any product, go to R03_AX0006E.

Else, if former experimental user of any other product and not a current established, current experimental, or new former established user of any product, go to R03_AX0006.

Else, go to Box R03_ART01.

IF R03_TOBACCO_USER_STATUS = 1, 4, ROUTE AS FOLLOWS:

IF [(R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1)], GO TO BOX R03_ANR17 and follow routing to complete ONE of the Nicotine Dependence modules using appropriate product specific fill as defined by the groups and fill specs below (condition a).

IF [(R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 2) AND R03_EPROD_USER_STATUS = 1, 4], GO TO BOX R03_ANR17 and follow routing to complete the electronic nicotine product module and then the non-electronic tobacco module using appropriate product specific fills for each iteration (condition b).

IF [(R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT >= 2) AND R03_EPROD_USER_STATUS != 1, 4], GO TO BOX R03_ANR17 and follow routing to complete the non-electronic tobacco module using the tobacco use fill (condition c).

IF [(R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT >= 3) AND R03_EPROD_USER_STATUS = 1, 4], GO TO BOX R03_ANR17 and follow routing to complete the electronic nicotine product module and then the non-electronic tobacco module using appropriate fills as defined by the groups and fill specs below (condition d).

ELSE, IF R03_TOBACCO_USER_STATUS = 2, ROUTE AS FOLLOWS:

IF R03_EXPERIMENTAL_PRODUCT_COUNT = 1, GO TO BOX R03_ANR17 and follow routing to complete ONE of the Nicotine Dependence modules using appropriate product specific fills as defined by the groups and fill specs below (condition a).

IF (R03_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R03_EPROD_USER_STATUS = 2), GO TO BOX R03_ANR17 and follow routing to complete the electronic nicotine product module and then the non-electronic tobacco module using appropriate product-specific fills for each iteration (condition b).

IF (R03_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R03_EPROD_USER_STATUS != 2), GO TO BOX R03_ANR17 and follow routing to complete the non-electronic tobacco module using the tobacco use fill (condition c).

IF (EXPERIMENTAL_PRODUCT_COUNT >= 3 AND R03_EPROD_USER_STATUS = 2), GO TO BOX R03_ANR17 and follow routing to complete the electronic nicotine product module and then the non-electronic tobacco module using appropriate fills as defined by the groups and fill specs below (condition d).

ELSE, IF R03_TOBACCO_USER_STATUS = 3, ROUTE AS FOLLOWS:

IF R03_EPROD_USER_STATUS = 3 AND R03_TOBXEPROD_USER_STATUS = 3, GO TO BOX R03_ANR17 and follow routing to R03_AX0006E and R03_AX0006.

IF R03_EPROD_USER_STATUS = 3 AND R03_TOBXEPROD_USER_STATUS != 3, GO TO BOX R03_ANR17 and follow routing to R03_AX0006E.

IF R03_EPROD_USER_STATUS != 3 AND R03_TOBXEPROD_USER_STATUS = 3, GO TO BOX R03_ANR17 and follow routing to R03_AX0006.

ELSE, GO TO BOX R03_ART01.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AND01

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL1:

IF R03_NDSKIP = 0, 3:

IF NC=YES, FILL WITH "smoke cigarettes"

IF NG=YES, FILL WITH "smoke traditional cigars"

IF NL=YES, FILL WITH "smoke cigarillos"

IF NF=YES, FILL WITH "smoke filtered cigars"

IF NP=YES, FILL WITH "smoke a pipe"

IF NH=YES, FILL WITH "smoke hookah"

IF NU=YES, FILL WITH "use snus pouches"

IF NS=YES, FILL WITH "use smokeless tobacco"

IF R03_NDSKIP = 1, 2 FILL WITH "use tobacco"

BOX ID: R03_AND05

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL2:

IF R03_NDSKIP = 0, 3:

IF NC=YES FILL WITH "cigarettes"

IF NG=YES FILL WITH "traditional cigars"

IF NL=YES FILL WITH "cigarillos"

IF NF=YES FILL WITH "filtered cigars"

IF NP=YES FILL WITH "pipe tobacco"

IF NH=YES FILL WITH "hookah"

IF NU=YES FILL WITH "snus pouches"

IF NS=YES FILL WITH "smokeless tobacco"

IF R03_NDSKIP = 1, 2 FILL WITH "tobacco"

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AND06

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL3:

IF R03_NDSKIP = 0, 3:

IF NC=YES FILL WITH "smoking cigarettes"

IF NG=YES FILL WITH "smoking traditional cigars"

IF NL=YES FILL WITH "smoking cigarillos"

IF NF=YES FILL WITH "smoking filtered cigars"

IF NP=YES FILL WITH "smoking a pipe"

IF NH=YES FILL WITH "smoking hookah"

IF NU=YES FILL WITH "using snus pouches"

IF NS=YES FILL WITH "using smokeless tobacco"

IF R03_NDSKIP = 1, 2 FILL WITH "using tobacco"

BOX ID: R03_AND07

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL4:

IF R03_NDSKIP = 0, 3:

IF NC=YES FILL WITH "cigarette smoking"

IF NG=YES FILL WITH "traditional cigar smoking"

IF NL=YES FILL WITH "cigarillo smoking "

IF NF=YES FILL WITH "filtered cigar smoking"

IF NP=YES FILL WITH "pipe smoking"

IF NH=YES FILL WITH "hookah smoking"

IF NU=YES FILL WITH "snus pouch use"

IF NS=YES FILL WITH "smokeless tobacco use"

IF R03_NDSKIP = 1, 2 FILL WITH "tobacco use"

BOX ID: R03_AND08

USE THE FOLLOWING FILLS WHEN CALLED:

ND EFILL:

IF R03_EVER_NEVER_ECIG = 1 AND R03_EVER_NEVER_ECIGAR = 2 AND
R03_EVER_NEVER_EHOOK = 2 AND R03_EVER_NEVER_EPIPE = 2, FILL WITH "e-cigarettes".
ELSE, FILL WITH "electronic nicotine products".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AND09

USE THE FOLLOWING FILLS WHEN CALLED:

ND EFILL4:

IF R03_EVER_NEVER_ECIG = 1 AND R03_EVER_NEVER_ECIGAR = 2 AND
R03_EVER_NEVER_EHOOK = 2 AND R03_EVER_NEVER_EPIPE = 2, FILL WITH “e-cigarette use”.
ELSE, FILL WITH “electronic nicotine product use”.

BOX ID: R03_ANR17

Adult respondents who are current established or new former established electronic nicotine product users, go to Box R03_ANT01E.

Else, adult respondents who are current established or new former established non-electronic tobacco users, go to Box R03_ANR37.

Else, adult respondents who are current experimental electronic nicotine product users and use more than one type of electronic nicotine product, go to Box R03_ANT01E.

Else, adult respondents who are current experimental electronic nicotine product users and use only one type of electronic nicotine product, go to Box R03_ANR22.

Else, adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products, go to Box R03_ANR37.

Else, adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for a single product, go to Box R03_ANR26.

Else, adult respondents who are former experimental electronic nicotine product users, go to R03_AX0006E.

Else, adult respondents who are former experimental non-electronic tobacco users, go to R03_AX0006.

Else, go to Box R03_ART01.

IF R03_EPROD_USER_STATUS = 1, 4, GO TO BOX R03_ANT01E.

ELSE, IF R03_TOBXEPROD_USER_STATUS = 1, 4, GO TO BOX R03_ANR37.

ELSE, IF R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1, GO TO BOX R03_ANT01E.

ELSE, IF R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT = 1, GO TO BOX R03_ANR22

ELSE, IF R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2, GO TO BOX R03_ANR37.

ELSE, IF R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 0, GO TO BOX R03_ANR26.

ELSE, IF R03_EPROD_USER_STATUS = 3, GO TO R03_AX0006E.

ELSE, IF R03_TOBXEPROD_USER_STATUS = 3, GO TO R03_AX0006.

ELSE, GO TO BOX R03_ART01.

BOX ID: R03_ANT01E**IF R03_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:**

The next questions ask about your experience with [ND EFILL].

IF R03_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with [ND EFILL]. Please think only about [ND EFILL] as you answer these questions. We will ask you questions about [ND FILL2] later.

IF R03_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with [ND EFILL].

BOX ID: R03_ANR22

Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product, go to R03_AN0010E.

Else, go to R03_AN0330_12ME.

IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1), GO TO R03_AN0010E.

ELSE, GO TO R03_AN0330_12ME.

Variable(s): R03_AN0010E**

Do you consider yourself addicted to [ND EFILL]?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0015E****

Do you ever have strong cravings to use [ND EFILL]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AN0020E****

Have you ever felt like you really needed to use [ND EFILL]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0055E****

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for [ND EFILL] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_AND02E**

Randomize order of items R03_AN0025E - R03_AN0100E.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0025E****

I frequently crave [ND EFILL].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

NOTES: This item was always the first question asked in the randomized set.

**SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AN0030E****

[My urges keep getting stronger if I don't/I still have urges to] use [ND EFILL].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "My urges keep getting stronger if I don't".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "I still have urges to".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0035E****

[ND EFILL] control me.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EVER_NEVER_ECIG = 1 AND R03_EVER_NEVER_ECIGAR = 2 AND R03_EVER_NEVER_EHOOK = 2 AND R03_EVER_NEVER_EPIPE = 2, FILL WITH "E-cigarettes".

ELSE, FILL WITH "Electronic nicotine products".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AN0045E****

[My [ND EFILL4] is out of control./My urge to use [ND EFILL] is out of control.]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "My [ND EFILL4] is out of control."

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "My urge to use [ND EFILL] is out of control."

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0060E****

I usually want to use [ND EFILL] right after I wake up.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AN0065E****

I can only go a couple of hours without [using/wanting to use] [ND EFILL].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "using".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "wanting to use".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0050E****

[I frequently use/I find myself almost using] [ND EFILL] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "I frequently use".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "I find myself almost using".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0070E****

Using [ND EFILL] [really helps/would really help] me feel better if I've been feeling down.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "really helps".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "would really help".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0075E****

Using [ND EFILL] helps me think better.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_ANR23**

Adult respondents who are current established or new former established electronic nicotine product users and are only completing the e-product module in the Nicotine Dependence section, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product and are only completing the e-product module in the Nicotine Dependence section, go to R03_AN0255E.

Else, go to R03_AN0080E.

IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_NDSKIP = 0) OR
(R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND
R03_EPRODCOUNT > 1 AND R03_NDSKIP = 0), GO TO R03_AN0255E.
ELSE, GO TO R03_AN0080E.

Variable(s): **R03_AN0255E****

Most of the people I spend time with use tobacco.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users and are only completing the e-product module in the Nicotine Dependence section, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product and are only completing the e-product module in the Nicotine Dependence section.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_NDSKIP = 0) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1 AND R03_NDSKIP = 0).

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0080E****

I [would]feel alone without my [ND EFILL].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "would ".

ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0085E****

[I would find it really hard to stop using/I find it really hard to not use] [ND EFILL].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "I would find it really hard to stop using". ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "I find it really hard to not use".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0090E****

[I would find it hard to stop using [ND EFILL] for a week./I would find it hard to not use [ND EFILL] for another week.]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "I would find it hard to stop using [ND EFILL] for a week."

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "I would find it hard to not use [ND EFILL] for another week."

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0095E**

[After not using [ND EFILL] for a while, I need/I would like] to use [ND EFILL] in order to feel less restless and irritable.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "After not using [ND EFILL] for a while, I need".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "I would like".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0100E****

[After not using [ND EFILL] for a while, I need/I feel like I need] to use [ND EFILL] in order to keep myself from experiencing any discomfort.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "After not using [ND EFILL] for a while, I need".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "I feel like I need".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): R03_AN0110E**

Do you believe that using [ND EFILL] [is causing/caused] a health problem or [making/made] it worse?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY "is causing" AND "making".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "caused" AND "made".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): R03_AN0813E**

In the past 12 months, did you find it difficult to keep from using [ND EFILL] in places where it was not permitted?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1).

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AN0812E**
In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because [ND EFILL4] was not permitted at the activity? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product. ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_EPRODCOUNT > 1). NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	

BOX ID:	R03_ANR30
Adult respondents who are current established electronic nicotine product users, go to R03_AN0105E. Else, adult respondents who are new former established electronic nicotine product users, go to Box R03_ANV06E. Else, go to R03_AN0330_12ME.	
IF R03_EPROD_USER_STATUS = 1, GO TO R03_AN0105E. ELSE, IF R03_EPROD_USER_STATUS = 4, GO TO BOX R03_ANV06E. ELSE, GO TO R03_AN0330_12ME.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0105E****

In the past 12 months, have you tried to quit using [ND EFILL] completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AN0334E****

In the past 12 months, have you tried to quit by gradually cutting back on using [ND EFILL]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ANV06E

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 (Past 12 month quitter or quit attempter) Adult respondents who have quit or attempted to quit e-products in the past 12 months

R03_TWELVEMONTHQUIT_STATUS_EPROD = 2 (Past 12 month reducer) Adult respondents who have cut down their e-product use in the past 12 months, but have not tried to quit.

R03_TWELVEMONTHQUIT_STATUS_EPROD = 1:

IF R03_AN0105E = 1 OR R03_EPROD_USER_STATUS = 4, THEN
R03_TWELVEMONTHQUIT_STATUS_EPROD = 1.

R03_TWELVEMONTHQUIT_STATUS_EPROD = 2:

ELSE, IF R03_AN0334E = 1, THEN R03_TWELVEMONTHQUIT_STATUS_EPROD = 2.

BOX ID: R03_ANR31

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters, go to R03_AN0115E.

Else, go to R03_AN0330_12ME.

IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 GO TO R03_AN0115E.

ELSE, GO TO R03_AN0330_12ME.

Variable(s): R03_AN0115E**

In total, how many times in the past 12 months have you tried to quit [ND EFILL] completely?

0 I did not try to quit in the past 12 months

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1.

PROGRAM: Allow 3 digits.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0115E_LC1

The computer recorded that you have tried to completely quit [ND EFILL] [R03_AN0115E] times in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0115E

2 NEXT

GO TO R03_AN0115E_LC2

ASK: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0115E > 50.

PROGRAM: TRIGGER CHECK IF R03_AN0115E > 50. ELSE, GO TO R03_AN0115E_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AN0115E_LC2

The computer recorded that you have not tried to completely quit in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0115E

2 NEXT

GO TO BOX R03_ANR24

ASK: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0115E = 0.

PROGRAM: TRIGGER CHECK IF R03_AN0115E = 0. ELSE, GO TO BOX R03_ANR24 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ANR24

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R03_AN0120E.

Else, adult respondents who are new former established electronic nicotine product users and reported how long it has been since they last took a puff from an electronic nicotine product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R03_AN0257E.

Else, adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are new former established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an electronic nicotine product, go to R03_AN0145E.

Else, go to R03_AN0330_12ME.

IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7), GO TO R03_AN0120E.

ELSE, IF R03_EPROD_USER_STATUS = 4 AND (R03_AV1009EC_NN > 0 OR R03_AV1009EG_NN > 0 OR R03_AV1009EP_NN > 0 OR R03_AV1009EH_NN > 0 OR R03_AV1009EN_NN > 0) AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7), GO TO R03_AN0257E.

ELSE, IF (R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 4 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AV1009EC_NN < 1 AND R03_AV1009EG_NN < 1 AND R03_AV1009EP_NN < 1 AND R03_AV1009EH_NN < 1 AND R03_AV1009EN_NN < 1, GO TO R03_AN0145E.

ELSE, GO TO R03_AN0330_12ME.

Variable(s): R03_AN0120E

In the past 12 months, have you stopped using [ND EFILL] for one day or longer because you were trying to quit?

- | | | |
|----|------------|-------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AN0130E |
| -8 | DON'T KNOW | GO TO R03_AN0130E |
| -7 | REFUSED | GO TO R03_AN0130E |

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0125E**

In the past 12 months, how many times have you stopped using [ND EFILL] for one day or longer because you were trying to quit?

- 1 1 time
- 2 2-3 times
- 3 4 or more times
- 8 DON'T KNOW GO TO R03_AN0256E
- 7 REFUSED GO TO R03_AN0256E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using electronic nicotine products for one day or longer.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0120E = 1.

CHECK ID: **R03_AN0125E_LC1**

The computer recorded that you have stopped using [ND EFILL] for one day or longer because you were trying to quit. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R03_AN0125E
- 2 NEXT GO TO R03_AN0130E

ASK: IF (R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0120E = 1 AND R03_AN0125E != -8, -7) AND R03_AN0125E > R03_AN0115E.

PROGRAM: TRIGGER CHECK IF R03_AN0125E > R03_AN0115E. ELSE, GO TO R03_AN0130E AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0256E**

Would you say that in the past 12 months it was more than 3 times that you have stopped using [ND EFILL] for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using electronic nicotine products for one day or longer and did not know or refused to report how many times they stopped using electronic nicotine products for one day or longer.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0120E = 1 AND R03_AN0125E = -8, -7.

Variable(s): **R03_AN0130E_NN; R03_AN0130E_UN**

The last time you stopped using [ND EFILL] in the past 12 months because you were trying to quit, how long did you stop for?

- 1 |__|__|__| Minutes
- 2 |__|__|__| Hours
- 3 |__|__|__| Days
- 4 |__|__|__| Weeks
- 5 |__|__|__| Months
- 8 DON'T KNOW GO TO R03_AN0300E
- 7 REFUSED GO TO R03_AN0300E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7).

PROGRAM: Display as a Quantity/Units. Allow 3 digits for minutes, 3 digits for hours, 3 digits for days, 3 digits for weeks, and 3 digits for months.

NOTES: The value "1" refers to R03_AN0130E_UN = Minutes; the value "2" refers to R03_AN0130E_UN = Hours; the value "3" refers to R03_AN0130E_UN = Days; the value "4" refers to R03_AN0130E_UN = Weeks; the value "5" refers to R03_AN0130E_UN = Months.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0130E_LC1

The computer recorded the last time you tried to quit [ND EFILL] in the past 12 months that you stopped for [R03_AN0130E_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------|
| 1 | BACK | GO TO R03_AN0130E |
| 2 | NEXT | GO TO R03_AN0135E |

ASK: IF (R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0130E_NN != -8, -7) AND ((R03_AN0130E_NN > 12 AND R03_AN0130E_UN = 5) OR (R03_AN0130E_NN > 52 AND R03_AN0130E_UN = 4) OR (R03_AN0130E_NN > 366 AND R03_AN0130E_UN = 3)).

DISPLAY: DISPLAY THE APPROPRIATE FILL DEPENDING ON THE CHECK THAT FAILED.

IF R03_AN0130E_UN = 3, DISPLAY "days".

ELSE, IF R03_AN0130E_UN = 4, DISPLAY "weeks".

ELSE, IF R03_AN0130E_UN = 5, DISPLAY "months".

PROGRAM: TRIGGER CHECK IF (R03_AN0130E_NN > 12 AND R03_AN0130E_UN = 5) OR (R03_AN0130E_NN > 52 AND R03_AN0130E_UN = 4) OR (R03_AN0130E_NN > 366 AND R03_AN0130E_UN = 3). ELSE, GO TO R03_AN0135E AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AN0300E

Was it more than a week, a week, or less than a week?

- | | | |
|----|--------------------|-------------------|
| 1 | More than one week | GO TO R03_AN0210E |
| 2 | One week | GO TO R03_AN0210E |
| 3 | Less than one week | GO TO R03_AN0210E |
| -8 | DON'T KNOW | GO TO R03_AN0210E |
| -7 | REFUSED | GO TO R03_AN0210E |

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0130E_NN = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0135E**

When was the approximate end date of this last quit attempt that lasted [enter duration from R03_AN0130E]?

I__|__| MONTH I__|__| DAY I__|__|__|__| YEAR

-8 DON'T KNOW

GO TO R03_AN0140E

-7 REFUSED

GO TO R03_AN0140E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0130E_NN != -8, -7.

CHECK ID: **R03_AN0135E_LC1**

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R03_AN0135E]. That date is in the future. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0135E

2 NEXT

GO TO R03_AN0135E_LC2

ASK: IF (R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0130E_NN != -8, -7 AND R03_AN0135E_NN != -8, -7) AND R03_AN0135E > TODAY'S DATE.

PROGRAM: TRIGGER CHECK IF R03_AN0135E > TODAY'S DATE. ELSE, GO TO R03_AN0135E_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: **R03_AN0135E_LC2**

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R03_AN0135E]. That was longer than 12 months ago. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0135E

2 NEXT

GO TO R03_AN0135E_LC3

ASK: IF (R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0130E_NN != -8, -7 AND R03_AN0135E_NN != -8, -7) AND (R03_AN0135E < (TODAY'S DATE - 12 MONTHS)).

PROGRAM: TRIGGER CHECK IF R03_AN0135E < (TODAY'S DATE - 12 MONTHS). ELSE, GO TO R03_AN0135E_LC3 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0135E_LC3

Please enter four numbers for the year.

1 BACK

GO TO R03_AN0135E

ASK: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0130E_NN != -8, -7 AND (R03_AN0135E (YEARS) IS < 4 DIGITS).

PROGRAM: TRIGGER CHECK IF R03_AN0135E (YEARS) IS < 4 DIGITS. ELSE, GO TO R03_AN0140E AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AN0140E

In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without using [ND EFILL] because you were trying to quit?

1 Yes

GO TO R03_AN0210E

2 No

GO TO R03_AN0145E

-8 DON'T KNOW

GO TO R03_AN0210E

-7 REFUSED

GO TO R03_AN0210E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0130E_NN != -8, -7.

DISPLAY: FILL "DURATION OF LAST QUIT ATTEMPT" WITH THE DURATION FROM R03_AN0130E_NN (ex. "45 days").

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0257E****

You previously mentioned that you stopped using [ND EFILL] [ENTER LENGTH OF TIME SINCE LAST USE IN R03_AV1009] ago. Is this the longest you have gone without using [ND EFILL] in the past 12 months?

- | | | |
|----|------------|-------------------|
| 1 | Yes | GO TO R03_AN0210E |
| 2 | No | GO TO R03_AN0145E |
| -8 | DON'T KNOW | GO TO R03_AN0210E |
| -7 | REFUSED | GO TO R03_AN0210E |

ASK: Adult respondents who are new former established electronic nicotine product users and reported how long it has been since they last took a puff from an electronic nicotine product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_EPROD_USER_STATUS = 4 AND (R03_AV1009EC_NN > 0 OR R03_AV1009EG_NN > 0 OR R03_AV1009EP_NN > 0 OR R03_AV1009EH_NN > 0 OR R03_AV1009EN_NN > 0) AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7).

DISPLAY: FILL [ENTER LENGTH OF TIME SINCE R03_AV1009_NN/UN] WITH TIME ENTERED (ex. "45 days") IN CORRESPONDING R03_AV1009_NN/UN ITEM:

IF R03_EVER_NEVER_ECIG = 1 AND R03_EVER_NEVER_ECIGAR = 2 AND R03_EVER_NEVER_EPIPE = 2 AND R03_EVER_NEVER_EHOOK = 2, USE THE TIME PERIOD ENTERED IN R03_AV1009EC.

ELSE, USE THE LONGEST TIME PERIOD AMONG R03_AV1009EC, R03_AV1009EG, R03_AV1009EP R03_AV1009EH.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who did not know or refused to answer how many times in the past 12 months they tried to quit using e-products completely (R03_AN0115E = -8, -7). It was also skipped incorrectly by respondents who had a valid R03_AV1009[EG/EP/EH/EN]_NN response for an e-product other than e-cigarettes. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0145E_NN**, R03_AN0145E_UN

In the past 12 months, what was the longest time you stopped using [ND EFILL] because you were trying to quit?

1 |__|__|__| Minutes

2 |__|__|__| Hours

3 |__|__|__| Days

4 |__|__|__| Weeks

5 |__|__|__| Months

-8 DON'T KNOW

GO TO R03_AN0305E

-7 REFUSED

GO TO R03_AN0305E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using electronic nicotine products, or

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are new former established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an electronic nicotine product or reported the time since they last took a puff from an electronic nicotine product was not the longest they went without using electronic nicotine products.

ASK Specification: IF (R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0130E_NN != -8, -7 AND R03_AN0140E = 2) OR (R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 4 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND ((R03_AV1009EC_NN < 1 AND R03_AV1009EG_NN < 1 AND R03_AV1009EP_NN < 1 AND R03_AV1009EH_NN < 1 AND R03_AV1009EN_NN < 1) OR R03_AN0257E = 2)).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AN0145E_UN = Minutes; the value "2" refers to R03_AN0145E_UN = Hours; the value "3" refers to R03_AN0145E_UN = Days; the value "4" refers to R03_AN0145E_UN = Weeks; the value "5" refers to R03_AN0145E_UN = Months.

**SKIP ERROR: This item was skipped incorrectly by respondents who did not know or refused to answer how many times in the past 12 months they tried to quit using e-products completely (R03_AN0115E = -8, -7). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0145E_LC1

The computer recorded that you stopped [ND EFILL] for [R03_AN0145E_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------|
| 1 | BACK | GO TO R03_AN0145E |
| 2 | NEXT | GO TO R03_AN0210E |

ASK: IF ((R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0130E_NN != -8, -7 AND R03_AN0140E = 2) OR (R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 4 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND ((R03_AV1009EC_NN < 1 AND R03_AV1009EG_NN < 1 AND R03_AV1009EP_NN < 1 AND R03_AV1009EH_NN < 1 AND R03_AV1009EN_NN < 1) OR R03_AN0257E = 2)) AND R03_AN0145E_NN != -8, -7) AND ((R03_AN0145E_NN > 12 AND R03_AN0145E_UN = 5) OR (R03_AN0145E_NN > 52 AND R03_AN0145E_UN = 4) OR (R03_AN0145E_NN > 366 AND R03_AN0145E_UN = 3)).

DISPLAY: IF R03_AN0145E_UN = 3, DISPLAY "days".

ELSE, IF R03_AN0145E_UN = 4, DISPLAY "weeks".

ELSE, IF R03_AN0145E_UN = 5, DISPLAY "months".

PROGRAM: TRIGGER CHECK IF (R03_AN0145E_NN > 12 AND R03_AN0145E_UN = 5) OR (R03_AN0145E_NN > 52 AND R03_AN0145E_UN = 4) OR (R03_AN0145E_NN > 366 AND R03_AN0145E_UN = 3). ELSE, GO TO R03_AN0210E AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0305E**

Was it more than a week, a week, or less than a week?

- 1 More than one week
- 2 One week
- 3 Less than one week
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using electronic nicotine products and did not know or refused to report the longest time they stopped using electronic nicotine products, or

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are new former established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an electronic nicotine product or reported the time since they last took a puff from an electronic nicotine product was not the longest they went without using electronic nicotine products and did not know or refused to report the longest time they stopped using electronic nicotine products.

ASK Specification: IF (R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND R03_AN0130E_NN != -8, -7 AND R03_AN0140E = 2 AND R03_AN0145E_NN = -8, -7) OR (R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_EPROD_USER_STATUS = 4 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7) AND ((R03_AV1009EC_NN < 1 AND R03_AV1009EG_NN < 1 AND R03_AV1009EP_NN < 1 AND R03_AV1009EH_NN < 1 AND R03_AV1009EN_NN < 1) OR R03_AN0257E = 2) AND R03_AN0145E_NN = -8, -7).

BOX ID: **R03_ANR25**

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R03_AN0210E.

Else, go to R03_AN0330_12ME.

IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7), GO TO R03_AN0210E.

ELSE, GO TO R03_AN0330_12ME.

Variable(s): **R03_AN0210E****

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using [ND EFILL] in the past 12 months, did you rely on the support of friends and family to help you?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7).

DISPLAY: IF R03_EPROD_USER_STATUS = 1 AND R03_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_EPROD_USER_STATUS = 1 AND (R03_AN0125E > 1 OR R03_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who did not know or refused to answer how many times in the past 12 months they tried to quit using e-products completely (R03_AN0115E = -8, -7). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0215E****

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using [ND EFILL] in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7).

DISPLAY: IF R03_EPROD_USER_STATUS = 1 AND R03_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_EPROD_USER_STATUS = 1 AND (R03_AN0125E > 1 OR R03_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who did not know or refused to answer how many times in the past 12 months they tried to quit using e-products completely (R03_AN0115E = -8, -7). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using [ND EFILL] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

- | | | |
|-------------------------|----|---|
| R03_AN0225E_01** | 1 | I did not use a different tobacco product to help me quit |
| R03_AN0225E_02** | 2 | Cigarettes |
| R03_AN0225E_04** | 4 | Traditional cigars |
| R03_AN0225E_05** | 5 | Cigarillos |
| R03_AN0225E_06** | 6 | Filtered cigars |
| R03_AN0225E_07** | 7 | Pipe tobacco |
| R03_AN0225E_08** | 8 | Hookah |
| R03_AN0225E_09** | 9 | Snus pouches |
| R03_AN0225E_10** | 10 | Smokeless tobacco, like dip, chew, or snuff |
| R03_AN0225E_11** | 11 | Dissolvable tobacco |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R03_AN0115E >= 1 OR R03_AN0115E = -8, -7).

DISPLAY: IF R03_EPROD_USER_STATUS = 1 AND R03_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_EPROD_USER_STATUS = 1 AND (R03_AN0125E > 1 OR R03_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

PROGRAM: For respondents where R03_CURRENT_PRODUCT_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who did not know or refused to answer how many times in the past 12 months they tried to quit using e-products completely (R03_AN0115E = -8, -7). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0330_12ME****

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2).

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_ANR32**

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R03_AN0150E.

Else, adult respondents who are past 12 month electronic nicotine product reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months, go to R03_AN0811E.

Else, adult respondents who are current established or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months, go to R03_AN0307E.

Else, go to R03_AN0331_12ME.

IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1, GO TO R03_AN0150E.

ELSE, IF (R03_TWELVEMONTHQUIT_STATUS_EPROD = 2 AND R03_AN0330_12ME = 1) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0330_12ME = 1), GO TO R03_AN0811E.

ELSE, IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0330_12ME = 1), GO TO R03_AN0307E.

ELSE, GO TO R03_AN0331_12ME.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0150E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using [ND EFILL] in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R03_ANR33 |
| -8 | DON'T KNOW | GO TO BOX R03_ANR33 |
| -7 | REFUSED | GO TO BOX R03_ANR33 |

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1.

DISPLAY: IF R03_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_AN0125E > 1 OR R03_AN0256E = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): **R03_AN0155E**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit using [ND EFILL] completely?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1 AND R03_AN0150E = 1.

DISPLAY: UNDERLINE "completely".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0811E**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your [ND EFILL4]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them, or adult respondents who are past 12 month electronic nicotine product reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1 AND R03_AN0150E = 1) OR (R03_TWELVEMONTHQUIT_STATUS_EPROD = 2 AND R03_AN0330_12ME = 1) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0330_12ME = 1).

BOX ID: **R03_ANR33**

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit, go to R03_AN0160E.

Else, adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R03_AN0170E.

Else, go to R03_AN0307E.

IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1 AND R03_AN0150E = 1, GO TO R03_AN0160E.

ELSE, IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1, GO TO R03_AN0170E.

ELSE, GO TO R03_AN0307E.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which product did you use [the time you tried to quit using [ND EFILL]/the last time you tried to quit using [ND EFILL]/when you quit using [ND EFILL]]? Choose all that apply.	
R03_AN0160E_01	1 Nicotine patch
R03_AN0160E_02	2 Nicotine gum
R03_AN0160E_03	3 Nicotine inhaler
R03_AN0160E_04	4 Nicotine nasal spray
R03_AN0160E_05	5 Nicotine lozenge or pill
R03_AN0160E_06	6 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit. ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1 AND R03_AN0150E = 1. DISPLAY: IF R03_AN0125E = 1, DISPLAY "the time you tried to quit". ELSE, IF R03_AN0125E > 1 OR R03_AN0256E = 1, DISPLAY "the last time you tried to quit". ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "when you quit". ELSE, DISPLAY "the last time you tried to quit". PROGRAM: Option 6 cannot be selected if any options 1 through 5 are selected.	
	GO TO R03_AN0170E

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0165E_NN; R03_AN0165E_UN

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using [ND EFILL][completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 |__|__| DAYS
- 2 |__|__| WEEKS
- 3 |__|__| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1 AND R03_AN0150E = 1 AND R03_AN0160E_06 != 1.

DISPLAY: IF R03_AN0125E = 1, DISPLAY "during the time you tried to quit".

ELSE, IF R03_AN0125E > 1 OR R03_AN0256E = 1, DISPLAY "during the last time you tried to quit".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND " completely".

ELSE, DISPLAY "during the last time you tried to quit".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AN0165E_UN = Days; the value "2" refers to R03_AN0165E_UN = Weeks; the value "3" refers to R03_AN0165E_UN = Months.

Variable(s): R03_AN0170E***

Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No GO TO R03_AN0307E
- 8 DON'T KNOW GO TO R03_AN0307E
- 7 REFUSED GO TO R03_AN0307E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0251E_NN; R03_AN0251E_UN

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 3 |__|__| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1 AND R03_AN0170E = 1.

PROGRAM: Display as Quantity/Units. Allow 2 digits.

NOTES: The value "1" refers to R03_AN0251E_UN = Days; the value "2" refers to R03_AN0251E_UN = Weeks; the value "3" refers to R03_AN0251E_UN = Months.

CHECK ID: R03_AN0251E_LC1

The computer recorded that you have been using the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill to help you quit for [R03_AN0251E_NN] [days/months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R03_AN0251E
- 2 NEXT GO TO R03_AN0251E_LC2

ASK: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1 AND R03_AN0170E = 1 AND ((R03_AN0251E_NN > 5 AND R03_AN0251E_UN = 3) OR (R03_AN0251E_NN > 60 AND R03_AN0251E_UN = 2) OR (R03_AN0251E_NN > 99 AND R03_AN0251E_UN = 1)).

DISPLAY: IF R03_AN0251E_UN = 1, DISPLAY "days".

ELSE, IF R03_AN0251E_UN = 2, DISPLAY "months".

ELSE, IF R03_AN0251E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AN0251E_NN > 5 AND R03_AN0251E_UN = 3) OR (R03_AN0251E_NN > 60 AND R03_AN0251E_UN = 2) OR (R03_AN0251E_NN > 99 AND R03_AN0251E_UN = 1). ELSE, GO TO R03_AN0251E_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0251E_LC2

The computer recorded "0" for how long you have been using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to help you quit.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------|
| 1 | BACK | GO TO R03_AN0251E |
| 2 | NEXT | GO TO R03_AN0307E |

ASK: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0330_12ME = 1 AND R03_AN0170E = 1 AND R03_AN0251E_NN = 0.

PROGRAM: TRIGGER CHECK IF R03_AN0251E_NN = 0. ELSE, GO TO R03_AN0307E AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AN0307E

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------------------|-----------------------|
| 1 | In the past hour | GO TO R03_AN0309E |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R03_AN0175E |
| -8 | DON'T KNOW | GO TO R03_AN0331_12ME |
| -7 | REFUSED | GO TO R03_AN0331_12ME |

ASK: Adult respondents who are current established or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0330_12ME = 1) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0330_12ME = 1).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0308E**

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R03_AN0307E], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 2, 3, 4) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R03_AN0307E]:

IF R03_AN0307E = 2, DISPLAY "sometime today".

ELSE, IF R03_AN0307E = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307E = 4, DISPLAY "the day before yesterday".

Variable(s): **R03_AN0309E**

When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R03_AN0307E], how many did you use?

|_|_|_|

- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 1, 2, 3, 4) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 1, 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R03_AN0307E]:

IF R03_AN0307E = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0307E = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307E = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0309E_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R03_AN0309E] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0309E

2 NEXT

GO TO R03_AN0309E_LC2

ASK: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 1, 2, 3, 4) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 1, 2, 3, 4) AND R03_AN0309E > 5.

DISPLAY: IF R03_AN0307E = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0307E = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307E = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AN0309E > 5. ELSE, GO TO R03_AN0309E_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AN0309E_LC2

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0309E

2 NEXT

GO TO R03_AN0331_12ME

ASK: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 1, 2, 3, 4) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 1, 2, 3, 4) AND R03_AN0309E = 0.

DISPLAY: IF R03_AN0307E = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0307E = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307E = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AN0309E = 0. ELSE, GO TO R03_AN0331_12ME AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0175E_NN; R03_AN0175E_UN

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 3 |__|__| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 5) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 5).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AN0175E_UN = Days; the value "2" refers to R03_AN0175E_UN = Weeks; the value "3" refers to R03_AN0175E_UN = Months.

CHECK ID: R03_AN0175E_LC1

The computer recorded that you stopped using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill [R03_AN0175E_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R03_AN0175E
- 2 NEXT GO TO R03_AN0331_12ME

ASK: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 5) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0330_12ME = 1 AND R03_AN0307E = 5) AND ((R03_AN0175E_NN > 1 AND R03_AN0175E_UN = 3) OR (R03_AN0175E_NN > 12 AND R03_AN0175E_UN = 2) OR (R03_AN0175E_NN > 31 AND R03_AN0175E_UN = 1)).

DISPLAY: IF R03_AN0175E_UN = 1, DISPLAY "days".

ELSE, IF R03_AN0175E_UN = 2, DISPLAY "months".

ELSE, IF R03_AN0175E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AN0175E_NN > 1 AND R03_AN0175E_UN = 3) OR (R03_AN0175E_NN > 12 AND R03_AN0175E_UN = 2) OR (R03_AN0175E_NN > 31 AND R03_AN0175E_UN = 1). ELSE, GO TO R03_AN0331_12ME AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0331_12ME****

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2).

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_ANR34**

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months, go to R03_AN0180E.

Else, adult respondents who are current established or new former established electronic nicotine product users and used a prescription drug in the past 12 months, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months, go to R03_AN0327E.

Else, go to Box R03_ANR35.

IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0331_12ME = 1, GO TO R03_AN0180E.

IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0331_12ME = 1) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0331_12ME = 1), GO TO R03_AN0327E.

ELSE, GO TO BOX R03_ANR35.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0180E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using [ND EFILL] in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------|-------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AN0327E |
| -8 | DON'T KNOW | GO TO R03_AN0327E |
| -7 | REFUSED | GO TO R03_AN0327E |

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0331_12ME = 1.

DISPLAY: IF R03_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_AN0125E > 1 OR R03_AN0256E = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): **R03_AN0185E**

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit using [ND EFILL] completely?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0331_12ME = 1 AND R03_AN0180E = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Which prescription drug did you use {the time you tried to quit using [ND EFILL]/the last time you tried to quit using [ND EFILL]/when you quit using [ND EFILL]}? Choose all that apply.

- R03_AN0190E_01** 1 Chantix or varenicline
- R03_AN0190E_02** 2 Wellbutrin, Zyban, or bupropion
- R03_AN0190E_03** 3 None of the above GO TO R03_AN0200E
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0331_12ME = 1 AND R03_AN0180E = 1.

DISPLAY: IF R03_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_AN0125E > 1 OR R03_AN0256E = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

PROGRAM: Option 3 cannot be selected if options 1 or 2 are selected.

Variable(s): **R03_AN0195E_NN; R03_AN0195E_UN**

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using [ND EFILL][completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 I ___ I ___ I DAYS
- 2 I ___ I ___ I WEEKS
- 3 I ___ I ___ I MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0331_12ME = 1 AND R03_AN0180E = 1 AND R03_AN0190E_03 != 1.

DISPLAY: IF R03_AN0125E = 1, DISPLAY "during the time you tried to quit".

ELSE, IF R03_AN0125E > 1 OR R03_AN0256E = 1, DISPLAY "during the last time you tried to quit".

ELSE, IF R03_NEW_FORMER_USER_TOBACCO = 1, DISPLAY "during your last quit attempt when you stopped" AND " completely".

ELSE, DISPLAY "during the last time you tried to quit".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AN0195E_UN = Days; the value "2" refers to R03_AN0195E_UN = Weeks; the value "3" refers to R03_AN0195E_UN = Months.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0200E**

Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------|-------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AN0327E |
| -8 | DON'T KNOW | GO TO R03_AN0327E |
| -7 | REFUSED | GO TO R03_AN0327E |

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0331_12ME = 1 AND R03_AN0180E = 1.

Variable(s): **R03_AN0252E_NN; R03_AN0252E_UN**

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | |
|----|--------------------|
| 1 | I ___ I ___ DAYS |
| 2 | I ___ I ___ MONTHS |
| 3 | I ___ I ___ YEARS |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0331_12ME = 1 AND R03_AN0180E = 1 AND R03_AN0200E = 1.

PROGRAM: Display as Quantity/Units. Allow 2 digits.

NOTES: The value "1" refers to R03_AN0252E_UN = Days; the value "2" refers to R03_AN0252E_UN = Weeks; the value "3" refers to R03_AN0252E_UN = Months.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0252E_LC1

The computer recorded that you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion for [R03_AN0252E_NN] [months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0252E

2 NEXT

GO TO R03_AN0252E_LC2

ASK: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0331_12ME = 1 AND R03_AN0180E = 1 AND R03_AN0200E = 1 AND ((R03_AN0252E_NN > 5 AND R03_AN0252E_UN = 3) OR (R03_AN0252E_NN > 60 AND R03_AN0252E_UN = 2)).

DISPLAY: IF R03_AN0252E_UN = 1, DISPLAY "days".

ELSE, IF R03_AN0252E_UN = 2, DISPLAY "months".

ELSE, IF R03_AN0252E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AN0252E_NN > 5 AND R03_AN0252E_UN = 3) OR (R03_AN0252E_NN > 60 AND R03_AN0252E_UN = 2). ELSE, GO TO R03_AN0252E_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AN0252E_LC2

The computer recorded "0" for how long you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0252E

2 NEXT

GO TO R03_AN0327E

ASK: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R03_AN0331_12ME = 1 AND R03_AN0180E = 1 AND R03_AN0200E = 1 AND R03_AN0252E = 0.

PROGRAM: TRIGGER CHECK IF R03_AN0252E = 0. ELSE, GO TO R03_AN0327E AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0327E**

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | |
|--------------------------|---------------------|
| 1 In the past hour | GO TO R03_AN0329E |
| 2 Sometime today | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R03_AN0205E |
| -8 DON'T KNOW | GO TO BOX R03_ANR35 |
| -7 REFUSED | GO TO BOX R03_ANR35 |

ASK: Adult respondents who are current established or new former established electronic nicotine product users and used a prescription drug in the past 12 months, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0331_12ME = 1) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0331_12ME = 1).

Variable(s): **R03_AN0328E**

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R03_AN0327E], was it...

- | |
|---------------------------------|
| 1 Between midnight and 6AM |
| 2 After 6AM but before noon |
| 3 Between noon and 6PM |
| 4 After 6PM but before midnight |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Adult respondents who are current established or new former established electronic nicotine product users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0331_12ME = 1 AND R03_AN0327E = 2, 3, 4) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0331_12ME = 1 AND R03_AN0327E = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R03_AN0327E]:

IF R03_AN0327E = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R03_AN0327E, MAKING FIRST LETTER LOWERCASE.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0329E**

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R03_AN0327E], how many did you take?

I ___ I ___

-8 DON'T KNOW

GO TO BOX R03_ANR35

-7 REFUSED

GO TO BOX R03_ANR35

ASK: Adult respondents who are current established or new former established electronic nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0331_12ME = 1 AND R03_AN0327E = 1, 2, 3, 4) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0331_12ME = 1 AND R03_AN0327E = 1, 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R03_AN0327E]:

IF R03_AN0327E = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0327E = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R03_AN0327E, MAKING FIRST LETTER LOWERCASE.

CHECK ID: **R03_AN0329E_LC1**

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R03_AN0329E] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0329E

2 NEXT

GO TO BOX R03_ANR35

ASK: IF ((R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0331_12ME = 1 AND R03_AN0327E = 1, 2, 3, 4) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0331_12ME = 1 AND R03_AN0327E = 1, 2, 3, 4) AND R03_AN0329E != -8, -7) AND (R03_AN0329E = 0 OR R03_AN0329E > 5).

DISPLAY: IF R03_AN0327E = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0327E = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0327E = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AN0329E = 0 OR R03_AN0329E > 5. ELSE, GO TO BOX R03_ANR35 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0205E_NN; R03_AN0205E_UN

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 3 |__|__| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0331_12ME = 1 AND R03_AN0327E = 5) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0331_12ME = 1 AND R03_AN0327E = 5).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AN0205E_UN = Days; the value "2" refers to R03_AN0205E_UN = Weeks; the value "3" refers to R03_AN0205E_UN = Months.

CHECK ID: R03_AN0205E_LC1

The computer recorded that you stopped using Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R03_AN0205E] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R03_AN0205E
- 2 NEXT GO TO BOX R03_ANR35

ASK: IF (R03_EPROD_USER_STATUS = 1, 4 AND R03_AN0331_12ME = 1 AND R03_AN0327E = 5) OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2 AND R03_AN0331_12ME = 1 AND R03_AN0327E = 5) AND ((R03_AN0205E_NN > 1 AND R03_AN0205E_UN = 3) OR (R03_AN0205E_NN > 12 AND R03_AN0205E_UN = 2) OR (R03_AN0205E_NN > 31 AND R03_AN0205E_UN = 1)).

PROGRAM: TRIGGER CHECK IF (R03_AN0205E_NN > 1 AND R03_AN0205E_UN = 3) OR (R03_AN0205E_NN > 12 AND R03_AN0205E_UN = 2) OR (R03_AN0205E_NN > 31 AND R03_AN0205E_UN = 1). ELSE, GO TO BOX R03_ANR35 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ANR35
Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers, go to Box R03_AND03E. Else, adult respondents who are current established electronic nicotine product users, go to R03_AN0230E. Else, adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users, go to R03_AX0006E. Else, go to Box R03_ANR37.	
IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2, GO TO BOX R03_AND03E. ELSE, IF R03_EPROD_USER_STATUS = 1, GO TO R03_AN0230E. ELSE, IF R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2, GO TO R03_AX0006E. ELSE, GO TO BOX R03_ANR37.	

BOX ID:	R03_AND03E
Display question R03_AN0804E, R03_AN0805E, R03_AN0806E, R03_AN0807E, R03_AN0808E, R03_AN0809E, R03_AN0810E, on one screen. Show the transition text and question stem from R03_AN0804E first, then show each item with the yes/no responses. As each item is answered, show the next one.	

Variable(s):	R03_AN0804E**
The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/when you quit/cutting down on] using [ND EFILL] in the past 12 months. Within days after stopping or cutting down on your [ND EFILL4] in the past 12 months, did you... Feel depressed? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers. ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2. DISPLAY: IF R03_AN0125E = 1, DISPLAY "the time you tried to quit". ELSE, IF R03_EPROD_USER_STATUS = 1 AND R03_TWELVEMONTHQUIT_STATUS_EPROD = 1, DISPLAY "the last time you tried to quit". ELSE, IF R03_EPROD_USER_STATUS = 4, DISPLAY "when you quit". ELSE, IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 2, DISPLAY "cutting down on". NOTES: This item was always the first question asked in the randomized set. **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AND04E

Randomize order of R03_AN0805E - R03_AN0809E.

Variable(s): R03_AN0805E**

Within days after stopping or cutting down on your [ND EFILL4] in the past 12 months, did you...
Have difficulty falling asleep or staying asleep?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): R03_AN0806E**

Within days after stopping or cutting down on your [ND EFILL4] in the past 12 months, did you...
Have difficulty concentrating?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0807E****

Within days after stopping or cutting down on your [ND EFILL4] in the past 12 months, did you...
Eat more than usual or gain weight?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AN0808E****

Within days after stopping or cutting down on your [ND EFILL4] in the past 12 months, did you...
Become easily irritated, angry, or frustrated?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AN0809E**
Within days after stopping or cutting down on your [ND EFILL4] in the past 12 months, did you... Feel anxious or nervous? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers. ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2. NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	

Variable(s):	R03_AN0810E**
Within days after stopping or cutting down on your [ND EFILL4] in the past 12 months, did you... Feel more restless than usual? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers. ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2. NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.	

BOX ID:	R03_ANR36
Adult respondents who are current established electronic nicotine product users, go to R03_AN0230E. Else, go to R03_AX0006E. IF R03_EPROD_USER_STATUS = 1, GO TO R03_AN0230E. ELSE, GO TO R03_AX0006E.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0230E****

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting [ND EFILL4]? Please choose a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely Interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AN0235E****

Do you plan to ever quit using [ND EFILL] for good?

- 1 Yes
- 2 No GO TO R03_AX0006E
- 8 DON'T KNOW GO TO R03_AX0006E
- 7 REFUSED GO TO R03_AX0006E

ASK: Adult respondents who are current established electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0240E**

When do you plan to quit [ND EFILL] for good?

- | | | |
|----|-----------------------------|-------------------|
| 1 | In the next 7 days | |
| 2 | In the next 30 days | |
| 3 | In the next 6 months | |
| 4 | In the next year | GO TO R03_AX0006E |
| 5 | More than one year from now | GO TO R03_AX0006E |
| -8 | DON'T KNOW | GO TO R03_AX0006E |
| -7 | REFUSED | GO TO R03_AX0006E |

ASK: Adult respondents who are current established electronic nicotine product users and report planning to quit for good.

ASK Specification: IF R03_EPROD_USER_STATUS = 1 AND R03_AN0235E = 1.

Variable(s): **R03_AN0245E**

If you did try to quit using [ND EFILL] altogether in the next 6 months, how likely do you think you would be to succeed?

- | | |
|----|-------------------|
| 1 | Not at all likely |
| 2 | A little likely |
| 3 | Somewhat likely |
| 4 | Very likely |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established electronic nicotine product users and report planning to quit for good and are planning to quit in the next 7 days, in the next 30 days, or in the next 6 months.

ASK Specification: IF R03_EPROD_USER_STATUS = 1 AND R03_AN0235E = 1 AND R03_AN0240E = 1, 2, 3.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0006E****

If you had to do it over again, would you have ever started using [ND EFILL]?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established electronic nicotine product users, or adult respondents who are not current established or new former established non-electronic tobacco users and are current experimental electronic nicotine product users, or adult respondents who are not current established, current experimental, or new former established non-electronic tobacco users and are former experimental electronic nicotine product users.

ASK Specification: IF R03_EPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS != 1, 4 AND R03_EPROD_USER_STATUS = 2) OR (R03_TOBXEPROD_USER_STATUS != 1, 2, 4 AND R03_EPROD_USER_STATUS = 3).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_ANR37**

Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products, go to Box R03_ANT01.

Else, adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for electronic nicotine products and a single non-electronic tobacco product, go to Box R03_ANR26.

Else, adult respondents who are not current established, current experimental, or new former established electronic nicotine product users and are former experimental non-electronic tobacco users, go to R03_AX0006.

Else, go to Box R03_ART01.

IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2), GO TO BOX R03_ANT01.

ELSE, IF R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 3, GO TO BOX R03_ANR26.

ELSE, IF R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_TOBXEPROD_USER_STATUS = 3, GO TO R03_AX0006.

ELSE, GO TO BOX R03_ART01.

BOX ID:	R03_ANT01
IF R03_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT: "The next questions ask about your experience with [ND FILL2]." IF R03_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT: "Now we would like to ask about your experience with [NDFILL2]. Please think only about [NDFILL2] as you answer these questions." IF R03_NDSKIP = 1, DISPLAY THE FOLLOWING TEXT: "The next questions ask about your experience with tobacco products. You said that you have used the following tobacco products: [LIST ALL PRODUCTS RESPONDENT CURRENTLY USES OR HAS USED IN THE PAST 12 MONTHS, UP TO 8 TOTAL, USING NDFILL2 TEXT. IF PRODUCT COUNT = 2, SEPARATE WITH "and". IF PRODUCT COUNT > 2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT]. Please think about [both/all] of these products together as you answer the next series of questions". IF PRODUCT COUNT = 2, DISPLAY "both". ELSE, IF PRODUCT COUNT > 2, DISPLAY "all". IF R03_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT: "Now we would like to ask about your experience with tobacco products. You said that you have used the following tobacco products, in addition to [ND EFILL]: [LIST ALL PRODUCTS RESPONDENT CURRENTLY USES OR HAS USED IN THE PAST 12 MONTHS, UP TO 8 TOTAL, USING NDFILL2 TEXT EXCLUDING EPRODUCTS. IF PRODUCT COUNT EXCLUDING EPRODUCTS = 2, SEPARATE WITH "and". IF PRODUCT COUNT EXCLUDING EPRODUCTS > 2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT]. Please think about [both/all] of these products together as you answer the next series of questions." IF PRODUCT COUNT = 2, DISPLAY "both". ELSE, IF PRODUCT COUNT > 2, DISPLAY "all"	

BOX ID:	R03_ANR26
Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products, go to R03_AN0010. Else, go to Box R03_ANR04. IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2), GO TO R03_AN0010. ELSE, GO TO BOX R03_ANR04.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0010****

Do you consider yourself addicted to [ND FILL2]?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

Variable(s): **R03_AN0015****

Do you ever have strong cravings to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0020****

Have you ever felt like you really needed to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

Variable(s): **R03_AN0055****

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for [ND FILL2] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

BOX ID: **R03_AND02**

Randomize order of items R03_AN0025 - R03_AN0100.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0025****

I frequently crave [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

NOTES: This item was always the first question asked in the randomized set.

**SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products
(R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and
R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental
users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on
04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0030****

[My urges keep getting stronger if I don't/I still have urges to] [ND FILL1].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "My urges keep getting stronger if I don't".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "I still have urges to".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0035****

[FILL AS SHOWN BELOW] me.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_NDSKIP = 0, 3:

IF NC = YES FILL WITH "Cigarettes control".

ELSE, IF NG = YES FILL WITH "Traditional cigars control".

ELSE, IF NL = YES FILL WITH "Cigarillos control".

ELSE, IF NF = YES FILL WITH "Filtered cigars control".

ELSE, IF NP = YES FILL WITH "Pipe smoking controls".

ELSE, IF NH = YES FILL WITH "Hookah smoking controls".

ELSE, IF NU = YES FILL WITH "Snus pouches control".

ELSE, IF NS = YES FILL WITH "Smokeless tobacco controls".

ELSE, IF R03_NDSKIP = 1, 2 fill with "Tobacco controls".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0045****

[My [ND FILL4] is out of control./My urge to [ND FILL1] is out of control.]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "My [ND FILL4] is out of control."
ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "My urge to [ND FILL1] is out of control."

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0060****

I usually want to [ND FILL1] right after I wake up.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

Variable(s): **R03_AN0065****

I can only go a couple of hours without [[ND FILL3]/wanting to [ND FILL1]].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "[ND FILL3]".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "wanting to [ND FILL1]".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0050****

[I frequently [ND FILL1]/I find myself almost [ND FILL3]] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "I frequently [ND FILL1]".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "I find myself almost [ND FILL3]".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0070**

[ND FILL3] [really helps/would really help] me feel better if I've been feeling down.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "really helps".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "would really help".

PROGRAM: Make ND FILL3 title case.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

Variable(s): R03_AN0075**

[ND FILL3] helps me think better.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

Variable(s): R03_AN0255**

Most of the people I spend time with use tobacco.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0080****

I [would]feel alone without my [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "would".

ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0085****

[I would find it really hard to stop [ND FILL3]./I find it really hard to not [ND FILL1]].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "I would find it really hard to stop [ND FILL3].".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "I find it really hard to not [ND FILL1].".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0090****

[I would find it hard to stop [ND FILL3] for a week./I would find it hard to not [ND FILL1] for another week.]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "I would find it hard to stop [ND FILL3] for a week."

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "I would find it hard to not [ND FILL1] for another week."

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0095****

[After not [ND FILL3] for a while, I need/I would like] to [ND FILL1] in order to feel less restless and irritable.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "After not [ND FILL3] for a while, I need".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "I would like".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0100****

[After not [ND FILL3] for a while, I need/I feel like I need] to [ND FILL1] in order to keep myself from experiencing any discomfort.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "After not [ND FILL3] for a while, I need".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "I feel like I need".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

Variable(s): **R03_AN0110****

Do you believe that [ND FILL3] [is causing/caused] a health problem or [making/made] it worse?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR (R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "causing" AND "making".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "caused" AND "made".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0813****

In the past 12 months, did you find it difficult to keep from [ND FILL3] in places where it was not permitted?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

Variable(s): **R03_AN0812****

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because [ND FILL4] was not permitted at the activity?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR
(R03_TOBXEPROD_USER_STATUS = 2 AND R03_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ANR19
Adult respondents who are current established non-electronic tobacco users, go to R03_AN0105. Else, adult respondents who are new former established non-electronic tobacco users, go to Box R03_ANV06. Else, go to BOX R03_ANR04.	
IF R03_TOBXEPROD_USER_STATUS = 1, GO TO R03_AN0105. ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, GO TO BOX R03_ANV06. ELSE, GO TO BOX R03_ANR04.	

Variable(s):	R03_AN0105**
In the past 12 months, have you tried to quit [ND FILL3] completely? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established non-electronic tobacco users. ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1. NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.	

Variable(s):	R03_AN0334**
In the past 12 months, have you tried to quit by gradually cutting back on [ND FILL3]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established non-electronic tobacco users. ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1. NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ANV06
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):	
R03_TWELVEMONTHQUIT_STATUS = 1 (Past 12 month quitter or quit attempter) Adult respondents who have quit or attempted to quit non-electronic tobacco use in the past 12 months R03_TWELVEMONTHQUIT_STATUS = 2 (Past 12 month reducer) Adult respondents who have cut down their non-electronic tobacco in the past 12 months, but have not tried to quit.	
R03_TWELVEMONTHQUIT_STATUS = 1: IF R03_AN0105 = 1 OR R03_TOBXEPROD_USER_STATUS = 4, THEN R03_TWELVEMONTHQUIT_STATUS = 1. R03_TWELVEMONTHQUIT_STATUS = 2: ELSE, IF R03_AN0334 = 1, THEN R03_TWELVEMONTHQUIT_STATUS = 2.	

BOX ID:	R03_ANR03
Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters, go to R03_AN0115.	
Else, go to Box R03_ANR04.	
IF R03_TWELVEMONTHQUIT_STATUS = 1, GO TO R03_AN0115.	
ELSE, GO TO BOX R03_ANR04.	

Variable(s):	R03_AN0115**
In total, how many times in the past 12 months have you tried to quit [ND FILL2] completely?	
0 I did not try to quit in the past 12 months _ _ _ _ -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters.	
ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1.	
PROGRAM: Allow 3 digits.	
NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0115_LC1

The computer recorded that you have tried to completely quit [ND FILL2] [R03_AN0115] times in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AN0115 |
| 2 | NEXT | GO TO R03_AN0115_LC2 |

ASK: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0115 > 50.

PROGRAM: TRIGGER CHECK IF R03_AN0115 > 50. ELSE, GO TO R03_AN0115_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AN0115_LC2

The computer recorded that you have not tried to completely quit in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AN0115 |
| 2 | NEXT | GO TO BOX R03_ANR27 |

ASK: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0115 = 0.

PROGRAM: TRIGGER CHECK IF R03_AN0115 = 0. ELSE, GO TO BOX R03_ANR27 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ANR27

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R03_AN0120.

Else, adult respondents who are new former established non-electronic tobacco users and there is at least one non-electronic tobacco product for which they are a new former established user and reported how long it has been since they last used that product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R03_AN0257.

Else, adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are new former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a new former established user and reported how long it has been since they last used that product, go to R03_AN0145.

Else, go to Box R03_ANR04.

IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7), GO TO R03_AN0120.

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4 AND ((R03_CIG_USER_STATUS = 4 AND R03_AC1009_NN > 0) OR (R03_GTRAD_USER_STATUS = 4 AND R03_AG1009TC_NN > 0) OR (R03_GRILLO_USER_STATUS = 4 AND R03_AG1009CG_NN > 0) OR (R03_GFILTR_USER_STATUS = 4 AND R03_AG1009FC_NN > 0) OR (R03_HOOK_USER_STATUS = 4 AND R03_AH1009_NN > 0) OR (R03_PIPE_USER_STATUS = 4 AND R03_AP1009_NN > 0) OR (R03_SNUS_USER_STATUS = 4 AND R03_AU1009_NN > 0) OR (R03_SMKLS_USER_STATUS = 4 AND R03_AS1009_NN > 0)) AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7), GO TO R03_AN0257.

ELSE, IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 4 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND ((R03_CIG_USER_STATUS != 4 OR (R03_CIG_USER_STATUS = 4 AND R03_AC1009_NN < 1)) AND (R03_GTRAD_USER_STATUS != 4 OR (R03_GTRAD_USER_STATUS = 4 AND R03_AG1009TC_NN < 1)) AND (R03_GRILLO_USER_STATUS != 4 OR (R03_GRILLO_USER_STATUS = 4 AND R03_AG1009CG_NN < 1)) AND (R03_GFILTR_USER_STATUS != 4 OR (R03_GFILTR_USER_STATUS = 4 AND R03_AG1009FC_NN < 1)) AND (R03_HOOK_USER_STATUS != 4 OR (R03_HOOK_USER_STATUS = 4 AND R03_AH1009_NN < 1)) AND (R03_PIPE_USER_STATUS != 4 OR (R03_PIPE_USER_STATUS = 4 AND R03_AP1009_NN < 1)) AND (R03_SNUS_USER_STATUS != 4 OR (R03_SNUS_USER_STATUS = 4 AND R03_AU1009_NN < 1)) AND (R03_SMKLS_USER_STATUS != 4 OR (R03_SMKLS_USER_STATUS = 4 AND R03_AS1009_NN < 1))), GO TO R03_AN0145.

ELSE, GO TO BOX R03_ANR04.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0120**

In the past 12 months, have you stopped [ND FILL3] for one day or longer because you were trying to quit?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AN0130 |
| -8 | DON'T KNOW | GO TO R03_AN0130 |
| -7 | REFUSED | GO TO R03_AN0130 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND
R03_TOBXEPDOD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7).

Variable(s): **R03_AN0125**

In the past 12 months, how many times have you stopped [ND FILL3] for one day or longer because you were trying to quit?

- | | | |
|----|-----------------|------------------|
| 1 | 1 time | |
| 2 | 2-3 times | |
| 3 | 4 or more times | |
| -8 | DON'T KNOW | GO TO R03_AN0256 |
| -7 | REFUSED | GO TO R03_AN0256 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND
R03_TOBXEPDOD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND
R03_AN0120 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0125_LC1

The computer recorded that you have stopped [ND FILL3] for one day or longer because you were trying to quit. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AN0125 |
| 2 | NEXT | GO TO R03_AN0130 |

ASK: IF (R03_TOBXEPROD_USER_STATUS = 1 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND R03_AN0120 = 1 AND R03_AN0125 != -8, -7) AND R03_AN0125 > R03_AN0115.

PROGRAM: TRIGGER CHECK IF R03_AN0125 > R03_AN0115. ELSE, GO TO R03_AN0130 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AN0256

Would you say that in the past 12 months it was more than 3 times that you have stopped [NDFILL3] for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer and did not know or refused to report how many times they stopped using tobacco for one day or longer.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND R03_AN0120 = 1 AND R03_AN0125 = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0130_NN; R03_AN0130_UN**

The last time you stopped [ND FILL3] in the past 12 months because you were trying to quit, how long did you stop for?

1 |__|__|__| Minutes

2 |__|__|__| Hours

3 |__|__|__| Days

4 |__|__|__| Weeks

5 |__|__|__| Months

-8 DON'T KNOW

GO TO R03_AN0300

-7 REFUSED

GO TO R03_AN0300

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7).

PROGRAM: Display as a Quantity/Units. Allow 3 digits for minutes, 3 digits for hours, 3 digits for days, 3 digits for weeks, and 3 digits for months.

NOTES: The value "1" refers to R03_AN0130_UN = Minutes; the value "2" refers to R03_AN0130_UN = Hours; the value "3" refers to R03_AN0130_UN = Days; the value "4" refers to R03_AN0130_UN = Weeks; the value "5" refers to R03_AN0130_UN = Months.

CHECK ID: **R03_AN0130_LC1**

The computer recorded the last time you tried to quit [ND FILL3] in the past 12 months that you stopped for [R03_AN0130_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0130

2 NEXT

GO TO R03_AN0135

ASK: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND (R03_AN0130_NN != -8, -7 AND ((R03_AN0130_NN > 12 AND R03_AN0130_UN = 5) OR (R03_AN0130_NN > 52 AND R03_AN0130_UN = 4) OR (R03_AN0130_NN > 366 AND R03_AN0130_UN = 3)).

DISPLAY: DISPLAY THE APPROPRIATE FILL DEPENDING ON THE CHECK THAT FAILED.

IF R03_AN0130_UN = 3, DISPLAY "days".

ELSE, IF R03_AN0130_UN = 4, DISPLAY "weeks".

ELSE, IF R03_AN0130_UN = 5, DISPLAY "months".

PROGRAM: TRIGGER CHECK IF (R03_AN0130_NN > 12 AND R03_AN0130_UN = 5) OR (R03_AN0130_NN > 52 AND R03_AN0130_UN = 4) OR (R03_AN0130_NN > 366 AND R03_AN0130_UN = 3). ELSE, GO TO R03_AN0135 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0300**

Was it more than a week, a week, or less than a week?

- | | | |
|----|--------------------|------------------|
| 1 | More than one week | GO TO R03_AN0210 |
| 2 | One week | GO TO R03_AN0210 |
| 3 | Less than one week | GO TO R03_AN0210 |
| -8 | DON'T KNOW | GO TO R03_AN0210 |
| -7 | REFUSED | GO TO R03_AN0210 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND R03_AN0130_NN = -8, -7.

Variable(s): **R03_AN0135**

When was the approximate end date of this last quit attempt that lasted [enter duration from R03_AN0130]?

|_|_| MONTH |_|_| DAY |_|_|_|_| YEAR

- 8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND R03_AN0130_NN != -8, -7.

CHECK ID: **R03_AN0135_LC1**

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R03_AN0135]. That date is in the future. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AN0135 |
| 2 | NEXT | GO TO R03_AN0135_LC2 |

ASK: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND R03_AN0130_NN != -8, -7 AND R03_AN0135 > TODAY'S DATE.

PROGRAM: TRIGGER CHECK IF R03_AN0135 > TODAY'S DATE. ELSE, GO TO R03_AN0135_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0135_LC2

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R03_AN0135]. That was longer than 12 months ago. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AN0135 |
| 2 | NEXT | GO TO R03_AN0135_LC3 |

ASK: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND R03_AN0130_NN != -8, -7 AND (R03_AN0135 < (TODAY'S DATE - 12 MONTHS)).

PROGRAM: TRIGGER CHECK IF R03_AN0135 < (TODAY'S DATE - 12 MONTHS). ELSE, GO TO R03_AN0135_LC3 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AN0135_LC3

Please enter four numbers for the year.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AN0135 |
|---|------|------------------|

ASK: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND R03_AN0130_NN != -8, -7 AND (R03_AN0135 (YEARS) IS < 4 DIGITS).

PROGRAM: TRIGGER CHECK IF R03_AN0135 (YEARS) IS < 4 DIGITS. ELSE, GO TO R03_AN0140 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AN0140

In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without [ND FILL3] because you were trying to quit?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R03_AN0210 |
| 2 | No | GO TO R03_AN0145 |
| -8 | DON'T KNOW | GO TO R03_AN0210 |
| -7 | REFUSED | GO TO R03_AN0210 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND R03_AN0130_NN != -8, -7.

DISPLAY: FILL "DURATION OF LAST QUIT ATTEMPT" WITH THE DURATION FROM R03_AN0130_NN (ex. "45 days").

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0257**

You previously mentioned that you stopped [ND FILL3] [ENTER LENGTH OF TIME SINCE LAST USE IN R03_A*1009] ago. Is this the longest you have gone without [ND FILL3] in the past 12 months?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R03_AN0210 |
| 2 | No | GO TO R03_AN0145 |
| -8 | DON'T KNOW | GO TO R03_AN0210 |
| -7 | REFUSED | GO TO R03_AN0210 |

ASK: Adult respondents who are new former established non-electronic tobacco users of at least one non-electronic tobacco product and reported how long it has been since they last used that product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 4 AND ((R03_CIG_USER_STATUS = 4 AND R03_AC1009_NN > 0) OR (R03_GTRAD_USER_STATUS = 4 AND R03_AG1009TC_NN > 0) OR (R03_GRILLO_USER_STATUS = 4 AND R03_AG1009CG_NN > 0) OR (R03_GFILTR_USER_STATUS = 4 AND R03_AG1009FC_NN > 0) OR (R03_HOOK_USER_STATUS = 4 AND R03_AH1009_NN > 0) OR (R03_PIPE_USER_STATUS = 4 AND R03_AP1009_NN > 0) OR (R03_SNUS_USER_STATUS = 4 AND R03_AU1009_NN > 0) OR (R03_SMKLS_USER_STATUS = 4 AND R03_AS1009_NN > 0)) AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7).

DISPLAY: FILL [ENTER LENGTH OF TIME SINCE R03_A*1009] WITH TIME ENTERED (ex. "45 days") IN CORRESPONDING R03_A*1009 ITEM BY PRODUCT:

IF R03_NDSKIP = 0, 3:

NC = R03_AC1009 NP = R03_AP1009

NG = R03_AG1009 NH = R03_AH1009

NL = R03_AG1009 NU = R03_AU1009

NF = R03_AG1009 NS = R03_AS1009

ELSE, IF R03_NDSKIP = 1, 2, USE LONGEST TIME PERIOD AMONG R03_AC1009, R03_AG1009, R03_AP1009, R03_AH1009, R03_AU1009, R03_AS1009.

Variable(s): R03_AN0145_NN**; R03_AN0145_UN

In the past 12 months, what was the longest time you stopped [ND FILL3] because you were trying to quit?

1 |__|__|__| Minutes

2 |__|__|__| Hours

3 |__|__|__| Days

4 |__|__|__| Weeks

5 |__|__|__| Months

-8 DON'T KNOW

GO TO R03_AN0305

-7 REFUSED

GO TO R03_AN0305

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco, or

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are new former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a new former established user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco.

ASK Specification: IF (R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPD_PROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND R03_AN0130_NN != -8, -7 AND R03_AN0140 = 2) OR (R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPD_PROD_USER_STATUS = 4 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND (((R03_CIG_USER_STATUS != 4 OR (R03_CIG_USER_STATUS = 4 AND R03_AC1009_NN < 1)) AND (R03_GTRAD_USER_STATUS != 4 OR (R03_GTRAD_USER_STATUS = 4 AND R03_AG1009TC_NN < 1)) AND (R03_GRILLO_USER_STATUS != 4 OR (R03_GRILLO_USER_STATUS = 4 AND R03_AG1009CG_NN < 1)) AND (R03_GFILTR_USER_STATUS != 4 OR (R03_GFILTR_USER_STATUS = 4 AND R03_AG1009FC_NN < 1)) AND (R03_HOOK_USER_STATUS != 4 OR (R03_HOOK_USER_STATUS = 4 AND R03_AH1009_NN < 1)) AND (R03_PIPE_USER_STATUS != 4 OR (R03_PIPE_USER_STATUS = 4 AND R03_AP1009_NN < 1)) AND (R03_SNUS_USER_STATUS != 4 OR (R03_SNUS_USER_STATUS = 4 AND R03_AU1009_NN < 1)) AND (R03_SMKLS_USER_STATUS != 4 OR (R03_SMKLS_USER_STATUS = 4 AND R03_AS1009_NN < 1))) OR R03_AN0257 = 2)).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AN0145_UN = Minutes; the value "2" refers to R03_AN0145_UN = Hours; the value "3" refers to R03_AN0145_UN = Days; the value "4" refers to R03_AN0145_UN = Weeks; the value "5" refers to R03_AN0145_UN = Months.

**SKIP ERROR: This item was skipped incorrectly by respondents who did not provide a valid response in R03_A*1009 for the particular product that was asked about this item, but did provide a valid response in R03_A*1009 for another product. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0145_LC1

The computer recorded that you stopped [ND FILL3] for [R03_AN0145_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AN0145 |
| 2 | NEXT | GO TO R03_AN0210 |

ASK: IF (R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND R03_AN0130_NN != -8, -7 AND R03_AN0140 = 2) OR (R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 4 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND (((R03_CIG_USER_STATUS != 4 OR (R03_CIG_USER_STATUS = 4 AND R03_AC1009_NN < 1)) AND (R03_GTRAD_USER_STATUS != 4 OR (R03_GTRAD_USER_STATUS = 4 AND R03_AG1009TC_NN < 1)) AND (R03_GRILLO_USER_STATUS != 4 OR (R03_GRILLO_USER_STATUS = 4 AND R03_AG1009CG_NN < 1)) AND (R03_GFILTR_USER_STATUS != 4 OR (R03_GFILTR_USER_STATUS = 4 AND R03_AG1009FC_NN < 1)) AND (R03_HOOK_USER_STATUS != 4 OR (R03_HOOK_USER_STATUS = 4 AND R03_AH1009_NN < 1)) AND (R03_PIPE_USER_STATUS != 4 OR (R03_PIPE_USER_STATUS = 4 AND R03_AP1009_NN < 1)) AND (R03_SNUS_USER_STATUS != 4 OR (R03_SNUS_USER_STATUS = 4 AND R03_AU1009_NN < 1)) AND (R03_SMKLS_USER_STATUS != 4 OR (R03_SMKLS_USER_STATUS = 4 AND R03_AS1009_NN < 1))) OR R03_AN0257 = 2)) AND R03_AN0145_NN != -8, -7) AND ((R03_AN0145_NN > 12 AND R03_AN0145_UN = 5) OR (R03_AN0145_NN > 52 AND R03_AN0145_UN = 4) OR (R03_AN0145_NN > 366 AND R03_AN0145_UN = 3)).

DISPLAY: IF R03_AN0145_UN = 3, DISPLAY "days".

ELSE, IF R03_AN0145_UN = 4, DISPLAY "months".

ELSE, IF R03_AN0145_UN = 5, DISPLAY "weeks".

PROGRAM: TRIGGER CHECK IF (R03_AN0145_NN > 12 AND R03_AN0145_UN = 5) OR (R03_AN0145_NN > 52 AND R03_AN0145_UN = 4) OR (R03_AN0145_NN > 366 AND R03_AN0145_UN = 3). ELSE, GO TO R03_AN0210 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AN0305
Was it more than a week, a week, or less than a week? 1 More than one week 2 One week 3 Less than one week -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco and did not know or refused to report the longest time they stopped using tobacco, or Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are new former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a new former established user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco and did not know or refused to report the longest time they stopped using tobacco. ASK Specification: IF (R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND R03_AN0130_NN != -8, -7 AND R03_AN0140 = 2 AND R03_AN0145_NN = -8, -7) OR (R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_TOBXEPROD_USER_STATUS = 4 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7) AND (((R03_CIG_USER_STATUS != 4 OR (R03_CIG_USER_STATUS = 4 AND R03_AC1009_NN < 1)) AND (R03_GTRAD_USER_STATUS != 4 OR (R03_GTRAD_USER_STATUS = 4 AND R03_AG1009TC_NN < 1)) AND (R03_GRILLO_USER_STATUS != 4 OR (R03_GRILLO_USER_STATUS = 4 AND R03_AG1009CG_NN < 1)) AND (R03_GFILTR_USER_STATUS != 4 OR (R03_GFILTR_USER_STATUS = 4 AND R03_AG1009FC_NN < 1)) AND (R03_HOOK_USER_STATUS != 4 OR (R03_HOOK_USER_STATUS = 4 AND R03_AH1009_NN < 1)) AND (R03_PIPE_USER_STATUS != 4 OR (R03_PIPE_USER_STATUS = 4 AND R03_AP1009_NN < 1)) AND (R03_SNUS_USER_STATUS != 4 OR (R03_SNUS_USER_STATUS = 4 AND R03_AU1009_NN < 1)) AND (R03_SMKLS_USER_STATUS != 4 OR (R03_SMKLS_USER_STATUS = 4 AND R03_AS1009_NN < 1))) OR R03_AN0257 = 2) AND R03_AN0145_NN = -8, -7).	

BOX ID:	R03_ANR28
Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R03_AN0210. Else, go to Box R03_ANR04. IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7), GO TO R03_AN0210. ELSE, GO TO BOX R03_ANR04.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0210

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you rely on the support of friends and family to help you?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1 AND R03_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0125 > 1 OR R03_AN0256 = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): R03_AN0215

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1 AND R03_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0125 > 1 OR R03_AN0256 = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

- | | | |
|----------------------|----|---|
| R03_AN0225_01 | 1 | I did not use a different tobacco product to help me quit |
| R03_AN0225_02 | 2 | Cigarettes |
| R03_AN0225_03 | 3 | E-cigarettes or other electronic nicotine products |
| R03_AN0225_04 | 4 | Traditional cigars |
| R03_AN0225_05 | 5 | Cigarillos |
| R03_AN0225_06 | 6 | Filtered cigars |
| R03_AN0225_07 | 7 | Pipe tobacco |
| R03_AN0225_08 | 8 | Hookah |
| R03_AN0225_09 | 9 | Snus pouches |
| R03_AN0225_10 | 10 | Smokeless tobacco, like dip, chew, or snuff |
| R03_AN0225_11 | 11 | Dissolvable tobacco |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0115 >= 1 OR R03_AN0115 = -8, -7).

DISPLAY: IF R03_TOBXEPROD_USER_STATUS = 1 AND R03_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 1 AND (R03_AN0125 > 1 OR R03_AN0256 = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

PROGRAM: For respondents where R03_CURRENT_PRODUCT_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ANR04
Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users, go to R03_AN0330_12M. Else, adult respondents who are completing Nicotine Dependence for both electronic nicotine products and non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R03_AN0150. Else, adult respondents who are completing Nicotine Dependence for both electronic nicotine products and non-electronic tobacco products and are past 12 month non-electronic tobacco reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are completing Nicotine Dependence for both electronic nicotine products and non-electronic tobacco products and are not current established or new former established electronic nicotine product users and are current experimental non-electronic tobacco users and used nicotine replacement therapy in the past 12 months, go to R03_AN0811. Else, go to Box R03_ANR29.	
IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4), GO TO R03_AN0330_12M. ELSE, IF R03_NDSKIP = 2, 3 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0330_12ME = 1, GO TO R03_AN0150. ELSE, IF (R03_NDSKIP = 2, 3 AND R03_TWELVEMONTHQUIT_STATUS = 2 AND R03_AN0330_12ME = 1) OR (R03_NDSKIP = 2, 3 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_AN0330_12ME = 1), GO TO R03_AN0811. ELSE, GO TO BOX R03_ANR29.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0330_12M****

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users.

ASK Specification: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

BOX ID: **R03_ANR15**

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R03_AN0150.

Else, adult respondents who are past 12 month non-electronic tobacco reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or new former established electronic nicotine product users and are current experimental non-electronic tobacco users and used nicotine replacement therapy in the past 12 months, go to R03_AN0811.

Else, adult respondents who have used nicotine replacement therapy in the past 12 months go to R03_AN0307.

Else, go to Box R03_ANR29.

IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0330_12M = 1, GO TO R03_AN0150.

ELSE, IF (R03_TWELVEMONTHQUIT_STATUS = 2 AND R03_AN0330_12M = 1) OR (R03_EPROD_USER_STATUS != 1, 4 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_AN0330_12M = 1), GO TO R03_AN0811.

ELSE, IF R03_AN0330_12M = 1, GO TO R03_AN0307.

ELSE, GO TO BOX R03_ANR29.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0150**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R03_ANR06 |
| -8 | DON'T KNOW | GO TO BOX R03_ANR06 |
| -7 | REFUSED | GO TO BOX R03_ANR06 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0330_12ME = 1 OR R03_AN0330_12M = 1).

DISPLAY: IF R03_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_AN0125 > 1 OR R03_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): **R03_AN0155**

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit [ND FILL3] completely?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0330_12ME = 1 OR R03_AN0330_12M = 1) AND R03_AN0150 = 1.

DISPLAY: UNDERLINE "completely".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0811****

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your [ND FILL4]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit, or adult respondents who are past 12 month non-electronic tobacco reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or new former established electronic nicotine product users and are current experimental non-electronic tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0330_12ME = 1 OR R03_AN0330_12M = 1) AND R03_AN0150 = 1) OR (R03_TWELVEMONTHQUIT_STATUS = 2 AND (R03_AN0330_12ME = 1 OR R03_AN0330_12M = 1)) OR (R03_EPROD_USER_STATUS != 1, 4 AND R03_TOBXEPROD_USER_STATUS = 2 AND (R03_AN0330_12ME = 1 OR R03_AN0330_12M = 1)).

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who have cut down their non-electronic tobacco use in the past 12 months or whose quit status was undetermined (R03_TWELVEMONTHQUIT_STATUS = 2, 8) and were current established or current experimental users of non-electronic tobacco (R03_TOBXEPROD_USER_STATUS = 1, 2) and not current established, new former established, or current experimental users of e-products (R03_EPROD_USER_STATUS != 1, 2, 4) and reported using nicotine replacement therapy (R03_AN0330_12M = 1). The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_ANR05**

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit, go to R03_AN0160.

Else, adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months, go to R03_AN0307.

Else, go to Box R03_ANR29.

IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0330_12ME = 1 OR R03_AN0330_12M = 1) AND R03_AN0150 = 1, GO TO R03_AN0160.

ELSE, IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0330_12M = 1) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0330_12M = 1), GO TO R03_AN0307.

ELSE, GO TO BOX R03_ANR29.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.	
R03_AN0160_01	1 Nicotine patch
R03_AN0160_02	2 Nicotine gum
R03_AN0160_03	3 Nicotine inhaler
R03_AN0160_04	4 Nicotine nasal spray
R03_AN0160_05	5 Nicotine lozenge or pill
R03_AN0160_06	6 None of the above
	-8 DON'T KNOW
	-7 REFUSED
GO TO BOX R03_ANR06	
ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.	
ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0330_12ME = 1 OR R03_AN0330_12M = 1) AND R03_AN0150 = 1.	
DISPLAY: IF R03_AN0125 = 1, DISPLAY "the time you tried to quit".	
ELSE, IF R03_AN0125 > 1 OR R03_AN0256 = 1, DISPLAY "the last time you tried to quit".	
ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".	
ELSE, DISPLAY "the last time you tried to quit".	
PROGRAM: Option 6 cannot be selected if any options 1 through 5 are selected.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0165_NN; R03_AN0165_UN

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 |__|__| DAYS
- 2 |__|__| WEEKS
- 3 |__|__| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0330_12ME = 1 OR R03_AN0330_12M = 1) AND R03_AN0150 = 1 AND R03_AN0160_06 != 1.

DISPLAY: IF R03_AN0125 = 1, DISPLAY "during the time you tried to quit".

ELSE, IF R03_AN0125 > 1 OR R03_AN0256 = 1, DISPLAY "during the last time you tried to quit".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND "completely".

ELSE, DISPLAY "during the last time you tried to quit".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AN0165_UN = Days; the value "2" refers to R03_AN0165_UN = Weeks; the value "3" refers to R03_AN0165_UN = Months.

BOX ID: R03_ANR06

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R03_AN0170.

Else, go to Box R03_ANR29.

IF R03_NDSKIP = 0, 1 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0330_12M = 1, GO TO R03_AN0170.

ELSE, GO TO BOX R03_ANR29.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0170**

Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AN0307 |
| -8 | DON'T KNOW | GO TO R03_AN0307 |
| -7 | REFUSED | GO TO R03_AN0307 |

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R03_NDSKIP = 0, 1 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0330_12M = 1.

Variable(s): **R03_AN0251_NN; R03_AN0251_UN**

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | |
|----|--------------------|
| 1 | I ___ I ___ DAYS |
| 2 | I ___ I ___ MONTHS |
| 3 | I ___ I ___ YEARS |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R03_NDSKIP = 0, 1 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0330_12M = 1 AND R03_AN0170 = 1.

PROGRAM: Display as Quantity/Units. Allow 2 digits.

NOTES: The value "1" refers to R03_AN0251_UN = Days; the value "2" refers to R03_AN0251_UN = Weeks; the value "3" refers to R03_AN0251_UN = Months.

CHECK ID: R03_AN0251_LC1

The computer recorded that you have been using the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill to help you quit for [R03_AN0251_NN] [days/months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R03_AN0251 |
| 2 | NEXT | GO TO R03_AN0251_LC2 |

ASK: IF R03_NDSKIP = 0, 1 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0330_12M = 1 AND R03_AN0170 = 1 AND ((R03_AN0251_NN > 5 AND R03_AN0251_UN = 3) OR (R03_AN0251_NN > 60 AND R03_AN0251_UN = 2) OR (R03_AN0251_NN > 99 AND R03_AN0251_UN = 1)).

DISPLAY: IF R03_AN0251_UN = 1, DISPLAY "days".

ELSE, IF R03_AN0251_UN = 2, DISPLAY "months".

ELSE, IF R03_AN0251_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AN0251_NN > 5 AND R03_AN0251_UN = 3) OR (R03_AN0251_NN > 60 AND R03_AN0251_UN = 2) OR (R03_AN0251_NN > 99 AND R03_AN0251_UN = 1). ELSE, GO TO R03_AN0251_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AN0251_LC2

The computer recorded "0" for how long you have been using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to help you quit.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AN0251 |
| 2 | NEXT | GO TO R03_AN0307 |

ASK: IF R03_NDSKIP = 0, 1 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0330_12M = 1 AND R03_AN0170 = 1 AND R03_AN0251 = 0.

PROGRAM: TRIGGER CHECK IF R03_AN0251 = 0. ELSE, GO TO R03_AN0307 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0307**

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------------------|----------------------|
| 1 | In the past hour | GO TO R03_AN0309 |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R03_AN0175 |
| -8 | DON'T KNOW | GO TO R03_AN0331_12M |
| -7 | REFUSED | GO TO R03_AN0331_12M |

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0330_12M = 1) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0330_12M = 1).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0308**

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R03_AN0307], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 2, 3, 4) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R03_AN0307]:

IF R03_AN0307 = 2, DISPLAY "sometime today".

ELSE, IF R03_AN0307 = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0309**

When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R03_AN0307], how many did you use?

|__|__|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 1, 2, 3, 4) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 1, 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R03_AN0307]:

IF R03_AN0307 = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0307 = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

CHECK ID: **R03_AN0309_LC1**

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R03_AN0309] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0309

2 NEXT

GO TO R03_AN0309_LC2

ASK: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 1, 2, 3, 4) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 1, 2, 3, 4) AND R03_AN0309 > 5.

DISPLAY: IF R03_AN0307 = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0307 = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AN0309 > 5. ELSE, GO TO R03_AN0309_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0309_LC2

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0309

2 NEXT

GO TO R03_AN0331_12M

ASK: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 1, 2, 3, 4) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 1, 2, 3, 4) AND R03_AN0309 = 0.

DISPLAY: IF R03_AN0307 = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0307 = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AN0309 = 0. ELSE, GO TO R03_AN0331_12M AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AN0175_NN; R03_AN0175_UN

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago.

ASK Specification: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 5) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 5).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AN0175_UN = Days; the value "2" refers to R03_AN0175_UN = Weeks; the value "3" refers to R03_AN0175_UN = Months.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0175_LC1

The computer recorded that you stopped using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill [R03_AN0175_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

Go to R03_AN0175

2 NEXT

GO TO R03_AN0331_12M

ASK: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 5) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0330_12M = 1 AND R03_AN0307 = 5) AND ((R03_AN0175_NN > 1 AND R03_AN0175_UN = 3) OR (R03_AN0175_NN > 12 AND R03_AN0175_UN = 2) OR (R03_AN0175_NN > 31 AND R03_AN0175_UN = 1)).

DISPLAY: IF R03_AN0175_UN = 1, DISPLAY "days".

ELSE, IF R03_AN0175_UN = 2, DISPLAY "months".

ELSE, IF R03_AN0175_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AN0175_NN > 1 AND R03_AN0175_UN = 3) OR (R03_AN0175_NN > 12 AND R03_AN0175_UN = 2) OR (R03_AN0175_NN > 31 AND R03_AN0175_UN = 1). ELSE, GO TO R03_AN0331_12M AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_ANR29

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users, go to R03_AN0331_12M.

Else, adult respondents who are completing Nicotine Dependence for both electronic nicotine products and non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months, go to R03_AN0180.

Else, go to Box R03_ANR18.

IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4), GO TO R03_AN0331_12M.

ELSE, IF R03_NDSKIP = 2, 3 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0331_12ME = 1, GO TO R03_AN0180.

ELSE, GO TO BOX R03_ANR18.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0331_12M****

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users.

ASK Specification: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

BOX ID: **R03_ANR07**

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months, go to R03_AN0180.

Else, adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users and used a prescription drug in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users and used a prescription drug in the past 12 months, go to R03_AN0327.

Else, go to Box R03_ANR18.

IF R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0331_12M = 1, GO TO R03_AN0180.

ELSE, IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0331_12M = 1) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0331_12M = 1), GO TO R03_AN0327.

ELSE, GO TO BOX R03_ANR18.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0180**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R03_ANR08 |
| -8 | DON'T KNOW | GO TO BOX R03_ANR08 |
| -7 | REFUSED | GO TO BOX R03_ANR08 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0331_12ME = 1 OR R03_AN0331_12M = 1).

DISPLAY: IF R03_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_AN0125 > 1 OR R03_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): **R03_AN0185**

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit [ND FILL3] completely?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0331_12ME = 1 OR R03_AN0331_12M = 1) AND R03_AN0180 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.

- R03_AN0190_01** 1 Chantix or varenicline
- R03_AN0190_02** 2 Wellbutrin, Zyban, or bupropion
- R03_AN0190_03** 3 None of the above GO TO BOX R03_ANR08
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0331_12ME = 1 OR R03_AN0331_12M = 1) AND R03_AN0180 = 1.

DISPLAY: IF R03_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R03_AN0125 > 1 OR R03_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

PROGRAM: Option 3 cannot be selected if options 1 or 2 are selected.

Variable(s): **R03_AN0195_NN; R03_AN0195_UN**

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |__|__| DAYS
- 2 |__|__| WEEKS
- 3 |__|__| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1 AND (R03_AN0331_12ME = 1 OR R03_AN0331_12M = 1) AND R03_AN0180 = 1 AND R03_AN0190_03 != 1.

DISPLAY: IF R03_AN0125 = 1, DISPLAY "during the time you tried to quit".

ELSE, IF R03_AN0125 > 1 OR R03_AN0256 = 1, DISPLAY "during the last time you tried to quit".

ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND " completely".

ELSE, DISPLAY "during the last time you tried to quit".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AN0195_UN = Days; the value "2" refers to R03_AN0195_UN = Weeks; the value "3" refers to R03_AN0195_UN = Months.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ANR08
Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit, go to R03_AN0200. Else, adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users and used a prescription drug in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users and used a prescription drug in the past 12 months, go to R03_AN0327. Else, go to Box R03_ANR18.	
IF R03_NDSKIP = 0, 1 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0331_12M = 1 AND R03_AN0180 = 1, GO TO R03_AN0200. ELSE, IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0331_12M = 1) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0331_12M = 1), GO TO R03_AN0327. ELSE, GO TO BOX R03_ANR18.	

Variable(s):	R03_AN0200	
Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?		
1	Yes	
2	No	GO TO R03_AN0327
-8	DON'T KNOW	GO TO R03_AN0327
-7	REFUSED	GO TO R03_AN0327
ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.		
ASK Specification: IF R03_NDSKIP = 0, 1 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0331_12M = 1 AND R03_AN0180 = 1.		

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0252_NN; R03_AN0252_UN

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 3 |__|__| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R03_NDSKIP = 0, 1 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0331_12M = 1 AND R03_AN0180 = 1 AND R03_AN0200 = 1.

PROGRAM: Display as Quantity/Units. Allow 2 digits.

NOTES: The value "1" refers to R03_AN0252_UN = Days; the value "2" refers to R03_AN0252_UN = Weeks; the value "3" refers to R03_AN0252_UN = Months.

CHECK ID: R03_AN0252_LC1

The computer recorded that you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion for [R03_AN0252_NN] [months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R03_AN0252
- 2 NEXT GO TO R03_AN0252_LC2

ASK: IF R03_NDSKIP = 0, 1 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0331_12M = 1 AND R03_AN0180 = 1 AND R03_AN0200 = 1 AND ((R03_AN0252_NN > 5 AND R03_AN0252_UN = 3) OR (R03_AN0252_NN > 60 AND R03_AN0252_UN = 2)).

DISPLAY: IF R03_AN0252_UN = 1, DISPLAY "days".

ELSE, IF R03_AN0252_UN = 2, DISPLAY "months".

ELSE, IF R03_AN0252_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R03_AN0252_NN > 5 AND R03_AN0252_UN = 3) OR (R03_AN0252_NN > 60 AND R03_AN0252_UN = 2). ELSE, GO TO R03_AN0252_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0252_LC2

The computer recorded "0" for how long you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AN0252 |
| 2 | NEXT | GO TO R03_AN0327 |

ASK: IF R03_NDSKIP = 0, 1 AND R03_TWELVEMONTHQUIT_STATUS = 1 AND R03_AN0331_12M = 1 AND R03_AN0180 = 1 AND R03_AN0200 = 1 AND R03_AN0252 = 0.

PROGRAM: TRIGGER CHECK IF R03_AN0252 = 0. ELSE, GO TO R03_AN0327 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AN0327

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------------------|---------------------|
| 1 | In the past hour | GO TO R03_AN0329 |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R03_AN0205 |
| -8 | DON'T KNOW | GO TO BOX R03_ANR18 |
| -7 | REFUSED | GO TO BOX R03_ANR18 |

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users and used a prescription drug in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users and used a prescription drug in the past 12 months.

ASK Specification: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0331_12M = 1) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0331_12M = 1).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0328**

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R03_AN0327], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users and used a prescription drug in the past 12 months and last used sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users and used a prescription drug in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0331_12M = 1 AND R03_AN0327 = 2, 3, 4) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0331_12M = 1 AND R03_AN0327 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R03_AN0327]:

IF R03_AN0327 = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R03_AN0327, MAKING FIRST LETTER LOWERCASE.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0329**

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R03_AN0327], how many did you take?

I__I__I

GO TO BOX R03_ANR18

-8 DON'T KNOW

GO TO BOX R03_ANR18

-7 REFUSED

GO TO BOX R03_ANR18

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0331_12M = 1 AND R03_AN0327 = 1, 2, 3, 4) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0331_12M = 1 AND R03_AN0327 = 1, 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R03_AN0327]:

IF R03_AN0327 = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0327 = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R03_AN0327, MAKING FIRST LETTER LOWERCASE.

CHECK ID: **R03_AN0329_LC1**

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R03_AN0329] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0329

2 NEXT

GO TO BOX R03_ANR18

ASK: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0331_12M = 1 AND R03_AN0327 = 1, 2, 3, 4) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0331_12M = 1 AND R03_AN0327 = 1, 2, 3, 4) AND R03_AN0329 != -8, -7 AND (R03_AN0329 = 0 OR IF R03_AN0329 > 5).

DISPLAY: IF R03_AN0327 = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0327 = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0327 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AN0329 = 0 OR IF R03_AN0329 > 5. ELSE, GO TO BOX R03_ANR18 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0205_NN; R03_AN0205_UN

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 3 |__|__| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or new former established non-electronic tobacco users and are not current established or new former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or new former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0331_12M = 1 AND R03_AN0327 = 5) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0331_12M = 1 AND R03_AN0327 = 5).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R03_AN0205_UN = Days; the value "2" refers to R03_AN0205_UN = Weeks; the value "3" refers to R03_AN0205_UN = Months.

CHECK ID: R03_AN0205_LC1

The computer recorded that you stopped using Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R03_AN0205_NN] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R03_AN0205
- 2 NEXT GO TO BOX R03_ANR18

ASK: IF (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS != 1, 4 AND R03_AN0331_12M = 1 AND R03_AN0327 = 5) OR (R03_NDSKIP = 0, 1 AND R03_TOBXEPROD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_AN0331_12M = 1 AND R03_AN0327 = 5) AND ((R03_AN0205_NN > 1 AND R03_AN0205_UN = 3) OR (R03_AN0205_NN > 12 AND R03_AN0205_UN = 2) OR (R03_AN0205_NN > 31 AND R03_AN0205_UN = 1)).

PROGRAM: TRIGGER CHECK IF (R03_AN0205_NN > 1 AND R03_AN0205_UN = 3) OR (R03_AN0205_NN > 12 AND R03_AN0205_UN = 2) OR (R03_AN0205_NN > 31 AND R03_AN0205_UN = 1). ELSE, GO TO BOX R03_ANR18 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_ANR18
Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers, go to Box R03_AND03. Else, adult respondents who are current established non-electronic tobacco users, go to R03_AN0230. Else, adult respondents who are not current established or new former established electronic nicotine product users and are current experimental non-electronic tobacco users, go to R03_AX0006. Else, go to Box R03_ART01.	
IF R03_TWELVEMONTHQUIT_STATUS = 1, 2, GO TO BOX R03_AND03. ELSE, IF R03_TOBXEPROD_USER_STATUS = 1, GO TO R03_AN0230. ELSE, IF R03_EPROD_USER_STATUS != 1, 4 AND R03_TOBXEPROD_USER_STATUS = 2, GO TO R03_AX0006. ELSE, GO TO BOX R03_ART01.	

BOX ID:	R03_AND03
Display questions R03_AN0804, R03_AN0805, R03_AN0806, R03_AN0807, R03_AN0808, R03_AN0809, R03_AN0810, on one screen. Show the transition text and question stem from R03_AN0804 first, then show each item with the yes/no responses. As each item is answered, show the next one.	

Variable(s):	R03_AN0804**
The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/when you quit/cutting down on] [ND FILL3] in the past 12 months. Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Feel depressed? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers. ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1, 2. DISPLAY: IF R03_AN0125 = 1, DISPLAY "the time you tried to quit". ELSE, IF R03_TOBXEPROD_USER_STATUS = 1 AND R03_TWELVEMONTHQUIT_STATUS = 1, DISPLAY "the last time you tried to quit". ELSE, IF R03_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit". ELSE, IF R03_TWELVEMONTHQUIT_STATUS = 2, DISPLAY "cutting down on". NOTES: This item was always the first question asked in the randomized set. **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AND04

Randomize order of R03_AN0805 - R03_AN0809.

Variable(s): R03_AN0805**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Have difficulty falling asleep or staying asleep?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1, 2.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

Variable(s): R03_AN0806**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Have difficulty concentrating?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1, 2.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AN0807**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Eat more than usual or gain weight?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1, 2.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

Variable(s): R03_AN0808**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Become easily irritated, angry, or frustrated?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1, 2.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0809****

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Feel anxious or nervous?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1, 2.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

Variable(s): **R03_AN0810****

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Feel more restless than usual?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R03_TWELVEMONTHQUIT_STATUS = 1, 2.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

BOX ID: **R03_ANR21**

Adult respondents who are current established non-electronic tobacco users, go to R03_AN0230.
Else, go to R03_AX0006.

IF R03_TOBXEPROD_USER_STATUS = 1, GO TO R03_AN0230.
ELSE, GO TO R03_AX0006.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0230****

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting [ND FILL 4]? Please choose a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely Interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

Variable(s): **R03_AN0235****

Do you plan to ever quit [ND FILL3] for good?

- 1 Yes
- 2 No GO TO R03_AX0006
- 8 DON'T KNOW GO TO R03_AX0006
- 7 REFUSED GO TO R03_AX0006

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3). This issue was fixed in a field update on 04/01/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0240**

When do you plan to quit [ND FILL3] for good?

- | | | |
|----|-----------------------------|------------------|
| 1 | In the next 7 days | |
| 2 | In the next 30 days | |
| 3 | In the next 6 months | |
| 4 | In the next year | GO TO R03_AX0006 |
| 5 | More than one year from now | GO TO R03_AX0006 |
| -8 | DON'T KNOW | GO TO R03_AX0006 |
| -7 | REFUSED | GO TO R03_AX0006 |

ASK: Adult respondents who are current established non-electronic tobacco users and report planning to quit for good.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1 AND R03_AN0235 =1.

Variable(s): **R03_AN0245**

If you did try to quit [ND FILL3] altogether in the next 6 months, how likely do you think you would be to succeed?

- | | |
|----|-------------------|
| 1 | Not at all likely |
| 2 | A little likely |
| 3 | Somewhat likely |
| 4 | Very likely |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established non-electronic tobacco users and report planning to quit for good and are planning to quit in the next 7 days, in the next 30 days, or in the next 6 months.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1 AND R03_AN0235 =1 AND R03_AN0240 = 1, 2, 3.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0006*****

If you had to do it over again, would you have ever started using tobacco[(not including e-cigarettes or electronic nicotine products)]?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or new former established non-electronic tobacco users, or adult respondents who are not current established or new former established electronic nicotine product users and are current experimental non-electronic tobacco users, or adult respondents who are not current established, current experimental, or new former established electronic nicotine product users and are former experimental non-electronic tobacco users.

ASK Specification: IF R03_TOBXEPROD_USER_STATUS = 1, 4 OR (R03_EPROD_USER_STATUS != 1, 4 AND R03_TOBXEPROD_USER_STATUS = 2) OR (R03_EPROD_USER_STATUS != 1, 2, 4 AND R03_TOBXEPROD_USER_STATUS = 3).

DISPLAY: IF R03_NDSKIP = 2, 3, DISPLAY " (not including e-cigarettes or electronic nicotine products)".

ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PACKAGING AND HEALTH WARNINGS**BOX ID: R03_ART01**

DISPLAY TRANSITION TEXT: "The next questions ask about things you may have seen or read about tobacco products."

Variable(s): R03_AR0141

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AR0142

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R03_ARR01

Adult respondents who are current established smokers and usually smoke roll-your-own cigarettes, go to R03_AR0095.

Else, go to R03_AR0005.

IF R03_CIG_USER_STATUS = 1 AND R03_AC9048 = 2, 3, GO TO R03_AR0095.
ELSE, GO TO R03_AR0005.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AR0095**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of roll-your-own tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and smoke roll-your-own cigarettes.

ASK Specification: IF R03_CIG_USER_STATUS = 1 AND R03_AC9048 = 2, 3.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who are current established cigarette smokers (R03_CIG_USER_STATUS = 1) and smoke both manufactured and roll-your-own cigarettes (R03_AC9048 = 3). This issue was fixed in a field update on 05/17/2016.

Variable(s): R03_AR0005

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ARR03

Adult respondents who are current established or current experimental cigarette smokers who have noticed the health warnings on cigarette packs in the past 30 days, go to R03_AR0202.

Else, adult respondents who are former experimental, new former established, or still former established cigarette smokers who have noticed the health warnings on cigarette packs in the past 30 days, go to R03_AR0040.

Else, adult respondents who have never smoked a cigarette who have noticed health warnings on cigarette packs in the past 30 days, go to R03_AR0055.

Else, go to R03_AR0206.

IF R03_CIG_USER_STATUS = 1, 2 AND R03_AR0005 > 1, GO TO R03_AR0202.

ELSE, IF R03_CIG_USER_STATUS = 3, 4, 5 AND R03_AR0005 > 1, GO TO R03_AR0040.

ELSE, IF R03_EVER_NEVER_CIG = 2 AND R03_AR0005 > 1, GO TO R03_AR0055.

ELSE, GO TO R03_AR0206.

Variable(s): R03_AR0202

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers who have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2 AND R03_AR0005 > 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AR0010**

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers who have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2 AND R03_AR0005 > 1.

Variable(s): **R03_AR0015**

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers who have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2 AND R03_AR0005 > 1.

Variable(s): **R03_AR0025**

How believable do you consider the health warnings on cigarette packs to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers who have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2 AND R03_AR0005 > 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AR0035**

To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers who have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2 AND R03_AR0005 > 1.

Variable(s): **R03_AR0040*****

To what extent, if at all, do the health warnings on cigarette packs make you [more likely to quit smoking/more likely to not start smoking again]?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R03_AR0206 |
| 2 A little | GO TO R03_AR0206 |
| 3 Somewhat | GO TO R03_AR0206 |
| 4 A lot | GO TO R03_AR0206 |
| -8 DON'T KNOW | GO TO R03_AR0206 |
| -7 REFUSED | GO TO R03_AR0206 |

ASK: Adult respondents who are current established, current experimental, former experimental, new former established, or still former established cigarette smokers who have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2, 3, 4, 5 AND R03_AR0005 > 1.

DISPLAY: IF R03_CIG_USER_STATUS = 1, 2, DISPLAY "more likely to quit smoking".

ELSE, DISPLAY "more likely to not start smoking again".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AR0055**

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette who have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_CIGS = 2 AND R03_AR0005 > 1.

Variable(s): **R03_AR0206**

In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES

BOX ID: **R03_ARR04**

Adult respondents who are current established or current experimental snus pouch users who have noticed the health warnings on containers of snus in the past 30 days, go to R03_AR0207.

Else, adult respondents who are experimental former, new former established, or still former established snus pouch users who have noticed the health warnings on containers of snus in the past 30 days, go to R03_AR0212.

Else, go to R03_AR0060.

IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AR0206 > 1, GO TO R03_AR0207.

ELSE, IF R03_SNUS_USER_STATUS = 3, 4, 5 AND R03_AR0206 > 1, GO TO R03_AR0212.

ELSE, GO TO R03_AR0060.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AR0207**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus pouch users who have noticed the health warnings on containers of snus in the past 30 days.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AR0206 > 1.

Variable(s): **R03_AR0208**

In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus pouch when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus pouch users who have noticed the health warnings on containers of snus in the past 30 days.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AR0206 > 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AR0209

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on containers of snus -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus pouch users who have noticed the health warnings on containers of snus in the past 30 days.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AR0206 > 1.

Variable(s): R03_AR0210

How believable do you consider the health warnings on snus containers to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus pouch users who have noticed the health warnings on containers of snus in the past 30 days.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AR0206 > 1.

Variable(s): R03_AR0211

To what extent, if at all, do the health warnings on snus containers make you think about the health risks of using snus?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus pouch users who have noticed the health warnings on containers of snus in the past 30 days.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2 AND R03_AR0206 > 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AR0212**

To what extent, if at all, do the health warnings on snus containers make you [more likely to quit using snus/ more likely to not start using snus again]?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, new former established, or still former established snus pouch users who have noticed the health warnings on containers of snus in the past 30 days.

ASK Specification: IF R03_SNUS_USER_STATUS = 1, 2, 3, 4, 5 AND R03_AR0206 > 1.

DISPLAY: IF R03_SNUS_USER_STATUS = 1, 2, DISPLAY "more likely to quit using snus".

ELSE, DISPLAY "more likely to not start using snus again".

NOTES: **SKIP ERROR: R03_SNUS_USER_STATUS was not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 data collection.

Variable(s): R03_AR0060

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of other smokeless tobacco products like dip, spit, chew and moist snuff?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS POUCHES]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS POUCHES

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ARR05

Adult respondents who are current established or current experimental smokeless tobacco users who have noticed the health warnings on packages of smokeless tobacco in the past 30 days, go to R03_AR0205.

Else, adult respondents who are former experimental, new former established, or still former established smokeless tobacco users who have noticed the health warnings on packages of smokeless tobacco in the past 30 days, go to R03_AR0090.

Else, go to Box R03_AXT03.

IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AR0060 > 1, GO TO R03_AR0205.

ELSE, IF R03_SMKLS_USER_STATUS = 3, 4, 5 AND R03_AR0060 > 1, GO TO R03_AR0090.

ELSE, GO TO BOX R03_AXT03.

Variable(s): R03_AR0205

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users who have noticed health warnings on packages of smokeless tobacco in the past 30 days.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AR0060 > 1.

Variable(s): R03_AR0065

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users who have noticed health warnings on packages of smokeless tobacco in the past 30 days.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AR0060 > 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AR0070

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users who have noticed health warnings on packages of smokeless tobacco in the past 30 days.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AR0060 > 1.

Variable(s): R03_AR0075

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users who have noticed health warnings on packages of smokeless tobacco in the past 30 days.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AR0060 > 1.

Variable(s): R03_AR0085

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users who have noticed health warnings on packages of smokeless tobacco in the past 30 days.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2 AND R03_AR0060 > 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AR0090

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you [more likely to quit using smokeless tobacco products/ more likely to not start using smokeless tobacco products again]?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, new former established, or still former established smokeless tobacco users, who have noticed health warnings on packages of smokeless tobacco in the past 30 days.

ASK Specification: IF R03_SMKLS_USER_STATUS = 1, 2, 3, 4, 5 AND R03_AR0060 > 1.

DISPLAY: IF R03_SMKLS_USER_STATUS = 1, 2, DISPLAY "more likely to quit using smokeless tobacco products".

ELSE, DISPLAY "more likely to not start using smokeless tobacco products again".

PRODUCT REGULATION - MODIFIED RISK TOBACCO PRODUCTS**BOX ID: R03_AXT03**

DISPLAY TRANSITION TEXT: "The next questions ask about your opinions on using tobacco, including e-cigarettes and other electronic nicotine products. "

Variable(s): R03_AX0722

How harmful do you think nicotine is to your health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AN0250

Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AX0723

Do you think a tobacco product described as additive-free is less harmful, about the same, or more harmful than a regular tobacco product?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0724
Do you think a tobacco product described as organic is less harmful, about the same, or more harmful than a regular tobacco product? 1 Less harmful 2 About the same 3 More harmful -8 DON'T KNOW -7 REFUSED ASK: All adult respondents.

BOX ID: R03_AXR10
Adult respondents who are current established or current experimental tobacco users, go to R03_AX0004. Else, go to R03_AC9050.
IF R03_TOBACCO_USER_STATUS = 1, 2, GO TO R03_AX0004. ELSE, GO TO R03_AC9050.

Variable(s): R03_AX0004**
In the past 30 days, how often did you think about the harm your tobacco use might be doing to you? 1 Never 2 Rarely 3 Sometimes 4 Often 5 Very often -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or current experimental tobacco users. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2. NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC9050
How harmful do you think cigarettes are to health? 1 Not at all harmful 2 Slightly harmful 3 Somewhat harmful 4 Very harmful 5 Extremely harmful -8 DON'T KNOW -7 REFUSED ASK: All adult respondents.

Variable(s): R03_AC9046
In your opinion, do you think that some types of cigarettes are less harmful to a person's health than other types? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: All adult respondents.

BOX ID: R03_AXR78
New baseline adult respondents, go to R03_AC9040_NB. Else, go to R03_AC9047.
IF R03_ADULTTYPE = 2, GO TO R03_AC9040_NB. ELSE, GO TO R03_AC9047.

Variable(s): R03_AC9040_NB
Do you think cigarettes flavored like menthol or mint are less harmful, no different, or more harmful than regular cigarettes? 1 Less harmful 2 No different 3 More harmful -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R03_ADULTTYPE = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC9047**

In your opinion, do you think that cigarettes with lower amounts of nicotine are less harmful to a person's health than regular cigarettes?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: **R03_AXR11**

Adult respondents who are current established or current experimental cigarette smokers, go to R03_AC9055.

Else, go to R03_AC1170.

IF R03_CIG_USER_STATUS = 1, 2, GO TO R03_AC9055.

ELSE, GO TO R03_AC1170.

Variable(s): **R03_AC9055**

In the past 30 days, have you stubbed out a cigarette before you finished it because you thought about the harm of smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R03_CIG_USER_STATUS = 1, 2.

Variable(s): **R03_AC1170**

How much do you think people harm themselves when they smoke cigarettes some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC1110

How harmful do you think today's cigarettes are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AC9120

Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AE9050

How harmful do you think e-cigarettes or other electronic nicotine products are to health?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AV1170

How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AV1669

In the past 12 months, have you seen any e-cigarettes or other electronic nicotine products that claim to be less harmful?

- 1 Yes
- 2 No GO TO R03_AE1099
- 8 DON'T KNOW GO TO R03_AE1099
- 7 REFUSED GO TO R03_AE1099

ASK: All adult respondents.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products".

Variable(s): R03_AV1670

How likely is it that you will use one of these e-cigarettes or other electronic nicotine products that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen e-cigarettes or other electronic nicotine products that claim to be less harmful in the past 12 months.

ASK Specification: IF R03_AV1669 = 1.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AE1099

Is using e-cigarettes or other electronic nicotine products less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products" AND "cigarettes".

Variable(s): R03_AG9050

How harmful do you think traditional cigars are to health?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

Variable(s): R03_AG9060

How much do you think people harm themselves when they smoke traditional cigars some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1099

Is smoking traditional cigars less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "traditional cigars" AND "cigarettes".

Variable(s): R03_AG9054

How harmful do you think cigarillos are to health?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

Variable(s): R03_AG9061

How much do you think people harm themselves when they smoke cigarillos some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AG1106**

Is smoking cigarillos less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "cigarillos" AND "cigarettes".

Variable(s): **R03_AG9055**

How harmful do you think filtered cigars are to health?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

Variable(s): **R03_AG9062**

How much do you think people harm themselves when they smoke filtered cigars some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1107

Is smoking filtered cigars less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "filtered cigars" AND "cigarettes".

Variable(s): R03_AG1110

How harmful do you think today's traditional cigars, cigarillos or filtered cigars are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AP1170

How much do you think people harm themselves when they smoke pipe tobacco some days but not every day?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AP1099

Is smoking pipes filled with tobacco less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "pipes filled with tobacco" AND "cigarettes".

Variable(s): R03_AH9050

How harmful do you think shisha or hookah tobacco is to health?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA TOBACCO]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA.

Variable(s): R03_AH9044

How harmful is it to be around people who are smoking shisha or hookah tobacco?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AH1170

How much do you think people harm themselves when they smoke hookah on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AH1099

Is smoking tobacco in a hookah less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "tobacco in a hookah" AND "cigarettes".

Variable(s): R03_AU9050

How harmful do you think snus pouches are to health?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AU1105

Is using snus pouches less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus pouches" AND "cigarettes".

Variable(s): R03_AU1170

How much do you think people harm themselves when they use snus pouches on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AU1669

In the past 12 months, have you seen any snus products that claim to be less harmful?

- 1 Yes
- 2 No GO TO R03_AU9040
- 8 DON'T KNOW GO TO R03_AU9040
- 7 REFUSED GO TO R03_AU9040

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus products".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AU1670

How likely is it that you will use one of these snus products that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen snus products that claim to be less harmful in the past 12 months.

ASK Specification: IF R03_AU1669 = 1.

DISPLAY: UNDERLINE "snus products".

Variable(s): R03_AU9040**

Is using snus less harmful, about the same, or more harmful than other types of smokeless tobacco products (such as dip, spit or chew)?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus" AND "other types of smokeless tobacco products".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who did not indicate that they saw snus products that claimed to be less harmful in the past 12 months (R03_AU1669 != 1). This issue was fixed in a field update on 05/17/2016.

Variable(s): R03_AU1110

How harmful do you think today's snus pouches are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AS9050

How harmful do you think other smokeless tobacco products (such as dip, spit or chew) are to health?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS POUCHES]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS POUCHES

Variable(s): R03_AS1170

How much do you think people harm themselves when they use other smokeless tobacco products (such as dip, spit or chew) on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AS1669

In the past 12 months, have you seen any smokeless tobacco products (such as dip, spit or chew) that claim to be less harmful?

- 1 Yes
- 2 No GO TO R03_AS1105
- 8 DON'T KNOW GO TO R03_AS1105
- 7 REFUSED GO TO R03_AS1105

ASK: All adult respondents.

DISPLAY: UNDERLINE "smokeless tobacco products".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AS1670

How likely is it that you will use one of these smokeless tobacco products (such as dip, spit or chew) that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen smokeless tobacco products that claim to be less harmful in the past 12 months.

ASK Specification: IF R03_AS1669 = 1.

DISPLAY: UNDERLINE "smokeless tobacco products".

Variable(s): R03_AS1105

Is using smokeless tobacco (such as dip, spit or chew) less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "smokeless tobacco" AND "cigarettes".

Variable(s): R03_AS1110

How harmful do you think today's smokeless tobacco products (such as dip, spit or chew) are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_ACD02

Display question R03_AC9060, R03_AC9065, R03_AC9070, R03_AC9075, R03_AC9043, R03_AC9080, R03_AC9085, R03_AC9090, R03_AC9044, R03_AC9100, R03_AC9105, R03_AC9110, R03_AC9115 on one screen (if size allows) using the expanded WVB stem-leaf screen. Show the intro/transition text from R03_AC9060 first, then show each item with responses. As each item is answered, show the next one.

PROGRAMMER: IF ALL LEAVES WILL NOT FIT ON ONE SCREEN, PLEASE SPLIT SERIES INTO TWO SCREENS.

FIRST SCREEN INCLUDES: R03_AC9060, R03_AC9065, R03_AC9070, R03_AC9075, R03_AC9043, R03_AC9080, R03_AC9085, R03_AC9090, R03_AC9044.

SECOND SCREEN INCLUDES: R03_AC9100, R03_AC9105, R03_AC9110, R03_AC9115.

Variable(s): R03_AC9060

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

Stroke in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AC9065

Lung cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC9070

Heart disease in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AC9075

Blindness in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AC9043

Diabetes in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC9080

Poor circulation (also called peripheral vascular disease) in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AC9085

Bladder cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AC9090

Mouth cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC9044

Liver cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AC9100

Lung disease (such as emphysema) in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AC9105

Lung disease in non-smokers from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AC9110**

Heart attack in non-smokers from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): **R03_AC9115**

Harm to fetuses (or unborn children) during pregnancy from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

MEDIA USE

BOX ID:	R03_AXT04
DISPLAY TRANSITION TEXT: "The next questions ask about your TV, radio, internet and cell phone use."	

Variable(s):	R03_AX0494
On an average day, how much time do you spend watching TV or videos on a television, computer, tablet, or smartphone?	
1	None
2	Less than 1 hour
3	1 to 3 hours
4	More than 3 hours
-8	DON'T KNOW
-7	REFUSED
ASK: All adult respondents.	

Variable(s):	R03_AX0060
On an average day, how much time do you spend listening to the radio or online radio stations?	
1	None
2	Less than 1 hour
3	1 to 3 hours
4	More than 3 hours
-8	DON'T KNOW
-7	REFUSED
ASK: All adult respondents.	

Variable(s):		R03_AX0315
Do you ever go online or access the internet?		
1	Yes	
2	No	GO TO R03_AX0503
-8	DON'T KNOW	GO TO R03_AX0503
-7	REFUSED	GO TO R03_AX0503
ASK: All adult respondents.		

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0062**

Sometimes people use the Internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called social media.

Do you have a social media account?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AX0503 |
| -8 | DON'T KNOW | GO TO R03_AX0503 |
| -7 | REFUSED | GO TO R03_AX0503 |

ASK: Adult respondents who report using the internet.

ASK Specification: IF R03_AX0315 = 1.

Variable(s): **R03_AX0317**

About how often do you visit your social media accounts?

- 1 More than once a day
- 2 About once a day
- 3 3-5 days a week
- 4 1-2 days a week
- 5 Every few weeks
- 6 Less often
- 7 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report using the internet and have a social media account.

ASK Specification: IF R03_AX0315 = 1 AND R03_AX0062 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

- | | | |
|---|----|---|
| R03_AX0686_00 | 0 | I have not liked or followed any brands on social media sites |
| R03_AX0686_01 | 1 | Camel |
| R03_AX0686_02 | 2 | Marlboro |
| R03_AX0686_03 | 3 | Newport |
| R03_AX0686_04 | 4 | American Spirit |
| R03_AX0686_05 | 5 | Vuse |
| R03_AX0686_06 | 6 | Blu |
| R03_AX0686_07 | 7 | Logic |
| R03_AX0686_08 | 8 | MarkTen |
| R03_AX0686_09 | 9 | NJOY |
| R03_AX0686_10 | 10 | eGo |
| R03_AX0686_11 | 11 | Black & Mild |
| R03_AX0686_12 | 12 | Swisher Sweets |
| R03_AX0686_13 | 13 | Dutch Masters |
| R03_AX0686_14 | 14 | Phillies Blunts |
| R03_AX0686_15 | 15 | Zig Zag |
| R03_AX0686_16 | 16 | Skoal |
| R03_AX0686_17 | 17 | Redman |
| R03_AX0686_18 | 18 | Grizzly |
| R03_AX0686_19 | 19 | Copenhagen |
| R03_AX0686_20;
R03_AX0686_OS | 20 | Some other brand (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who report using the internet and have a social media account.

ASK Specification: IF R03_AX0315 = 1 AND R03_AX0062 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:		
Please indicate if you have any of the following. Choose all that apply.		
R03_AX0503_01	1	Tablet computer, such as an iPad, Samsung Galaxy, Motorola Xoom, or Kindle Fire
R03_AX0503_02	2	Smartphone, such as an iPhone, Android, Blackberry, or Windows phone
R03_AX0503_03	3	Cell phone without internet
R03_AX0503_04	4	I do not have any of the above
	-8	DON'T KNOW
	-7	REFUSED
		GO TO BOX R03_AXT05
		GO TO BOX R03_AXT05
		GO TO BOX R03_AXT05
		GO TO BOX R03_AXT05
ASK: All adult respondents.		
PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1, 2, 3 should be disabled.		

Variable(s): R03_AX0504	
Have you ever used an application (or app) on your tablet computer or smartphone related to tobacco products, e-cigarettes or other electronic nicotine products?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have a tablet computer or smartphone.	
ASK Specification: IF R03_AX0503_01 = 1 OR R03_AX0503_02 = 1.	

BOX ID: R03_AXR12
Adult respondents who have ever used any tobacco product and have a tablet computer or smartphone, go to R03_AX0505.
Else, go to Box R03_AXT05.
IF R03_EVER_NEVER_TOBACCO = 1 AND (R03_AX0503_01 = 1 OR R03_AX0503_02 = 1), GO TO R03_AX0505.
ELSE, GO TO BOX R03_AXT05.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0505**/**

Have you ever used an app on your tablet computer or smartphone to help you quit using tobacco products, e-cigarettes or other electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product and have a tablet computer or smartphone.

ASK Specification: IF R03_EVER_NEVER_TOBACCO = 1 AND (R03_AX0503_01 = 1 OR R03_AX0503_02 = 1).

NOTES: **SKIP ERROR: R03_EVER_NEVER_EPRODS was not set correctly for respondents who a) used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah in Wave 2 and did not use an e-product in the past 12 months (R03_AV1002_12M = 2), or b) were Wave 2 never users who used an e-product in the past 30 days or 12 months (R03_AV1004 = 1 OR R03_AV1002_12M = 1), but did not know or refused to provide the type of e-product used (R03_AV9035 = -8, -7). Some of these respondents also had their values for R03_EPROD_USER_STATUS updated. The incorrect setting of R03_EVER_NEVER_EPRODS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

SECONDHAND SMOKE EXPOSURE**BOX ID: R03_AXT05**

DISPLAY TRANSITION TEXT: "The next questions ask about tobacco use at your workplace and your home."

Variable(s): R03_AM0014

Which best describes your current job or paid employment status?

- | | | |
|----|--|------------------|
| 1 | Work full-time at least 35 hours per week | |
| 2 | Work part-time 15 to 34 hours per week | |
| 3 | Work part-time less than 15 hours per week | |
| 4 | I don't currently work for pay | GO TO R03_AR0144 |
| -8 | DON'T KNOW | GO TO R03_AR0144 |
| -7 | REFUSED | GO TO R03_AR0144 |

ASK: All adult respondents.

Variable(s): SEE BELOW:

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

- | | | |
|----------------------|----|--------------|
| R03_AX0064_01 | 1 | Indoors |
| R03_AX0064_02 | 2 | Outdoors |
| R03_AX0064_03 | 3 | In a vehicle |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R03_AM0014 = 1, 2, 3.

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0747

How recently did someone use e-cigarettes or other electronic nicotine products around you while you were at work?

- 1 Never
- 2 Today
- 3 In the past week
- 4 In the past two weeks
- 5 In the past month
- 6 Longer than a month ago but within the past year
- 7 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R03_AM0014 = 1, 2, 3.

Variable(s): R03_AX0065

How recently did someone smoke around you while you were at work?

- 1 Never
- 2 Today
- 3 In the past week
- 4 In the past two weeks
- 5 In the past month
- 6 Longer than a month ago but within the past year
- 7 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R03_AM0014 = 1, 2, 3.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AR0144
In your childhood, did you live with a regular smoker who smoked inside your home? Please think about <u>anyone</u> who smoked cigarettes, cigars, a pipe or hookah. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: All adult respondents. DISPLAY: UNDERLINE "anyone".

Variable(s): R03_AX0690
Do you currently live alone? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: All adult respondents.

BOX ID: R03_AXR15
Adult respondents who are age 25 or older, go to R03_AX0691. Else, go to Box R03_AXR16.
IF R03R_A_AGE >= 25, GO TO R03_AX0691. ELSE, GO TO BOX R03_AXR16.

Variable(s): R03_AX0691
In what type of living space do you currently live? 1 Single Family Home 2 Duplex 3 Double or Multi-Family Home 4 Condominium 5 Townhouse 6 Apartment Building 7 None of the above -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are age 25 or older. ASK Specification: IF R03R_A_AGE >= 25.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR16

Adult respondents who do not live alone or did not know or refused to report whether they live alone, go to R03_AX0066.

Else, go to R03_AR1045.

IF R03_AX0690 = 2, -8, -7, GO TO R03_AX0066.

ELSE, GO TO R03_AR1045.

Variable(s): SEE BELOW:

Not including yourself, does anyone who lives with you now do any of the following? Choose all that apply.

- | | | |
|----------------------|----|--|
| R03_AX0066_01 | 1 | Smoke cigarettes |
| R03_AX0066_02 | 2 | Use e-cigarettes or other electronic nicotine products |
| R03_AX0066_03 | 3 | Use snus pouches |
| R03_AX0066_04 | 4 | Use other types of smokeless tobacco such as dip, spit or chew |
| R03_AX0066_05 | 5 | Smoke traditional cigars, cigarillos, or filtered cigars |
| R03_AX0066_06 | 6 | Smoke hookah |
| R03_AX0066_07 | 7 | Use any other form of tobacco |
| R03_AX0066_08 | 8 | No one who lives with me now uses any form of tobacco |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who do not live alone or did not know or refused to report whether they live alone.

ASK Specification: IF R03_AX0690 = 2, -8, -7.

DISPLAY: UNDERLINE "now".

PROGRAM: Allow respondent to choose all that apply. Option 8 cannot be selected if any option 1 - 7 is selected.

Variable(s): R03_AR1045

These next few questions ask about rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah, which statement best describes the rules about smoking a tobacco product inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "inside" IN BOTH PARAGRAPHS.

UNDERLINE "burned".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AR1051**

Now think about e-cigarettes and other electronic nicotine products.

Which statement best describes the rules about using these products inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "inside".

Variable(s): **R03_AR1050**

Now think about other tobacco products that are not burned, like snus pouches and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "not" AND "inside".

Variable(s): **R03_AX0068**

During the past seven days, about how many hours were you around others who were smoking[, whether or not you were smoking yourself]? Include time in your home, in a car, at work, or outdoors.

I _ I _ I _ I Number of hours

- 8 DON'T KNOW GO TO R03_AX0008
- 7 REFUSED GO TO R03_AX0008

ASK: All adult respondents.

DISPLAY: IF R03_CIG_USER_STATUS = 1, 2 OR R03_GTRAD_USER_STATUS = 1, 2 OR R03_GRILLO_USER_STATUS = 1, 2 OR R03_GFILTR_USER_STATUS = 1, 2 OR R03_PIPE_USER_STATUS = 1, 2 OR R03_HOOK_USER_STATUS = 1, 2, DISPLAY ", whether or not you were smoking yourself".

DISPLAY "Number of hours" AS A TITLE.

UNDERLINE "others".

PROGRAM: Allow 3 digits.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AX0068_LC1

[There are 168 hours in a week.]You said that, during the last seven days, you were in close contact with others while they were smoking for [R03_AX0068] hours.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AX0068

2 NEXT

GO TO R03_AX0008

ASK: IF R03_AX0068 != -8, -7 AND (R03_AX0068 > 120 OR R03_AX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999).

DISPLAY: IF R03_AX0068 > 168, DISPLAY "There are 168 hours in a week."

PROGRAM: TRIGGER CHECK IF R03_AX0068 > 120 OR R03_AX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999. ELSE, GO TO R03_AX0008 AND DO NOT DISPLAY THIS SCREEN.

SOCIAL NORMS, PEER AND FAMILY INFLUENCES**Variable(s):** R03_AX0008In general, do you think most people disapprove of smoking **cigarettes**?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "cigarettes".

Variable(s): R03_AX0012In general, do you think most people disapprove of using **e-cigarettes or other electronic nicotine products**?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "e-cigarettes or other electronic nicotine products".

BOX ID: R03_AXR80

Adult respondents who are current established, current experimental, former experimental, or new former established tobacco users, go to R03_AX0071.

Else, young adult respondents, go to Box R03_AXD89.

Else, go to R03_AX0741.

IF R03_TOBACCO_USER_STATUS = 1, 2, 3, 4, GO TO R03_AX0071.

ELSE, IF 18 <= R03R_A_AGE < 25, GO TO BOX R03_AXD89.

ELSE, GO TO R03_AX0741.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0071**/**
Thinking about the <u>people who are important to you</u>, how would you describe their views on using tobacco in general? 1 Very positive 2 Positive 3 Neither positive nor negative 4 Negative 5 Very negative -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, former experimental, or new former established tobacco users. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2, 3, 4. DISPLAY: UNDERLINE "people who are important to you". BOLD "tobacco in general". NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection. ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R03_AXR05
Young adult respondents, go to Box R03_AXD89. Else, go to R03_AX0741.
IF 18 <= R03R_A_AGE < 25, GO TO BOX R03_AXD89. ELSE, GO TO R03_AX0741.

BOX ID: R03_AXD89
Display questions R03_AC1143 through R03_AS1143 using the expanded WVB stem-leaf screen. The introduction text from R03_AC1143 is the stem. Show all leaves on the screen at once.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AC1143

Thinking about the people who are important to you, how would you describe **their** views on....

Smoking cigarettes

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R03R_A_AGE < 25.

DISPLAY: UNDERLINE "people who are important to you".

BOLD "their".

Variable(s): R03_AV1143

Using e-cigarettes or other electronic nicotine products

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R03R_A_AGE < 25.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AG1143

Smoking traditional cigars, cigarillos, or filtered cigars

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R03R_A_AGE < 25.

Variable(s): R03_AP1143

Smoking pipe tobacco

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R03R_A_AGE < 25.

Variable(s): R03_AH1143

Smoking shisha or hookah tobacco

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R03R_A_AGE < 25.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AU1143**

Using snus pouches

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R03R_A_AGE < 25.

Variable(s): **R03_AS1143**

Using other types of smokeless tobacco (such as dip, spit, or chew)

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R03R_A_AGE < 25.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Thinking about the <u>people who are important to you</u>, do any of them use any of the following products? Choose all that apply.	
R03_AX0741_01***	1 Cigarettes
R03_AX0741_02***	2 E-cigarettes or other electronic nicotine products
R03_AX0741_03***	3 Traditional cigars
R03_AX0741_04***	4 Cigarillos
R03_AX0741_05***	5 Filtered cigars
R03_AX0741_06***	6 Pipe tobacco
R03_AX0741_07***	7 Shisha or hookah tobacco
R03_AX0741_08***	8 Snus pouches
R03_AX0741_09***	9 Other types of smokeless tobacco (such as dip, spit or chew)
R03_AX0741_10***	10 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents. DISPLAY: UNDERLINE "people who are important to you". PROGRAM: Option 10 cannot be selected if any option 1 - 9 is selected. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AXR02
Adult respondents who are current established or new former established tobacco user, go to R03_AX0742. Else, adult respondents who are current experimental or former experimental tobacco user, go to R03_AX0743. Else, go to Box R03_AXT01.	
IF R03_TOBACCO_USER_STATUS = 1, 4, GO TO R03_AX0742. IF R03_TOBACCO_USER_STATUS = 2, 3, GO TO R03_AX0743. ELSE, GO TO BOX R03_AXT01.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0742****

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about quitting?

- | | | |
|----|------------|---------------------|
| 1 | Not at all | GO TO BOX R03_AXT01 |
| 2 | Somewhat | GO TO BOX R03_AXT01 |
| 3 | Very much | GO TO BOX R03_AXT01 |
| -8 | DON'T KNOW | GO TO BOX R03_AXT01 |
| -7 | REFUSED | GO TO BOX R03_AXT01 |

ASK: Adult respondents who are current established or new former established tobacco users.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 4.

DISPLAY: IF R03_TOBACCO_USER_STATUS = 1, DISPLAY "has" AND "led".

ELSE, IF R03_TOBACCO_USER_STATUS = 4, DISPLAY "did" AND "lead".

UNDERLINE "close friends and family".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

Variable(s): **R03_AX0743**/****

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about not using?

- | | |
|----|------------|
| 1 | Not at all |
| 2 | Somewhat |
| 3 | Very much |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current experimental or former experimental tobacco users.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 2, 3.

DISPLAY: IF R03_TOBACCO_USER_STATUS = 2, DISPLAY "has" AND "led".

ELSE, DISPLAY "did" AND "lead".

UNDERLINE "close friends and family".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

HEALTH**BOX ID:** R03_AXT01

DISPLAY TRANSITION TEXT: "The next questions ask about some basic medical information that is important for the study."

Variable(s): R03_AX0090

In general, how would you rate your physical health?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AX0090_12M

Compared with 12 months ago, would you say your physical health is now...

- 1 Better,
- 2 Worse, or
- 3 About the same?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AX0091

In general, how would you rate your mental health, which includes stress, depression, and problems with emotions?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0091_12M

Compared with 12 months ago, would you say your mental health is now...

- 1 Better,
- 2 Worse, or
- 3 About the same?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AX0088

In general, would you say your overall health is...

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "overall".

Variable(s): R03_AX0088_12M

Compared with 12 months ago, would you say your overall health is now...

- 1 Better,
- 2 Worse, or
- 3 About the same?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0185**

In general, would you say your quality of life is...

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): **R03_AX0185_12M**

Compared with 12 months ago, would you say your quality of life is now...

- 1 Better,
- 2 Worse, or
- 3 About the same?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): **R03_AX0092**

In general, how satisfied are you with your social activities and relationships?

- 1 Extremely satisfied
- 2 Very satisfied
- 3 Moderately satisfied
- 4 A little satisfied
- 5 Not at all satisfied
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0092_12M**

Compared with 12 months ago, would you say your social activities and relationships are now...

- 1 Better,
- 2 Worse, or
- 3 About the same?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): **R03_AX0313**

The next questions ask about your height and weight. Do you want to answer these questions in...

- 1 Feet and pounds, or
- 2 Meters and kilograms GO TO R03_AX0316
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): **R03_AX0679_FT; R03_AX0679_IN**

About how tall are you without shoes?

I _ _ _ Feet

I _ _ _ Inches

- 8 DON'T KNOW GO TO R03_AX0109
- 7 REFUSED GO TO R03_AX0109

ASK: Adult respondents who prefer to report their height in feet or did not know or refused to report how they prefer to report their height.

ASK Specification: IF R03_AX0313 = 1, -8, -7.

DISPLAY: DISPLAY "Feet" AND "Inches" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Range check: Feet (3 - 8) and Inches (0 - 12).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AX0679_LC1

The computer recorded that you are [R03_AX0679_FT] feet [and R03_AX0679_IN inches] tall.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AX0679 |
| 2 | NEXT | GO TO R03_AX0109 |

ASK: IF (R03_AX0313 = 1, -8, -7 AND R03_AX0679_FT != -8, -7) AND (R03_AX0679_FT > 8 OR R03_AX0679_FT < 3).

PROGRAM: TRIGGER CHECK IF R03_AX0679_FT > 8 OR R03_AX0679_FT < 3.

ELSE, GO TO R03_AX0109 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AX0316

About how tall are you without shoes?

I _ I _ I _ I _ I Meters

- | | | |
|----|------------|------------------|
| -8 | DON'T KNOW | GO TO R03_AX0312 |
| -7 | REFUSED | GO TO R03_AX0312 |

ASK: Adult respondents who prefer to report their height in meters.

ASK Specification: IF R03_AX0313 = 2.

DISPLAY: DISPLAY "Meters" AS A TITLE.

PROGRAM: Soft range check: Meters (0.9 to 2.7).

CHECK ID: R03_AX0316_LC1

The computer recorded that you are [R03_AX0316] meters tall.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AX0316 |
| 2 | NEXT | GO TO R03_AX0312 |

ASK: IF R03_AX0313 = 2 AND R03_AX0316 != -8, -7 AND (R03_AX0316 > 2.7 OR R03_AX0316 < 0.9).

PROGRAM: TRIGGER CHECK IF R03_AX0316 > 2.7 OR R03_AX0316 < 0.9.

ELSE, GO TO R03_AX0312 AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R03_AX0109
About how much do you weigh without clothes or shoes?	
	I _ I _ I _ I Pounds
-8	DON'T KNOW
	GO TO R03_AX0241
-7	REFUSED
	GO TO R03_AX0241
ASK: Adult respondents who prefer to report their weight in pounds or did not know or refused to report how they prefer to report their weight.	
ASK Specification: IF R03_AX0313 = 1, -8, -7.	
DISPLAY: DISPLAY "Pounds" AS A TITLE.	

CHECK ID:	R03_AX0109_LC1
The computer recorded that you weigh [R03_AX0109] pounds.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AX0109
2 NEXT	GO TO R03_AX0241
ASK: IF R03_AX0313 = 1, -8, -7 AND R03_AX0109 != -8, -7, AND R03_AX0109 > 450.	
PROGRAM: TRIGGER CHECK IF R03_AX0109 > 450.	
ELSE, GO TO R03_AX0241 AND DO NOT DISPLAY THIS SCREEN.	

Variable(s):	R03_AX0312
About how much do you weigh without clothes or shoes?	
	1__1__1__1 Kilograms
-8	DON'T KNOW
-7	REFUSED
GO TO R03_AX0241	
GO TO R03_AX0241	
ASK: Adult respondents who prefer to report their weight in kilograms.	
ASK Specification: IF R03_AX0313 = 2.	
DISPLAY: DISPLAY "Kilograms" AS A TITLE.	

CHECK ID:	R03_AX0312_LC1
The computer recorded that you weigh [R03_AX0312] kilograms.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AX0312
2 NEXT	GO TO R03_AX0241
ASK: IF R03_AX0313 = 2 AND R03_AX0312 != -8, -7 AND R03_AX0312 > 205.	
PROGRAM: TRIGGER CHECK IF R03_AX0312 > 205.	
ELSE, GO TO R03_AX0241 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0241**

In a typical week, how many days do you do any physical activity or exercise of at least moderate intensity, such as brisk walking, bicycling or swimming at a regular pace?

- | | | |
|----|-----------------|------------------|
| 0 | None | GO TO R03_AX0243 |
| 1 | 1 day per week | |
| 2 | 2 days per week | |
| 3 | 3 days per week | |
| 4 | 4 days per week | |
| 5 | 5 days per week | |
| 6 | 6 days per week | |
| 7 | 7 days per week | |
| -8 | DON'T KNOW | GO TO R03_AX0243 |
| -7 | REFUSED | GO TO R03_AX0243 |

ASK: All adult respondents.

DISPLAY: UNDERLINE "In a typical week".

Variable(s): **R03_AX0242_NN; R03_AX0242_UN**

On the days that you do any physical activity or exercise of at least moderate intensity, how long do you typically do these activities?

- | | | |
|----|---------------------|------------------|
| 1 | I ___ I ___ Hours | |
| 2 | I ___ I ___ Minutes | |
| -8 | DON'T KNOW | GO TO R03_AX0243 |
| -7 | REFUSED | GO TO R03_AX0243 |

ASK: Adult respondents who do any physical activity of moderate intensity at least one day a week.

ASK Specification: IF R03_AX0241 > 0.

PROGRAM: Display quantity/units.

Range <= 24 hours

NOTES: The value "1" refers R03_AX0242_UN = Hours; the value "2" refers to R03_AX0242_UN = Minutes.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AX0242_LC1

The computer recorded [R03_AX0242_NN] [hours/minutes] for how long you typically do any physical activity or exercise of at least moderate intensity on the days you do these activities. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AX0242 |
| 2 | NEXT | GO TO R03_AX0243 |

ASK: IF (R03_AX0241 > 0 AND R03_AX0242_NN != -8, -7) AND ((R03_AX0242_NN > 200 AND R03_AX0242_UN = 2) OR (R03_AX0242_NN > 8 AND R03_AX0242_UN = 1)).

DISPLAY: IF R03_AX0242_UN = 1, DISPLAY "hours".

ELSE, IF R03_AX0242_UN = 2, DISPLAY "minutes".

PROGRAM: IF (R03_AX0242_NN > 200 AND R03_AX0242_UN = 2) OR (R03_AX0242_NN > 8 AND R03_AX0242_UN = 1).

ELSE, GO TO R03_AX0243 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AX0243

In a typical week, outside of your job or work around the house, how many days do you do physical activities specifically designed to strengthen your muscles such as lifting weights or circuit training? Do not include cardio exercise such as walking, biking, or swimming.

- 0 None
- 1 1 day per week
- 2 2 days per week
- 3 3 days per week
- 4 4 days per week
- 5 5 days per week
- 6 6 days per week
- 7 7 days per week
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In a typical week".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0100

In the past 7 days, how would you rate your pain on average on a scale from 0 to 10 where 0 is no pain and 10 is the worst pain imaginable?

- 0 No pain
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10 Worst pain imaginable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

Variable(s): R03_AX0101

In the past 7 days, how would you rate your fatigue on average? By fatigue, we mean feeling unrested or overly tired during the day, no matter how many hours of sleep you've had.

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Very severe
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0103

In the past 7 days, how often have you been bothered by emotional problems such as feeling anxious, depressed, or irritable?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

Variable(s): R03_AX0102

In general, please rate how well you carry out your usual social activities and roles. This includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.

- 1 Excellent
- 2 Very Good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AX0001

Please think about any health care you may have received in the past 12 months.

In the past 12 months, have you seen a medical doctor, nurse or other health professional?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "past 12 months".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0002**

In the past 12 months, have you seen a dentist?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): **R03_AX0302**

In the past 12 months, have you visited an emergency room or urgent care center for a health problem of your own?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: **R03_AXR18**

Adult respondents who visited an emergency room or urgent care center for their own health problem in the past 12 months, go to R03_AX0155.

Else, adult respondents who are current established, current experimental, new former established, and former experimental tobacco users who saw a medical doctor, nurse, other health professional or dentist in the past 12 months, go to R03_AX0003.

Else, adult respondents who have ever used any tobacco product, go to R03_AX0104.

Else, new baseline adult respondents, go to R03_AX0186_NB.

Else, go to R03_AX0093.

IF R03_AX0302 = 1, GO TO R03_AX0155.

ELSE, IF R03_TOBACCO_USER_STATUS = 1, 2, 3, 4 AND (R03_AX0001 = 1 OR R03_AX0002 = 1), GO TO R03_AX0003.

ELSE, IF R03_EVER_NEVER_TOBACCO = 1, GO TO R03_AX0104.

ELSE, IF R03_ADULTTYPE = 2, GO TO R03_AX0186_NB.

ELSE, GO TO R03_AX0093.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0155**

In the past 12 months, how many times have you visited an emergency room or urgent care center for a health problem of your own?

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R03_AXR19

-7 REFUSED

GO TO BOX R03_AXR19

ASK: Adult respondents who visited an emergency room or urgent care center for their own health problem in the past 12 months.

ASK Specification: IF R03_AX0302 = 1.

PROGRAM: Allow 4 digits.

CHECK ID: **R03_AX0155_LC1**

The computer recorded that you have visited an emergency room or urgent care center [R03_AX0155] times in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AX0155

2 NEXT

GO TO R03_AX0155_LC2

ASK: IF R03_AX0302 = 1 AND R03_AX0155 != -8, -7 AND R03_AX0155 > 15.

PROGRAM: TRIGGER CHECK IF R03_AX0155 > 15.

ELSE, GO TO R03_AX0155_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: **R03_AX0155_LC2**

The computer recorded "0" for the number of times you have visited an emergency room or urgent care center in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AX0155

2 NEXT

GO TO BOX R03_AXR19

ASK: IF R03_AX0302 = 1 AND R03_AX0155 != -8, -7 AND R03_AX0155 = 0.

PROGRAM: TRIGGER CHECK IF R03_AX0155 = 0.

ELSE, GO TO BOX R03_AXR19 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR19

Adult respondents who are current established, current experimental, new former established, and former experimental tobacco users who saw a medical doctor, nurse, other health professional or dentist in the past 12 months, go to R03_AX0003.

Else, adult respondents who have ever used any tobacco product, go to R03_AX0104.

Else, new baseline adult respondents, go to R03_AX0186_NB.

Else, go to R03_AX0093.

IF R03_TOBACCO_USER_STATUS = 1, 2, 3, 4 AND (R03_AX0001 = 1 OR R03_AX0002 = 1), GO TO R03_AX0003.

ELSE, IF R03_EVER_NEVER_TOBACCO = 1, GO TO R03_AX0104.

ELSE, IF R03_ADULTTYPE = 2, GO TO R03_AX0186_NB.

ELSE, GO TO R03_AX0093.

Variable(s): R03_AX0003/****

In the past 12 months, did any medical doctor, dentist or other health professional advise you to stop using tobacco[, including e-cigarettes or other electronic nicotine products]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, new former established, or former experimental tobacco users who saw a medical doctor, nurse, other health professional or dentist in the past 12 months.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2, 3, 4 AND (R03_AX0001 = 1 OR R03_AX0002 = 1).

DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, 3, 4, DISPLAY ", including e-cigarettes or other electronic nicotine products".

ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0104**/**

To what extent, if at all, has [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] damaged your health?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R03_EVER_NEVER_TOBACCO = 1.

DISPLAY: IF R03_TOBACCO_USER_STATUS = 1, 2, DISPLAY "using".

ELSE, DISPLAY "your past use of".

IF R03_EVER_NEVER_EPRODS = 1, DISPLAY ", including e-cigarettes or other electronic nicotine products".

ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: **SKIP ERROR: R03_EVER_NEVER_EPRODS was not set correctly for respondents who a) used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah in Wave 2 and did not use an e-product in the past 12 months (R03_AV1002_12M = 2), or b) were Wave 2 never users who used an e-product in the past 30 days or 12 months (R03_AV1004 = 1 OR R03_AV1002_12M = 1), but did not know or refused to provide the type of e-product used (R03_AV9035 = -8, -7). Some of these respondents also had their values for R03_EPROD_USER_STATUS updated. The incorrect setting of R03_EVER_NEVER_EPRODS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0105**/****

To what extent, if at all, are you worried that [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] will damage your health in the future?

- 1 Not at all worried
- 2 A little worried
- 3 Moderately worried
- 4 Very worried
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R03_EVER_NEVER_TOBACCO = 1.

DISPLAY: IF R03_TOBACCO_USER_STATUS = 1, 2, DISPLAY "using".

ELSE, DISPLAY "your past use of".

IF R03_EVER_NEVER_EPRODS = 1, DISPLAY ", including e-cigarettes or other electronic nicotine products".

ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: **SKIP ERROR: R03_EVER_NEVER_EPRODS was not set correctly for respondents who a) used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah in Wave 2 and did not use an e-product in the past 12 months (R03_AV1002_12M = 2), or b) were Wave 2 never users who used an e-product in the past 30 days or 12 months (R03_AV1004 = 1 OR R03_AV1002_12M = 1), but did not know or refused to provide the type of e-product used (R03_AV9035 = -8, -7). Some of these respondents also had their values for R03_EPROD_USER_STATUS updated. The incorrect setting of R03_EVER_NEVER_EPRODS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: **R03_AXR20**

New baseline adult respondents, go to R03_AX0186_NB.

Else, go to R03_AX0093.

IF R03_ADULTTYPE = 2, GO TO R03_AX0186_NB.

ELSE, GO TO R03_AX0093.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0186_NB**

The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy].

Do you have serious difficulty walking or climbing stairs?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AX0094 |
| -8 | DON'T KNOW | GO TO R03_AX0094 |
| -7 | REFUSED | GO TO R03_AX0094 |

ASK: New baseline adult respondents.

ASK Specification: IF R03_ADULTTYPE = 2.

DISPLAY: IF FEMALE (R03R_A_SEX != 1), DISPLAY “, or pregnancy”.

ELSE, IF MALE (R03R_A_SEX = 1), DISPLAY “or “ AND DO NOT DISPLAY ", or pregnancy".

Variable(s): **R03_AX0093**

[The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy].

]To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?

- | | |
|----|------------|
| 1 | Completely |
| 2 | Mostly |
| 3 | Moderately |
| 4 | A little |
| 5 | Not at all |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Continuing adult respondents or new baseline adult respondents who have serious difficulty walking or climbing stairs.

ASK Specification: IF R03_ADULTTYPE = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0186_NB = 1).

DISPLAY: IF R03_ADULTTYPE = 1, DISPLAY INTRODUCTORY TEXT: "The next set of questions asks about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy]."

ELSE, IF R03_ADULTTYPE = 2, DO NOT DISPLAY ANY INTRODUCTORY TEXT.

IF FEMALE (R03R_A_SEX != 1), DISPLAY “, or pregnancy”.

ELSE, IF MALE (R03R_A_SEX = 1), DISPLAY “or “ AND DO NOT DISPLAY ", or pregnancy".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0094**

To what extent are you able to carry out your everyday activities such as using a telephone, paying bills, taking medications, preparing light meals, doing laundry, or going shopping?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: **R03_AXR21**

New baseline adult respondents, go to R03_AX0188_NB.
Else, go to R03_AX0095.

IF R03_ADULTTYPE = 2, GO TO R03_AX0188_NB.
ELSE, GO TO R03_AX0095.

Variable(s): **R03_AX0188_NB**

Do you have difficulty dressing or bathing?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R03_AX0097 |
| -8 DON'T KNOW | GO TO R03_AX0097 |
| -7 REFUSED | GO TO R03_AX0097 |

ASK: New baseline adult respondents.

ASK Specification: IF R03_ADULTTYPE = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0095**

To what extent are you able to carry out your everyday activities such as bathing, dressing, or getting around the house?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents or new baseline adult respondents who have difficulty dressing or bathing.

ASK Specification: IF R03_ADULTTYPE = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0188_NB = 1).

Variable(s): **SEE BELOW:**

Does your health limit you in any of the following activities? Choose all that apply.

- R03_AX0097_01** 1 Lifting 10 pounds
- R03_AX0097_02** 2 Walking up 10 steps
- R03_AX0097_03** 3 Walking 3 blocks
- R03_AX0097_04** 4 Walking 1 mile
- R03_AX0097_05** 5 Standing 20 minutes
- R03_AX0097_06** 6 Bending or stooping
- R03_AX0097_07** 7 Reaching overhead
- R03_AX0097_08** 8 Using fingers to grasp
- R03_AX0097_09** 9 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PROGRAM: Option 9 cannot be selected if any options 1 through 8 are selected.

BOX ID: **R03_AXR22**

New baseline adult respondents, go to R03_AX0187_NB.

Else, go to R03_AX0111_12M.

IF R03_ADULTTYPE = 2, GO TO R03_AX0187_NB.

ELSE, GO TO R03_AX0111_12M.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0187_NB

Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R03_ADULTTYPE = 2.

Variable(s): R03_AX0189_NB

Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R03_ADULTTYPE = 2.

Variable(s): R03_AX0190_NB

Are you deaf or do you have serious difficulty hearing?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R03_ADULTTYPE = 2.

Variable(s): R03_AX0191_NB

Are you blind or do you have serious difficulty seeing, even when wearing glasses?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R03_ADULTTYPE = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.	
R03_AX0111_NB_01	1 High blood pressure
R03_AX0111_NB_02	2 High cholesterol
R03_AX0111_NB_03	3 Congestive heart failure
R03_AX0111_NB_04	4 A stroke
R03_AX0111_NB_05	5 A heart attack (also called myocardial infarction) or needed bypass surgery
R03_AX0111_NB_06	6 Some other heart condition
R03_AX0111_NB_07	7 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: New baseline adult respondents.	
ASK Specification: IF R03_ADULTTYPE = 2.	
PROGRAM: Option 7 cannot be selected if any option 1 through 6 is selected.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR23
New baseline adult respondents who have ever been told they had high blood pressure, go to R03_AX0114_NB. Else, adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or continuing adult respondents who have been told they had high blood pressure in the past 12 months, go to R03_AX0744. Else, new baseline adult respondents who have ever been told they had high cholesterol, go to R03_AX0115_NB. Else, adult respondents who reported being diagnosed with high cholesterol as of their last completed interview and did not report never having high cholesterol, or continuing adult respondents who have been told they had high cholesterol in the past 12 months, go to R03_AX0746. Else, new baseline adult respondents who have ever been told they had congestive heart failure, go to R03_AX0116_NB. Else, new baseline adult respondents who have ever been told they had a stroke, go to R03_AX0117_NB. Else, new baseline adult respondents who have ever been told they had a heart attack, go to R03_AX0112_NB. Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R03_AX0219. Else, go to R03_AX0046.
IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_01 = 1, GO TO R03_AX0114_NB. ELSE, IF R02_HIGH_BLOOD_PRESSURE = 1 OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M_01 = 1), GO TO R03_AX0744. ELSE, IF ADULTTYPE = 2 AND R03_AX0111_NB_02 = 1, GO TO R03_AX0115_NB. ELSE, IF (R02_HIGH_CHOLESTEROL = 1 AND R03_AX0160_12M != 3) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M_02 = 1), GO TO R03_AX0746. ELSE, IF ADULTTYPE = 2 AND R03_AX0111_NB_03 = 1, GO TO R03_AX0116_NB. ELSE, IF ADULTTYPE = 2 AND R03_AX0111_NB_04 = 1, GO TO R03_AX0117_NB. ELSE, IF ADULTTYPE = 2 AND R03_AX0111_NB_05 = 1, GO TO R03_AX0112_NB. ELSE, IF R02_ANY_HEART_CONDITION = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB[01/ 02/ 03/ 04/ 05/ 06] = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M[01/ 02/ 03/ 04/ 05/ 06] = 1), GO TO R03_AX0219. ELSE, GO TO R03_AX0046.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following heart conditions? Choose all that apply.	
R03_AX0111_12M_01	1 High blood pressure
R03_AX0111_12M_02	2 High cholesterol
R03_AX0111_12M_03	3 Congestive heart failure
R03_AX0111_12M_04	4 A stroke
R03_AX0111_12M_05	5 A heart attack (also called myocardial infarction) or needed bypass surgery
R03_AX0111_12M_06	6 Some other heart condition
R03_AX0111_12M_07	7 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: Continuing adult respondents. ASK Specification: IF R03_ADULTTYPE = 1. PROGRAM: Option 7 cannot be selected if any option 1 through 6 is selected. Suppress options 3, 4, 5 if 18 <= R03R_A_AGE < 40.	

BOX ID:	R03_AXR82
Adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or new baseline adult respondents who have ever been told they had high blood pressure, or continuing adult respondents who have been told they had high blood pressure in the past 12 months, go to R03_AX0744. Else, continuing adult respondents who have been told they had high cholesterol in the past 12 months or reported being diagnosed with high cholesterol as of their last completed interview, go to R03_AX0160_12M. Else, adult respondents who reported having had a stroke as of their last completed interview, or new baseline adult respondents who have ever been told they had a stroke, or continuing adult respondents who have been told they had a stroke in the past 12 months, go to R03_AX0745. Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R03_AX0219. Else, go to R03_AX0046.	
IF R02_HIGH_BLOOD_PRESSURE = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB_01 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M_01 = 1), GO TO R03_AX0744. ELSE, IF R03_ADULTTYPE = 1 AND (R03_AX0111_12M_02 = 1 OR R02_HIGH_CHOLESTEROL = 1), GO TO R03_AX0160_12M. ELSE, IF R02_STROKE = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB_04 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M_04 = 1), GO TO R03_AX0745. ELSE, IF R02_ANY_HEART_CONDITION = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB[01/ 02/ 03/ 04/ 05/ 06] = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M[01/ 02/ 03/ 04/ 05/ 06] = 1), GO TO R03_AX0219. ELSE, GO TO R03_AX0046.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0114_NB**

How old were you when you were first told you had high blood pressure?

I ___|___| Years old

-8 DON'T KNOW

GO TO R03_AX0253_NB

-7 REFUSED

GO TO R03_AX0253_NB

ASK: New baseline adult respondents who have ever been told they had high blood pressure.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_01 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: **R03_AX0114_NB_LC1**

The computer recorded that you were [R03_AX0114_NB] years old when you were first told that you had high blood pressure. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AX0114_NB

2 NEXT

GO TO R03_AX0744

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0111_NB_01 = 1 AND R03_AX0114_NB != -8, -7) AND R03_AX0114_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0114_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO R03_AX0744 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R03_AX0253_NB**

When you were first told you had high blood pressure, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had high blood pressure and did not know or refused to report the age they were first told they had high blood pressure.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_01 = 1 AND R03_AX0114_NB = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0744**

[In the past, you told us you had high blood pressure.

]In the past 12 months, has your high blood pressure been under control?

- 1 Yes
- 2 No
- 3 I have never had high blood pressure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or new baseline adult respondents who have ever been told they had high blood pressure, or continuing adult respondents who have been told they had high blood pressure in the past 12 months.

ASK Specification: IF R02_HIGH_BLOOD_PRESSURE = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB_01 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M_01 = 1).

DISPLAY: IF RESPONDENT REPORTED HAVING HIGH BLOOD PRESSURE IN WAVES 1 AND/OR 2, BUT NOT IN WAVE 3 [R02_HIGH_BLOOD_PRESSURE = 1 AND (R03_AX0111_NB_01 != 1 AND R03_AX0111_12M_01 != 1], DISPLAY "In the past, you told us you had high blood pressure" AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR24
New baseline adult respondents who have ever been told they had high cholesterol, go to R03_AX0115_NB. Else, continuing adult respondents who have been told they had high cholesterol in the past 12 months or reported being diagnosed with high cholesterol as of their last completed interview, go to R03_AX0160_12M. Else, adult respondents who reported being diagnosed with high cholesterol as of their last completed interview, go to R03_AX0746. Else, new baseline adult respondents who have ever been told they had congestive heart failure, go to R03_AX0116_NB. Else, new baseline adult respondents who have ever been told they had a stroke, go to R03_AX0117_NB. Else, adult respondents who reported having had a stroke as of their last completed interview, or continuing adult respondents who have been told they had a stroke in the past 12 months, go to R03_AX0745. Else, new baseline adult respondents who have ever been told they had a heart attack, go to R03_AX0112_NB. Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R03_AX0219.	
IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_02 = 1, GO TO R03_AX0115_NB. ELSE, IF R03_ADULTTYPE = 1 AND (R03_AX0111_12M_02 = 1 OR R02_HIGH_CHOLESTEROL = 1), GO TO R03_AX0160_12M. ELSE, IF R02_HIGH_CHOLESTEROL = 1, GO TO R03_AX0746. ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_03 = 1, GO TO R03_AX0116_NB. ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_04 = 1, GO TO R03_AX0117_NB. ELSE, IF R02_STROKE = 1 OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M_04 = 1), GO TO R03_AX0745. ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_05 = 1, GO TO R03_AX0112_NB. ELSE, IF R02_ANY_HEART_CONDITION = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB[01/ 02/ 03/ 04/ 05/ 06] = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M[01/ 02/ 03/ 04/ 05/ 06] = 1), GO TO R03_AX0219.	

Variable(s):	R03_AX0115_NB
How old were you when you were first told you had high cholesterol? I__I__I Years old -8 DON'T KNOW GO TO R03_AX0254_NB -7 REFUSED GO TO R03_AX0254_NB ASK: New baseline adult respondents who have ever been told they had high cholesterol. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_02 = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits for age.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AX0115_NB_LC1

The computer recorded that you were [R03_AX0115_NB] years old when you were first told that you had high cholesterol. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|-----------|---------------------|
| 1 BACK | GO TO R03_AX0115_NB |
| 2 NEXT | GO TO R03_AX0160_NB |

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0111_NB_02 = 1 AND R03_AX0115_NB != -8, -7) AND R03_AX0115_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0115_NB > R03R_A_AGE AND R03R_A_AGE >= 18.
ELSE, GO TO R03_AX0160_NB AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AX0254_NB

When you were first told you had high cholesterol, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had high cholesterol and did not know or refused to report the age they were first told they had high cholesterol.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_02 = 1 AND R03_AX0115_NB = -8, -7.

Variable(s): R03_AX0160_NB

Have you ever taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?

- | | |
|-----------------|------------------|
| 1 Yes | GO TO R03_AX0746 |
| 2 No | GO TO R03_AX0746 |
| -8 DON'T KNOW | GO TO R03_AX0746 |
| -7 REFUSED | GO TO R03_AX0746 |

ASK: New baseline adult respondents who have ever been told they had high cholesterol.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_02 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0160_12M**

[In the past, you told us you had high cholesterol.

]In the past 12 months, have you taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?

1 Yes

2 No

3 I have never had high cholesterol

GO TO BOX R03_AXR26

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing adult respondents who have been told they had high cholesterol in the past 12 months or reported being diagnosed with high cholesterol as of their last completed interview.

ASK Specification: IF R03_ADULTTYPE = 1 AND (R03_AX0111_12M_02 = 1 OR R02_HIGH_CHOLESTEROL = 1).

DISPLAY: IF CONTINUING RESPONDENT REPORTED HAVING HIGH CHOLESTEROL IN WAVES 1 AND/OR 2, BUT NOT WAVE 3 [R03_ADULTTYPE = 1 AND R02_HIGH_CHOLESTEROL = 1 AND R03_AX0111_12M_02 != 1], DISPLAY "In the past, you told us you had high cholesterol." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

Variable(s): **R03_AX0746**

[In the past, you told us you had high cholesterol.

]In the past 12 months, has your high cholesterol been under control?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who reported being diagnosed with high cholesterol as of their last completed interview and did not report never having high cholesterol, or new baseline adult respondents who have ever been told they had high cholesterol, or continuing adult respondents who have been told they had high cholesterol in the past 12 months.

ASK Specification: IF (R02_HIGH_CHOLESTEROL = 1 AND R03_AX0160_12M != 3) OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB_02 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M_02 = 1).

DISPLAY: IF NEW BASELINE RESPONDENT REPORTED HAVING HIGH CHOLESTEROL IN WAVES 1 AND/OR 2, BUT NOT IN WAVE 3 (R03_ADULTTYPE = 2 AND R02_HIGH_CHOLESTEROL = 1 AND R03_AX0111_NB_02 != 1), DISPLAY "In the past, you told us you had high cholesterol."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR26
New baseline adult respondents who have ever been told they had congestive heart failure, go to R03_AX0116_NB. Else, new baseline adult respondents who have ever been told they had a stroke, go to R03_AX0117_NB. Else, adult respondents who reported having had a stroke as of their last completed interview, or continuing adult respondents who have been told they had a stroke in the past 12 months, go to R03_AX0745. Else, new baseline adult respondents who have ever been told they had a heart attack, go to R03_AX0112_NB. Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R03_AX0219.
IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_03 = 1, GO TO R03_AX0116_NB. ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_04 = 1, GO TO R03_AX0117_NB. ELSE, IF R02_STROKE = 1 OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M_04 = 1), GO TO R03_AX0745. ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_05 = 1, GO TO R03_AX0112_NB. ELSE, IF R02_ANY_HEART_CONDITION = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB[_01/_02/_03/_04/_05/_06] = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M[_01/_02/_03/_04/_05/_06] = 1), GO TO R03_AX0219.

Variable(s): R03_AX0116_NB
How old were you when you were first told you had congestive heart failure? I__I__I Years old -8 DON'T KNOW GO TO R03_AX0255_NB -7 REFUSED GO TO R03_AX0255_NB ASK: New baseline adult respondents who have ever been told they had congestive heart failure. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_03 = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits for age.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AX0116_NB_LC1

The computer recorded that you were [R03_AX0116_NB] years old when you were first told that you had congestive heart failure. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AX0116_NB |
| 2 | NEXT | GO TO BOX R03_AXR28 |

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0111_NB_03 = 1 AND R03_AX0116_NB != -8, -7) AND R03_AX0116_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0116_NB > R03R_A_AGE AND R03R_A_AGE >= 18.
ELSE, GO TO BOX R03_AXR28 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AX0255_NB

When you were first told you had congestive heart failure, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had congestive heart failure and did not know or refused to report the age they were first told they had congestive heart failure.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_03 = 1 AND R03_AX0116_NB = -8, -7.

BOX ID:	R03_AXR28
	New baseline adult respondents who have ever been told they had a stroke, go to R03_AX0117_NB. Else, adult respondents who reported having had a stroke as of their last completed interview, or continuing adult respondents who have been told they had a stroke in the past 12 months, go to R03_AX0745. Else, new baseline adult respondents who have ever been told they had a heart attack, go to R03_AX0112_NB. Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R03_AX0219.
	IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_04 = 1, GO TO R03_AX0117_NB. ELSE, IF R02_STROKE = 1 OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M_04 = 1), GO TO R03_AX0745. ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_05 = 1, GO TO R03_AX0112_NB. ELSE, IF R02_ANY_HEART_CONDITION = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB[01/ 02/ 03/ 04/ 05/ 06] = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M[01/ 02/ 03/ 04/ 05/ 06] = 1), GO TO R03_AX0219.

Variable(s):	R03_AX0117_NB	
How old were you when you were first told you had a stroke?		
	I ___ I ___ I Years old	
-8	DON'T KNOW	GO TO R03_AX0256_NB
-7	REFUSED	GO TO R03_AX0256_NB
ASK: New baseline adult respondents who have ever been told they had a stroke.		
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_04 = 1.		
DISPLAY: DISPLAY "Years old" AS A TITLE.		
PROGRAM: Allow 2 digits for age.		

CHECK ID: **R03_AX0117_NB_LC1**

The computer recorded that you were [R03_AX0117_NB] years old when you were first told that you had a stroke. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R03_AX0117_NB
2	NEXT	GO TO R03_AX0745

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0111_NB_04 = 1 AND R03_AX0117_NB != -8, -7) AND R03_AX0117_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0117_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO R03_AX0745 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0256_NB**

When you were first told you had a stroke, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a stroke and did not know or refused to report the age they were first told they had a stroke.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_04 = 1 AND R03_AX0117_NB = -8, -7.

Variable(s): **R03_AX0745**

[In the past, you told us you had a stroke.

]Do you have any permanent disability as a result of the stroke?

- 1 Yes
- 2 No
- 3 I have never had a stroke
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported having had a stroke as of their last completed interview, or new baseline adult respondents who have ever been told they had a stroke, or continuing adult respondents who have been told they had a stroke in the past 12 months.

ASK Specification: IF R02_STROKE = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB_04 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M_04 = 1).

DISPLAY: IF RESPONDENT REPORTED HAVING A STROKE IN WAVES 1 AND/OR 2, BUT NOT IN WAVE 3 (R02_STROKE = 1 AND R03_AX0111_NB_04 != 1 AND R03_AX0111_12M_04 != 1), DISPLAY "In the past, you told us you had a stroke." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR30

New baseline adult respondents who have ever been told they had a heart attack, go to R03_AX0112_NB.

Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R03_AX0219.

IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_05 = 1, GO TO R03_AX0112_NB.

ELSE, IF R02_ANY_HEART_CONDITION = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB[01/ 02/ 03/ 04/ 05/ 06] = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M[01/ 02/ 03/ 04/ 05/ 06] = 1), GO TO R03_AX0219.

Variable(s): R03_AX0112_NB

How old were you when you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery?

I ____ I ____ Years old

-8 DON'T KNOW

GO TO R03_AX0252_NB

-7 REFUSED

GO TO R03_AX0252_NB

ASK: New baseline adult respondents who have ever been told they had a heart attack.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_05 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R03_AX0112_NB_LC1

The computer recorded that you were [R03_AX0112_NB] years old when you were first told that you had a heart attack. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AX0112_NB

2 NEXT

GO TO R03_AX0219

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0111_NB_05 = 1 AND R03_AX0112_NB != -8, -7) AND R03_AX0112_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0112_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO R03_AX0219 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AX0252_NB When you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever been told they had a heart attack and did not know or refused to report the age they were first told they had a heart attack. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0111_NB_05 = 1 AND R03_AX0112_NB = -8, -7.
--

Variable(s):	R03_AX0219
In the past 12 months, did you take any [other]heart or blood pressure medications regularly? (Taken regularly means according to a health care provider's instructions.)	
1	Yes
2	No
	GO TO R03_AX0046
-8	DON'T KNOW
	GO TO R03_AX0046
-7	REFUSED
	GO TO R03_AX0046
ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months.	
ASK Specification: IF R02_ANY_HEART_CONDITION = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB[_01/_02/_03/_04/_05/_06] = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M[_01/_02/_03/_04/_05/_06] = 1).	
DISPLAY: IF R03_AX0160_NB = 1 OR R03_AX0160_12M = 1, DISPLAY "other".	
ELSE, DO NOT DISPLAY THIS FILL WORD.	

BOX ID: R03_AXD04
BOX – DISPLAY INSTRUCTIONS FOR R03_AX0159, DISPLAY A “Yes” AND “No” COLUMN OPTIONS FOR EACH RESPONSE CATEGORY.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
What type of heart or blood pressure medications do you regularly take?	
R03_AX0159_01	1 Calcium Channel Blocker – for example: nifedipine (Procardia, Adalat), diltiazem (Cardizem), amlodipine (Norvasc), verapamil (Calan), nisoldipine (Sular)
R03_AX0159_02	2 Beta Blocker – for example: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal)
R03_AX0159_03	3 Angiotensin Receptor Blocker – for example: losartan (Cozaar), irbesartan (Avapro), valsartan (Diovan), candesartan (Atacand), telmisartan (Micardis), olmesartan (Benicar)
R03_AX0159_04	4 Ace Inhibitor – for example: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril)
R03_AX0159_05	5 Diuretic – for example: furosemide (Lasix), indapamide (Lozol), triamterene (Dyrenium), thiazides (HCTZ), triamterene/HCTZ (Dyazide)
R03_AX0159_06	6 Digoxin (Lanoxin)
R03_AX0159_07	7 Methyldopa (Aldomet) or Hydralazine (Apresoline)
R03_AX0159_08	8 Other antiarrhythmics
R03_AX0159_09	9 Some other heart or blood pressure medication
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.	
ASK Specification: IF (R02_ANY_HEART_CONDITION = 1 AND R03_AX0219 = 1) OR (R03_ADULTTYPE = 2 AND R03_AX0111_NB[_01/_02/_03/_04/_05/_06] = 1 AND R03_AX0219 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0111_12M[_01/_02/_03/_04/_05/_06] = 1 AND R03_AX0219 = 1).	

Variable(s): R03_AX0046	
Have you ever had wheezing or whistling in the chest at any time in the past?	
1	Yes
2	No
	GO TO R03_AX0052
-8	DON'T KNOW
	GO TO R03_AX0052
-7	REFUSED
	GO TO R03_AX0052
ASK: All adult respondents.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0047	
Have you had wheezing or whistling in the chest in the past 12 months?	
1 Yes	
2 No	GO TO R03_AX0052
-8 DON'T KNOW	GO TO R03_AX0052
-7 REFUSED	GO TO R03_AX0052
ASK: Adult respondents who had wheezing or whistling in the chest at any time in the past.	
ASK Specification: IF R03_AX0046 = 1.	

Variable(s): R03_AX0048	
How many attacks of wheezing have you had in the past 12 months?	
1 None	
2 1 to 3	
3 4 to 12	
4 More than 12	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months.	
ASK Specification: IF R03_AX0046 = 1 AND R03_AX0047 = 1.	

Variable(s): R03_AX0049	
In the past 12 months, how often, on average has your sleep been disturbed due to wheezing?	
1 Never woken with wheezing	
2 Less than one night per week	
3 One or more nights per week	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months.	
ASK Specification: IF R03_AX0046 = 1 AND R03_AX0047 = 1.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0050
In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months. ASK Specification: IF R03_AX0046 = 1 AND R03_AX0047 = 1.

Variable(s): R03_AX0052
In the past 12 months, has your chest sounded wheezy during or after exercise? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: All adult respondents.

Variable(s): R03_AX0053
A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: All adult respondents.

BOX ID: R03_AXR31
New baseline adult respondents, go to R03_AX0119_NB. Continuing adult respondents, go to R03_AX0119_12M.
IF R03_ADULTTYPE = 2, GO TO R03_AX0119_NB. IF R03_ADULTTYPE = 1, GO TO R03_AX0119_12M.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.	
R03_AX0119_NB_01	1 COPD
R03_AX0119_NB_02	2 Chronic bronchitis
R03_AX0119_NB_03	3 Emphysema
R03_AX0119_NB_04	4 Asthma
R03_AX0119_NB_05	5 Some other lung or respiratory condition
R03_AX0119_NB_06	6 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: New baseline adult respondents. ASK Specification: IF R03_ADULTTYPE = 2. PROGRAM: Option 6 cannot be selected if any option 1 through 5 is selected.	

BOX ID:	R03_AXR32
New baseline adult respondents who have ever been told they had COPD, go to R03_AX0120_NB. Else, go to Box R03_AXV09.	
IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_01 = 1, GO TO R03_AX0120_NB. ELSE, GO TO BOX R03_AXV09.	

Variable(s):	SEE BELOW:
In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.	
R03_AX0119_12M_01	1 COPD
R03_AX0119_12M_02	2 Chronic bronchitis
R03_AX0119_12M_03	3 Emphysema
R03_AX0119_12M_04	4 Asthma
R03_AX0119_12M_05	5 Some other lung or respiratory condition
R03_AX0119_12M_06	6 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: Continuing adult respondents. ASK Specification: IF R03_ADULTTYPE = 1. PROGRAM: Option 6 cannot be selected if any option 1 through 5 is selected.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR63

Adult respondents who reported being diagnosed with COPD as of their last completed interview, or continuing adult respondents who have been told they had COPD in the past 12 months, go to R03_AX0733.

Else, go to Box R03_AXV09.

IF R02_COPD = 1 OR (R03_ADULTTYPE = 1 AND R03_AX0119_12M_01 = 1), GO TO R03_AX0733.
ELSE, GO TO BOX R03_AXV09.

Variable(s): R03_AX0120_NB

How old were you when you were first told you had COPD?

I ____ I ____ I Years old

-8 DON'T KNOW

GO TO R03_AX0257_NB

-7 REFUSED

GO TO R03_AX0257_NB

ASK: New baseline adult respondents who have ever been told they had COPD.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_01 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R03_AX0120_NB_LC1

The computer recorded that you were [R03_AX0120_NB] years old when you were first told that you had COPD. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AX0120_NB

2 NEXT

GO TO R03_AX0733

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0119_NB_01 = 1 AND R03_AX0120_NB != -8, -7) AND R03_AX0120_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03 AX0120 NB > R03R A AGE AND R03R A AGE >= 18.

ELSE, GO TO R03 AX0733 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0257_NB**

When you were first told you had COPD, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had COPD and did not know or refused to report the age they were first told they had COPD.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_01 = 1 AND R03_AX0120_NB = -8, -7.

Variable(s): **R03_AX0733**

[In the past, you told us you had COPD.

]Are you troubled by shortness of breath when hurrying on level ground or walking up a slight hill?

- 1 Yes
- 2 No GO TO BOX R03_AXV09
- 3 I have never had COPD GO TO BOX R03_AXV09
- 8 DON'T KNOW GO TO BOX R03_AXV09
- 7 REFUSED GO TO BOX R03_AXV09

ASK: Adult respondents who reported being diagnosed with COPD as of their last completed interview, or new baseline adult respondents who have ever been told they had COPD, or continuing adult respondents who have been told they had COPD in the past 12 months.

ASK Specification: IF R02_COPD = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0119_NB_01 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0119_12M_01 = 1).

DISPLAY: IF RESPONDENT REPORTED HAVING COPD IN WAVES 1 AND/OR 2, BUT NOT WAVE 3 [R02_COPD = 1 AND R03_AX0119_NB_01 != 1 AND R03_AX0119_12M_01 != 1], DISPLAY "In the past, you told us you had COPD." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

BOX ID: **R03_AXD15**

BOX – DISPLAY INSTRUCTIONS

FOR R03_AX0734, DISPLAY A “Yes” AND “No” COLUMN WITH OPTIONS FOR EACH RESPONSE CATEGORY.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
Do you ever...	
R03_AX0734_01	1 Have to walk slower than people your age on level ground because of breathlessness?
R03_AX0734_02	2 Have to stop for breath when walking at your own pace on level ground?
R03_AX0734_03	3 Have to stop for breath after walking about 100 yards (or after a few minutes) on level ground?
R03_AX0734_04	4 Get too breathless to leave the house or breathless on dressing or undressing?
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who reported being diagnosed with COPD as of their last completed interview and have shortness of breath, or new baseline adult respondents who have ever been told they had COPD and have shortness of breath, or continuing adult respondents who have been told they have COPD in the past 12 months and have shortness of breath.	
ASK Specification: IF (R02_COPD = 1 AND R03_AX0733 = 1) OR (R03_ADULTTYPE = 2 AND R03_AX0119_NB_01 = 1 AND R03_AX0733 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0119_12M_01 = 1 AND R03_AX0733 = 1).	

BOX ID: R03_AXV09
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):
R03_ADULT_COPD = Adult respondents who have ever had COPD.
R03_ADULT_COPD: IF (R03_AX0119_NB_01 = 1 OR R03_AX0119_12M_01 = 1 OR R02_COPD = 1) AND R03_AX0733 != 3, THEN R03_ADULT_COPD = 1. ELSE, R03_ADULT_COPD = 2.

BOX ID: R03_AXR09
If respondent has ever had COPD, go to R03_AX0735. Else, go to Box R03_AXR33.
IF R03_ADULT_COPD = 1, GO TO R03_AX0735. ELSE, GO TO BOX R03_AXR33.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0735**

In the past 2 weeks, on how many days or nights have you been troubled by shortness of breath?

- 1 None
- 2 1 to 2 days or nights
- 3 3 to 6 days or nights
- 4 7 to 13 days or nights
- 5 Every day or night
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R03_ADULT_COPD = 1.

DISPLAY: UNDERLINE "past 2 weeks".

Variable(s): **R03_AX0736**

In the past 5 years, have you been admitted to a hospital, emergency room or urgent care center due to COPD?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R03_ADULT_COPD = 1.

DISPLAY: UNDERLINE "past 5 years".

Variable(s): **R03_AX0737**

In the past 5 years, have you been intubated (had a tube inserted to assist with breathing) because of your COPD?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R03_ADULT_COPD = 1.

DISPLAY: UNDERLINE "past 5 years".

BOX ID:	R03_AXR33
New baseline adult respondents who have ever been told they had chronic bronchitis, go to R03_AX0121_NB.	
Else, new baseline adult respondents who have ever been told they had emphysema, go to R03_AX0123_NB.	
Else, new baseline adult respondents who have ever been told they had asthma, go to R03_AX0124_NB.	
Else, adult respondents who reported being diagnosed with asthma as of their last completed interview, or continuing adult respondents who have been told they have asthma in the past 12 months, go to R03_AX0227.	
Else, go to Box R03_AXV03.	
IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_02 = 1, GO TO R03_AX0121_NB.	
ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_03 = 1, GO TO R03_AX0123_NB.	
ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_04 = 1, GO TO R03_AX0124_NB.	
ELSE, IF R02_ASTHMA = 1 OR (R03_ADULTTYPE = 1 AND R03_AX0119_12M_04 = 1), GO TO R03_AX0227.	
ELSE, GO TO BOX R03_AXV03.	

Variable(s):	R03_AX0121_NB	
How old were you when you were first told you had chronic bronchitis?		
	I__I__I Years old	
-8	DON'T KNOW	GO TO R03_AX0258_NB
-7	REFUSED	GO TO R03_AX0258_NB
ASK: New baseline adult respondents who have ever been told they had chronic bronchitis.		
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_02 = 1.		
DISPLAY: DISPLAY "Years old" AS A TITLE.		
PROGRAM: Allow 2 digits for age.		

CHECK ID: R03_AX0121_NB_LC1

The computer recorded that you were [R03_AX0121_NB] years old when you were first told that you had chronic bronchitis. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R03_AX0121_NB
2	NEXT	GO TO BOX R03_AXR35

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0119_NB_02 = 1 AND R03_AX0121_NB != -8, -7) AND R03_AX0121_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0121_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO BOX R03_AXR35 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R03_AX0258_NB**

When you were first told you had chronic bronchitis, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had chronic bronchitis and did not know or refused to report the age they were first told they had chronic bronchitis.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_02 = 1 AND R03_AX0121_NB = -8, -7.

BOX ID:	R03_AXR35
New baseline adult respondents who have ever been told they had emphysema, go to R03_AX0123_NB.	
Else, new baseline adult respondents who have ever been told they had asthma, go to R03_AX0124_NB.	
Else, adult respondents who reported being diagnosed with asthma as of their last completed interview, or continuing adult respondents who have been told they have asthma in the past 12 months, go to R03_AX0227.	
Else, go to Box R03_AXV03.	
IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_03 = 1, GO TO R03_AX0123_NB.	
ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_04 = 1, GO TO R03_AX0124_NB.	
ELSE, IF R02_ASTHMA = 1 OR (R03_ADULTTYPE = 1 AND R03_AX0119_12M_04 = 1), GO TO R03_AX0227.	
ELSE, GO TO BOX R03_AXV03.	

Variable(s):	R03_AX0123_NB
How old were you when you were first told you had emphysema?	
I ___ I ___	Years old
-8	DON'T KNOW
	GO TO R03_AX0259_NB
-7	REFUSED
	GO TO R03_AX0259_NB
ASK: New baseline adult respondents who have ever been told they had emphysema.	
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_03 = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID:	R03_AX0123_NB_LC1						
The computer recorded that you were [R03_AX0123_NB] years old when you were first told that you had emphysema. That is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R03_AX0123_NB</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO BOX R03_AXR37</td> </tr> </table> ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0119_NB_03 = 1 AND R03_AX0123_NB != -8, -7) AND R03_AX0123_NB > R03R_A_AGE AND R03R_A_AGE >= 18. PROGRAM: TRIGGER CHECK IF R03_AX0123_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AXR37 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R03_AX0123_NB	2	NEXT	GO TO BOX R03_AXR37
1	BACK	GO TO R03_AX0123_NB					
2	NEXT	GO TO BOX R03_AXR37					

Variable(s):	R03_AX0259_NB																
When you were first told you had emphysema, were you... <table> <tr> <td>1</td> <td>Less than 18 years old,</td> </tr> <tr> <td>2</td> <td>18 to 24 years old,</td> </tr> <tr> <td>3</td> <td>25 to 34 years old,</td> </tr> <tr> <td>4</td> <td>35 to 44 years old,</td> </tr> <tr> <td>5</td> <td>45 to 54 years old, or</td> </tr> <tr> <td>6</td> <td>55 years old or older?</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: New baseline adult respondents who have ever been told they had emphysema and did not know or refused to report the age they were first told they had emphysema. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_03 = 1 AND R03_AX0123_NB = -8, -7.		1	Less than 18 years old,	2	18 to 24 years old,	3	25 to 34 years old,	4	35 to 44 years old,	5	45 to 54 years old, or	6	55 years old or older?	-8	DON'T KNOW	-7	REFUSED
1	Less than 18 years old,																
2	18 to 24 years old,																
3	25 to 34 years old,																
4	35 to 44 years old,																
5	45 to 54 years old, or																
6	55 years old or older?																
-8	DON'T KNOW																
-7	REFUSED																

BOX ID:	R03_AXR37
New baseline adult respondents who have ever been told they had asthma, go to R03_AX0124_NB. Else, adult respondents who reported being diagnosed with asthma as of their last completed interview, or continuing adult respondents who have been told they have asthma in the past 12 months, go to R03_AX0227. Else, go to Box R03_AXV03. IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_04 = 1, GO TO R03_AX0124_NB. ELSE, IF R02_ASTHMA = 1 OR (R03_ADULTTYPE = 1 AND R03_AX0119_12M_04 = 1), GO TO R03_AX0227. ELSE, GO TO BOX R03_AXV03.	

Variable(s):	R03_AX0124_NB
How old were you when you were first told you had asthma?	
	I ___ I ___ Years old
-8	DON'T KNOW
	GO TO R03_AX0260_NB
-7	REFUSED
	GO TO R03_AX0260_NB
ASK: New baseline adult respondents who have ever been told they had asthma.	
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_04 = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

CHECK ID: **R03_AX0124_NB_LC1**

The computer recorded that you were [R03_AX0124_NB] years old when you were first told that you had asthma. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R03_AX0124_NB
2	NEXT	GO TO R03_AX0227

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0119_NB_04 = 1 AND R03_AX0124 != -8, -7) AND R02_AX0124 > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R02_AX0124 > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO R03_AX0227 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R03_AX0260_NB**

When you were first told you had asthma, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had asthma and did not know or refused to report the age they were first told they had asthma.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0119_NB_04 = 1 AND R03_AX0124_NB = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AX0227***
[In the past, you told us you had asthma.]In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school or at home? 1 All of the time 2 Most of the time 3 Some of the time 4 A little of the time 5 None of the time 6 I have never had asthma -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who reported being diagnosed with asthma as of their last completed interview, or new baseline adult respondents who have ever been told they had asthma, or continuing adult respondents who have been told they have asthma in the past 12 months. ASK Specification: IF R02_ASTHMA = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0119_NB_04 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0119_12M_04 = 1). DISPLAY: IF RESPONDENT REPORTED HAVING ASTHMA IN WAVES 1 AND/OR 2, BUT NOT IN WAVE 3 (R02_ASTHMA = 1 AND R03_AX0119_NB_04 != 1 AND R03_AX0119_12M_04 != 1), DISPLAY "In the past, you told us you had asthma." AND DISPLAY OPTION 6. ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 6. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AXV03
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX): R03_ADULT_ASTHMA = Adult respondents who have ever had asthma R03_ADULT_ASTHMA: IF (R02_ASTHMA = 1 OR R03_AX0119_NB_04 = 1 OR R03_AX0119_12M_04 = 1) AND R03_AX0227 != 6, THEN R03_ADULT_ASTHMA = 1. ELSE, R03_ADULT_ASTHMA = 2.	

BOX ID:	R03_AXR08
Adult respondents who have ever had asthma, go to R03_AX0228. Else, adult respondents who have ever had COPD, go to R03_AX0283. Else, go to R03_AX0726. IF R03_ADULT_ASTHMA = 1, GO TO R03_AX0228. ELSE, IF R03_ADULT_COPD = 1, GO TO R03_AX0283. ELSE, GO TO R03_AX0726.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0228***

In the past 30 days, how often have you had shortness of breath?

- 1 More than once a day
- 2 Once a day
- 3 3-6 times a week
- 4 Once or twice a week
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R03_ADULT_ASTHMA = 1.

DISPLAY: UNDERLINE "past 30 days".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R03_AX0229***

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness or pain) wake you up at night or earlier than usual in the morning?

- 1 4 or more nights a week
- 2 2 or 3 nights
- 3 Once a week
- 4 Once or twice
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R03_ADULT_ASTHMA = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0283*****

In the past 12 months, did you take any medications regularly for COPD or asthma? (Taken regularly means according to a health care provider's instructions.)

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R03_AXR07 |
| -8 | DON'T KNOW | GO TO BOX R03_AXR07 |
| -7 | REFUSED | GO TO BOX R03_AXR07 |

ASK: Adult respondents who have ever had asthma or have ever had COPD.

ASK Specification: IF R03_ADULT_ASTHMA = 1 OR R03_ADULT_COPD = 1.

DISPLAY: UNDERLINE "past 12 months".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: **R03_AXD05**

DISPLAY INSTRUCTION: FOR R03_AX0128, DISPLAY AS A STEM AND LEAF QUESTION. FOR EACH LEAF, DISPLAY A yes/no RESPONSE.

Variable(s): **SEE BELOW:**

In the past 12 months, which of the following medications did you regularly take for COPD or asthma?

- | | | |
|-------------------------|----|---|
| R03_AX0128_01*** | 1 | Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent) |
| R03_AX0128_02*** | 2 | Controller or long-acting inhaler including steroid inhaler – for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair) |
| R03_AX0128_03*** | 3 | Other controlling medication – for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp) |
| R03_AX0128_05*** | 5 | Oxygen therapy |
| R03_AX0128_06*** | 6 | Some other COPD or asthma medication |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who have ever had asthma or have ever had COPD and have taken any medications regularly for COPD or asthma in the past 12 months.

ASK Specification: IF (R03_ADULT_ASTHMA = 1 OR R03_ADULT_COPD = 1) AND R03_AX0283 = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR07

Adult respondents who have ever had COPD and have taken any medications regularly for COPD in the past 12 months, go to R03_AX0749.

Else, adult respondents who have ever had COPD, go to R03_AX0751.

Else, adult respondents who have ever had asthma, go to R03_AX0125.

Else, go to R03_AX0726.

IF R03_ADULT_COPD = 1 AND R03_AX0283 = 1, GO TO R03_AX0749.

ELSE, IF R03_ADULT_COPD = 1, GO TO R03_AX0751.

ELSE, IF R03_ADULT_ASTHMA = 1, GO TO R03_AX0125.

ELSE, GO TO R03_AX0726.

Variable(s): SEE BELOW:

In the past 2 weeks, which of the following medications did you regularly take for COPD? Choose all that apply.

- | | | |
|----------------------|----|---|
| R03_AX0749_01 | 1 | Quick relief inhaler - for example: albuterol ((ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent) |
| R03_AX0749_02 | 2 | Long-acting inhaler – for example: salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair) |
| R03_AX0749_03 | 3 | Inhaled corticosteroid, such as – for example: beclomethasone (Qvar), fluticasone (Flovent), budesonide (Pulmicort) or mometasone (Asmanex) |
| R03_AX0749_04 | 4 | Some other COPD medication |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who have ever had COPD and have taken any medications regularly for COPD in the past 12 months.

ASK Specification: IF R03_ADULT_COPD = 1 AND R03_AX0283 = 1.

DISPLAY: UNDERLINE "past 2 weeks".

PROGRAM: Allow respondents to choose all that apply.

Variable(s): R03_AX0751**

Are you currently using home oxygen therapy (day or night) for your COPD?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R03_ADULT_COPD = 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who did not indicate that they took any medications regularly for COPD or asthma (R03_AX0283 != 1). This issue was fixed in a field update on 05/17/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0750****

In the past 12 months, how many times have you been on antibiotics for a lung-related infection such as bronchitis or pneumonia?

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R03_ADULT_COPD = 1.

DISPLAY: UNDERLINE "past 12 months".

PROGRAM: Allow 3 digits.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who did not indicate that they took any medications regularly for COPD or asthma (R03_AX0283 != 1). This issue was fixed in a field update on 05/17/2016.

BOX ID: **R03_AXR97**

Adult respondents who have ever had asthma, go to R03_AX0125.

Else, go to R03_AX0726.

IF R03_ADULT_ASTHMA = 1, GO TO R03_AX0125.

ELSE, GO TO R03_AX0726.

Variable(s): **R03_AX0125*****

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?

Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

1 Yes

2 No

GO TO R03_AX0127

-8 DON'T KNOW

GO TO R03_AX0127

-7 REFUSED

GO TO R03_AX0127

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R03_ADULT_ASTHMA = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0126

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever had asthma and had an asthma attack in the past 12 months that required use of an oral or injected steroid medication.

ASK Specification: IF R03_ADULT_ASTHMA = 1 AND R03_AX0125 = 1.

PROGRAM: Allow 3 digits.

CHECK ID: R03_AX0126_LC1

The computer recorded that you had [R03_AX0126] asthma attacks in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R03_AX0126

2 NEXT GO TO R03_AX0126_LC2

ASK: IF (R03_ADULT_ASTHMA = 1 AND R03_AX0125 = 1 AND R03_AX0126 != -8, -7) AND R03_AX0126 > 100.

PROGRAM: TRIGGER CHECK IF R03_AX0126 > 100.

ELSE, GO TO R03_AX0126_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R03_AX0126_LC2

The computer recorded "0" for the number of asthma attacks you had in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK

1 BACK GO TO R03_AX0126

2 NEXT GO TO R03_AX0127

ASK: IF R03_ADULT_ASTHMA = 1 AND R03_AX0125 = 1 AND R03_AX0126 != -8, -7 AND R03_AX0126 = 0.

PROGRAM: TRIGGER CHECK IF R03_AX0126 = 0.

ELSE, GO TO R03_AX0127 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0127*****

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AX0230 |
| -8 | DON'T KNOW | GO TO R03_AX0230 |
| -7 | REFUSED | GO TO R03_AX0230 |

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R03_ADULT_ASTHMA = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R03_AX0282**

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

- |_|_|_|_|
- | | |
|----|------------|
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R03_ADULT_ASTHMA = 1 AND R03_AX0127 = 1.

PROGRAM: Allow 3 digits.

CHECK ID: **R03_AX0282_LC1**

The computer recorded that you have visited an emergency room or urgent care center [R03_AX0282] times in the past 12 months because of asthma. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R03_AX0282 |
| 2 | NEXT | GO TO R03_AX0230 |

ASK: IF R03_ADULT_ASTHMA = 1 AND R03_AX0127 = 1 AND R03_AX0282 > 20.

PROGRAM: TRIGGER CHECK IF R03_AX0282 > 20.

ELSE, GO TO R03_AX0230 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0230***

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

- 1 3 or more times per day
- 2 1 or 2 times per day
- 3 2 or 3 times per week
- 4 Once a week or less
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R03_ADULT_ASTHMA = 1.

DISPLAY: UNDERLINE "In the past 30 days".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R03_AX0231***

How would you rate your asthma control during the past 30 days?

- 1 Not controlled at all
- 2 Poorly controlled
- 3 Somewhat controlled
- 4 Well controlled
- 5 Completely controlled
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R03_ADULT_ASTHMA = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0726

Overall, how would you rate the health of your teeth and gums?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AX0693

Have you ever observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AX0694

Have you ever had any teeth become loose on their own, without an injury?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AX0695

How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics.

- I _ _ I _ _ I
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0696**

Aside from brushing your teeth with a toothbrush, in the last seven days, how many times did you use dental floss or any other device to clean between your teeth?

I ___ I ___

-8 DON'T KNOW

-7 REFUSED

ASK: All adult respondents.

Variable(s): **R03_AX0760**

Have you ever had your teeth cleaned by a dentist, hygienist, or other health professional?

1 Yes

2 No

GO TO R03_AX0727

-8 DON'T KNOW

GO TO R03_AX0727

-7 REFUSED

GO TO R03_AX0727

ASK: All adult respondents.

Variable(s): **R03_AX0729_NN; R03_AX0729_UN**

How long has it been since you had your teeth cleaned by a dentist, hygienist, or other health professional? (If it was earlier today, enter 1 day)

1 I ___ I ___ DAYS

2 I ___ I ___ MONTHS

3 I ___ I ___ YEARS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever had their teeth cleaned.

ASK Specification: IF R03_AX0760 = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers R03_AX0729_UN = Days; the value "2" refers to R03_AX0729_UN = Months; the value "3" refers to R03_AX0729_UN = Years.

Variable(s): **R03_AX0727**

Have you ever been told by a dentist, hygienist, or other health professional that you lost bone around your teeth?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR38
New baseline adult respondents, go to R03_AX0129_NB. Continuing adult respondents, go to R03_AX0129_12M.
IF R03_ADULTTYPE = 2, GO TO R03_AX0129_NB. IF R03_ADULTTYPE = 1, GO TO R03_AX0129_12M.

Variable(s): R03_AX0129_NB
Have you ever been told by a dentist, hygienist, or other health professional that you have gum disease?
1 Yes 2 No GO TO R03_AX0130_NB -8 DON'T KNOW GO TO R03_AX0130_NB -7 REFUSED GO TO R03_AX0130_NB
ASK: New baseline adult respondents. ASK Specification: IF R03_ADULTTYPE = 2.

Variable(s): R03_AX0131_NB
How old were you when you were first told you had gum disease?
I ____ I ____ Years old -8 DON'T KNOW GO TO R03_AX0261_NB -7 REFUSED GO TO R03_AX0261_NB
ASK: New baseline adult respondents who have ever been told they had gum disease. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0129_NB = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits for age.

CHECK ID: R03_AX0131_NB_LC1
The computer recorded that you were [R03_AX0131_NB] years old when you were first told that you had gum disease. That is older than you are now.
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R03_AX0131_NB 2 NEXT GO TO R03_AX0130_NB
ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0129_NB = 1 AND R03_AX0131_NB != -8, -7) AND R03_AX0131_NB > R03R_A_AGE AND R03R_A_AGE >= 18. PROGRAM: TRIGGER CHECK IF R03_AX0131_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO R03_AX0130_NB AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0261_NB
When you were first told you had gum disease, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever been told they had gum disease and did not know or refused to report the age they were first told they had gum disease. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0129_NB = 1 AND R03_AX0131_NB = -8, -7.

Variable(s): R03_AX0130_NB
Have you ever had treatment for [gum disease/your gums] such as scaling and root planing, sometimes called deep cleaning? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R03_ADULTTYPE = 2. DISPLAY: IF R03_AX0129_NB = 1, DISPLAY "gum disease". ELSE, DISPLAY "your gums".

Variable(s): R03_AX0132_NB
Have you ever been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO BOX R03_AXR25 GO TO BOX R03_AXR25 GO TO BOX R03_AXR25 ASK: New baseline adult respondents. ASK Specification: IF R03_ADULTTYPE = 2.

Variable(s):	R03_AX0133_NB	
How old were you when you were first told you had pre-cancerous oral lesions?		
	I ___I___I Years old	
-8	DON'T KNOW	GO TO R03_AX0262_NB
-7	REFUSED	GO TO R03_AX0262_NB
ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions.		
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0132_NB = 1.		
DISPLAY: DISPLAY "Years old" AS A TITLE.		
PROGRAM: Allow 2 digits for age.		

CHECK ID: R03_AX0133_NB_LC1

The computer recorded that you were [R03_AX0133_NB] years old when you were first told that you had pre-cancerous oral lesions. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R03_AX0133_NB
2	NEXT	GO TO R03_AX0719

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0132_NB = 1 AND R03_AX0133_NB != -8, -7) AND R03_AX0133_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0133_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO R03_AX0719 AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R03_AX0262_NB
When you were first told you had pre-cancerous oral lesions, were you...	
1	Less than 18 years old, GO TO R03_AX0719
2	18 to 24 years old, GO TO R03_AX0719
3	25 to 34 years old, GO TO R03_AX0719
4	35 to 44 years old, GO TO R03_AX0719
5	45 to 54 years old, or GO TO R03_AX0719
6	55 years old or older? GO TO R03_AX0719
-8	DON'T KNOW GO TO R03_AX0719
-7	REFUSED GO TO R03_AX0719
ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions and did not know or refused to report the age they were first told they had pre-cancerous oral lesions.	
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0132_NB = 1 AND R03_AX0133_NB = -8, -7.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0129_12M**

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you have gum disease?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R03_ADULTTYPE = 1.

Variable(s): **R03_AX0130_12M**

In the past 12 months, have you had treatment for [gum disease/your gums] such as scaling and root planing, sometimes called deep cleaning?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R03_ADULTTYPE = 1.

DISPLAY: IF R03_AX0129_12M = 1, DISPLAY "gum disease".

ELSE, DISPLAY "your gums".

Variable(s): **R03_AX0132_12M**

In the past 12 months, have you been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

- | | |
|-----------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R03_AXR25 |
| -8 DON'T KNOW | GO TO BOX R03_AXR25 |
| -7 REFUSED | GO TO BOX R03_AXR25 |

ASK: Continuing adult respondents.

ASK Specification: IF R03_ADULTTYPE = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0719
Does your oral lesion require treatment? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions, or continuing adult respondents who have been told they had pre-cancerous oral lesions in the past 12 months. ASK Specification: IF (R03_ADULTTYPE = 2 AND R03_AX0132_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0132_12M = 1).

BOX ID: R03_AXR25
New baseline adult respondents, go to R03_AX0281_NB. Continuing adult respondents, go to R03_AX0281_12M.
IF R03_ADULTTYPE = 2, GO TO R03_AX0281_NB. IF R03_ADULTTYPE = 1, GO TO R03_AX0281_12M.

Variable(s): R03_AX0281_NB
Have you ever been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO BOX R03_AXR83 GO TO BOX R03_AXR83 GO TO BOX R03_AXR83 ASK: New baseline adult respondents. ASK Specification: IF R03_ADULTTYPE = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0280_NB**

How old were you when you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

I ___|___| Years old

-8 DON'T KNOW

GO TO R03_AX0263_NB

-7 REFUSED

GO TO R03_AX0263_NB

ASK: New baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0281_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: **R03_AX0280_NB_LC1**

The computer recorded that you were [R03_AX0280_NB] years old when you were first told that you had diabetes. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AX0280_NB

2 NEXT

GO TO BOX R03_AXR83

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0281_NB = 1 AND R03_AX0280_NB != -8, -7)
R03_AX0280_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0280_NB > R03R_A_AGE AND R03R_A_AGE >= 18.
ELSE, GO TO BOX R03_AXR83 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0263_NB**

When you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, were you...

- | | | |
|----|-------------------------|---------------------|
| 1 | Less than 18 years old, | GO TO BOX R03_AXR83 |
| 2 | 18 to 24 years old, | GO TO BOX R03_AXR83 |
| 3 | 25 to 34 years old, | GO TO BOX R03_AXR83 |
| 4 | 35 to 44 years old, | GO TO BOX R03_AXR83 |
| 5 | 45 to 54 years old, or | GO TO BOX R03_AXR83 |
| 6 | 55 years old or older? | GO TO BOX R03_AXR83 |
| -8 | DON'T KNOW | GO TO BOX R03_AXR83 |
| -7 | REFUSED | GO TO BOX R03_AXR83 |

ASK: New baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes and did not know or refused to report the age they were first told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0281_NB = 1 AND R03_AX0280_NB = -8, -7.

Variable(s): **R03_AX0281_12M**

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Continuing adult respondents.

ASK Specification: IF R03_ADULTTYPE = 1.

BOX ID: **R03_AXR83**

Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months, go to R03_AX0721.

Else, go to Box R03_AXR27.

IF R02_DIABETES = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0281_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0281_12M = 1), GO TO R03_AX0721.

ELSE, GO TO BOX R03_AXR27.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0721**

[In the past, you told us you had diabetes.

]What type of diabetes do you have?

- 1 Type 1
- 2 Type 2
- 3 I don't know
- 4 I have never had diabetes GO TO BOX R03_AXR27
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF R02_DIABETES = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0281_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0281_12M = 1).

DISPLAY: IF RESPONDENT REPORTED HAVING DIABETES IN WAVES 1 AND/OR 2, BUT NOT IN WAVE 3 (R02_DIABETES = 1 AND R03_AX0281_NB != 1 AND R03_AX0281_12M != 1), DISPLAY "In the past, you told us you had diabetes." AND DISPLAY OPTION 4.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 4.

Variable(s): **SEE BELOW:**

Are you currently taking any of the following medications to lower your blood sugar? Choose all that apply.

- R03_AX0697_01** 1 Insulin
- R03_AX0697_02** 2 Diabetic pills
- R03_AX0697_03** 3 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and did not report never having diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF (R02_DIABETES = 1 AND R03_AX0721 != 4) OR (R03_ADULTTYPE = 2 AND R03_AX0281_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0281_12M = 1).

PROGRAM: Allow respondent to choose all that apply. If option 3 is selected, options 1 and 2 may not be selected.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR27
New baseline adult respondents, go to Box R03_AXD19. Continuing adult respondents, go to Box R03_AXD20.	
IF R03_ADULTTYPE = 2, GO TO BOX R03_AXD19. IF R03_ADULTTYPE = 1, GO TO BOX R03_AXD20.	

BOX ID:	R03_AXD19
Display questions R03_AX0141_NB, R03_AX0147_NB, R03_AX0151_NB, and R03_AX0144_NB on one screen. Show the transition text and question stem from R03_AX0141_NB first, then show each item with the yes/no responses. As each item is answered, show the next one.	

Variable(s):	R03_AX0141_NB
Have you ever been told by a doctor, nurse or other health professional that you had...	
An ulcer? Include stomach, duodenal or peptic ulcers.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: New baseline adult respondents.	
ASK Specification: IF R03_ADULTTYPE = 2.	

Variable(s):	R03_AX0147_NB
Stomach or other gastro-intestinal bleeding?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: New baseline adult respondents.	
ASK Specification: IF R03_ADULTTYPE = 2.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0151_NB
A cataract or glaucoma? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R03_ADULTTYPE = 2.

Variable(s): R03_AX0144_NB
Cancer? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R03_ADULTTYPE = 2.

BOX ID: R03_AXR29
New baseline adult respondents who have ever been told they had an ulcer, go to R03_AX0143_NB. Else, new baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding, go to R03_AX0148_NB. Else, new baseline adult respondents who have ever been told they had a cataract or glaucoma, go to R03_AX0152_NB. Else, new baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months, go to R03_AX0145. Else, go to Box R03_AXR40.
IF R03_ADULTTYPE = 2 AND R03_AX0141_NB = 1, GO TO R03_AX0143_NB. ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0147_NB = 1, GO TO R03_AX0148_NB. ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0151_NB = 1, GO TO R03_AX0152_NB. ELSE, IF (R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0144_12M = 1), GO TO R03_AX0145. ELSE, GO TO BOX R03_AXR40.

BOX ID: R03_AXD20
Display questions R03_AX0141_12M, R03_AX0147_12M, R03_AX0151_12M, and R03_AX0144_12M on one screen. Show the transition text and question stem from R03_AX0141_12M first, then show each item with the yes/no responses. As each item is answered, show the next one.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0141_12M

In the past 12 months, have you been told by a doctor, nurse or other health professional that you had...

An ulcer? Include stomach, duodenal or peptic ulcers.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R03_ADULTTYPE = 1.

Variable(s): R03_AX0147_12M

Stomach or other gastro-intestinal bleeding?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R03_ADULTTYPE = 1.

Variable(s): R03_AX0151_12M

A cataract or glaucoma?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R03_ADULTTYPE = 1.

Variable(s):	R03_AX0144_12M***
Cancer?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Continuing adult respondents.	
ASK Specification: IF R03_ADULTTYPE = 1.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AXR42
Adult respondents who reported being diagnosed with an ulcer as of their last completed interview, or new baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who have been told they have an ulcer in the past 12 months, go to R03_AX0698. Else, new baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months, go to R03_AX0145. Else, continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months, go to R03_AX0705. Else, go to Box R03_AXR40.	
IF R02_ULCER = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0141_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0141_12M = 1), GO TO R03_AX0698. ELSE, IF (R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0144_12M = 1), GO TO R03_AX0145. ELSE, IF R03_ADULTTYPE = 1 AND R02_CANCER = 1 AND R03_AX0144_12M != 1, GO TO R03_AX0705. ELSE, GO TO BOX R03_AXR40.	

Variable(s):	R03_AX0143_NB	
How old were you when you were first told you had an ulcer?		
	I ___ I ___ I Years old	
-8	DON'T KNOW	GO TO R03_AX0264_NB
-7	REFUSED	GO TO R03_AX0264_NB
ASK: New baseline adult respondents who have ever been told they had an ulcer.		
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0141_NB = 1.		
DISPLAY: DISPLAY "Years old" AS A TITLE.		
PROGRAM: Allow 2 digits for age.		

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AX0143_NB_LC1

The computer recorded that you were [R03_AX0143_NB] years old when you were first told that you had an ulcer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------|
| 1 BACK | GO TO R03_AX0143_NB |
| 2 NEXT | GO TO R03_AX0698 |

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0141_NB = 1 AND R03_AX0143_NB != -8, -7)
R03_AX0143_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0143_NB > R03R_A_AGE AND R03R_A_AGE >= 18.
ELSE, GO TO R03_AX0698 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AX0264_NB

When you were first told you had an ulcer, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had an ulcer and did not know or refused to report the age they were first told they had an ulcer.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0141_NB = 1 AND R03_AX0143_NB = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0698*****

[In the past, you told us you had an ulcer.

]Have you taken any medication for an ulcer in the past 30 days?

- | | | |
|----|---------------------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AX0699 |
| 3 | I have never had an ulcer | GO TO BOX R03_AXR34 |
| -8 | DON'T KNOW | GO TO R03_AX0699 |
| -7 | REFUSED | GO TO R03_AX0699 |

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview, or new baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who have been told they have an ulcer in the past 12 months.

ASK Specification: IF R02_ULCER = 1 OR (R03_ADULTTYPE = 2 AND R03_AX0141_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0141_12M = 1).

DISPLAY: IF RESPONDENT REPORTED HAVING ULCERS IN WAVES 1 AND/OR 2, BUT NOT IN WAVE 3 (R02_ULCER = 1 AND R03_AX0141_NB != 1 AND R03_AX0141_12M != 1), DISPLAY "In the past, you told us you had an ulcer." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **SEE BELOW:**

What types of medications have you taken for an ulcer in the past 30 days? Choose all that apply.

- | | | |
|----------------------|----|---------------------------|
| R03_AX0738_01 | 1 | Over the counter antacids |
| R03_AX0738_02 | 2 | Prescription medication |
| R03_AX0738_03 | 3 | Something else |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and have taken medications for ulcers in the past 30 days, or new baseline adult respondents who have ever been told they had an ulcer and have taken medications for ulcers in the past 30 days, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have taken medications for ulcers in the past 30 days.

ASK Specification: IF (R02_ULCER = 1 AND R03_AX0698 = 1) OR (R03_ADULTTYPE = 2 AND R03_AX0141_NB = 1 AND R03_AX0698 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0141_12M = 1 AND R03_AX0698 = 1).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0699***	
Have you been tested for a bacterial infection, called H. Pylori, in your stomach?	
1 Yes	
2 No	GO TO BOX R03_AXR34
3 I don't know	GO TO BOX R03_AXR34
-8 DON'T KNOW	GO TO BOX R03_AXR34
-7 REFUSED	GO TO BOX R03_AXR34
ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and did not report never having an ulcer, or new baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who have been told they had an ulcer in the past 12 months. ASK Specification: IF (R02_ULCER = 1 AND R03_AX0698 != 3) OR (R03_ADULTTYPE = 2 AND R03_AX0141_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0141_12M = 1). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s): R03_AX0739	
Did you test positive for H. Pylori?	
1 Yes	
2 No	
3 I don't know	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and did not report never having an ulcer and have been tested for H. Pylori, or new baseline adult respondents who have ever been told they had an ulcer and have been tested for H. Pylori, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have been tested for H. Pylori. ASK Specification: IF (R02_ULCER = 1 AND R03_AX0698 != 3 AND R03_AX0699 = 1) OR (R03_ADULTTYPE = 2 AND R03_AX0141_NB = 1 AND R03_AX0699 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0141_12M = 1 AND R03_AX0699 = 1).	

BOX ID:	R03_AXR34
New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding, go to R03_AX0148_NB. Else, new baseline adult respondents who have ever been told they had a cataract or glaucoma, go to R03_AX0152_NB. Else, new baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months, go to R03_AX0145. Else, continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months, go to R03_AX0705. Else, go to Box R03_AXR40.	
IF R03_ADULTTYPE = 2 AND R03_AX0147_NB = 1, GO TO R03_AX0148_NB. ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0151_NB = 1, GO TO R03_AX0152_NB. ELSE, IF (R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0144_12M = 1), GO TO R03_AX0145. ELSE, IF R03_ADULTTYPE = 1 AND R02_CANCER = 1 AND R03_AX0144_12M != 1, GO TO R03_AX0705. ELSE, GO TO BOX R03_AXR40.	

Variable(s):	R03_AX0148_NB
How old were you when you were first told you had stomach or other gastro-intestinal bleeding?	
I ___ I ___ I	Years old
-8	DON'T KNOW
	GO TO R03_AX0266_NB
-7	REFUSED
	GO TO R03_AX0266_NB
ASK: New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding.	
ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0147_NB = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

CHECK ID: R03_AX0148_NB_LC1

The computer recorded that you were [R03_AX0148_NB] years old when you were first told that you had stomach or other gastro-intestinal bleeding. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R03_AX0148_NB
2	NEXT	GO TO BOX R03_AXR36

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0147_NB = 1 AND R03_AX0148_NB != -8, -7) AND R03_AX0148_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0148_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO BOX R03_AXR36 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R03_AX0266_NB**

When you were first told you had stomach or other gastro-intestinal bleeding, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding and did not know or refused to report the age they were first told they had stomach or other gastro-intestinal bleeding.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0147_NB = 1 AND R03_AX0148_NB = -8, -7.

New baseline adult respondents who have ever been told they had a cataract or glaucoma, go to R03_AX0152_NB. Else, new baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months, go to R03_AX0145. Else, continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months, go to R03_AX0705. Else, go to Box R03_AXR40.
IF R03_ADULTTYPE = 2 AND R03_AX0151_NB = 1, GO TO R03_AX0152_NB. ELSE, IF (R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0144_12M = 1), GO TO R03_AX0145. ELSE, IF R03_ADULTTYPE = 1 AND R02_CANCER = 1 AND R03_AX0144_12M != 1, GO TO R03_AX0705. ELSE, GO TO BOX R03_AXR40.

How old were you when you were first told you had a cataract or glaucoma?

I ___ I ___ I ___ I Years old

-8 DON'T KNOW GO TO R03_AX0269_NB

-7 REFUSED GO TO R03_AX0269_NB

ASK: New baseline adult respondents who have ever been told they had a cataract or glaucoma.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0151_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID:	R03_AX0152_NB_LC1						
The computer recorded that you were [R03_AX0152_NB] years old when you were first told that you had a cataract or glaucoma. That is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R03_AX0152_NB</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO BOX R03_AXR39</td> </tr> </table> ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0151_NB = 1 AND R03_AX0152_NB != -8, -7) AND R03_AX0152_NB > R03R_A_AGE AND R03R_A_AGE >= 18. PROGRAM: TRIGGER CHECK IF R03_AX0152_NB > R03R_A_AGE AND R03R_A_AGE >= 18. ELSE, GO TO BOX R03_AXR39 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R03_AX0152_NB	2	NEXT	GO TO BOX R03_AXR39
1	BACK	GO TO R03_AX0152_NB					
2	NEXT	GO TO BOX R03_AXR39					

Variable(s):	R03_AX0269_NB																
When you were first told you had a cataract or glaucoma, were you... <table> <tr> <td>1</td> <td>Less than 18 years old,</td> </tr> <tr> <td>2</td> <td>18 to 24 years old,</td> </tr> <tr> <td>3</td> <td>25 to 34 years old,</td> </tr> <tr> <td>4</td> <td>35 to 44 years old,</td> </tr> <tr> <td>5</td> <td>45 to 54 years old, or</td> </tr> <tr> <td>6</td> <td>55 years old or older?</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: New baseline adult respondents who have ever been told they had a cataract or glaucoma and did not know or refused to report the age they were first told they had a cataract or glaucoma. ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0151_NB = 1 AND R03_AX0152_NB = -8, -7.		1	Less than 18 years old,	2	18 to 24 years old,	3	25 to 34 years old,	4	35 to 44 years old,	5	45 to 54 years old, or	6	55 years old or older?	-8	DON'T KNOW	-7	REFUSED
1	Less than 18 years old,																
2	18 to 24 years old,																
3	25 to 34 years old,																
4	35 to 44 years old,																
5	45 to 54 years old, or																
6	55 years old or older?																
-8	DON'T KNOW																
-7	REFUSED																

BOX ID:	R03_AXR39
New baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months, go to R03_AX0145. Else, go to Box R03_AXR40. IF (R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0144_12M = 1), GO TO R03_AX0145. ELSE, GO TO BOX R03_AXR40.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

What kind of cancer were you told that you had? Choose all that apply.

[If you do not see the kind below, touch the button marked "NEXT"./If you do not see the kind below, touch the box marked "OTHER".]

- | | | |
|-------------------------|----|-----------------------------|
| R03_AX0145_01*** | 1 | BLADDER |
| R03_AX0145_02*** | 2 | BLOOD |
| R03_AX0145_03*** | 3 | BONE |
| R03_AX0145_04*** | 4 | BRAIN |
| R03_AX0145_05*** | 5 | BREAST |
| R03_AX0145_06*** | 6 | CERVIX (CERVICAL) |
| R03_AX0145_07*** | 7 | COLON |
| R03_AX0145_08*** | 8 | ESOPHAGUS (ESOPHAGEAL) |
| R03_AX0145_09*** | 9 | GALLBLADDER |
| R03_AX0145_10*** | 10 | KIDNEY |
| R03_AX0145_11*** | 11 | LARYNX/WINDPIPE |
| R03_AX0145_12*** | 12 | LEUKEMIA |
| R03_AX0145_13*** | 13 | LIVER |
| R03_AX0145_14*** | 14 | LUNG |
| R03_AX0145_15*** | 15 | LYMPHOMA/HODGKIN'S DISEASE |
| R03_AX0145_17*** | 17 | MOUTH/TONGUE/LIP |
| R03_AX0145_18*** | 18 | NERVOUS SYSTEM |
| R03_AX0145_19*** | 19 | OVARY (OVARIAN) |
| R03_AX0145_20*** | 20 | PANCREAS (PANCREATIC) |
| R03_AX0145_21*** | 21 | PROSTATE |
| R03_AX0145_22*** | 22 | RECTUM (RECTAL) |
| R03_AX0145_16*** | 16 | SKIN (MELANOMA) |
| R03_AX0145_23*** | 23 | SKIN (NON-MELANOMA) |
| R03_AX0145_24*** | 24 | SKIN (DON'T KNOW WHAT KIND) |
| R03_AX0145_25*** | 25 | SOFT TISSUE (MUSCLE OR FAT) |
| R03_AX0145_26*** | 26 | STOMACH |
| R03_AX0145_27*** | 27 | TESTIS (TESTICULAR) |
| R03_AX0145_28*** | 28 | THROAT |
| R03_AX0145_29*** | 29 | THYROID |
| R03_AX0145_30*** | 30 | UTERUS (UTERINE) |
| R03_AX0145_31*** | 31 | OTHER |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months.

ASK Specification: IF (R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0144_12M = 1).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

DISPLAY: IF SCREENS 1-3 DISPLAY: If you do not see the kind below, touch the button marked "NEXT".
 ELSE, IF LAST SCREEN DISPLAY: If you do not see the kind below, touch the box marked "OTHER".
 NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R03_AXR41

New baseline adult respondents, go to Box R03_AXR46.
 Else, go to Box R03_AXR40.

IF R03_ADULTTYPE = 2, GO TO BOX R03_AXR46.
 ELSE, GO TO BOX R03_AXR40.

BOX ID: R03_AXR46

PROGRAM: CREATE LOOP:

Repeat R03_AX0146_NB through R03_AX0265_NB for each type of cancer the respondent reports they had in R03_AX0145. (This loop is only asked of new baseline adults who reported ever having cancer.)

IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1, THEN REPEAT R03_AX0146_NB THROUGH R03_AX0265_NB FOR EACH TYPE OF CANCER SELECTED IN R03_AX0145.

Variable(s): R03_AX0146_NB_01 through R03_AX0146_NB_31

At what age were you first diagnosed with [TYPE OF CANCER/cancer]?

I ___ I ___ I Years old

-8 DON'T KNOW

GO TO R03_AX0265_NB

-7 REFUSED

GO TO R03_AX0265_NB

ASK: New baseline adult respondents who have ever been told they had cancer and reported the kind of cancer they were told they had.

ASK Specification: FOR R03_AX0146_NB_01: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_01 = 1.

FOR R03_AX0146_NB_02: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_02 = 1.

FOR R03_AX0146_NB_03: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_03 = 1.

FOR R03_AX0146_NB_04: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_04 = 1.

FOR R03_AX0146_NB_05: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_05 = 1.

FOR R03_AX0146_NB_06: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_06 = 1.

FOR R03_AX0146_NB_07: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_07 = 1.

FOR R03_AX0146_NB_08: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_08 = 1.

FOR R03_AX0146_NB_09: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_09 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

FOR R03_AX0146_NB_10: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_10 = 1.
FOR R03_AX0146_NB_11: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_11 = 1.
FOR R03_AX0146_NB_12: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_12 = 1.
FOR R03_AX0146_NB_13: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_13 = 1.
FOR R03_AX0146_NB_14: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_14 = 1.
FOR R03_AX0146_NB_15: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_15 = 1.
FOR R03_AX0146_NB_16: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_16 = 1.
FOR R03_AX0146_NB_17: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_17 = 1.
FOR R03_AX0146_NB_18: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_18 = 1.
FOR R03_AX0146_NB_19: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_19 = 1.
FOR R03_AX0146_NB_20: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_20 = 1.
FOR R03_AX0146_NB_21: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_21 = 1.
FOR R03_AX0146_NB_22: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_22 = 1.
FOR R03_AX0146_NB_23: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_23 = 1.
FOR R03_AX0146_NB_24: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_24 = 1.
FOR R03_AX0146_NB_25: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_25 = 1.
FOR R03_AX0146_NB_26: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_26 = 1.
FOR R03_AX0146_NB_27: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_27 = 1.
FOR R03_AX0146_NB_28: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_28 = 1.
FOR R03_AX0146_NB_29: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_29 = 1.
FOR R03_AX0146_NB_30: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_30 = 1.
FOR R03_AX0146_NB_31: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_31 = 1, -8, -7.
DISPLAY: DISPLAY "Years old" AS A TITLE.
FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R03_AX0145 AS FOLLOWS:
IF R03_AX0145_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cancer".
ELSE, IF R03_AX0145[12/_15] = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cancer".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

ELSE, IF R03_AX0145[_06/_08/_19/_20/_22/_27/_30] = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cancer" (ex. "cervical cancer" INSTEAD OF "cervix (cervical) cancer").

ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cancer".

PROGRAM: IF MORE THAN ONE CANCER SELECTED, REPEAT THIS ITEM FOR EACH TYPE OF CANCER SELECTED.

Allow 2 digits for age.

CHECK ID: **R03_AX0146_NB_LC1**

The computer recorded that you were [R03_AX0146_NB] years old when you were first diagnosed with a type of cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-----------------------------------|
| 1 | BACK | GO TO R03_AX0146_NB[_01/_.../_31] |
| 2 | NEXT | GO TO BOX R03_AXR47 |

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145[_01/_.../_31] = 1 AND R03_AX0146_NB[_01/_.../_31] != -8, -7) AND R03_AX0146_NB[_01/_.../_31] > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0146_NB[_01/_.../_31] > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO BOX R03_AXR47 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R03_AX0265_NB_01 through R03_AX0265_NB_31**

When you were first diagnosed with [TYPE OF CANCER/cancer], were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had cancer and reported the kind of cancer they were told they had and did not know or refused to report the age they were first told they had that type of cancer.

ASK Specification: FOR R03_AX0265_NB_01: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_01 = 1 AND R03_AX0146_NB_01 = -8, -7.

FOR R03_AX0265_NB_02: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_02 = 1 AND R03_AX0146_NB_02 = -8, -7.

FOR R03_AX0265_NB_03: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_03 = 1 AND R03_AX0146_NB_03 = -8, -7.

FOR R03_AX0265_NB_04: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_04 = 1 AND R03_AX0146_NB_04 = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

FOR R03_AX0265_NB_05: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_05 = 1 AND R03_AX0146_NB_05 = -8, -7.

FOR R03_AX0265_NB_06: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_06 = 1 AND R03_AX0146_NB_06 = -8, -7.

FOR R03_AX0265_NB_07: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_07 = 1 AND R03_AX0146_NB_07 = -8, -7.

FOR R03_AX0265_NB_08: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_08 = 1 AND R03_AX0146_NB_08 = -8, -7.

FOR R03_AX0265_NB_09: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_09 = 1 AND R03_AX0146_NB_09 = -8, -7.

FOR R03_AX0265_NB_10: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_10 = 1 AND R03_AX0146_NB_10 = -8, -7.

FOR R03_AX0265_NB_11: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_11 = 1 AND R03_AX0146_NB_11 = -8, -7.

FOR R03_AX0265_NB_12: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_12 = 1 AND R03_AX0146_NB_12 = -8, -7.

FOR R03_AX0265_NB_13: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_13 = 1 AND R03_AX0146_NB_13 = -8, -7.

FOR R03_AX0265_NB_14: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_14 = 1 AND R03_AX0146_NB_14 = -8, -7.

FOR R03_AX0265_NB_15: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_15 = 1 AND R03_AX0146_NB_15 = -8, -7.

FOR R03_AX0265_NB_16: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_16 = 1 AND R03_AX0146_NB_16 = -8, -7.

FOR R03_AX0265_NB_17: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_17 = 1 AND R03_AX0146_NB_17 = -8, -7.

FOR R03_AX0265_NB_18: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_18 = 1 AND R03_AX0146_NB_18 = -8, -7.

FOR R03_AX0265_NB_19: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_19 = 1 AND R03_AX0146_NB_19 = -8, -7.

FOR R03_AX0265_NB_20: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_20 = 1 AND R03_AX0146_NB_20 = -8, -7.

FOR R03_AX0265_NB_21: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_21 = 1 AND R03_AX0146_NB_21 = -8, -7.

FOR R03_AX0265_NB_22: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_22 = 1 AND R03_AX0146_NB_22 = -8, -7.

FOR R03_AX0265_NB_23: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_23 = 1 AND R03_AX0146_NB_23 = -8, -7.

FOR R03_AX0265_NB_24: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_24 = 1 AND R03_AX0146_NB_24 = -8, -7.

FOR R03_AX0265_NB_25: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_25 = 1 AND R03_AX0146_NB_25 = -8, -7.

FOR R03_AX0265_NB_26: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_26 = 1 AND R03_AX0146_NB_26 = -8, -7.

FOR R03_AX0265_NB_27: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_27 = 1 AND R03_AX0146_NB_27 = -8, -7.

FOR R03_AX0265_NB_28: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_28 = 1 AND R03_AX0146_NB_28 = -8, -7.

FOR R03_AX0265_NB_29: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_29 = 1 AND R03_AX0146_NB_29 = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

FOR R03_AX0265_NB_30: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_30 = 1 AND R03_AX0146_NB_30 = -8, -7.

FOR R03_AX0265_NB_31: IF R03_ADULTTYPE = 2 AND R03_AX0144_NB = 1 AND R03_AX0145_31 = 1, -8, -7 AND R03_AX0146_NB_31 = -8, -7.

DISPLAY: FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R03_AX0145 AS FOLLOWS:

IF R03_AX0145_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cancer".

ELSE, IF R03_AX0145[12/_15] = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cancer".

ELSE, IF R03_AX0145[06/_08/_19/_20/_22/_27/_30] = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cancer" (ex. "cervical cancer" INSTEAD OF "cervix (cervical) cancer").

ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cancer".

PROGRAM: IF MORE THAN ONE CANCER SELECTED, REPEAT THIS ITEM FOR EACH TYPE OF CANCER SELECTED.

BOX ID: R03_AXR47

END NEW BASELINE CANCER LOOP:

If the respondent has loops to complete for other types of cancer, return to Box R03_AXR46 and loop through the subsection for any other types of cancer the respondent has had.

Else, if the respondent has no more remaining loops to complete, go to Box R03_AXR40.

IF THERE ARE REMAINING LOOPS TO BE COMPLETED, GO BACK TO BOX R03_AXR46 AND LOOP THROUGH THE SUBSECTION FOR ANY OTHER TYPES OF CANCER THE RESPONDENT HAS HAD.

ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED, GO TO BOX R03_AXR40.

Variable(s): R03_AX0705***

In the past, you told us you had cancer.

Are you in remission for cancer?

1 Yes

2 No

3 I have never had cancer

GO TO BOX R03_AXR40

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months.

ASK Specification: IF R03_ADULTTYPE = 1 AND R02_CANCER = 1 AND R03_AX0144_12M != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0748***
In the past, you told us you had cancer. Have you had a recurrence of cancer? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months and did not report never having cancer. ASK Specification: IF R03_ADULTTYPE = 1 AND R02_CANCER = 1 AND R03_AX0144_12M != 1 AND R03_AX0705 != 3. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R03_AXR40
New baseline adult respondents, go to Box R03_AXD25. Else, continuing adult respondents who are 40 years old or older, go to Box R03_AXD21. Else, go to Box R03_AXR14.
IF R03_ADULTTYPE = 2, GO TO BOX R03_AXD25. ELSE, IF R03_ADULTTYPE = 1 AND R03R_A_AGE >= 40, GO TO BOX R03_AXD21. ELSE, GO TO BOX R03_AXR14.

BOX ID: R03_AXD25
Display questions R03_AX0149_NB, R03_AX0196_NB, and R03_AX0400_NB on one screen. Show the transition text and question stem from R03_AX0149_NB first, then show each item with the yes/no responses. As each item is answered, show the next one.

Variable(s): R03_AX0149_NB
Have you ever been told by a doctor, nurse or other health professional that you have... Osteoporosis, sometimes called thin or brittle bones? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R03_ADULTTYPE = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0196_NB
Had a bone fracture because you have fragile bones? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R03_ADULTTYPE = 2.

Variable(s): R03_AX0400_NB
Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R03_ADULTTYPE = 2.

BOX ID: R03_AXR86
New baseline adult respondents who have ever been told they had osteoporosis, go to R03_AX0150_NB. Else, new baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, go to R03_AX0198_NB. Else, go to Box R03_AXR88.
IF R03_ADULTTYPE = 2 AND R03_AX0149_NB = 1, GO TO R03_AX0150_NB. ELSE, IF R03_ADULTTYPE = 2 AND R03_AX0196_NB = 1, GO TO R03_AX0198_NB. ELSE, GO TO BOX R03_AXR88.

BOX ID: R03_AXD21
Display questions R03_AX0149_12M, R03_AX0196_12M, and R03_AX0400_12M on one screen. Show the transition text and question stem from R03_AX0149_12M first, then show each item with the yes/no responses. As each item is answered, show the next one.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0149_12M***

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have...

Osteoporosis, sometimes called thin or brittle bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who are 40 years old or older.

ASK Specification: IF R03_ADULTTYPE = 1 AND R03R_A_AGE >= 40.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R03_AX0196_12M***

Had a bone fracture because you have fragile bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who are 40 years old or older.

ASK Specification: IF R03_ADULTTYPE = 1 AND R03R_A_AGE >= 40.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R03_AX0400_12M***

Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who are 40 years old or older.

ASK Specification: IF R03_ADULTTYPE = 1 AND R03R_A_AGE >= 40.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR17

New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have been told they had a bone fracture because they had fragile bones in the past 12 months, go to R03_AX0701.

New baseline adult respondents who have ever been told they had osteoporosis, or continuing adult respondents who are 40 years old or older and have been told they had osteoporosis in the past 12 months, go to R03_AX0700.

Else, go to R03_AX0702.

IF (R03_ADULTTYPE = 2 AND R03_AX0196_NB = 1) OR (R03_ADULTTYPE = 1 AND R03R_A_AGE >= 40 AND R03_AX0196_12M = 1), GO TO R03_AX0701.

ELSE, IF (R03_ADULTTYPE = 2 AND R03_AX0149_NB = 1) OR (R03_ADULTTYPE = 1 AND R03R_A_AGE >= 40 AND R03_AX0149_12M = 1), GO TO R03_AX0700.

ELSE, GO TO R03_AX0702.

Variable(s): R03_AX0150_NB

How old were you when you were first told you had osteoporosis, sometimes called thin or brittle bones?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R03_AX0267_NB

-7 REFUSED

GO TO R03_AX0267_NB

ASK: New baseline adult respondents who have ever been told they had osteoporosis.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0149_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R03_AX0150_NB_LC1

The computer recorded that you were [R03_AX0150_NB] years old when you were first told that you had osteoporosis. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AX0150_NB

2 NEXT

GO TO BOX R03_AXR87

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0149_NB = 1 AND R03_AX0150_NB != -8, -7) AND R03_AX0150_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0150_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

ELSE, GO TO BOX R03_AXR87 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0267_NB**

When you were first told you had osteoporosis, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had osteoporosis and did not know or refused to report the age they were first told they had osteoporosis.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0149_NB = 1 AND R03_AX0150_NB = -8, -7.

BOX ID: **R03_AXR87**

New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, go to R03_AX0198_NB.

Else, go to R03_AX0700.

IF R03_ADULTTYPE = 2 AND R03_AX0196_NB = 1, GO TO R03_AX0198_NB.

ELSE, GO TO R03_AX0700.

Variable(s): **R03_AX0198_NB**

How old were you when you were first told you had a bone fracture because you have fragile bones?

I ___ I ___ Years old

- 8 DON'T KNOW GO TO R03_AX0268_NB
- 7 REFUSED GO TO R03_AX0268_NB

ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0196_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AX0198_NB_LC1

The computer recorded that you were [R03_AX0198_NB] years old when you were first told that you had a bone fracture because of fragile bones. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AX0198_NB |
| 2 | NEXT | GO TO R03_AX0701 |

ASK: IF (R03_ADULTTYPE = 2 AND R03_AX0196_NB = 1 AND R03_AX0198_NB != -8, -7) AND R03_AX0198_NB > R03R_A_AGE AND R03R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R03_AX0198_NB > R03R_A_AGE AND R03R_A_AGE >= 18.
ELSE, GO TO R03_AX0701 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AX0268_NB

When you were first told you had a bone fracture because of fragile bones, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones and did not know or refused to report the age they were first told they had a bone fracture because they had fragile bones.

ASK Specification: IF R03_ADULTTYPE = 2 AND R03_AX0196_NB = 1 AND R03_AX0198_NB = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0701***
In the past 12 months, have you been told by a doctor, nurse or other health professional that the healing time for a fracture was longer than expected? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have been told they had a bone fracture because they had fragile bones in the past 12 months. ASK Specification: IF (R03_ADULTTYPE = 2 AND R03_AX0196_NB = 1) OR (R03_ADULTTYPE = 1 AND R03R_A_AGE >= 40 AND R03_AX0196_12M = 1). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R03_AX0700***
Have you ever taken any prednisone or cortisone pills nearly every day for a month or longer? Prednisone and cortisone are types of steroids. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever been told they had osteoporosis or had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have been told they had osteoporosis or had a bone fracture because they had fragile bones in the past 12 months. ASK Specification: IF (R03_ADULTTYPE = 2 AND (R03_AX0149_NB = 1 OR R03_AX0196_NB = 1)) OR (R03_ADULTTYPE = 1 AND R03R_A_AGE >= 40 AND (R03_AX0149_12M = 1 OR R03_AX0196_12M = 1)). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R03_AXR88
Adult respondents who are 40 years old or older, go to R03_AX0702. Else, go to Box R03_AXD06.
IF R03R_A_AGE >= 40, GO TO R03_AX0702. ELSE, GO TO BOX R03_AXD06.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0702	
Have you ever been told by a doctor, nurse or other health professional that you have macular degeneration?	
1 Yes	
2 No	GO TO BOX R03_AXR14
-8 DON'T KNOW	GO TO BOX R03_AXR14
-7 REFUSED	GO TO BOX R03_AXR14
ASK: Adult respondents who are 40 years old or older.	
ASK Specification: IF R03R_A_AGE >= 40.	

Variable(s): R03_AX0703	
How old were you when you were first told you had macular degeneration?	
I ___ I ___ I ___ Years old	
-8 DON'T KNOW	GO TO R03_AX0704
-7 REFUSED	GO TO R03_AX0704
ASK: Adult respondents who are 40 years old or older who have ever been told they had macular degeneration.	
ASK Specification: IF R03R_A_AGE >= 40 AND R03_AX0702 = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	

CHECK ID: R03_AX0703_LC1	
The computer recorded that you were [R03_AX0703] years old when you were first told that you had macular degeneration That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R03_AX0703
2 NEXT	GO TO BOX R03_AXR14
ASK: IF (R03R_A_AGE >= 40 AND R03_AX0702 = 1 AND R03_AX0703 != -8, -7) AND R03_AX0703 > R03R_A_AGE.	
PROGRAM: TRIGGER CHECK IF R03_AX0703 > R03R_A_AGE.	
ELSE, GO TO BOX R03_AXR14 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0704
When you were first told you had macular degeneration, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are 40 years old or older who have ever been told they had macular degeneration and did not know or refused to report the age they were first told they had macular degeneration. ASK Specification: IF R03R_A_AGE >= 40 AND R03_AX0702 = 1 AND R03_AX0703 = -8, -7.

BOX ID: R03_AXR14
Adult male respondents aged 20 years old or older, go to R03_AX0730. Else, go to Box R03_AXD06.
IF R03R_A_SEX = 1 AND R03R_A_AGE >= 20, GO TO R03_AX0730. ELSE, GO TO BOX R03_AXD06.

Variable(s): R03_AX0730
Many men experience problems with sexual intercourse. How would you describe your ability to get and keep an erection adequate for satisfactory intercourse? Would you say that you are... 1 Always able or almost always able to get and keep an erection 2 Usually able to get and keep an erection 3 Sometimes able to get and keep an erection 4 Never able to get and keep an erection -8 DON'T KNOW -7 REFUSED ASK: Adult male respondents who are 20 years old or older. ASK Specification: IF R03R_A_SEX = 1 AND R03R_A_AGE >= 20.

BOX ID: R03_AXD06
FOR R03_AX0158, DISPLAY A "Yes" AND "No" COLUMN WITH OPTIONS FOR EACH RESPONSE CATEGORY. SHOW ALL RESPONSE CATEGORIES ON THE SCREEN AT ONCE.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
In the past 12 months, did you take any of the following medications, even once?	
R03_AX0158_01	1 Aspirin
R03_AX0158_02	2 Tylenol (acetaminophen)
R03_AX0158_03	3 Cox-2 inhibitors, for example: Celebrex
R03_AX0158_04***	4 Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID: R03_AXR43
Adult respondents who have taken aspirin in the past 12 months, go to R03_AX0156. Else, adult respondents who are not current established, current experimental, or new former established tobacco users, go to R03_AN0330_12MH. Else, go to Box R03_AXR52.
IF R03_AX0158_01 = 1, GO TO R03_AX0156. ELSE, IF R03_TOBACCO_USER_STATUS != 1, 2, 4, GO TO R03_AN0330_12MH. ELSE, GO TO BOX R03_AXR52.

Variable(s): R03_AX0156
On average, in the past 12 months, how frequently did you take <u>aspirin</u> ? Please <u>do not</u> count other pain relievers such as ibuprofen and Tylenol.
1 Never
2 Less than once a month
3 1-3 days per month
4 Weekly
5 Daily
-8 DON'T KNOW
-7 REFUSED
ASK: Adult respondents who have taken aspirin in the past 12 months.
ASK Specification: IF R03_AX0158_01 = 1.
DISPLAY: UNDERLINE "aspirin" AND "do not".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR44

Adult respondents who have taken aspirin in the past 12 months and have taken aspirin less than once a month, 1-3 days per month, weekly, or daily, go to R03_AX0157.

Else, adult respondents who are not current established, current experimental, or new former established tobacco users, go to R03_AN0330_12MH.

Else, go to Box R03_AXR52.

IF R03_AX0158_01 = 1 AND R03_AX0156 = 2, 3, 4, 5, GO TO R03_AX0157.

ELSE, IF R03_TOBACCO_USER_STATUS != 1, 2, 4, GO TO R03_AN0330_12MH.

ELSE, GO TO BOX R03_AXR52.

Variable(s): R03_AX0157

What type of aspirin do you usually take?

- 1 Baby aspirin (162 mg or less)
- 2 Regular or extra strength aspirin
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have taken aspirin in the past 12 months and have taken aspirin less than once a month, 1-3 days per month, weekly, or daily.

ASK Specification: IF R03_AX0158_01 = 1 AND R03_AX0156 = 2, 3, 4, 5.

BOX ID: R03_AXR45

Adult respondents who are not current established, current experimental, or new former established tobacco users, go to R03_AN0330_12MH.

Else, go to Box R03_AXR52.

IF R03_TOBACCO_USER_STATUS != 1, 2, 4, GO TO R03_AN0330_12MH.

ELSE, GO TO BOX R03_AXR52.

Variable(s): R03_AN0330_12MH

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No GO TO R03_AN0331_12MH
- 8 DON'T KNOW GO TO R03_AN0331_12MH
- 7 REFUSED GO TO R03_AN0331_12MH

ASK: Adult respondents who are not current established, current experimental, or new former established tobacco users.

ASK Specification: IF R03_TOBACCO_USER_STATUS != 1, 2, 4.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0307H**

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------------------|-----------------------|
| 1 | In the past hour | GO TO R03_AN0309H |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R03_AN0331_12MH |
| -8 | DON'T KNOW | GO TO R03_AN0331_12MH |
| -7 | REFUSED | GO TO R03_AN0331_12MH |

ASK: Adult respondents who are not current established, current experimental, or new former established tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R03_TOBACCO_USER_STATUS != 1, 2, 4 AND R03_AN0330_12MH = 1.

Variable(s): **R03_AN0308H**

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R03_AN0307H], was it...

- | | |
|----|-------------------------------|
| 1 | Between midnight and 6AM |
| 2 | After 6AM but before noon |
| 3 | Between noon and 6PM |
| 4 | After 6PM but before midnight |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are not current established, current experimental, or new former established tobacco users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF R03_TOBACCO_USER_STATUS != 1, 2, 4 AND R03_AN0330_12MH = 1 AND R03_AN0307H = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R03_AN0307H]:

IF R03_AN0307H = 2, DISPLAY "sometime today".

ELSE, IF R03_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307H = 4, DISPLAY "the day before yesterday".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0309H**

When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R03_AN0307H], how many did you use?

|__|__|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are not current established, current experimental, or new former established tobacco users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R03_TOBACCO_USER_STATUS != 1, 2, 4 AND R03_AN0330_12MH = 1 AND R03_AN0307H = 1, 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R03_AN0307H]:

IF R03_AN0307H = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307H = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

CHECK ID: **R03_AN0309H_LC1**

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R03_AN0309H] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AN0309H

2 NEXT

GO TO R03_AN0309H_LC2

ASK: IF (R03_TOBACCO_USER_STATUS != 1, 2, 4 AND R03_AN0330_12MH = 1 AND R03_AN0307H = 1, 2, 3, 4) AND R03_AN0309H > 5.

DISPLAY: IF R03_AN0307H = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307H = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AN0309H > 5.

ELSE, GO TO R03_AN0309H_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0309H_LC2

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-----------------------|
| 1 | BACK | GO TO R03_AN0309H |
| 2 | NEXT | GO TO R03_AN0331_12MH |

ASK: IF R03_TOBACCO_USER_STATUS != 1, 2, 4 AND R03_AN0330_12MH = 1 AND R03_AN0307H = 1, 2, 3, 4 AND R03_AN0309H = 0.

DISPLAY: IF R03_AN0307H = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0307H = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AN0309H = 0.

ELSE, GO TO R03_AN0331_12MH AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R03_AN0331_12MH

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R03_AXR52 |
| -8 | DON'T KNOW | GO TO BOX R03_AXR52 |
| -7 | REFUSED | GO TO BOX R03_AXR52 |

ASK: Adult respondents who are not current established, current experimental, or new former established tobacco users.

ASK Specification: IF R03_TOBACCO_USER_STATUS != 1, 2, 4.

Variable(s): R03_AN0327H

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------------------|---------------------|
| 1 | In the past hour | GO TO R03_AN0329H |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO BOX R03_AXR52 |
| -8 | DON'T KNOW | GO TO BOX R03_AXR52 |
| -7 | REFUSED | GO TO BOX R03_AXR52 |

ASK: Adult respondents who are not current established, current experimental, or new former established tobacco users and used a prescription drug in the past 12 months.

ASK Specification: IF R03_TOBACCO_USER_STATUS != 1, 2, 4 AND R03_AN0331_12MH = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AN0328H**

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R03_AN0327H], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not current established, current experimental, or new former established tobacco users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R03_TOBACCO_USER_STATUS != 1, 2, 4 AND R03_AN0331_12MH = 1 AND R03_AN0327H = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R03_AN0327H]:

IF R03_AN0327H = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R03_AN0327H, MAKING FIRST LETTER LOWERCASE.

Variable(s): **R03_AN0329H**

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R03_AN0327H], how many did you take?

|_|_|_|

- 8 DON'T KNOW GO TO BOX R03_AXR52
- 7 REFUSED GO TO BOX R03_AXR52

ASK: Adult respondents who are not current established, current experimental, or new former established tobacco users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R03_TOBACCO_USER_STATUS != 1, 2, 4 AND R03_AN0331_12MH = 1 AND R03_AN0327H = 1, 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R03_AN0327H]:

IF R03_AN0327H = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0327H = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R03_AN0327H, MAKING FIRST LETTER LOWERCASE.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

CHECK ID: R03_AN0329H_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R03_AN0329H] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R03_AN0329H |
| 2 | NEXT | GO TO BOX R03_AXR52 |

ASK: IF (R03_TOBACCO_USER_STATUS != 1, 2, 4 AND R03_AN0331_12MH = 1 AND R03_AN0327H = 1, 2, 3, 4 AND R03_AN0327H != -8, -7) AND (R03_AN0329H = 0 OR R03_AN0329H > 5).

DISPLAY: IF R03_AN0327H = 1, 2, DISPLAY "today".

ELSE, IF R03_AN0327H = 3, DISPLAY "yesterday".

ELSE, IF R03_AN0327H = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R03_AN0329H = 0 OR R03_AN0329H > 5.

ELSE, GO TO BOX R03_AXR52 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R03_AXR52

Adult female respondents who are less than 50 years old, go to R03_AX0134_12M.

Else, go to R03_AX0488.

IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50, GO TO R03_AX0134_12M.

ELSE, GO TO R03_AX0488.

Variable(s): R03_AX0134_12M***

The next questions are about your pregnancy history.

In the past 12 months, have you been pregnant? Please include a current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies and stillbirths.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR53
Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months, go to R03_AX0136. Else, adult female respondents who are less than 50 years old and have not been pregnant in the past 12 months and were pregnant as of their last completed interview, go to R03_AX0135_12M. Else, go to R03_AX0488.	
IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND R03_AX0134_12M = 1, GO TO R03_AX0136. ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND R03_AX0134_12M = 2 AND R02_PREGNANT = 1, GO TO R03_AX0135_12M. ELSE , GO TO R03_AX0488.	

Variable(s):	R03_AX0136
Are you pregnant now? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months. ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND R03_AX0134_12M = 1.	

BOX ID:	R03_AXR54
Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are currently pregnant, go to R03_AX0137. Else, adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview, go to R03_AX0135_12M. Else, go to R03_AX0488.	
IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND R03_AX0134_12M = 1 AND R03_AX0136 = 1, GO TO R03_AX0137. ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND ((R03_AX0134_12M = 1 AND R03_AX0136 = 2) OR (R03_AX0134_12M = 2 AND R02_PREGNANT = 1)), GO TO R03_AX0135_12M. ELSE, GO TO R03_AX0488.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0137_NN; R03_AX0137_UN**

How many months or weeks pregnant are you? Please enter the number of months or weeks.

1 |__|__| Months

2 |__|__| Weeks

-8 DON'T KNOW

-7 REFUSED

ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are currently pregnant.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND R03_AX0134_12M = 1 AND R03_AX0136 = 1.

PROGRAM: Display as quantity/units.

NOTES: The value "1" refers R03_AX0137_UN = Months; the value "2" refers to R03_AX0137_UN = Weeks.

CHECK ID: **R03_AX0137_LC1**

The computer recorded that you have been pregnant for [R03_AX0137_NN] [months/weeks]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AX0137

2 NEXT

GO TO BOX R03_AXR55

ASK: IF (R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND R03_AX0134_12M = 1 AND R03_AX0136 = 1) AND ((R03_AX0137_NN > 10 AND R03_AX0137_UN = 1) OR (R03_AX0137_NN > 42 AND R03_AX037_UN = 2)).

DISPLAY: IF R03_AX0137_UN = 1, DISPLAY "months".

ELSE, IF R03_AX0137_UN = 2, DISPLAY "weeks".

PROGRAM: TRIGGER CHECK IF (R03_AX0137_NN > 10 AND R03_AX0137_UN = 1) OR (R03_AX0137_NN > 42 AND R03_AX037_UN = 2).

ELSE, GO TO BOX R03_AXR55 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AX0135_12M
What was the outcome of your last pregnancy? 1 Live birth 2 Miscarriage 3 Abortion 4 Ectopic or tubal pregnancy 5 Stillbirth 6 None of the above -8 DON'T KNOW -7 REFUSED ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview. ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND ((R03_AX0134_12M = 1 AND R03_AX0136 = 2) OR (R03_AX0134_12M = 2 AND R02_PREGNANT = 1)).	

BOX ID:	R03_AXR55
Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth, go to R03_AX0300_12M. Else, go to R03_AX0340. IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND ((R03_AX0134_12M = 1 AND R03_AX0136 = 2) OR (R03_AX0134_12M = 2 AND R02_PREGNANT = 1)) AND R03_AX0135_12M = 1, GO TO R03_AX0300_12M. ELSE, GO TO R03_AX0340.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
For your last pregnancy, did any of the following occur? Choose all that apply.	
R03_AX0300_12M_01	1 Preterm birth (birth of baby less than 37 weeks gestational age)
R03_AX0300_12M_02	2 Baby with low birth weight (less than 5 pounds 8 ounces)
R03_AX0300_12M_03	3 Baby with birth defects
R03_AX0300_12M_04	4 Placenta Previa
R03_AX0300_12M_05	5 Placenta Abruptio
R03_AX0300_12M_06	6 Pre-eclampsia
R03_AX0300_12M_07	7 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth.	
ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND ((R03_AX0134_12M = 1 AND R03_AX0136 = 2) OR (R03_AX0134_12M = 2 AND R02_PREGNANT = 1)) AND R03_AX0135_12M = 1.	
PROGRAM: If Option 7 is selected, options 1-6 may not be selected.	

BOX ID:	R03_AXR56
Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects, go to R03_AX0299.	
Else, go to R03_AX0340.	
IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND ((R03_AX0134_12M = 1 AND R03_AX0136 = 2) OR (R03_AX0134_12M = 2 AND R02_PREGNANT = 1)) AND R03_AX0135_12M = 1 AND (R03_AX0300_12M_01 = 1 OR R03_AX0300_12M_02 = 1 OR R03_AX0300_12M_03 = 1), GO TO R03_AX0299.	
ELSE, GO TO R03_AX0340.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0299
Does your child have any developmental delays? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects. ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND ((R03_AX0134_12M = 1 AND R03_AX0136 = 2) OR (R03_AX0134_12M = 2 AND R02_PREGNANT = 1)) AND R03_AX0135_12M = 1 AND (R03_AX0300_12M_01 = 1 OR R03_AX0300_12M_02 = 1 OR R03_AX0300_12M_03 = 1).

BOX ID: R03_AXR57
Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a baby with birth defects, go to R03_AX0706. Else, go to R03_AX0340. IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND ((R03_AX0134_12M = 1 AND R03_AX0136 = 2) OR (R03_AX0134_12M = 2 AND R02_PREGNANT = 1)) AND R03_AX0135_12M = 1 AND R03_AX0300_12M_03 = 1, GO TO R03_AX0706. ELSE, GO TO R03_AX0340.

Variable(s): R03_AX0706
Was your child born with a cleft lip or a cleft palate? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a baby with birth defects. ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND ((R03_AX0134_12M = 1 AND R03_AX0136 = 2) OR (R03_AX0134_12M = 2 AND R02_PREGNANT = 1)) AND R03_AX0135_12M = 1 AND R03_AX0300_12M_03 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0340**

During the 3 months before your [most recent/current] pregnancy, how many alcoholic drinks did you have in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 14 drinks or more a week
- 2 7 to 13 drinks a week
- 3 4 to 6 drinks a week
- 4 1 to 3 drinks a week
- 5 Less than 1 drink a week
- 6 I didn't drink then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1).

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

UNDERLINE "before".

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0341**

During the last 3 months of your [most recent/current] pregnancy, how many alcoholic drinks [did you have/have you had] in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 14 drinks or more a week
- 2 7 to 13 drinks a week
- 3 4 to 6 drinks a week
- 4 1 to 3 drinks a week
- 5 Less than 1 drink a week
- 6 I didn't drink then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1).

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current" AND "did you have".

ELSE, DISPLAY "most recent" AND "have you had".

UNDERLINE "last".

PROGRAM: Suppress option 7 if R03_AX0136 != 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

BOX ID: R03_AXV05

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R03_PASTUSE_CIGS - Continuing adult respondents who have smoked cigarettes as of Wave 1, including new baseline adult respondents who have ever smoked cigarettes.

R03_PASTUSE_EPRODS - Continuing adult respondents who have used electronic nicotine products as of Wave 1, including new baseline adult respondents who have ever used electronic nicotine products.

R03_PASTUSE_GTRAD - Continuing adult respondents who have smoked traditional cigars as of Wave 1, including new baseline adult respondents who have ever smoked traditional cigars.

R03_PASTUSE_GRILLO - Continuing adult respondents who have smoked cigarillos as of Wave 1, including new baseline adult respondents who have ever smoked cigarillos.

R03_PASTUSE_GFILTR - Continuing adult respondents who have smoked filtered cigars as of Wave 1, including new baseline adult respondents who have ever smoked filtered cigars.

R03_PASTUSE_PIPE - Continuing adult respondents who have smoked a pipe as of Wave 1, including new baseline adult respondents who have ever smoked a pipe.

R03_PASTUSE_HOOK - Continuing adult respondents who have smoked hookah as of Wave 1, including new baseline adult respondents who have ever smoked hookah.

R03_PASTUSE_SNUS - Continuing adult respondents who have used snus pouches as of Wave 1, including new baseline adult respondents who have ever used snus pouches.

R03_PASTUSE_SMKLS - Continuing adult respondents who have used smokeless tobacco as of Wave 1, including new baseline adult respondents who have ever used smokeless tobacco.

R03_PASTUSE_CIGS:

IF (R03_AC1010 != 3) AND ((R03_AC1004 = 1 OR R03_AC1002_12M = 1) OR (R02_CIG_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_CIGS = 1)), THEN R03_PASTUSE_CIGS = 1.

ELSE, R03_PASTUSE_CIGS = 2.

R03_PASTUSE_EPRODS:

IF (R03_EVER_NEVER_EPRODS = 1) AND ((R03_AV1004 = 1) OR (R03_AV1002_12M = 1) OR (R02_ECIG_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2)), THEN R03_PASTUSE_EPRODS = 1.

ELSE, R03_PASTUSE_EPRODS = 2.

R03_PASTUSE_GTRAD:

IF (R03_AG1010TC != 3) AND ((R03_AG9030 = 1 OR R03_AG9003_12M = 1) OR (R02_GTRAD_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GTRAD = 1)), THEN R03_PASTUSE_GTRAD = 1.

ELSE, R03_PASTUSE_GTRAD = 2.

R03_PASTUSE_GRILLO:

IF (R03_AG1010CG != 3) AND ((R03_AG9049_01 = 1 OR R03_AG9049_03 = 1 OR R03_AG9051 = 1 OR R03_AG9053 = 1 OR R03_AG9009_12M_01 = 1 OR R03_AG9009_12M_03 = 1) OR (R02_GRILLO_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GRILLO = 1)), THEN R03_PASTUSE_GRILLO = 1.

ELSE, R03_PASTUSE_GRILLO = 2.

R03_PASTUSE_GFILTR:

IF (R03_AG1010FC != 3) AND ((R03_AG9049_02 = 1 OR R03_AG9052 = 1 OR R03_AG9009_12M_02 = 1) OR (R02_GFILTR_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GFILTR = 1)), THEN R03_PASTUSE_GFILTR = 1.

ELSE, R03_PASTUSE_GFILTR = 2.

R03_PASTUSE_PIPE:

PATH Study Wave 3 Adult Public Use File Annotated Instrument

IF (R03_AP1010 != 3) AND ((R03_AP1004 = 1 OR R03_AP1002_12M = 1) OR (R02_PIPE_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_PIPE = 1)), THEN R03_PASTUSE_PIPE = 1.

ELSE, R03_PASTUSE_PIPE = 2.

R03_PASTUSE_HOOK:

IF (R03_AH1010 != 3) AND ((R03_AH1004 = 1 OR R03_AH1002_12M = 1) OR (R02_HOOK_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_HOOK = 1)), THEN R03_PASTUSE_HOOK = 1.

ELSE, R03_PASTUSE_HOOK = 2.

R03_PASTUSE_SNUS:

IF (R03_AU1010 != 3) AND (((R03_AU1004 = 1 AND R03_AU9003 != 1) OR (R03_AU1002_12M = 1 AND R03_AU9004 != 1)) OR (R02_SNUS_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_SNUS = 1)), THEN R03_PASTUSE_SNUS = 1.

ELSE, R03_PASTUSE_SNUS = 2.

R03_PASTUSE_SMKLS:

IF (R03_AS1010 != 3) AND ((R03_AS1004 = 1 OR R03_AS1002_12M = 1 OR R03_AU9003 = 1 OR R03_AU9004 = 2 OR R03_AU9004 = 1 OR R03_AU9004 = 2) OR (R02_SMKLS_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_SMKLS = 1)), THEN R03_PASTUSE_SMKLS = 1.

ELSE, R03_PASTUSE_SMKLS = 2.

BOX ID: R03_AXR60

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked cigarettes excluding adult respondents who were still former cigarette smokers as of their last completed interview, go to R03_AX0342.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used electronic nicotine products excluding adult respondents who were still former electronic nicotine product users as of their last completed interview, go to R03_AX0344.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked traditional cigars excluding adult respondents who were still former traditional cigar smokers as of their last completed interview, go to R03_AX0346.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked cigarillos excluding adult respondents who were still former cigarillo smokers as of their last completed interview, go to R03_AX0348.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked filtered cigars excluding adult respondents who were still former filtered cigar smokers as of their last completed interview, go to R03_AX0350.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked a pipe excluding adult respondents who were still former pipe smokers as of their last completed interview, go to R03_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked hookah excluding adult respondents who were still former hookah smokers as of their last completed interview, go to R03_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever

PATH Study Wave 3 Adult Public Use File Annotated Instrument

used snus pouches excluding adult respondents who were still former snus pouch users as of their last completed interview, go to R03_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used smokeless tobacco excluding adult respondents who were still former smokeless tobacco users as of their last completed interview, go to R03_AX0358.

Else, go to R03_AX0488.

IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_CIGS = 1, GO TO R03_AX0342.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_EPRODS = 1, GO TO R03_AX0344.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GTRAD = 1, GO TO R03_AX0346.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GRILLO = 1, GO TO R03_AX0348.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GFILTR = 1, GO TO R03_AX0350.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_PIPE = 1, GO TO R03_AX0352.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_HOOK = 1, GO TO R03_AX0354.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SNUS = 1, GO TO R03_AX0356.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SMKLS = 1, GO TO R03_AX0358.

ELSE, GO TO R03_AX0488.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0342****

During the 3 months before your [most recent/current] pregnancy, how many cigarettes did you smoke on an average day? A pack usually has 20 cigarettes in it.

- 1 Less than 1 cigarette
- 2 1 to 5 cigarettes
- 3 6 to 10 cigarettes
- 4 11 to 20 cigarettes
- 5 21 to 40 cigarettes
- 6 41 cigarettes or more
- 7 None (0 cigarettes)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked cigarettes excluding adult respondents who were still former cigarette smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_CIGS = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

UNDERLINE "before".

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0343****

During the last 3 months of your [most recent/current] pregnancy, how many cigarettes [did you smoke/have you smoked] on an average day?

- 1 Less than 1 cigarette
- 2 1 to 5 cigarettes
- 3 6 to 10 cigarettes
- 4 11 to 20 cigarettes
- 5 21 to 40 cigarettes
- 6 41 cigarettes or more
- 7 None (0 cigarettes)
- 8 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked cigarettes excluding adult respondents who were still former cigarette smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_CIGS = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

UNDERLINE "last".

PROGRAM: Suppress option 8 if R03_AX0136 != 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_AXR89**

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used electronic nicotine products excluding adult respondents who were still former electronic nicotine product users as of their last completed interview, go to R03_AX0344.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked traditional cigars excluding adult respondents who were still former traditional cigar smokers as of their last completed interview, go to R03_AX0346.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked cigarillos excluding adult respondents who were still former cigarillo smokers as of their last completed interview, go to R03_AX0348.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked filtered cigars excluding adult respondents who were still former filtered cigar smokers as of their last completed interview, go to R03_AX0350.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever

PATH Study Wave 3 Adult Public Use File Annotated Instrument

smoked a pipe excluding adult respondents who were still former pipe smokers as of their last completed interview, go to R03_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked hookah excluding adult respondents who were still former hookah smokers as of their last completed interview, go to R03_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used snus pouches excluding adult respondents who were still former snus pouch users as of their last completed interview, go to R03_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used smokeless tobacco excluding adult respondents who were still former smokeless tobacco users as of their last completed interview, go to R03_AX0358.

Else, go to R03_AX0488.

IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_EPRODS = 1, GO TO R03_AX0344.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GTRAD = 1, GO TO R03_AX0346.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GRILLO = 1, GO TO R03_AX0348.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GFILTR = 1, GO TO R03_AX0350.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_PIPE = 1, GO TO R03_AX0352.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_HOOK = 1, GO TO R03_AX0354.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SNUS = 1, GO TO R03_AX0356.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SMKLS = 1, GO TO R03_AX0358.

ELSE, GO TO R03_AX0488.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0344**

During the 3 months before your [most recent/current] pregnancy, how often did you use e-cigarettes or other electronic nicotine products?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use electronic nicotine products then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used electronic nicotine products excluding adult respondents who were still former electronic nicotine product users as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_EPRODS = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

UNDERLINE "before".

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0345****

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] e-cigarettes or other electronic nicotine products?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use electronic nicotine products then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used electronic nicotine products excluding adult respondents who were still former electronic nicotine product users as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_EPRODS = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current" AND "have you used".

ELSE, DISPLAY "most recent" AND "did you use".

UNDERLINE "last".

PROGRAM: Suppress option 7 if R03_AX0136 != 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR90

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked traditional cigars excluding adult respondents who were still former traditional cigar smokers as of their last completed interview, go to R03_AX0346.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked cigarillos excluding adult respondents who were still former cigarillo smokers as of their last completed interview, go to R03_AX0348.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked filtered cigars excluding adult respondents who were still former filtered cigar smokers as of their last completed interview, go to R03_AX0350.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked a pipe excluding adult respondents who were still former pipe smokers as of their last completed interview, go to R03_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked hookah excluding adult respondents who were still former hookah smokers as of their last completed interview, go to R03_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used snus pouches excluding adult respondents who were still former snus pouch users as of their last completed interview, go to R03_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used smokeless tobacco excluding adult respondents who were still former smokeless tobacco users as of their last completed interview, go to R03_AX0358.

Else, go to R03_AX0488.

IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GTRAD = 1, GO TO R03_AX0346.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GRILLO = 1, GO TO R03_AX0348.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GFILTR = 1, GO TO R03_AX0350.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_PIPE = 1, GO TO R03_AX0352.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_HOOK = 1, GO TO R03_AX0354.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SNUS = 1, GO TO R03_AX0356.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SMKLS = 1, GO TO R03_AX0358.

ELSE, GO TO R03_AX0488.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0346**

During the 3 months before your [most recent/current] pregnancy, how often did you smoke traditional cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke traditional cigars then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked traditional cigars excluding adult respondents who were still former traditional cigar smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND $18 \leq R03R_A_AGE < 50$ AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GTRAD = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

UNDERLINE "before".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0347**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] traditional cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke traditional cigars then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked traditional cigars excluding adult respondents who were still former traditional cigar smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GTRAD = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

UNDERLINE "last".

PROGRAM: Suppress option 7 if R03_AX0136 != 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR91

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked cigarillos excluding adult respondents who were still former cigarillo smokers as of their last completed interview, go to R03_AX0348.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked filtered cigars excluding adult respondents who were still former filtered cigar smokers as of their last completed interview, go to R03_AX0350.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked a pipe excluding adult respondents who were still former pipe smokers as of their last completed interview, go to R03_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked hookah excluding adult respondents who were still former hookah smokers as of their last completed interview, go to R03_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used snus pouches excluding adult respondents who were still former snus pouch users as of their last completed interview, go to R03_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used smokeless tobacco excluding adult respondents who were still former smokeless tobacco users as of their last completed interview, go to R03_AX0358.

Else, go to R03_AX0488.

IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GRILLO = 1, GO TO R03_AX0348.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GFILTR = 1, GO TO R03_AX0350.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_PIPE = 1, GO TO R03_AX0352.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_HOOK = 1, GO TO R03_AX0354.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SNUS = 1, GO TO R03_AX0356.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SMKLS = 1, GO TO R03_AX0358.

ELSE, GO TO R03_AX0488.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0348****

During the 3 months before your [most recent/current] pregnancy, how often did you smoke cigarillos?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke cigarillos then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked cigarillos excluding adult respondents who were still former cigarillo smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GRILLO = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

UNDERLINE "before".

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0349****

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] cigarillos?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke cigarillos then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked cigarillos excluding adult respondents who were still former cigarillo smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GRILLO = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

UNDERLINE "last".

PROGRAM: Suppress option 7 if R03_AX0136 != 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR92

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked filtered cigars excluding adult respondents who were still former filtered cigar smokers as of their last completed interview, go to R03_AX0350.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked a pipe excluding adult respondents who were still former pipe smokers as of their last completed interview, go to R03_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked hookah excluding adult respondents who were still former hookah smokers as of their last completed interview, go to R03_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used snus pouches excluding adult respondents who were still former snus pouch users as of their last completed interview, go to R03_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used smokeless tobacco excluding adult respondents who were still former smokeless tobacco users as of their last completed interview, go to R03_AX0358.

Else, go to R03_AX0488.

IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GFILTR = 1, GO TO R03_AX0350.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_PIPE = 1, GO TO R03_AX0352.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_HOOK = 1, GO TO R03_AX0354.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SNUS = 1, GO TO R03_AX0356.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SMKLS = 1, GO TO R03_AX0358.

ELSE, GO TO R03_AX0488.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0350****

During the 3 months before your [most recent/current] pregnancy, how often did you smoke filtered cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke filtered cigars then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked filtered cigars excluding adult respondents who were still former filtered cigar smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GFILTR = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

UNDERLINE "before".

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0351****

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] filtered cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke filtered cigars then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked filtered cigars excluding adult respondents who were still former filtered cigar smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_GFILTR = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

UNDERLINE "last".

PROGRAM: Suppress option 7 if R03_AX0136 != 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

BOX ID: R03_AXR93

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked a pipe excluding adult respondents who were still former pipe smokers as of their last completed interview, go to R03_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked hookah excluding adult respondents who were still former hookah smokers as of their last completed interview, go to R03_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used snus pouches excluding adult respondents who were still former snus pouch users as of their last completed interview, go to R03_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used smokeless tobacco excluding adult respondents who were still former smokeless tobacco users as of their last completed interview, go to R03_AX0358.

Else, go to R03_AX0488.

IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_PIPE = 1, GO TO R03_AX0352.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_HOOK = 1, GO TO R03_AX0354.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SNUS = 1, GO TO R03_AX0356.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SMKLS = 1, GO TO R03_AX0358.

ELSE, GO TO R03_AX0488.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0352****

During the 3 months before your [most recent/current] pregnancy, how often did you smoke a pipe filled with tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke a pipe then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked a pipe excluding adult respondents who were still former pipe smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_PIPE = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

UNDERLINE "before".

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0353****

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] a pipe filled with tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke a pipe then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked a pipe excluding adult respondents who were still former pipe smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_PIPE = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

UNDERLINE "last".

PROGRAM: Suppress option 7 if R03_AX0136 != 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR94

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked hookah excluding adult respondents who were still former hookah smokers as of their last completed interview, go to R03_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used snus pouches excluding adult respondents who were still former snus pouch users as of their last completed interview, go to R03_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used smokeless tobacco excluding adult respondents who were still former smokeless tobacco users as of their last completed interview, go to R03_AX0358.

Else, go to R03_AX0488.

IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_HOOK = 1, GO TO R03_AX0354.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SNUS = 1, GO TO R03_AX0356.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SMKLS = 1, GO TO R03_AX0358.

ELSE, GO TO R03_AX0488.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0354****

During the 3 months before your [most recent/current] pregnancy, how often did you smoke hookah?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke hookah then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked hookah excluding adult respondents who were still former hookah smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_HOOK = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

UNDERLINE "before".

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0355****

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] hookah?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke hookah then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever smoked hookah excluding adult respondents who were still former hookah smokers as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_HOOK = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

UNDERLINE "last".

PROGRAM: Suppress option 7 if R03_AX0136 != 1.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50). The error was not corrected during Wave 3 Data Collection.

BOX ID: **R03_AXR95**

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used snus pouches excluding adult respondents who were still former snus pouch users as of their last completed interview, go to R03_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used smokeless tobacco excluding adult respondents who were still former smokeless tobacco users as of their last completed interview, go to R03_AX0358.

Else, go to R03_AX0488.

IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SNUS = 1, GO TO R03_AX0356.

ELSE, IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SMKLS = 1, GO TO R03_AX0358.

ELSE, GO TO R03_AX0488.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0356**

During the 3 months before your [most recent/current] pregnancy, how often did you use snus pouches?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use snus pouches then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used snus pouches excluding adult respondents who were still former snus pouch users as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SNUS = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

UNDERLINE "before".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0357**

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] snus pouches?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use snus pouches then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used snus pouches excluding adult respondents who were still former snus pouch users as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SNUS = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current" AND "have you used".

ELSE, DISPLAY "most recent" AND "did you use".

UNDERLINE "last".

PROGRAM: Suppress option 7 if R03_AX0136 != 1.

BOX ID: **R03_AXR96**

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used smokeless tobacco excluding adult respondents who were still former smokeless tobacco users as of their last completed interview, go to R03_AX0358.

Else, go to R03_AX0488.

IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SMKLS = 1, GO TO R03_AX0358.

ELSE, GO TO R03_AX0488.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0358**

During the 3 months before your [most recent/current] pregnancy, how often did you use [other types of]smokeless tobacco (such as dip, spit, or chew)?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use smokeless tobacco then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used smokeless tobacco excluding adult respondents who were still former smokeless tobacco users as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SMKLS = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

IF R03_PASTUSE_SNUS = 1, DISPLAY "other types of ".

ELSE, DO NOT DISPLAY.

UNDERLINE "before".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0359**

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] smokeless tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use smokeless tobacco then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, and have ever used smokeless tobacco excluding adult respondents who were still former smokeless tobacco users as of their last completed interview.

ASK Specification: IF R03R_A_SEX = 2 AND 18 <= R03R_A_AGE < 50 AND (R03_AX0136 = 1 OR R03_AX0134_12M = 1 OR R02_PREGNANT = 1) AND R03_PASTUSE_SMKLS = 1.

DISPLAY: IF R03_AX0136 = 1, DISPLAY "current" AND "have you used".

ELSE, DISPLAY "most recent" AND "did you use".

UNDERLINE "last".

PROGRAM: Suppress option 7 if R03_AX0136 != 1.

PATH ID: **R03_AX0488**

The next questions are about common psychological, behavioral, and personal problems. These problems are considered significant when you have them for two or more weeks, when they keep coming back, when they keep you from meeting your responsibilities, or when they make you feel like you can't go on.

After each of the following questions, please tell us the last time, if ever, you had the problem, by answering whether it was in the past month, 2-12 months ago, over a year ago, or never.

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant".

PROGRAM: Respondent should hit NEXT to continue. There is no actual question on this screen.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0161

When was the last time that you had significant problems with...

Feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant problems".

Variable(s): R03_AX0162

When was the last time that you had significant problems with...

Sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant problems".

Variable(s): R03_AX0163

When was the last time that you had significant problems with...

Feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant problems".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0164

When was the last time that you had significant problems with...

Becoming very distressed and upset when something reminded you of the past?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant problems".

Variable(s): R03_AX0165

When was the last time that you did any of the following things two or more times...

Lied or conned to get things you wanted or to avoid having to do something?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "two or more times".

Variable(s): R03_AX0166

When was the last time that you did any of the following things two or more times...

Had a hard time paying attention at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "two or more times".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0167

When was the last time that you did any of the following things two or more times...

Had a hard time listening to instructions at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "two or more times".

Variable(s): R03_AX0168

When was the last time that you did any of the following things two or more times...

Were a bully or threatened other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "two or more times".

Variable(s): R03_AX0169

When was the last time that you did any of the following things two or more times...

Started physical fights with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "two or more times".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0250**

When was the last time that you did any of the following things two or more times...

Felt restless or the need to run around or climb on things?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "two or more times".

Variable(s): **R03_AX0251**

When was the last time that you did any of the following things two or more times...

Gave answers before the other person finished asking the question?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "two or more times".

Variable(s): **R03_AX0084_12M**

The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

In the past 12 months, have you used any alcohol, including small tastes or sips?

- 1 Yes
- 2 No GO TO BOX R03_AXR49
- 8 DON'T KNOW GO TO BOX R03_AXR49
- 7 REFUSED GO TO BOX R03_AXR49

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0673	
Have you used alcohol within the <u>past 30 days</u> ?	
1 Yes	
2 No	GO TO BOX R03_AXR49
-8 DON'T KNOW	GO TO BOX R03_AXR49
-7 REFUSED	GO TO BOX R03_AXR49
ASK: Adult respondents who have used alcohol in the past 12 months.	
ASK Specification: IF R03_AX0084_12M = 1.	
DISPLAY: UNDERLINE "past 30 days".	

Variable(s): R03_AX0075	
In the past 30 days, on how many days did you have one or more alcoholic drinks?	
A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.	
I ___ I ___ I DAYS	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days.	
ASK Specification: IF R03_AX0084_12M = 1 AND R03_AX0673 = 1.	
PROGRAM: RANGE: 0 - 30	

BOX ID: R03_AXR48
Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks, go to R03_AX0076.
Else, go to Box R03_AXR49.
IF R03_AX0084_12M = 1 AND R03_AX0673 = 1 AND (R03_AX0075 > 0 OR R03_AX0075 = -8, -7), GO TO R03_AX0076.
ELSE, GO TO BOX R03_AXR49.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0076**

On average, on those [days that you drank in the past 30 days/NUMBER OF DAYS FROM R03_AX0075 days], how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

|__|__|

-8 DON'T KNOW

GO TO BOX R03_AXR49

-7 REFUSED

GO TO BOX R03_AXR49

ASK: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks.

ASK Specification: IF R03_AX0084_12M = 1 AND R03_AX0673 = 1 AND (R03_AX0075 > 0 OR R03_AX0075 = -8, -7).

DISPLAY: IF R03_AX0075 = 1, -8, -7, DISPLAY = "days that you drank in the past 30 days".

ELSE, IF R03_AX0075 > 1, FILL NUMBER OF DAYS WITH NUMBER REPORTED IN R03_AX0075 AND "days".

PROGRAM: RANGE: 1 - 90

CHECK ID: **R03_AX0076_LC1**

The computer recorded that you usually drank [R03_AX0076] alcoholic beverages on the days that you drank during the last 30 days. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R03_AX0076

2 NEXT

GO TO BOX R03_AXR49

ASK: IF (R03_AX0084_12M = 1 AND R03_AX0673 = 1 AND (R03_AX0075 > 0 OR R03_AX0075 = -8, -7) AND R03_AX0076 != -8, -7) AND R03_AX0076 > 30.

PROGRAM: TRIGGER CHECK IF R03_AX0076 > 30. ELSE, GO TO BOX R03_AXR49 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: **R03_AXR49**

Adult respondents who have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report if they have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, go to R03_AX0085_12M.

Else, go to R03_AX0675.

IF R03_AG9107 = 2 , -8, -7, GO TO R03_AX0085_12M.

ELSE, GO TO R03_AX0675.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AX0085_12M
In the past 12 months, have you used marijuana, hash, THC, grass, pot or weed?	
1	Yes
2	No
	GO TO R03_AX0089_12M
-8	DON'T KNOW
	GO TO R03_AX0089_12M
-7	REFUSED
	GO TO R03_AX0089_12M
ASK: Adult respondents who have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report if they have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.	
ASK Specification: IF R03_AG9107 = 2 , -8, -7.	

Variable(s):	R03_AX0675
Have you used marijuana, hash, THC, grass, pot or weed within the <u>past 30 days</u> ?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or or have used marijuana, hash, THC, grass, pot, or weed in the past 12 months.	
ASK Specification: IF R03_AG9107 = 1 OR R03_AX0085_12M = 1.	
DISPLAY: UNDERLINE "past 30 days".	

BOX ID:	R03_AXD07
DISPLAY INSTRUCTIONS: FOR R03_AX0089_12M AND R03_AX0220_12M, DISPLAY A "Yes" AND "No" COLUMN WITH OPTIONS FOR EACH RESPONSE CATEGORY.	

Variable(s):	SEE BELOW:
In the past 12 months, have you used any of the following prescription drugs that were <u>not</u> prescribed for you or that you took <u>only</u> for the experience or feeling they caused?	
R03_AX0089_12M_01***	1 Ritalin® or Adderall®
R03_AX0089_12M_02***	2 Painkillers, sedatives, or tranquilizers
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents.	
DISPLAY: UNDERLINE "not" AND "only".	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
In the past 12 months, have you used any of the following substances?	
R03_AX0220_12M_01***	1 Cocaine or crack
R03_AX0220_12M_02***	2 Stimulants like methamphetamine or speed
R03_AX0220_12M_03***	3 Any other drugs like heroin, inhalants, solvents, or hallucinogens
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AXR06
Repeat R03_AX0676[_01/_02/_03] up to five times for each substance reported in R03_AX0089_12M[_01/_02] and R03_AX0220_12M[_01/_02/_03]. If no substances reported, go to Box R03_AXR03.	
REPEAT R03_AX0676 UP TO 5 TIMES FOR EACH SUBSTANCE REPORTED IN R03_AX0089_12M[_01/_02] AND R03_AX0220_12M[_01/_02/_03]. IF R03_AX0089_12M_01 = 1, ASK R03_AX0676_01 ABOUT "Ritalin® or Adderall®". IF R03_AX0089_12M_02 = 1, ASK R03_AX0676_02 ABOUT "painkillers, sedatives, or tranquilizers". IF R03_AX0220_12M_01 = 1, ASK R03_AX0676_03 ABOUT "cocaine or crack". IF R03_AX0220_12M_02 = 1, ASK R03_AX0676_04 ABOUT "stimulants like methamphetamine or speed". IF R03_AX0220_12M_03 = 1, ASK R03_AX0676_05 ABOUT "other drugs like heroin, inhalants, solvents, or hallucinogens". WHEN ALL R03_AX0676[_01/_02/_03] HAS BEEN ASKED ABOUT ALL SELECTED SUBSTANCES, GO TO BOX R03_AXR03. IF R03_AX0089_12M_01 != 1 AND R03_AX0089_12M_02 != 1 AND R03_AX0220_12M_01 != 1 AND R03_AX0220_12M_02 != 1 AND R03_AX0220_12M_03 != 1, GO TO BOX R03_AXR03.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0676_01; R03_AX0676_02; R03_AX0676_03; R03_AX0676_04; R03_AX0676_05**

Have you used [SUBSTANCEFILL] within the past 30 days?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: FOR R03_AX0676_01: IF R03_AX0089_12M_01 = 1.

FOR R03_AX0676_02: IF R03_AX0089_12M_02 = 1.

FOR R03_AX0676_03: IF R03_AX0220_12M_01 = 1.

FOR R03_AX0676_04: IF R03_AX0220_12M_02 = 1.

FOR R03_AX0676_05: IF R03_AX0220_12M_03 = 1.

DISPLAY: UNDERLINE "past 30 days".

FOR [SUBSTANCEFILL]:

IF R03_AX0089_12M_01 = 1, DISPLAY "Ritalin® or Adderall®".

ELSE, IF R03_AX0089_12M_02 = 1, DISPLAY "painkillers, sedatives, or tranquilizers".

ELSE, IF R03_AX0220_12M_01 = 1, DISPLAY "cocaine or crack".

ELSE, IF R03_AX0220_12M_02 = 1, DISPLAY "stimulants like methamphetamine or speed".

ELSE, IF R03_AX0220_12M_03 = 1, DISPLAY "other drugs like heroin, inhalants, solvents, or hallucinogens".

BOX ID: **R03_AXR50**

If more than one substance is selected in R03_AX0089_12M[_01/_02] or R03_AX0220_12M[_01/_02/_03], go back to box R03_AXR06, until R03_AX0676[_01/_.../_05] has been asked about all selected substances.

If R03_AX0676[_01/_.../_05] has been asked about all selected substances, go to Box R03_AXR03.

IF R03_AX0089[_01/_02] = 1 OR R03_AX0220[_01/_02/_03] = 1, GO BACK TO BOX R03_AXR06 UNTIL R03_AX0676[_01/_.../_05] HAS BEEN ASKED ABOUT ALL SELECTED SUBSTANCES.

IF R03_AX0676[_01/_.../_05] HAS BEEN ASKED ABOUT ALL SELECTED SUBSTANCES, GO TO BOX R03_AXR03.

BOX ID: R03_AXV04

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R03_EVER_USER_ALC = Has ever used alcohol

R03_EVER_USER_MJ = Has ever used marijuana

R03_EVER_USER_RIT = Has ever used Ritalin® or Adderall®

R03_EVER_USER_PK = Has ever used painkillers, sedatives, or tranquilizers

R03_EVER_USER_COC = Has ever used cocaine or crack

R03_EVER_USER_STIM = Has ever used stimulants

R03_EVER_USER_OTH = Has ever used other drugs like heroin, inhalants, solvents, or hallucinogens

R03_SUBSTANCE_COUNT = Count of the number of substances ever used

R03_EVER_USER_ALC:

IF R03_AX0084_12M = 1 OR R02_EVER_USER_ALCOHOL = 1, THEN R03_EVER_USER_ALC = 1.
ELSE, R03_EVER_USER_ALC = 2.

R03_EVER_USER_MJ:

IF R03_AG9107 = 1 OR R03_AX0085_12M = 1 OR R03_AH9031 = 1 OR R03_AV9042 = 1 OR
R02_EVER_USER_MARIJUANA = 1, THEN R03_EVER_USER_MJ = 1.
ELSE, R03_EVER_USER_MJ = 2.

R03_EVER_USER_RIT:

IF R03_AX0089_12M_01 = 1 OR R02_EVER_USER_RITALIN = 1, THEN R03_EVER_USER_RIT = 1.
ELSE, R03_EVER_USER_RIT = 2.

R03_EVER_USER_PK:

IF R03_AX0089_12M_02 = 1 OR R02_EVER_USER_PAINKILLERS = 1, THEN
R03_EVER_USER_PK = 1.
ELSE, R03_EVER_USER_PK = 2.

R03_EVER_USER_COC:

IF R03_AX0220_12M_01 = 1 OR R02_EVER_USER_COCAINE = 1, THEN R03_EVER_USER_COC
= 1.
ELSE, R03_EVER_USER_COC = 2.

R03_EVER_USER_STIM:

IF R03_AX0220_12M_02 = 1 OR R02_EVER_USER_STIMULANTS = 1, THEN
R03_EVER_USER_STIM = 1.
ELSE, R03_EVER_USER_STIM = 2.

R03_EVER_USER_OTH:

IF R03_AX0220_12M_03 = 1 OR R02_EVER_USER_OTHERDRUG = 1, THEN
R03_EVER_USER_OTH = 1.
ELSE R03_EVER_USER_OTH = 2.

R03_SUBSTANCE_COUNT:

R03_SUBSTANCE_COUNT = 0;
IF R03_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1;
IF R03_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1;
IF R03_EVER_USER_RIT = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1;
IF R03_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1;
IF R03_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1;
IF R03_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1;
IF R03_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR03
Adult respondents who report ever using alcohol or ever using drugs, go to R03_AX0170. Else, go to Box R03_AXT06.	
IF R03_SUBSTANCE_COUNT >= 1, GO TO R03_AX0170. ELSE, GO TO BOX R03_AXT06.	

Variable(s):	R03_AX0170***	
When was the last time that...		
You used alcohol or other drugs weekly or more often?		
1	Past month	
2	2 to 12 months ago	
3	Over a year ago	
4	Never	GO TO R03_AX0171
-8	DON'T KNOW	GO TO R03_AX0171
-7	REFUSED	GO TO R03_AX0171
ASK: Adult respondents who report ever using alcohol or ever using drugs.		
ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.		
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		

BOX ID:	R03_AXR04
Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R03_AX0175. Else, go to R03_AX0171.	
IF (R03_EVER_USER_ALC = 1 OR R03_EVER_USER_MJ = 1 OR R03_EVER_USER_RIT = 1 OR R03_EVER_USER_PK = 1 OR R03_EVER_USER_COC = 1 OR R03_EVER_USER_STIM = 1 OR R03_EVER_USER_OTH = 1) AND R03_AX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2, GO TO R03_AX0175. ELSE, GO TO R03_AX0171.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

- | | | |
|-------------------------|----|--|
| R03_AX0175_01*** | 1 | Alcohol |
| R03_AX0175_02*** | 2 | Marijuana, hash, THC, or grass, pot, or weed |
| R03_AX0175_03*** | 3 | Ritalin® or Adderall® |
| R03_AX0175_04*** | 4 | Painkillers, sedatives, or tranquilizers |
| R03_AX0175_05*** | 5 | Cocaine or crack |
| R03_AX0175_06*** | 6 | Stimulants like methamphetamine or speed |
| R03_AX0175_07*** | 7 | Any other drugs like heroin, inhalants, solvents, or hallucinogens |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: FOR R03_AX0175_01: IF R03_EVER_USER_ALC = 1 AND R03_AX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

FOR R03_AX0175_02: IF R03_EVER_USER_MJ = 1 AND R03_AX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

FOR R03_AX0175_03: IF R03_EVER_USER_RIT = 1 AND R03_AX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

FOR R03_AX0175_04: IF R03_EVER_USER_PK = 1 AND R03_AX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

FOR R03_AX0175_05: IF R03_EVER_USER_COC = 1 AND R03_AX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

FOR R03_AX0175_06: IF R03_EVER_USER_STIM = 1 AND R03_AX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

FOR R03_AX0175_07: IF R03_EVER_USER_OTH = 1 AND R03_AX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

PROGRAM: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.

IF R03_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R03_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R03_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R03_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R03_EVER_USER_COC= 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R03_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R03_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0171***

When was the last time that...

You spent a lot of time getting alcohol or other drugs?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R03_AX0172***

When was the last time that...

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0173*****

When was the last time that...

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R03_AX0193*****

When was the last time that...

You spent a lot of time using or recovering from alcohol or other drugs?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0174*****

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R03_AX0194*****

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR51

Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, go to R03_AX0176.

Else, go to Box R03_AXT06.

IF R03_SUBSTANCE_COUNT >= 2 AND (R03_AX0193 =1, 2, 3 OR R03_AX0172 = 1, 2, 3 OR R03_AX0173 = 1, 2, 3 OR R03_AX0174 = 1, 2, 3 OR R03_AX0194 =1, 2, 3), GO TO R03_AX0176.
ELSE, GO TO BOX R03_AXT06.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

- R03_AX0176_01***** 1 Alcohol
- R03_AX0176_02***** 2 Marijuana, hash, THC, grass, pot, or weed
- R03_AX0176_03***** 3 Ritalin® or Adderall®
- R03_AX0176_04***** 4 Painkillers, sedatives, or tranquilizers
- R03_AX0176_05***** 5 Cocaine or crack
- R03_AX0176_06***** 6 Stimulants like methamphetamine or speed
- R03_AX0176_07***** 7 Any other drugs like heroin, inhalants, solvents, or hallucinogens
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 2 AND (R03_AX0193 = 1, 2, 3 OR R03_AX0172 = 1, 2, 3 OR R03_AX0173 = 1, 2, 3 OR R03_AX0174 = 1, 2, 3 OR R03_AX0194 = 1, 2, 3).

PROGRAM: List only those substances a respondent previously indicated he/she has ever used.
Allow respondent to choose all that apply.

IF R03_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R03_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R03_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R03_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R03_EVER_USER_COC = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R03_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R03_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: **R03_AXT06**

The next questions ask about your relatives, including your father, mother, brothers or sisters, sons or daughters, both living and deceased.

BOX ID: **R03_AXR79**

New baseline youth respondents, go to Box R03_AXD13.

Else, go to Box R03_AXD14.

IF R03_ADULTTYPE = 2, GO TO BOX R03_AXD13.

ELSE, GO TO BOX R03_AXD14.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXD13

FOR R03_AX0689_NB, DISPLAY A "Yes" AND "No" COLUMN WITH OPTIONS FOR EACH RESPONSE CATEGORY.

Variable(s): SEE BELOW:

Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?

- | | | |
|-------------------------|----|---|
| R03_AX0689_NB_01 | 1 | Asthma |
| R03_AX0689_NB_02 | 2 | High blood pressure |
| R03_AX0689_NB_03 | 3 | High cholesterol |
| R03_AX0689_NB_04 | 4 | A heart attack or needed bypass surgery |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline adult respondents.

ASK Specification: IF R03_ADULTTYPE = 2.

BOX ID: R03_AXR84

New baseline adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, go to R03_AX0195.
Else, new baseline adults go to R03_AX0707.

IF R03_ADULTTYPE = 2 AND R03_AX0689_NB_04 = 1, GO TO R03_AX0195.
ELSE, GO TO R03_AX0707.

BOX ID: R03_AXD14

FOR R03_AX0689_12M, DISPLAY A "YES" AND "NO" COLUMN WITH OPTIONS FOR EACH RESPONSE CATEGORY.

Variable(s): SEE BELOW:

In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?

- | | | |
|-----------------------------|----|---|
| R03_AX0689_12M_01*** | 1 | Asthma |
| R03_AX0689_12M_02*** | 2 | High blood pressure |
| R03_AX0689_12M_03*** | 3 | High cholesterol |
| R03_AX0689_12M_04*** | 4 | A heart attack or needed bypass surgery |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Continuing adult respondents.

ASK Specification: IF R03_ADULTTYPE = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR85
Continuing adult respondents whose close biological or blood relatives were told they had a heart attack or needed bypass surgery in the past 12 months, go to R03_AX0195. Else, go to R03_AX0707.	
IF R03_ADULTTYPE = 1 AND R03_AX0689_12M_04 = 1, GO TO R03_AX0195. ELSE, GO TO R03_AX0707.	

Variable(s):	R03_AX0195
Were they told they had a heart attack or needed bypass surgery <u>before the age of 50</u> ?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: New baseline adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, or continuing adult respondents whose close biological or blood relatives were told they had a heart attack or needed bypass surgery in the past 12 months.	
ASK Specification: IF (R03_ADULTTYPE = 2 AND R03_AX0689_NB_04 = 1) OR (R03_ADULTTYPE = 1 AND R03_AX0689_12M_04 = 1).	
DISPLAY: UNDERLINE "before the age of 50".	

Variable(s):	R03_AX0707
Have any of your close biological or blood relatives used any tobacco products? By this we mean cigarettes, e-cigarettes or other electronic nicotine products, cigars, pipe, hookah, snus pouches or other types of smokeless tobacco (such as dip, spit or chew), and dissolvable tobacco.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: All adult respondents.	

Variable(s):	R03_AX0731
Have any of your close biological or blood relatives ever been an alcoholic or problem drinker? By this we mean a person whose drinking causes problems with their physical or emotional health, family or friends, work or school, or the police.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: All adult respondents.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0732**

Have any of your close biological or blood relatives ever had problems with drugs? By this we mean a person whose drug use causes problems with their physical or emotional health, family or friends, work or school, or the police.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): **R03_AX0401**

Did your mother use tobacco while she was pregnant with you?

- 1 I don't know
- 2 Yes
- 3 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

MARKETING, ADVERTISING AND PROMOTION**BOX ID: R03_AXT02**

DISPLAY TRANSITION TEXT: "The next questions ask about tobacco advertising that you may have seen or received."

Variable(s): SEE BELOW:

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

- R03_AX0708_01** 1 Cigarettes
- R03_AX0708_02** 2 E-cigarettes or other electronic nicotine products (including e-liquid)
- R03_AX0708_03** 3 Cigars
- R03_AX0708_04** 4 Snus pouches
- R03_AX0708_05** 5 Other types of smokeless tobacco (such as dip, spit or chew)
- R03_AX0708_06** 6 Some other type of tobacco product
- R03_AX0708_07** 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PROGRAM: Allow respondent to choose all that apply. If option 7 is selected, options 1-6 cannot be selected.

Variable(s): R03_AX0178

In the past 30 days, have you noticed tobacco ads or promotions on store windows or inside stores where tobacco is sold?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R03_AXR64

Adult respondents who are current established tobacco users and have a regular brand of any product, go to R03_AX0715.

Else, go to Box R03_AXR67.

IF R03_TOBACCO_USER_STATUS = 1 AND (R03_AC1047MC = 1 OR R03_AC1047RY = 1 OR R03_AV1047 = 1 OR R03_AG1047TC = 1 OR R03_AG1047CG = 1 OR R03_AG1047FC = 1 OR R03_AP1047 = 1 OR R03_AH1047 = 1 OR R03_AU1047 = 1 OR R03_AS1047 = 1), GO TO R03_AX0715.

ELSE, GO TO BOX R03_AXR67.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0715****

In the past 30 days, have you bought a brand of tobacco product other than your usual brand?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AX0678 |
| -8 | DON'T KNOW | GO TO R03_AX0678 |
| -7 | REFUSED | GO TO R03_AX0678 |

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1 AND (R03_AC1047MC = 1 OR R03_AC1047RY = 1 OR R03_AV1047 = 1 OR R03_AG1047TC = 1 OR R03_AG1047CG = 1 OR R03_AG1047FC = 1 OR R03_AP1047 = 1 OR R03_AH1047 = 1 OR R03_AU1047 = 1 OR R03_AS1047 = 1).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who reported having a regular brand of manufactured or roll-your-own cigarettes (R03_AC1047[MC/RY] = 1) and did not report having a regular brand of any other product. This issue was fixed in a field update on 05/17/2016.

Variable(s): **R03_AX0716**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- | | |
|----|-----------------|
| 1 | Once or twice |
| 2 | A few times |
| 3 | Quite regularly |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1 AND (R03_AC1047MC = 1 OR R03_AC1047RY = 1 OR R03_AV1047 = 1 OR R03_AG1047TC = 1 OR R03_AG1047CG = 1 OR R03_AG1047FC = 1 OR R03_AP1047 = 1 OR R03_AH1047 = 1 OR R03_AU1047 = 1 OR R03_AS1047 = 1) AND R03_AX0715 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0210**

In the past 30 days, have you bought a brand of tobacco product other than your usual brand because you noticed it displayed in the store or on signs?

- 1 Yes
- 2 No GO TO R03_AX0717
- 8 DON'T KNOW GO TO R03_AX0717
- 7 REFUSED GO TO R03_AX0717

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1 AND (R03_AC1047MC = 1 OR R03_AC1047RY = 1 OR R03_AV1047 = 1 OR R03_AG1047TC = 1 OR R03_AG1047CG = 1 OR R03_AG1047FC = 1 OR R03_AP1047 = 1 OR R03_AH1047 = 1 OR R03_AU1047 = 1 OR R03_AS1047 = 1) AND R03_AX0715 = 1.

Variable(s): **R03_AX0211**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days because they noticed it displayed in the store or on signs.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1 AND (R03_AC1047MC = 1 OR R03_AC1047RY = 1 OR R03_AV1047 = 1 OR R03_AG1047TC = 1 OR R03_AG1047CG = 1 OR R03_AG1047FC = 1 OR R03_AP1047 = 1 OR R03_AH1047 = 1 OR R03_AU1047 = 1 OR R03_AS1047 = 1) AND R03_AX0715 = 1 AND R03_AX0210 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0717**

In the past 30 days, when you were in a store that sells tobacco, did you buy a brand of tobacco product other than your usual brand because you noticed it was on sale or there was a deal like 2-for-1?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R03_AXR67 |
| -8 | DON'T KNOW | GO TO BOX R03_AXR67 |
| -7 | REFUSED | GO TO BOX R03_AXR67 |

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1 AND (R03_AC1047MC = 1 OR R03_AC1047RY = 1 OR R03_AV1047 = 1 OR R03_AG1047TC = 1 OR R03_AG1047CG = 1 OR R03_AG1047FC = 1 OR R03_AP1047 = 1 OR R03_AH1047 = 1 OR R03_AU1047 = 1 OR R03_AS1047 = 1) AND R03_AX0715 = 1.

Variable(s): **R03_AX0718**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- | | |
|----|-----------------|
| 1 | Once or twice |
| 2 | A few times |
| 3 | Quite regularly |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days because they noticed it was on sale or there was a deal.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1 AND (R03_AC1047MC = 1 OR R03_AC1047RY = 1 OR R03_AV1047 = 1 OR R03_AG1047TC = 1 OR R03_AG1047CG = 1 OR R03_AG1047FC = 1 OR R03_AP1047 = 1 OR R03_AH1047 = 1 OR R03_AU1047 = 1 OR R03_AS1047 = 1) AND R03_AX0715 = 1 AND R03_AX0717 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID: R03_AXR67

Young adult respondents who are current established tobacco users and there is a product they use for which they do not have a regular brand and they have a regular brand of any product and bought a different brand in the past 30 days, or young adult respondents who are current established tobacco users and there is a product they use for which they do not have a regular brand and there is no product they use for which they have a regular brand, or young adult respondents who are current experimental tobacco users and there is a product they use for which they do not have a regular brand, go to R03_AX0209.

Else, adult respondents who are former experimental, new former established, or still former established users of tobacco, go to R03_AX0212.

Else, go to R03_AX0678.

IF (18 <= R03R_A_AGE < 25 AND R03_TOBACCO_USER_STATUS = 1 AND (R03_AC1047MC = 2 OR R03_AC1047RY = 2 OR R03_AV1047 = 2 OR R03_AG1047TC = 2 OR R03_AG1047CG = 2 OR R03_AG1047FC = 2 OR R03_AP1047 = 2 OR R03_AH1047 = 2 OR R03_AS1047 = 2 OR R03_AU1047 = 2) AND (R03_AC1047MC = 1 OR R03_AC1047RY = 1 OR R03_AV1047 = 1 OR R03_AG1047TC = 1 OR R03_AG1047CG = 1 OR R03_AG1047FC = 1 OR R03_AP1047 = 1 OR R03_AH1047 = 1 OR R03_AU1047 = 1 OR R03_AS1047 = 1) AND R03_AX0715 = 1) OR (18 <= R03R_A_AGE < 25 AND R03_TOBACCO_USER_STATUS = 1 AND (R03_AC1047MC = 2 OR R03_AC1047RY = 2 OR R03_AV1047 = 2 OR R03_AG1047TC = 2 OR R03_AG1047CG = 2 OR R03_AG1047FC = 2 OR R03_AP1047 = 2 OR R03_AH1047 = 2 OR R03_AS1047 = 2 OR R03_AU1047 = 2) AND (R03_AC1047MC != 1 OR R03_AC1047RY != 1 OR R03_AV1047 != 1 OR R03_AG1047TC != 1 OR R03_AG1047CG != 1 OR R03_AG1047FC != 1 OR R03_AP1047 != 1 OR R03_AH1047 != 1 OR R03_AU1047 != 1 OR R03_AS1047 != 1)) OR (18 <= R03R_A_AGE < 25 AND R03_TOBACCO_USER_STATUS = 2 AND (R03_AC1047MC = 2 OR R03_AC1047RY = 2 OR R03_AV1047 = 2 OR R03_AG1047TC = 2 OR R03_AG1047CG = 2 OR R03_AG1047FC = 2 OR R03_AP1047 = 2 OR R03_AH1047 = 2 OR R03_AS1047 = 2 OR R03_AU1047 = 2)), GO TO R03_AX0209.

ELSE, IF R03_TOBACCO_USER_STATUS = 3, 4, 5, GO TO R03_AX0212.

ELSE, GO TO R03_AX0678.

Variable(s): R03_AX0209**

In the past 30 days, have you bought a brand of tobacco product because you noticed a promotion for it?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R03_AX0678 |
| 2 | No | GO TO R03_AX0678 |
| -8 | DON'T KNOW | GO TO R03_AX0678 |
| -7 | REFUSED | GO TO R03_AX0678 |

ASK: Young adult respondents who are current established or current experimental tobacco users who use a product for which they do not have a regular brand and have bought a brand of tobacco product other than their usual brand in the past 30 days.

ASK Specification: IF (18 <= R03R_A_AGE < 25 AND (R03_TOBACCO_USER_STATUS = 1, 2 AND (R03_AC1047MC = 2 OR R03_AC1047RY = 2 OR R03_AV1047 = 2 OR R03_AG1047TC = 2 OR R03_AG1047CG = 2 OR R03_AG1047FC = 2 OR R03_AP1047 = 2 OR R03_AH1047 = 2 OR R03_AS1047 = 2 OR R03_AU1047 = 2))) AND R03_AX0715 != 2, -8, -7.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who reported not having a regular brand of manufactured or roll-your-own tobacco (R03_AC1047[MC/R] = 2), and did not report not having a regular brand of any other product. This issue was fixed in a field update on 07/07/2016.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0212**/****

Since you quit using tobacco, has there been a time when seeing a tobacco product display or other signs that tobacco is sold there, has given you an urge to buy tobacco?

- 1 Yes
- 2 No GO TO R03_AX0678
- 8 DON'T KNOW GO TO R03_AX0678
- 7 REFUSED GO TO R03_AX0678

ASK: Adult respondents who are former experimental, new former established, or still former established users of tobacco.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 3, 4, 5.

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R03_AX0213**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are former experimental, new former established, or still former established users of tobacco who had the urge to buy tobacco when seeing a tobacco product display since quitting using tobacco.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 3, 4, 5 AND R03_AX0212 = 1.

Variable(s): **R03_AX0678**

In the past 30 days, have you gotten a free sample of an **e-cigarette or other electronic nicotine product** (including e-liquid)?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarette or other electronic nicotine product".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

In the past 30 days, have you noticed **e-cigarettes or other electronic nicotine products** being advertised in any of the following places? Choose all that apply.

- R03_AX0203_01***** 1 I have not seen any advertisements in the past 30 days
- R03_AX0203_02***** 2 At gas stations, convenience stores, or other retail stores
- R03_AX0203_03***** 3 On billboards
- R03_AX0203_04***** 4 In newspapers or magazines
- R03_AX0203_05***** 5 On radio
- R03_AX0203_06***** 6 On television
- R03_AX0203_07***** 7 At events like fairs, festivals, or sporting events
- R03_AX0203_08***** 8 At nightclubs, bars, or music concerts
- R03_AX0203_09***** 9 On websites or social media sites
- R03_AX0203_10***;**
R03_AX0203_OS 10 Somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarettes or other electronic nicotine products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R03_AX0709**

Do you have a favorite e-cigarette or electronic nicotine product advertisement?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

In the past 30 days, have you noticed **cigarettes or other tobacco products** (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

- | | | |
|---|----|---|
| R03_AX0677_01 | 1 | I haven't seen any advertisements in the past 30 days |
| R03_AX0677_02 | 2 | At gas stations, convenience stores, or other retail stores |
| R03_AX0677_03 | 3 | On billboards |
| R03_AX0677_04 | 4 | In newspapers or magazines |
| R03_AX0677_05 | 5 | On radio |
| R03_AX0677_06 | 6 | On television |
| R03_AX0677_07 | 7 | At events like fairs, festivals, or sporting events |
| R03_AX0677_08 | 8 | At nightclubs, bars, or music concerts |
| R03_AX0677_09 | 9 | On websites or social media sites |
| R03_AX0677_10;
R03_AX0677_OS | 10 | Somewhere else (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "cigarettes or other tobacco products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

Variable(s): **R03_AX0710**

Do you have a favorite tobacco advertisement?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0234

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"A Tip From a Former Smoker"

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "A Tip From a Former Smoker".

IMAGE: DISPLAY IMAGE OF TIPS CAMPAIGN LOGO

Variable(s): R03_AX0235

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

[DISPLAY IMAGE OF TRUTH 'FINISH IT' CAMPAIGN LOGO]

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0728

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Know the real costs."

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "Know the real costs."

IMAGE: DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO

Variable(s): R03_AX0674

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Cigarettes are Bullies. Don't let tobacco control you."

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "Cigarettes are Bullies. Don't let tobacco control you."

IMAGE: DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AX0713**

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Keep it Fresh. Live Tobacco-Free."

[DISPLAY IMAGE OF FRESH EMPIRE LOGO]

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "Keep it Fresh. Live Tobacco-Free."

IMAGE: DISPLAY IMAGE OF FRESH EMPIRE LOGO.

ADDITIONAL DEMOGRAPHICS

BOX ID:	R03_AMT01
DISPLAY TRANSITION TEXT: "Finally, we have a few additional questions about you, your work, education and health insurance."	

BOX ID:	R03_AMR01
Adult respondents who don't currently work for pay, go to R03_AM0017. Else, go to R03_AM0018.	
IF R03_AM0014 = 4, GO TO R03_AM0017. ELSE, GO TO R03_AM0018.	

Variable(s):	R03_AM0017
Are you currently... 1 Looking for paid work 2 A student not looking for paid work 3 A homemaker or caregiver not looking for paid work 4 Retired 5 Unable to work for physical or mental health reasons 6 Unable to work due to other reasons 7 None of the above -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who don't currently work for pay. ASK Specification: IF R03_AM0014 = 4.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AM0018**

What is the highest grade or level of school you have completed?

- | | | |
|----|---|------------------|
| 1 | Less than high school | |
| 2 | Some high school, no diploma | |
| 3 | GED | GO TO R03_AM0019 |
| 4 | High school graduate—diploma | GO TO R03_AM0019 |
| 5 | Some college but no degree | GO TO R03_AM0019 |
| 6 | Associate degree—occupational/vocational | GO TO R03_AM0019 |
| 7 | Associate degree—academic program | GO TO R03_AM0019 |
| 8 | Bachelor's degree (ex: BA, AB, BS) | GO TO R03_AM0019 |
| 9 | Master's degree (ex: MA, MS, MEng, MEd, MSW) | GO TO R03_AM0019 |
| 10 | Professional school degree (ex: MD, DDS, DVM, JD) | GO TO R03_AM0019 |
| 11 | Doctorate degree (ex: PhD, EdD) | GO TO R03_AM0019 |
| -8 | DON'T KNOW | GO TO R03_AM0019 |
| -7 | REFUSED | GO TO R03_AM0019 |

ASK: All adult respondents.

Variable(s): **R03_AM0067**

Are you currently enrolled in high school?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R03_AM0019 |
| -8 | DON'T KNOW | GO TO R03_AM0019 |
| -7 | REFUSED | GO TO R03_AM0019 |

ASK: Adult respondents whose highest level of education is less than high school or some high school, no diploma.

ASK Specification: IF R03_AM0018 = 1, 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AM0068**

What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.

- 6 9th
- 7 10th
- 8 11th
- 9 12th
- 12 I am home-schooled
- 13 My school does not separate students into grades
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose highest level of education is less than high school or some high school, no diploma and are currently enrolled in high school.

ASK Specification: IF R03_AM0018 = 1, 2 AND R03_AM0067 = 1.

Variable(s): **R03_AM0019**

Are you [also]currently enrolled in a degree program?

- 1 Yes
- 2 No GO TO R03_AM0015
- 8 DON'T KNOW GO TO R03_AM0015
- 7 REFUSED GO TO R03_AM0015

ASK: All adult respondents.

DISPLAY: IF R03_AM0067 = 1, DISPLAY "also ".

ELSE, DO NOT DISPLAY THIS FILL.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AM0020; R03_AM0020_OS

Which type of degree program are you currently enrolled in?

- 1 Technical/vocational program
- 2 2-year degree program
- 3 4-year degree program
- 4 Graduate/professional program
- 5 Other type of degree program (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are currently enrolled in a degree program.

ASK Specification: IF R03_AM0019 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R03_AM0015

In the past 30 days, because of a shortage of money, were you unable to pay any important bills on time, such as rent, electricity or telephone bills?

- 1 Yes
- 2 No
- 7 Not applicable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R03_AM0039

In the past 12 months, have you received assistance or income from any federal, state or local programs, such as food stamps, welfare, cash aid, unemployment benefits, housing assistance, child care, or Medicaid?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AM0030**

Which of the following categories best describes your total household income in the past 12 months?

This is the total income before taxes of all persons in your household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- | | | |
|----|------------------------|------------------|
| 1 | Less than \$10,000 | GO TO R03_AL0040 |
| 2 | \$10,000 to \$14,999 | GO TO R03_AL0040 |
| 3 | \$15,000 to \$24,999 | GO TO R03_AL0040 |
| 4 | \$25,000 to \$34,999 | GO TO R03_AL0040 |
| 5 | \$35,000 to \$49,999 | GO TO R03_AL0040 |
| 6 | \$50,000 to \$74,999 | GO TO R03_AL0040 |
| 7 | \$75,000 to \$99,999 | GO TO R03_AL0040 |
| 8 | \$100,000 to \$149,999 | GO TO R03_AL0040 |
| 9 | \$150,000 to \$199,999 | GO TO R03_AL0040 |
| 10 | \$200,000 or more | GO TO R03_AL0040 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "household".

UNDERLINE "all persons in your household combined".

Variable(s): **R03_AM0031**

Is your total household income during the past 12 months above or below \$50,000?

- 1 Above \$50,000
- 2 Below \$50,000
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not know or refused to report their household income.

ASK Specification: IF R03_AM0030 = -8, -7.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AL0040
Do you own or rent your home? 1 Own 2 Rent 3 Something else -8 DON'T KNOW -7 REFUSED ASK: All adult respondents.

BOX ID: R03_ALR05
Young adult respondents, go to R03_AM0038. Else, go to Box R03_AMR02.
IF 18 <= R03R_A_AGE < 25, GO TO R03_AM0038. ELSE, GO TO BOX R03_AMR02.

Variable(s): R03_AM0038
Where do you currently live? If you live in more than one place throughout the year, please answer for where you are currently staying. 1 At home with parents or guardians 2 In a dorm or other campus housing 3 In a fraternity or sorority house 4 In an apartment, condo or house on my own (without a spouse, children or roommates) 5 In an apartment, condo or house with a spouse or romantic partner 6 In an apartment, condo or house with friends or other roommates 7 In an apartment, condo or house with another relative or family friend 8 Someplace else -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents. ASK Specification: IF 18 <= R03R_A_AGE < 25.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AM0040

Think of this ladder as representing where people stand in the United States.

At the top of the ladder (step 10) are the people who have the most money and education, and the most respected jobs.

At the bottom of the ladder (step 1) are the people who have the least money and education, and the least respected jobs or no job.

Where would you place yourself on this ladder? Pick the number for the step that shows where you think you stand at this time in your life, relative to other people in the United States.

[SHOW IMAGE OF LADDER]

1 10

2 9

3 8

4 7

5 6

6 5

7 4

8 3

9 2

10 1

-8 DON'T KNOW

-7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R03R_A_AGE < 25.

IMAGE: SHOW IMAGE OF LADDER

Variable(s): **R03_AM0033**

The next questions ask about your parents. Please think about your parents or parental figures (step-parents, foster parents, guardians, etc.) who you lived with most of the time when you were 17 years old and younger.

What is the highest grade or year of school that your **mother**, **step-mother** or **mother-figure** completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate—diploma
- 5 Some college but no degree
- 6 Associate degree—occupational/vocational
- 7 Associate degree—academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, MEd, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R03R_A_AGE < 25.

DISPLAY: UNDERLINE THE FIRST OCCURRENCE OF "parents".

BOLD "mother", "step-mother" AND "mother-figure".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AM0034
What is the highest grade or year of school that your father , step-father or father-figure completed?	
1 Less than high school 2 Some high school, no diploma 3 GED 4 High school graduate—diploma 5 Some college but no degree 6 Associate degree—occupational/vocational 7 Associate degree—academic program 8 Bachelor's degree (ex: BA, AB, BS) 9 Master's degree (ex: MA, MS, MEng, MEd, MSW) 10 Professional school degree (ex: MD, DDS, DVM, JD) 11 Doctorate degree (ex: PhD, EdD) -8 DON'T KNOW -7 REFUSED	
ASK: Young adult respondents.	
ASK Specification: IF 18 <= R03R_A_AGE < 25.	
DISPLAY: BOLD "father", "step-father" AND "father-figure".	

BOX ID:	R03_AMR04
Young adult respondents who do not live with their parents, go to R03_AM0036. Else, go to Box R03_AMR02.	
IF 18 <= R03R_A_AGE < 25 AND R03_AM0038 != 1, GO TO R03_AM0036. ELSE, GO TO BOX R03_AMR02.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AM0036**

Which of the following categories best describes your parents' total household income in the past 12 months?

This is the total income before taxes of all persons in your parents' household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- | | | |
|----|------------------------|-----------------|
| 1 | Less than \$10,000 | GO TO R03_AMR02 |
| 2 | \$10,000 to \$14,999 | GO TO R03_AMR02 |
| 3 | \$15,000 to \$24,999 | GO TO R03_AMR02 |
| 4 | \$25,000 to \$34,999 | GO TO R03_AMR02 |
| 5 | \$35,000 to \$49,999 | GO TO R03_AMR02 |
| 6 | \$50,000 to \$74,999 | GO TO R03_AMR02 |
| 7 | \$75,000 to \$99,999 | GO TO R03_AMR02 |
| 8 | \$100,000 to \$149,999 | GO TO R03_AMR02 |
| 9 | \$150,000 to \$199,999 | GO TO R03_AMR02 |
| 10 | \$200,000 or more | GO TO R03_AMR02 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Young adult respondents who do not live with their parents.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_AM0038 != 1.

DISPLAY: UNDERLINE "parents' total household income" AND "all persons in your parents' household combined".

Variable(s): **R03_AM0037**

Is your parents' total household income during the past 12 months above or below \$50,000?

- 1 Above \$50,000
- 2 Below \$50,000
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who do not live with their parents and did not know or refused to report their parents' total household income.

ASK Specification: IF 18 <= R03R_A_AGE < 25 AND R03_AM0038 != 1 AND R03_AM0036 = -8, -7.

DISPLAY: UNDERLINE "parents".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AMR02
New baseline adult respondents who are on active duty or have been on active duty in the past, or continuing adult respondents who are on active duty or have been on active duty in the past and have not reported being enrolled in VA health care as of their last completed interview, go to R03_AM0012. Else, go to R03_AM0026.	
IF (R03_ADULTTYPE = 2 AND R03_AM0007 = 1, 2) OR (R03_ADULTTYPE = 1 AND R03_AM0007 = 1, 2 AND R02_VA_HEALTHCARE != 1), GO TO R03_AM0012. ELSE, GO TO R03_AM0026.	

Variable(s):	R03_AM0012
Have you ever been enrolled in VA health care?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: New baseline adult respondents who are on active duty or have been on active duty in the past, or continuing adult respondents who are on active duty or have been on active duty in the past and have not reported being enrolled in VA health care as of their last completed interview.	
ASK Specification: IF (R03_ADULTTYPE = 2 AND R03_AM0007 = 1, 2) OR (R03_ADULTTYPE = 1 AND R03_AM0007 = 1, 2 AND R02_VA_HEALTHCARE != 1).	

BOX ID:	R03_AMD02
BOX – DISPLAY INSTRUCTIONS; FOR R03_AM0026, DISPLAY A “YES” AND “NO” COLUMN WITH OPTIONS FOR EACH RESPONSE CATEGORY.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
Are you currently covered by any of the following types of health insurance or health coverage plans?	
R03_AM0026_01	1 Insurance through a current or former employer or union (of yourself, a spouse or other family member)
R03_AM0026_02***	2 Insurance purchased directly from an insurance company (by yourself, a spouse or other family member)
R03_AM0026_03***	3 Medicare, for people 65 and older, or people with certain disabilities
R03_AM0026_04***	4 Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability
R03_AM0026_05***	5 VA Health Care
R03_AM0026_06***	6 TRICARE or other military health care
R03_AM0026_07***	7 Indian Health Service
R03_AM0026_08***	8 Any other type of health insurance or health coverage plan
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AMR05
Adult respondents who are current established, current experimental, former experimental, new former established, or still former established tobacco users and are covered by any type of health insurance or health coverage plan, go to R03_AM0029.	
Else, go to R03_AM0021.	
IF R03_TOBACCO_USER_STATUS = 1, 2, 3, 4, 5 AND (R03_AM0026_01 = 1 OR R03_AM0026_02 = 1 OR R03_AM0026_03 = 1 OR R03_AM0026_04 = 1 OR R03_AM0026_05 = 1 OR R03_AM0026_06 = 1 OR R03_AM0026_07 = 1 OR R03_AM0026_08 = 1), GO TO R03_AM0029.	
ELSE, GO TO R03_AM0021.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AM0029**/****

To your knowledge, do you pay more for your health insurance coverage compared to people who [don't use / have never used] tobacco or electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, new former established, or still former established tobacco users and are covered by any type of health insurance or health coverage plan.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2, 3, 4, 5 AND (R03_AM0026_01 = 1 OR R03_AM0026_02 = 1 OR R03_AM0026_03 = 1 OR R03_AM0026_04 = 1 OR R03_AM0026_05 = 1 OR R03_AM0026_06 = 1 OR R03_AM0026_07 = 1 OR R03_AM0026_08 = 1).

DISPLAY: IF R03_TOBACCO_USER_STATUS = 1, 2, DISPLAY "don't use".

ELSE, IF R03_TOBACCO_USER_STATUS = 3, 4, 5, DISPLAY "have never used".

NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R03_AM0021**

The next question asks about your level of sexual attraction to BOTH males and females. Please consider the response choices carefully, as it is important that you understand them and are as honest as you can be in your answer.

To whom have you felt sexually attracted, even if you did not take any action based on feeling attracted?

- 1 Only to females, never to males
- 2 Mostly to females, and at least once to a male
- 3 About equally often to females and to males
- 4 Mostly to males, and at least once to a female
- 5 Only to males, never to females
- 6 I have never felt sexually attracted to anyone at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PROGRAM: Order shown above is for male respondents. Reverse the order of categories 1 to 5 for female respondents. If sex is unknown, default to order shown for male respondents.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): **R03_AM0063**

Do you consider yourself to be...

- 1 Straight
- 2 Lesbian or gay
- 3 Bisexual
- 4 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): **R03_AM0061**

Some people describe themselves as transgender when they experience a different gender identity from their sex at birth. For example, a person born into a male body, but who feels female or lives as a woman would be transgender.

Do you consider yourself to be transgender?

- 1 Yes
- 2 No GO TO BOX R03_AMR07
- 8 DON'T KNOW GO TO BOX R03_AMR07
- 7 REFUSED GO TO BOX R03_AMR07

ASK: All adult respondents.

Variable(s): **R03_AM0062**

Do you consider yourself to be male-to-female, female-to-male, or non-conforming?

- 1 Yes, Transgender, male to female
- 2 Yes, Transgender, female to male
- 3 Yes, Transgender, gender nonconforming
- 4 No
- 5 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are transgender.

ASK Specification: IF R03_AM0061 = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AMR07
Adult respondents who are current established or current experimental tobacco users, go to R03_AX0214. Else, go to R03_AL3000.	
IF R03_TOBACCO_USER_STATUS = 1, 2, GO TO R03_AX0214. ELSE, GO TO R03_AL3000.	

Variable(s):	R03_AX0214**	
Finally, we would like to scan the bar code on any tobacco products that you have right now for your own use[, including your [EPRODFILL2]]. Scanning the barcode allows us to learn additional information about your product, such as how it was made.		
We are only interested in the products that you have used or intend to use soon.		
Our interviewer will do the scanning for you. The interviewer will also ask you a couple of questions about the products we are scanning. Other people in your home might see the products as you hand them to the interviewer or hear the questions we ask you about the products.		
Is it OK to scan your tobacco products now?		
1	Yes	
2	No	GO TO R03_AL3000
-8	DON'T KNOW	GO TO R03_AL3000
-7	REFUSED	GO TO R03_AL3000
ASK: Adult respondents who are current established or current experimental tobacco users.		
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2.		
DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY “, including your [EPRODFILL2]”.		
ELSE, DO NOT DISPLAY THIS TEXT.		
NOTES: **SKIP ERROR: R03_EPROD_USER_STATUS was not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused this item to be skipped incorrectly. The error was not corrected during Wave 3 Data Collection.		

Variable(s):	R03_AX0215
Thank you. Please hand the computer to the interviewer. Then get any tobacco products you have right now for your own use[, including your [EPRODFILL2],] and give them to the interviewer. The interviewer will give them right back to you. ASK: Adult respondents who are current established or current experimental tobacco users who agreed to barcode scanning. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1. DISPLAY: IF R03_EPROD_USER_STATUS = 1, 2, DISPLAY “, including your [EPRODFILL2]”. ELSE, DO NOT DISPLAY THIS TEXT.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

PATH ID: R03_AL3004

The interviewer must now enter the Monitor Password into the computer.

Monitor Password: _____

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to barcode scanning.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1.

PROGRAM: THE MONITOR PASSWORD IS 8954. AFTER THE INTERVIEWER ENTERS THE PASSWORD, SWITCH TO CAPI MODE.

PATH ID: R03_ERR_AL3004

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R03_AL3004

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to barcode scanning and the interviewer entered the monitor password incorrectly.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND R03_AL3004 != 8954.

PROGRAM: Message should appear in English for all field interviewers.

PRODUCT BARCODE SCANNING MODULE

Variable(s): R03_AX0218
HOW MANY PRODUCTS DID THE RESPONDENT GIVE YOU TO SCAN? ENTER A NUMBER BETWEEN 0 AND 10. _ _ ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1. DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

BOX ID: R03_AXR81
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer zero products to scan, go to R03_AL3009. Else, go to R03_AX0217_1.
IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND R03_AX0218 = 0, GO TO R03_AL3009. ELSE, GO TO R03_AX0217_1.

PATH ID: R03_AL3009				
THE RESPONDENT GAVE YOU ZERO PRODUCTS TO SCAN. IF THIS IS CORRECT, PRESS THE NEXT BUTTON TO CONTINUE. IF THIS IS INCORRECT, GO BACK AND MAKE A CORRECTION. <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; text-align: center;">1 BACK</td> <td style="width: 50%; text-align: right;">GO TO R03_AX0218</td> </tr> <tr> <td style="text-align: center;">2 NEXT</td> <td style="text-align: right;">GO TO R03_AX0217_1</td> </tr> </table> ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer zero products to scan. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND R03_AX0218 = 0. DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	1 BACK	GO TO R03_AX0218	2 NEXT	GO TO R03_AX0217_1
1 BACK	GO TO R03_AX0218			
2 NEXT	GO TO R03_AX0217_1			

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s):	R03_AX0217_1A***; R03_AX0217_1B
THIS IS PRODUCT BAR CODE SCAN #1. YOU CAN SCAN UP TO 10 PRODUCTS TOTAL. SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED. SCAN EACH BARCODE TWICE. IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS. IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS. WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT. 1 [FIRST SCAN] 2 [SECOND SCAN] ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1. DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R03_AXR68
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R03_AL3006. Else, go to R03_AX0233_1.	
IF R03_AX0217_1A = -1 AND R03_AX0217_1B = -1, GO TO R03_AL3006. ELSE, GO TO R03_AX0233_1.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Variable(s): R03_AX0233_01**

Think about the very last time you used this type of product. Was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer a product to scan.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND (R03_AX0217_1A != -1 OR R03_AX0217_1B != -1).

NOTES: **SKIP ERROR: This item was skipped incorrectly if only one of the R03_AX0217[A/B]_01 items had an entry. The error was not corrected during Wave 3 Data Collection.

Variable(s): R03_AX0217_2A***; R03_AX0217_2B

THIS IS PRODUCT BAR CODE SCAN #2.

SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR69
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R03_AL3006. Else, go to R03_AX0233_2.	
IF R03_AX0217_2A = -1 AND R03_AX0217_2B = -1, GO TO R03_AL3006. ELSE, GO TO R03_AX0233_2.	

Variable(s):	R03_AX0233_02**
The last time you used this type of product, was it from this specific package or container?	
1 YES 2 NO -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer a product to scan.	
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND (R03_AX0217_2A != -1 OR R03_AX0217_2B != -1).	
NOTES: **SKIP ERROR: This item was skipped incorrectly if only one of the R03_AX0217[A/B]_02 items had an entry. The error was not corrected during Wave 3 Data Collection.	

Variable(s):	R03_AX0217_3A***; R03_AX0217_3B
THIS IS PRODUCT BAR CODE SCAN #3.	
SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.	
SCAN EACH BARCODE TWICE.	
IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.	
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.	
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.	
1 [FIRST SCAN] 2 [SECOND SCAN]	
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.	
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1.	
DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR70
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R03_AL3006. Else, go to R03_AX0233_3.	
IF R03_AX0217_3A = -1 AND R03_AX0217_3B = -1, GO TO R03_AL3006. ELSE, GO TO R03_AX0233_3.	

Variable(s):	R03_AX0233_03**
The last time you used this type of product, was it from this specific package or container?	
1 YES 2 NO -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer a product to scan.	
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND (R03_AX0217_3A != -1 OR R03_AX0217_3B != -1).	
NOTES: **SKIP ERROR: This item was skipped incorrectly if only one of the R03_AX0217[A/B]_03 items had an entry. The error was not corrected during Wave 3 Data Collection.	

Variable(s):	R03_AX0217_4A***; R03_AX0217_4B
THIS IS PRODUCT BAR CODE SCAN #4.	
SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.	
SCAN EACH BARCODE TWICE.	
IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.	
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.	
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.	
1 [FIRST SCAN] 2 [SECOND SCAN]	
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.	
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1.	
DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR71
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R03_AL3006. Else, go to R03_AX0233_4.	
IF R03_AX0217_4A = -1 AND R03_AX0217_4B = -1, GO TO R03_AL3006. ELSE, GO TO R03_AX0233_4.	

Variable(s):	R03_AX0233_04
The last time you used this type of product, was it from this specific package or container?	
1 YES 2 NO -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer a product to scan.	
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND (R03_AX0217_4A != -1 OR R03_AX0217_4B != -1).	

Variable(s):	R03_AX0217_5A***; R03_AX0217_5B
THIS IS PRODUCT BAR CODE SCAN #5.	
SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.	
SCAN EACH BARCODE TWICE.	
IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.	
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.	
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.	
1 [FIRST SCAN] 2 [SECOND SCAN]	
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.	
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1.	
DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR72
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R03_AL3006. Else, go to R03_AX0233_5.	
IF R03_AX0217_5A = -1 AND R03_AX0217_5B = -1, GO TO R03_AL3006. ELSE, GO TO R03_AX0233_5.	

Variable(s):	R03_AX0233_05
The last time you used this type of product, was it from this specific package or container?	
1 YES 2 NO -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer a product to scan.	
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND (R03_AX0217_5A != -1 OR R03_AX0217_5B != -1).	

Variable(s):	R03_AX0217_6A; R03_AX0217_6B
THIS IS PRODUCT BAR CODE SCAN #6.	
SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.	
SCAN EACH BARCODE TWICE.	
IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.	
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.	
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.	
1 [FIRST SCAN] 2 [SECOND SCAN]	
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.	
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1.	
DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR73
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R03_AL3006. Else, go to R03_AX0233_6.	
IF R03_AX0217_6A = -1 AND R03_AX0217_6B = -1, GO TO R03_AL3006. ELSE, GO TO R03_AX0233_6.	

Variable(s):	R03_AX0233_06
The last time you used this type of product, was it from this specific package or container? 1 YES 2 NO -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer a product to scan. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND (R03_AX0217_6A != -1 OR R03_AX0217_6B != -1).	

Variable(s):	R03_AX0217_7A; R03_AX0217_7B
THIS IS PRODUCT BAR CODE SCAN #7. SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED. SCAN EACH BARCODE TWICE. IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS. IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS. WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT. 1 [FIRST SCAN] 2 [SECOND SCAN] ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1. DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR74
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R03_AL3006. Else, go to R03_AX0233_7.	
IF R03_AX0217_7A = -1 AND R03_AX0217_7B = -1, GO TO R03_AL3006. ELSE, GO TO R03_AX0233_7.	

Variable(s):	R03_AX0233_07**
The last time you used this type of product, was it from this specific package or container?	
1 YES 2 NO -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer a product to scan.	
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND (R03_AX0217_7A != -1 OR R03_AX0217_7B != -1).	
NOTES: **SKIP ERROR: This item was skipped incorrectly if only one of the R03_AX0217[A/B]_07 items had an entry. The error was not corrected during Wave 3 Data Collection.	

Variable(s):	R03_AX0217_8A; R03_AX0217_8B
THIS IS PRODUCT BAR CODE SCAN #8.	
SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.	
SCAN EACH BARCODE TWICE.	
IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.	
IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.	
WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.	
1 [FIRST SCAN] 2 [SECOND SCAN]	
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.	
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1.	
DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR75
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R03_AL3006. Else, go to R03_AX0233_8.	
IF R03_AX0217_8A = -1 AND R03_AX0217_8B = -1, GO TO R03_AL3006. ELSE, GO TO R03_AX0233_8.	

Variable(s):	R03_AX0233_08
The last time you used this type of product, was it from this specific package or container? 1 YES 2 NO -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer a product to scan. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND (R03_AX0217_8A != -1 OR R03_AX0217_8B != -1).	

Variable(s):	R03_AX0217_9A; R03_AX0217_9B
THIS IS PRODUCT BAR CODE SCAN #9. SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED. SCAN EACH BARCODE TWICE. IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS. IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS. WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT. 1 [FIRST SCAN] 2 [SECOND SCAN] ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1. DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR76
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R03_AL3006. Else, go to R03_AX0233_9.	
IF R03_AX0217_9A = -1 AND R03_AX0217_9B = -1, GO TO R03_AL3006. ELSE, GO TO R03_AX0233_9.	

Variable(s):	R03_AX0233_09
The last time you used this type of product, was it from this specific package or container? 1 YES 2 NO -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer a product to scan. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND (R03_AX0217_9A != -1 OR R03_AX0217_9B != -1).	

Variable(s):	R03_AX0217_10A; R03_AX0217_10B
THIS IS PRODUCT BAR CODE SCAN #10. SCAN THE BAR CODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED. SCAN EACH BARCODE TWICE. IF YOU CANNOT FIND A BAR CODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS. IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS. WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT. 1 [FIRST SCAN] 2 [SECOND SCAN] ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning. ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1. DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

BOX ID:	R03_AXR77
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R03_AL3006. Else, go to R03_AX0233_10.	
IF R03_AX0217_10A = -1 AND R03_AX0217_10B = -1, GO TO R03_AL3006. ELSE, GO TO R03_AX0233_10.	

Variable(s):	R03_AX0233_10
The last time you used this type of product, was it from this specific package or container?	
1 YES	GO TO R03_AL3006
2 NO	GO TO R03_AL3006
-8 DON'T KNOW	GO TO R03_AL3006
-7 REFUSED	GO TO R03_AL3006
ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning and gave the field interviewer a product to scan.	
ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1 AND (R03_AX0217_10A != -1 OR R03_AX0217_10B != -1).	

PATH ID:	R03_AL3000
You have finished this part of the questionnaire. Please hand the computer to the interviewer.	
ASK: Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users who did not consent to barcode scanning.	
ASK Specification: IF R03_TOBACCO_USER_STATUS != 1, 2 OR (R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 2, -7).	

PATH ID:	R03_AL3003
Monitor Password: _____	
The interviewer must now enter the Monitor Password into the computer.	
ASK: Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users who did not consent to barcode scanning.	
ASK Specification: IF R03_TOBACCO_USER_STATUS != 1, 2 OR (R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 2, -7).	
PROGRAM: THE MONITOR PASSWORD IS 8954. AFTER THE INTERVIEWER ENTERS THE PASSWORD, SWITCH TO CAPI MODE.	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

PATH ID: R03_ERR_AL3003

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R03_AL3003

ASK: Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users who did not consent to barcode scanning, if the interviewer entered the monitor password incorrectly.

ASK Specification: IF (R03_TOBACCO_USER_STATUS != 1, 2 OR (R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 2, -7)) AND R03_AL3003 != 8954.

PROGRAM: Message should appear in English for all respondents.

PATH ID: R03_AL3007

[DO NOT SCAN BAR CODES FOR THIS RESPONDENT.]

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT/THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

1 PRESS 1 TO CONTINUE

GO TO BOX R03_ALV03

ASK: Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users who did not consent to barcode scanning.

ASK Specification: IF R03_TOBACCO_USER_STATUS != 1, 2 OR (R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 2, -7).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

IF R03_AX0214 = 2, -7, DISPLAY "DO NOT SCAN BAR CODES FOR THIS RESPONDENT."

ELSE, DO NOT DISPLAY THIS TEXT.

IF RESPONDENT HAS COMPLETED CONTACT INFORMATION (R03_CONTACTFLAG_LD = 1), DISPLAY "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION".

ELSE, IF THIS RESPONDENT HAS NOT COMPLETED CONTACT INFORMATION (R03_CONTACTFLAG_LD != 1), DISPLAY "COLLECT CONTACT INFORMATION FOR THIS RESPONDENT".

PATH Study Wave 3 Adult Public Use File Annotated Instrument

PATH ID: R03_AL3006

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT/THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

PRESS 1 TO CONTINUE

ASK: Adult respondents who are current established or current experimental tobacco users who agreed to scanning.

ASK Specification: IF R03_TOBACCO_USER_STATUS = 1, 2 AND R03_AX0214 = 1.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

IF RESPONDENT HAS NOT PROVIDED CONTACT INFORMATION (R03_CONTACTFLAG_LD != 1), DISPLAY "COLLECT CONTACT INFORMATION FOR THIS RESPONDENT".

ELSE, IF RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION (R03_CONTACTFLAG_LD = 1), DISPLAY "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION".

CLOSING ADMINISTRATIVE DATA

Variable(s): R03_LCAD01	
INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW?	
1 ENGLISH	END INTERVIEW AND RETURN TO IMS
2 SPANISH	END INTERVIEW AND RETURN TO IMS
ASK: All adult respondents (asked of Interviewer).	
DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	
PROGRAM: Blaise sets Task 312 as CPE (Completed Adult Interview).	

** = Denotes a skip error. For additional information, see Appendix - Adult Instrument Skip Error Summary. This appendix summarizes skip errors in the data collection instrument that resulted in missing data on these items for some respondents.

*** = Denotes a data error. For additional information, see Appendix – Adult Instrument Data Error Summary. This appendix summarizes the items with missing data for some respondents.

APPENDIX – ADULT GENERIC IMAGES

Section	PATH ID	Generic Image
Tobacco Use	R03_AVT01	 Electronic Nicotine Products
Tobacco Use	R03_AV1004	
Tobacco Use	R03_AV1002_12M	
(Primary) Electronic Nicotine Products	R03_AVT02	
Product Regulation	R03_AE9050	
Tobacco Use	R03_AV9035	 E-cigarettes E-cigars E-pipes E-hookahs
Tobacco Use	R03_AGT01	 Traditional Cigars
Tobacco Use	R03_AG9030	
Tobacco Use	R03_AG9003_12M	
Tobacco Use	R03_AGT04	
Tobacco Use	R03_AG9010	
Tobacco Use	R03_AG9020	
Tobacco Use	R03_AG9013	
Tobacco Use	R03_AG9016	
Cigar	R03_AJT03	
Cigar	R03_AGT03	
Product Regulation	R03_AG9050	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R03_AGT02	 Cigarillos Filtered Cigars
Tobacco Use	R03_AG9031	
Tobacco Use	R03_AG9004_12M	
Tobacco Use	R02_AG9049	 With a tip With a filter Without a tip or filter
Tobacco Use	R03_AG9009_12M	
Tobacco Use	R03_AG9051	 With a tip

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R03_AG9052	 With a filter
Tobacco Use	R03_AG9053	 Without a tip or filter
Tobacco Use	R03_AG1095	 Group 1 Group 2 Group 3 Group 4
Cigar	R03_AG9040	
Tobacco Use	R03_AG9106 (BTRAD) If R03_AG1095 = 1, show traditional cigars	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R03_AG9106 (BRILLO) If R03_AG1095 = 2, show cigarillos w/tips	
Tobacco Use	R03_AG9106 (BRILLO) If R03_AG1095 = 3, show cigarillos w/out tips	
Tobacco Use	R03_AG9106 (BFILTR) If R03_AG1095 = 4, show filtered cigars	
Tobacco Use	R03_AGT04	 
Tobacco Use	R03_AG9011	
Tobacco Use	R03_AG9021	
Tobacco Use	R03_AG9014	
Tobacco Use	R03_AG9017	
Cigar	R03_AJT03	
Cigar	R03_AGT03	
Product Regulation	R03_AG9054	


PATH Study Wave 3 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R03_AGT04	 Filtered Cigars
Tobacco Use	R03_AG9012	
Tobacco Use	R03_AG9022	
Tobacco Use	R03_AG9015	
Tobacco Use	R03_AG9018	
Cigar	R03_AJT03	
Cigar	R03_AGT03	
Product Regulation	R03_AG9055	
Tobacco Use	R03_APT01	 Pipe
Tobacco Use	R03_AP1004	
Tobacco Use	R03_AP1002_12M	
Tobacco Use	R03_AHT01	 Hookah
Tobacco Use	R03_AH1004	
Tobacco Use	R03_AH1002_12M	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R03_AST01	 Snus
Tobacco Use	R03_AU1004	
Tobacco Use	R03_AU1002_12M	
Snus	R03_AUT02	
Packaging and Health Warnings	R03_AR0206	
Product Regulation	R03_AU9050	
Tobacco Use	R03_AST03	 Smokeless Tobacco
Tobacco Use	R03_AS1004	
Tobacco Use	R03_AS1002_12M	
Smokeless Tobacco	R03_AST02	
Packaging and Health Warnings	R03_AR0060	
Product Regulation	R03_AS9050	
Tobacco Use	R03_ADT01	 Dissolvable Tobacco
Tobacco Use	R03_AD1002_12M	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
(Primary) Electronic Nicotine Products	R03_AVT02	 Disposable and Cartridge E-cigarettes E-cartridges E-liquid Rechargeable/refillable E-cigarettes E-cigarettes
(Primary) Electronic Nicotine Products	R03_AVT02	 E-cigars
(Primary) Electronic Nicotine Products	R03_AVT02	 E-pipes

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
(Primary) Electronic Nicotine Products	R03_AVT02	 E-hookahs
(Primary) Electronic Nicotine Products	R03_AV9005	 Rechargeable E-cigarettes
(Primary) Electronic Nicotine Products	R03_AV9038	 Tank System

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
(Primary) Electronic Nicotine Products	R03_AV9008	 E-cartridges
(Primary) Electronic Nicotine Products	R03_AV9009	 E-liquid
(Primary) Electronic Nicotine Products	R03_AV9040	 Group 1 Group 2 Group 3 Group 4 Group 5 Group 6
Pipe	R03_APT02	 Pipe and Pipe Tobacco
Product Regulation	R03_AP1170	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Hookah	R03_AHT02	 Hookah Shisha Tobacco
Product Regulation	R03_AH9050	
Marketing, Advertising, and Promotion	R03_AX0234	
Marketing, Advertising, and Promotion	R03_AX0235	
Marketing, Advertising, and Promotion	R03_AX0728	
Marketing, Advertising, and Promotion	R03_AX0674	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Marketing, Advertising, and Promotion	R03_AX0713	
Additional Demographics	R03_AM0040	

APPENDIX – ADULT USER GROUP DEFINITIONS

NOTE: The User Group Variable specifications defined in this appendix are for questionnaire routing purposes only and are included in this document for reference. These variables are excluded from the data file. It is not recommended to use these definitions for analytical purposes.

User Group Name	User Group Description	User Group Definition
CIGARETTES		
Ever or Never users - Cigarettes R03_EVER_NEVER_CIGS	(1) Ever user = Adult respondents who have ever smoked a cigarette. (2) Never user = Adult respondents who have never smoked a cigarette.	IF (R02_EVER_NEVER_CIGS = 1 OR R03_AC1004 = 1 OR R03_AC1002_12M = 1) AND (R03_AC1010 != 3), THEN R03_EVER_NEVER_CIGS = 1. ELSE, IF (R02_EVER_NEVER_CIGS != 1 AND R03_AC1002_12M = 2, -8, -7) OR R03_AC1010 = 3, THEN R03_EVER_NEVER_CIGS = 2.
Initiators - Cigarettes R03_INIT_CIGS_ADULT	Adult respondents who initiated cigarette smoking between Waves.	IF R02_EVER_NEVER_CIGS != 1 AND R03_EVER_NEVER_CIGS = 1, THEN R03_INIT_CIGS_ADULT = 1. ELSE, R03_INIT_CIGS_ADULT = 2.
Cigarette user status R03_CIG_USER_STATUS	(1) Current established user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have not smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a cigarette and have not smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all. (4) New former established user = Adult respondents who were current established,	IF (R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R03_AC1003 = 1, 2, THEN R03_CIG_USER_STATUS = 1. ELSE, IF R03_EVER_NEVER_CIGS = 1 AND R03_AC1005 != 6 AND R02_NUMLIFE_CIGS != 1 AND R03_AC1003 = 1, 2, THEN R03_CIG_USER_STATUS = 2. ELSE, IF R03_EVER_NEVER_CIGS = 1 AND (R03_AC1002_12M = 2 OR R03_AC1003 = 3) AND R03_AC1005 != 6 AND R02_NUMLIFE_CIGS != 1, THEN R03_CIG_USER_STATUS = 3. ELSE, IF (R02_CIG_USER_STATUS = 1, 2, 3 OR R03_INIT_CIGS_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_CIGS = 1)) AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	current experimental, or former experimental cigarette smokers as of their last completed interview, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all. (5) Still former established user = Adult respondents who were new former established or still former established cigarette smokers as of their last completed interview, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all.	(R02_NUMLIFE_CIGS = 1 OR R03_AC1005 = 6) AND R03_EVER_NEVER_CIGS = 1 AND (R03_AC1002_12M = 2 OR R03_AC1003 = 3), THEN R03_CIG_USER_STATUS = 4. ELSE, IF R02_CIG_USER_STATUS = 4, 5 AND R03_EVER_NEVER_CIGS = 1 AND (R03_AC1002_12M = 2 OR R03_AC1003 = 3), THEN R03_CIG_USER_STATUS = 5. ELSE, R03_CIG_USER_STATUS = 8.
Every day established or Some day established users - Cigarettes R03_CURRENT_CIG_USE	(1) Every day established user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day. (2) Some day established user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke some days.	IF R03_CIG_USER_STATUS = 1 AND R03_AC1003 = 1, THEN R03_CURRENT_CIG_USE = 1. ELSE, IF R03_CIG_USER_STATUS = 1 AND R03_AC1003 = 2, THEN R03_CURRENT_CIG_USE = 2. ELSE, R03_CURRENT_CIG_USE = 8.
Non-current 30 Day users - Cigarettes R03_FORMER_THIRTYDAY_USER_CIGS	Adult respondents who are former experimental, new former established, or still former established smokers in Wave 3 who have smoked any cigarettes in the past 30 days.	IF (R03_CIG_USER_STATUS = 3, 4, 5) AND ((1 <= R03_AC1009_NN <= 30 AND R03_AC1009_UN = 1) OR (R03_AC1009_NN = 1 AND R03_AC1009_UN = 2) OR R03_AC1004 = 1), THEN R03_FORMER_THIRTYDAY_USER_CIGS = 1. ELSE, R03_FORMER_THIRTYDAY_USER_CIGS = 2.
E-CIGARETTES/ENDS		
Ever or Never users - Electronic nicotine products	(1) Ever user = Adult respondents who have ever used any electronic nicotine product.	IF ((R02_EVER_NEVER_ECIG = 1 AND R03_AV1010EC != 3) OR (R02_EVER_NEVER_ECIGAR = 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R03_EVER_NEVER_EPRODS**	(2) Never user = Adult respondents who have never used any electronic nicotine product.	R03_AV1010EG != 3) OR (R02_EVER_NEVER_EPIPE = 1 AND R03_AV1010EP != 3) OR (R02_EVER_NEVER_EHOOK = 1 AND R03_AV1010EH != 3) OR (R02_EVER_NEVER_EPRODS = 1 AND R03_AV1010EC != 3 AND R03_AV1010EG != 3 AND R03_AV1010EP != 3 AND R03_AV1010EH != 3)) OR R03_AV1004 = 1 OR R03_AV1002_12M = 1, THEN R03_EVER_NEVER_EPRODS = 1. ELSE, R03_EVER_NEVER_EPRODS = 2.
Ever or Never users - E-cigarettes R03_EVER_NEVER_ECIG	(1) Ever user = Adult respondents who have ever used an e-cigarette. (2) Never user = Adult respondents who have never used an e-cigarette.	IF (R02_EVER_NEVER_ECIG = 1 OR R03_AV9035_01 = 1) AND (R03_AV1010EC != 3), THEN R03_EVER_NEVER_ECIG = 1. ELSE, IF (R02_EVER_NEVER_ECIG != 1 AND (R03_AV1002_12M != 1 OR R03_AV9035_01 != 1)) OR R03_AV1010EC = 3, THEN R03_EVER_NEVER_ECIG = 2. ELSE, R03_EVER_NEVER_ECIG = 8.
Ever or Never users - E-cigars R03_EVER_NEVER_ECIGAR	(1) Ever user = Adult respondents who have ever used an e-cigar. (2) Never user = Adult respondents who have never used an e-cigar.	IF (R02_EVER_NEVER_ECIGAR = 1 OR R03_AV9035_02 = 1) AND (R03_AV1010EG != 3), THEN R03_EVER_NEVER_ECIGAR = 1. ELSE, IF (R02_EVER_NEVER_ECIGAR != 1 AND (R03_AV1002_12M != 1 OR R03_AV9035_02 != 1)) OR R03_AV1010EG = 3, THEN R03_EVER_NEVER_ECIGAR = 2. ELSE, R03_EVER_NEVER_ECIGAR = 8.
Ever or Never users - E-pipe R03_EVER_NEVER_EPIPE	(1) Ever user = Adult respondents who have ever used an e-pipe (2) Never user = Adult respondents who have never used an e-pipe.	IF (R02_EVER_NEVER_EPIPE = 1 OR R03_AV9035_03 = 1) AND (R03_AV1010EP != 3), THEN R03_EVER_NEVER_EPIPE = 1. ELSE, IF (R02_EVER_NEVER_EPIPE != 1 AND (R03_AV1002_12M != 1 OR R03_AV9035_03 != 1)) OR R03_AV1010EP = 3, THEN R03_EVER_NEVER_EPIPE = 2. ELSE, R03_EVER_NEVER_EPIPE = 8.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Ever or Never users - E-hookah R03_EVER_NEVER_EHOOK	(1) Ever user = Adult respondents who have ever used an e-hookah. (2) Never user = Adult respondents who have never used an e-hookah.	IF (R02_EVER_NEVER_EHOOK = 1 OR R03_AV9035_04 = 1) AND (R03_AV1010EH != 3), THEN R03_EVER_NEVER_EHOOK = 1. ELSE, IF (R02_EVER_NEVER_EHOOK != 1 AND (R03_AV1002_12M != 1 OR R03_AV9035_04 != 1)) OR R03_AV1010EH = 3, THEN R03_EVER_NEVER_EHOOK = 2. ELSE, R03_EVER_NEVER_EHOOK = 8.
Initiator - Electronic nicotine products R03_INIT_EPRODS_ADULT	Adult respondents who initiated electronic nicotine product use between Waves.	IF R02_EVER_NEVER_EPRODS != 1 AND R03_EVER_NEVER_EPRODS = 1, THEN R03_INIT_EPRODS_ADULT = 1. ELSE, R03_INIT_EPRODS_ADULT = 2.
Initiator - E-Cigarettes R03_INIT_ECIG_ADULT	Adult respondents who initiated e-cigarette use between Waves.	IF R02_EVER_NEVER_ECIG != 1 AND R03_EVER_NEVER_ECIG = 1, THEN R03_INIT_ECIG_ADULT = 1. ELSE, R03_INIT_ECIG_ADULT = 2.
Initiator - E-Cigars R03_INIT_ECIGAR_ADULT	Adult respondents who initiated e-cigar use between Waves.	IF R02_EVER_NEVER_ECIGAR != 1 AND R03_EVER_NEVER_ECIGAR = 1, THEN R03_INIT_ECIGAR_ADULT = 1. ELSE, R03_INIT_ECIGAR_ADULT = 2.
Initiator - E-Pipe R03_INIT_EPIPE_ADULT	Adult respondents who initiated e-pipe use between Waves.	IF R02_EVER_NEVER_EPIPE != 1 AND R03_EVER_NEVER_EPIPE = 1, THEN R03_INIT_EPIPE_ADULT = 1. ELSE, R03_INIT_EPIPE_ADULT = 2.
Initiator - E-Hookah R03_INIT_EHOOK_ADULT	Adult respondents who initiated e-hookah use between Waves.	IF R02_EVER_NEVER_EHOOK != 1 AND R03_EVER_NEVER_EHOOK = 1, THEN R03_INIT_EHOOK_ADULT = 1. ELSE, R03_INIT_EHOOK_ADULT = 2.
E-product user status R03_EPROD_USER_STATUS**	(1) Current established user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day or some days. (2) Current experimental user = Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days.	IF (R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_[01/.../05] != -8, -7 AND (R03_AV1003EC = 1, 2 OR R03_AV1003EG = 1, 2 OR R03_AV1003EP = 1, 2 OR R03_AV1003EH = 1, 2 OR R03_AV1003EN = 1, 2) AND (R02_REGUSE_ECIG = 1 OR R03_AV1100 = 1), THEN R03_EPROD_USER_STATUS = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	(3) Former experimental user = Adult respondents who have ever used an electronic nicotine product and have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all. (4) New former established user = Adult respondents who were current established or current experimental e-cigarette users as of their last completed interview, have ever used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all. (5) Still former established user = Adult respondents who were former experimental, new former established, or still former established e-cigarette users as of their last completed interview, have ever used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.	ELSE, IF R03_EVER_NEVER_EPRODS = 1 AND (R03_AV1004 = 1 OR R03_AV1002_12M = 1) AND R03_AV9035_[01/.../05] != -8, -7 AND (R03_AV1003EC = 1, 2 OR R03_AV1003EG = 1, 2 OR R03_AV1003EP = 1, 2 OR R03_AV1003EH = 1, 2 OR R03_AV1003EN = 1, 2) AND (R02_REGUSE_ECIG != 1 AND R03_AV1100 != 1), THEN R03_EPROD_USER_STATUS = 2. ELSE, IF R03_EVER_NEVER_EPRODS = 1 AND (R03_AV1002_12M = 2 OR (R03_AV1003EC != 1, 2 AND R03_AV1003EG != 1, 2 AND R03_AV1003EP != 1, 2 AND R03_AV1003EH != 1, 2 AND R03_AV1003EN != 1, 2)) AND R03_AV9035_[01/.../05] != -8, -7 AND (R02_REGUSE_ECIG != 1 AND R03_AV1100 != 1), THEN R03_EPROD_USER_STATUS = 3. ELSE, IF (((R02_ECIG_USER_STATUS = 1, 2 OR R03_INIT_EPRODS_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_EPRODS = 1) OR (R03_ADULTTYPE = 1 AND R03_EVER_NEVER_EPRODS = 1 AND R03_PRIMARY_EPROD != 1)) AND (R03_AV1002_12M = 2 OR (R03_AV1003EC != 1, 2, -8, -7 AND R03_AV1003EG != 1, 2, -8, -7 AND R03_AV1003EP != 1, 2, -8, -7 AND R03_AV1003EH != 1, 2, -8, -7 AND R03_AV1003EN != 1, 2, -8, -7)) AND R03_AV9035_[01/.../05] != -8, -7 AND (R02_REGUSE_ECIG = 1 OR R03_AV1100 = 1)) OR ((R03_PRIMARY_EPROD = 1 AND R03_INIT_ECIG_ADULT = 1 AND R03_AV1003EC = 3) OR (R03_PRIMARY_EPROD = 2 AND R03_INIT_ECIGAR_ADULT = 1 AND R03_AV1003EG = 3) OR

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		(R03_PRIMARY_EPROD = 3 AND R03_INIT_EPIPE_ADULT = 1 AND R03_AV1003EP = 3) OR (R03_PRIMARY_EPROD = 4 AND R03_INIT_EHOOK_ADULT = 1 AND R03_AV1003EH = 3))) AND R03_AV9035_[01/.../05] != -8, -7 AND R03_EVER_NEVER_EPRODS = 1, THEN R03_EPROD_USER_STATUS = 4. ELSE, IF R02_ECIG_USER_STATUS = 3, 4, 5 AND (R03_AV1002_12M = 2 OR (R03_AV1003EC != 1, 2 AND R03_AV1003EG != 1, 2 AND R03_AV1003EP != 1, 2 AND R03_AV1003EH != 1, 2 AND R03_AV1003EN != 1, 2)) AND R03_EVER_NEVER_EPRODS = 1 AND R03_AV9035_[01/.../05] != -8, -7 AND (R02_REGUSE_ECIG = 1 OR R03_AV1100 = 1), THEN R03_EPROD_USER_STATUS = 5. ELSE, R03_EPROD_USER_STATUS = 8.
Every day established or Some day established users - Electronic nicotine products R03_CURRENT_EPROD_USE	(1) Every day established user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day. (2) Some day established user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days.	IF R03_EPROD_USER_STATUS = 1 AND ((R03_PRIMARY_EPROD = 1 AND R03_AV1003EC = 1) OR (R03_PRIMARY_EPROD = 2 AND R03_AV1003EG = 1) OR (R03_PRIMARY_EPROD = 3 AND R03_AV1003EP = 1) OR (R03_PRIMARY_EPROD = 4 AND R03_AV1003EH = 1) OR (R03_PRIMARY_EPROD = 5 AND R03_AV1003EN = 1)), THEN R03_CURRENT_EPROD_USE = 1. ELSE, IF R03_EPROD_USER_STATUS = 1 AND ((R03_PRIMARY_EPROD = 1 AND R03_AV1003EC = 2) OR (R03_PRIMARY_EPROD = 2 AND R03_AV1003EG = 2) OR (R03_PRIMARY_EPROD = 3 AND R03_AV1003EP = 2) OR

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		(R03_PRIMARY_EPROD = 4 AND R03_AV1003EH = 2) OR (R03_PRIMARY_EPROD = 5 AND R03_AV1003EN = 2)), THEN R03_CURRENT_EPROD_USE = 2. ELSE, R03_CURRENT_EPROD_USE = 8.
Non-current 30 Day users – Electronic nicotine products R03_FORMER_THIRTYDAY_USER_EPROD**	Adult respondents who are former experimental, new former established, or still former established users in Wave 3 who have used any electronic nicotine products in the past 30 days.	IF R03_EPROD_USER_STATUS = 3, 4, 5 AND ((1 <= R03_AV1009EC_NN <= 30 AND R03_AV1009EC_UN = 1 AND R03_PRIMARY_EPROD = 1, 5) OR (1 <= R03_AV1009EG_NN <= 30 AND R03_AV1009EG_UN = 1 AND R03_PRIMARY_EPROD = 2, 5) OR (1 <= R03_AV1009EP_NN <= 30 AND R03_AV1009EP_UN = 1 AND R03_PRIMARY_EPROD = 3, 5) OR (1 <= R03_AV1009EH_NN <= 30 AND R03_AV1009EH_UN = 1 AND R03_PRIMARY_EPROD = 4, 5) OR (1 <= R03_AV1009EN_NN <= 30 AND R03_AV1009EN_UN = 1 AND R03_PRIMARY_EPROD = 5) OR (R03_AV1009EC_NN = 1 AND R03_AV1009EC_UN = 2 AND R03_PRIMARY_EPROD = 1, 5) OR (R03_AV1009EG_NN = 1 AND R03_AV1009EG_UN = 2 AND R03_PRIMARY_EPROD = 2, 5) OR (R03_AV1009EP_NN = 1 AND R03_AV1009EP_UN = 2 AND R03_PRIMARY_EPROD = 3, 5) OR (R03_AV1009EH_NN = 1 AND R03_AV1009EH_UN = 2 AND R03_PRIMARY_EPROD = 4, 5) OR (R03_AV1009EN_NN = 1 AND R03_AV1009EN_UN = 2 AND R03_PRIMARY_EPROD = 5) OR R03_AV1004 = 1), THEN

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_FORMER_THIRTYDAY_USER_EPROD = 1. ELSE, R03_FORMER_THIRTYDAY_USER_EPROD = 2.
CIGARS		
Ever or Never users - Traditional cigars R03_EVER_NEVER_GTRAD	(1) Ever user = Adult respondents who have ever smoked a traditional cigar. (2) Never user = Adult respondents who have never smoked a traditional cigar.	IF (R02_EVER_NEVER_GTRAD = 1 OR R03_AG9030 = 1 OR R03_AG9003_12M = 1), THEN R03_EVER_NEVER_GTRAD = 1. ELSE, IF R02_EVER_NEVER_GTRAD != 1 AND R03_AG9003_12M = 2, -8, -7, THEN R03_EVER_NEVER_GTRAD = 2. ELSE, R03_EVER_NEVER_GTRAD = 8.
Ever or Never users - Cigarillos R03_EVER_NEVER_GRILLO	(1) Ever user = Adult respondents who have ever smoked a cigarillo. (2) Never user = Adult respondents who have never smoked a cigarillo.	IF R02_EVER_NEVER_GRILLO = 1 OR R03_AG9049_01 = 1 OR R03_AG9049_03 = 1 OR R03_AG9051 = 1 OR R03_AG9053 = 1 OR R03_AG9009_12M_01 = 1 OR R03_AG9009_12M_03 = 1, THEN R03_EVER_NEVER_GRILLO = 1. ELSE, IF R02_EVER_NEVER_GRILLO != 1 AND (R03_AG9031 != 1 OR (R03_AG9049_01 != 1 AND R03_AG9049_03 != 1)) AND R03_AG9051 != 1 AND R03_AG9053 != 1 AND R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1, THEN R03_EVER_NEVER_GRILLO = 2. ELSE, R03_EVER_NEVER_GRILLO = 8.
Ever or Never users - Filtered cigars R03_EVER_NEVER_GFILTR	(1) Ever user = Adult respondents who have ever smoked a filtered cigar. (2) Never user = Adult respondents who have never smoked a filtered cigar.	IF R02_EVER_NEVER_GFILTR = 1 OR R03_AG9049_02 = 1 OR R03_AG9052 = 1 OR R03_AG9009_12M_02 = 1, THEN R03_EVER_NEVER_GFILTR = 1. ELSE, IF R02_EVER_NEVER_GFILTR != 1 AND (R03_AG9031 != 1 OR R03_AG9049_02 != 1) AND R03_AG9052 != 1 AND R03_AG9009_12M_02 != 1, THEN R03_EVER_NEVER_GFILTR = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, R03_EVER_NEVER_GFILTR = 8.
Initiators – Traditional Cigars R03_INIT_GTRAD_ADULT	Adult respondents who initiated traditional cigar smoking between Waves.	IF R02_EVER_NEVER_GTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1, THEN R03_INIT_GTRAD_ADULT = 1. ELSE, R03_INIT_GTRAD_ADULT = 2.
Initiators – Cigarillos R03_INIT_GRILLO_ADULT	Adult respondents who initiated cigarillo smoking between Waves.	IF R02_EVER_NEVER_GRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1, THEN R03_INIT_GRILLO_ADULT = 1. ELSE, R03_INIT_GRILLO_ADULT = 2.
Initiators – Filtered Cigars R03_INIT_GFILTR_ADULT	Adult respondents who initiated filtered cigar smoking between Waves.	IF R02_EVER_NEVER_GFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1, THEN R03_INIT_GFILTR_ADULT = 1. ELSE, R03_INIT_GFILTR_ADULT = 2.
Past 12 month blunt-only smokers – Traditional Cigars R03_12MBLUNT_ONLY_BTRAD	Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.	IF R03_AG1095_01 = 1 AND R03_AG9106_01 = 1, THEN R03_12MBLUNT_ONLY_BTRAD = 1. ELSE, R03_12MBLUNT_ONLY_BTRAD = 2.
Past 12 month blunt-only smokers – Cigarillos R03_12MBLUNT_ONLY_BRILLO	Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.	IF (R03_AG1095_02 = 1 OR R03_AG1095_03 = 1) AND (R03_AG9106_02 = 1 OR R03_AG9106_03 = 1), THEN R03_12MBLUNT_ONLY_BRILLO = 1. ELSE, R03_12MBLUNT_ONLY_BRILLO = 2.
Past 12 month blunt-only smokers – Filtered Cigars R03_12MBLUNT_ONLY_BFILTR	Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	IF R03_AG1095_04 = 1 AND R03_AG9106_04 = 1, THEN R03_12MBLUNT_ONLY_BFILTR = 1. ELSE, R03_12MBLUNT_ONLY_BFILTR = 2.
Initiators – Blunt-only Traditional Cigars R03_INIT_BLUNT_BTRAD_ADULT	Adult respondents who initiated smoking traditional cigars as blunts between Waves.	IF R02_EVER_NEVER_BTRAD != 1 AND (R03_AG1095_01 = 1 AND R03_AG9106_01 = 1), THEN R03_INIT_BLUNT_BTRAD_ADULT = 1. ELSE, R03_INIT_BLUNT_BTRAD_ADULT = 2.
Initiators – Blunt-only Cigarillos R03_INIT_BLUNT_BRILLO_ADULT	Adult respondents who initiated smoking cigarillos as blunts between Waves.	IF R02_EVER_NEVER_BRILLO != 1 AND (R03_AG1095_02 = 1 OR R03_AG1095_03 = 1) AND (R03_AG9106_02 = 1 OR R03_AG9106_03 = 1), THEN

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_INIT_BLUNT_BRILLO_ADULT = 1. ELSE, R03_INIT_BLUNT_BRILLO_ADULT = 2.
Initiators – Blunt-only Filtered Cigars R03_INIT_BLUNT_BFILTR_ADULT	Adult respondents who initiated smoking filtered cigars as blunts between Waves.	IF R02_EVER_NEVER_BFILTR != 1 AND R03_AG1095_04 = 1 AND R03_AG9106_04 = 1, THEN R03_INIT_BLUNT_BFILTR_ADULT = 1. ELSE, R03_INIT_BLUNT_BFILTR_ADULT = 2.
Traditional cigar user status R03_GTRAD_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked traditional cigars fairly regularly, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a traditional cigar and have never smoked traditional cigars fairly regularly, and did not smoke in the past 12 months or currently smoke not at all. (4) New former established user = Adult respondents who were current established, current experimental, or former experimental traditional cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all. (5) Still former established user = Adult respondents who were new former established or still former established traditional cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.	IF (R02_REGUSE_GTRAD = 1 OR R03_AG1100TC = 1) AND R03_AG1003TC = 1, 2, THEN R03_GTRAD_USER_STATUS = 1. ELSE, IF R03_EVER_NEVER_GTRAD = 1 AND R03_AG1010TC != 3 AND R03_AG1100TC = 2, -8, -7 AND R02_REGUSE_GTRAD != 1 AND R03_AG1003TC = 1, 2, THEN R03_GTRAD_USER_STATUS = 2. ELSE, IF R03_EVER_NEVER_GTRAD = 1 AND R03_AG1010TC != 3 AND R03_AG1100TC = 2, -8, -7 AND R02_REGUSE_GTRAD != 1 AND (R03_AG9003_12M = 2 OR R03_AG1003TC = 3) AND R03_12MBLUNT_ONLY_BTRAD != 1, THEN R03_GTRAD_USER_STATUS = 3. ELSE, IF (R02_GTRAD_USER_STATUS = 1, 2, 3 OR R03_INIT_GTRAD_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GTRAD = 1)) AND (R02_REGUSE_GTRAD = 1 OR R03_AG1100TC = 1) AND (R03_AG9003_12M = 2 OR R03_AG1003TC = 3) AND R03_EVER_NEVER_GTRAD = 1 AND R03_AG1010TC != 3 AND R03_12MBLUNT_ONLY_BTRAD != 1, THEN R03_GTRAD_USER_STATUS = 4. ELSE, IF R02_GTRAD_USER_STATUS = 4, 5 AND (R03_AG9003_12M = 2 OR R03_AG1003TC = 3) AND R03_EVER_NEVER_GTRAD = 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_AG1010TC != 3 AND R03_12MBLUNT_ONLY_BTRAD != 1, THEN R03_GTRAD_USER_STATUS = 5. ELSE, R03_GTRAD_USER_STATUS = 8.
Cigarillo user status R03_GRILLO_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked cigarillos fairly regularly, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a cigarillo and have never smoked cigarillos fairly regularly, and did not smoke in the past 12 months or currently smoke not at all. (4) New former established user = Adult respondents who were current established, current experimental, or former experimental cigarillo smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all. (5) Still former established user = Adult respondents who were new former established or still former established cigarillo smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.	IF (R02_REGUSE_GRILLO = 1 OR R03_AG1100CG = 1) AND R03_AG1003CG = 1, 2, THEN R03_GRILLO_USER_STATUS = 1. ELSE, IF R03_EVER_NEVER_GRILLO = 1 AND R03_AG1010CG != 3 AND R03_AG1100CG = 2, -8, -7 AND R02_REGUSE_GRILLO != 1 AND R03_AG1003CG = 1, 2, THEN R03_GRILLO_USER_STATUS = 2. ELSE, IF R03_EVER_NEVER_GRILLO = 1 AND R03_AG1010CG != 3 AND R03_AG1100CG = 2, -8, -7 AND R02_REGUSE_GRILLO != 1 AND ((R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1) OR R03_AG1003CG = 3) AND R03_12MBLUNT_ONLY_BRILLO != 1, THEN R03_GRILLO_USER_STATUS = 3. ELSE, IF (R02_GRILLO_USER_STATUS = 1, 2, 3 OR R03_INIT_GRILLO_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GRILLO = 1)) AND (R02_REGUSE_GRILLO = 1 OR R03_AG1100CG = 1) AND ((R03_AG9009_12M_01 != 1 AND R03_AG9009_12M_03 != 1) OR R03_AG1003CG = 3) AND R03_EVER_NEVER_GRILLO = 1 AND R03_AG1010CG != 3 AND R03_12MBLUNT_ONLY_BRILLO != 1, THEN R03_GRILLO_USER_STATUS = 4. ELSE, IF R02_GRILLO_USER_STATUS = 4, 5 AND ((R03_AG9009_12M_01 != 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_AG9009_12M_03 != 1 OR R03_AG1003CG = 3) OR (R03_AG9051 = 2 AND R03_AG9053 = 2)) AND R03_EVER_NEVER_GRILLO = 1 AND R03_AG1010CG != 3 AND R03_12MBLUNT_ONLY_BRILLO != 1, THEN R03_GRILLO_USER_STATUS = 5. ELSE, R03_GRILLO_USER_STATUS = 8.
Filtered cigar user status R03_GFILTR_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked filtered cigars fairly regularly, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a filtered cigar and have never smoked filtered cigars fairly regularly, and did not smoke in the past 12 months or currently smoke not at all. (4) New former established user = Adult respondents who were current established, current experimental, or former experimental filtered cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all. (5) Still former established user = Adult respondents who were new former established or still former established filtered cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.	IF (R02_REGUSE_GFILTR = 1 OR R03_AG1100FC = 1) AND R03_AG1003FC = 1, 2, THEN R03_GFILTR_USER_STATUS = 1. ELSE, IF R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3 AND R03_AG1100FC = 2, -8, -7 AND R02_REGUSE_GFILTR != 1 AND R03_AG1003FC = 1, 2, THEN R03_GFILTR_USER_STATUS = 2. ELSE, IF R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3 AND R03_AG1100FC = 2, -8, -7 AND R02_REGUSE_GFILTR != 1 AND (R03_AG9009_12M_02 != 1 OR R03_AG1003FC = 3) AND R03_12MBLUNT_ONLY_BFILTR != 1, THEN R03_GFILTR_USER_STATUS = 3. ELSE, IF (R02_GFILTR_USER_STATUS = 1, 2, 3 OR R03_INIT_GFILTR_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GFILTR = 1)) AND (R02_REGUSE_GFILTR = 1 OR R03_AG1100FC = 1) AND (R03_AG9009_12M_02 != 1 OR R03_AG1003FC = 3) AND R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3 AND R03_12MBLUNT_ONLY_BFILTR != 1, THEN R03_GFILTR_USER_STATUS = 4.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, IF R02_GFILTR_USER_STATUS = 4, 5 AND ((R03_AG9009_12M_02 != 1 OR R03_AG1003FC = 3) OR R03_AG9052 = 2) AND R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3 AND R03_12MBLUNT_ONLY_BFILTR != 1, THEN R03_GFILTR_USER_STATUS = 5. ELSE, R03_GFILTR_USER_STATUS = 8.
Every day established or Some day established users - Traditional cigars R03_CURRENT_GTRAD_USE	(1) Every day established user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke some days.	IF R03_GTRAD_USER_STATUS = 1 AND R03_AG1003TC = 1, THEN R03_CURRENT_GTRAD_USE = 1. ELSE, IF R03_GTRAD_USER_STATUS = 1 AND R03_AG1003TC = 2, THEN R03_CURRENT_GTRAD_USE = 2. ELSE, R03_CURRENT_GTRAD_USE = 8.
Every day established or Some day established users - Cigarillos R03_CURRENT_GRILLO_USE	(1) Every day established user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke some days.	IF R03_GRILLO_USER_STATUS = 1 AND R03_AG1003CG = 1, THEN R03_CURRENT_GRILLO_USE = 1. ELSE, IF R03_GRILLO_USER_STATUS = 1 AND R03_AG1003CG = 2, THEN R03_CURRENT_GRILLO_USE = 2. ELSE, R03_CURRENT_GRILLO_USE = 8.
Every day established or Some day established users - Filtered cigars R03_CURRENT_GFILTR_USE	(1) Every day established user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke some days.	IF R03_GFILTR_USER_STATUS = 1 AND R03_AG1003FC = 1, THEN R03_CURRENT_GFILTR_USE = 1. ELSE, IF R03_GFILTR_USER_STATUS = 1 AND R03_AG1003FC = 2, THEN R03_CURRENT_GFILTR_USE = 2. ELSE, R03_CURRENT_GFILTR_USE = 8.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Non-current 30 Day users – Traditional Cigars R03_FORMER_THIRTYDAY_USER_GTRAD	Adult respondents who are former experimental, new former established, or still former established traditional cigar smokers in Wave 3 who have smoked any traditional cigars in the past 30 days.	IF ((R03_GTRAD_USER_STATUS = 3, 4, 5) AND (((1 <= R03_AG1009TC_NN <= 30 AND R03_AG1009TC_UN = 1) OR (R03_AG1009TC_NN = 1 AND R03_AG1009TC_UN = 2) OR R03_AG9030 = 1)) AND R03_12MBLUNT_ONLY_BTRAD != 1, THEN R03_FORMER_THIRTYDAY_USER_GTRAD = 1. ELSE, R03_FORMER_THIRTYDAY_USER_GTRAD = 2.
Non-current 30 Day users – Cigarillos R03_FORMER_THIRTYDAY_USER_GRILLO	Adult respondents who are former experimental, new former established, or still former established cigarillo smokers in Wave 3 who have smoked any cigarillos in the past 30 days.	IF ((R03_GRILLO_USER_STATUS = 3, 4, 5) AND (((1 <= R03_AG1009CG_NN <= 30 AND R03_AG1009CG_UN = 1) OR (R03_AG1009CG_NN = 1 AND R03_AG1009CG_UN = 2)) OR R03_AG9049_01 = 1 OR R03_AG9049_03 = 1)) AND R03_12MBLUNT_ONLY_BRILLO != 1, THEN R03_FORMER_THIRTYDAY_USER_GRILLO = 1. ELSE, R03_FORMER_THIRTYDAY_USER_GRILLO = 2.
Non-current 30 Day users – Filtered Cigars R03_FORMER_THIRTYDAY_USER_GFILTR	Adult respondents who are former experimental, new former established, or still former established filtered cigar smokers in Wave 3 who have smoked any filtered cigars in the past 30 days.	IF ((R03_GFILTR_USER_STATUS = 3, 4, 5) AND ((1 <= R03_AG1009FC_NN <= 30 AND R03_AG1009FC_UN = 1) OR (R03_AG1009FC_NN = 1 AND R03_AG1009FC_UN = 2) OR R03_AG9049_02 = 1)) AND R03_12MBLUNT_ONLY_BFILTR != 1, THEN R03_FORMER_THIRTYDAY_USER_GFILTR = 1. ELSE, R03_FORMER_THIRTYDAY_USER_GFILTR = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
PIPES		
Ever or Never users - Pipes R03_EVER_NEVER_PIPE	(1) Ever user = Adult respondents who have ever smoked a pipe. (2) Never user = Adult respondents who have never smoked a pipe.	IF (R02_EVER_NEVER_PIPE = 1 OR R03_AP1004 = 1 OR R03_AP1002_12M = 1) AND (R03_AP1010 != 3), THEN R03_EVER_NEVER_PIPE = 1. ELSE, IF R02_EVER_NEVER_PIPE != 1 AND R03_AP1002_12M = 2, -8, -7) OR R03_AP1010 = 3, THEN R03_EVER_NEVER_PIPE = 2. ELSE, R03_EVER_NEVER_PIPE = 8.
Initiators - Pipes R03_INIT_PIPE_ADULT	Adult respondents who initiated pipe smoking between Waves.	IF R02_EVER_NEVER_PIPE != 1 AND R03_EVER_NEVER_PIPE = 1, THEN R03_INIT_PIPE_ADULT = 1. ELSE, R03_INIT_PIPE_ADULT = 2.
Pipe user status R03_PIPE_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked a pipe fairly regularly, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a pipe and have never smoked a pipe fairly regularly, and did not smoke in the past 12 months or currently smoke not at all. (4) New former established user = Adult respondents who were current established, current experimental, or former experimental pipe smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all. (5) Still former established user = Adult respondents who were new former	IF (R02_REGUSE_PIPE = 1 OR R03_AP1100 = 1) AND R03_AP1003 = 1, 2, THEN R03_PIPE_USER_STATUS = 1. ELSE, IF R03_EVER_NEVER_PIPE = 1 AND R03_AP1100 != 1 AND R02_REGUSE_PIPE != 1 AND R03_AP1003 = 1, 2, THEN R03_PIPE_USER_STATUS = 2. ELSE, IF R03_EVER_NEVER_PIPE = 1 AND (R03_AP1002_12M = 2 OR R03_AP1003 = 3) AND R03_AP1100 != 1 AND R02_REGUSE_PIPE != 1, THEN R03_PIPE_USER_STATUS = 3. ELSE, IF (R02_PIPE_USER_STATUS = 1, 2, 3 OR R03_INIT_PIPE_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_PIPE = 1)) AND (R02_REGUSE_PIPE = 1 OR R03_AP1100 = 1) AND R03_EVER_NEVER_PIPE = 1 AND (R03_AP1002_12M = 2 OR R03_AP1003 = 3), THEN R03_PIPE_USER_STATUS = 4. ELSE, IF R02_PIPE_USER_STATUS = 4, 5 AND R03_EVER_NEVER_PIPE = 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	established or still former established pipe smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.	(R03_AP1002_12M = 2 OR R03_AP1003 = 3), THEN R03_PIPE_USER_STATUS = 5. ELSE, R03_PIPE_USER_STATUS = 8.
Every day established or Some day established users - Pipes R03_CURRENT_PIPE_USE	(1) Every day established user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke some days.	IF R03_PIPE_USER_STATUS = 1 AND R03_AP1003 = 1, THEN R03_CURRENT_PIPE_USE = 1. ELSE, IF R03_PIPE_USER_STATUS = 1 AND R03_AP1003 = 2, THEN R03_CURRENT_PIPE_USE = 2. ELSE, R03_CURRENT_PIPE_USE = 8.
Non-current 30 Day users – Pipes R03_FORMER_THIRTYDAY_USER_PIPE	Adult respondents who are former experimental, new former established, or still former established pipe smokers in Wave 3 who have smoked any pipe tobacco in the past 30 days.	IF (R03_PIPE_USER_STATUS = 3, 4, 5 AND (1 <= R03_AP1009_NN <= 30 AND R03_AP1009_UN = 1) OR (R03_AP1009_NN = 1 AND R03_AP1009_UN = 2) OR R03_AP1004 = 1), THEN R03_FORMER_THIRTYDAY_USER_PIPE = 1. ELSE, R03_FORMER_THIRTYDAY_USER_PIPE = 2.
HOOKAH		
Ever or Never users - Hookah R03_EVER_NEVER_HOOK	(1) Ever user = Adult respondents who have ever smoked hookah. (2) Never user = Adult respondents who have never smoked hookah.	IF (R02_EVER_NEVER_HOOK = 1 OR R03_AH1004 = 1 OR R03_AH1002_12M = 1) AND (R03_AH1010 != 3), THEN R03_EVER_NEVER_HOOK = 1. ELSE, IF (R02_EVER_NEVER_HOOK != 1 AND R03_AH1002_12M = 2, -8, -7) OR R03_AH1010 = 3, THEN R03_EVER_NEVER_HOOK = 2. ELSE, R03_EVER_NEVER_HOOK = 8.
Initiators - Hookah R03_INIT_HOOK_ADULT	Adult respondents who initiated hookah smoking between Waves.	IF R02_EVER_NEVER_HOOK != 1 AND R03_EVER_NEVER_HOOK = 1, THEN

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Hookah user status R03_HOOK_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked hookah fairly regularly, and currently smoke monthly or more frequently. (2) Current experimental user = Adult respondents who have never smoked hookah fairly regularly, and currently smoke hookah every day, some days, weekly, monthly or in the past 30 days. (3) Former experimental user = Adult respondents who have ever smoked hookah and have never smoked hookah fairly regularly, and did not smoke in the past 12 months or currently smoke not at all. (4) New former established user = Adult respondents who were current established, current experimental, or former experimental hookah smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all. (5) Still former established user = Adult respondents who were new former established or still former established hookah smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all.	R03_INIT_HOOK_ADULT = 1. ELSE, R03_INIT_HOOK_ADULT = 2. IF (R02_REGUSE_HOOK = 1 OR R03_AH1100 = 1) AND (R03_AH1003 = 1, 2 OR R03_AH9003 = 1, 2, 3), THEN R03_HOOK_USER_STATUS = 1. ELSE, IF R03_EVER_NEVER_HOOK = 1 AND R03_AH1100 != 1 AND R02_REGUSE_HOOK != 1 AND (R03_AH1003 = 1, 2 OR R03_AH9003 = 1, 2, 3 OR ((R03_AH1009_NN <= 30 AND R03_AH1009_UN = 1) OR (R03_AH1009_NN = 1 AND R03_AH1009_UN = 2)) OR R03_AH1004 = 1), THEN R03_HOOK_USER_STATUS = 2. ELSE, IF R03_EVER_NEVER_HOOK = 1 AND (R03_AH1002_12M = 2 OR R03_AH1003 = 3) AND R03_AH1100 != 1 AND R02_REGUSE_HOOK != 1, THEN R03_HOOK_USER_STATUS = 3. ELSE, IF (R02_HOOK_USER_STATUS = 1, 2, 3 OR R03_INIT_HOOK_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_HOOK = 1)) AND (R02_REGUSE_HOOK = 1 OR R03_AH1100 = 1) AND R03_EVER_NEVER_HOOK = 1 AND (R03_AH1002_12M = 2 OR R03_AH1003 = 3), THEN R03_HOOK_USER_STATUS = 4. ELSE, IF R02_HOOK_USER_STATUS = 4, 5 AND R03_EVER_NEVER_HOOK = 1 AND (R03_AH1002_12M = 2 OR R03_AH1003 = 3), THEN R03_HOOK_USER_STATUS = 5. ELSE, R03_HOOK_USER_STATUS = 8.
Every day established or Some day established users - Hookah R03_CURRENT_HOOK_USE	(1) Every day established user = Adult respondents who have ever smoked hookah fairly regularly, and currently smoke every day.	IF R03_HOOK_USER_STATUS = 1 AND (R03_AH1003 = 1 OR R03_AH9003 = 1), THEN R03_CURRENT_HOOK_USE = 1.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	(2) Some day established user = Adult respondents who have ever smoked hookah fairly regularly, and currently smoke some days.	ELSE, IF R03_HOOK_USER_STATUS = 1 AND (R03_AH1003 = 2 OR R03_AH9003 = 2, 3), THEN R03_CURRENT_HOOK_USE = 2. ELSE, R03_CURRENT_HOOK_USE = 8.
Past 30 Day users - Hookah R03_THIRTY_DAY_USER_HOOK**	Adult respondents who have smoked hookah in the past 30 days.	IF R03_EVER_NEVER_HOOK = 1 AND (((1 <= R03_AH1009_NN <= 30 AND R03_AH1009_UN = 1) OR (R03_AH1009_NN = 1 AND R03_AH1009_UN = 2)) OR R03_AH1004 = 1), THEN R03_THIRTY_DAY_USER_HOOK = 1. ELSE, R03_THIRTY_DAY_USER_HOOK = 2.
SNUS		
Ever or Never users - Snus R03_EVER_NEVER_SNUS	(1) Ever user = Adult respondents who have ever used snus pouches. (2) Never user = Adult respondents who have never used snus pouches.	IF (R02_EVER_NEVER_SNUS = 1 OR (R03_AU1004 = 1 AND R03_AU9003 != 1) OR (R03_AU1002_12M = 1 AND R03_AU9004 != 1)) AND R03_AU1010 != 3, THEN R03_EVER_NEVER_SNUS = 1. ELSE, IF ((R02_EVER_NEVER_SNUS != 1 AND ((R03_AU1004 != 1 AND R03_AU1002_12M != 1) OR (R03_AU9003 != 2 AND R03_AU9003 != 3 AND R03_AU9004 != 2 AND R03_AU9004 != 3)))) OR R03_AU1010 = 3, THEN R03_EVER_NEVER_SNUS = 2. ELSE, R03_EVER_NEVER_SNUS = 8.
Initiators – Snus R03_INIT_SNUS_ADULT	Adult respondents who initiated snus pouch use between Waves.	IF R02_EVER_NEVER_SNUS != 1 AND R03_EVER_NEVER_SNUS = 1, THEN R03_INIT_SNUS_ADULT = 1. ELSE, R03_INIT_SNUS_ADULT = 2.
Snus user status R03_SNUS_USER_STATUS**	(1) Current established user = Adult respondents who have ever used snus pouches fairly regularly, and currently use every day or some days. (2) Current experimental user = Adult respondents who have never used snus	IF (R02_REGUSE_SNUS = 1 OR R03_AU1100 = 1) AND R03_AU1003 = 1, 2, THEN R03_SNUS_USER_STATUS = 1. ELSE, IF R03_EVER_NEVER_SNUS = 1 AND R03_AU1100 != 1 AND R02_REGUSE_SNUS != 1 AND R03_AU1003 = 1, 2, THEN R03_SNUS_USER_STATUS = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	pouches fairly regularly, and currently use every day or some days. (3) Former experimental user = Adult respondents who have ever used snus pouches and have never used snus pouches fairly regularly, and did not use in the past 12 months or currently use not at all. (4) New former established user = Adult respondents who were current established, current experimental, or former experimental snus pouch users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all. (5) Still former established user = Adult respondents who were new former established or still former established snus pouch users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all.	ELSE, IF R03_EVER_NEVER_SNUS = 1 AND (R03_AU1002_12M = 2 OR R03_AU1003 = 3 OR R03_AU9004 = 1) AND R03_AU1100 != 1 AND R02_REGUSE_SNUS != 1, THEN R03_SNUS_USER_STATUS = 3. ELSE, IF (R02_SNUS_USER_STATUS = 1, 2, 3, OR R03_INIT_SNUS_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_SNUS = 1)) AND (R02_REGUSE_SNUS = 1 OR R03_AU1100 = 1) AND R03_EVER_NEVER_SNUS = 1 AND (R03_AU1002_12M = 2 OR R03_AU1003 = 3 OR R03_AU9004 = 1), THEN R03_SNUS_USER_STATUS = 4. ELSE, IF R02_SNUS_USER_STATUS = 4, 5 AND R03_EVER_NEVER_SNUS = 1 AND (R03_AU1002_12M = 2 OR R03_AU1003 = 3 OR R03_AU9004 = 1), THEN R03_SNUS_USER_STATUS = 5. ELSE, R03_SNUS_USER_STATUS = 8.
Every day established or Some day established users - Snus R03_CURRENT_SNUS_USE	(1) Every day established user = Adult respondents who have ever used snus pouches fairly regularly, and currently use every day. (2) Some day established user = Adult respondents who have ever used snus pouches fairly regularly, and currently use some days.	IF R03_SNUS_USER_STATUS = 1 AND R03_AU1003 = 1, THEN R03_CURRENT_SNUS_USE = 1. ELSE, IF R03_SNUS_USER_STATUS = 1 AND R03_AU1003 = 2, THEN R03_CURRENT_SNUS_USE = 2. ELSE, R03_CURRENT_SNUS_USE = 8.
Non-current 30 Day users – Snus R03_FORMER_THIRTYDAY_USER_SNUS**	Adult respondents who are former experimental, new former established, or still former established snus pouch users in Wave 3 who have used any snus pouches in the past 30 days.	IF (R03_SNUS_USER_STATUS = 3, 4, 5) AND ((1 <= R03_AU1009_NN <= 30 AND R03_AU1009_UN = 1) OR (R03_AU1009_NN = 1 AND R03_AU1009_UN = 2) OR (R03_AU1004 = 1 AND R03_AU9003 != 1)), THEN

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_FORMER_THIRTYDAY_USER_SNUS = 1. ELSE, R03_FORMER_THIRTYDAY_USER_SNUS = 2.
SMOKELESS TOBACCO		
Ever or Never users - Smokeless tobacco R03_EVER_NEVER_SMKLS	(1) Ever user = Adult respondents who have ever used smokeless tobacco. (2) Never user = Adult respondents who have never used smokeless tobacco.	IF (R02_EVER_NEVER_SMKLS = 1 OR R03_AU9003 = 1 OR R03_AU9003 = 2 OR R03_AU9004 = 1 OR R03_AU9004 = 2 OR R03_AS1004 = 1 OR R03_AS1002_12M = 1) AND R03_AS1010 != 3, THEN R03_EVER_NEVER_SMKLS = 1. ELSE, IF (R02_EVER_NEVER_SMKLS != 1 AND R03_AS1004 != 1 AND R03_AS1002_12M = 2, -8, -7 AND R03_AU9003 != 1 AND R03_AU9003 != 2 AND R03_AU9004 != 1 AND R03_AU9004 != 2) OR R03_AS1010 = 3, THEN R03_EVER_NEVER_SMKLS = 2. ELSE, R03_EVER_NEVER_SMKLS = 8.
Initiators – Smokeless Tobacco R03_INIT_SMKLS_ADULT	Adult respondents who initiated smokeless tobacco use between Waves.	IF R02_EVER_NEVER_SMKLS != 1 AND R03_EVER_NEVER_SMKLS = 1, THEN R03_INIT_SMKLS_ADULT = 1. ELSE, R03_INIT_SMKLS_ADULT = 2.
Smokeless tobacco user status R03_SMKLS_USER_STATUS	(1) Current established user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use every day or some days. (2) Current experimental user = Adult respondents who have never used smokeless tobacco fairly regularly, and currently use every day or some days. (3) Former experimental user = Adult respondents who have ever used smokeless tobacco and have never used smokeless	IF (R02_REGUSE_SMKLS = 1 OR R03_AS1100 = 1) AND R03_AS1003 = 1, 2, THEN R03_SMKLS_USER_STATUS = 1. ELSE, IF R03_EVER_NEVER_SMKLS = 1 AND R03_AS1100 != 1 AND R02_REGUSE_SMKLS != 1 AND R03_AS1003 = 1, 2, THEN R03_SMKLS_USER_STATUS = 2. ELSE, IF R03_EVER_NEVER_SMKLS = 1 AND (R03_AS1002_12M = 2 OR R03_AS1003 = 3) AND R03_AS1100 != 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	tobacco fairly regularly, and did not use in the past 12 months or currently use it not at all. (4) New former established user = Adult respondents who were current established, current experimental, or former experimental smokeless tobacco user as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all. (5) Still former established user = Adult respondents who were new former established or still former established smokeless tobacco users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all.	R02_REGUSE_SMKLS != 1, THEN R03_SMKLS_USER_STATUS = 3. ELSE, IF (R02_SMKLS_USER_STATUS = 1, 2, 3, OR R03_INIT_SMKLS_ADULT = 1 OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_SMKLS = 1)) AND (R02_REGUSE_SMKLS = 1 OR R03_AS1100 = 1) AND R03_EVER_NEVER_SMKLS = 1 AND (R03_AS1002_12M = 2 OR R03_AS1003 = 3), THEN R03_SMKLS_USER_STATUS = 4. ELSE, IF R02_SMKLS_USER_STATUS = 4, 5 AND R03_EVER_NEVER_SMKLS = 1 AND (R03_AS1002_12M = 2 OR R03_AS1003 = 3), THEN R03_SMKLS_USER_STATUS = 5. ELSE, R03_SMKLS_USER_STATUS = 8.
Every day established or Some day established users - Smokeless tobacco R03_CURRENT_SMKLS_USE	(1) Every day established user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use every day. (2) Some day established user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use some days.	IF R03_SMKLS_USER_STATUS = 1 AND R03_AS1003 = 1, THEN R03_CURRENT_SMKLS_USE = 1. ELSE, IF R03_SMKLS_USER_STATUS = 1 AND R03_AS1003 = 2, THEN R03_CURRENT_SMKLS_USE = 2. ELSE, R03_CURRENT_SMKLS_USE = 8.
Non-current 30 Day users – Smokeless Tobacco R03_FORMER_THIRTYDAY_USER_SMKLS	Adult respondents who are former experimental, new former established, or still former established smokeless tobacco users in Wave 3 who have used any smokeless tobacco in the past 30 days.	IF (R03_SMKLS_USER_STATUS = 3, 4, 5) AND ((1 <= R03_AS1009_NN <= 30 AND R03_AS1009_UN = 1) OR (R03_AS1009_NN = 1 AND R03_AS1009_UN = 2) OR R03_AS1004 = 1 OR R03_AU9003 = 1 OR R03_AU9003 = 2), THEN R03_FORMER_THIRTYDAY_USER_SMKLS = 1. ELSE, R03_FORMER_THIRTYDAY_USER_SMKLS = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
DISSOLVABLE TOBACCO		
Ever or Never users - Dissolvable tobacco R03_EVER_NEVER_DISSBL	(1) Ever user = Adult respondents who have ever used dissolvable tobacco. (2) Never user = Adult respondents who have never used dissolvable tobacco.	IF R02_EVER_NEVER_DISSBL = 1 OR R03_AD1002_12M = 1, THEN R03_EVER_NEVER_DISSBL = 1. ELSE, IF R02_EVER_NEVER_DISSBL != 1 AND R03_AD1002_12M = 2, -8, -7, THEN R03_EVER_NEVER_DISSBL = 2. ELSE. R03_EVER_NEVER_DISSBL = 8.
TOBACCO (GENERAL)		
Ever or Never users - Tobacco R03_EVER_NEVER_TOBACCO	(1) Ever user = Adult respondents who have ever used any tobacco product. (2) Never user = Adult respondents who have never used any tobacco product.	IF R03_EVER_NEVER_CIGS = 1 OR R03_EVER_NEVER_EPRODS = 1 OR (R03_EVER_NEVER_GTRAD = 1 AND R03_AG1010TC != 3) OR (R03_EVER_NEVER_GRILLO = 1 AND R03_AG1010CG != 3) OR (R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3) OR R03_EVER_NEVER_PIPE = 1 OR R03_EVER_NEVER_HOOK = 1 OR R03_EVER_NEVER_SMKLS = 1 OR R03_EVER_NEVER_SNUS = 1 OR R03_EVER_NEVER_DISSBL = 1, THEN R03_EVER_NEVER_TOBACCO = 1. ELSE, R03_EVER_NEVER_TOBACCO = 2.
Tobacco user status R03_TOBACCO_USER_STATUS	(1) Current established user = Adult respondents who are current established users of at least one tobacco product (including electronic nicotine products). (2) Current experimental user = Adult respondents who are current experimental users of any tobacco product (including e-products), and are not current established or new former established users of any other tobacco products (including electronic nicotine products). (3) Former experimental user = Adult respondents who are former experimental	IF (R03_CIG_USER_STATUS = 1 OR R03_EPROD_USER_STATUS = 1 OR R03_GTRAD_USER_STATUS = 1 OR R03_GRILLO_USER_STATUS = 1 OR R03_GFILTR_USER_STATUS = 1 OR R03_PIPE_USER_STATUS = 1 OR R03_HOOK_USER_STATUS = 1 OR R03_SMKLS_USER_STATUS = 1 OR R03_SNUS_USER_STATUS = 1), THEN R03_TOBACCO_USER_STATUS = 1. ELSE, IF (R03_CIG_USER_STATUS = 4 OR R03_EPROD_USER_STATUS = 4 OR R03_GTRAD_USER_STATUS = 4 OR

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	users of any tobacco product (including electronic nicotine products), and are not current established, current experimental, new former established, or still former established users of any other tobacco products (including electronic nicotine products). (4) New former established user = Adult respondents who are new former established users of any tobacco product (including electronic nicotine products), and are not current established users of any other tobacco products (including electronic nicotine products). (5) Still former established user = Adult respondents who are still former established users of any tobacco product (including electronic nicotine products), and are not current established, current experimental, or new former established users of any other tobacco products (including electronic nicotine products).	R03_GRILLO_USER_STATUS = 4 OR R03_GFILTR_USER_STATUS = 4 OR R03_PIPE_USER_STATUS = 4 OR R03_HOOK_USER_STATUS = 4 OR R03_SMKLS_USER_STATUS = 4 OR R03_SNUS_USER_STATUS = 4), THEN R03_TOBACCO_USER_STATUS = 4. ELSE, IF (R03_CIG_USER_STATUS = 2 OR R03_EPROD_USER_STATUS = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_HOOK_USER_STATUS = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_SNUS_USER_STATUS = 2), THEN R03_TOBACCO_USER_STATUS = 2. ELSE, IF (R03_CIG_USER_STATUS = 5 OR R03_EPROD_USER_STATUS = 5 OR R03_GTRAD_USER_STATUS = 5 OR R03_GRILLO_USER_STATUS = 5 OR R03_GFILTR_USER_STATUS = 5 OR R03_PIPE_USER_STATUS = 5 OR R03_HOOK_USER_STATUS = 5 OR R03_SMKLS_USER_STATUS = 5 OR R03_SNUS_USER_STATUS = 5), THEN R03_TOBACCO_USER_STATUS = 5. ELSE, IF (R03_CIG_USER_STATUS = 3 OR R03_EPROD_USER_STATUS = 3 OR R03_GTRAD_USER_STATUS = 3 OR R03_GRILLO_USER_STATUS = 3 OR R03_GFILTR_USER_STATUS = 3 OR R03_PIPE_USER_STATUS = 3 OR R03_HOOK_USER_STATUS = 3 OR R03_SMKLS_USER_STATUS = 3 OR R03_SNUS_USER_STATUS = 3), THEN R03_TOBACCO_USER_STATUS = 3. ELSE, R03_TOBACCO_USER_STATUS = 8.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Non-electronic tobacco user status R03_TOBXEPROD_USER_STATUS	(1) Current established non-electronic tobacco user = Adult respondents who are current established users of at least one tobacco product other than electronic nicotine products. The respondent may have any e-product user status. (2) Current experimental non-electronic tobacco user = Adult respondents who are current experimental users of any tobacco product other than electronic nicotine products, and are not current established or new former established users of any tobacco products. (3) Former experimental non-electronic tobacco user = Adult respondents who are former experimental users of any tobacco product other than electronic nicotine products, and are not current established, current experimental, or new former established users of any tobacco products. (4) New former established non-electronic tobacco user = Adult respondents who are new former established users of any tobacco product other than electronic nicotine products, and are not current established users of any tobacco products other than electronic nicotine products. (5) Still former established non-electronic tobacco user = Adult respondents who are still former established users of any tobacco product other than electronic nicotine products, and are not current established, current experimental, or new former established users of any tobacco products other than electronic nicotine products.	IF (R03_CIG_USER_STATUS = 1 OR R03_GTRAD_USER_STATUS = 1 OR R03_GRILLO_USER_STATUS = 1 OR R03_GFILTR_USER_STATUS = 1 OR R03_PIPE_USER_STATUS = 1 OR R03_HOOK_USER_STATUS = 1 OR R03_SMKLS_USER_STATUS = 1 OR R03_SNUS_USER_STATUS = 1), THEN R03_TOBXEPROD_USER_STATUS = 1. ELSE, IF (R03_CIG_USER_STATUS = 4 OR R03_GTRAD_USER_STATUS = 4 OR R03_GRILLO_USER_STATUS = 4 OR R03_GFILTR_USER_STATUS = 4 OR R03_PIPE_USER_STATUS = 4 OR R03_HOOK_USER_STATUS = 4 OR R03_SMKLS_USER_STATUS = 4 OR R03_SNUS_USER_STATUS = 4), THEN R03_TOBXEPROD_USER_STATUS = 4. ELSE, IF (R03_CIG_USER_STATUS = 2 OR R03_GTRAD_USER_STATUS = 2 OR R03_GRILLO_USER_STATUS = 2 OR R03_GFILTR_USER_STATUS = 2 OR R03_PIPE_USER_STATUS = 2 OR R03_HOOK_USER_STATUS = 2 OR R03_SMKLS_USER_STATUS = 2 OR R03_SNUS_USER_STATUS = 2), THEN R03_TOBXEPROD_USER_STATUS = 2. ELSE, IF (R03_CIG_USER_STATUS = 5 OR R03_GTRAD_USER_STATUS = 5 OR R03_GRILLO_USER_STATUS = 5 OR R03_GFILTR_USER_STATUS = 5 OR R03_PIPE_USER_STATUS = 5 OR R03_HOOK_USER_STATUS = 5 OR R03_SMKLS_USER_STATUS = 5 OR R03_SNUS_USER_STATUS = 5), THEN R03_TOBXEPROD_USER_STATUS = 5. ELSE, IF (R03_CIG_USER_STATUS = 3 OR R03_GTRAD_USER_STATUS = 3 OR

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_GRILLO_USER_STATUS = 3 OR R03_GFILTR_USER_STATUS = 3 OR R03_PIPE_USER_STATUS = 3 OR R03_HOOK_USER_STATUS = 3 OR R03_SMKLS_USER_STATUS = 3 OR R03_SNUS_USER_STATUS = 3), THEN R03_TOBXEPROD_USER_STATUS = 3. ELSE, R03_TOBXEPROD_USER_STATUS = 8.
Every day established or Some day established users - tobacco R03_CURRENT_TOBACCO_USE	(1) Every day established user = Adult respondents who are every day established users of at least one tobacco product, or who are some day established users of multiple products and use at least one each day. (2) Some day established user = Adult respondents who are some day established users of at least one tobacco product.	IF (R03_CURRENT_CIG_USE = 1 OR R03_CURRENT_EPROD_USE = 1 OR R03_CURRENT_GTRAD_USE = 1 OR R03_CURRENT_GRILLO_USE = 1 OR R03_CURRENT_GFILTR_USE = 1 OR R03_CURRENT_PIPE_USE = 1 OR R03_CURRENT_HOOK_USE = 1 OR R03_CURRENT_SMKLS_USE = 1 OR R03_CURRENT_SNUS_USE = 1) OR R03_AY0005 = 1, THEN R03_CURRENT_TOBACCO_USE = 1. ELSE, IF R03_CURRENT_CIG_USE = 2 OR R03_CURRENT_EPROD_USE = 2 OR R03_CURRENT_GTRAD_USE = 2 OR R03_CURRENT_GRILLO_USE = 2 OR R03_CURRENT_GFILTR_USE = 2 OR R03_CURRENT_PIPE_USE = 2 OR R03_CURRENT_HOOK_USE = 2 OR R03_CURRENT_SMKLS_USE = 2 OR R03_CURRENT_SNUS_USE = 2, THEN R03_CURRENT_TOBACCO_USE = 2. ELSE, R03_CURRENT_TOBACCO_USE = 8.
DERIVED QUESTIONNAIRE VARIABLES		
R03_CIGSPERDAY	Number of cigarettes smoked per day.	IF R03_CURRENT_CIG_USE = 1 AND R03_AC1021_NN != -8, -7 AND R03_AC1021_UN = 1, THEN R03_CIGSPERDAY = R03_AC1021_NN. IF R03_CURRENT_CIG_USE = 2 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_AC1023_NN != -8, -7 AND R03_AC1023_UN = 1, THEN R03_CIGSPERDAY = R03_AC1023_NN. IF R03_CIG_USER_STATUS = 4 AND R03_AC9003_NN != -8, -7 AND R03_AC9003_UN = 1, THEN R03_CIGSPERDAY = R03_AC9003_NN.
R03_CIGSPERDAY2	Estimate of cigarettes smoked per day when actual number is DK/RF.	IF R03_AC1090 = 1, R03_CIGSPERDAY2 = "more than 20 cigarettes each day". IF R03_AC1090 = 2, R03_CIGSPERDAY2 = "about 20 cigarettes each day". IF R03_AC1090 = 3, R03_CIGSPERDAY2 = "less than 20 cigarettes each day".
R03_PCKSPERDAY	Number of packs smoked per day.	IF R03_CURRENT_CIG_USE = 1 AND R03_AC1021_NN != -8, -7 AND R03_AC1021_UN = 2, THEN R03_PCKSPERDAY = R03_AC1021_NN. IF R03_CURRENT_CIG_USE = 2 AND R03_AC1023_NN != -8, -7 AND R03_AC1023_UN = 2, THEN R03_PCKSPERDAY = R03_AC1023_NN. IF R03_CIG_USER_STATUS = 4 AND R03_AC9003_NN != -8, -7 AND R03_AC9003_UN = 2, THEN R03_PCKSPERDAY = R03_AC9003_NN.
EPRODTYPE	Type of electronic nicotine product used.	IF R03_AV9035_01 = 1, THEN EPRODTYPE = e-cigarette. IF R03_AV9035_02 = 1, THEN EPRODTYPE = e-cigar. IF R03_AV9035_03 = 1, THEN EPRODTYPE = e-pipe IF R03_AV9035_04 = 1, THEN EPRODTYPE = e-hookah. IF R03_AV9035_05 = 1 AND R03_AV9035_01 != 1 AND R03_AV9035_02 != 1 AND R03_AV9035_03 != 1 AND R03_AV9035_04 !=

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		1, THEN EPRODTYPE = electronic nicotine product. IF R03_AV9035_05 = 1 AND (R03_AV9035_01 = 1 OR R03_AV9035_02 = 1 OR R03_AV9035_03 = 1 OR R03_AV9035_04 = 1), THEN EPRODTYPE = other electronic nicotine product.
R03_EPRODCOUNT	The number of different electronic nicotine products used.	R03_EPRODCOUNT = 0 (RANGE = 0-4) IF R03_AV9035_01 = 1, SET R03_EPRODCOUNT = R03_EPRODCOUNT + 1; IF R03_AV9035_02 = 1, SET R03_EPRODCOUNT = R03_EPRODCOUNT + 1; IF R03_AV9035_03 = 1, SET R03_EPRODCOUNT = R03_EPRODCOUNT + 1; IF R03_AV9035_04 = 1, SET R03_EPRODCOUNT = R03_EPRODCOUNT + 1.
R03_PRIMARY_EPROD**	(1) E-cigarette = Adult respondents whose primary electronic nicotine product is an e-cigarette. (2) E-cigar = Adult respondents whose primary electronic nicotine product is an e-cigar. (3) E-pipe = Adult respondents whose primary electronic nicotine product is an e-pipe. (4) E-hookah = Adult respondents whose primary electronic nicotine product is an e-hookah. (5) Electronic nicotine product = Adult respondents whose primary electronic nicotine product is another or unknown electronic nicotine product.	IF (R02_EPRODCOUNT = 1 AND R03_EPRODCOUNT = 0 AND R03_EVER_NEVER_ECIG = 1) OR (R03_EPRODCOUNT = 1 AND R03_AV9035_01 = 1) OR (R03_EPRODCOUNT > 1 AND R03_AV9035_01 = 1 AND (R03_AV9044 = 1 OR (R03_AV1003EG != 1 AND R03_AV1003EG != 2 AND R03_AV1003EP != 1 AND R03_AV1003EP != 2 AND R03_AV1003EH != 1 AND R03_AV1003EH != 2))), THEN R03_PRIMARY_EPROD = 1. ELSE, IF (R02_EPRODCOUNT = 1 AND R03_EPRODCOUNT = 0 AND R03_EVER_NEVER_ECIGAR = 1) OR (R03_EPRODCOUNT = 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_AV9035_02 = 1) OR (R03_EPRODCOUNT > 1 AND R03_AV9035_02= 1 AND (R03_AV9044 = 2 OR (R03_AV1003EC != 1 AND R03_AV1003EC != 2 AND R03_AV1003EP != 1 AND R03_AV1003EP != 2 AND R03_AV1003EH != 1 AND R03_AV1003EH != 2))), THEN R03_PRIMARY_EPROD = 2. ELSE, IF (R02_EPRODCOUNT = 1 AND R03_EPRODCOUNT = 0 AND R03_EVER_NEVER_EPIPE= 1) OR (R03_EPRODCOUNT = 1 AND R03_AV9035_03= 1) OR (R03_EPRODCOUNT > 1 AND R03_AV9035_03 = 1 AND (R03_AV9044 = 3 OR (R03_AV1003EC != 1 AND R03_AV1003EC != 2 AND R03_AV1003EG != 1 AND R03_AV1003EG != 2 AND R03_AV1003EH != 1 AND R03_AV1003EH != 2))), THEN R03_PRIMARY_EPROD = 3. ELSE, IF (R02_EPRODCOUNT = 1 AND R03_EPRODCOUNT = 0 AND R03_EVER_NEVER_EHOOK= 1) OR (R03_EPRODCOUNT = 1 AND R03_AV9035_04= 1) OR (R03_EPRODCOUNT > 1 AND R03_AV9035_04 = 1 AND (R03_AV9044 = 4 OR (R03_AV1003EC != 1 AND R03_AV1003EC != 2 AND R03_AV1003EG != 1 AND R03_AV1003EG != 2 AND R03_AV1003EP != 1 AND R03_AV1003EP != 2))), THEN R03_PRIMARY_EPROD = 4. ELSE, IF (R03_EPRODCOUNT = 0 AND R03_AV9035_05 = 1 AND R02_EPRODCOUNT != 1) OR

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		(R03_EPRODCOUNT > 1 AND (R03_AV9044 = -8 OR -7)), THEN R03_PRIMARY_EPROD = 5.
R03_SECONDARY_EPROD**	(1) E-cigarette = Adult respondents whose secondary electronic nicotine product is an e-cigarette. (2) E-cigar = Adult respondents whose secondary electronic nicotine product is an e-cigar. (3) E-pipe = Adult respondents whose secondary electronic nicotine product is an e-pipe. (4) E-hookah = Adult respondents whose secondary electronic nicotine product is an e-hookah. (5) Electronic nicotine product = Adult respondents who have multiple secondary electronic nicotine products.	IF R03_EPRODCOUNT = 2 AND R03_AV9035_01 = 1 AND (R03_AV9044 = 2 OR R03_AV9044 = 3 OR R03_AV9044 = 4), THEN R03_SECONDARY_EPROD = 1. ELSE, IF R03_EPRODCOUNT = 2 AND R03_AV9035_02 = 1 AND (R03_AV9044 = 1 OR R03_AV9044 = 3 OR R03_AV9044 = 4), THEN R03_SECONDARY_EPROD = 2. ELSE, IF R03_EPRODCOUNT = 2 AND R03_AV9035_03 = 1 AND (R03_AV9044 = 1 OR R03_AV9044 = 2 OR R03_AV9044 = 4), THEN R03_SECONDARY_EPROD = 3. ELSE, IF R03_EPRODCOUNT = 2 AND R03_AV9035_04 = 1 AND (R03_AV9044 = 1 OR R03_AV9044 = 2 OR R03_AV9044 = 3), THEN R03_SECONDARY_EPROD = 4. ELSE, IF R03_EPRODCOUNT > 2 AND (R03_AV9044 = 1, 2, 3, 4), THEN R03_SECONDARY_EPROD = 5.
R03_EDEVICETYPE	E-product device type.	IF R03_AV9005 = 2, -8, -7 AND R03_AV9008 = 2, -8, -7 AND R03_AV9038 = 2, 3, -8, -7 AND R03_AV9009 = 2, -8, -7, THEN R03_EDEVICETYPE = 1 (Disposable). ELSE, IF R03_AV9005 = 1 AND R03_AV9008 = 1 AND R03_AV9038 = 2, 3, -8, -7 AND R03_AV9009 = 2, -8, -7, THEN R03_EDEVICETYPE = 2 (Non-Refillable Cartridge).

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, IF R03_AV9005 = 1 AND R03_AV9008 = 1 AND R03_AV9038 != 1 AND R03_AV9009 = 1, THEN R03_EDEVICETYPE = 3 (Refillable Cartridge). ELSE, IF R03_AV9005 = 1 AND R03_AV9038 = 1 AND R03_AV9009 = 1, THEN R03_EDEVICETYPE = 4 (Refillable Tank System). ELSE, IF R03_AV9005 = 1, 2, -8, -7 AND R03_AV9008 = 2, -8, -7 AND R03_AV9038 = 2, 3, -8, -7 AND R03_AV9009 = 1, THEN R03_EDEVICETYPE = 5 (Refillable Mod System). ELSE, R03_EDEVICETYPE = 6 (Unknown).
CIGARLOOP1	Cigars as Non-Blunts: CIGARLOOP1 = BOX R03_AGR05 THROUGH BOX R03_AGR06. GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months. GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months. GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months. Cigars as Blunts-Only:	Cigars as Non-Blunts: CIGARLOOP1 = BOX R03_AGR05 THROUGH BOX R03_AGR06. GTRAD: IF R03_EVER_NEVER_GTRAD = 1 AND R03_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. GRILLO: IF R03_EVER_NEVER_GRILLO = 1 AND R03_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. GFILTR: IF R03_EVER_NEVER_GFILTR = 1 AND R03_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR. Cigars as Blunts-Only: CIGARLOOP1 = BOX R03_AGR05 THROUGH BOX R03_AGR06. DO NOT ASK ITEM R03_AG1010. BTRAD: IF R03_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	CIGARLOOP1 = BOX R03_AGR05 THROUGH BOX R03_AGR06. DO NOT ASK ITEM R03_AG1010. BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	BRILLO: IF R03_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO. BFILTR: IF R03_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.
CIGARLOOP2	Cigars as Non-Blunts: CIGARLOOP2 = BOX R03_AGT03 THROUGH R03_AG1081. GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months. GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months. GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months. Cigars as Blunts-Only:	Cigars as Non-Blunts: CIGARLOOP2 = BOX R03_AGT03 THROUGH R03_AG1081. GTRAD: IF R03_EVER_NEVER_GTRAD = 1 AND R03_AG1010TC != 3 AND R03_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. GRILLO: IF R03_EVER_NEVER_GRILLO = 1 AND R03_AG1010CG != 3 AND R03_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. GFILTR: IF R03_EVER_NEVER_GFILTR = 1 AND R03_AG1010FC != 3 AND R03_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR. Cigars as Blunts-Only:

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	CIGARLOOP2 = R03_AGT03, R03_AGR01, R03_AG1008, R03_AG1011, R03_AG1030, R03_AG1032, R03_AG1033, R03_AG1039, R03_AG1040, R03_AG1042, R03_AG1043, R03_AG1047, R03_AG1048, R03_AG1070, R03_AG1049, R03_AG1071, R03_AG1050, R03_AG1012, and R03_AGR04 BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	CIGARLOOP2 = R03_AGT03, R03_AGR01, R03_AG1008, R03_AG1011, R03_AG1030, R03_AG1032, R03_AG1033, R03_AG1039, R03_AG1040, R03_AG1042, R03_AG1043, R03_AG1047, R03_AG1048, R03_AG1070, R03_AG1049, R03_AG1071, R03_AG1050, R03_AG1012, and R03_AGR04 BTRAD: IF R03_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD. BRILLO: IF R03_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO. BFILTR: IF R03_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.
R03_SMKLSSTYPE[1]	Adult respondent uses smokeless tobacco, but not snus pouches.	IF R03_EVER_NEVER_SMKLS = 1 AND R03_EVER_NEVER_SNUS = 2, SMKLSSTYPE[1] = 1, ELSE SMKLSSTYPE[1] = 2.
R03_SMKLSSTYPE[2]	Adult respondent uses snus pouches but not other forms of smokeless tobacco.	IF R03_EVER_NEVER_SNUS = 1 AND R03_EVER_NEVER_SMKLS = 2, SMKLSSTYPE[2] = 1, ELSE SMKLSSTYPE[2] = 2.
R03_SMKLSSTYPE[3]	Adult respondent uses both snus pouches and other forms of smokeless tobacco.	IF R03_EVER_NEVER_SMKLS = 1 AND R03_EVER_NEVER_SNUS = 1, SMKLSSTYPE[3] = 1, ELSE SMKLSSTYPE[3] = 2.
R03_TOBACCO_PRODUCT_LIST	A list of all the tobacco products the respondent currently uses. DISPLAY: FOR [TOBACCO PRODUCT LIST] EMBEDDED IN THE QUESTION TEXT,	If R03_CIG_USER_STATUS = 1, INCLUDE "cigarettes". ELSE, IF R03_EPROD_USER_STATUS = 1, INCLUDE "electronic nicotine products". ELSE, IF R03_GTRAD_USER_STATUS= 1, INCLUDE "traditional cigars" in the list.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	DISPLAY THE PRODUCT NAMES IN LOWERCASE LETTERS. IF [TOBACCO PRODUCT LIST] HAS TWO PRODUCTS, CONNECT THE PRODUCTS WITH "and". ELSE, IF [TOBACCO PRODUCT LIST] HAS THREE OR MORE PRODUCTS, CONNECT THE PRODUCTS WITH COMMAS AND INCLUDE "and" BEFORE THE FINAL PRODUCT IN THE LIST. .	ELSE, IF R03_GRILLO_USER_STATUS = 1, INCLUDE "cigarillos" in the list. ELSE, IF R03_GFILTR_USER_STATUS= 1, INCLUDE "filtered cigars" in the list. ELSE, IF R03_PIPE_USER_STATUS = 1, INCLUDE "a pipe" in the list. ELSE, IF R03_HOOK_USER_STATUS = 1, INCLUDE "hookah" in the list. ELSE, IF R03_SNUS_USER_STATUS = 1, INCLUDE "snus" in the list. ELSE, IF R03_SMKLS_USER_STATUS = 1, INCLUDE "smokeless tobacco" in the list.
R03_CURRENT_PRODUCT_COUNT	Number of tobacco products the respondent currently uses every day or somedays.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY OR SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R03_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R03_EVERY_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses every day.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R03_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R03_SOME_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses somedays.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R03_EXPERIMENTAL_PRODUCT_COUNT	Number of tobacco products the respondent currently uses experimentally.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A CURRENT EXPERIMENTAL USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R03_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R03_NEW_FORMER_PRODUCT_COUNT	Number of tobacco products the respondent is a new former user of.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A NEW FORMER USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R03_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R03_NDSKIP	Type of product use -- polyusers or multiple product users	R03_NDSKIP: IF (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT >= 2) AND R03_EPROD_USER_STATUS != 1, 4, THEN R03_NDSKIP = 1. ELSE, IF (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT >= 3) AND R03_EPROD_USER_STATUS = 1, 4, THEN R03_NDSKIP = 2. ELSE, IF (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 2) AND R03_EPROD_USER_STATUS = 1, 4, THEN R03_NDSKIP = 3.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, IF R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1, THEN R03_NDSKIP = 0. ELSE, IF R03_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R03_TOBACCO_USER_STATUS = 2 AND R03_EPROD_USER_STATUS != 2, THEN R03_NDSKIP = 1. ELSE, IF R03_EXPERIMENTAL_PRODUCT_COUNT >= 3 AND R03_TOBACCO_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2, THEN R03_NDSKIP = 2. ELSE, IF R03_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R03_TOBACCO_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2, THEN R03_NDSKIP = 3. ELSE, IF R03_EXPERIMENTAL_PRODUCT_COUNT = 1 AND R03_TOBACCO_USER_STATUS = 2, THEN R03_NDSKIP = 0.
R03_GROUP	Type of product use -- single product users	IF R03_NDSKIP = 0: IF (R03_CIG_USER_STATUS = 1, 4) AND (R03_EPROD_USER_STATUS != 1 AND R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NC. ELSE, IF R03_GTRAD_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND R03_EPROD_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NG. ELSE, IF R03_GRILLO_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NL. ELSE, IF R03_GFILTR_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND R03_EPROD_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NF. ELSE, IF R03_PIPE_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NP. ELSE, IF R03_HOOK_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NH. ELSE, IF R03_SNUS_USER_STATUS = 1, 4 AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_HOOK_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NU. ELSE, IF R03_SMKLS_USER_STATUS = 1 OR 4 AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_EPROD_USER_STATUS != 1 AND R03_EPROD_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4), THEN R03_GROUP = NS. ELSE, IF R03_CIG_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NC. ELSE, IF R03_GTRAD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NG.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, IF R03_GRILLO_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NL. ELSE, IF R03_GFILTR_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NF. ELSE, IF R03_PIPE_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NP. ELSE, IF R03_HOOK_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NH. ELSE, IF R03_SNUS_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NU. ELSE, IF R03_SMKLS_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NS. IF R03_NDSKIP = 3: IF (R03_CIG_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS = 1, 4) AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		(R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NC. ELSE, IF (R03_GTRAD_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS = 1, 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NG. ELSE, IF (R03_GRILLO_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS = 1, 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NL. ELSE, IF (R03_GFILTR_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS = 1, 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NF. ELSE, IF (R03_PIPE_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS = 1, 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NP. ELSE, IF (R03_HOOK_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS = 1, 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NH. ELSE, IF IF (R03_SNUS_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS = 1, 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4 AND R03_SMKLS_USER_STATUS != 1 AND R03_SMKLS_USER_STATUS != 4), THEN R03_GROUP = NU. ELSE, IF (R03_SMKLS_USER_STATUS = 1, 4 AND R03_EPROD_USER_STATUS = 1, 4) AND (R03_CIG_USER_STATUS != 1 AND R03_CIG_USER_STATUS != 4 AND R03_GTRAD_USER_STATUS != 1 AND R03_GTRAD_USER_STATUS != 4 AND R03_GFILTR_USER_STATUS != 1 AND R03_GFILTR_USER_STATUS != 4 AND R03_PIPE_USER_STATUS != 1 AND R03_PIPE_USER_STATUS != 4 AND R03_HOOK_USER_STATUS != 1 AND R03_HOOK_USER_STATUS != 4 AND R03_SNUS_USER_STATUS != 1 AND R03_SNUS_USER_STATUS != 4 AND R03_GRILLO_USER_STATUS != 1 AND R03_GRILLO_USER_STATUS != 4), THEN R03_GROUP = NS. ELSE, IF R03_CIG_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NC. ELSE, IF R03_GTRAD_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NG. ELSE, IF R03_GRILLO_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NL. ELSE, IF R03_GFILTR_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NF. ELSE, IF R03_PIPE_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NP. ELSE, IF R03_HOOK_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4), THEN R03_GROUP = NH. ELSE, IF R03_SNUS_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NU. ELSE, IF R03_SMKLS_USER_STATUS = 2 AND R03_EPROD_USER_STATUS = 2 AND (R03_TOBACCO_USER_STATUS != 1 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R03_TOBACCO_USER_STATUS != 4) THEN R03_GROUP = NS.
Twelve month quit status (e-products) R03_TWELVEMONTHQUIT_STATUS_EPROD	(1) Past 12 month quitter or quit attempter - Adult respondents who have quit or attempted to quit e-products in the past 12 months (2) Past 12 month reducer - Adult respondents who have cut down their e-product use in the past 12 months.	IF R03_AN0105E = 1 OR R03_EPROD_USER_STATUS = 4, THEN R03_TWELVEMONTHQUIT_STATUS_EPROD = 1. ELSE, IF R03_AN0334E = 1, THEN R03_TWELVEMONTHQUIT_STATUS_EPROD = 2. ELSE, R03_TWELVEMONTHQUIT_STATUS_EPROD = 8.
Twelve month quit status (non-electronic tobacco) R03_TWELVEMONTHQUIT_STATUS	(1) Past 12 month quitter or quit attempter - Adult respondents who have quit or attempted to quit non-electronic tobacco in the past 12 months (2) Past 12 month reducer - Adult respondents who have cut down their non-electronic tobacco use in the past 12 months.	IF R03_AN0105 = 1 OR R03_TOBXEPROD_USER_STATUS = 4, THEN R03_TWELVEMONTHQUIT_STATUS = 1. ELSE, IF R03_AN0334 = 1, THEN R03_TWELVEMONTHQUIT_STATUS = 2. ELSE, R03_TWELVEMONTHQUIT_STATUS = 8.
R03_ADULT_COPD	Adult respondents who have ever had COPD.	IF (R03_AX0119_NB_01 = 1 OR R03_AX0119_12M_01 = 1 OR R02_COPD = 1) AND R03_AX0733 != 3, THEN R03_ADULT_COPD = 1. ELSE, R03_ADULT_COPD = 2.
R03_ADULT_ASTHMA	Adult respondents who have ever had asthma.	IF (R02_ASTHMA = 1 OR R03_AX0119_NB_04 = 1 OR R03_AX0119_12M_04 = 1) AND R03_AX0227 != 6, THEN R03_ADULT_ASTHMA = 1, ELSE, R03_ADULT_ASTHMA = 2.
R03_EVER_USER_ALC	Has ever used alcohol.	IF R03_AX0084_12M = 1 OR R02_EVER_USER_ALCOHOL = 1, THEN R03_EVER_USER_ALC = 1. ELSE, R03_EVER_USER_ALC = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R03_EVER_USER_MJ	Has ever used marijuana.	IF R03_AG9107 = 1 OR R03_AX0085_12M = 1 OR R03_AH9031 = 1 OR R03_AV9042 = 1 OR R02_EVER_USER_MARIJUANA = 1, THEN R03_EVER_USER_MJ = 1. ELSE, R03_EVER_USER_MJ = 2.
R03_EVER_USER_RIT	Has ever used Ritalin® or Adderall®.	IF R02_EVER_USER_RITALIN = 1 OR R03_YX0089_NB_01 = 1 OR R03_YX0089_12M_01 = 1, THEN R03_EVER_USER_RIT = 1. ELSE R03_EVER_USER_RIT = 2.
R03_EVER_USER_PK	Has ever used painkillers, sedatives, or tranquilizers.	IF R03_AX0089_12M_02 = 1 OR R02_EVER_USER_PAINKILLERS = 1, THEN R03_EVER_USER_PK = 1. ELSE, R03_EVER_USER_PK = 2.
R03_EVER_USER_COC	Has ever used cocaine or crack.	IF R03_AX0220_12M_01 = 1 OR R02_EVER_USER_COCAINE = 1, THEN R03_EVER_USER_COC = 1. ELSE, R03_EVER_USER_COC = 2.
R03_EVER_USER_STIM	Has ever used stimulants like methamphetamine or speed.	IF R03_AX0220_12M_02 = 1 OR R02_EVER_USER_STIMULANTS = 1, THEN R03_EVER_USER_STIM = 1. ELSE, R03_EVER_USER_STIM = 2.
R03_EVER_USER_OTH	Has ever used other drugs like heroin, inhalants, solvents, or hallucinogens.	IF R03_AX0220_12M_03 = 1 OR R02_EVER_USER_OTHERDRUG = 1, THEN R03_EVER_USER_OTH = 1. ELSE R03_EVER_USER_OTH = 2.
R03_SUBSTANCE_COUNT	Number of substances the respondent has ever used.	R03_SUBSTANCE_COUNT = 0; IF R03_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1; IF R03_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1;

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		IF R03_EVER_USER_RIT = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1; IF R03_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1; IF R03_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1; IF R03_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1; IF R03_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R03_SUBSTANCE_COUNT + 1;
R03_PASTUSE_CIGS	Continuing adult respondents who have smoked cigarettes as of Wave 1, including new baseline adult respondents who have ever smoked cigarettes.	IF (R03_AC1010 != 3) AND ((R03_AC1004 = 1 OR R03_AC1002_12M = 1) OR (R02_CIG_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_CIGS = 1)), THEN R03_PASTUSE_CIGS = 1. ELSE, R03_PASTUSE_CIGS = 2.
R03_PASTUSE_EPRODS	Continuing adult respondents who have used electronic nicotine products as of Wave 1, including new baseline adult respondents who have ever used electronic nicotine products.	IF (R03_EVER_NEVER_EPRODS = 1) AND ((R03_AV1004 = 1) OR (R03_AV1002_12M = 1) OR (R02_ECIG_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2)), THEN R03_PASTUSE_EPRODS = 1. ELSE, R03_PASTUSE_EPRODS = 2.
R03_PASTUSE_GTRAD	Continuing adult respondents who have smoked traditional cigars as of Wave 1, including new baseline adult respondents who have ever smoked traditional cigars.	IF (R03_AG1010TC != 3) AND ((R03_AG9030 = 1 OR R03_AG9003_12M = 1) OR (R02_GTRAD_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GTRAD = 1)), THEN R03_PASTUSE_GTRAD = 1. ELSE, R03_PASTUSE_GTRAD = 2.

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R03_PASTUSE_GRILLO	Continuing adult respondents who have smoked cigarillos as of Wave 1, including new baseline adult respondents who have ever smoked cigarillos.	IF (R03_AG1010CG != 3) AND ((R03_AG9049_01 = 1 OR R03_AG9049_03 = 1 OR R03_AG9051 = 1 OR R03_AG9053 = 1 OR R03_AG9009_12M_01 = 1 OR R03_AG9009_12M_03 = 1) OR (R02_GRILLO_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GRILLO = 1)), THEN R03_PASTUSE_GRILLO = 1. ELSE, R03_PASTUSE_GRILLO = 2.
R03_PASTUSE_GFILTR	Continuing adult respondents who have smoked filtered cigars as of Wave 1, including new baseline adult respondents who have ever smoked filtered cigars.	IF (R03_AG1010FC != 3) AND ((R03_AG9049_02 = 1 OR R03_AG9052 = 1 OR R03_AG9009_12M_02 = 1) OR (R02_GFILTR_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_GFILTR = 1)), THEN R03_PASTUSE_GFILTR = 1. ELSE, R03_PASTUSE_GFILTR = 2.
R03_PASTUSE_PIPE	Continuing adult respondents who have smoked a pipe as of Wave 1, including new baseline adult respondents who have ever smoked a pipe.	IF (R03_AP1010 != 3) AND ((R03_AP1004 = 1 OR R03_AP1002_12M = 1) OR (R02_PIPE_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_PIPE = 1)), THEN R03_PASTUSE_PIPE = 1. ELSE, R03_PASTUSE_PIPE = 2.
R03_PASTUSE_HOOK	Continuing adult respondents who have smoked hookah as of Wave 1, including new baseline adult respondents who have ever smoked hookah.	IF (R03_AH1010 != 3) AND ((R03_AH1004 = 1 OR R03_AH1002_12M = 1) OR (R02_HOOK_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_HOOK = 1)), THEN R03_PASTUSE_HOOK = 1. ELSE, R03_PASTUSE_HOOK = 2.
R03_PASTUSE_SNUS	Continuing adult respondents who have used snus pouches as of Wave 1, including new baseline adult respondents who have ever used snus pouches.	IF (R03_AU1010 != 3) AND (((R03_AU1004 = 1 AND R03_AU9003 != 1) OR (R03_AU1002_12M = 1 AND R03_AU9004 != 1)) OR (R02_SNUS_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND

PATH Study Wave 3 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R02_EVER_NEVER_SNUS = 1)), THEN R03_PASTUSE_SNUS = 1. ELSE, R03_PASTUSE_SNUS = 2.
R03_PASTUSE_SMKLS	Continuing adult respondents who have used smokeless tobacco as of Wave 1, including new baseline adult respondents who have ever used smokeless tobacco.	IF (R03_AS1010 != 3) AND ((R03_AS1004 = 1 OR R03_AS1002_12M = 1 OR R03_AU9003 = 1 OR R03_AU9003 = 2 OR R03_AU9004 = 1 OR R03_AU9004 = 2) OR (R02_SMKLS_USER_STATUS = 1, 2, 3, 4) OR (R03_ADULTTYPE = 2 AND R02_EVER_NEVER_SMKLS = 1)), THEN R03_PASTUSE_SMKLS = 1. ELSE, R03_PASTUSE_SMKLS = 2.

APPENDIX – ADULT INSTRUMENT SKIP ERROR SUMMARY

This table summarizes skip errors in the data collection instruments that resulted in missing data on these items for some respondents. Items that were fixed during data collection will have some missing data and some non-missing data.

Item(s)**	Description of Issue	Issue Fixed during Wave 3 Data Collection?	Date Issue was Fixed
R03_AV1003EC, R03_AU1003, R03_AS1003	These items were skipped incorrectly by respondents who answered don't know or refused in the corresponding R03_A*1002_12M item.	No	
R03_AG1003TC	This item was skipped incorrectly by respondents who answered don't know or refused in item R03_AG9003_12M.	No	
R03_AG1003CG	This item was skipped incorrectly by respondents who answered don't know or refused in items R03_AG9009_12M or R03_AG9004_12M.	No	
R03_AG1003FC	This item was skipped incorrectly by respondents who answered don't know or refused in items R03_AG9052, R03_AG9009_12M, or R03_AG9004_12M.	No	
R03_AG9021	This item was skipped incorrectly by users who have smoked filtered cigars in the past 30 days (R03_AG9049_02 = 1) and have smoked cigarillos (R03_EVER_NEVER_GRILLO = 1), but did not smoke cigarillos in the past year (R03_AG9004_12M != 1 and R03_AG9051 != 1 and R03_AG9053 != 1).	No	
R03_AG9022	This item was skipped incorrectly by users who have smoked cigarillos in the past 30 days (R03_AG9049_01 = 1 or R03_AG9049_03 = 1) and have smoked filtered cigars (R03_EVER_NEVER_GFILTR = 1), but did not smoke filtered cigars in the past year (R03_AG9004_12M != 1 and R03_AG9052 != 1).	No	
R03_EVER_NEVER_EPRODS	Values for this data collection variable were not set correctly for respondents who a) used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah in Wave 2 and did not use an e-product in the past 12 months (R03_AV1002_12M = 2), or b) were Wave 2 never users who used an e-product in the past 30 days or 12 months (R03_AV1004 = 1 OR R03_AV1002_12M = 1), but did not know or refused to provide the type of e-product used (R03_AV9035 = -8, -7). Some of these respondents also had their values for R03_EPROD_USER_STATUS updated. The incorrect setting of R03_EVER_NEVER_EPRODS also caused the following items to be skipped incorrectly: R03_AV9042, R03_AX0505, R03_AX0104, R03_AX0105	No	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 3 Data Collection?	Date Issue was Fixed
R03_PRIMARY_EPROD	Values for this data collection variable were not set correctly for some respondents who recanted a product other than the product they selected in R03_AV9035. The incorrect setting of R03_PRIMARY_EPROD also caused the following items to be skipped incorrectly: R03_AV1090, R03_AV9041, R03_AV1005, R03_AV1100.	No	
R03_SECONDARY_EPROD	Values for this data collection variable were not set correctly for some respondents who recanted a product other than the products they selected in R03_AV9035. The incorrect setting of R03_SECONDARY_EPROD also caused the following items to be skipped incorrectly: R03_AV2005, R03_AV2100, R03_AV2011_01 -- R03_AV2011_09, R03_AV2200, R03_AV2010.	No	
R03_AU1206	This item was skipped incorrectly by respondents who have used snus pouches (R03_EVER_NEVER_SNUS = 1) and did not use or refused to report if they used snus pouches in the past 30 days (R03_AU1004 = 2, -7) and used Skoal Bandits only in the past 12 months (R03_AU9004 = 1).	No	
R03_AC9010, R03_AC9011, R03_AC9014, R03_AC9015	These items were incorrectly skipped by some respondents who were current experimental users (R03_CIG_USER_STATUS = 2) and by former experimental and still former established users who smoked cigarettes in the past 30 days (R03_CIG_USER_STATUS = 3, 5 and R03_FORMER_THIRTYDAY_USER_CIGS = 1).	Yes	4/26/2016
R03_AC9019	This item was skipped incorrectly by some respondents who were current established, current experimental, or non-current 30-day manufactured cigarette smokers or new former established cigarette smokers who had a regular brand of manufactured cigarettes (R03_AC1047MC = 1).	Yes	7/7/2016
R03_AC0104	This item was skipped incorrectly by respondents who were smokers of both manufactured and roll-your-own cigarettes and did not provide a product name in R03_AC1070[MC/RV]_PRODUCT for one of the types of cigarettes.	No	
R03_EPROD_USER_STATUS	Values for this data collection variable were not set correctly for respondents who a) only used an e-product other than e-cigarettes, e-cigars, e-pipes, or e-hookah every day or some days in Wave 3 [(R03_AV1003EN = 1, 2) AND (R03_AV1003[EC/EG/EP/EH] != 1, 2)], or b) were ever users of an e-product other than e-cigarettes in Wave 2, who no longer use any type of e-product in Wave 3. It was also updated for respondents who had	No	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 3 Data Collection?	Date Issue was Fixed
	R03_EVER_NEVER_EPRODS updated to 1. The incorrect setting of R03_EPROD_USER_STATUS also caused the following items to be skipped incorrectly: R03_AV9005, R03_AV9038, R03_AV9008, R03_AV9009, R03_AV9010, R03_AV1022, R03_AV1023, R03_AV1024_NN, R03_AV0100, R03_AV1131_01 -- R03_AV1131_09, R03_AV1098, R03_AV1030, R03_AV9040, R03_AV1047, R03_AV1012_01 -- R03_AV1012_09, R03_AV1945, R03_AV1060, R03_AV1085, R03_AV1062, R03_AV1075, R03_AV1063, R03_AV1064, R03_AV1065, R03_AV1066, R03_AV1067, R03_AV1086, R03_AV1080, R03_AV1081, R03_AV1139, R03_AV1140, R03_AV1141, R03_AY0010_NN, R03_AX0306_01 -- R03_AX0306_10, R03_AX0307E_01 -- R03_AX0307E_10, R03_AN0010E, R03_AN0015E, R03_AN0020E, R03_AN0055E, R03_AN0025E, R03_AN0030E, R03_AN0035E, R03_AN0045E, R03_AN0060E, R03_AN0065E, R03_AN0050E, R03_AN0070E, R03_AN0075E, R03_AN0255E, R03_AN0080E, R03_AN0085E, R03_AN0090E, R03_AN0095E, R03_AN0100E, R03_AN0110E, R03_AN0813E, R03_AN0812E, R03_AN0105E, R03_AN0334E, R03_AN0115E, R03_AN0330_12ME, R03_AN0331_12ME, R03_AN0804E, R03_AN0805E, R03_AN0806E, R03_AN0807E, R03_AN0808E, R03_AN0809E, R03_AN0810E, R03_AN0230E, R03_AN0235E, R03_AX0006E, R03_AX0004, R03_AX0071, R03_AX0742, R03_AX0743, R03_AX0003, R03_AX0715, R03_AX0212, R03_AM0029, R03_AX0214.		
R03_AV1011_01 – R03_AV1011_09	This item was skipped by some respondents who were former experimental users of e-products (R03_EPROD_USER_STATUS = 3) and did not use e-products in the past 30 days (R03_FORMER_THIRTYDAY_USER_EPROD = 2).	No	
R03_FORMER_THIRTYDAY_USER_EPROD	Values for this data collection variable were not set correctly for respondents who used more than one e-product in Wave 2 (R02_EPRODCOUNT > 1) and reported that they did not use e-products in the past 12 months (R03_AV1002_12M = 2) and reported in R03_AV1009[EC/EG/EP/EH/EN] that their last use of an e-product was in the past 30 days or one month. The incorrect setting of R03_FORMER_THIRTYDAY_USER_EPROD also caused the following items to be skipped incorrectly: R03_AV9005, R03_AV9038, R03_AV9008, R03_AV9009, R03_AV9010, R03_AV1022, R03_AV9029_NN,	No	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 3 Data Collection?	Date Issue was Fixed
	R03_AV1023, R03_AV1024_30D_NN, R03_AV0100, R03_AV1131_01 -- R03_AV1131_09, R03_AV1098, R03_AV1030, R03_AV9040, R03_AV1047, R03_AV1012_01 -- R03_AV1012_09, R03_AV1945, R03_AV1060, R03_AV1085, R03_AV1062, R03_AV1075, R03_AV1063, R03_AV1064, R03_AV1065, R03_AV1066, R03_AV1067, R03_AV1086, R03_AV1080, R03_AV1081, R03_AV1139, R03_AV1140, R03_AV1141.		
R03_THIRTY_DAY_USER_HOOK	Values for this data collection variable were not set correctly for respondents who indicated that they did not smoke hookah in the past 30 days (R03_AH1004 = 2) and smoked hookah in the past 12 months (R03_AH1002_12M = 1). The incorrect setting of R03_THIRTY_DAY_USER_HOOK also caused the following items to be skipped incorrectly: R03_AH0100, R03_AH1024, R03_AH1030, R03_AH1130	No	
R03_SNUS_USER_STATUS	Values for this data collection variable were not set correctly for respondents who used Skoal Bandits only in the past 12 months (R03_AU9004 = 1). The incorrect setting of R03_SNUS_USER_STATUS also caused the following items to be skipped incorrectly: R03_AU1047, R03_AU1050, R03_AU1945, R03_AU1060, R03_AU1085, R03_AU1062, R03_AU1075, R03_AU1063, R03_AU1064, R03_AU1065, R03_AU1067, R03_AU1076, R03_AU1080, R03_AU1081, R03_AU1139, R03_AU1140, R03_AU1141, R03_AR0212.	No	
R03_FORMER_THIRTYDAY_USER_SNUS	Values for this data collection variable were not set correctly for respondents who reported that they used only Skoal Bandits in the past 12 months (R03_AU9004 = 1), but provided an answer less than 30 days or one month in R03_AU1009. The incorrect setting of R03_FORMER_THIRTYDAY_USER_SNUS also caused the following items to be skipped incorrectly: R03_AU1022, R03_AU1023, R03_AU1024_30D_NN, R03_AU0100, R03_AU1130, R03_AU1098, R03_AU1030, R03_AU1086.	No	
R03_AN0257E , R03_AN0145E_NN, R03_AN0210E, R03_AN0215E, R03_AN0225E_01 -- R03_AN0225E_11	These items were skipped incorrectly by respondents who did not know or refused to answer how many times in the past 12 months they tried to quit using e-products completely (R03_AN0115E = -8, -7).	No	

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 3 Data Collection?	Date Issue was Fixed
R03_AS1008	This item was skipped incorrectly by respondents who were former experimental users of smokeless tobacco (R03_SMKLS_USER_STATUS = 3) and did not use smokeless tobacco in the past 30 days (R03_FORMER_THIRTYDAY_USER_SMKLS = 2).	No	
R03_AN0257E	This item was skipped incorrectly by respondents who had a valid R03_AV1009[EG/EP/EH/EN]_NN response for an e-product other than e-cigarettes.	No	
R03_AX0006E	This item was skipped incorrectly by some respondents who were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3).	No	
R03_AN0010, R03_AN0015, R03_AN0020, R03_AN0025, R03_AN0055, R03_AN0030, R03_AN0035, R03_AN0045, R03_AN0060, R03_AN0065, R03_AN0050, R03_AN0070, R03_AN0075, R03_AN0255, R03_AN0080, R03_AN0085, R03_AN0090, R03_AN0095, R03_AN0100, R03_AN0110, R03_AN0813, R03_AN0812, R03_AN0105, R03_AN0334, R03_AN0115, R03_AN0330_12M, R03_AN0331_12M, R03_AN0804, R03_AN0805, R03_AN0806, R03_AN0807, R03_AN0808, R03_AN0809, R03_AN0810, R03_AN0230, R03_AN0235	These items were skipped incorrectly by some respondents who were current established or new former established users of one tobacco product other than e-products (R03_CURRENT_PRODUCT_COUNT + R03_NEW_FORMER_PRODUCT_COUNT = 1 and R03_TOBXEPROD_USER_STATUS = 1, 4) and were current experimental or former experimental users of e-products (R03_EPROD_USER_STATUS = 2, 3).	Yes	04/01/2016

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 3 Data Collection?	Date Issue was Fixed
R03_AN0145_NN	This item was skipped incorrectly by respondents who did not provide a valid response in R03_A*1009 for the particular product that was asked about this item, but did provide a valid response in R03_A*1009 for another product.	No	
R03_AN0811	This item was skipped incorrectly by respondents who have cut down their non-electronic tobacco use in the past 12 months or whose quit status was undetermined (R03_TWELVEMONTHQUIT_STATUS = 2, 8) and were current established or current experimental users of non-electronic tobacco (R03_TOBXEPROD_USER_STATUS = 1, 2) and not current established, new former established, or current experimental users of e-products (R03_EPROD_USER_STATUS != 1, 2, 4) and reported using nicotine replacement therapy (R03_AN0330_12M = 1).		
R03_AR0095	This item was skipped incorrectly by some respondents who are current established cigarette smokers (R03_CIG_USER_STATUS = 1) and smoke both manufactured and roll-your-own cigarettes (R03_AC9048 = 3).	Yes	5/17/2016
R03_AU9040	This item was skipped incorrectly by some respondents who did not indicate that they saw snus products that claimed to be less harmful in the past 12 months (R03_AU1669 != 1).	Yes	5/17/2016
R03_AX0751, R03_AX0750	These items were skipped incorrectly by some respondents who did not indicate that they took any medications regularly for COPD or asthma (R03_AX0283 != 1).	Yes	5/17/2016
R03_AX0340, R03_AX0341, R03_AX0342, R03_AX0343, R03_AX0344, R03_AX0345, R03_AX0348, R03_AX0349, R03_AX0350, R03_AX0351, R03_AX0352, R03_AX0353, R03_AX0354, R03_AX0355	These items were skipped incorrectly by respondents who were pregnant during their W2 interview (R02_PREGNANT = 1) and are 50 years old or older (R03R_A_AGE >= 50).	No	
R03_AX0715	This item was skipped incorrectly by some respondents who reported having a regular brand of manufactured or roll-your-own cigarettes (R03_AC1047[MC/RV] = 1) and did not report having a regular brand of any other product.	Yes	5/17/2016

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 3 Data Collection?	Date Issue was Fixed
R03_AX0209	This item was skipped incorrectly by some respondents who reported not having a regular brand of manufactured or roll-your-own tobacco (R03_AC1047[MC/R Y] = 2), and did not report not having a regular brand of any other product.	Yes	7/7/2016
R03_AX0233_01 – R03_AX0233_03, R03_AX0233_07	These items were skipped incorrectly if only one of the corresponding R03_AX0217[A/B]_[01/02/03] had an entry.	No	

APPENDIX – ADULT INSTRUMENT DATA ERROR SUMMARY

This table summarizes variables with data errors that are not attributed to any skip errors in the data collection instruments. This table also includes variables that were incorrectly skipped in the data collection instrument due to missing pre-load values. For some respondents, these variables have missing data. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (other-specify text response coding, interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.).

Section	Items***
Introductory Demographics	R03_AT0047
Tobacco Use	R03_AC1009_NN, R03_AC1010, R03_AV1009EC_NN, R03_AV1010EC, R03_AV1009EH_NN, R03_AV1010EH, R03_AG1009FC_NN, R03_AG1010FC, R03_AH1009_NN, R03_AH1010
Cigarette	R03_AC1005, R03_AC9002_NN, R03_AC1022, R03_AC1023_NN, R03_AC1024_30D_NN, R03_AC9048, R03_AC0105, R03_AC0104
Primary Electronic Nicotine Products	R03_AV1090, R03_AV9041, R03_AV1005, R03_AV1100, R03_AV1011_01 – R03_AV1011_09, R03_AV9042, R03_AV0104
Cigar	R03_AJ1008TC, R03_AJ1008CG, R03_AG0104TC, R03_AG1060TC, R03_AG1085TC, R03_AG1062TC, R03_AG1075TC, R03_AG1063TC, R03_AG1066TC, R03_AG0104CG, R03_AG1005FC, R03_AG1100FC, R03_AG0104FC
Pipe	R03_AP1081
Hookah	R03_AH1090, R03_AH9041, R03_AH1005, R03_AH1100, R03_AH9108, R03_AH0104
Snus	R03_AU0104
Smokeless Tobacco	R03_AS1022, R03_AS1023, R03_AS1024_30D_NN, R03_AS0100, R03_AS1130, R03_AS1098, R03_AS1030, R03_AS0104
Nicotine Dependence	R03_AN0170E, R03_AX0006
Packaging and Health Warnings	R03_AR0040
Media Use	R03_AX0505
Social Norms, Peer and Family Influences	R03_AX0071, R03_AX0741_01 – R03_AX0741_10, R03_AX0743
Health	R03_AX0003, R03_AX0104, R03_AX0105, R03_AX0227, R03_AX0228, R03_AX0229, R03_AX0283, R03_AX0128_01 – R03_AX0128_06, R03_AX0125, R03_AX0127, R03_AX0230, R03_AX0231, R03_AX0144_12M, R03_AX0698, R03_AX0699, R03_AX0145_01 – R03_AX0145_31, R03_AX0705, R03_AX0748, R03_AX0149_12M, R03_AX0196_12M, R03_AX0400_12M, R03_AX0701, R03_AX0700, R03_AX0158_04, R03_AX0134_12M, R03_AX0089_12M_01, R03_AX0089_12M_02, R03_AX0220_12M_01 -- R03_AX0220_12M_03, R03_AX0170,

PATH Study Wave 3 Adult Public Use File Annotated Instrument

Section	Items***
	R03_AX0175_01 – R03_AX0175_07, R03_AX0171, R03_AX0172, R03_AX0173, R03_AX0193, R03_AX0174, R03_AX0194, R03_AX0176_01 – R03_AX0176_07, R03_AX0689_12M_01 -- R03_AX0689_12M_04
Marketing, Advertising and Promotion	R03_AX0212, R03_AX0203_01 -- R03_AX0203_10
Additional Demographics	R03_AM0026_02 -- R03_AM0026_08, R03_AM0029
Product Barcode Scanning Module	R03_AX0217_1A, R03_AX0217_2A, R03_AX0217_3A, R03_AX0217_4A, R03_AX0217_5A